Usenet Newsgroup Archive: rec.radio.amateur.boatanchors

1999-04 - 1999-06

These Usenet messages were preserved as a plain-text archive. This PDF was generated by Digital Library of Amateur Radio & Communications from the source text file in 2026.

Date span: 1999-04-01 through 1999-06-30

Source text: rec.radio.amateur.boatanchors.txt

Source item: https://archive.org/details/usenet-rec

Messages included in this PDF: 4,133

Message records with no readable body available in the source text: 1

Messages are presented chronologically by archived date.

Binary or encoded payloads are not printed as blocks of encoded text; a placeholder appears where such material was detected. The original source text is unchanged.

1. Re: Gonset Communicator 6 Civil Defense (Yellow Box)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.040199.005538.09@vna-va12-54.ix.netcom.com>
Source record: 86637

On 3/31/99 8:41PM, in message <19990331204110.10024.00000737@ng142.aol.com>, HClem13890 <hclem13890@aol.com> wrote:

> I am looking for a schematic for this receiver. Also would like to know the
> history behind this radio. I have also seen Civil Air-patrol units too. Any
> articles in past magazines on this equipment? Was it refered to as a gooney
> box?

Altho I can not directly help with a schematic, if you e-mail me I'll be glad to provide information for a manual and schematic source which I'm sure you'll find very helpful in acquiring one.

As for the "history" behind the Gonset "Yellow Box", perhaps a few direct quotations from the May, 1954 edition of "Radio and Television News" will be of interest. This article was written by Woodrow Smith, Chief Engineer of Gonset Company.

"Later, in the years just before World War II, there were some serious workers using high power crystal control and superhet receivers, but the bulk of activity was still represented by the simple transceiver of two or three tubes, using a superregenerative receiver with the oscillator doubling up for transmitter service". "The war brought an end to such activity and afterwards it was not immediately resumed". "It was generally conceded that the simple modulated oscillator and superregenerative receiver were outdated and the thightening up of the regulations regarding transmitter stability on the 2-meter band was an added deterrant". "The non-selective, radiating receiver and the wobbulated oscillator transmitter went out the window in the interest of greater band utilization". "A 2-meter station with a handle on it, meeting the new requirements was not within the construction capabilities of a large number of potential users and no such factory-built gear was on the market". "Gambling that a new piece of factory-built gear which would take the place of the old Abbott, Haigis, and other then-popular transceivers would find a wide market, a transmitter-receiver unit meeting present day stability and selectivity requirements was developed and put in production". "The complexity of such equipment, as exemplified by the Gonset Communicator, contrasted with that of a typical pre-war transceiver." "While originally designed for amateur use, the Communicator (with frequency range modified when necessary) is finding wide use in Civil Air Patrol ground service, ground control at large airports, flight test communication at aircraft factories, and "unicom" ground station use at small airports not equipped wikth control towers". "The universal dual-input power supply (6 volts DC or 117 volts AC) allows fixed-station, mobile, or portable operation under a wide variety of conditions and many a unit which is used for fixed station work one day is used for portable or mobile work the next".

Hope you found this of interest, as I did! :)
Faust Gonset, and his engineers, pioneered some mighty nice gear
for it's time!

73,

-bill
KB3PT

2. FS: HP-608D Signal Genarator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <3703099a.9642406@news.znet.com>
Source record: 86638

Nice 608D FS. 10 to 455 MHZ
I'll let it go for a good deal or trade for some BA stuff.
Shipping, maybe.

Thanks,
Walt...

PS: To email remove the nospam and replace with sd

Wally's Wacky World
http://www.znet.com/~wa6fec

3. Re: R-390A Challenge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990401010549.11049.00000303@ngol06.aol.com>
Source record: 86639

In article <01be7b1b$3d000ee0$b006460c@default>, "Bill Fairbanks"
<BILLFAIRBANKS@worldnet.att.net> writes:

>Subject: Re: R-390A Challenge
>From: "Bill Fairbanks" <BILLFAIRBANKS@worldnet.att.net>
>Date: 31 Mar 1999 02:05:53 GMT
>
>Gotta disagree about the CW selectivity issue. The R-390A was designed
>primarily to receive CW signals and with a bandwidth selector that goes all
>the way to .1 kc it does a great job. Audio recovery on voice signals
>isn't the
>best but, hey, this rig was created to intercept CW and RTTY...either ours
>or
>theirs!! I'll bet if you asked some ex Navy Ops or some ASA guys they
>would
>agree with me.

Bill,

Just wish there was a 400-500 Hz filter, that's all. And a tuning drive more
suited to slow tuning with low troque requirement. I'm a homebrewer - almost
impossible to please.

The R-390A did what it was meant to do, though, for a very long time. And did
it extremely well.

73 de Jim, N2EY

4. Wanted:- Swan 500 CX manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <370390D9.5715@smartt.com>
Source record: 86640

I am looking for a manual or copy for a Swan 500CX transceiver.

If anyone has one available please reply to csc@smartt.com.

Thanks,

Colin

5. Wanted:- Globe Scout 680 A manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <3703922B.7A8D@smartt.com>
Source record: 86641

Wanted

Globe Scout 680 A manual or copy.

If anyone has one available please reply to csc@smartt.com

Thanks,

Colin

6. FA: Central Electronics 20A Exciter and 458 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: radaze@aol.com
Message-ID: <19990401055927.29248.00000598@ng-fz1.aol.com>
Source record: 86642

Central Electronics 20A multi-phase exciter and model 458 VFO for auction on eBay. Take a look at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85133997

Thanks!

7. WHAT IS THIS TUBE USED FOR GE KR-6 COOLDGE??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990401072114.15098.00000388@ng-fc1.aol.com>
Source record: 86643

what is the tube used for i have 3 of them clear glass nice looking and big mfd by GE KR-6 COOLIDGE on the tube ? thank's email or post thank's del k9fcm

8. NC-183 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990401075022.23430.00000865@ng12.aol.com>
Source record: 86644

I have an NC-183 receiver, looks very good, is complete, includes speaker, near Washington, D.C. Anyone interested?

9. Re: WHAT IS THIS TUBE USED FOR GE KR-6 COOLDGE??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Steve Robertson <stephen.h.robertson@zzzcpmx.saic.com>
Message-ID: <37036DCD.26D@zzzcpmx.saic.com>
Source record: 86645

Fuse19 wrote:
>
> what is the tube used for i have 3 of them clear glass nice looking and big
> mfd by GE KR-6 COOLIDGE on the tube ? thank's email or post thank's del
> k9fcm

X-ray tubes, if I'm not mistaken.

73 de Steve, KE4OH
--
To get my real e-mail address, remove the characters "zzz" from my
address.

10. Re: National Nc240-d question.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <8fKM2.2042$Ey1.4449@ndnws01>
Source record: 86646

I have revived several of the NC-240D's and it is also one of my favorites!
The speaker isn't an electrodynamic but does have the push pull output
transformer for the 6V6's mounted on it. The power supply has its own
chokes. If you replace the paper caps in the RF section with disk ceramics
and realign it, the sensitivity up to 30MC is good, easily hearing the
atmospheric
noise level. I had to replace most of the resistors, especially the high
value
ones due to resistance shift. All the paper caps were replaces as well.
Also,
make sure the IF is peaked on the right frequency. This is critical for
proper
operation of the crystal filter, which works as well as any I have used on
any
receiver.
regards,
Chuck...K1KW

11. F S DRAKE C LINE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990401082035.13463.00000554@ng-fw1.aol.com>
Source record: 86647

```
VE DRAKE R4C WITH TWO FILT AND NOISE BLANKER
T4XC TRANSMITTER
AC4 POWER SUPPLY\
MS4 SPEAKER
CLEAN UNITS WILL SELL FOR $550 SHIPPED UPS
CW FILTER FOR YAESU FTIOI SERIES $40
JOHNYK78 W2FNT 1933
```

12. F S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990401082415.13463.00000555@ng-fw1.aol.com>
Source record: 86648

```
813 TUBES JAN GUARANTEED $18 EACH SHIPPED
JOHNYK78
```

13. FS: NOS Mackay Radio Transmitters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: ebjr@postoffice.worldnet.att.net
Message-ID: <3703964F.71DF@postoffice.worldnet.att.net>
Source record: 86649

age for several years and were never installed on a ship.
Items will be subject to best offer over price listed. I can supply
JPG files of the gear if you want to look at it. Equipment is located
in New Orleans, LA.

1.) Mackay model 2021 CW transmitter. Covers 2-24 Mhz and
designed to work into an end fed antenna. Originally used crystals in
the 2 mhz region or an external synthesizer unit (below). All tubes,
with a pair of 813's in the final amplifier. Has self contained bias
and filament supplies. No power supply! Requires +400 volts and
+750 to+2200 volts and 115 vac. Rated at 500 watts out with a 2 kv
power supply.

2.)MR337-32A synthesized exciter for above. Can be set to
any frequency from 1-30 Mhz in 0.1 Khz steps. Delivers around 1 volt
RMS to 2021 transmitter above. Has self contained power supply that
operates from 115 vac.

Units 1 and 2 combined in a 6' rack for $350 or best offer
over this amount FOB New Orleans. Will consider offers on component
units seperately.

4.) Mackay 2012 MF CW transmitter, 400-515 Khz, designed to
work into an end fed antenna. With crystals for 410, 425, 454, 468,
480, 500 and 512 Khz. No power supply. Requirements same as 2021
above.
In 6' rack. $200 or best offer above this FOB New Orleans. Offers
accepted for transmitter deck only less rack.

5.) Mackay 2017 Reserve MF CW transmitter. All solid state.
operates from 400-515 Khz. Output 40 watts. Input 12 vdc.
Would make a very nice beacon transmitter in the 300-400 khz range with
slight modification. $150 or best offer FOB New Orleans.

I am brokering this equipment for another individual who is not
"radio" oriented. I may be able to supply manual copies for most of the
above gear.

73,
Sandy W5TVW

14. Re: ITT Mackay 403A marine lifeboat radio info wanted...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: ebjr@postoffice.worldnet.att.net
Message-ID: <37039A07.7538@postoffice.worldnet.att.net>
Source record: 86650

This is a tube unitRandy and Cara Randall wrote:
>
> Hello. I have a chance to buy one of these and was wondering the
> following:
> Is it solid state or tube type?
> Is it CW only or if voice capable AM or SSB?
> How many watts output?
> The approximate age.
>
> This is a marine lifeboat radio with a crank generator and antenna kit
> in a portable suitcase.
> I thought it might be a novel rig for field day, emergency use or just
> for fun. Any info
> greatly appreciated.
>
> Randy.
>
>
.This is a solid state unit. Transmitter is MCW on 8364 Khz and 500
Khz.
receiver is TRF on 500 Khz and a tunable CW superhet on 8.2-8.8 Mhz or
so. It transmits and receives AM radiotelephone on 2182 Khz. All at
low
power. Can be powered from a 12 vdc external cource or the internal
hand crank generator.
73,
Sandy W5TVW

15. FREE in St. Louis- 3KVA UPS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <37039105.46C18FED@hnvr.com>
Source record: 86651
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

FREE in Downtown St. Louis, MO- 3KVA uninterruptible power system. Unit is not working but still supported by RTE/Deltec/Exide. Includes model 7036R rackmount inverter, rack w/ integral battery stand, power distribution panel, documents. The 72V/100Ah battery (total of six, 12 volt gelled electrolyte batteries) is not included, but negotiable. Rack size: 48"H x 28"W x 36"D. Inverter (mounts in rack) size: 14"H x 19"W x 26"D. Heavy- inverter alone is 200 lbs. Call for appointment during normal business hours

Ken Gianino
314-241-1188 x203
ken@hnvr.com

16. 4X500A TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: n0oxd@aol.com
Message-ID: <19990401115759.27272.00000676@ng-fb1.aol.com>
Source record: 86652

I have one EIMAC 4X500A in the factory sealed box and one RCA 4X500A. I am looking for offers on these tubes.

17. Re: Help with Kenwood ts-700s pl tones

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: w2vos@banet.net
Message-ID: <3705a845.12244767@news1.banet.net>
Source record: 86653

I can tell you that the jack marked "tone pad" is for connecting a
DTMF tone pad.

On Tue, 30 Mar 1999 00:46:51 GMT, tselk_nospam@hooked.net (fiberoptic)
wrote:

>Hi, I am trying to add pl tones to a ts-700s. I have the encoder
>but do not know where to connect it. Is the jack on the back marked
>"tone pad" for this. I dont have a manual so any help you might give
>would be great.
>
>
>
> travis km6qj

18. WTB: NIB 2 6HS6 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990401130209.07594.00001010@ng17.aol.com>
Source record: 86654

Please state price. Thank you
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING MINT HEATHKIT SA 2060 Antenna Tuner. Please email with your price

ALSO SEEKING MINT HEATHKIT HW-12(A)

19. **The most looked at Boatanchors??**

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7e0guc$ih7$1@camel18.mindspring.com>
Source record: 86655

Well folks, after checking the statistics on the "Boatanchor Image Library" for the month of March, the following is a list of the most looked at boatanchor images. The results might surprise you so I have commented on why I think it came out the way it did.

The URL for the "Boatanchor Image Library" is:

http://www.mindspring.com/~cacutts/radio/ba/bl/bl.html

1st place - Adams AEC-410

This is no mystery why this is first, it's the first item listed on the page and people are just clicking on it to see what the page is about.

2nd place - B&W 5100

Another one near the top of the web page and just happens to be the first listed under B&W. Never the less, still a nice transmitter.

3rd place (2 way tie) - R-390
Ameco AC-1

The Ameco AC-1 is the second one listed on the page, also "Electric Radio" had an article on it last month. This might explain why it ranks with the R-390 last month.

4th place (2 way tie)- Collins 30L-1
Hallicrafters SX-100

I'm not sure but the fact that the 30L-1 is the first list under Collins might have been a factor on this.

5th place - B&W 5100B

Again, near the top of the page but still a nice rig. I wish I had one.

6th place (2 way tie)- R-392
Hallicrafters S-38C

The S-38C was a surprise to me, but that's what the numbers show.

7th place (5 way tie)- Johnson Viking II
Eico 720 & 723
Ameco TX-62 & VFO-621
Hallicrafters SX-101
Hallicrafters SX-62

Keep in mind that I never announced that I was going to do this. Now that people know, I wonder how the results will change next month.

73s,

Allen Cutts
cacutts@mindspring.com
N4OZI

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

20. Re: WTB GRC-109 REceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Barbara Widett <tigereye@mediaone.net>
Message-ID: <3703CBB9.2557C9A1@mediaone.net>
Source record: 86656

Anyone out there know where I could buy a GRC-109 receiver. I have the rest of the set. Anyone heard of one for sale. TNX for any help
Also i am selling a Hallicrafters TV Set for 100.00 I live in the Boston area.

Gerry W1IDG tigereye@mediaone.net

21. Trade: Heath GW-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7e0jivftb1@camel21.mindspring.com>
Source record: 86657

I have a working heath GW-11 CB Xcver with original mic and set of crystal .
I will trade for a HW-101 matching speaker #1661

22. Wanted: microphone stand, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904019229.AA922998504@ccmail.ghs.int>
Source record: 86658

Does anyone have an unused EV cast base stand that would
be appropriate for the EV664 or EV674? I have the Radio Shack
cast gray and it looks nice with the 674 but the 664 is just too
big for it. Any suggestions?? (No wise-cracks please!)

Also looking for AK5 (?) Heath Mohawk speaker.

73 to all,

Doug

23. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <3703DED1.24AE@megsinet.net>
Source record: 86659
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Shawn Upton wrote:
> I've noticed that the people selling things on ebay and then posting
> stuff in this newsgroup have either used FA in the subject line, or
> plainly said something to the effect, for auction on ebay. So, I have
> no qualms about people using this newsgroup to post stuff on ebay.

The newsgroups are for discussion, not for greedy bozos to drop a poopy
for selling their products and then go away.

This particular "richcom" chucklehead seems to think the newsgroups are
his own personal advertising ground. Considering the amount of equipment
he's been selling here and in a spamful of other newsgroups, he's either
a dealer or someone who inherited Barry Goldwater's ham shack.

--
Cliff Sharp	All relevant people are pertinent.
WA9PDM	All rude people are impertinent.
	Therefore, no rude people are relevant.
	--Solomon W. Golomb

24. Wtd: SX-117 - HT-44

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904019230.AA923002089@ccmail.ghs.int>
Source record: 86660

Looking for the SX-117 / HT-44 pair w/matching speaker.
Prefer from non-smoker and inside storage else please
price accordingly. Have several very desirable non-H
units, accessories, available for trade. Your description
and value for trade list.

73

NNNN

25. .455 mhz I.F.'s...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990401163202.21599.00001326@ng-fi1.aol.com>
Source record: 86661

Hi All,
I'm still looking for a couple of these .455 mhz I.F.'s. They're 3/4" by 2 1/2". A.E.S. sent me some stuff that wasn't even close to these. Would you folks check your parts boxes and see if you have a couple that I can buy?
Thanks,
Mark S.

26. Re: F S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: edkb2nsp@aol.com
Message-ID: <19990401163421.11425.00000983@ng32.aol.com>
Source record: 86662

Hi John
I 'd like a couple 813's ! Wish I had thought to pick them up at Timonium.
Do you have a good enough stock to wait till next hamfest or do we need to deal
these right away !
I've already used one of the panel meters I got from you in a project.
thanks

Ed K.
Ed KB2NSP @ AOL

27. FA Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3703EBFB.4395@sympatico.ca>
Source record: 86663
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.ham-radio.swap

Assorted manuals including Drake, Kenwood and Heathkits on EBay. Have a look.

<http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=ve3rf>

28. Re: .455 mhz I.F.'s...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: nesesu@my-dejanews.com
Message-ID: <7e0vbt$3gl$1@nnrp1.dejanews.com>
Source record: 86664

In article <19990401163202.21599.00001326@ng-fi1.aol.com>,
nc183d@aol.com (Nc183d) wrote:
> Hi All,
> I'm still looking for a couple of these .455 mhz I.F.'s. They're 3/4" by 2
> 1/2". A.E.S. sent me some stuff that wasn't even close to these. Would you
> folks check your parts boxes and see if you have a couple that I can buy?
> Thanks,
> Mark S.
>
Even new old stock are often bad. Look back a few weeks in this NG for some
dissertations on the problems and repair of this size of IFTs.

Neil S.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

29. FS!-PRICE ERROR!! Pair GE 211/VT-4C NOS & sockets.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <923006531.395.84@news.remarQ.com>
Source record: 86665
Cross-posted to:
alt.ham-radio.marketplace,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

Sorry Folks!! I mistakenly priced these initially at $275.00 Whoops!! Should have been $225.00!!!! Sorry!!!

These tubes were "Liberated" from a Master Case of twelve. NOS, unused now in generic white boxes. Sockets are E.F.Johnson Ceramic 123-XXX series, used but perfect!!!
$225.00 plus Shipping.

TNX for reading!

Steve

30. "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Dick Dillman <ddillman@igc.apc.org>
Message-ID: <APC&1'0'b6fc7b82'de2@igc.apc.org>
Source record: 86666

I guess it had to happen. After all, Harley-Davidson spent millions to develop a motorcycle frame that looks like a 1936 hard tail but in fact has the rear suspension hidden under the bike. And our audio enthusiast cousins spend great sums on tube amplifiers for the warmth of their sound and the beauty of their glow. Still, I find the press release below, downloaded from the ARMA Web site, a bit sad. I submit it with a sigh for your information. I suppose we should take it as a compliment.

Regards,

Dick

========

FOR IMMEDIATE RELEASE

ARMA ANNOUNCES A NEW STANDARD FOR RETRO RADIOS

04/01/99 (ARMA) Los Angeles - The Amateur Radio Manufacturers Association (ARMA) announced today that its members had agreed on a technical standard that would be incorporated in selected new models of amateur radio equipment beginning in the year 2000. Unlike previous standards that addressed such issues as common formats for data exchange, the new standard deals exclusively with the perceived esthetics of the equipment both in person and on the air.

"We've been watching the amateur market carefully," said ARMA spokesperson Abraham White, "and we've noted an increased and growing interest on the part of many amateurs in the equipment that was used a generation ago, equipment with tubes, analog dials and a characteristic sound on the air."

Amateur radio operators have been collecting and restoring this older equipment, which they call "boatanchors", for many years. But recently the interest in this antique equipment has increased dramatically - and the price of such equipment has increased as well.

"Radios that you couldn't give away ten years ago can now cost a thousands of dollars or more - if you can find them," White said. "We've decided to address this situation by offering equipment with all the technology amateurs have come to expect on the inside but with the look and feel of the older equipment on the outside - and the sound of the older equipment on the air."

Equipment meeting the new standard will have "virtual tubes" inside the set. While actually made of plastic these tubes will glow from the inside like real tubes and actually emit a small amount of heat. The cases of the new radios will be designed with perforations or louvers to allow the owner to

see the glowing tubes.

"It would be impractical to use real tubes," said T.L. Eckersley, director of engineering for ARMA. "They're expensive and hard to find. But even more significant, real tubes require high voltages which the amateur radio operators of today are unprepared to deal with. The liability exposure would be enormous."

The new sets will also have analog dials. Analog dials use a pointer, rather than the standard digital readout, to indicate such things as operating frequency. "But a digital display will be placed behind the analog dial," White said. "The digital readout can be brought into play at the touch of a button. We thought this was necessary to avoid the errors that modern amateurs might make when trying to interpolate a reading from an analog dial."

But perhaps the most impressive part of the new standard addresses the sound of the radio on the air. Equipment meeting the new ARMA standard will have a control labeled "character" that will allow the operator to add progressively unique characteristics to his signal. The current standard calls for the availability of three types of "chirp", a slow drift and a small amount of hum. These can be added to the outgoing signal individually or in combination.

"We've worked closely with the FCC," Eckersley said, "to make sure our 'character' standard will produce a signal that is legal within the meaning of the rules governing the amateur service."

In its first version the character standard will work only on CW (Morse code) signals. "Future versions of the standard may address voice modes as well," White said.

Radios incorporating the new ARMA standard will be identified by a special ARMA badge in a corner of the front panel.

========

Dick Dillman
<ddillman@igc.apc.org>
WPE2VT W6AWO
Collector Of Heavy Metal:
Harleys, Willys and Radios Over 100lbs.

31. HAVE YOU SEEN THE SX-88 ON eBAY? WOW!!!!!!!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990401180745.09595.00001059@ng31.aol.com>
Source record: 86667

Go to ebay.com and do a search for SX-88.

13 bids and it's going for only $6.00 !!!!!!!!!!!!!!!!!!!!!!!!!!!!!!1

W0W.

Pat.

32. FS or Trade: Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: RKI Cole <rkic@hotmail.com>
Message-ID: <leTM2.42$i4.152187904@mick.cybertrails.com>
Source record: 86668

I have the following tubes for sale or
trade for tube audio gear.

All tubes NOS

Tube $

8072 60
829B/3E29 8
7V7 2
7F7 4
7C7 2
7C5 4
6K8 2
1T4 1
1AD4 2
6AK5 1.5
6AK6 1.5
6397 3
1R5 3
6907 35
1AG5 3.5
1N5GT 1.5

I also have some vibrators. I have other tubes
let me know and I will check availability.
RKI Cole email me at rkic@hotmail.com or
call 520/333-4677
Thanks.

33. FS: Vacuum tubes and Valves

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990401182104.18121.00000798@ng-cd1.aol.com>
Source record: 86669

For Sale : (partial list) Vacuum Tubes and Valves . All NOS .

6BQ7A - SYLVANIA $4.00 each (10 or more $3.00 each)

6CL6 - SYLVANIA $5.00 each

CV2492 - ZAERIX Electronic Valve $6.00 each

National Readout Tube - NL-950C $5.00 each

Amperite Ballast tube - 1HT4 $7.00 each

Mullard GY-501 Valve $10.00 each

Contact for more info at : wb6eys@aol.com

rec.radio.swap

34. FS: Kenwood TS820S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Bobby <someone@somedomain.com>
Message-ID: <01be7c96$02627c60$dfdac2d0@p15218>
Source record: 86670
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

Near mint 160-10 Meter transceiver with digital display, CW filter,
operator and service manuals. Very low hours...it still has the original
final tubes. No problems, a few documented reversable mods added from
Kenwood and QST hints and kinks. Two BNC connectors added on back to allow
external reciever. Asking $350. Local pickup in the Detroit MI area
preferred. I am the second owner (non smoker) and have had it since early
eighties.
Bob
KB8TL
email to: p15218 @ flash . net
(remove the spaces to reply)

and now for some spammer bait...
root@localhost
postmaster@localhost
admin@localhost
abuse@localhost
postmaster@127.0.0.1

35. Re[2]: Wanted: microphone stand, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904019230.AA923009292@ccmail.ghs.int>
Source record: 86671

```
--923009292@ccmail.ghs.int
Content-Type: text/plain; charset=US-ASCII
Content-Description: "cc:Mail Note Part"
Content-Transfer-Encoding: 7bit

Thanks for the note Al (you too Gene),

Gene fitted extra weights up under his stand and, the more I think about it, has
done the most logical thing. It might be possible to melt some wheel weights
down and pour the underneath with ballast.

I once wrote EV and asked if they would mind someone making a limited run
impression casting of their base and they replied with a "Yes, we would mind"
but very polite letter. So it may be that a
new but not identical design would pass inspection. It's a darned if you do,
darned if you don't dilemma.

Thanks again, Doug.

_____Reply Separator_____
Subject: Re: Wanted: microphone stand, etc.
Author: <al.dolgosh@hamradio.org (AL DOLGOSH)>
Date: 4/1/99 5:29 PM

Hi, Doug. EV made two varieties of this stand. The EV-419 (419S with PTT
button) fits the 664. The EV-418 (or 418S with PTT button) is for the EV-636
(or the older 664 with the red EV logo where the connector-to-stand threads
spacing is shorter).

They are as rare as "hen's teeth". Keep looking and you will be rewarded
someday. I posted for one many times on the reflector but never got an offer
for one - except the guy who wanted $425 including the 664 mic!

Al - K8EUR (1957) CCA AC98-00768
Parma, OH 44134 QCWA Life Member
reply mail to al.dolgosh@hamradio.org
or k8eur@hamradio.org

-> Message-ID: <9904019229.AA922998504@ccmail.ghs.int>
-> Date: Thu, 1 Apr 1999 14:24:58 -0600
-> From: Doug_Hensley@GENERALHEALTH.ORG
-> Subject: Wanted: microphone stand, etc.
->
-> Does anyone have an unused EV cast base stand that would
-> be appropriate for the EV664 or EV674? I have the Radio Shack
-> cast gray and it looks nice with the 674 but the 664 is just too big for it.
-> Any suggestions?? (No wise-cracks please!)
```

->
-> Also looking for AK5 (?) Heath Mohawk speaker.
->
-> 73 to all,
->
-> Doug

Cleveland Hamnet BBS | (440) 942-6382 uucp--> hamradio.org
Willoughby, Ohio USA | The World's Meeting Place since 1985
Dedicated to Amateur Radio and Electronic Subjects

--923009292@ccmail.ghs.int
Content-Type: text/plain; charset=US-ASCII; name="RFC822.TXT"
Content-Disposition: attachment; filename="RFC822.TXT"
Content-Transfer-Encoding: 7bit

Received: from ghsinet.generalhealth.org [208.143.121.1] by ccmail.ghs.int (ccMail Link to SMTP R8.31.00.5)
; Thu, 01 Apr 1999 17:05:18 -0600
Return-Path: <hamradio!al.dolgosh@hamnet.org>
Received: from wariat.apk.net (wariat.apk.net [192.147.147.1])
by ghsinet.generalhealth.org (2.5 Build 2639 (Berkeley 8.8.6)/8.8.4) with ESMTP
id QAA14261 for <Doug_Hensley@GENERALHEALTH.ORG>; Thu, 01 Apr 1999 16:59:09 -0600
Received: from hamradio.UUCP (uucp@localhost)
by wariat.apk.net (8.9.0/8.9.0) with UUCP id RAA25185
for Doug_Hensley@GENERALHEALTH.ORG; Thu, 1 Apr 1999 17:32:10 -0500 (EST)
Received: by hamnet.org (Smail3.2 #1)
id m10SpzX-0001InC; Thu, 1 Apr 1999 17:31:15 -0500 (EST)
To: Doug_Hensley@GENERALHEALTH.ORG
Subject: Re: Wanted: microphone stand, etc.
From: al.dolgosh@hamradio.org (AL DOLGOSH)
Message-ID: <9039419.000B015701.uuout@hamradio.org>
Date: Thu, 01 Apr 99 17:29:00 -0400
Organization: Cleveland Hamnet PCBoard <> 440-942-6382 <> Willoughby, OH
Reply-To: al.dolgosh@hamradio.org (AL DOLGOSH)
References: <9904019229.AA922998504@ccmail.ghs.int>
X-Mailreader: PCBoard Version 15.4
X-Mailer: PCBoard/UUOUT Version 1.40

--923009292@ccmail.ghs.int--

36. FS: Johnson Ranger - $100.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990401183022.18121.00000801@ng-cd1.aol.com>
Source record: 86672

For Sale : Johnson Ranger

This is the early version . 160 - 10 meters . Has good Front Panel .

The catch you ask ? This is a parts radio . Got it in pieces . No rust and was told that it is easily restorable . Actually have two of them . Will sell the pair for $200.00 .

They both need tubes as well . I can provide a good 6146 with the deal .

For more details : wb6eys@aol.com
rec.radio.swap

37. Re: JBT AC Freq Meteer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990401183316.18121.00000802@ng-cd1.aol.com>
Source record: 86673

Hi Bob . Stew here .

If it's the same model as mine , 30-FHXX.RUG
it will do both 50 and 60 cycle .

Thanks , Stew ...
rec.radio.swap

38. Trade New Drake L4-B for R-390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: "Alan D. Gray" <agray@voicenet.com>
Message-ID: <3703F52D.BC6D4CE7@voicenet.com>
Source record: 86674
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Trade: New in the box Drake L4-B 80-10M amplifier (still has original tags on it) for a late (preferably EAC) R-390A. Might consider other trades such as Collins gear or Factory Wired Ranger II (must be in pristine condition).

Alan, W3BV

39. Re: Collins E-list??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Bill <w2blc599@bigfoot.com>
Message-ID: <7e15d1$km2$1@oak.prod.itd.earthlink.net>
Source record: 86675

Try www.qsl.net/w2blc there are many links here.

40. Re: Frequency Coverage of Gonset Commander?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <37041c5d@news1.us.ibm.net>
Source record: 86676
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

The hard to find part(s) will be the plug-in coils which determine the frequency range. Now I remember how they could make an all-band rig so small. BTW, the G-66 Rx covers 160, but the twin G77 Tx does not. Just looked at mine on the shelf.
--
Crazy George

41. Re: Gonset Communicator 6 Civil Defense (Yellow Box)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <37041d83@news1.us.ibm.net>
Source record: 86677

Gonset also built a version of this for CAA (now FAA) for the aircraft radio range just below two meters. Main difference that I remember was that the tuning points had covers over them.
--
Crazy George

42. Re: QST magazine Indexes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <370422f3@news1.us.ibm.net>
Source record: 86678
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment

I have the first printed issue of " From Beverages to Oscar", and the '79-81 addendum, both by Rich Rosen. Has he continued that information in Cyberspace, and is that what the reference is to, or is it to the originals? Thanks.
W5VPQ
--
Crazy George

43. WTB:Hallicrafters SX-140 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Walt Carter <wb4lds@azstarnet.com>
Message-ID: <923018472.197.54@news.remarQ.com>
Source record: 86679

Hello:

I am looking for a SX-140 Receiver. Working or not.. Let me know what you have and what you want for it.

Thanks Walt

44. HV Capacitor Source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <37042675.E0D09543@hamradio.org>
Source record: 86680
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I am restoring an old 7" electrostatic deflection TV set, and I need to replace the vertical deflection coupling capacitors. They are huge, old

waxed paper types - .05 mfd @ 6000 volts - because of the low 60 Hz vertical sweep frequency. I can't seem to find anything suitable, and I would rather not series/parallel a whole lot of smaller ones if there is something better.

Any suggestions?

Thanks, Al - K8EUR

45. HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <37042736.B4D89CCC@seidata.com>
Source record: 86681
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Thanks for reading this post. I am looking for a procedure for
calibrating HF SWR and watt meters. I have a good idea on
how to cal. the SWR portion, but the watt meter would require
a calibrated RF voltmeter to read the voltage across the load
resistor. There are RF voltage probes you can build in the
1995 ARRL handbook, but how do you cal. those? I need
a simple standard of some sort. Ideas?

Randy KB8ASO Milan, IN.

46. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <5738-37042902-118@newsd-163.iap.bryant.webtv.net>
Source record: 86682

Well I guess HD has the "right" to make repoduction hardtails since they made motorcycles since 1903 and it was "their" design. Each and every HD since then was hand assembled.

As for the Audio HI-FI nuts - it's true that some buy older tube amps but all the guy's I know are building their own. Trading old books and magazines for that one perfect circuit.

Truth is ARMA missed the point. Both HD, our fellow audio tube hobbyists (and us) want the quality and dependability only a well designed, hand assembled tube product can provide.

It will take more than fake glowing tubes and a large box full of air and one of the kind SS IC's to sell a rig.

But then again - all of Asia is in trouble and this looks like an easy way to the quick buck...

It worked for Honda, Yamaha and Suzuki...

..but then again, there is a 2 year waiting list for a new HD....

47. R388 data Plate wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7e1agmsbg1@news.eclipse.net>
Source record: 86683

Looking for a R388 Data Plate
Doug

48. WTB: CE 100V or 200V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7e1avj$82m$1@fir.prod.itd.earthlink.net>
Source record: 86684

Still looking for either of these transmitters. Please describe condition
of yours and tell me what you want for it.

--
Floyd Sense in Angier, NC

49. FS: RME VHF-152 VHF Receiving Convertor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e1cgm$546$1@user2.teleport.com>
Source record: 86685
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: RME model VHF-152 VHF receiving convertor - converts 2, 6, and 10-Meter bands to 20M (I believe.) Case needs paint, all knobs okay, not tested.
$25 plus shipping.
Larry
larryj@teleport.com

50. FS: NAtional NC-270 HF Band Amateur Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e1cla$5f6$1@user2.teleport.com>
Source record: 86686
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: National NC-270 HF Amateur Band receiver. Some scratches, case probably about a 6 out of 10, front panel about 6-7 out of 10. One knob not original (the antenna peaking knob.) Not tested. $50 plus shipping.
Larry
larryj@teleport.com

51. FS: 1946 ARRL Handbook

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e1cqr$6bm$1@user2.teleport.com>
Source record: 86687
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: 1946 ARRL Handbook. $30 plus shipping.
Larry
larryj@teleport.com

52. FS:Hammarlund HQ-110A manual, excellent!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <7XWM2.2104$Ey1.4584@ndnws01>
Source record: 86688
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

```
$25 shipped CONUS. This original manual is in like new cond.
regards,
Chuck...K1KW
```

53. Re: National Nc240-d question.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Burton Pratt K4PRF <pratt@WSNet.com>
Message-ID: <37044551.4647@WSNet.com>
Source record: 86689

Nc183d wrote:
>
> Hi All,
> I am considering buying a National NC240d and I have read the info in Moore's
> book. It says "movable coil catacombs" I don't think this means plug-in coils,
> but am unsure just what it DOES mean. Anyone out there feel llike explaining to
> this dummy just what it does mean?
> rgds,
> Mark S.

I have an NC-200 which uses the movable catacomb type band switching.
Instead of a normal rotary type band switch, the coils and allignment
adjustments are contained within the catacomb. These are moved into
place when you select a particular band. On the NC-200 this is done by
pulling the main tuning knob out and selecting the appropriate band.
Probably the same system on the 2-40.

Burt, K4PRF

54. WTB Kenwood AT-200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Burton Pratt K4PRF <pratt@WSNet.com>
Message-ID: <37044786.281A@WSNet.com>
Source record: 86690

Still looking for an AT-200 antenna tuner to match the TS-520. Anyone out there got one they are willing to part with?

Burt Pratt, K4PRF

55. HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <37044899.100A9C0D@seidata.com>
Source record: 86691
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Thanks for reading this post. I am looking for a procedure for
calibrating HF SWR and watt meters. I have a good idea on
how to cal. the SWR portion, but the watt meter would require
a calibrated RF voltmeter to read the voltage across the load
resistor. There are RF voltage probes you can build in the
1995 ARRL handbook, but how do you cal. those? I need
a simple standard of some sort. Ideas?

Randy KB8ASO Milan, IN.

56. HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <37044A09.29B48682@seidata.com>
Source record: 86692

Thanks for reading this post. I am looking for a procedure for
calibrating HF SWR and watt meters. I have a good idea on
how to cal. the SWR portion, but the watt meter would require
a calibrated RF voltmeter to read the voltage across the load
resistor. There are RF voltage probes you can build in the
1995 ARRL handbook, but how do you cal. those? I need
a simple standard of some sort. Ideas?

Randy KB8ASO Milan, IN.

57. Oscilloscope Info Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: gbowne <gbowne@email.msn.com>
Message-ID: <#iNpkJMf#GA.115@upnetnews02.moswest.msn.net>
Source record: 86693

Dear Newsgroup,

I aquired an old Navy Oscilloscope from one of my, now retired, high school teachers, in 1995. It's a Lavoie Laboratories Model LA-239A, which was made in Morganville, N.J. It hasn't been calibrated by the U.S. Navy since February 7th 196?, according to a sticker on the front panel. I am looking for possible service manual and other possible manuals, including those issued by the U.S.N.

Thanks,
Gregory

58. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <3704655A.7E7@ix.netcom.com>
Source record: 86694

I direct the reader's attention to the date
on this poster's message: Apr 01, 1999

Almost had me going for a second there! :-)

Trish

Dick Dillman wrote:
>
>
> I guess it had to happen. After all, Harley-Davidson spent millions to
> develop a motorcycle frame that looks like a 1936 hard tail but in fact has
> the rear suspension hidden under the bike. And our audio enthusiast cousins
> spend great sums on tube amplifiers for the warmth of their sound and the
> beauty of their glow. Still, I find the press release below, downloaded
> from the ARMA Web site, a bit sad. I submit it with a sigh for your
> information. I suppose we should take it as a compliment.
>
> Regards,
>
> Dick
>
> ========
>
> FOR IMMEDIATE RELEASE
>
> ARMA ANNOUNCES A NEW STANDARD FOR RETRO RADIOS
>
> 04/01/99 (ARMA) Los Angeles - The Amateur Radio Manufacturers Association
> (ARMA) announced today that its members had agreed on a technical standard
> that would be incorporated in selected new models of amateur radio equipment
> beginning in the year 2000. Unlike previous standards that addressed such
> issues as common formats for data exchange, the new standard deals
> exclusively with the perceived esthetics of the equipment both in person and
> on the air.
>
> "We've been watching the amateur market carefully," said ARMA spokesperson
> Abraham White, "and we've noted an increased and growing interest on the
> part of many amateurs in the equipment that was used a generation ago,
> equipment with tubes, analog dials and a characteristic sound on the air."
>
> Amateur radio operators have been collecting and restoring this older
> equipment, which they call "boatanchors", for many years. But recently the
> interest in this antique equipment has increased dramatically - and the
> price of such equipment has increased as well.

>
> "Radios that you couldn't give away ten years ago can now cost a thousands
> of dollars or more - if you can find them," White said. "We've decided to
> address this situation by offering equipment with all the technology
> amateurs have come to expect on the inside but with the look and feel of the
> older equipment on the outside - and the sound of the older equipment on the
> air."
>
> Equipment meeting the new standard will have "virtual tubes" inside the set.
> While actually made of plastic these tubes will glow from the inside like
> real tubes and actually emit a small amount of heat. The cases of the new
> radios will be designed with perforations or louvers to allow the owner to
> see the glowing tubes.
>
> "It would be impractical to use real tubes," said T.L. Eckersley, director
> of engineering for ARMA. "They're expensive and hard to find. But even
> more significant, real tubes require high voltages which the amateur radio
> operators of today are unprepared to deal with. The liability exposure
> would be enormous."
>
> The new sets will also have analog dials. Analog dials use a pointer,
> rather than the standard digital readout, to indicate such things as
> operating frequency. "But a digital display will be placed behind the analog
> dial," White said. "The digital readout can be brought into play at the
> touch of a button. We thought this was necessary to avoid the errors that
> modern amateurs might make when trying to interpolate a reading from an
> analog dial."
>
> But perhaps the most impressive part of the new standard addresses the sound
> of the radio on the air. Equipment meeting the new ARMA standard will have
> a control labeled "character" that will allow the operator to add
> progressively unique characteristics to his signal. The current standard
> calls for the availability of three types of "chirp", a slow drift and a
> small amount of hum. These can be added to the outgoing signal individually
> or in combination.
>
> "We've worked closely with the FCC," Eckersley said, "to make sure our
> 'character' standard will produce a signal that is legal within the meaning
> of the rules governing the amateur service."
>
> In its first version the character standard will work only on CW (Morse
> code) signals. "Future versions of the standard may address voice modes as
> well," White said.
>
> Radios incorporating the new ARMA standard will be identified by a special
> ARMA badge in a corner of the front panel.
>
> ========
>
>

> Dick Dillman
> <ddillman@igc.apc.org>
> WPE2VT W6AWO
> Collector Of Heavy Metal:
> Harleys, Willys and Radios Over 100lbs.
>

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

59. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <370466D6.3ECA@ix.netcom.com>
Source record: 86695
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Personally, I like the fact that those who
place items on ebay also drop a note here.

It gets my attention and if it something
I am interested in, I go look at it.

the convention of having the [FA} ahead
of a listing here on the newsgroup is
an easy way for those who DON'T like
such postings, to be able to ignore them..

Trish

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

KF4FDJ (Mike in Ft. Myers, FL) wrote:
>
> RICHCOM,
>
> I am not generally a grump, but your method of posting to the newsgroups
> regarding items you are selling on EBAY is getting tiresome. If someone
> wnats to peruse EBAY and see what's for sale, fine, but parallel
> postings to the newsgroups is not appropriate, especially since you have
> no description in your posts, just a link to EBAY! Based on the number
> of items you've been selling and parallel posting here, you must be in
> the business of selling used equipment. In such case, you are violating
> newsgroup rules twice, once for your own gain, and the second by
> promoting EBAY.
>
> 73, Mike
>
> richcom wrote:
> >
> > Go to:
> > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906

```
>
> --
> __\/__
> | . / ^ _ \ .
> | |\| (o)(o) |/|
> ^ --- * -----------------.OOOo--oo--oOOO.------------------- *
> ||| | | * Mike Gilchrist - KF4FDJ ..... AMSAT Area Coordinator *
> |X| | | * P.O. Box 763 ................ AMSAT member #31884 *
> [X]~~~|k| * Fort Myers, FL 33902 ....... ARRL member #1781549 *
> / \ |f| * http://www.gate.net/~seven77 telephone 941.772.7907 *
> | | |4| * kf4fdj@amsat.org ........................... EL96ap *
> | P | |f| * I.S. Professional ..... CNA .... Computer Consultant *
> | 3 |=|d| * AO10, AO27, FO20, FO29, RS13, RS15, MIR, E Layer *
> | D | |j| * Bringing Oscar demos to the Lee County Schools. *
> |_____|=| | * * * * * * * * * * * * * * * * * * * * * * * * * * * * * *
> /*X*\ | | * Black holes were created when God divided by zero. *
> ________|_|_____________________________Oooo._________________________
> .oooO ( )
> ( ) ) /
> \ ( (_/
> \_)
```

60. Re: HAVE YOU SEEN THE SX-88 ON eBAY? WOW!!!!!!!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <923036116.818.99@news.remarQ.com>
Source record: 86696

An anti-Ebay auction -- I love it!

Funniest thing I've seen in ages.

Phil
philnelson@antiqueradio.org

P.S. Sorry to run, but I have to catch a ride on a lugsury fruit transport vessle . . . ;-)

61. WTB transmitter control box BC-451

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: robinson@srsuna.shlrc.mq.edu.au
Message-ID: <7dudm2$6a3$1@sunb.ocs.mq.edu.au>
Source record: 86777

Hi there,

I need a BC-451 control box for my SCR-274N transmitters.
Please email me if you have one for sale.

--
Regards
Ray

62. Re: National Nc240-d question.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: lrware@pipeline.com
Message-ID: <3702bb0e.181052597@news.pipeline.com>
Source record: 86778

It is indeed a pretty cool old radio, using Nationals
moveable "coil-catacomb" system. the NC-2-40D was the last
model of the coil-catacomb line.

It will need new caps and some resistors if they have not been
replaced yet.

For a pretty good history and overview of the entire line,
please see my article in "AWA Review XI."
80+ pages of pictures and information...

-Larry Ware
lrware@pipeline.com

nc183d@aol.com (Nc183d) cogitated then commented:

>Hi All,
>I am considering buying a National NC240d and I have read the info in Moore's
>book. It says "movable coil catacombs" I don't think this means plug-in coils,
>but am unsure just what it DOES mean. Anyone out there feel llike explaining to
>this dummy just what it does mean?
>rgds,
>Mark S.

#
Bigot, n. One who obstinately and zealously attached
to an opinion that you do not entertain.
-Ambrose Bierce
#

63. Gonset Communicator 6 Civil Defense (Yellow Box)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: hclem13890@aol.com
Message-ID: <19990331204110.10024.00000737@ng142.aol.com>
Source record: 86779

I am looking for a schematic for this receiver. Also would like to know the history behind this radio. I have also seen Civil Air-patrol units too. Any articles in past magazines on this equipment? Was it refered to as a gooney box?

64. NEED MANUAL...RT-298/ARC-2a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: ax9909@aol.com
Message-ID: <19990331224208.10950.00000617@ng65.aol.com>
Source record: 86780

looking for a manual for the rt-91/arc-2 or the later version rt-298/arc-2a
would prefer the later but you know how it goes....you take what you can get.
thanks to all who read this & 73.....george

65. Re: Manufacturer TMC ?? Looking for info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990331225650.15606.00000580@ng-ba1.aol.com>
Source record: 86781

Technical Materiel Corp is no more.

Kï¿½MB

66. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Dana <c5966@mindspring.com>
Message-ID: <01be7bf3$55773e20$79078ad1@einstein>
Source record: 86782
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

So, let's just have *everyone* kick Usenet etiquette out the window,
right?...Wrong.

Dana

Shawn Upton <supton@eece.maine.edu> wrote in article
<37026741.500F@eece.maine.edu>...
> I find the letters in the subject line "FA" to be a nice thing for
> people advertising ebay articles. If I see FA, I just unmark the post,
> and that's that--no wasted time, as I don't care to use ebay (I've used
> it before, but the thrill of auctioning doesn't do it for me--I'd rather
> deal with the seller directly).
>
> I've noticed that the people selling things on ebay and then posting
> stuff in this newsgroup have either used FA in the subject line, or
> plainly said something to the effect, for auction on ebay. So, I have
> no qualms about people using this newsgroup to post stuff on ebay.
>
> --
> **********
> Shawn Upton
> Electrical Engineering Student
> University of Maine at Orono
> webpage: http://www.eece.maine.edu/~supton/
> mail: supton@eece.maine.edu
> KB1CKT Tech Plus
> **********
>

67. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Jeff Johns <jeffj@scott.net>
Message-ID: <251842660388619NEWS2LX@news.scott.net>
Source record: 86783
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

On Wed, 31 Mar 1999 11:34:53 -0600, "Tom C. Brown, Jr." <mmc@netdoor.com> wrote:

> I agree.

I second the motion!

73 Jeff W4JEF

```
*--------- Jeff Johns W4JEF - AMSAT# 32615 - QRP-L# 1857 ----------*
|jeffj@scott.net w4jef@amsat.org | Reserve Patrol Captain |
| Satellite: Mir R0MIR-1, AO-27 | Jefferson County Sheriff's Dept|
|200LX+BayPac+FT50=Portable Packet| QTH Birmingham, AL USA |
*-----------------------------------------------------------------*
```

68. SPRAGUE TO-6 $125 Capacitor Analyzer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3702FD75.2065@ix.netcom.com>
Source record: 86784
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

PRICE REDUCED
I have a TO-6 in excellent condition. This is the top of the line capacitor analyzer. It also has large enough transformers built it to reform electrolytics. It has an analog meter to check leakage and it is in beautiful condition. I have jpg pictures if you need to see it. This would make an excellent addition to any shack. $125+ shipping
73 Chris VE3NGW/W4 Florida

69. Southside ARS has moved

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: Warren <vk4wh@NOSPAM.tpg.com.au>
Message-ID: <37030a4a@dnews.tpgi.com.au>
Source record: 86785
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi and thanks for reading this message.

We wish to advise that the Southside Amateur Radio Society Web Page has moved.

Our new address is http://www.qsl.net/vk4wss

Our new e-mail address is vk4wss@qslNOSPAM.net (PLEASE REMOVE NOSPAM)

Why not pay us a visit and read about Chris Bourke's (VK4YE) Kilowatt Linear project, subscribe to our on line newsletter, see what Australian contest are coming up, or check out some of our links to Amateur Radio Related software sites

You can also try out our online NAOCP and AOCP theory exam and get some useful tips on CW.

Hope to see you there.

Regards
Adam Jaroszuk (VK4LAJ)
Web Master/ News Editor.
Southside Amateur Radio Society Inc.

70. Yeasu FT-77

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-01 00:00:00 UTC
From: VE3AHQ <ve3ahq@cgocable.net>
Message-ID: <37030B11.4FD2970A@cgocable.net>
Source record: 86786

Looking for a manual from a Yeasu FT-77. Will gladly pay for
photocopies and mail.

Or if anyone knows what the pin outs are on the acc plug of this radio,
it would be most appreciated.

Thanks in advance.

Mike
VE3AHQ

71. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7e3j8c$2b7$1@camel0.mindspring.com>
Source record: 86587

Yea Right ....I have a bridge for sale here in the big apple
..........it comes with a calendar
But nothing that came out of California (la la land) would suprise me.
Cool Joke !

72. Re: CE 100V or 200V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7e3jvn$i8p$1@birch.prod.itd.earthlink.net>
Source record: 86588

Larry- forgot to ask this: does your 200V have the 160 meter coupler
installed?

Larry McGee wrote in message <01be7cc7$c82d4a20$bbdefed0@default>...
>Floyd.. do you have any way to pick up a good, working 200V about 60 miles
>west of Chicago?? Larry.
>
>Floyd Sense <sentek@sprintmail.com> wrote in article
><7e1avj$82m$1@fir.prod.itd.earthlink.net>...
>> Still looking for either of these transmitters. Please describe
>condition
>> of yours and tell me what you want for it.
>>
>>
>> --
>> Floyd Sense in Angier, NC
>>
>>
>>
>>

73. FA: Drake UV3 144/220/440 W/Remote..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370655fe.91762493@207.217.77.140>
Source record: 86589

FA: Drake UV3 Comes with 144/220/440]
And also comes with remote and has touch tone microphone.
Very nice. Oh, has external pl. with dip switches.
Ends early tomorrow morning.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83430060

74. WTB: Hi band module for PRC-68B or PRC-128

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: sparkes@fast.net
Message-ID: <7e3knl$la2$1@news1.fast.net>
Source record: 86590
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Still looking for that elusive hi band module (130-174 MHz approx.) for either the PRC-68B or PRC-128.
If you have one pls email condition and price.

Thanks,

Ned Parkes - N3LKT

75. FA: Drake TR7A w/PS7/Drake Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <370b576d.92129426@207.217.77.140>
Source record: 86591

```
FA: Drake TR7A comes with the PS7 and Drake Desk Mic.
The TR7A looks NEW!!!
Ends early tomorrow morning.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83432906
```

76. Ameco TX-62 Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Brian Wachur <watson73@yahoo.com>
Message-ID: <7e3tso$27e$1@autumn.news.rcn.net>
Source record: 86592

Looking for a meter for a TX-62 transmitter. Would buy a parts rig if the meter was in good condition. Let me know what you have and price. Reply via e.mail to KA1YY@EROLS.COM
Michael
K3FET

77. Capacitor Checker help needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <QYeN2.5701$lk.739@news2.atl>
Source record: 86593

Need any info on a Teletest model CT-355 "CapaciTester"
Older unit used to test cap values and leakage.

Please email me directly with any info.

Thanks

Tom KA4RKT
badger@telalink.net

78. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37056CB7.792B1F03@mwci.net>
Source record: 86594
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

J M Noeding wrote:

> On Fri, 02 Apr 1999 08:32:38 -0600, "William E. Sabin"
> <sabinw@mwci.net> wrote:
>
> >
> >
> >Randy and Cara Randall wrote:
> >
> >> ----------
> >> Thanks for reading this post. I am looking for a procedure for
> >> calibrating HF SWR and watt meters. I have a good idea on
> >> how to cal. the SWR portion, but the watt meter would require
> >> a calibrated RF voltmeter to read the voltage across the load
> >> resistor.
> >
> >The best approach of all is to locate someone who has a Bird Model 43 wattmeter that you can borrow for a day or two.
> >Just be sure the Elements are correct for the frequency range that you are interested in.
> >
> >Bill W0IYH
> >
> >
> and before you start, check that FSD appears with same power level
> with SWR meter connected one way and the opposite

I have a *new* Bird 43 that I bought about a month ago. It has the 250 W and 1000 W elements for 2 to 30 MHz. I have
compared it with recently calibrated reference equipment and it has been found to be accurate as closely as I could read
the meter. The guaranteed accuracy is 2.0 percent of full scale, which is about 0.1 dB. At below full scale the scale
spreads out (easier to read), and my measurements were accurate as closely as I could read the meter over a wide range of
meter readings. The accuracy was the same in both directions.

Bill W0IYH

79. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: William Janssen <billj@calweb.com>
Message-ID: <37057D28.29977FEC@calweb.com>
Source record: 86595
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

> >Randy and Cara Randall wrote:
> >
> >> --
> >> Thanks for reading this post. I am looking for a procedure for
> >> calibrating HF SWR and watt meters. I have a good idea on
> >> how to cal. the SWR portion, but the watt meter would require
> >> a calibrated RF voltmeter to read the voltage across the load
> >> resistor.
> >

As others have said, borrow a meter and check yours against it.

However there was an article in one of the magazines some years ago
on using a dummy load in water and measuring the temperature rise.

I would suggest that you take a dummy load and wrap insulation around
it. Then put DC into the load and measure the temperature rise and the
time it takes. Compare that to the temperature rise and the time with
RF into the load.

I leave it as a learning exercise for you to do the math.
(when you figure it out let me know too)

Bill K7NOM

80. WTD: Female high current Molex pins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Nick Marsh <nickwb4sqi@wwd.net>
Message-ID: <3705821A.39FD@wwd.net>
Source record: 86596

I need Molex female pins to make a DC power connector for a Heath
SS9000. They should handle cable from #12 to 14 guage.

tnx,
--
73

Nick Marsh
WB4SQI

81. Re: CX-7A Parts Source Needed.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <370586DE.D942B5A5@citrus.infi.net>
Source record: 86597

Hi, Ron ....
I may have some old stock in storage. I helped design the CX-7
some years ago. I know I have a couple of original manuals I can
find faster then parts. Give me a little time and I will get back
to you.

73 de Jim W4ONO .-.-.
==========

Ron Harshbarger wrote:
>
> How about it folks? Does anyone know of a source for Sognal One CX-7A parts.
> (ie: circuit boards) The guys at Signal One won't sell me the bare board
> and the want enough for the populated one to buy a new rig! Someone has to
> have a scrap box full of parts.
>
> 73 Ron H. K3PID

82. Wanted: BC-611 and command sets/accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: alanb@cloud9.net
Message-ID: <370595B5.C164BC4C@cloud9.net>
Source record: 86598

Please tell me what you have and how much you are asking for it.

Want BC-611's and/or ARC5 command sets and accessories.

Alan

83. Fs R390a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3705938E.E7A5878E@earthlink.net>
Source record: 86599

I have just finished and R390a all Stewart Warner radio with tag.
Original meters works great $500.00 shipped
Matt Parkinson KE6UOS

84. FS some US Army field radio items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7e4645$8as$1@autumn.news.rcn.net>
Source record: 86600
Cross-posted to: rec.radio.amateur.boatanchors,alt.military.collecting

GN 58 A CY Generators. New unused. One with nice case $75.00. One in dented case. $55.00

Case, CS -137. Nice case, probably for tubes or crystals. Appears to be brand new. $15.00

Shipping is extra. I still have some manuals left from my last posting. Please email privately if interested.
Thanks,

--
john@astory.com
http://www.astory.com

85. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Michael <MKlevickis@worldnet.att.net>
Message-ID: <37059A9B.55B1@worldnet.att.net>
Source record: 86601
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

```
Dick Carroll wrote:
>
> Patricia Gibbons wrote:
> >
> > Personally, I like the fact that those who
> > place items on ebay also drop a note here.
> >
> > It gets my attention and if it something
> > I am interested in, I go look at it.
> >
> > the convention of having the [FA} ahead
> > of a listing here on the newsgroup is
> > an easy way for those who DON'T like
> > such postings, to be able to ignore them..
> >
> > Trish
> > >
>
> My feelings exactly. I think it's a service.
>
> Dick

Yes, but one can always go to their web site if one wants to buy or
peddle something. E-Bay is so tacky, commercial, and so often
disreputable (sufficiently so that the commercial banks refused to back
the original IPO), that I hate to do anything to support it.

Michael K.
```

86. FS: BIG OLD BOOKS; cheap!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <3530-37059644-106@newsd-124.bryant.webtv.net>
Source record: 86602

The following books weigh between 1 & 2 pounds each. FIVE DOLLARS each + book rate postage from 15845. More than one book, I'll deal. Gotta clear 'em out.

High Frequency A. C. 1931 510 pages

DC & AC Manual 1912 356 pages

Radio-Telephony fr. Am. 1922 296 pages

Everybody"s Radio Manual 1934, 256 pp

Engineer in Society 1946, 196 pp

Wireless Telegraphy 1919, 357 pp

Alternating Currents 1921, 559 pp

Transmission Networks 1929, 471 pp

FM Magazine BOUND Jan-June 1945

FM Magazine BOUND Jul-Dec 1945

Solutions to PP Problems 1931 254pp

Elect. & Magnetism for Engineers 1919

Time Bases 1943 204 pp

All of these volumes are hard-bound, and in reasonably good condition for their age.

Deal is a money order for books plus shipping into my mailbox within 7 days of our e-mail agreement.

Robert W. Plumskey,
311 Water Street,
Johnsonburg, PA 15845-1515

Thanks for the read. Will post some old paper back stuff soon as I get time.

73,

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl

http://www.inergy.com/BearCreek_Cabin

87. FA: Hallicrafters S-40B parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990401194934.09595.00001109@ng31.aol.com>
Source record: 86697

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85736731
Take a look at the site. There's a $15.00 no reserve and many hard to find
parts that are working.

88. Re: Trade New Drake L4-B for R-390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990401195834.11724.00000973@ng154.aol.com>
Source record: 86698

Have Ranger 2 Looks like factory wired call me I am in New York
718-8473090 name is Hal Land Air Communications

89. 51J3 and J4 Repro Nameplates

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <3703C8E7.7E09@iamerica.net>
Source record: 86699

I have for sale reproduction commercial nameplates for the 51J-3 and 51J-4. These are reproduced with the permission of Rockwell. They are made of etched aluminum with rig type and serial numbers stamped. Serial numbers start at 12000 to avoid duplication with originals.

These are $12 shipped with screws, two for $20. Add postage for outside of the US.

Also have generic R-390A plates for $9.

73 Tom N5OFF

TF Marcotte
242 Chestnut Oak
Mandeville, LA 70448

90. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "D.L. Wilson" <n4qj@hotmail.NOSPAMcom>
Message-ID: <37043ADA.6E0A4BA6@hotmail.NOSPAMcom>
Source record: 86700

I wouldn't mind the ebay links quite as much if the seller would put all
his links in one message. A separate message message for each link is
annoying.

King Pineapple wrote:
>
> I agree with you Shawn. If I see FA I just don't bother reading the post.
> If you visit rec.antique.radio-phono (or whatever it's called) there's as
> much stuff for sale there as there are posts about other things. I will
> grant you that since this is already being posted in rec.radio.swap, it may
> not be as relevant in rec.radio.shortwave, but since he is putting FA in
> there I don't think it's a big deal.
>
> Shawn Upton <supton@eece.maine.edu> wrote in article
> <37026741.500F@eece.maine.edu>...
> | I find the letters in the subject line "FA" to be a nice thing for
> | people advertising ebay articles. If I see FA, I just unmark the post,
> | and that's that--no wasted time, as I don't care to use ebay (I've used
> | it before, but the thrill of auctioning doesn't do it for me--I'd rather
> | deal with the seller directly).
> |
> | I've noticed that the people selling things on ebay and then posting
> | stuff in this newsgroup have either used FA in the subject line, or
> | plainly said something to the effect, for auction on ebay. So, I have
> | no qualms about people using this newsgroup to post stuff on ebay.
> |
> | --
> | **
> | Shawn Upton
> | Electrical Engineering Student
> | University of Maine at Orono
> | webpage: http://www.eece.maine.edu/~supton/
> | mail: supton@eece.maine.edu
> | KB1CKT Tech Plus
> | **
> |

--
73, David N4QJ

91. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "D.L. Wilson" <n4qj@hotmail.NOSPAMcom>
Message-ID: <37043FC1.B0B12290@hotmail.NOSPAMcom>
Source record: 86701

I hate April Fool's Day. I always get taken in.

Dick Dillman wrote:
>
>
> I guess it had to happen. After all, Harley-Davidson spent millions to
> develop a motorcycle frame that looks like a 1936 hard tail but in fact has
> the rear suspension hidden under the bike. And our audio enthusiast cousins
> spend great sums on tube amplifiers for the warmth of their sound and the
> beauty of their glow. Still, I find the press release below, downloaded
> from the ARMA Web site, a bit sad. I submit it with a sigh for your
> information. I suppose we should take it as a compliment.
>
> Regards,
>
> Dick
>
> ========
>
> FOR IMMEDIATE RELEASE
>
> ARMA ANNOUNCES A NEW STANDARD FOR RETRO RADIOS
>
> 04/01/99 (ARMA) Los Angeles - The Amateur Radio Manufacturers Association
> (ARMA) announced today that its members had agreed on a technical standard
> that would be incorporated in selected new models of amateur radio equipment
> beginning in the year 2000. Unlike previous standards that addressed such
> issues as common formats for data exchange, the new standard deals
> exclusively with the perceived esthetics of the equipment both in person and
> on the air.
>
> "We've been watching the amateur market carefully," said ARMA spokesperson
> Abraham White, "and we've noted an increased and growing interest on the
> part of many amateurs in the equipment that was used a generation ago,
> equipment with tubes, analog dials and a characteristic sound on the air."
>
> Amateur radio operators have been collecting and restoring this older
> equipment, which they call "boatanchors", for many years. But recently the
> interest in this antique equipment has increased dramatically - and the
> price of such equipment has increased as well.
>
> "Radios that you couldn't give away ten years ago can now cost a thousands
> of dollars or more - if you can find them," White said. "We've decided to
> address this situation by offering equipment with all the technology

> amateurs have come to expect on the inside but with the look and feel of the
> older equipment on the outside - and the sound of the older equipment on the
> air."
>
> Equipment meeting the new standard will have "virtual tubes" inside the set.
> While actually made of plastic these tubes will glow from the inside like
> real tubes and actually emit a small amount of heat. The cases of the new
> radios will be designed with perforations or louvers to allow the owner to
> see the glowing tubes.
>
> "It would be impractical to use real tubes," said T.L. Eckersley, director
> of engineering for ARMA. "They're expensive and hard to find. But even
> more significant, real tubes require high voltages which the amateur radio
> operators of today are unprepared to deal with. The liability exposure
> would be enormous."
>
> The new sets will also have analog dials. Analog dials use a pointer,
> rather than the standard digital readout, to indicate such things as
> operating frequency. "But a digital display will be placed behind the analog
> dial," White said. "The digital readout can be brought into play at the
> touch of a button. We thought this was necessary to avoid the errors that
> modern amateurs might make when trying to interpolate a reading from an
> analog dial."
>
> But perhaps the most impressive part of the new standard addresses the sound
> of the radio on the air. Equipment meeting the new ARMA standard will have
> a control labeled "character" that will allow the operator to add
> progressively unique characteristics to his signal. The current standard
> calls for the availability of three types of "chirp", a slow drift and a
> small amount of hum. These can be added to the outgoing signal individually
> or in combination.
>
> "We've worked closely with the FCC," Eckersley said, "to make sure our
> 'character' standard will produce a signal that is legal within the meaning
> of the rules governing the amateur service."
>
> In its first version the character standard will work only on CW (Morse
> code) signals. "Future versions of the standard may address voice modes as
> well," White said.
>
> Radios incorporating the new ARMA standard will be identified by a special
> ARMA badge in a corner of the front panel.
>
> ========
>
>
> Dick Dillman
> <ddillman@igc.apc.org>
> WPE2VT W6AWO
> Collector Of Heavy Metal:

> Harleys, Willys and Radios Over 100lbs.
>

--
73, David N4QJ

92. Re: CE 100V or 200V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Larry McGee <lrmagoo@worldnet.att.net>
Message-ID: <01be7cc7$c82d4a20$bbdefed0@default>
Source record: 86702

Floyd.. do you have any way to pick up a good, working 200V about 60 miles west of Chicago?? Larry.

Floyd Sense <sentek@sprintmail.com> wrote in article <7e1avj$82m$1@fir.prod.itd.earthlink.net>...
> Still looking for either of these transmitters. Please describe condition
> of yours and tell me what you want for it.
>
>
> --
> Floyd Sense in Angier, NC
>
>
>
>

93. Drake Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <370458c9.0@nemo.idirect.com>
Source record: 86703

Greetings.....I just acquired in trade a Drake FS-4 synthesizer and wonder if anyone knows which Drake radios it works with. Thanks for your help.....

Keith, ve3gem

94. For sale : Transmitting tubes/roller inductors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <37046845.25895235@news.pipeline.com>
Source record: 86704

Following is available:

RCA roller inductors, approx 9" x 5" x 4", value of approx 35 uh.,
Silver plated wire with double rollers. 3 available @ $40/ea

Tubes (empty state devices):

Amperex 4-250A, European equivalent (baseless) - 1 avail - used - $25
Penta Labs 5D22/4-250A - 1 avail - used - $35
RCA 4-250A - 1 avail - used - $35

Eimac 304TL - 1 avail - used - $35

Western Electric CW705A/VT255 - 1 avail - used - $10

United 813 - 2 avail - new except for test scratches - $30/ea
National 813 - 3 avail - new - $40/ea
RCA 813 - 4 avail - used - $20/ea

RCA 814 - 1 avail - new - $25

RCA 828 - 4 avail - used - $15/ea

RCA 833A - 1 avail - used - $35

RCA 8008 (mercury vapor rectifier with same ratings as 872A but
different base) - 5 avail - used - $10/ea

Philips 5894 - 1 avail - new - $25

Also, a selection of large wattage (100 watts or greater) wire-wound,
plug in resistors (they look like cartridge fuses) - various values -
INQUIRE.

All tubes are guaranteed 30 days. Shipping is extra - probably about
$5 per tube. Most of the used tubes are used only in that they
were kept in a test jig.

Doug/WA1TUT

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

95. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <37046E03.7409@megsinet.net>
Source record: 86705
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Patricia Gibbons wrote:
> Personally, I like the fact that those who
> place items on ebay also drop a note here.

Love that spam, do you?

> It gets my attention and if it something
> I am interested in, I go look at it.

Apparently.

> the convention of having the [FA} ahead
> of a listing here on the newsgroup is
> an easy way for those who DON'T like
> such postings, to be able to ignore them..

The convention of playing nicely with others and obeying rules that were created to make the newsgroups possible and to keep them usable is much more important to most of us than setting up special conventions for the rulebreakers to break the rules with impunity.

ebay's continued insistence that its users drop these poopies in the newsgroups has generated literally BILLIONS of copies of advertisements, carried around the world to displace topical messages that truly belong in these newsgroups and to cut down on the discussion the Usenet groups were created for and are maintained for. If you want to see what's on ebay, GO TO EBAY.

--
Cliff Sharp	All relevant people are pertinent.
WA9PDM	All rude people are impertinent.
	Therefore, no rude people are relevant.
	--Solomon W. Golomb

96. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Rick Callebs <callebs@bright.net>
Message-ID: <7e1t9u$65k$1@cletus.bright.net>
Source record: 86706
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

> Patricia Gibbons wrote:
> > Personally, I like the fact that those who
> > place items on ebay also drop a note here.

Personally, I don't think 95% of the FA or EBAY postings on the NG cause any problem at all, if they mention equipment that would normally be sold/traded/bartered on the newsgroup anyway.
I do agree that the "updates" of ... three hours left on this one ... get a little ridiculuous, but we're only talking about one or two people who do that. As many people have mentioned, you can filter out the AUCTION or FA subject lines if it bothers you that much.

The little "typewriter pictures" and cutesy quotes and phrases at the end of dozens of NG posts consume much more space and are far more irritating than any one paragraph auction notice. Just my $0.02.

Rick Callebs

97. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <3704e568.125332808@news.erols.com>
Source record: 86707

You're the character Mr. Dillman! FB 1 April story. But you may be
on to something.

If they start making ersatz SP-600s and DX-100s, all the electronics
will probably fit on a few small boards. They'll have to include a
lot of ballast in order to provide that old familiar boatanchor
weight.

73 de Bill N2CQR
http://www.erols.com/wmeara

On Thu, 01 Apr 1999 09:55:34 -0800 (PST), Dick Dillman
<ddillman@igc.apc.org> wrote:

>
>
>I guess it had to happen. After all, Harley-Davidson spent millions to
>develop a motorcycle frame that looks like a 1936 hard tail but in fact has
>the rear suspension hidden under the bike. And our audio enthusiast cousins
>spend great sums on tube amplifiers for the warmth of their sound and the
>beauty of their glow. Still, I find the press release below, downloaded
>from the ARMA Web site, a bit sad. I submit it with a sigh for your
>information. I suppose we should take it as a compliment.
>
>Regards,
>
>Dick
>
>========
>
>FOR IMMEDIATE RELEASE
>
>ARMA ANNOUNCES A NEW STANDARD FOR RETRO RADIOS
>
>04/01/99 (ARMA) Los Angeles - The Amateur Radio Manufacturers Association
>(ARMA) announced today that its members had agreed on a technical standard
>that would be incorporated in selected new models of amateur radio equipment
>beginning in the year 2000. Unlike previous standards that addressed such
>issues as common formats for data exchange, the new standard deals
>exclusively with the perceived esthetics of the equipment both in person and
>on the air.
>
>"We've been watching the amateur market carefully," said ARMA spokesperson
>Abraham White, "and we've noted an increased and growing interest on the
>part of many amateurs in the equipment that was used a generation ago,

>equipment with tubes, analog dials and a characteristic sound on the air."
>
>Amateur radio operators have been collecting and restoring this older
>equipment, which they call "boatanchors", for many years. But recently the
>interest in this antique equipment has increased dramatically - and the
>price of such equipment has increased as well.
>
>"Radios that you couldn't give away ten years ago can now cost a thousands
>of dollars or more - if you can find them," White said. "We've decided to
>address this situation by offering equipment with all the technology
>amateurs have come to expect on the inside but with the look and feel of the
>older equipment on the outside - and the sound of the older equipment on the
>air."
>
>Equipment meeting the new standard will have "virtual tubes" inside the set.
>While actually made of plastic these tubes will glow from the inside like
>real tubes and actually emit a small amount of heat. The cases of the new
>radios will be designed with perforations or louvers to allow the owner to
>see the glowing tubes.
>
>"It would be impractical to use real tubes," said T.L. Eckersley, director
>of engineering for ARMA. "They're expensive and hard to find. But even
>more significant, real tubes require high voltages which the amateur radio
>operators of today are unprepared to deal with. The liability exposure
>would be enormous."
>
>The new sets will also have analog dials. Analog dials use a pointer,
>rather than the standard digital readout, to indicate such things as
>operating frequency. "But a digital display will be placed behind the analog
>dial," White said. "The digital readout can be brought into play at the
>touch of a button. We thought this was necessary to avoid the errors that
>modern amateurs might make when trying to interpolate a reading from an
>analog dial."
>
>But perhaps the most impressive part of the new standard addresses the sound
>of the radio on the air. Equipment meeting the new ARMA standard will have
>a control labeled "character" that will allow the operator to add
>progressively unique characteristics to his signal. The current standard
>calls for the availability of three types of "chirp", a slow drift and a
>small amount of hum. These can be added to the outgoing signal individually
>or in combination.
>
>"We've worked closely with the FCC," Eckersley said, "to make sure our
>'character' standard will produce a signal that is legal within the meaning
>of the rules governing the amateur service."
>
>In its first version the character standard will work only on CW (Morse
>code) signals. "Future versions of the standard may address voice modes as
>well," White said.
>

>Radios incorporating the new ARMA standard will be identified by a special
>ARMA badge in a corner of the front panel.
>
>========
>
>
> Dick Dillman
> <ddillman@igc.apc.org>
> WPE2VT W6AWO
> Collector Of Heavy Metal:
> Harleys, Willys and Radios Over 100lbs.
>

98. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3704A2CD.382E895F@erols.com>
Source record: 86708

Very good! Very good, indeed!! Beats the heck out of the crap QST now blathers in the April issue. This is Larcen E. Rapp, at "his" best!!!

Dick Dillman wrote:

> I guess it had to happen. After all, Harley-Davidson spent millions to develop a motorcycle frame that looks like a 1936 hard tail but in fact has the rear suspension hidden under the bike. And our audio enthusiast cousins spend great sums on tube amplifiers for the warmth of their sound and the beauty of their glow. Still, I find the press release below, downloaded from the ARMA Web site, a bit sad. I submit it with a sigh for your information. I suppose we should take it as a compliment.
>
> Regards,
>
> Dick
>
> ========
>
> FOR IMMEDIATE RELEASE
>
> ARMA ANNOUNCES A NEW STANDARD FOR RETRO RADIOS
>
> 04/01/99 (ARMA) Los Angeles - The Amateur Radio Manufacturers Association (ARMA) announced today that its members had agreed on a technical standard that would be incorporated in selected new models of amateur radio equipment beginning in the year 2000. Unlike previous standards that addressed such issues as common formats for data exchange, the new standard deals exclusively with the perceived esthetics of the equipment both in person and on the air.
>
> "We've been watching the amateur market carefully," said ARMA spokesperson Abraham White, "and we've noted an increased and growing interest on the part of many amateurs in the equipment that was used a generation ago, equipment with tubes, analog dials and a characteristic sound on the air."
>
> Amateur radio operators have been collecting and restoring this older equipment, which they call "boatanchors", for many years. But recently the interest in this antique equipment has increased dramatically - and the price of such equipment has increased as well.
>
> "Radios that you couldn't give away ten years ago can now cost a thousands of dollars or more - if you can find them," White said. "We've decided to address this situation by offering equipment with all the technology

> amateurs have come to expect on the inside but with the look and feel of the
> older equipment on the outside - and the sound of the older equipment on the
> air."
>
> Equipment meeting the new standard will have "virtual tubes" inside the set.
> While actually made of plastic these tubes will glow from the inside like
> real tubes and actually emit a small amount of heat. The cases of the new
> radios will be designed with perforations or louvers to allow the owner to
> see the glowing tubes.
>
> "It would be impractical to use real tubes," said T.L. Eckersley, director
> of engineering for ARMA. "They're expensive and hard to find. But even
> more significant, real tubes require high voltages which the amateur radio
> operators of today are unprepared to deal with. The liability exposure
> would be enormous."
>
> The new sets will also have analog dials. Analog dials use a pointer,
> rather than the standard digital readout, to indicate such things as
> operating frequency. "But a digital display will be placed behind the analog
> dial," White said. "The digital readout can be brought into play at the
> touch of a button. We thought this was necessary to avoid the errors that
> modern amateurs might make when trying to interpolate a reading from an
> analog dial."
>
> But perhaps the most impressive part of the new standard addresses the sound
> of the radio on the air. Equipment meeting the new ARMA standard will have
> a control labeled "character" that will allow the operator to add
> progressively unique characteristics to his signal. The current standard
> calls for the availability of three types of "chirp", a slow drift and a
> small amount of hum. These can be added to the outgoing signal individually
> or in combination.
>
> "We've worked closely with the FCC," Eckersley said, "to make sure our
> 'character' standard will produce a signal that is legal within the meaning
> of the rules governing the amateur service."
>
> In its first version the character standard will work only on CW (Morse
> code) signals. "Future versions of the standard may address voice modes as
> well," White said.
>
> Radios incorporating the new ARMA standard will be identified by a special
> ARMA badge in a corner of the front panel.
>
> ========
>
>
> Dick Dillman
> <ddillman@igc.apc.org>
> WPE2VT W6AWO
> Collector Of Heavy Metal:

> Harleys, Willys and Radios Over 100lbs.
>

99. W8KZW YOUR EMAIL DOESEN'T WORK

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990402062640.05735.00001175@ng134.aol.com>
Source record: 86709

your email keep's comming back i would like the tube how about $20.00 shipped
tnx del k9fcm

100. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: aronson@my-dejanews.com
Message-ID: <7e2cqc$850$1@nnrp1.dejanews.com>
Source record: 86710
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I think a bigger crime is Irv's quoting of two long messages worth of text
(not to mention QUOTED HTML) for two lines consisting of 4 or 5 words...

Puh-lease...

Adam

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

101. FS: HG10B VFO $65

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990402082002.00198.00001459@ng141.aol.com>
Source record: 86711

HG10B is in very nice condition. $65 plus ups.

102. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: dpotter@bbn.com
Message-ID: <3705c2db.2974810@news>
Source record: 86712
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Thu, 01 Apr 1999 21:11:02 -0500, Randy and Cara Randall
<crrandal@seidata.com> wrote:

How to calibrate a homebrew power meter?

How accurate do you want to be? For starters, bypass any coupling capacitors at the input to your power meter and apply a DC voltage. Measure the DC voltage with as good a voltmeter as you have and that should be pretty close for relatively low frequencies, relatively meaning compared to frequencies where the parasitic reactances in your power meter begin to be important. Or, borrow a Bird wattmeter and compare readings to it. I did that with a couple of SWR meters I had and was pleasantly suprised to discover that they were pretty close. The principle source of low frequency inaccuracy in RF measurements is the voltage drop across the rectifier diode. You can calibrate it out if you know what kind of diode you have, Germanium or Silicon. The ARRL Handbook has some information on building RF measurement gear.

Good luck, have fun!

73

Dave
K1MBO

103. FA: Collins 75A4 Receiver with all Filters!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <3704de74.0@news3.buffnet.net>
Source record: 86713
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

Collins 75A4 Receiver. In CCA Excellent condition. Inside and outside finish outstanding. No dusting or clean up necessary, put it right on the desk and enjoy! Unit is a pleasure to listen to and operate. Serial number is in the 5,000 and Collins updates have been installed at factory. Unit includes all filters! CW, 3.1 STD, and AM filter, all of which are proper Collins units for the A4. Has 4:1 Tuning/Spinner Knob on front (real plus!). This is the cleanest A4 that I have seen in 5 years. All tubes were just replaced with NOS units. Payment must be received before shipping, Certified Funds only. Will ship via UPS or FedEx, your choice, buyer is responsible for shipping. Feel free to email me with further questions.

Click here to view --->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85960792

Tnx!
--

73,

Bruce KG2IC

****
******
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****
******

begin 666 Bruce J. Howes.vcf
<encoded_portion_removed>

104. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <3704D506.DB0C4B79@mwci.net>
Source record: 86714
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Randy and Cara Randall wrote:

> ----------
> Thanks for reading this post. I am looking for a procedure for
> calibrating HF SWR and watt meters. I have a good idea on
> how to cal. the SWR portion, but the watt meter would require
> a calibrated RF voltmeter to read the voltage across the load
> resistor.

The best approach of all is to locate someone who has a Bird Model 43 wattmeter that you can borrow for a day or two.
Just be sure the Elements are correct for the frequency range that you are interested in.

Bill W0IYH

105. Estate sale in Northern Virginia

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990402104822.23444.00001495@ng38.aol.com>
Source record: 86715

An advertisement in today's Washington Post announced the estate sale of some poor soul who succumbed after a 60-year struggle with the forces of short wave radiation. Having two or three square feet left in my garage, I ventured to the site and, sure enough, there was considerable evidence of a valiant struggle by this victim, who I overheard lasted until age 91. He was evidently particularly susceptible to that form of radiation that uses the start signal, five marks or spaces, and a stop signal, as there were three or four of those machines, including a miniature one I'd never seen. I overheard somebody say "model 28".

The battleground includes two floors of several rooms containing dozens, maybe hundreds, of transformers, most unusued; dozens of large variable capacitors including a couple or more vacuum variables, several roller inductors, cabinets and more cabinets and racks (keep your hands off the cabinet on rollers in the darkroom-I've already paid for it). I saw a medium large Johnson transmitter of fairly recent vintage, some good test equipment, ARC-5 receivers and transmitters, and tons and tons of miscellany, like callbooks, piece parts, and the like.

If you think you can stand to look at what 60 years of amateur radio can do to you, it's at 6831 Winter Lane, Annandale, VA (from Braddock to Dodson to WinterLn). I warn you, it's not a pretty sight. It may make you reform and change hobbies.

JK/K4XC

106. FA: Original Manual for Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Heinz und Hannelore Breuer <hbreuer@debitel.net>
Message-ID: <3704EC86.1A10@debitel.net>
Source record: 86716

I put an original manual for the Collins KWM-380 on Ebay. See at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85973408

Thanks for reading.
73
Heinz - KF6FNC

107. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: John Mortlock <jmort@global.freeserve.co.uk>
Message-ID: <7e2qj4$mo6$1@news7.svr.pol.co.uk>
Source record: 86717
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Dave Potter wrote in message <3705c2db.2974810@news>...
>On Thu, 01 Apr 1999 21:11:02 -0500, Randy and Cara Randall
><crrandal@seidata.com> wrote:
>
>How to calibrate a homebrew power meter?

<snip>

>The principle source of low frequency inaccuracy in RF measurements is
>the voltage drop across the rectifier diode. You can calibrate it out
>if you know what kind of diode you have, Germanium or Silicon.
>Dave K1MBO

Re the error due to forward voltage drop and non linearity under and around the point of conduction for Germanium and Silicon diodes, anyone know if its workable to set a steady DC current through the diode so that it is well in to conduction. Would this enable one to measure very low RF voltages below the forward Voltage level of the diode and improve linearity ??

108. Re: Estate sale in Northern Virginia

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990402112402.11828.00001413@ng109.aol.com>
Source record: 86718

I neglected to mention that the sale continues today until 1600, and resumes tomorrow, 9 to 4.
JK

109. Re: Help with Kenwood ts-700s pl tones

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: mravitz@ix.netcom.com
Message-ID: <3704efb3.11024508@nntp.ix.netcom.com>
Source record: 86719

Check out the site www.com_spec.com (the underscore might be a dash)

THey sell encoders and have the connection information in one of their
FAQs.

Good Luck

tselk_nospam@hooked.net (fiberoptic) wrote:

>Hi, I am trying to add pl tones to a ts-700s. I have the encoder
>but do not know where to connect it. Is the jack on the back marked
>"tone pad" for this. I dont have a manual so any help you might give
>would be great.
>
>
>
> travis km6qj

110. Re: HV Capacitor Source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: zateslo@quartz.gly.fsu.edu
Message-ID: <7e2s56$emj@quartz.gly.fsu.edu>
Source record: 86720
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

In article <37042675.E0D09543@hamradio.org>,
Al Dolgosh <al.dolgosh@hamradio.org> wrote:
>I am restoring an old 7" electrostatic deflection TV set, and I need to
>replace the vertical deflection coupling capacitors. They are huge, old
>
>waxed paper types - .05 mfd @ 6000 volts - because of the low 60 Hz
>vertical sweep frequency. I can't seem to find anything suitable, and
>I would rather not series/parallel a whole lot of smaller ones if there
>is something better.
>
>Any suggestions?

Al,
The Newark catalog shows several styles of HV caps made by Plastic
Capacitors. They aren't cheap, but they should do the job, and
you can buy in small quantities with a credit card from Newark.
A 10 KV 0.05 uF cap (OFN100-503) is $77.71 in the catalog.

It looks to me like paralleling a bunch of 6 KV ceramics wouldn't be
much cheaper, unless you already had them in the junk box.

Ted Zateslo, W1XO

111. Re: Drake Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990402121236.25558.00001528@ng98.aol.com>
Source record: 86721

My Friend is using his with a C-Line.He says its great.

Ron KA1SRZ

112. FA: COLLINS 70E-15 PTO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990402124828.00787.00001585@ng97.aol.com>
Source record: 86722

See it working and hooked up to a bench supply and 'scope. Go to ebay.com
and search for "collins pto" or...

view item # 85934516

Started at 5-bucks.

Thanks...Pat.

113. FS Astatic JT-30 mic.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: w5vhp@aol.com
Message-ID: <19990402125903.02533.00001160@ng138.aol.com>
Source record: 86723

Only the JT-30 head. No stand or element. It has a couple of small spots where the paint is missing. Overall, in pretty good shape.

Will ship for $ 30.00

Please reply by private e-mail

Thanks,

Larry w5vhp@aol.com

114. FORSALE - Mint Icom-735, MFJ 949E tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7e305s$4j7@nntpa.cb.lucent.com>
Source record: 86724
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

```
---------------------------------------------------------------------
FORSALE - MINT Icom 735 HF rig, MFJ 949E tuner
---------------------------------------------------------------------

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter, original hand mike with up/down controls, original
manual, and all original packing. I am a non-smoker. Also have
as-new MFJ tuner.

ICOM 735/cw filter/mic $575.
MFJ 949E tuner 100.

Entire package for $650. + shipping.

Joe Levantino
KB2FSH
(732) 949-0664

Rig is located in Monmouth County, NJ.
$550 plus shipping.

Joe Levantino
KB2FSH
(732) 949-0664.
```

115. FS fan for Henry amp.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: w5vhp@aol.com
Message-ID: <19990402130547.23534.00001254@ng140.aol.com>
Source record: 86725

Used original equip. fan for a Henry 2K-4A console type amp. Works fine.
Will sell for $15.00 plus whatever it cost to ship UPS.

Please reply by private e-mail

Thanks,

Larry w5vhp@aol.com

116. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Will Rogers <w4wlr@flinet.com>
Message-ID: <7e34g2$bc8$1@news.flinet.com>
Source record: 86726

WOW! Could this be true? Am I this gullible? NOT!!

Thanks for the chuckle from a ham with several boatanchors around him as he types!

73

Will

Dick Dillman <ddillman@igc.apc.org> wrote in message news:APC&1'0'b6fc7b82'de2@igc.apc.org...
>
>
<<snip>>

117. Re: "Character"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Will Rogers <w4wlr@flinet.com>
Message-ID: <7e34k6bdk1@news.flinet.com>
Source record: 86727

WOW!

Could it be possible?

Am I this gullible?

NOT!!!

Thanks for the chuckle from a ham surrounded by boatanchors as he types!

73

Will

118. FS: 44 year accumulation of Tubes & Microwave Components

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: "m.pasternack" <m.pasternack@cwix.com>
Message-ID: <01be7d3b$1b7d6de0$349c3ea6@pavilion>
Source record: 86728
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors

e-mail to "m.pasternack@cwix.com" to receive 10 page list. Murray, W6KRC

119. FS:AN/PRM-10 GRID DIP METER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <3705839B.F01E3486@postoffice.pacbell.net>
Source record: 86729
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi all
I have a for sale AN/PRM-10 Military Grid Dip Meter. Very good
condition. Price is $125 plus shipping. I can E-Mail photos on request.
Thanks
Jin KB6LUE

120. FS: Kenwood TS-820S HF XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Bob <P15218@flash.net>
Message-ID: <37052A6F.3627@flash.net>
Source record: 86730
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

```
Near mint 160-10 Meter transceiver with digital display, CW filter,
operator and service manuals. Very low hours...it still has the original
final tubes. No problems, a few documented reversable mods added from
Kenwood and HR. Two BNC connectors added on back to allow external
reciever. Asking $350. Local pickup in the Detroit MI area preferred. I
am the second owner (non smoker) and have had it since 1983.
Bob
KB8TL
e-mail: remove XYZ_ to reply

spammer bait...
root@localhost
postmaster@localhost
admin@localhost
abuse@localhost
postmaster@127.0.0.1
```

121. help on an old MAarconi radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: va3rzs@rac.ca
Message-ID: <3705338d.444436988@news.cgocable.net>
Source record: 86731

Hello all

I am looking for some information on a radio I just got .....

its a Canadian Marconi Company 30 Watt FM Marine Trans/Rec.
type DN26

I can transmit on 146.520 but I can not recive anything.....

I put a signal Gen. net to it ... and I can BARLY hear the tone

I opened up the case (BIG CASE) andd I fine 3 tubes missing .. and one
ristor blown

I need to know if ... these problem will efect the radios recive, and
what the tubes are and the ristor is ...

any help would be nice ..

you can Eather send me a message here or Email me at VA3RZS@rac.ca

once agaain thank you

122. FA: Collector's Swan 500CX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37053945.A6A6A0CF@cfu.net>
Source record: 86732

See ebay.com iitem # 84042578 till 4/4.

123. FA: Three Swan Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3705398B.722EE887@cfu.net>
Source record: 86733

405X xtal oscillator; FP-1 Phone Patch; SWR-1 SWR/rel. power meter, all mint condition. See ebay.com item # 83487189 till 4/3.

124. FA: Swan VX-2 VOX, Mint

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <370539AD.AAA7DAAE@cfu.net>
Source record: 86734

```
See ebay.com item # 83484478 till 4/3.
```

125. FA: Two New 6MJ6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <370539DA.2AB1879C@cfu.net>
Source record: 86735

See ebay.com item # 83674382 till 4/3.

126. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-02 00:00:00 UTC
From: la8ak@online.no
Message-ID: <370529f2.113891409@news.online.no>
Source record: 86736
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Fri, 02 Apr 1999 08:32:38 -0600, "William E. Sabin"
<sabinw@mwci.net> wrote:

>
>
>Randy and Cara Randall wrote:
>
>> --
>> Thanks for reading this post. I am looking for a procedure for
>> calibrating HF SWR and watt meters. I have a good idea on
>> how to cal. the SWR portion, but the watt meter would require
>> a calibrated RF voltmeter to read the voltage across the load
>> resistor.
>
>The best approach of all is to locate someone who has a Bird Model 43 wattmeter that you
can borrow for a day or two.
>Just be sure the Elements are correct for the frequency range that you are interested in.
>
>Bill W0IYH
>
>
and before you start, check that FSD appears with same power level
with SWR meter connected one way and the opposite
Have built some VSWR and power meters for 35 years, and have bought
some commercial power meters, OSKERBLOCK and Bird Model 43, none of
them are very accurate, including Bird model 43, but it is usually of
very little importance whether the power is 90 or 100W. Read the
instruction book for Bird Model 43 thoroghly to get a better
understanding of which levels the meter shows. Believe Marconi
Instruments 2955 is quite accurate for VHF/UHF, but it costs at least
ten times as much as Bird model 43

LA8AK

127. Info needed on National blower BM-10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990403152357.29497.00002364@ng111.aol.com>
Source record: 86537

I just acquired a few of these blowers by National Co. Inc. P/N BM-10. They were produced by Electro Eng. Prod. Co. their pn G-17047. They have three terminals on them. If you have any information on these blowers I could use it.

Thanks for the bandwidth.
73's
Bob, W4RLC (formerly WA7OGU)

128. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: John Donnelly <jpd2@uswest.net>
Message-ID: <37067B50.3F811298@uswest.net>
Source record: 86538
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

The best way to get ahead of Ebay is not to use them! If people weren't so greedy and trying to make a pile of money for used stuff, Ebay wouldn't even exist. They should just pick a reasonable price and post it on the Newsgroup.
That way nobody ends up getting into those ridiculous bidding wars in the last 5 minutes and feeling like they got screwed for paying too much for something.

Cedric wrote:

> Hi guys - a suggestion for everyone who has used eBay.
>
> WHY PAY THEM??
>
> You can get the same service FREE (only better) at YAHOO!
>
> Today, I found a number of amateur radio items offered for auction
> there including a Kenwood TS-530S
>
> Much better than eBay and no fees!
>
> http://auctions.yahoo.com/
>
> (I have no financial interest in Yahoo - just a satisfied user!!)

129. Re: 3-400Z Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <37068089.5EEC9139@wenet.net>
Source record: 86539

Hi Jerry,
The only difference between 3-400Z and 3-500Z in Swan MK II amplifier is the zener diode, 8.2V , 50 W inserted between the center tap of the filament transformer and GND. This will give the tubes bias so that the idling current is reduced and tubes work cooler. The newer model of MKII uses 3-500Z's instead of older model using 3-400Z. So get 3-500Z's which are much easier to get and feel better. If you have Radio handbook by W6SAI, Bill Orr, you can find article about using small zener diode (usually less than 10 cents a pc) with booster Transistor instead of high wattage zener diode.
Good luck to you.
de K6hm
Young

J. Kincade wrote:

> After running barefoot for 35 years (yes, feet are tired) have
> opportunity to own a nice Swan Mark II linear at a price I really can't
> stand to pass up. Next question: where does one find replacement
> 3-400Z's, or is there a safe and sane direct replacement? Tube specs/data
> on 3-400Z's seems to be hard to come by on the web so far, tried Eimac,
> Amperex, several others w/no luck. Can one of you QRO folks please
> educate me?
> Thanks/73
> Jerry W5KP

130. Re: WTB: Collins KWM-2 Cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Dennis <cloudhopper@earthlink.net>
Message-ID: <3706D201.E3BDE183@earthlink.net>
Source record: 86540

Hobbes wrote:

> I am in need of a cabinet for a KWM-2. Please advise of condition and
> price.
>
> Thanks. Ed K2SNK

Ed:
I would like to buy one as well, if you get any extra leads, please let
me know.
Regards
Dennis

131. Want: Parts for Heath SB610 scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Ron Manfredi <wa2eio@ibm.net>
Message-ID: <370684C1.6DB1EB9A@ibm.net>
Source record: 86541

I am looking for the L2 coils for my almost mint Heath SB-610 monitor scope. It was originally wired for RTTY/1 kc-150 kc operation, and does

not have any of the L2 coils. While I would like to find all 3 L2s and an L1 for a really complete unit, I could use a 455 kc coil and the mounting clip for it.. It is Heath part # 40-746; the Low freq. coil. The other coils needed are:
L1 # 40-602 RF coil
L2 # 40-747 Medium freq. coil (1-2.4mc)
L2 # 40-748 High freq. coil (3-6 mc.)
Any help locating these parts would be greatly appreciated! (Would consider a parts SB610 if price was very L O W!) Thanks Ron
WA2EIO

132. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <37068901.3491E713@hamradio.org>
Source record: 86542
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

The only way anybody "ends up getting into a ridiculous bidding
war" is if they make their own decision to do it.

I bid the maximum I am willing to pay for something, and if I get
outbid I don't let my testosterone take over!!! It isn't a
challenge to see who can win unless you knowingly make it that
yourself!! No one will ridicule you if you "lose".

"Me Tarzan - you Jane" seems to take over if you don't use common
sense bidding!

John Donnelly wrote:

> The best way to get ahead of Ebay is not to use them! If people
> weren't so greedy and trying to make a pile of money for used
> stuff, Ebay wouldn't even exist. They should just pick a
> reasonable price and post it on the Newsgroup.
> That way nobody ends up getting into those ridiculous bidding
> wars in the last 5 minutes and feeling like they got screwed for
> paying too much for something.
>
> Cedric wrote:
>
>> Hi guys - a suggestion for everyone who has used eBay.
>>
>> WHY PAY THEM??
>>
>> You can get the same service FREE (only better) at YAHOO!
>>
>> Today, I found a number of amateur radio items offered for
>> auction
>> there including a Kenwood TS-530S
>>
>> Much better than eBay and no fees!
>>
>> http://auctions.yahoo.com/
>>
>> (I have no financial interest in Yahoo - just a satisfied
>> user!!)
>

133. Help: SP-600-JX-14 or similar wanted for parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904039231.AA923177365@ccmail.ghs.int>
Source record: 86543

Radio wanted: SP-600-JX-14 or similar for parts.
Main cosmetics needed are both AF/RF gain control
knobs, crystal position knob, upper and lower mu-metal
covers, front panel toggle switches, band change knob,
tube shields, tube hold down clips and supports, and
especially the approx 1" x 3.5" manufacturers ID tag
for the R274 series (1952). I can live with the random
serial number. Name your price and your poison on
this. Need the ceramic wafer VFO cut in switch which
mounts a few inches away from the crystal switch and
the VFO signal feed through cap. A parts unit would
help if its not stripped down as well or do I have a parts
unit? :-(

Would like to buy original documentation,
field service bulletins, maintenance manuals.

73

NNNN

134. F.S. Excellent copies of original NC57 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990403172211.13103.00002575@ng-cg1.aol.com>
Source record: 86544

Hi,
I have for sale excellent copies of an original National NC57 manual. The information includes: operating instructions, alignment information, parts list, schematic drawing. The price is $6.00 per copy (includes postage in the lower 48 states). If interested, email me directly.
Thanks,
Mark S.

135. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Tony D'Aprile <tonyjda@aol.com>
Message-ID: <GwwN2.266$ZK1.52432@newse2.tampabay.rr.com>
Source record: 86545
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Common sense, thats all it takes. Auctions are designed to bring the highest price possible, that's what they are meant to do. YOU make the decision how high to bid. My goodness people. What is wrong with capitalism? free enterprise? If someone want's to pay too much for something then so what! I really don't understand why some people have a problem with eBay. If something has gone up beyond its worth to you, well then what options do you have? don't bid on it! Move on.

Tony

136. F.S. Hallicrafters S53a cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990403172438.13103.00002576@ng-cg1.aol.com>
Source record: 86546

I have a cabinet for a Hallicrafters S53a for sale. It's in pretty good condition, for it's age. Also available are the dial glass and the original speaker. If interested, email me directly.
Thanks,
Mark S.

137. Re: Wish I Could Broadcast This

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Ed Price <edprice@pacbell.net>
Message-ID: <370698A0.3188@pacbell.net>
Source record: 86547
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.audio.tubes

W.B. wrote:
>
> Ok,
> let's lay this one to rest here. The issue at hand is not weather or
> not we should be able to have guns, but weather or not we are going to
> keep giving up our Constitutional rights.

> > >I believe it was Jefferson who said "Our freedoms are protected by three
> > >boxes: the soap-box, the ballot-box and
> > >the cartridge box"

> Bill B.

Minor point, but the quote sounds fake. I believe that muskets were the cutting edge of military technology in Jefferson's time. I think paper cartridges didn't come until about 1850.

Ed

138. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7e65ri$s1s$1@autumn.news.rcn.net>
Source record: 86548
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

AMEN

Tony D'Aprile wrote in message ...
>Common sense, thats all it takes. Auctions are designed to bring the
highest
>price possible, that's what they are meant to do. YOU make the decision how
>high to bid. My goodness people. What is wrong with capitalism? free
>enterprise? If someone want's to pay too much for something then so what! I
>really don't understand why some people have a problem with eBay. If
>something has gone up beyond its worth to you, well then what options do
you
>have? don't bid on it! Move on.
>
>Tony
>
>

139. SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7e678j$71e$1@autumn.news.rcn.net>
Source record: 86549

Gaaaa! I was checking some of the closed
eBay Hallicrafters auctions and stumbled
across item 78133312. A Hallicrafter SX-115
that had a closing price of $4150!

Wow. I've watched the SX-88 receivers climb
in value, along with the latest "darling collectable"
the SX-62, but WOW, is this a typical price
for the SX-115. Makes me happy the
SX-28s were made in such abundance for the
war effort--at least anyone who wants a true
classic Hallicrafter can still afford that beauty!

Regards

Peter

140. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7e68im$jb4$1@fir.prod.itd.earthlink.net>
Source record: 86550

It's also interesting to go back and review the bidding on this one. I suspect that this SX-115 will likely never be used on the air again, but will end up on a display shelf. While there are those who will disagree, it wasn't really that good of a receiver compared to similarly priced receivers of the day. In the early 60's, our club had a competitive Field Day operation with multiple transmitters. The SX-115 was tried in the CW station one year, but we went back to the 75A4 the following year due to the SX-115 not being able to reject the signals from our other stations. The SX-101 performed better than the 115 in that environment.

There's another 115 in bidding right now- will be interesting to see how that one goes!

K8AC

CommQuart wrote in message <7e678j$71e$1@autumn.news.rcn.net>...
>Gaaaa! I was checking some of the closed
>eBay Hallicrafters auctions and stumbled
>across item 78133312. A Hallicrafter SX-115
>that had a closing price of $4150!
>
>Wow. I've watched the SX-88 receivers climb
>in value, along with the latest "darling collectable"
>the SX-62, but WOW, is this a typical price
>for the SX-115. Makes me happy the
>SX-28s were made in such abundance for the
>war effort--at least anyone who wants a true
>classic Hallicrafter can still afford that beauty!
>
>Regards
>
>Peter
>
>
>
>

141. F.S. Systcom manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be7e2d$e4a80fc0$0d1a99cf@ve6nap1>
Source record: 86551

1 only Manual for a Commander Six
VTR 71 Radio Telephone system complete with
parts list service instructions and schematics
units were originaly designed for service in the 138 to 174 MHZ
range

1 only Manual for a Autophone
VTR 3-12-8 Radio Telephone system complete with
parts list service instructions and schematics
units were originaly designed for service in the 148 to 174 MHZ
range

in their original Systcom binders

Weight is about 6 pounds for both
I am asking $2.00 Plus shipping costs for both manuals.

Email me your postal address and I will email you a quote
for surface parcel post cost including item to you.

My terms as always are !
Pricing is in US dollars to convert to
Canadian funds Multiply by 1.6
Postal Money order in advance of shipment.
Payable in CDN or U$ funds
NO COD's /

Gerald Caouette
de
ve6nap@oanet.com

142. FS.ASTRO COM RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <37070D01.357408DC@postoffice.pacbell.net>
Source record: 86552
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi all.
I have a for sale Astro Communication Laboratory telemetry receiver
type TR-104A. It has type TH-107P plug in. Covers 2200-2300Mhz. Price is
$175 plus shpping. I can E-Mail photos on request.
Thanks Jin KB6LUE

143. FS:WATKINS-JOHNSON

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <37070F3C.4783C7F5@postoffice.pacbell.net>
Source record: 86553
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi all.
I have a for sale Watkins-Johnson type DMS-107 demodulator. Price is
$150 plus shipping. I can E-Mail photos on request.
Thanks
Jin KB6LUE

144. F.S. pencil type Vacuum Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be7e32$e33ddf20$0d1a99cf@ve6nap1>
Source record: 86554

RCA Brand
OEM Red box

Jan 5675

Simalar to CV 2971

6.3 volt fil
5 watt plate Max
300 volt plate Max

15.00 U$ each

10 Available
shipping extra

Terms
NO COD
Postal M.O. in advance of shipment
If you email full postal address
I will quote total price for shipment via surface parcel post

Regards
Gerald Caouette
9116 - 79 Street
Edmonton, Alberta, T6C 2R4
de
ve6nap@oanet.com

145. Re: FS old paperbacks SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <6917-3706ADDE-62@newsd-122.bryant.webtv.net>
Source record: 86555

Truly sorry guys, but some Ham bought the whole ball of wax....wait till
his xyl finds out!

I'll respond personally to each e-mail received.

Thanks again,

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

146. Re: F.S. Hallicrafters S53a cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Dan Vaught <afarmer@roanoke.infi.net>
Message-ID: <3706BC5E.E3FB3B6F@roanoke.infi.net>
Source record: 86556

53 was my first radio at preteen era in mid 50's, what would you want with cabinet / other parts?
dan

Nc183d wrote:

> I have a cabinet for a Hallicrafters S53a for sale. It's in pretty good
> condition, for it's age. Also available are the dial glass and the original
> speaker. If interested, email me directly.
> Thanks,
> Mark S.

147. FS/T:HALLICRAFTERS S-120 $60+Shipping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <3706BBB4.57E0D79D@earthlink.net>
Source record: 86557
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave

Or Trades Considered.

FS: HALLICRAFTERS S-120 General Coverage Receiver.

Very good shape and receives outstanding !!

First $ 60 + shipping

Thank You!

-ERIC

148. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Dave Ruhle <nospamruhled@prodigy.net>
Message-ID: <7e6fgo$1juq$1@newssvr01-int.news.prodigy.com>
Source record: 86558
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

I think people on Yahoo tend not to honor their commitments much more often than on eBay. I've been the high bidder on numerous items and have had the seller never contact me to close the sale. A serious shortcoming is that the buyer has no way to contact the seller after the auction, as many users choose to leave their email addresses private in their profiles. Supposedly the support team which runs the site will release that info if the seller does not contact you, but days after sending them mail, I received a form letter instructing me to enter the guidelines page and click a link which does not exist, otherwise to leave negative feedback about the seller. Maybe once they work these things out it will be a better match against eBay, but in the mean time, I'm willing to pay the small commission knowing most people have been around eBay for a while and honor their commitments when they put an item up or bid on something I'm selling.

-Dave
Cedric wrote in message <37060a14.4134165@news.earthlink.net>...
>Hi guys - a suggestion for everyone who has used eBay.
>
>WHY PAY THEM??
>
>You can get the same service FREE (only better) at YAHOO!
>
>Today, I found a number of amateur radio items offered for auction
>there including a Kenwood TS-530S
>
>Much better than eBay and no fees!
>
>http://auctions.yahoo.com/
>
>(I have no financial interest in Yahoo - just a satisfied user!!)
>
>

149. HALLICRAFTERS S-120 HAS BEEN SOLD!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <3706C64F.AD930944@earthlink.net>
Source record: 86559
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave

THE S-120 has been sold already.

Thank you,

-ERIC

BB Wolf wrote:

> Or Trades Considered.
>
> ----------
>
> Subject: FS:HALLICRAFTERS S-120
> Date: Sat, 03 Apr 1999 19:20:05 -0500
> From: BB Wolf <bigbadwolf1@earthlink.net>
> Newsgroups: rec.radio.swap,rec.radio.shortwave
>
> FS: HALLICRAFTERS S-120 General Coverage Receiver.
>
> Very good shape and receives outstanding !!
>
> First $ 60 + shipping
>
> Thank You!
>
> -ERIC

150. Re: FA:SX-88 PROTOTYPE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7e6o7gdrf1@bgtnsc02.worldnet.att.net>
Source record: 86560

This is obviously a joke. No one is this stupid.

RADIO TUBE wrote in message <19990403214023.19537.00002368@ng02.aol.com>...
>Check out this mint with box and papers sx-88 on ebay
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85534394
>you will know know you can sell anything

151. Re: FS Collins KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <7e6u6hots1@news-2.news.gte.net>
Source record: 86561

Hi, is the kwm2 a round or winged emblem?. Do you have a Power
supply for sale with it? Let me know, thanks de Fred.

Merle wrote:

> For sale Collins KWM-2 Professionally aligned, looks and
> performs like new. On a scale of 10 it is a 9+ $ 500 plus
> shipping CONUS
>
> Thanks, Merle

152. FA Nice National NC105

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37057EEE.E30@sympatico.ca>
Source record: 86603
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.equipment

Nice clean little NC105 on Ebay - have a look! Check out the nice SX110
thats there too.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86157163>

153. FA Nice Hallicrafters SX110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37057F79.84A@sympatico.ca>
Source record: 86604
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Very nice SX110, all original and working. Have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86175317>

154. The Daily DX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Bernie McClenny <bernie@dailydx.com>
Message-ID: <3705F774.E980BA62@dailydx.com>
Source record: 86605

http://www.dailydx.com

--
Bernie McClenny, W3UR (ex WR3E, WB3JRU)
Editor of The Daily DX
Editor of How's DX?
3025 Hobbs Road
Glenwood, MD 21738
Fax 301-854-5105
http://www.dailydx.com
bernie@dailydx.com

155. EBAY-Beautiful "twoer", One hour left $47

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990402223201.08317.00001393@ng-fx1.aol.com>
Source record: 86606

```
Check this out but hurry! ONE HOUR TO GO!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=83364472
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
```

156. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <7e44fqgav1@208.207.71.161>
Source record: 86607
Cross-posted to:
rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Patricia Gibbons wrote:
>
> Personally, I like the fact that those who
> place items on ebay also drop a note here.
>
> It gets my attention and if it something
> I am interested in, I go look at it.
>
> the convention of having the [FA} ahead
> of a listing here on the newsgroup is
> an easy way for those who DON'T like
> such postings, to be able to ignore them..
>
> Trish
> >

My feelings exactly. I think it's a service.

Dick

157. FS old paperback books, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <4168-3705A237-1@newsd-122.bryant.webtv.net>
Source record: 86608

The following are old and fragile. Damaged items are noted. $5 OBO +
book rate postage from 15845

Wireless Telegraphers Pocket Book, 1915,
Damaged (wear) but complete 350 pages

RCA Reference Book 1958 200+ pp

RCA Reference Book 1962 300 pages

RCA Reference Book 1963 same

RCA Recv. Tube Manual 1947 256 pages
Damaged, Mouse eaten corner cover & pp

RCA Rcv. Tube Man. 1963 544pp

Electricians Mate 3c, 1941, 406 pp

Ham Radio Handbook 1959 145 pp

Comm. Radio Op Th Course 1972 450 pp

ARRL How Become Radio Am 1956, 106pp plus great BA ad section in back

ARRL Learning Code 1951 32 pp

Ham Tips 120 Watt 6mtr xmtr 1962

Auto-Call January 1961 & Feb '61

6up vhf mag june 1961

Try-Mo Ham-swl Catalog 1935 175 pages
Damaged cover. Great stuff I remember as a boy!

Manual of Simp. Radio Servicing, Allied Radio, 1943 40 pages

Altantic Div. Ham News June 1932 Damg

M & H Catalog 1935, 32 pp

RCA Instit. Catalog (school)1959 64 pp

Allieds Radio Data Hndbk 1945, 48 pp

Allied Dict. Radio Terms, 1946, 34 pp

ARRL Oper. an Am. Station 1957 37pp

73 Mag. Mar.1961, original price .37¢ !!

Please order by e-mail. upon my e-mail confirmation you have 7 days to get your money order for books & postage into my mail-box.

Robert W. Plumskey
311 Water Street,
Johnsonburg, PA 15845-1515

Thanks for the read, guys. I have some more stuff thats just gotta go...later

73,

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

158. Re: Radiotron Designers Handbook

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990403010550.02594.00001037@ngol03.aol.com>
Source record: 86609

In article <Pine.GSO.3.94.990321232414.24995C-100000@Stratus.CAM.ORG>, Michael Black <blackm00@CAM.ORG> writes:

>As for transistors, my 4th edition Radiotron has a 1952 copyright, so it
>might have been a bit early. Wasn't there an article in QST in the early
>days about how transistors were only a fad and they wouldn't last, or
>something to that effect? (Or maybe it was a mythical comment.) I can
>imagine someone saying that at the time, since the early transistors were
>so limited. If the comment was representative, an author might not want
>to put transistors in a book that must have already been a standzrd,
>prefering to wait until they were more definite.

Hello Michael,

The transistor was invented in 1948, and the original QST article reporting it was in the October, 1948 issue. (The "Transistor" - an Amplifying Crystal - page 48). The half page article gives some details on the invention and some of the uses the Bell Labs folks made of it.

The last paragraph of the article reads:

"It doesn't appear that there will be much use made of Transistors in amateur work, unless it is in portable and/or compact audio amplifiers. The noise figure is said to be poor, compared to that obtainable with vacuum tubes, and this fact may limit the usefulness in some amateur applications. These clever little devices are well worth keeping an eye on."

I think that's where the myth arises.

It must be remembered that the transistors of 1948 were pretty poor. They were germanium point-contact types, with low gain, high noise, small power capability (25mW from a pushpull pair) and very limited frequency response (the AM BC band was about the limit). They also had a limited life, and were easily burned out. Compared to the tubes of the day, available very inexpensively in surplus, they didn't look very useful.

The Radiotron Designer's Handbook was written only a few years later. For a book of that size to bear a 1952 copyright, large parts of it had to have been written in 1951 or earlier. There were very few transistors available commercially then, and practically no devices using transistors were on the market. The RDH was meant to be a review of tried-and-true practice, and so did not include the latest new devices.

It is interesting to note that the inventors were actually trying to invent a switch, not an amplifier. They wanted a device that would replace electromechanical relays in telephone switching circuits. They got a lot more than they planned on!

73 de jim, N2EY

The

159. Re: jackson drive source

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990403010553.02594.00001040@ngol03.aol.com>
Source record: 86610

In article <36fa2163.1020484@news.det.ameritech.net>, jwodell@ameritech.net (Jerry W. O'Dell) writes:

>Subject: jackson drive source
>From: jwodell@ameritech.net (Jerry W. O'Dell)
>Date: Thu, 25 Mar 1999 11:44:34 GMT
>
>I've heard the Jackson Bros Co. is still in business. Made the
>planetary drives for Swan and others.
>
>Any information on them would be appreciated!

Jerry,

Surplus Sales of Nebraska has them

http://www.surplussales.com

but be prepared for sticker shock! They are the real Jackson drives, not imitations.

73 de jim, N2EY

160. Re: AM transmitter project

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990403010554.02594.00001041@ngol03.aol.com>
Source record: 86611

In article <36DF7F50.17800502@asu.uswest.net>, Will White <wcw@asu.uswest.net>
writes:

>Subject: AM transmitter project
>From: Will White <wcw@asu.uswest.net>
>Date: Thu, 04 Mar 1999 23:53:35 -0700
>
>I am looking for plans/schematic to build a moderate powered (40-75
>*output*) AM transmitter for 75 meters, or even 75/40.There was a
>project in CQ magazine last year, but that one runs only 10W out on 75,
>and I really want something that will do closer to 50. Recommendations
>on old issues of QST/ARRL Handbooks? I've also been thinking of
>subscribing to Electric Radio; do they run articles on such projects?
>Thanks a bunch!
>--
Will,

The best resources for this sort of thing are:

1) Old ARRL Handbooks and QSTs (1950s and 1960s) Also "Understanding Amateur
Radio" by the ARRL.
2) Electric Radio magazine (they sell back issues, too)

As others have stated, you have to decide what kind of AM rig you want. Do you
want all tubes, or all solid state, or doesn't it matter? Do you want high
level plate modulation, or is grid modulation or AM linear OK? Crystal or VFO,
one band, a few bands, or all bands?

There was a really neat little AM rig in Electric Radio for March, 1999. Uses a
6BL8 as crystal oscillator and driver, 6DQ5 final, and 12AX7 audio. Power
output is about 25 watts from a single 6DQ5. No audio transformers at all, only
3 tubes (total of 5 stages) and quite simple.

You can add more 6DQ5s to get more output - the author shows a version with
four 6DQ5s in the final that produces 100 watts out. Adjustment requires some
test gear, but is well explained.

That's just one article in ER.

In addition, there is the challenge of getting parts. Toughest to find are
audio transformers. My best successes are hamfests - look UNDER the tables as
well as on them, and don't be afraid to buy all sorts of stuff to get a few
good parts. A well stocked junk box is a must.

What I've done for many years is to always be on the lookout for good parts,
then design gear around the available parts. I've got a long list of rig ideas
- it all depends on the available parts.

Although I'm not an AM'er, I have used the mode. Few years ago I fixed up a Johnson Viking 2 and NC-173 and had a pretty decent AM station. Sold it to a good home. Most 75 meter AM activity centers around 3885 and a few other frequencies, so the guy with a few crystals is almost as flexible as the one with a VFO.

What makes homebrewing an AM rig attractive is that you can do it in stages. You can build a simple 2 stage crystal controlled CW rig, maybe with plug-in or "bolt-on" coils. Then add a VFO. Then a modulator. Or the other way around.

Good luck!

73 de Jim, N2EY

161. WTB: Heath HO-10 scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <3705b528.5136859@news.znet.com>
Source record: 86612

I want an HO-10 station monitor scope.

TIA,
Walt...

PS: To email remove nospam and replace with sd

Wally's Wacky World
http://www.znet.com/~wa6fec

162. WTB: Heath H)-10 or HO-13 parts unit

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <3706ba84.6508582@news.znet.com>
Source record: 86613

In addition to wanting to buy an HO-10,
I'd like to buy an HO-10 or HO-13 parts
unit. I want to have parts for my HO-13
and, if I find one, an HO-10.

Thanks,
Walt....

PS: To mail remove nospam and replace with sd
Wally's Wacky World
http://www.znet.com/~wa6fec

163. ## 8950 Sylvania TUBES F.S.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990403041418.06955.00000069@ng139.aol.com>
Source record: 86614

Hello, I have FOUR of these in excellent condition, extreme low-hour use.
All getters are as shiny as new.
They are all identical Sylvania, and match very closely.
Selling all four as a quad only, 150.00 includes shipping in cont. USA.
Thank you,
Joe Pratt, Tubecntral@aol.com

164. Trade: Collins 516F-2 for MM-1 + SM-1 Mics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <37060151.888A67F7@hamradio.org>
Source record: 86615
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a CCA VG to Excellent WE 516F-2 power supply (with cabinet). It is
completely unmodified, works well and is in shiny, clean condition above and
below chassis. The cabinet shows virtually no signs of handling or use and
it is serial no. 13xxx.

I need both a Collins MM-1 mobile mic and an SM-1 station mic in similar VG
to Excellent condition. Will trade even-up for both and will pay shipping
(considerable) for the 516F-2 in two separate cartons to protect the cabinet
from damage.

I feel the value in close in this trade request - if we start talking eBay
prices, it still comes out close!

Thanks, Al - K8EUR CCA# 768

165. eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37060a14.4134165@news.earthlink.net>
Source record: 86616
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Hi guys - a suggestion for everyone who has used eBay.

WHY PAY THEM??

You can get the same service FREE (only better) at YAHOO!

Today, I found a number of amateur radio items offered for auction
there including a Kenwood TS-530S

Much better than eBay and no fees!

http://auctions.yahoo.com/

(I have no financial interest in Yahoo - just a satisfied user!!)

166. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Tony D'Aprile <tonyjda@aol.com>
Message-ID: <BqoN2.140$ix1.75134@newse3.tampabay.rr.com>
Source record: 86617
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Yahoo looks nice. Its still no eBay. Over 3700 radio related items on eBay and about 150 on Yahoo. However, there's nothing like competition to help keep costs down. I hope Yahoo does well so that eBay stays in check. eBay is and will be number one in auctions for quite a while.

167. WTB: Ten Tec Tuner Omni D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Hal <wd4mda@gte.net>
Message-ID: <7e5439$si8$2@news-2.news.gte.net>
Source record: 86618
Cross-posted to: alt.ham-radio.marketplace,fido.ham-sale,fido7.hamradio,rec.ham-radio,rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Looking for Ten Tec tuner that matches Omni D series "B".
State condition & price , and please e mail me. This tuner should have
an aluminum ring around the face, just like the rest of the matching
equipment. Know one is sure of the model number?

--
73 Hal
wd4mda@gte.net

168. Re: FS VIKING PACEMAKER MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990403094720.15315.00001857@ng-cc1.aol.com>
Source record: 86619

pierre - I have a beautiful pacemaker with no manual - I'd love to have yours - if you've already sold it but haven't shipped it, I'd but a copy. Thanks,
Scott ka9p

169. FS: Kenwood TS-820S HF XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Bob <XYZ_P15218@flash.net>
Message-ID: <37062A10.BCD@flash.net>
Source record: 86620

Near mint 160-10 Meter transceiver with digital display, CW filter,
operator and service manuals. Very low hours...it still has the original
final tubes. No problems, a few documented reversable mods added from
Kenwood and QST hints and kinks. Two BNC connectors added on back to
allow
external reciever. Asking $350. Local pickup in the Detroit MI area
preferred. I am the second owner (non smoker) and have had it since
early
eighties.
Bob
KB8TL
email to: p15218 @ flash . net
(remove the spaces or XYZ_ to reply)

for the spammers...
root@localhost
postmaster@localhost
admin@localhost
abuse@localhost
postmaster@127.0.0.1

170. Re: Wanted:- Swan 500 CX manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: grimm@NOSPAMlynchburg.net
Message-ID: <37061fd9.64621694@news.lynchburg.net>
Source record: 86621

On Thu, 01 Apr 1999 07:29:29 -0800, "csc@smartt.com" <csc@smartt.com>
wrote:

>I am looking for a manual or copy for a Swan 500CX transceiver.
>
>If anyone has one available please reply to csc@smartt.com.
>
>Thanks,
>
>Colin

You are lucky. Gary Harmon, K5JWK, has provided a copy of the 500CX
manual to BAMA. You can download a copy for free. If you have never
used BoatAnchor Manual Archive go to http://bama.sbc.edu and check out
the link to "How To Use BAMA."
73,
Ken K4XL
Remove NOSPAM from address to reply by Email
Boatanchor Manual Archive - http://bama.sbc.edu

171. FA: Three Swan Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37062DD7.1CB3D545@cfu.net>
Source record: 86622

405X, FP-1, SWR-1, all mint. See ebay.com 83487189 till 11:50 a.m. Sat., 4/3.

172. FS/T: RF RELAYS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: "Glenn, KZ7R" <wilson@accessone.com>
Message-ID: <923154587.083.25@news.remarQ.com>
Source record: 86623

Model 100RF DPST-NO

Made by Deltrol Controls for Rockwell Collins. Rockwell part number 970-0031-010.

10 Amp, 5 kV contacts. Made for use in RF circuits. 12VDC coil. 1 1/2 high, 1 7/8" deep,1 1/8" wide. Open frame, Double Pole, Single Throw; Normally Open.

These relays are normally open which make them ideal for a 1 of 'n' antenna switch (like the Ameritron RCS-4 or RCS-6, for example). In this type of application, you can easily switch full legal output power from one antenna to another without difficulty and well within contact spec.

All new 'old stock' in original factory wrapping. Perfect condition. I have 100's of these relays.

$5 each, plus post. Five or more, postage paid and shipped via 'Priority Mail.'

Open for offers or trade on any quantity of 10 or more. Looking for 'full output'
3CX3000A7 pull, vacuum variables, plate xfmrs, turns counters...other QRO parts. What do you have to trade?

73, KZ7R

173. Re: HV Capacitor Source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: "Glenn, KZ7R" <wilson@accessone.com>
Message-ID: <923155076.931.101@news.remarQ.com>
Source record: 86624
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Hello Al,

Sprague model number 6GAD47 is a disc ceramic that is rated at .047uF at 6kV. Should be good for your application. These caps can be ordered from any Sprague distributor. If you have trouble finding a conventional source, try Henry Radio as they use this part and its higher voltage 10kV 'brother' in some of their power amplifiers. Henry wants about $10 each plus s/h.

Good luck and 73,

Glenn KZ7R

Ted Zateslo <zateslo@quartz.gly.fsu.edu> wrote in message news:7e2s56$emj@quartz.gly.fsu.edu...
> In article <37042675.E0D09543@hamradio.org>,
> Al Dolgosh <al.dolgosh@hamradio.org> wrote:
> >I am restoring an old 7" electrostatic deflection TV set, and I need to
> >replace the vertical deflection coupling capacitors. They are huge, old
> >
> >waxed paper types - .05 mfd @ 6000 volts - because of the low 60 Hz
> >vertical sweep frequency. I can't seem to find anything suitable, and
> >I would rather not series/parallel a whole lot of smaller ones if there
> >is something better.
> >
> >Any suggestions?
>
> Al,
> The Newark catalog shows several styles of HV caps made by Plastic
> Capacitors. They aren't cheap, but they should do the job, and
> you can buy in small quantities with a credit card from Newark.
> A 10 KV 0.05 uF cap (OFN100-503) is $77.71 in the catalog.
>
> It looks to me like paralleling a bunch of 6 KV ceramics wouldn't be
> much cheaper, unless you already had them in the junk box.
>
> Ted Zateslo, W1XO
>

174. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <370641CC.E7325718@jorsm.com>
Source record: 86625
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6
20.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950 75.00
6AZ8 5.00 6LB6 20.00 7558 10.00 6ME6 25.00 6DJ8
5.00
12BY7A 7.00 24LQ6 15.00 6JT6 20.00 EL34 SOLVTEK 22.00 MP

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

175. Re: WTB: Heath HO-10 scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990403114755.10575.00001648@ng-fd1.aol.com>
Source record: 86626

Saw one for sale (I think) last night in rec.radio.forsale

Barry

176. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <37064472.2C0B@ix.netcom.com>
Source record: 86627
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Randy and Cara Randall wrote:
>
> ----------
> Thanks for reading this post. I am looking for a procedure for
> calibrating HF SWR and watt meters. I have a good idea on
> how to cal. the SWR portion, but the watt meter would require
> a calibrated RF voltmeter to read the voltage across the load
> resistor. There are RF voltage probes you can build in the
> 1995 ARRL handbook, but how do you cal. those? I need
> a simple standard of some sort. Ideas?
>
> Randy KB8ASO Milan, IN.

Hi Randy -- I just calibrated my Swan WM-2000 -- using a Bird Watt Meter
as the Standard.
--
73 From Rod In San Diego

AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 330,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

177. Value of Johnson Thunderbolt?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990403115341.05336.00001543@ng-fy1.aol.com>
Source record: 86628

Does anybody know the market value of the Johnson Viking Thunderbolt?

73

Evan

178. FS: Drake MN-4C ant tuner w/ watt meter $125 + shipping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <37062B7D.FDE9882A@yahoo.com>
Source record: 86629
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi,
I have a very good condition Drake MN-4C antenna tuner with built in watt meter. This is designed to match the 4-line gear including the TR4C, the R4C/T4XC twins, etc. It looks much like the MN-7 tuner but is in the 4-line color scheme. Rare item. Does not include the balun option.

Tunes random wires and coax wires. 160-10M, 300W capability. This is a nice tuner!

179. Re: FS old paperbacks $50 ALL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <27167-370647C2-38@newsd-121.bryant.webtv.net>
Source record: 86630

Half asleep when I wrote the ad (...old guys are like that) and meant to indicate that to any one purchaser the price would be $50.00 shipped CONUS for everything.

Thanks to guys who e-mailed. If no takers here, will e-mail back in 24 hours, ok?

Thanks for understanding....

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

180. Re: FS: Blg Books; $50 ALL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <27169-370649CD-14@newsd-121.bryant.webtv.net>
Source record: 86631

Musta' bin half asleep when I wrote original ad. Meant to say for any one buyer of ALL, price would be $50 plus a max of $10 (or less) shipping conus.

Excuse me for a misleading ad, of which I am guilty. Tnx to several guys who wrote, and I'll wait 24 hours only for this offer, then respond to your requests. I'm kind of ashamed of myself on this deal, but Its sure a lot simpler to send one big box, than 15 small ones.

73,

Ole man Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

181. The Boatanchor Classifieds Changed!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <37065734.286EAC0B@eclipse.net>
Source record: 86632

Hi Folks,
Made a complete change to the script at the Boatanchor Classifieds to make it easier to post, change, and delete your ads..All ads can be browsed, or individual categories..You can now post photos for the ads directly from your computer to the site. There are presently no ads, as I could not retain the database from the earlier version. So post away!
Thanks for the read.
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi

182. FS: E.F. Johnson Viking Matchbox Antenna Tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e5ncfeac1@user2.teleport.com>
Source record: 86633
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: E.F. Johnson Viking Matchbox Antenna Tuners:
First one is the lower power (275 watt rating) one - 80-10 Meter bands.
Good condition, but some extra small holes in the back panel. Works well,
all original knobs, manual copy. $100.

Second one is the big KW Matchbox - good condition, a few scratches as with
any equipment of this vintage, includes the builit-in meter and Directional
Coupler (SWR Bridge) and a manual copy. $300, works very well - just don't
have room for this big one any more.

Larry
larryj@teleport.com

183. 3-400Z Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: "J. Kincade" <w5kp@swbell.net>
Message-ID: <3706686F.96A19F35@swbell.net>
Source record: 86634

After running barefoot for 35 years (yes, feet are tired) have
opportunity to own a nice Swan Mark II linear at a price I really can't
stand to pass up. Next question: where does one find replacement
3-400Z's, or is there a safe and sane direct replacement? Tube specs/data
on 3-400Z's seems to be hard to come by on the web so far, tried Eimac,
Amperex, several others w/no luck. Can one of you QRO folks please
educate me?
Thanks/73
Jerry W5KP

184. WTS: Classic QRP tranceiver. Ten-Tec Argonaut 505.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: BOB DUCKWORTH <bob@ns.atl.org>
Message-ID: <37061A9B.4EAD@ns.atl.org>
Source record: 86635
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.homebrew

WTS:

Ten-Tec Argonaut 505 serial number 1084.
$360

Radio is in good operation condition but has been
used regularly since new so appearance is NOT 'mint', 'excellent', etc.
It does look pretty good for it's age and construction. All lettering
is good, all knobs there, and it has a new dial cord.

feel free to share with your mailing list if allowed.

I'm posting to BA and HB because this is
OLD and lends itself well to mods.

This is the classic QRP transceiver. Introduced in 1972.
Offered is the radio, owners manual, and owners manual for the 405
'Linear' which I did not purchase but thought I might build a copy of
one day. There is also a small collection of articles about the radio:
QST, Nov, 72, review.
73 Magazine, Aug, 77, 'Ten-Tec Mods'
QST. Sep. 81, 'Add a Crystal Filter to Your Ten-Tec 540'
which has a little circuit for bringing signal level back up
Ten-Tec Argonaut service note SB-5-505, Installing the model 245 into
Argonaut Circuit.
Ten-Tec service note SN-1-244, Connection of the model 244 digital
readout to argonaut models 505 and 509 and Triton models I or II
Ten TEch 'sheet', Instructions for installing key click filter in
argonaut
Ten-Tec service note SN6-505, Installation of model 208 filter into
Argonaut 505 circuit
Ten-Tec 'sheet', Extending the life of the Meter Pilot Lamp #49 in Model
505

The Argonaut requires a supply of 12volts capable of approximately 700ma
on peaks.

Specifications:

Receiver:
sensitivity < 0.5uv for 10db sn/n
selectivity 2.4kHz @ 6db, 1.7:1 6/50db shape factor
input low impedence coax
output 8 ohm speak or phones (hi z phones may be used)
power 1W @ 8 ohm with < 2% distortion
spurious resp. > 50db down

AGC 100db delta in gives max 10db delta out
off-set tune defeats with pull out switch

Transmitter:
DC power in 5W PEP, 5W CW
RF power out 2W 80-15m, 1.8W 10m
output Z 50ohm, non reactive
TX/RX SSB=PTT, CW=full QSK
Side-tone Internal switch, CW only
Mic Input Hi Z, xtal, ceramic, dynamic
Carrier suppression 40db down from single tone
sideband suppression 30db down, single tone, 1kHz reference

General:
Freq Coverage 3.5-4, 7.0-7.5, 14.0-14.5, 21.0-21.5, 28.0-30.0 MHz
stability < 100Hz after 30min
modes SSB normal, reverse, and CW
Dial 5kHz on 80-15, 10kHz on 10
Power 12VDC regulated to 10% with 1amp
Dimensions 4.5" x 13" x 7.5"
Material case, AL, side panles, Cycolac
weight 6lb
tune rate 25kHz/rev 80-15, 100kHz/rev on 10
front panel controls:
resonater, off-set(pull-off), band, tuneing knob, rf gain, af gain,
mode switch, meter switch, SWR sens.
rear apron controls:
antenna, dial light switch, mic jack, phone/spkr jack, mic gain, CW
drive, aux 12 jack(plug you keyer in here) power in jack.
internal controls:
S meter adj, offset tune adj, side-tone vol
semiconductors 33 transistors, 3 MOSFET, 2 IC, 12 diode

-bob

185. FA::: Collins KWM-2A / 312B-5 & 516f-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-03 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7e5su1$2t1$1@news.erinet.com>
Source record: 86636
Cross-posted to:
rec.ham-radio.swap,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

LAST DAY DON'T MISS OUT ======>>>>>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=84897588

186. Capacitor Tester Info Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <uJLN2.7545$lk.1011@news2.atl>
Source record: 86487

Need any info on a Teletest model CT-355 "CapaciTester"
cap checker.

Please email me directly.

Thanks

Tom Norris KA4RKT
badger@telalink.net

187. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7e82hjanh1@autumn.news.rcn.net>
Source record: 86488
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

People that end up in this situation have a serious problem and need counseling. There is nothing forcing anyone to pay more than what an item is worth to them on eBay. I've paid top dollar for some items on eBay, but I knew my limits before hand and never felt screwed by doing so.

Pete

>That way nobody ends up getting into those ridiculous bidding
>wars in the last 5 minutes and feeling like they got screwed for
>paying too much for something.

188. Re: Theremin?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <923242240.866.20@news.remarQ.com>
Source record: 86489

You'll find loads of info, including schematics and building instructions,
at the Theremin Page:

http://www.nashville.net/~theremin/

You can buy a Theremin kit from PAIA:

http://www.paia.com/

Phil
philnelson@antiqueradio.org

189. FA: Collins Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <3707c65e.6595229@news.erols.com>
Source record: 86490

F455C-31

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86728455

73 de Bill N2CQR

190. FA: Hammarlund Memorabilia

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <3707c69d.6658338@news.erols.com>
Source record: 86491

1957 Hammarlund Guide to Shortwave Braoadcast stations.
AND Blank Hammarlund QSL card.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86730180

73 Bill N2CQR

191. FA:Harvey Wells TBS-50A Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080000404991629370001@news.getnet.com>
Source record: 86492

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86546455

192. FA: Hallicrafters SX-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080000404991633330001@news.getnet.com>
Source record: 86493

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86176868

193. FA: Heathkit AM-2 SWR Bridge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080000404991630180001@news.getnet.com>
Source record: 86494

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85055878

194. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Tony D'Aprile <tonyjda@aol.com>
Message-ID: <yJMN2.406$ZK1.70689@newse2.tampabay.rr.com>
Source record: 86495
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Thanks Pete, another voice of reason.

Tony

195. Help! Need Gerald Harley email address

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7e85lj$7ve$1@ash.prod.itd.earthlink.net>
Source record: 86496

I need a good email address for Gerald Harley, WA2TTI. My email responses to the return address in his email (gerald.h.harley@imco.com) bounce every time. Trying to do a deal on an SX-101, so your assistance is appreciated. Thanks.

K8AC
Floyd Sense in Angier, NC

196. Re: Theremin?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7e85u1$8as$1@ash.prod.itd.earthlink.net>
Source record: 86497

One of my early memories is of a Theremin performance at my elementary school in 1954. I recall that the electronics was on a couple of chassis, with lots and lots of glowing tubes! Also recall that the performer was quite a musician and played rather complex selections with great skill.

Will White wrote in message <37071CC6.B572EFFE@asu.uswest.net>...

I just saw a very interesting video about Leon Theremin and his musical "instrument," called a Theremin, which he invented in the 1930's. From what scant technical information the film presented, I gather this was a device composed of one or more oscillators, an audio amp, two antennas, possibly an RF amp. All vaccum tube electronics, 'played" apparently by using the hands around and about the device, varying hand capacitance effects. Remember the Beach Boys tune "Good Vibrations" and that wavering, organ-like sound? That's this thing.

I seek further info about this odd marriage of radio and music, possibly even a schematic. I'd like to give a shot at building one.

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

197. DRAKE MN-4 LIKE NEW FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990404133318.06542.00002432@ng105.aol.com>
Source record: 86498

THIS TUNER IS IN LIKE NEW CONDITION INSIDE OUT ...WILL SHIP FOR $150.00 TO YOUR DOOR ..HAD IT SOLD BUT MONEY NEVER SHOWED...SO ITS 1ST COME 1ST SERVE...THANKS

198. EV 664 mic info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7e8earcuc1@autumn.news.rcn.net>
Source record: 86499
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a real nice EV 664 on the 418 base. The finish on the base is trashed, and I'd like to restore it to original condition. Anyone have a color pic or data on color and finish, and the type of PTT switch installed on the front? Thanks.

Mike, N4PDY

199. FS: Lot of 807 type tubes etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3707bf51.8094711@news.earthlink.net>
Source record: 86500
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

For Sale:
(Add shipping costs to all prices unless stated)

= = = = = = = = = = = = = = = = =
TUBES LOT #5 (New and used-tested mix)

807 G.E. NOS, no box $8.00
807 Sylvania Used, no box (QTY 2) $ 5.00 each
807 RCA (newer logo) Used, no box (QTY 2) $4.00 each
807 RCA (older logo) Used, no box $3.00
807 Unmarked (Same style as older RCA), used, no box $3.00
5933/807W Ruggedized 807 New in box (QTY 4) $10.00 each

Or take all of the above tubes for $60 plus shipping

200. Vintage-Radio e-mail reflector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Mike <mike1@nospam.net>
Message-ID: <xwQN2.509$%K3.1761@news.megsinet.net>
Source record: 86501

This list will prove beneficial to anyone who is interested in the collection,
restoration, and operation of vintage radio equipment. While this list will deal mainly with American-made amateur radio receivers and transmitters, other makes are welcome so long as they fit the category of "vintage." To qualify for vintage status a set must be 25 years old and preferably contain some vacuum tubes. This category can include military, home broadcast sets, commercial equipment and homebrew equipment. Any homebrew equipment using vacuum tubes and operating CW or AM will be considered "vintage" equipment no matter what the age. Accessories such as keys, antenna tuners, wattmeters, test equipment, etc. is also considered a part of the Vintage hobby and will be welcome if it is at least 25 years old.

I sincerely hope that you will join our group of vintage enthusiasts. With your help we can make this a great List. If I can answer any questions that you may have please contact me at n9bor@qsl.net.

Please do NOT subscribe using a forwarding e-mail account (e.g. qsl.net; arrl.net). Please use your actual, non-forwarding address only.

To subscribe go to http://www.qth.net or sent e-mail as follows:

TO: majordomo@qth.net
Subject:
Body: subscribe "e-mail address" (without quotes)

201. Fs..HP vacumm toube test gear and other stuff at my rummage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Jim <jimbaran@execpc.com>
Message-ID: <7e8mkq$mjv@newsops.execpc.com>
Source record: 86502

Hi,

I also have a coil winder which I used for Audio air cores

I have added a bunch of stuff to my techie/whatall rummage/surplus sale since my last posting..seems like an endless project!

Alot of people have asked for certain things..be patient!..I will post them as I get time from work.

http://www.execpc.com/~jimbaran/index.html

Thanks for taking the time!

Jim

202. FS Johnson 122 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: jackgxyz@one.net
Message-ID: <3707e0db.0@newsfeed.one.net>
Source record: 86503

I have an original Johnson 122 vfo manual. There is some writing on the front cover and the plastic binding has some cracks. The pages are all present and in very good condition. I will ship this manual for $17 including shipping.

Please remove the xyz from my address if you would like to email me.

Thanks,

Jack Giehl

203. FS: National NCX-3 SSB/CW Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e8o8r$n44$1@user2.teleport.com>
Source record: 86504
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Nice, very clean National NCX-3 SSB/CW Transceiver with matching Power Supply/Speaker unit. Includes original manuals and original boxes, all in good condition. This is from a one-owner estate sale, and is probably the nicest, cleanest NCX-3 station you'll see anywhere. $250 plus UPS shipping.
Larry
larryj@teleport.com

204. swap atlas 210xfor icom 251a or kenwood ts-700s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <eVRN2.514$%K3.1664@news.megsinet.net>
Source record: 86505

looking to swap an atlas 210x with slide in console very good condition.
looking for icom-251a or kenwoodts-700s
2 meter all mode base.thanks jack n9iif

205. How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Ron Harshbarger <rnharsh@visi.com>
Message-ID: <pISN2.35$nb3.5333@ptah.visi.com>
Source record: 86506
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

What's the best way to clean contacts inside push button switches? The actual slide surface is not visable but there are holes in the case that would allow a spray nozzle extension to be pushed in...

73
Ron H. K3PID

206. Help replacing filter caps on Hallicrafter S-120

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Bob Sikes <rwsikes@mediaone.net>
Message-ID: <3707F4ED.5E218C0F@mediaone.net>
Source record: 86507

Hi,

As my first "boatanchor" project, I'm restoring a pretty nice S-120. There's not a lot wrong with it but it has a bit of a hum. I found the schematic and bought filter capacitors of similar values to those on the schematic and THEN I took off the cover to discover ...

That all the filter caps are in a single unit. I looked through a couple of catalogs and don't see anything like this unit which has a 60, 40, 40 and 20 mf capacitors listed on the side. It's held by a clamp at the base, which I loosened and see that there are wires coming out of this unit soldered at seemingly appropriate places on the chassis.

How do I replace this thing? I've read that you sometimes put replacement capacitors in the shells of the original unit. Is this what they meant? How does this thing come apart?

TIA

Bob Sikes
W1MMM

207. NEED MANUAL...ARC-2 or ARC-2a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: ax9909@aol.com
Message-ID: <19990404194235.08414.00001807@ng-fc1.aol.com>
Source record: 86508

lets try this again. still looking for a manual for the ARC-2or ARC-2a that
i can afford ! better yet one that i could copy and send back. as you can
tell i dont want to spend a lot of money on a radio that is a novelty at best.
thanks to all and sure hope someone can help me out......73, george [n9ird]

ps: i have things i could swap like parts or tubes or all kinds of stuff,
maybe we can make a deal...

208. DENTRON 2000L FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: NI4L <ni4l@bellsouth.net>
Message-ID: <3707F95E.F6ACBB6B@bellsouth.net>
Source record: 86509

Dentron 2000L
Peter Dahl transformer B-1 3750v @1amp
Vacuum jennings capacitor, turns counter, 10-80 meters, AL-1500
Grid/timer board ,8877 tube. Have ALL paperwork on amp, and mods all
schematics.
Blower unit,vacuum jennings relays. Nice, clean, cabinet appearance 8 of

10
inside 10 of 10.. Legal Limit ++ $ 1350.00
Would really prefer local pickup or would meet within 100 miles of
Greensboro North Carolina.

209. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: JM <jmul@iland.net>
Message-ID: <3707F98C.4F0C@iland.net>
Source record: 86510

KB3PT wrote:
>
> On 4/3/99 6:12PM, in message <7e678j$71e$1@autumn.news.rcn.net>,
> "CommQuart" <commquart@erols.com> wrote:
>
> > Gaaaa! I was checking some of the closed
> > eBay Hallicrafters auctions and stumbled
> > across item 78133312. A Hallicrafter SX-115
> > that had a closing price of $4150!
>
> Once again, P.T. Barnum was absolutely correct.
>
> -bill
> KB3PT
The SX115 was purchased by WB6ACU Joe Walsh, a guitarist with the rock group The Eagles. Joe once had a hit song called Life's Been Good To Me So Far, and apparently that is true, but there were several bids close to what was paid.

210. FS: E.F. Johnson Viking Adventurer Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e8trrcsn1@user2.teleport.com>
Source record: 86511

FS: E.F. Johnson Viking "Adventurer" CW Transmitter. 80-10 Meter bands, 50 watts input power. Has had an additional toggle switch installed on the front panel, and one of the slide switches has been replaced with a toggle switch. Not tested as the AC cord is becoming very cracked and brittle and should be replaced. $50.
Larry
larryj@teleport.com

211. FS: E.F. Johnson Viking "Pacemaker" HF Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e8u2pdvs1@user2.teleport.com>
Source record: 86512

FS: E.F. Johnson "Pacemaker" HF Transmitter for SSB/CW/AM modes. All original knobs, but needs a paint job. A couple of extra holes in the front panel have been made, and the meter is not the original one - the hole for the meter appears to have been enlarged for this one. Inside looks good and clean, but unit has not been tested - the power cord should be replaced first. This one is probably best as a parts unit unless you're a better restorer than I would be. $75 plus shipping from Oregon. Includes original manual which is complete except for missing the front cover.
Larry
larryj@teleport.com

212. WTB RBB OSC BOX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: jeselkregg@aol.com
Message-ID: <19990404195421.27756.00001733@ng156.aol.com>
Source record: 86513

I am looking for an oscillator box for a military RBB receiver, also the square drive that couples the band switches together in the RBB osc, mixer, rf1 and rf2 boxes. Also looking for ps to receiver interconnecting cables.
I can purchase or have all or part of an RBC-5 for trades.

Any spares out there?

Thank you,
Joe Selkregg

213. FS: Hallicrafters HA-26 VFO for 6/2 Meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7e8ubqeqk1@user2.teleport.com>
Source record: 86514
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Hallicrafters model HA-26 6 and 2 Meter VFO. Originally was used with
the companion SR-46 and SR-42 6 or 2 Meter Hallicrafters transceivers. $50.
Larry
larryj@teleport.com

214. Re: Help replacing filter caps on Hallicrafter S-120

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3707FDFD.79AE4F2D@wenet.net>
Source record: 86515

Hi Bob,
There are some multi capacitor in the aluminum can available with sticker shock price but most of tthem are real new old stock, meaning the electrolyte is all dried up and no good. In power supply industries, older than 3 years from the manufactured date is not used, sell it as a scrap. In my opinion, about 5 years seem to be O.K. So, only way to get your radio fixed is by using individual caps, fortunately new technology makes those caps in much smaller size. Just tell me what voltages and capacitance you want, I may be able to send it to you, if you send me stamps. I have several values of caps in my hand. All new caps. No charge.
Best luck.
de K6hm
Young

Bob Sikes wrote:

> Hi,
>
> As my first "boatanchor" project, I'm restoring a pretty nice S-120.
> There's not a lot wrong with it but it has a bit of a hum. I found the
> schematic and bought filter capacitors of similar values to those on the
> schematic and THEN I took off the cover to discover ...
>
> That all the filter caps are in a single unit. I looked through a couple
> of catalogs and don't see anything like this unit which has a 60, 40, 40
> and 20 mf capacitors listed on the side. It's held by a clamp at the
> base, which I loosened and see that there are wires coming out of this
> unit soldered at seemingly appropriate places on the chassis.
>
> How do I replace this thing? I've read that you sometimes put
> replacement capacitors in the shells of the original unit. Is this what
> they meant? How does this thing come apart?
>
> TIA
>
> Bob Sikes
> W1MMM

215. FS/FT Hammarland HQ170 receiver - not working

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Larry Tucker <sts@ac.net>
Message-ID: <37080984.72C43487@ac.net>
Source record: 86516

Hello,

I have a HQ170(without clock) that is not working for sale. I plugged it in and could barely hear the calibrator signal on the lower bands. After about 10 minutes the fuse blew and the power transformer got hot so I stopped there. Could be a shorted filter or ?

The chassis is clean and still shinny and the underneath is very good. There is some rust on the left side of the chassis. The front panel shows some rust beginning but I expect this could be cleaned up. Knobs could use a cleaning. The cabinet is good for its age. The dials are very good. Radio has been in storage for some years. I took it in on a trade deal with some other stuff.

I am asking $50 or will trade for? Hallicrafters equipment, Drake stuff or what have you got?

This rig is heavy so expect around $20 UPS. Please contact via email at: sts@ac.net

I just don't have the time to spend on this radio so if you are interested in one of Hammarlunds best Amateur receivers let me know.

--
73 from Larry Tucker, N4KVP

216. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7e944qskr1@autumn.news.rcn.net>
Source record: 86517
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Caig brand DeOxit.
Pricey, but small can goes long way.

Ron Harshbarger wrote in message ...
>What's the best way to clean contacts inside push button switches? The
>actual slide surface is not visable but there are holes in the case that
>would allow a spray nozzle extension to be pushed in...
>
>73
>Ron H. K3PID
>
>

217. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Irv Finkleman <finkirv@cadvision.com>
Message-ID: <37081C2C.D2EBD0C4@cadvision.com>
Source record: 86518
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
Factory Service Tech and it beat everything else.
Irv VE6BP

Ron Harshbarger wrote:

> What's the best way to clean contacts inside push button switches? The
> actual slide surface is not visable but there are holes in the case that
> would allow a spray nozzle extension to be pushed in...
>
> 73
> Ron H. K3PID

218. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Mike Monett <add@csolve.net>
Message-ID: <3708185B.4AB9@csolve.net>
Source record: 86519
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Irv Finkleman wrote:
>
> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
> Factory Service Tech and it beat everything else.
> Irv VE6BP

[...]

Good Stuff! I find it works wonders on pots also.

Some people have mentioned a conern about gummy residue buildup.

Have you noticed any problems, or had units returned later because of
WD-40?

Best Regards,

Michael R. Monett,
Automated Production Test
mailto:add@csolve.net

219. Re: Theremin?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <923282585.142.89@news.remarQ.com>
Source record: 86520

It's a very difficult instrument. I marvel at the skill of people who can play "real" music on it.

After reading about theremins and wanting one for years, I got a chance to try one out at San Francisco's Exploratorium during a recent visit. Anyone can make science fiction sounds, but playing "Mary Had a Little Lamb" on key is a completely different enterprise. For me, anyway, playing any sort of real music would take considerable practice.

Phil
philnelson@antiqueradio.org

220. WTB Atwater Kent 19 or 50

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: J & E Communications <triodes@sprintmail.com>
Message-ID: <37082BF7.D9AD916C@sprintmail.com>
Source record: 86521

Looking for a nice AK 50 or 19. Money or trades avail. Thank you.

jme

221. Wanted: Junker S-40B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Dave <dave@boatanchors.com>
Message-ID: <7e9coi$3p5@dfw-ixnews9.ix.netcom.com>
Source record: 86522
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Looking for a junker S-40 that has a good power transformer
and good 'green dials'.

Email if you have anything. Cheap would be helpful :-)
I'm near Tacoma, Washington and local would be nice

Thanks

Dave WB7AWK
dave@boatanchors.com
http://www.boatanchors.com

222. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: VE7SEZ <tkpoustie@NOSPAMbc.sympatico.ca>
Message-ID: <DGWN2.94$e07.421836@news.bctel.net>
Source record: 86523

Anybody notice the consecutive serial numbers of those two units on sale
now? Very strange coincidence.

Tim VE7SEZ

CommQuart wrote in message <7e6tq7$5ns$1@autumn.news.rcn.net>...
>I went and looked. Not one, but
>two more! Not bad for an extremely
>RARE set.... I note both new ones
>are over 1000 dollars and reserves
>not yet met.
>
>RhyneK wrote in message <19990403231910.18166.00001909@ng-fs1.aol.com>...
>>There is now another SX-115 posted on
>>Ebay. #84391743
>
>

223. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: John Miles <jmiles@pop.removethistomailme.net>
Message-ID: <37083886.292D@pop.removethistomailme.net>
Source record: 86524
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Ed wrote:
>
> >>
> >> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
> >> Factory Service Tech and it beat everything else.
>
> For the life of me, I don't see how anyone can have good results CLEANING
> switch contacts with a petroleum based lubricant. LUBRICANT is used to
> lubricate.... that is, it leaves a slick deposit to reduce friction of parts
> that tend to rub together and protect parts from air and oxidation. CLEANing
> solutions are designed to clean contacts; that is, remove all dirt and
> residue from surfaces. This is just the opposite of a lubricant. You can't
> have both unless you use extremely expensive conductive grease type materials.
> WD 40 is not a good conductor. I would not want to coat small fine switch
> contacts with this material.

You might be surprised. Things like WD40 and TriFlow aren't conductors themselves, but they unquestiionably do aid in making good electrical contact. I had to convince myself of this -- I sprayed a deep puddle of TriFlow (which is basically WD40 with Teflon) on a piece of copper-clad board, then lightly brushed a single strand of #40 AWG (or something very close to it) through the puddle. An audible continuity tester showed the connection quality to be excellent -- the wire made much better, and more consistent, contact with the board surface underneath the pool of TriFlow than in a similar test where the wire and board were both left dry. I guessed the Teflon residue would interfere with conduction once the hydrocarbon carrier dried up, but that turned out not to be the case either.

That's not to say there isn't better stuff out there, but both experiment and experience suggest that WD40 is unjustly maligned. For pots, yes, you usually have to replace them in the end. But for dirty wafer switches and such, there doesn't seem to be any real advantage to the more expensive stuff, as long as you're sure the WD40 won't attack any nearby components.

The distinction between a cleaner and a lubricant is not an important one in this case. Something that reduces the friction between two surfaces will also tend to get rid of unwanted particulates between them.

-- jm KE5FX

```
-----------------------------------------------------
Note: My E-mail address has been altered to avoid spam
-----------------------------------------------------
```

224. WTB: B&W TR Switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: The Bell Family <bell@fwi.com>
Message-ID: <923288116.481.14@news.remarQ.com>
Source record: 86525

Looking for a 110V B&W TR Switch.

Mark NV9B

225. Want CW filter for Cubic Astro 102BX/103

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3708455e@news1.us.ibm.net>
Source record: 86526
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I am looking for the cw filter for the Cubic Astro 102BX/103 xcvr. Also any spare parts that you may have for this rig.

Lane
ku7i
San Diego

226. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Steve <sbynum@earthlink.net>
Message-ID: <7e9ka3mfr1@ash.prod.itd.earthlink.net>
Source record: 86527
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Sir wrote in message <37085363.2BC0@sir.com>...
>Cedric wrote:
>>
>> Hi guys - a suggestion for everyone who has used eBay.
>>
>> WHY PAY THEM??
>>
>> You can get the same service FREE (only better) at YAHOO!
>
>I prefer to go to flea markets and Hamfests and SEE & FEEL the
>merchandise before I buy, and deal with the seller face to face.
>Neither Ebay OR Yahoo can offer this service. For free or otherwise.

Then why are you on rec.radio.swap ?

227. Up coming CC-AWA Swap meet in NC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Ron <kc4yoy@pop.trellis.net>
Message-ID: <01be7e35$758d17e0$314996d0@ron>
Source record: 86562

May 22, 1999, CC-AWA Spring Swap Meet

@ The North Carolina Transportation Museum "Spencer Shops".

Located in Spencer NC, with easy access from I-85 just a few
miles north of Salisbury NC.

This event is FREE for both buyers and sellers, just show up and
have a GREAT time.

Things get started at about 8AM and will last till around 12 noon.

The Swap meet will be in the picnic area near the picnic shelters.
Spencer Shops management has asked us to leave ONE of the
picnic shelters for others to use.

Typically there are 30 to 40 vendors setup to sell.

This is a GREAT place to bring the family since there's lots to do
besides buying and selling old radios. This is a First Class train
museum with an operating steam engine, round house with functioning
turn table, plus a nice display of antique cars and such. So bring the
family and spend the day.

For more information contact:

Ron Lawrence KC4YOY
CC-AWA President

704-298-1166 home
kc4yoy@trellis.net

228. FS Collins KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Merle <lal@sum.net>
Message-ID: <3706c169.0@209.4.156.74>
Source record: 86563

For sale Collins KWM-2 Professionally aligned, looks and performs like new. On a scale of 10 it is a 9+ $ 500 plus shipping CONUS

Thanks, Merle

229. FA:SX-88 PROTOTYPE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: radiotube@aol.com
Message-ID: <19990403214023.19537.00002368@ng02.aol.com>
Source record: 86564

Check out this mint with box and papers sx-88 on ebay
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85534394
you will know know you can sell anything

230. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.040399.220503.33@vna-va7-60.ix.netcom.com>
Source record: 86565

On 4/3/99 6:12PM, in message <7e678j$71e$1@autumn.news.rcn.net>,
"CommQuart" <commquart@erols.com> wrote:

> Gaaaa! I was checking some of the closed
> eBay Hallicrafters auctions and stumbled
> across item 78133312. A Hallicrafter SX-115
> that had a closing price of $4150!

Once again, P.T. Barnum was absolutely correct.

-bill
KB3PT

231. WTB: Drake TR7 or TR7A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01be7e18$782491d0$a1d7050c@mdt>
Source record: 86566
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I am looking to buy a collector quality Drake TR7 or TR7A. I am willing to pay the price for the right rig. Thanks for reading this post, Markus.

232. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: rhynek@aol.com
Message-ID: <19990403231910.18166.00001909@ng-fs1.aol.com>
Source record: 86567

There is now another SX-115 posted on
Ebay. #84391743

233. FS:or Trade: Heath GW-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7e6s4m$ds6$1@camel19.mindspring.com>
Source record: 86568

The set works (11 meter 3 channel VFO Receive) and comes with the original mic I will trade for a HW-101 matching speaker.

234. mic wiring D-104

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: "Dr.Emil P. Zarkoff" <knot@all.com>
Message-ID: <7e6s7k$7pu$1@camel21.mindspring.com>
Source record: 86569

Can any one tell me how I can wire my D-104 to the Yaseau FT5200
and also to the Kenwood TM231A ??

Please post here. (No e-mail)

Tnx very much...Emil

235. TS-830s Serv Manual wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: ajh1239@aol.com
Message-ID: <19990404002710.11247.00002434@ng30.aol.com>
Source record: 86570

Anyone have a service manual for a TS-830s I could buy? John K6KOI

236. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7e6tq7$5ns$1@autumn.news.rcn.net>
Source record: 86571

I went and looked. Not one, but
two more! Not bad for an extremely
RARE set.... I note both new ones
are over 1000 dollars and reserves
not yet met.

RhyneK wrote in message <19990403231910.18166.00001909@ng-fs1.aol.com>...
>There is now another SX-115 posted on
>Ebay. #84391743

237. Re: FA:SX-88 PROTOTYPE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Lee Smith <ckvnfm@mb.sympatico.ca>
Message-ID: <7e701jhpo1@news1.mts.net>
Source record: 86572

RADIO TUBE wrote in message <19990403214023.19537.00002368@ng02.aol.com>...
>Check out this mint with box and papers sx-88 on ebay
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85534394
>you will know know you can sell anything

Hello Folks:

You forgot to check the date it was offered for sale!!! This was the best April Fool's Joke I have seen in quite awhile......I laughed myself silly over it!

73 de
Lee

238. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: joer@reda.com
Message-ID: <37070636.0@nt.dave-world.net>
Source record: 86573

In article <7e678j$71e$1@autumn.news.rcn.net>, "CommQuart" <commquart@erols.com> wrote:
>Gaaaa! I was checking some of the closed
>eBay Hallicrafters auctions and stumbled
>across item 78133312. A Hallicrafter SX-115
>that had a closing price of $4150!
>
>Wow. I've watched the SX-88 receivers climb
>in value, along with the latest "darling collectable"
>the SX-62, but WOW, is this a typical price
>for the SX-115. Makes me happy the
>SX-28s were made in such abundance for the
>war effort--at least anyone who wants a true
>classic Hallicrafter can still afford that beauty!
>
>Regards
>
>Peter
>

Sigh. I just bought an SX-62, and it was one of two offers. I didn't know it was the latest 'collectible'. Any hope we can find the idiots responsible for these 'collectible' manias and put 'em on a fast rocket to Neptune?

Joe, W9TXU (ex-KC6TXU)

239. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Dawson Wright <dawsonw@cari.net>
Message-ID: <370715DB.2CF6@cari.net>
Source record: 86574
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Dave Ruhle wrote:
>
> I think people on Yahoo tend not to honor their commitments much more often
> than on eBay. I've been the high bidder on numerous items and have had the
> seller never contact me to close the sale. A serious shortcoming is that the
> buyer has no way to contact the seller after the auction, as many users
> choose to leave their email addresses private in their profiles. Supposedly
> the support team which runs the site will release that info if the seller
> does not contact you, but days after sending them mail, I received a form
> letter instructing me to enter the guidelines page and click a link which
> does not exist, otherwise to leave negative feedback about the seller. Maybe
> once they work these things out it will be a better match against eBay, but
> in the mean time, I'm willing to pay the small commission knowing most
> people have been around eBay for a while and honor their commitments when
> they put an item up or bid on something I'm selling.
>
> -Dave
> Cedric wrote in message <37060a14.4134165@news.earthlink.net>...
> >Hi guys - a suggestion for everyone who has used eBay.
> >
> >WHY PAY THEM??
> >
> >You can get the same service FREE (only better) at YAHOO!
> >
> >Today, I found a number of amateur radio items offered for auction
> >there including a Kenwood TS-530S
> >
> >Much better than eBay and no fees!
> >
> >http://auctions.yahoo.com/
> >
> >(I have no financial interest in Yahoo - just a satisfied user!!)
> >
> >
Call me old fashioned, but what is wrong with selling stuff on usenet???

People who are trying to move product on ebay are greedy bastards trying
to get top dollar for their goodies. If they do not get what they want,
they pout and take their toys home without selling them. Bullshit!
Read the U.C.C. and maybe a little contract law. Offer, acceptance,
etc...

240. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Tony D'Aprile <tonyjda@aol.com>
Message-ID: <%vFN2.340$ZK1.67735@newse2.tampabay.rr.com>
Source record: 86575
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Nothing wrong with selling stuff on usenet. Nothing wrong with selling stuff in a store. Nothing wrong with selling stuff at a flea market, garage sale, classifieds, word of mouth, auctions, or websites. The beauty of commerce. By the way, which of these arenas is perfect?.....Right! there ya go, none of them. But when used with a little common sense <see my previous post>, they all have their merits. To say everyone selling on eBay are greedy little bastards, tells me someone hasn't used a little common sense lately. Is this the only place to conduct commerce? Anyone have milk and bread for sale, I feel my local grocer is getting a little greedy lately. Common sense...try it, you'll like it.

241. FS: Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37073495.361109@news.earthlink.net>
Source record: 86576
Cross-posted to: rec.radio.amateur.boatanchors,rec.audio.tubes.rec.radio.swap

For sale (SHIPPING ADDITIONAL)

TUBES LOT #4
4-125 Eimac Used No box $25.00
828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
ea.
12SN7GT Sylvania New in Box $2.00
6BG6B RCA Used, no box $1.00
25L6 G.E. Used in box $3.00
5Y3GT G.E. Used in box $4.00
6W4 Tung-sol used in box $2.00
6W4 Arcturus Used in box $2.00
6W4GT Mullard Used in box $3.00
6SN7GT CBS/Hytron New in box $5.00
6JZ6 Sylvania Used in box $8.00
6SN7GT Tung sol Used in box $2.00
6SN7GT Crosley Used in box $2.00
6SN7GT RCA Used in box QTY 8 $3.00 ea.
6SL7GT RCA Used in box $3.00
6AC7 RCA used in box $2.00
6AC7 G.E. used in box (QTY 2) $2.00 ea.
6H6 Ken-Rad used in box $1.00
6DE4 Philco Used in box $1.00
6H6 RCA used no box (QTY 2) $1.00 ea.
6X5 RCA used in box $0.50
37 RCA used in box $4.00
6AX4 Sylvania New in box $2.00
OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each
OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
OA3 / VR-75 Marshall Electronics in box $4.00
3AW2 Philco Used in G.E. box $0.50
6F6 Tung-Sol New in Box $2.00
(Total for all $166.00)
Take all of the above tubes for only $100.00 plus shipping

242. FS: Ham radio Homebrew parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3707356b.575252@news.earthlink.net>
Source record: 86577
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.swap

Add cost of SHIPPING to all prices!

Amperite 115NJ60 Time delay Relay 60 seconds, Octal $5.00

Bud Box, diecast, 4.5" X 3.5" X 2", new, no cover plate $4.00

Mallory type 294 4-pin vibrator 6 V DC. I am told these will work
fine on either 6V or 12V DC. Great replacements for older rigs $3.00
each
(2 Sold - 2 left)

Mercury Wetted Relays for keying boatanchor transmitters!
By Adams and Westlake Number MW-2617-12 DPDT contacts
with diagram. Octal base - 12V DC coil 480 ohms. $5.00 each
(Same shape & size as 6L6M) (2 Sold - 3 left)

ARRL Handbooks:
1975, 1978 at $10.00 each
Both in good to excellent shape

National TMK-50 Variable capacitor New In Box $15.00
(Best 50 pF transmitting or receiving variable you will find!)

Plate variable transmitting capacitors:
50 pF 800V Hammarlund 1.5" deep, 1/4" shaft, clean used $5.00
140 pF 1000V 1.5" deep 1/4" shaft New, unused $8.00

Hallicrafters Manual:
HT-46 $8.00 each (repro)

Four Nifty Books:
RCA Solid State Hobby Circuits HM-92 (397 Pages) Exc. cond. $8.00

Television For Radiomen, by Ed Noll. 340 pages, illustrated
1962. Front cover torn a little but otherwise very good $3.00

TV SICK? Service your own TV, by Belmont TV Co.
33 pages, plus sale flyer, 1975 MINT $2.00

METHODS OF TEACHING SHOP AND TECHNICAL SUBJECTS by Leighbody & Kidd
College text, 201 pages, excellent condition $3.00

Or take All four books above for $13.00

Add shipping cost to all items!

243. Central Electronics 20A and 458 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370754F3.27F4@ix.netcom.com>
Source record: 86578
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Front panels excellent, all original knobs. Cabinets freshly painted.
I have good copies of all the manuals. $190 + shipping. Trades???
73 Chris VE3NGW/W4 Florida

244. Bird Model 43 $200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370753B8.221E@ix.netcom.com>
Source record: 86579
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Like new except for a small paint rub on one corner.
73 Chris VE3NGW/W4 Florida

245. Keithley 610B Electrometer for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370753D3.3205@ix.netcom.com>
Source record: 86580
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have an excellent condition 610B. This is one of the most sensitive electrometers ever built. Recently calibrated by Keithley. I want $250 or best offer, trades Thank you, Chris.

246. Bird Slugs and Bird 43Wattmeter for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37075447.6EED@ix.netcom.com>
Source record: 86581
Cross-posted to: rec.radio.swap,rec.radio.equipment,rec.radio.amateur.boatanchors

I have 25C 100-250MHz 25W slugs. $50 each
10D 200-500MHz 10W $50 new
100B 50-125MHz 100W $50
Also a Bird Model 43 Wattmeter like new $200.
73 Chris VE3NGW/W4 Florida

247. FS: Drake SPR-4, B-1000 and more

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <iUJN2.200$mB3.549@news1.online.no>
Source record: 86582

Hi,

Thanks for reading this. I have the following DRAKE items for sale:

SPR-4 receiver. Very good condition. No noiseblanker. $350

B-1000 balun (two available). $75 each.

TR-4CW/RIT with AC-4. Very good condition. $475

MN-4 antenna-tuner. A few minor marks on the top. $90

IN-7 DC to DC inverter, 24V to 24V isolator. New in box! $50

MANUALS for RR-1, RR-2 and MSR-2 receivers. Excellent condition. $15 each

Prices do NOT include shipping.

I have long experience in export/import, and I have several referencies if wanted.

73,
Sindre Torp, LA6OP
Norway
sindtorp@online.no

248. Cubic Astro 102BX/103 owners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3707792c@news1.us.ibm.net>
Source record: 86583

I would like to talk with other owners of the Cubic Astro 102BX/103 radio. I just picked up my 103 and I love it. I would also like to buy any spare parts that you may have.

73s

Lane Zeitler
Ku7i
San Diego

249. WTB: Hombrew Tube XMTR/REC/XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7e81j0ona1@nnrp1.dejanews.com>
Source record: 86584

Looking for an old project that may be sitting in your attic from years past. Especially interested in projects out of the magazines in years past for low power tube transmitters (xtal or VFO), receivers (superhet or regenerative FB) or ideally a tranceiver employing these technologies. Completed, not completed, working, non-working OK. Trying to help a older, local fellow's wish to put something from this era on the air to keep him busy.

Will pay shipping and whatever additional value we can agree on...

Thanks,

Alan, N3BJ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

250. FS-Classics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: justice@neosoft.com
Message-ID: <7e7v8glur1@uuneo.neosoft.com>
Source record: 86585

Johnson Adventurer in excellent condition. Not factory wired, but well constructed. Front panel is perfect, except for the typical missing white pointers in one of the knobs. Some paint scratches on upper lip of the front panel and on the back. Panel meter is original and works. Full power output. No manual. $200 dollars and half of shipping.

Drake TR4-CW with RIT. Virtually flawless. Some minor wear on the right hand side of cabinet. Full power output and full receiver sensitivity. Knobs still shiny and don't feel like they've been used much. An RV-4C with AC-4 power supply is part of the package. Same condition as transceiver. Also included is original manual, some wear on that. Price is $600 plus half of shipping. Prefer pickup, shipping is possible.

Hammarlund HX-50 SSB transmitter. Vox inoperative, power output varies from band to band. Works on all bands. Front panel is excellent, side of trim ring is scratched but could be touched up. Copy of the Hammarlund supplied reprint manual. $150 dollars plus half of shipping.

National NCL-2000 amp. 1400 watts output from a pair of 8122 tetrodes. Internal tubes generate full power, will include a used but 100% output set of spares. Front panel is very clean, but alumimum inserts are dulled. Some wear around the the cabinet. Included is a copy of the original manual, with schematic. $600 dollars plus half of shipping. Would prefer delivery within a hundred miles of 77449 (Houston TX).

Hope you can add this fine gear to your collection

73,

Alan

W2WJ/5

Katy (Houston) TX

reply direct:

justice@neosoft.com

al93@wt.net

251. FS:Rare Heath AM Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-04 00:00:00 UTC
From: justice@neosoft.com
Message-ID: <7e80j5$m58$1@uuneo.neosoft.com>
Source record: 86586

Selling Filtech Coporation AM filter for Heath SB series. Made to spec for Heath with a specified bandwidth of 3.75 KC. Used at 3.395 KC I.F. Solder tabs are clean, but 2 common mounting nuts are missing. Price is $60 dollars plus half shipping cost.

Kenwood YG-455C-1. 500 cycle CW filter for modern Kenwood rigs like TS-850 and newer. Plugs into board, this doesn't solder to it. Included is box and original data sheet describing installation and specs. $65 dollars plus half shipping cost.

Hope these filters can improve your station.

Happy Easter and 73,

Alan

W2WJ/5

Katy (Houston) TX 77449

reply direct:

justice@neosoft.com

al93@wt.net

252. RE: What happened to the ARRL website?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: radiotube@aol.com
Message-ID: <19990405172432.21652.00002015@ng-fa1.aol.com>
Source record: 86287

Hi,
Anyone have any Idea what happened to the ARRL website? Did they change their address,or is the server down? Is there another website to find hamfest dates and locations.
Thanks

253. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bob Lewis <aa4pb@erols.com>
Message-ID: <37092A1B.CB34B43E@erols.com>
Source record: 86288
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

WD40 *is not* an electronic cleaner and should not be used on electronic or electrical equipment. You might get away with it but why would you want to try when there are perfectly good contact cleaners available? In addition, WD40 is flammable and *could* cause a fire if you use it around contacts that may arc. My son-in-law ruined a good alternator by spraying WD40 on the armature trying to lubricate the bearings.

CommQuart wrote:

> Aa Peavy dealer told me the factory receives
> quite a few damaged mixers that have had the WD40
> treatment. I am not familiar with the type of slide pots used by
> Peavy, but apparently WD40 will damage them.
>
> Peter
>
> BOB URZ wrote in message <3708E894.C62E6DA7@inetnebr.com>...
> >Wow, some one must own stock in WD 40! In the Pro audio world, the caig
> >cramolin r5/d5 is defiantly the way to go. I would not get caught dead
> >spraying
> >WD 40 in an expensive mixing board. Leaves too much residue. I have seen
> >boards with "customer repaired" using WD 40 with puddles of goo inside. A
> >good
> >cleaner should clean and preserve.

254. Re: What happened to the ARRL website?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Martin Meserve <meserve@my-dejanews.com>
Message-ID: <37092BCF.41C67EA6@my-dejanews.com>
Source record: 86289

RADIO TUBE wrote:
>
> Hi,
> Anyone have any Idea what happened to the ARRL website? Did they
> change their address,or is the server down? Is there another
> website to find hamfest dates and locations.
> Thanks

There has been no change of address. They are still there working
just fine. I just tried them. One of the mistakes I often make
is trying to connect to "http://www.arrl.com". Then I remember
that they are at "http://www.arrl.org".

Martin

--
Martin E. Meserve KB7EQS martin.e.meserve
Engineer, Program/Project Specialist AT
Lockheed Martin M&DS - Reconnaissance Systems lmco.com

I respond to news groups and E-Mail on my own time and therefore my
responses may not be as timely as you, or I, would like them to be. If
I seem to be ignoring you, send me another E-Mail to jog my memory.
Opinions are my own and do not reflect the opinions of my employer.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

255. WTB: Hammarlund S-101 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990405112259.0068cb94@pop.inmind.com>
Source record: 86290

I would like to buy a Hammarlund S-101 speaker. Please let me know if you have one for sale, thanks.

256. WTB: Meter for Hickok 600-A Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990405112215.0068bf6c@pop.inmind.com>
Source record: 86291

I need a meter for a Hickok 600-A tube tester. Please let me know if you have one for sale, thanks.
73s...

257. WTB: Hallicrafters S-40A knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990405112153.0068c84c@pop.inmind.com>
Source record: 86292

I need the bandswitch knob (silver, for recessed shaft) and a control knob
for an S40-A. Please let me know if you have any to sell, thanks.
73s...

258. For Posting

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990405092850.0093ed50@popd.ix.netcom.com>
Source record: 86293
Body handling: HTML body converted to readable text

```
--======================_5518360==_.ALT

Wanted: MILLEN 80801 EXCITER

Will pay TOP DOLLAR for Millen Model 80801 Exciter -

Jamie - W5YSM/VK2AIX

--======================_5518360==_.ALT

Wanted: MILLEN 80801 EXCITER

Will pay TOP DOLLAR for Millen Model 80801 Exciter -

Jamie
- W5YSM/VK2AIX

--======================_5518360==_.ALT--
```

259. Re: What happened to the ARRL website?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <37093646.6DADC5A9@inebraska.com>
Source record: 86294

It worked this morning when I checked for contest info.

Wayne Faris, KEï¿½BZ

RADIO TUBE wrote:

> Hi,
> Anyone have any Idea what happened to the ARRL website? Did they change their
> address,or is the server down? Is there another website to find hamfest dates
> and locations.
> Thanks

260. Need Panasonic RF4900 manual...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990405182054.13108.00003676@ng-cg1.aol.com>
Source record: 86295

Hi,
Does anyone have a copy or original manual for a Panasonic RF4900? I will pay
or trade what-have-you for one. I have the service notes for one.
rgds,
Mark S.

261. Collins 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Jacques Tihon <j.tihon@hwcn.org>
Message-ID: <01be7fb3$e397c300$d45ed4c7@default>
Source record: 86296

any idea what is the value of a good operational 51J4?

Jacques

262. Re: Need Panasonic RF4900 manual...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: juncox@aol.com
Message-ID: <19990405194012.17741.00001282@ng137.aol.com>
Source record: 86297

Hi, Mark,
I have an 11 page operating instructions book for this rcvr which
includes a block diagram only. Is this what you need? Ican upe this up within
a week or so no charge .
73,
Art

263. Re: Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: The Bakers <nospam@worldnet.att.net>
Message-ID: <3709594A.C9C05F37@worldnet.att.net>
Source record: 86298
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Get a life.

264. Re: More on Swatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: The Bakers <nospam@worldnet.att.net>
Message-ID: <370959F9.4CD77257@worldnet.att.net>
Source record: 86299
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Get a life.

265. Re: Source for 3-400 tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sparksw4eas@mindspring.com
Message-ID: <7eboi4tpj1@camel21.mindspring.com>
Source record: 86300

IF YOU USE IN A BTL or some other amp's... THE 3-500 STANDS TALLER AND WILL SHORT TO THE SHIELD COVER SPARKS W4EAS.

Don L. Davis wrote in message <37087FCB.7B33@earthlink.net>...
>Jerry writes:
>
>" where does one find replacement 3-400Z's, or is there a safe and sane
>direct replacement? Tube specs/data on 3-400Z's seems to be hard to come
>by on the web so far, tried Eimac, Amperex, several others w/no luck."
>
>Best place to find these is ebay. They show up every monyh and NOS US
>parts can be had for under $50. Sometimes much cheaper if you buy
>large lots or pulls. There are 2 4-400's on ebay right now, for
>example. One closing at $40 with no bids, and one opening at $1
>with no bids yet. I have bot tons of tube on ebay with good results,
>low prices, and great selection.
>
>Ignore the flames that this email will draw from the ebay-phobics on the
>list. For folks interested in technology, some folks on this list sound
>a lot more like Luddites than technocrats.
>
>Another good way to buy 'em is to advertise on the list here and at
>boatanchors@theporch. Have also bot and sold a lot of stuff here as
>well.
>
>Also, the 3-500 will sub for the 3-400. The 3-400 is fairly uncommon,
>while the 3-500 is easier to find. The 3-500 will need a Zener diode in
>the fil ckt to provide some bias to keep the idle plate current down.
>Look for the W6SAI Eimac newsletters for info on this. Or I can supply
>a copy for you.
>
>73
>
>Don Davis
>

266. Globe King Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Joe Christian <k5hmd@bigfoot.com>
Message-ID: <7ebom3$m00$1@mtinsc02.worldnet.att.net>
Source record: 86301

I would like to buy a Globe King 500 working or not. Please E-mail me directly at k5hmd@bigfoot.com

Thanks, Joe Christian

267. Tymeter Repairs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <14348-37096101-71@newsd-162.iap.bryant.webtv.net>
Source record: 86302

A local ham walked into my shop wondering if I could repair a 60's GMT tymeter clock for his 60's BA station. I worked on it and have come away with the following tips...

(1) Use WD-40 to clean the bakelight body. Does a good job. Use clean cotton rag to wipe off excess. Looks really nice. Use swabs to clean little nooks.

(2) Old Motors are usually noisy - this is caused by worn bearings. You can fix this by going to the end of the motor. There is a small plastic piece that can be removed - this is holding the motor bearing in place... simply lift the piece and insert a piece of rubber band - adjust the position of the piece of rubber band until the motor quiets down...

(3) When putting clock back together - be sure to stuff the wires (which contain electrician's speed nuts) near the motor. If not careful, wire nuts will rest and rub the number wheels - scratching the numbers off.

(4) ID buzzer comes on every ten minutes - when little ten minute wheel turns (Duh!) Buzz is cute but it also cause some RFI which you can hear over the air on your RX... that's normal...

NIce interesting little clock - perfect for a BA station... Found out it costs $22.98 back in the 60's... This ham bought it at an auction for $55.

Oh well... :^)

268. Re: Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: WB3KJX <wb3kjx@pc-intouch.com>
Message-ID: <37096f97.0@hiq.pc-intouch.com>
Source record: 86303
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Anything that affects our bands like this shoul dbe cross posted on all the amateur sites.... no matter if your interest is boatanchors or microwave, we'll all hams and need to stick together!

73's Scott WB3 KJX

269. FS: TEK 7000 Series O'Scope Plug-Ins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bruce Rahn <brahn@erinet.com>
Message-ID: <37096930.9C191FE7@erinet.com>
Source record: 86304

TEK 7000 SERIES PLUG-INS

7A16P Programable Amplifier Untested $30.00
7B53N Dual Time Base Good $50.00
7D12 A/D Converter Good $70.00
7D13 Digital Multimeter Good $55.00
M1 Multifunction Module Good $65.00

Pictures of the items along with specs are available on my web page at

http://www.qsl.net/wb9anq/
or
http://members.tripod.com/~wb9anq/

All units are complete and in good physical condition. Electrical condition as stated above.

Manuals are not included unless otherwise stated. Shipping, unless otherwise stated, is NOT included in the price.

Bruce, WB9ANQ

270. Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Rosey Rosenbaum <bili@iquest.net>
Message-ID: <K9eO2.354$E4.1795@news1.iquest.net>
Source record: 86305

I would like a schematic for a 1KW linear. Tube or solid state doesn't matter. If it is tube type I would hope it is for available tubes. I would like to use it on 2m, 10m and 11m right away. Hopefully further expansion later. I would like to build the unit myself out of self found parts. Any help would be appreciated.

Rosey
bili@iquest.net

271. Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bill Bird <billbird@mo.net>
Message-ID: <YieO2.945$S07.6510445@typhoon.stlnet.com>
Source record: 86306

Even though I built my own Allied Knight Kit Star Roamer Short Wave receiver with my Dad's help many years ago I somehow lost the manual. My unit has a very loud hum and I would like to repair it. I am thinking of replacing the large multi-capacitor component with several capacitors of correct value. I was wondering if anyone knew if the Star Roamer can receive CW since I know Morse code now. Also if you have an idea about the hum please let me know. It is loud and unaffected by the volume control.

Thanks.

Bill

billbird@mo.net

272. Re: *** How do you remove "DIODES"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <#jdRnE8f#GA.274@upnetnews05>
Source record: 86307

If you don't need to ever replace the diode, just cut one of the leads. Be careful
not to damage any nearby components or copper on the circuit board.

There is no "trade," just a little bit of craft skill. You will need a very small cutter
with a tip that closes nicely.

See if you can find an "Elmer" around who can show you some things...

Peter KB2VTL

JHulet wrote in message <19990405045638.17318.00002761@ng122.aol.com>...
>Hello,
>
>I am wondering what is involved in removing diodes? Say if someone was to
>modify a radio and it required a couple of diodes to be removed.... First,
>what tool would be used and what special features would one want in this
tool?
>What is the "hard" part in removing the diodes? Is is just a matter of
using a
>fine tip soldering iron and heating the diode contacts and removing the
diode?
>
>
>Is seems that so many modifications out there today require the removal of
>diodes that I am considering learning the trade...
>
>Thanks again for any light you can shed on the subject...
>
>Jason S. Hulet
>W1WOW

273. Re: Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "\\" <boatanchors@hotmail.com>
Message-ID: <7ebskm$9va@sjx-ixn10.ix.netcom.com>
Source record: 86308

> I would like a schematic for a 1KW linear. Tube or solid state ...

>2m, 10m and 11m right away. ...

Might also suggest adding taps on that tank coil for 160m and 440mhz.
Maybe even add 1.2 ghz to take advantage of the UHF repeaters.

Suggest 1625's in the final or maybe 2N107's with adequate heat sinks.
Keep it broadbanded to avoid dipping the tank, and use GOOD heat
sinks on those 2N107's! Don't forget a good size neutralization cap
for the 2m band (and the 440 and 1.2 if you do those as well).

Hope this helps :-)

274. Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37097535.368C19A@asu.uswest.net>
Source record: 86309
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

I have an opportunity to obtain a Tek RM-45A scope for $45. It takes Type CA plug-ins, whatever that means.I have seen these (the scope itself) in Surplus Sales of NEs catalog for $175, so it looks like I may be getting a really good deal. Also, the unit appears to have been very well cared for. It came out of a university science lab just last January.

What should I check before plopping down my money? Can anyone tell me what the tube line-up in this unit is? I understand that the RM-45A is the rack-mounted version of the 545A, so if this is correct info, that should mean the two models are electrically identical or at least very close. It is very definitely a boatanchor, at about 50 lbs. and the size of a window-mounted air-conditioner!

This scope is more than 25 years old, so what is the price/availability of replacement CRTs should I need one in the future? I will check to make sure it has a trace before I buy it. How specifically do I evaluate the trace/CRT for quality/condition? Other simple tests and/or check points that are recommended?

That's a lot of questions, whew! Thanks for reading this and double-thanks for your replies.
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

275. Re: Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37097809.47E0F04E@asu.uswest.net>
Source record: 86310

Bill:

The hum is *probably* a bad capacitor. According to my copy of Osterman's __Shortwave Receivers, Past & Present__, the first Star Roamer has no BFO circuit, which you would need to receive CW signals. Oddly enough, the description notes a "CW practice jack," implying that the receiver has a built-in code-practice oscillator. If you in fact have the Star Roamer II, that receiver has a BFO control, and thus can receive CW.

Bill Bird wrote:

> Even though I built my own Allied Knight Kit Star Roamer Short Wave receiver
> with my Dad's help many years ago I somehow lost the manual. My unit has a
> very loud hum and I would like to repair it. I am thinking of replacing the
> large multi-capacitor component with several capacitors of correct value. I
> was wondering if anyone knew if the Star Roamer can receive CW since I know
> Morse code now. Also if you have an idea about the hum please let me know.
> It is loud and unaffected by the volume control.
>
> Thanks.
>
> Bill
>
> billbird@mo.net

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

276. test post--do not read

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37097875.8A462C93@asu.uswest.net>
Source record: 86311

```
test

http://www.www.wwww
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net
```

277. Re: Collins 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Dan <darobin@his.com>
Message-ID: <37098D6A.9BE5E9A2@his.com>
Source record: 86312

I obtained a 51J4 that was about to be thrown out by an overseas news agency....this in Asia....I handed over $25 to a fellow for it. The set was complete, except for one filter. Had it completely refurbished, including the Product Detector mod, by a gentleman in West Virginia who specializes in 51J4's....now the insides have been completely cleaned, shined, re-tubed, and it works like a charm. I've got two in fact -- both Collins.

You'll see 51 J4 prices going through the roof on ebay and elsewhere. I still think the 51J4 is one of the greatest receivers ever made. The crystal phasing is fantastic (you can forget a notch filter with this). Stability is rock solid. And it's just -- well -- a Boatanchor....ranks right up there with the SP600.

Reasonable price for a good condition working 51J4 -- with all filters -- I'd say $300-$325. In even better condition, no scratches, with all original knobs, including alignment tools inside of cabinet, good condition frequency drum, etc. go even higher -- I've seen as high as $500 and up. You can't really put a price on an excellent coneition 51J4 or R388 -- now above $550 and up, that's getting a bit crazy...but....

Jacques Tihon wrote:

> any idea what is the value of a good operational 51J4?
>
> Jacques

278. Re: FS: huge tube Air Force Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Jim Campbell <JCampbell@3n.net>
Message-ID: <37097F8A.8899399E@3n.net>
Source record: 86313

I don't know what you have but it sounds neat. I ran a pair of 809 tubes
as a final in the early 60's they are triodes and a pair will provide about
150 watts input. They ran pretty good on 40 & 80 but need to be neutralize
on each band.

olds98@together.net wrote:

> For Sale-
>
> any interest in a large- approx 2'deep x 4' high x 30" wide
> unit believed to be a transmitter from recently closed Air
> Force base at Plattsburgh NY (found 10 miles away). It is in a grey
> heavy metal cabinet with slide out chassis-appears to be late 50s
> and uses 809 (?) tubes as well as 12ax7s, 6v6s etc. It is in excellent
> condition with no dents, corrosion etc., operational condition unknown.
> Prefer local pickup as it is Very heavy.
> Price is $250- probably incredibly expensive when new.
>
> Please email directly if interested. thanks, Roger Anderson VT
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

279. Re: TR-7800 squeal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Richard A. Miles" <rmiles@oz.net>
Message-ID: <370996C6.12E5CC6C@oz.net>
Source record: 86314
Cross-posted to: alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

What you are looking for may be on the Kenwood FTP site.

Look at:
ftp://208.197.91.81/e%3A/kenwood/kenftp/kenwood/Amateur/AmateurServiceBulletins/1st_README_INDEX.txt

73's and good luck...Dick K7RNZ

Neal wrote:

> Anybody have experience with a TR-7800 which had an intermittant and then
> permanent problem: LED display (both freq and channel)) blanks except for
> the decimal point on the freq. display; + S - lites light; high pitched
> squeal emitted, but not from speaker; XMIT & RCV otherwise works.
>
> 73
> Neal KK7PA

280. FS: SX-71 PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Donzil Q. Worthington" <djworthington@cybertrails.com>
Message-ID: <u5hO2.131$i4.137078272@mick.cybertrails.com>
Source record: 86315

Hello,
I'm parting out a Hallicrafters SX-71 receiver in rough shape.
At this time it's mostly all there except some knobs.
If you need a part, drop me an email and I'll see if I have it and let you
know what I would be asking for it.
Thanks, Donzil

WS0F

281. FA: Hammarlund HQ-100 and matching speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bob <friday@ccnet.com>
Message-ID: <37099DEC.BA9D0952@ccnet.com>
Source record: 86316

HQ-100/matching speaker and original manual for auction. Small reserve. Very good condition.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=87569431

282. FS RCA Umber Gray and Dark Umber Gray paint

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <lkhO2.1$o%1.4059@typhoon-sf.pbi.net>
Source record: 86317

Hello, I have been restoring RCA broadcast equipment, and have finally been able to match RCA colors. If you are in need of any paint, please let me know. I am using an oil-based enamel.

73 de Bill, AB6MT
billsmith@jps.net

283. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <37092d52.41503020@nntp.ix.netcom.com>
Source record: 86387

On Sun, 04 Apr 1999 21:56:43 -0400, Mike Monett <add@csolve.net>
wrote:

>Irv Finkleman wrote:
>>
>> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
>> Factory Service Tech and it beat everything else.
>> Irv VE6BP
>
>[...]
>
>Good Stuff! I find it works wonders on pots also.
>
>Some people have mentioned a conern about gummy residue buildup.
>
>Have you noticed any problems, or had units returned later because of
>WD-40?
>
>Best Regards,
>
>Michael R. Monett,
>Automated Production Test
>mailto:add@csolve.net

NO. The durn stuff cuts through and frees up stuck switch shafts.
Had a real bugger in an old Knight Kit I nabbed a month back. Could
not turn the shaft with pliers hardly.

Spritzed it with Brake Cleaner (basicly Tricloro) and it loostened up
but regooed itself in a day. Shot it again, same thing. Just whomped
it with WD40 a couple weeks ago and it is still like new.
Enneyboddy in the market for a cap checker?

Good Signals... LCM

284. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <370a2ee1.41901880@nntp.ix.netcom.com>
Source record: 86388

On Mon, 05 Apr 99 03:13:12 GMT, Solarpower1watt@Juno.com (Ed) wrote:

>>>
>>> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
>>> Factory Service Tech and it beat everything else.
>
>
> For the life of me, I don't see how anyone can have good results CLEANING
>switch contacts with a petroleum based lubricant. LUBRICANT is used to
>lubricate.... that is, it leaves a slick deposit to reduce friction of parts
>that tend to rub together and protect parts from air and oxidation. CLEANing
>solutions are designed to clean contacts; that is, remove all dirt and
>residue from surfaces. This is just the opposite of a lubricant. You can't
>have both unless you use extremely expensive conductive grease type materials.
> WD 40 is not a good conductor. I would not want to coat small fine switch
>contacts with this material.
>
> Off-the-shelf TV tuner cleaner would be about the most easily obtainable
>cleaner you might find.
>
> Personally, I have found in 30 years radio maintenance that the most
>reliable fix for an intermittent switch or pot is to replace it. Digikey is
>a good source for both.
>
> Ed WB6SAT
>

Like that Idea I doo. Got information on the wherebouts of a new
decade attenuator switch for a Hickock 191X?

?? LCM

285. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Charles Wenzel <wenzel@wenzel.com>
Message-ID: <37084481.740C@wenzel.com>
Source record: 86389
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

I agree! Except stick with TriFlow. The contents have a much lower vapor pressure and the fix lasts for years. It is miraculous on pots, too. I suspect the antioxidants help. If you want a surprise, try it on motor brushes! I expected a burnt mess but the sparks disappear and the motor speeds up. I haven't seen any long-term downside yet - and I spray that stuff everywhere. :)

John Miles wrote:
>
> You might be surprised. Things like WD40 and TriFlow aren't conductors
> themselves, but they unquestiionably do aid in making good electrical
> contact. I had to convince myself of this -- I sprayed a deep puddle of
> TriFlow (which is basically WD40 with Teflon) on a piece of copper-clad
> board, then lightly brushed a single strand of #40 AWG (or something
> very close to it) through the puddle. An audible continuity tester
> showed the connection quality to be excellent -- the wire made much
> better, and more consistent, contact with the board surface underneath
> the pool of TriFlow than in a similar test where the wire and board were
> both left dry. I guessed the Teflon residue would interfere with
> conduction once the hydrocarbon carrier dried up, but that turned out
> not to be the case either.
>
> That's not to say there isn't better stuff out there, but both
> experiment and experience suggest that WD40 is unjustly maligned. For
> pots, yes, you usually have to replace them in the end. But for dirty
> wafer switches and such, there doesn't seem to be any real advantage to
> the more expensive stuff, as long as you're sure the WD40 won't attack
> any nearby components.
>
> The distinction between a cleaner and a lubricant is not an important
> one in this case. Something that reduces the friction between two
> surfaces will also tend to get rid of unwanted particulates between
> them.

286. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7e9gln$mj6@news.Hawaii.Edu>
Source record: 86390
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Give 'em a bath in denatured alcohol or acetone. Do so in an open area.

287. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Sir <sir@sir.com>
Message-ID: <37085363.2BC0@sir.com>
Source record: 86391
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Cedric wrote:
>
> Hi guys - a suggestion for everyone who has used eBay.
>
> WHY PAY THEM??
>
> You can get the same service FREE (only better) at YAHOO!

I prefer to go to flea markets and Hamfests and SEE & FEEL the
merchandise before I buy, and deal with the seller face to face.
Neither Ebay OR Yahoo can offer this service. For free or otherwise.

288. *** How do you remove "DIODES"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jhulet@aol.com
Message-ID: <19990405045638.17318.00002761@ng122.aol.com>
Source record: 86392

Hello,

I am wondering what is involved in removing diodes? Say if someone was to modify a radio and it required a couple of diodes to be removed.... First, what tool would be used and what special features would one want in this tool? What is the "hard" part in removing the diodes? Is is just a matter of using a fine tip soldering iron and heating the diode contacts and removing the diode?

Is seems that so many modifications out there today require the removal of diodes that I am considering learning the trade...

Thanks again for any light you can shed on the subject...

Jason S. Hulet
W1WOW

289. Source for 3-400 tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: dxguy@earthlink.NET
Message-ID: <37087FCB.7B33@earthlink.net>
Source record: 86393

Jerry writes:

" where does one find replacement 3-400Z's, or is there a safe and sane direct replacement? Tube specs/data on 3-400Z's seems to be hard to come by on the web so far, tried Eimac, Amperex, several others w/no luck."

Best place to find these is ebay. They show up every monyh and NOS US parts can be had for under $50. Sometimes much cheaper if you buy large lots or pulls. There are 2 4-400's on ebay right now, for example. One closing at $40 with no bids, and one opening at $1 with no bids yet. I have bot tons of tube on ebay with good results, low prices, and great selection.

Ignore the flames that this email will draw from the ebay-phobics on the list. For folks interested in technology, some folks on this list sound a lot more like Luddites than technocrats.

Another good way to buy 'em is to advertise on the list here and at boatanchors@theporch. Have also bot and sold a lot of stuff here as well.

Also, the 3-500 will sub for the 3-400. The 3-400 is fairly uncommon, while the 3-500 is easier to find. The 3-500 will need a Zener diode in the fil ckt to provide some bias to keep the idle plate current down. Look for the W6SAI Eimac newsletters for info on this. Or I can supply a copy for you.

73

Don Davis

290. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Sir <sir@sir.com>
Message-ID: <37088CFB.75AF@sir.com>
Source record: 86394
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Steve wrote:
>
> Sir wrote in message <37085363.2BC0@sir.com>...
> >Cedric wrote:
> >>
> >> Hi guys - a suggestion for everyone who has used eBay.
> >>
> >> WHY PAY THEM??
> >>
> >> You can get the same service FREE (only better) at YAHOO!
> > >
> > >I prefer to go to flea markets and Hamfests and SEE & FEEL the
> > >merchandise before I buy, and deal with the seller face to face.
> > >Neither Ebay OR Yahoo can offer this service. For free or otherwise.
> >
> > Then why are you on rec.radio.swap ?

I'm NOT.

291. what is a Collins 30l-1 "worth"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: dl278@cleveland.Freenet.Edu
Message-ID: <7ea6l3$kg7$1@alexander.INS.CWRU.Edu>
Source record: 86395

what is a reasonable price for a Collins 30L-1?

I'm being offered one but would like to have some idea what
is a fair price.

I haven't seen on on the newsgroup or the BA reflectors to
get an idea that way.

tnks for any inputs

73

Bill N5LMX
dl278@cleveland.freenet.edu
--
Billy (Rev) Graham (N5LMX/DA1WG)
"Growing older but not up!"- J. Buffett

292. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7ea6tv$8gm@journal.concentric.net>
Source record: 86396
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

In article <37060a14.4134165@news.earthlink.net>,
sabbatai_zvi@hotmail.com says...
>
>Hi guys - a suggestion for everyone who has used eBay.
>
>WHY PAY THEM??
>
>You can get the same service FREE (only better) at YAHOO!
>
>Today, I found a number of amateur radio items offered for auction
>there including a Kenwood TS-530S
>
>Much better than eBay and no fees!
>
>http://auctions.yahoo.com/
>
>(I have no financial interest in Yahoo - just a satisfied user!!)
>
>
I tried about 2 months ago to REGISTER as a BIDDER for Yahoo as
there was one radio I was interested in...tried TWICE...and they
never did send me an authorization or however they handle it!
Guess they don't really care if their auction works or not...
really great help for hteir sellers!
Back to E-Bay for me!

293. Goochland,VA swapfest April 10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Presley Travis <btravis@mnsinc.com>
Message-ID: <3708B13A.708296F0@mnsinc.com>
Source record: 86397

```
April 10, 1999 6am til 3pm
Goochland County Fairgrounds/intersection of Rts.522 & 632
General Admission $5.00/tailgating free w/admission in large outdoor
area
Great Food & Refreshments(KB4MIB's Kitchen)
Inside tables available at $5.00 each
Contact Buddy Travis, KA4NNN, (540)894-8828 for info
sponsored by S.M.A.R.T to benefit their Repeater System
```

294. Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990405090040.29257.00002567@ng-fz1.aol.com>
Source record: 86398

Does anyone know the thread size for standard rack panel screws?
I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.

295. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Mike Monett <add@csolve.net>
Message-ID: <3708A939.1EE3@csolve.net>
Source record: 86399
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Jeffrey Herman wrote:
>
> Give 'em a bath in denatured alcohol or acetone. Do so in an open area.

Acetone may attack the plastics in the case. Alcohol will clean some
of the grime but not all.

The idea is to clean the oxides, grime, and non-conductive film from the
contacts, and leave a lubricating layer to prevent galling of the
contacts. The lubricating layer also prevents re-oxidation and the
formation of non-conductive films that caused the problem in the first
place.

The lubricating film is non-conductive, but the microscopic asperites on
the surface of the contact will punch through the film and provide a true
metal-to-metal contact. This can reduce the contact resistance by a
factor of ten and make it much more stable.

For example, "Fix Modem Problems",

http://www.csolve.net/~add/system/modemtip.htm

shows how ordinary vaseline can reduce the contact resistance on your
telephone.

Simply cleaning the contacts may provide temporary improvement, but
without protection, the problem will soon return.

Best Regards,

Michael R. Monett,
Automated Production Test
mailto:add@csolve.net

296. Re: Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: j.m.franke@larc.nasa.gov
Message-ID: <j.m.franke-0504990916080001@franke.larc.nasa.gov>
Source record: 86400

In article <19990405090040.29257.00002567@ng-fz1.aol.com>,
oceanradio@aol.com (OCEANRADIO) wrote:

> Does anyone know the thread size for standard rack panel screws?
> I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.

It is 10-32.

John WA4WDL

297. Re: EV 664 mic info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <eC7tPW2f#GA.262@nih2naae.prod2.compuserve.com>
Source record: 86401

Haven't been able to match the brown color "off the shelf" with spray paint. Some were even powder blue. I did find some grey swirel paint which made a respectable pattern however. It will take a lot of stripping to remove the paint thats on there though. Switch in the mike is a standard dpdt slider. A switch in the base is a toughie since the hole is small and the throat is deep.

--
PAW TS 570 D $749 see below.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

298. Re: Schematic diagram drawing software

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Leo <fatbeard@leonardo-dot-demon.nl>
Message-ID: <3708CC17.668F@leonardo-dot-demon.nl>
Source record: 86402

larryc@northwest.com wrote:
>
> The Orcad website has, in archive, their DOS version of schematic
> capture (SDT). One drawback... it can be a real challenge to print from
> Windows, especially since it is a DOS program and the printer drivers
> are all obsolete (unless you hv one of those printers).
>
Not really. If you also have the accompanying utilities -more specific:
PLOTALL.EXE- there is a way. Ok, ok, it *is* somewhat cumbersome, but it
works fine. Plotall makes a HPGL-file of your drawing; this is readable
or importable into most graphic packages...

Here's how-2:
On the dos-prompt: plotall <schematic> <plotfile> /q
Extensions on the plotfile will always be .000, regardless of what you
specify. /q prevents plotall from spilling loads and loads of
intermediate garbage onto your screen....

Success.

299. Re: Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <3708C130.D166B850@hamradio.org>
Source record: 86403

The EIA standard is #10-32, but there are some commercial racks (I know GE used them) that take #10-24. I would guess that #10-32 is your best bet - try one first before you buy a lot or them.

Hope this helps,

Al - K8EUR

OCEANRADIO wrote:

> Does anyone know the thread size for standard rack panel screws?
> I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.

300. Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708bdad.14332129@news.earthlink.net>
Source record: 86404
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Amateurs Protest Swatch Co. Intrusion on 146 MHz

URGENT!! Pass the word around on this one!

See: http://rob.carlson.org/swatch-protest

So I guess most hams are sleeping through this one?

OK, FYI, you can refer people quickly to go directly to:

http://www.swatch.com/beatnik/mission.php3?id=3

and then see http://www.swatch.com
for the overview of this awful travesty!!

What a disaster!

On 4 Apr 99 at 18:32, Dinelli, wrote:

> Go to http://www.swatch.com
>
> Click on Beatnik Mission in the center of the page
>
> In the left frame, click on Beatnik Mission
>
> In the right frame click on "3"
>
> You will find the following:
>
> <clip>
> The Beatnik will transmit the selected messages in the following bands:
>
> 145.800 to 146.000 MHz
>
> Thus allowing radio-rads worldwide to listen to your voice. You will be
> able to catch both voice and text messages (in the form of HTML pages) ;
> but hey, if you are not a radio-freak, you do not have to worry. You
> will be able to follow the Beatnik and its messages live right here on
> the tracking section of the website. <end clip>
>
> 73 de Mike, N9BOR
> FISTS NR 4594
> http://www.qsl.net/n9bor

> > To: Dinelli, Michael
> > Subject: RE: fwd Amateur boycott

> >
> >
> > WHERE does it say what frequencies they will be using?
> >
> > I can't find it!!
> >
> > On 4 Apr 99 at 16:51, Dinelli, wrote:
> >
> >
> > > That's what I thought too until I looked at the Swatch website. Take a
> > > look for yourself. http://www.swatch.com/
> > >
> > > 73 de Mike, N9BOR
> > > FISTS NR 4594
> > > http://www.qsl.net/n9bor

> > > > On 4 Apr 99 at 16:27, N5AIT wrote:
> > > >
> > > > > I received this through a local radio net and thought it
> > > > > important enough to pass along here. After all, you COULD be
> > > > > on two meters with a boatanchor!
> > > > >
> > > > > 73, Al N5AIT
> > > > > modsteph@acs.eku.edu
> > > > >
> > > > > -------- Original Message --------
> > > > > Subject: [ARES-RACES] Amateur operators to boycott Swatch AG
> > > > > Date: Sat, 3 Apr 1999 21:25:57 -0500 (EST)
> > > > > From: Rob Carlson <rcarls2@gl.umbc.edu>
> > > > > Reply-To: Rob Carlson <rcarls2@gl.umbc.edu>
> > > > > Organization: University of Maryland Baltimore County
> > > > > To: 2m@qth.net, ares-races@qth.net
> > > > >
> > > > > Dear editors, Loop readers, list readers, and assorted
> > amateur friends,
> > > > >
> > > > > Over the past week I have received an incredible response
> > to my query in
> > > > > the Hudson Division's Hudson Loop newsletter about a curious
> > > > > advertisement on the Swatch web-site. To help advertise
> > their new brand
> > > > > of "Swatch time" watches, they appeared to be launching a satellite
> > > > > which would broadcast the voice messages of web readers
> > into space and
> > > > > back to earth over radio on the frequencies from 145.800 to
> > 146.000 MHz.
> > > > >
> > > > > Thanks to the excellent researching skills of Stephan
> > Anderman, K2SMA,
> > > > > and Rick Lindquist, N1RL, I've discovered that Swatch in cooperation

> > > > > with the Russian space authorities have decided to use the two meter
> > > > > Amateur band for direct advertising via the "Beatnik" satellite (a
> > > > > mini-Sputnik and AMSAT-FR project formerly to be known as
> > RS-19) across
> > > > > the entire world.
> > > > >
> > > > > According to AMSAT-France, during the construction of the
> > satellite, the
> > > > > Russian space center had made a separate commercial
> > contract with the
> > > > > Swatch watch company to put its messages on the satellite. This was
> > > > > done in spite of AMSAT objections and contractual
> > agreements with them
> > > > > not to put commercial advertising content in the digital messages.
> > > > > AMSAT-FR couldn't back out of their own contract and had to
> > forward the
> > > > > parts on to the space center.
> > > > >
> > > > > Riley Hollingsworth, K4ZDH, is doing his best to crack down on
> > > > > unlicensed
> > > > > and unbecoming operations within the jurisdiction of the
> > FCC, but soon
> > > > > an egregious violation of the non-commercial status of amateur radio
> > > > > will begin taking place just a few miles above our heads
> > when our two
> > > > > meter band is filled with advertisements for the latest
> > Swatch watches.
> > > > >
> > > > > Bernard Pidoux, F6BVP, writes that we should do our best to
> > ignore the
> > > > > satellite and not do anything to assist Swatch, such as tracking and
> > > > > publishing the Keplerian elements of this rogue mini-sat.
> > I completely
> > > > > agree, but I believe it's necessary to go even further than that.
> > > > >
> > > > > Just as we've successfully done in response to Little LEOs and APCO
> > > > > proposals in the past, it's time for amateur operators
> > around the world
> > > > > to let Swatch AG and the Russian space program know just
> > how precious
> > > > > our bands are to us.
> > > > >
> > > > > The first step is a comprehensive boycott of Swatch
> > products. If you
> > > > > were considering the purchase of a Swatch watch for you or
> > someone else,
> > > > > please take a moment to consider some of the other watch
> > manufacturers
> > > > > who are not stealing away ham frequencies.
> > > > >

> > > > > Next is to write a letter off to the Swatch company
> > explaining why you
> > > > > made your purchase decision away from their products, and
> > how you feel
> > > > > about this intrusion on the amateur bands. Use this
> > address from their
> > > > > web-site registration as a starting point. If anyone knows
> > the name of
> > > > > particular individuals within Swatch that the letters could be
> > > > > personally addressed to, please let me know.
> > > > >
> > > > > Swatch AG
> > > > > Jakob-Stampfli-Strasse 94
> > > > > 2504 Bienne
> > > > > CH
> > > > >
> > > > > As I understand it, the Russian space center will be able to upload
> > > > > voice data in ten message batches, so it's possible that
> > under pressure
> > > > > from Swatch, they could "pull" these commercial
> > advertisements off the
> > > > > ham bands at any time during the 30 day life, even while
> > the satellite
> > > > > is still operational. This is all the more reason to make
> > it clear to
> > > > > Swatch how strongly the amateur community feels about this
> > issue right
> > > > > now!
> > > > >
> > > > > Also, if you come across any amateur's page this month
> > containing the
> > > > > Keplerian data or any mention of the Sputnik-99, let them know what
> > > > > Swatch is doing and encourage them to remove them as soon
> > as possible.
> > > > >
> > > > > I'll be maintaining a web site concerning the latest news in this
> > > > > problem
> > > > > at http://rob.carlson.org/swatch-protest, which will start with this
> > > > > letter. More news will be posted here and placed on the
> > web site as I
> > > > > hear about it. If you have any information, please feel
> > free to e-mail
> > > > > me at rcarls2@umbc.edu or kc2aei@amsat.org, or call me at
> > (410) 455-3192
> > > > > at any time.
> > > > >
> > > > > Please forward this message as necessary so that we can
> > inform as many
> > > > > amateur operators worldwide as possible about this problem.
> > > > >

> > > > > 73 and good luck,
> > > > > Rob Carlson, KC2AEI
> > > > > rcarls2@umbc.edu

301. Re: Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Wayne Hertel <whertel@fn.net>
Message-ID: <3708C257.472F54DF@fn.net>
Source record: 86405

Depends on who made the rack and what its intended use was. I have two
cabinets that use 10-32 screws. Had an open relay rack that used 12-24
if I recall right. Easiest way is to try a couple of different sizes;
most likely 10-32 though.

Wayne

OCEANRADIO wrote:
>
> Does anyone know the thread size for standard rack panel screws?
> I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.

302. More on Swatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708c1fc.15435213@news.earthlink.net>
Source record: 86406
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

See also:
http://perens.com/Articles/Swatch.html

>Amateurs Protest Swatch Co. Intrusion on 146 MHz
>
>URGENT!! Pass the word around on this one!
>
>See: http://rob.carlson.org/swatch-protest

303. FS: huge tube Air Force Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: olds98@together.net
Message-ID: <7eajgfqdh1@nnrp1.dejanews.com>
Source record: 86407

For Sale-

any interest in a large- approx 2'deep x 4' high x 30" wide
unit believed to be a transmitter from recently closed Air
Force base at Plattsburgh NY (found 10 miles away). It is in a grey
heavy metal cabinet with slide out chassis-appears to be late 50s
and uses 809 (?) tubes as well as 12ax7s, 6v6s etc. It is in excellent
condition with no dents, corrosion etc., operational condition unknown.
Prefer local pickup as it is Very heavy.
Price is $250- probably incredibly expensive when new.

Please email directly if interested. thanks, Roger Anderson VT

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

304. Re: FS: BIG BOOKS; few left

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <11017-3708BC43-1@newsd-123.bryant.webtv.net>
Source record: 86408

Thanks to all who purchased books. A few are left at $3 each + book rate shipping.

Transmission Networks & Wave Filters 1929, 470 pages, heavy duty math formulas and diagrams.

The Engineer in Society, John Mills
1946, 196 pages,somewhat philosophical

Time Bases - scanning generators 1945
200 pages, math, diagrams, formulas

145 Solutions to Process Problems 1931
254 pages, mostly industrial applications

FM Magazine Jan-June 1945 BOUND

FM Magazine June-Dec 1945 BOUND

ARRL Handbook, 1995 good condition

##

ALL OF ABOVE for $10 + #16 book rate postage from 15845

Really need to get rid of some stuff...hate to burn books. Thanks for the help!

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

305. Re: Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: adykes@panix.com
Message-ID: <7eah1e$1lm$1@panix3.panix.com>
Source record: 86409

The EIA racks I'm buying now for computer rooms are tapped 12-24.

In article <3708C130.D166B850@hamradio.org>,
Al Dolgosh <al.dolgosh@hamradio.org> wrote:
>The EIA standard is #10-32, but there are some commercial racks (I know GE used
>them) that take #10-24. I would guess that #10-32 is your best bet - try one
>first before you buy a lot or them.
>
>Hope this helps,
>
>Al - K8EUR
>
>OCEANRADIO wrote:
>
>> Does anyone know the thread size for standard rack panel screws?
>> I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.
>
>
>

--
Al Dykes
----
adykes@panix.com

306. ATTN: Riley Hollingsworth, K4ZDH Re: Swatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708c551.16287632@news.earthlink.net>
Source record: 86410
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Hey there, Riley Hollingsworth, K4ZDH!!

How about contacting SWATCH for us? (Grin!)

Maybe you could go on the air on 145.8 with a few KW and warn them!

On 4 Apr 1999 01:16:05 GMT, jeffreyh@Hawaii.Edu (Jeffrey Herman)
wrote:

>Distributed to .misc, .policy, and .space. Follow-ups set to just .policy.
>
>Jeff WH6U
>--
>
>http://wmbc.umbc.edu/rob/swatch-protest/
>
>From Rob Carlson:
> Dear editors, Loop readers, list readers, and assorted
> amateur friends,
>
> Over the past week I have received an incredible response
> to my query in the Hudson Division's Hudson Loop newsletter
> about a curious advertisement on the Swatch web-site. To
> help advertise their new brand of "Swatch time"
> watches, they appeared to be launching a satellite which
> would broadcast the voice messages of web readers into space
> and back to earth over radio on the frequencies from 145.800
> to 146.000 MHz.
>
> Thanks to the excellent researching skills of Stephan
> Anderman, K2SMA, and Rick Lindquist, N1RL, I've discovered
> that Swatch in cooperation with the Russian space authorities
> have decided to use the two meter Amateur band
> for direct advertising via the "Beatnik" satellite (a
> mini-Sputnik and AMSAT-FR project formerly to be known as
> RS-19) across the entire world.
>
> According to AMSAT-France, during the construction of the
> satellite, the Russian space center had made a separate
> commercial contract with the Swatch watch company to put
> its messages on the satellite. This was done in spite of
> AMSAT objections and contractual agreements with them not to
> put commercial advertising content in the digital messages.
> AMSAT-FR couldn't back out of their own contract and had

> to forward the parts on to the space center.
>
> Riley Hollingsworth, K4ZDH, is doing his best to crack down
> on unlicensed and unbecoming operations within the jurisdiction
> of the FCC, but soon an egregious violation of the
> non-commercial status of amateur radio will begin taking
> place just a few miles above our heads when our two meter
> band is filled with advertisements for the latest Swatch
> watches.
>
> [snip]
>
> From the SWATCH website:
> http://www.swatch.com
> We are collecting your written and voice messages (.wav)
> format to put them on our Beatnik satellite.
>
> Once in orbit, the satellite will transmit a selection of
> them to a worldwide audience (and beyond...) Voice messages
> have to be maximum 7" long or 0.08 of a Swatch.
> (sorry guys, there's not a lot of room in space...) while
> text messages can be up to 130 characters long. You can talk
> about anything you want; your mum, your boy/girlfriend, your
> latest project, how much you would like to go into space to
> discover new, sexy, friendly life forms, as long as the message
> contains the word "BEAT" it could be selected. Don't forget,
> we don't really know who is going to be listening out there,
> so help us give a good impression of the people living on
> our blue planet...
> Before sending us your messages, take time to check out our
> rules and regulations, to make sure that you are on the right
> side of interstellar laws.
>
> In the month of April, on a date to be defined that we will
> communicate on these pages, a fearless crew of Cosmonauts
> will be launching the Swatch .Beatnik loaded with a selection
> of your intergalactic messages into orbit from the MIR space
> station. The Beatnik will orbit earth and you will be able
> to track it around thanks to the pioneering technology of our
> website.
>
> Check out this space (no pun intended) for further information
> and more space-connected goodies.
>
> The Beatnik will transmit the selected messages in the
> following bands:
>
> 145.800 to 146.000 MHz
>
> Thus allowing radio-rads worldwide to listen to your voice.

> You will be able to catch both voice and text messages (in
> the form of HTML pages) ; but hey, if you are not a radio-freak,
> you do not have to worry. You will be able to follow the Beatnik
> and its messages live right here on the tracking section of
> the website.
>
>---
>submissions hiham@qth.net

307. Re: [amsat-bb] (Fwd) Well, Maybe One More!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708c6c7.16662212@news.earthlink.net>
Source record: 86411
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Ah the quick buck again, eh?

Ham radio did fine without Swatch for decades Mike!

Sponsorships and "partnering" (i.e. being in bed with) commercial
concerns will NOT benefit amateur radio long-term.

Remember it is AMATEUR radio - not PAID COMMERCIAL radio.

Anyone agree?

On Mon, 05 Apr 1999 07:55:50 -0400, "KF4FDJ (Mike in Ft. Myers, FL)"
<seven77@gate.net> wrote:

>Rob,
>
>As a matter of fact, I have been a large fan of both public radio and
>public television. You will notice that this partnership has increased
>the caliber of both entities over the years. What were once basement
>and local productions have evolved into some of the best, if not the
>best programming available on the airwaves. What is the tradeoff? At
>the top of the hour, the underwriting entity (read commercial concern)
>is allowed a few seconds to "advertise."
>
>Now we have a fairly benevolent corporation, willing to underwrite an
>amateur satellite. The caveat? The word "beat" will be included in
>some cosmic chatter from some real kids, real citizens. Harmless, and
>controlled.
>
>The unit is based on the same bus as the previous mini-sputniks. The
>voice controller contains static chips. The messages will NOT be
>dynamically altered every 24 hours as your web site seemed to report.
>Once the messages are burned into the chips, although capable of being
>"cycled," are static. New "commercials" will NOT be uploaded to the
>bird.
>
>Scanning my prediction sheet for the next pass of a usable bird, I have
>some time to pen this missive. I see a constellation of aging birds,
>with some literally ready to fall from the sky. I for one would welcome
>a symbiotic relationship with commercial concerns if it meant putting
>MORE amateur technology into space. It would have to be done
>tastefully, carefully, and with approval of the ITU.
>
>Bullying tactics will only serve to alienate any commercial concerns who
>have ever toyed with the idea of partnering with the amateur community.

>Let's take a tempered approach in dealing with this issue, and welcome
>dialogue from the private sector. Metered, sensible dialogue may well
>pave the way for an entire constellation of amateur satellites,
>underwritten by corporations, whose PRIMARY mission is an amateur
>payload.
>
>Knee jerk responses will only sully our reputations further. Open minds
>will usher the amateur space program into the 21st century.
>
>73, Mike in Fort Myers
>
>
>Rob Carlson wrote:
>> In my opinion, it's a slippery slope when we as amateurs start to be
>> underwritten by corporations. It's only a matter of time before the good
>> faith becomes a contract, and the contract becomes an obligation. Listened
>> to National Public Radio lately? What started out years ago as very
>> tasteful brief mentions of corporations and grants used to support the
>> show has expanded into what amounts to 45 or 60 second advertisements for
>> those companies, replete with contact numbers, web pages, slogans and God
>> knows what else. I have visions of the same thing happening to amateur
>> radio, if the bands aren't just out and out stolen first.
>
> __\/__
> | . / ^ _ \ .
> | |\| (o)(o) |/|
> ^ --- * -----------------.OOOo--oo--oOOO.------------------- *
> ||| | | * Mike Gilchrist - KF4FDJ ..... AMSAT Area Coordinator *
> |X| | | * P.O. Box 763 .... AMSAT member #31884 *
> [X]~~~|k| * Fort Myers, FL 33902 .... ARRL member #1781549 *
> / \ |f| * http://www.gate.net/~seven77 telephone 941.772.7907 *
> | | |4| * kf4fdj@amsat.org .... EL96ap *
> | P | |f| * I.S. Professional ..... CNA .... Computer Consultant *
> | 3 |=|d| * AO10, AO27, FO20, FO29, RS13, RS15, MIR, E Layer *
> | D | |j| * Bringing Oscar demos to the Lee County Schools. *
> |_____|=| | *
> /*X*\ | | * Black holes were created when God divided by zero. *
> ________|_|_______________________________Oooo._________________________
> .oooO ( )
> ( )) /
> \ ((_/
> _)

308. Re: [amsat-bb] (Fwd) Well, Maybe One More!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708c5ca.16408624@news.earthlink.net>
Source record: 86412
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.boatanchors

On Sun, 04 Apr 1999 21:33:36 -0400, "KF4FDJ (Mike in Ft. Myers, FL)"
<seven77@gate.net> wrote:

>Woah, wait a minute! I've looked at the web site. I've thought about
>the prospects. At best, I can see how you might find it distasteful,
>from a satellite op/ham operator point of view. However, I see nothing
>illegal, or for that matter wrong with Swatch sponsoring a satellite.

Sponsoring???

Next thing you know Burger King will be putting ads on every ham's 75m
SSB transmission, like a roger beep at the end of every transmission!

We have about as much use for your COMMERCIALS ON THE HAM BANDS idea,
as a FISH has use for a BICYCLE!!

Mike, we can soon kiss amateur radio goodbye if you, Swatch and the
Russian Pirates get your way!

309. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: BOB URZ <sound@inetnebr.com>
Message-ID: <3708E894.C62E6DA7@inetnebr.com>
Source record: 86413
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Wow, some one must own stock in WD 40! In the Pro audio world, the caig cramolin r5/d5 is defiantly the way to go. I would not get caught dead spraying
WD 40 in an expensive mixing board. Leaves too much residue. I have seen boards with "customer repaired" using WD 40 with puddles of goo inside. A good
cleaner should clean and preserve. This leaves out just alcohol or other straight
petroleum products. If you clean a control in this matter, it will soon be noisy again.

Notes on cleaning switches:
If the switch is a knife type with a steel case, try to pry the back cover up to
expose the end of the switch slider. Put the switch in a vertical position and spray
D5/R5 in and work the control for 1 minute or so.
If the switch is a sealed plastic type..Do this only if there is no other choice.
Get a small shafted pencil soldering pencil. Burn a small hole with the pencil in
the back of the control. Make sure you work the control back and forth so none
of the melted plastic jams the control. Spray D5/R5 in the new hole. You then can
seal it with a dab of silicone sealer or equiv.

Ron Harshbarger wrote:

> What's the best way to clean contacts inside push button switches? The
> actual slide surface is not visable but there are holes in the case that
> would allow a spray nozzle extension to be pushed in...
>
> 73
> Ron H. K3PID

310. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Chris Broadbent <xcfb@bga.com>
Message-ID: <7eairghfl1@galaxy.us.dell.com>
Source record: 86414
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

Sir wrote in message <37088CFB.75AF@sir.com>...
>Steve wrote:
>> Then why are you on rec.radio.swap ?
><SNIP>
>
>I'm NOT.

Well, Sir, actually you are - check your newsgroup post list. In all fairness, I guess you inherited the post list by responding to someone.

Cheers,

Chris
NOTE: Remove the x in my reply address (xcfb@bga.com) if you wish to email me.

311. Re: *** How do you remove "DIODES"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Don Vosper <don@vosper.freeserve.co.uk>
Message-ID: <7eaj8uftt1@news6.svr.pol.co.uk>
Source record: 86415

I am a diode remover of some 20 years experience an I can assure you that it is a poorly paid trade.
As there are only two wires on a diode it is one of the easiest components to remove.
The skill is to remove the correct one without destroying the pcb (if it is on one). It is best to have a few of the correct ones and one or two of the wrong one just in case. Just cut it off with a pair of fine cutters and clean the hole out with a desoldering tool
Don

312. FA: Collector's Minto Swan Mark II Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3708DA87.B984428C@cfu.net>
Source record: 86416

See ebay.com item # 87081673 till 4/11. Tks es 73!

313. gear for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <cY4O2.627$%K3.2704@news.megsinet.net>
Source record: 86417
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

atlas 210x with slide in console 80-10 meters very good condition...$225.00

index labs qrp plus qrp hf transceiver....$225.00

thanks jack n9iif

314. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708ea17.25703200@news.earthlink.net>
Source record: 86418

PT Barnum was right!

Sorry Joe - ya play a great guitar, but that price tag has just GOTTA
GO!!

On Mon, 05 Apr 99 01:57:16 GMT, wetartie@ix.netcom.com (KB3PT) wrote:

>On 4/4/99 7:45PM, in message <3707F98C.4F0C@iland.net>, JM <jmul@iland.net>
>wrote:
>
>> > On 4/3/99 6:12PM, in message <7e678j$71e$1@autumn.news.rcn.net>,
>> > "CommQuart" <commquart@erols.com> wrote:
>> >
>> > > Gaaaa! I was checking some of the closed
>> > > eBay Hallicrafters auctions and stumbled
>> > > across item 78133312. A Hallicrafter SX-115
>> > > that had a closing price of $4150!
>
>>KB3PT wrote:
>> >
>> > Once again, P.T. Barnum was absolutely correct.
>> >
>> > -bill
>> > KB3PT
>
>> The SX115 was purchased by WB6ACU Joe Walsh, a guitarist with the rock
>> group The Eagles. Joe once had a hit song called Life's Been Good To Me
>> So Far, and apparently that is true, but there were several bids close
>> to what was paid.
>
>Congratulations to Joe; he's sure to enjoy his new SX-115!
>
>Of the past six SX-115 receivers for sale (found in a "past" search using
>DejaNews), the *asking* prices by their sellers were as follows:
>
>$650, $800, $750, $800, $895, $695
>
>"Take It To The Limit" was also an Eagles hit, apparently true here also.
>A few hits by Elvis <pre-eBay!> come to mind at the moment, including...
>"Too Much", "I Got Stung", and "A Fool Such As I". <g>
>
>-bill
>KB3PT
>
>

>

315. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708ea6c.25788910@news.earthlink.net>
Source record: 86419

On Mon, 05 Apr 1999 01:51:24 GMT, "Jeanette D. Walton"
<jdwalton@home.com> wrote:

>But did you see this three weeks ago "Vintage Ham Gear" - It was an
>SX115 and (I think) HT37 and went for around $300. Had the seller
>properly identified the goods ...

Huh? Where?
Where did you see that?

I think some of these eBay auctions may be somehow bid up by people
falsely to trick wealthy buyers into paying these absurd prices.
Isn't that possible?

316. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Irv Finkleman <finkirv@cadvision.com>
Message-ID: <3708ECFC.A9F5F44E@cadvision.com>
Source record: 86420
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Never had any "gummy residue" problems with WD-40.

Irv

Mike Monett wrote:

> Irv Finkleman wrote:
> >
> > WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
> > Factory Service Tech and it beat everything else.
> > Irv VE6BP
>
> [...]
>
> Good Stuff! I find it works wonders on pots also.
>
> Some people have mentioned a conern about gummy residue buildup.
>
> Have you noticed any problems, or had units returned later because of
> WD-40?
>
> Best Regards,
>
> Michael R. Monett,
> Automated Production Test
> mailto:add@csolve.net

317. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3708eb81.26065405@news.earthlink.net>
Source record: 86421
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

On 05 Apr 1999 04:31:11 PDT, k9uwa@cris.com (John Goller, K9UWA)
wrote:

>I tried about 2 months ago to REGISTER as a BIDDER for Yahoo as
>there was one radio I was interested in...tried TWICE...and they
>never did send me an authorization or however they handle it!
>Guess they don't really care if their auction works or not...
>really great help for hteir sellers!

It worked for me with no problem...

You must have done something wrong

*** GIGO !! ***

318. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <3708F074.B031BF9C@netdoor.com>
Source record: 86422
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

The cleaner from radio shack is pretty good #64-4315 or the other one
64-4320. I can't see that one is any better than the other. the 64-4320
costs a dollar more.

Butch KF5DE

CommQuart wrote:

> Caig brand DeOxit.
> Pricey, but small can goes long way.
>
> Ron Harshbarger wrote in message ...
> >What's the best way to clean contacts inside push button switches? The
> >actual slide surface is not visable but there are holes in the case that
> >would allow a spray nozzle extension to be pushed in...
> >
> >73
> >Ron H. K3PID
> >
> >

319. Re: *** How do you remove "DIODES"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Jeff Kilgore <kilgore@dev.tivoli.com>
Message-ID: <3708CDCE.645982B1@dev.tivoli.com>
Source record: 86423

Usually the easiest and quickest way is to simply clip one of the diode
leads.

73,
Jeff, KC1MK

JHulet wrote:
>
> Hello,
>
> I am wondering what is involved in removing diodes? Say if someone was to
> modify a radio and it required a couple of diodes to be removed.... First,
> what tool would be used and what special features would one want in this tool?
> What is the "hard" part in removing the diodes? Is is just a matter of using a
> fine tip soldering iron and heating the diode contacts and removing the diode?
>
> Is seems that so many modifications out there today require the removal of
> diodes that I am considering learning the trade...
>
> Thanks again for any light you can shed on the subject...
>
> Jason S. Hulet
> W1WOW

320. WTD: Manual/Schematic for Heathkit IO-102 Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7eb0ao$61l$1@nnrp1.dejanews.com>
Source record: 86424

Need a manual and/or schematic for the Heathkit model IO-102 oscilloscope.

Will pay copying/postage charges.

Please e-mail if you can help!

-Marty KI0LO
martyt@pobox.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

321. Re: what is a Collins 30l-1 "worth"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3708FB78.28C1@ix.netcom.com>
Source record: 86425

William J. Graham wrote:
>
> what is a reasonable price for a Collins 30L-1?
>
> I'm being offered one but would like to have some idea what
> is a fair price.
>
> I haven't seen on on the newsgroup or the BA reflectors to
> get an idea that way.
>
> tnks for any inputs
>
> 73
>
> Bill N5LMX
> dl278@cleveland.freenet.edu
> --
> Billy (Rev) Graham (N5LMX/DA1WG)
> "Growing older but not up!"- J. Buffett
$400-500

322. Heathkit IO-4560 Schematic Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: datapro1626@my-dejanews.com
Message-ID: <7eb3o5$96j$1@nnrp1.dejanews.com>
Source record: 86426

Looking for some help with an old Heathkit IO-4560 oscilloscope. I used to be a design engineer at good ol' Heathkit back in the 70's, and as such, I was recruited by my kid's science class to fix their ailing Heathkit scope. It is a model IO-4560. I don't have a schematic or a book as they bought it second hand. The problems seems to be at the low level input to the horizontal amplifiers. The drivers seem to be ok, as the dot will center when I disconnect the input to the amps.

Any help would be greatly appreciated. I only really need the schematic not the whole book.

Thanks and Regards
Don Peterson
Data Professionals
Don@D8aPro.com
925-426-8170

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

323. Heathkit IO-4560 Schematic Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: datapro1626@my-dejanews.com
Message-ID: <7eb473$9mh$1@nnrp1.dejanews.com>
Source record: 86427

Looking for some help with an old Heathkit IO-4560 oscilloscope. I used to be a design engineer at good ol' Heathkit back in the 70's, and as such, I was reruited by my kid's science class to fix their ailing Heathkit scope. It is a model IO-4560. I don't have a schematic or a book as they bought it second hand. The problems seems to be at the low level input to the horizontal amplifiers. The drivers seem to be ok, as the dot will center when I disconnect the input to the amps.

Any help would be greatly appreciated. I only really need the schematic not the whole book.

Thanks and Regards
Don Peterson
Data Professionals
Don@D8aPro.com
925-426-8170

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

324. manuals for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37090C8F.6103@sympatico.ca>
Source record: 86428

manuals for sale as follows: HT33B 11.00 dollars-HR1680 15.00 dollars
SB614 14.00 dollars SB630, 13.00 dollars-SB610 11.00 dollars MP-1
10 dollars HW-100 17 dollars, HW-101 18 dollars. plus 3.00 for ship-
ping each . all are originel.
73 VE2AMK

325. FS: Collins KWM2A plus

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Evangelos Criaris <jacurv@worldnet.att.net>
Message-ID: <37091725.11033563@worldnet.att.net>
Source record: 86429

Anyone INTERESTED in a Collins KWM2A W/115V PS, 30L Linear, Crystal Pack and Samsonite carrying cases? Serious inquires only. Also have professionaly built Heathkit HW101.
If interested send e-mail to: jacurv@att.net

WB2SMO

326. Who's the control station? ;^)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <923342572.904.13@news.remarQ.com>
Source record: 86430
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

hmmm.... not to mention there are a number of non hams sending
comments....Wonder who the station control is ? If there is one?

- WD0HCO -

327. FS Excellent copies of original National NC57 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990405160939.13110.00003677@ng-cg1.aol.com>
Source record: 86431

Hi,
I have for sale excellent copies of an original National NC57 manual. The information includes: operating instructions, alignment information, parts list, schematic drawing. The price is $6.00 per copy (includes postage in the lower 48 states). If interested, email me directly.
Thanks,
Mark S.

328. Hammarland HQ170 receiver IS SOLD - THANKS TO ALL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Larry Tucker <sts@ac.net>
Message-ID: <37091D5E.A8D2B53E@ac.net>
Source record: 86432

thanks to all that responded. The receiver is sold.

--
73 from Larry Tucker, N4KVP

329. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7eb6k8$8vh$1@autumn.news.rcn.net>
Source record: 86433
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Aa Peavy dealer told me the factory receives
quite a few damaged mixers that have had the WD40
treatment. I am not familiar with the type of slide pots used by
Peavy, but apparently WD40 will damage them.

Peter

BOB URZ wrote in message <3708E894.C62E6DA7@inetnebr.com>...
>Wow, some one must own stock in WD 40! In the Pro audio world, the caig
>cramolin r5/d5 is defiantly the way to go. I would not get caught dead
>spraying
>WD 40 in an expensive mixing board. Leaves too much residue. I have seen
>boards with "customer repaired" using WD 40 with puddles of goo inside. A
>good
>cleaner should clean and preserve.

330. Discontinued Kenwood Parts TS/830S TS/820S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Jim Temple <jetemp01@athena.louisville.edu>
Message-ID: <7eb80s$6ka$1@hermes.louisville.edu>
Source record: 86434

Hello to the list:

I am in need of the following parts which Kenwood advises are no longer
available.

1. TS-830S antenna relay, marked MX-2P. Part #S51-2409-05.
2. TS-820S 8 pin accessory plug. Part #E14-0801-05.
3. TS-820S counter alignment cable. Part #E31-0039-05.

Used is ok. Thank you for reading.

Sincerely,

Jim Temple
73, de KF4ICZ

331. Re: More on Swatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Fred <peerenbf@dma.org>
Message-ID: <IL9O2.45$3h2.11482@news6.ispnews.com>
Source record: 86435
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

What about third party traffic??? No control station??? Non-amateur message content??? Commercial content????

On a "Sputnik" amateur satellite???? I would also suggest that no ham give any parties any reports on heard signals either. Ignore the little bird. It will only live so long. Further, support no more birds by anybody else that try to pull this crap.

--
Fred

ke8tq@qsl.net
http://www.qsl.net/ke8tq
Cedric wrote in message <3708c1fc.15435213@news.earthlink.net>...
>See also:
>http://perens.com/Articles/Swatch.html
>
>>Amateurs Protest Swatch Co. Intrusion on 146 MHz
>>
>>URGENT!! Pass the word around on this one!
>>
>>See: http://rob.carlson.org/swatch-protest
>
>

332. Need Heath SB313 SW receiver manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: crdonmax1@aol.com
Message-ID: <19990405171902.18123.00002416@ng-cd1.aol.com>
Source record: 86436

I am looking for a photocopy or original manual for the Heathkit SB313 shortwave receiver produced in the 70's. If anyone has one they wish to part with, please email me at crdonmax1@aol.com.
Thanks,
Craig

333. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <370901c9.30356008@nntp.ix.netcom.com>
Source record: 86528

On Sun, 4 Apr 1999 18:12:42 -0500, "Ron Harshbarger"
<rnharsh@visi.com> wrote:

>What's the best way to clean contacts inside push button switches? The
>actual slide surface is not visable but there are holes in the case that
>would allow a spray nozzle extension to be pushed in...
>
>73
>Ron H. K3PID
>
>

WD40 use tube.

BTW This suggestion started the whole Cheek Mackey flap about 5
yrears back on the old FIDO BBS net.

Cheek Said Use it.
Mackey said Don't use it.

I been using it for over 30 years, kept my trap shut and let them
squabble.

Works for me, just retired from the radio fixit field, after 31 years,
never had a failure due to cleaning/lubeing with the stuff.

Now buying test gear here'n there, still using it.

Your mileage won't vary... LCM

334. Re: Help replacing filter caps on Hallicrafter S-120

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <370a031c.30695128@nntp.ix.netcom.com>
Source record: 86529

On Sun, 04 Apr 1999 19:25:33 -0400, Bob Sikes <rwsikes@mediaone.net>
wrote:

>Hi,
>
>As my first "boatanchor" project, I'm restoring a pretty nice S-120.
>There's not a lot wrong with it but it has a bit of a hum. I found the
>schematic and bought filter capacitors of similar values to those on the
>schematic and THEN I took off the cover to discover ...
>
>That all the filter caps are in a single unit. I looked through a couple
>of catalogs and don't see anything like this unit which has a 60, 40, 40
>and 20 mf capacitors listed on the side. It's held by a clamp at the
>base, which I loosened and see that there are wires coming out of this
>unit soldered at seemingly appropriate places on the chassis.
>
>How do I replace this thing? I've read that you sometimes put
>replacement capacitors in the shells of the original unit. Is this what
>they meant? How does this thing come apart?
>
>TIA
>
>Bob Sikes
>W1MMM
>
>

Quite messily. Try antique radio suppllies

AES 1 800 706-6789

Good Luck... LCM

335. FA: Short Wave Craft Mags 1930 -38 on EBay ends 4/11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990404214911.15599.00002531@ng-ba1.aol.com>
Source record: 86530

Go to:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86984146

the click on "view seller's other auctions" to see the rest.

336. FA: Short Wave Craft Mags. 1930 -38 on eBay ends 4/11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990404215012.15599.00002533@ng-ba1.aol.com>
Source record: 86531

Go to:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86984146

the click on "view seller's other auctions" to see the rest.

337. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <37081794.33790E63@home.com>
Source record: 86532

But did you see this three weeks ago "Vintage Ham Gear" - It was an SX115 and (I think) HT37 and went for around $300. Had the seller properly identified the goods ...

CommQuart wrote:

> Gaaaa! I was checking some of the closed
> eBay Hallicrafters auctions and stumbled
> across item 78133312. A Hallicrafter SX-115
> that had a closing price of $4150!
>
> Wow. I've watched the SX-88 receivers climb
> in value, along with the latest "darling collectable"
> the SX-62, but WOW, is this a typical price
> for the SX-115. Makes me happy the
> SX-28s were made in such abundance for the
> war effort--at least anyone who wants a true
> classic Hallicrafter can still afford that beauty!
>
> Regards
>
> Peter

338. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.040499.215716.24@vna-va14-55.ix.netcom.com>
Source record: 86533

On 4/4/99 7:45PM, in message <3707F98C.4F0C@iland.net>, JM <jmul@iland.net>
wrote:

> > On 4/3/99 6:12PM, in message <7e678j$71e$1@autumn.news.rcn.net>,
> > "CommQuart" <commquart@erols.com> wrote:
> >
> > > Gaaaa! I was checking some of the closed
> > > eBay Hallicrafters auctions and stumbled
> > > across item 78133312. A Hallicrafter SX-115
> > > that had a closing price of $4150!

>KB3PT wrote:
> >
> > Once again, P.T. Barnum was absolutely correct.
> >
> > -bill
> > KB3PT

> The SX115 was purchased by WB6ACU Joe Walsh, a guitarist with the rock
> group The Eagles. Joe once had a hit song called Life's Been Good To Me
> So Far, and apparently that is true, but there were several bids close
> to what was paid.

Congratulations to Joe; he's sure to enjoy his new SX-115!

Of the past six SX-115 receivers for sale (found in a "past" search using
DejaNews), the *asking* prices by their sellers were as follows:

$650, $800, $750, $800, $895, $695

"Take It To The Limit" was also an Eagles hit, apparently true here also.
A few hits by Elvis <pre-eBay!> come to mind at the moment, including...
"Too Much", "I Got Stung", and "A Fool Such As I". <g>

-bill
KB3PT

339. FA/ Hallicrafters SX-99

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990404225348.06280.00002500@ng-ft1.aol.com>
Source record: 86534

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=87022878
Another fine radio from my collection and the reserve is at the low end of
value stated in Fred Osterman "Shortwave Receivers Past & Present
Re-capped/aligned and was my Kitchen radio.

340. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: Solarpower1watt@Juno.com
Message-ID: <9TVN2.5027$8Y3.423223@newsfeed.slurp.net>
Source record: 86535
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

```
>>
>> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
>> Factory Service Tech and it beat everything else.

For the life of me, I don't see how anyone can have good results CLEANING
switch contacts with a petroleum based lubricant. LUBRICANT is used to
lubricate.... that is, it leaves a slick deposit to reduce friction of parts
that tend to rub together and protect parts from air and oxidation. CLEANing
solutions are designed to clean contacts; that is, remove all dirt and
residue from surfaces. This is just the opposite of a lubricant. You can't
have both unless you use extremely expensive conductive grease type materials.
WD 40 is not a good conductor. I would not want to coat small fine switch
contacts with this material.

Off-the-shelf TV tuner cleaner would be about the most easily obtainable
cleaner you might find.

Personally, I have found in 30 years radio maintenance that the most
reliable fix for an intermittent switch or pot is to replace it. Digikey is
a good source for both.

Ed WB6SAT

REPLY INFO:
============================================================
Return address modified to prevent automatic SPAM response.
TO REPLY: remove the "watt" from my return address.
============================================================
```

341. Re: FS: Kenwood TS820S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-05 00:00:00 UTC
From: jeffco-nospam@hevanet.com
Message-ID: <37081fdf.2435458@news.hevanet.com>
Source record: 86536
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap

It might be helpful to post your true e-mail addr if you would like to
actually sell something.

On Wed, 31 Mar 1999 23:35:46 GMT, "Bobby" <someone@somedomain.com>
wrote:

>Near mint 160-10 Meter transceiver with digital display, CW filter,
>operator and service manuals. Very low hours...it still has the original
>final tubes. No problems, a few documented reversable mods added from
>Kenwood and QST hints and kinks. Two BNC connectors added on back to allow
>external reciever. Asking $350. Local pickup in the Detroit MI area
>preferred. I am the second owner (non smoker) and have had it since early
>eighties.
>Bob
>KB8TL

342. GPR-90 wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3709500A.422C@sympatico.ca>
Source record: 86318

Iam looking for a GPR-90 in good shape.
73
ve2AMK

343. GONSET G66-B rcvr. wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3709508B.5C4F@sympatico.ca>
Source record: 86319

I am looking for a rcvr called Gonset G-66-B in good shape of opï¿½ration.
73
VE2AMK

344. manuals for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37095730.57A7@sympatico.ca>
Source record: 86320

conerning my manuals for sale please take note that all of these are
sold in U.S.
73
VE2AMK

345. Re: what is a Collins 30l-1 "worth"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: alkire@interval.com
Message-ID: <3709644a.1759583@news.pacbell.net>
Source record: 86321

On 5 Apr 1999 11:26:27 GMT, dl278@cleveland.Freenet.Edu (William J. Graham) wrote:

>
>what is a reasonable price for a Collins 30L-1?
>
>I'm being offered one but would like to have some idea what
>is a fair price.
>
>I haven't seen on on the newsgroup or the BA reflectors to
>get an idea that way.

I picked up one in fair condition with need of repair for about $300.
Going prices I've seen around $500.
http://www.mnsinc.com/bry/ham/boneyard.htm shows between $395 to $700 for 98.
73's
Bob WA6EJB
>tnks for any inputs
>
>73
>
>Bill N5LMX
>dl278@cleveland.freenet.edu
>--
>Billy (Rev) Graham (N5LMX/DA1WG)
>"Growing older but not up!"- J. Buffett

346. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <7ebpsc$ns6$1@news-2.news.gte.net>
Source record: 86322

I'll believe it when i see a jpg of the cancelled check, dude.

CommQuart <commquart@erols.com> wrote in article
<7e678j$71e$1@autumn.news.rcn.net>...
> Gaaaa! I was checking some of the closed
> eBay Hallicrafters auctions and stumbled
> across item 78133312. A Hallicrafter SX-115
> that had a closing price of $4150!
>
> Wow. I've watched the SX-88 receivers climb
> in value, along with the latest "darling collectable"
> the SX-62, but WOW, is this a typical price
> for the SX-115. Makes me happy the
> SX-28s were made in such abundance for the
> war effort--at least anyone who wants a true
> classic Hallicrafter can still afford that beauty!
>
> Regards
>
> Peter
>
>
>
>
>

347. Re: Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: sfritts@icx.net
Message-ID: <3709769a.12662054@news.icx.net>
Source record: 86323

On Mon, 5 Apr 1999 21:28:42 -0500, "Bill Bird" <billbird@mo.net>
wrote:

>Even though I built my own Allied Knight Kit Star Roamer Short Wave receiver
>with my Dad's help many years ago I somehow lost the manual. My unit has a
>very loud hum and I would like to repair it. I am thinking of replacing the
>large multi-capacitor component with several capacitors of correct value. I
>was wondering if anyone knew if the Star Roamer can receive CW since I know
>Morse code now. Also if you have an idea about the hum please let me know.
>It is loud and unaffected by the volume control.
>
>Thanks.
>
>Bill

Sounds like a bad filter cap. Those with the high voltage ratings are
hard to find now it seems. Probably need at least250-400 Volt range.
Good luck,

Steve
>
>billbird@mo.net
>
>
>
>

348. Need xformer for SB-614

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: ajh1239@aol.com
Message-ID: <19990405225504.11424.00003343@ng32.aol.com>
Source record: 86324

I need to replace or perhaps have repaired the xformer for an SB-614 monitor scope. The 800 volt secondary is open. Anyone know of a xformer for sale or someone who rebuilds em? John K6KOI

349. RE: FOUND ARRL SITE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: radiotube@aol.com
Message-ID: <19990405231253.01975.00003279@ng61.aol.com>
Source record: 86325

Thanks for all the Emails pointing back to the ARRL site. I had it bookmarked
and some how it changed from org. to html.
Mario
KC2CKD 73's

350. Re: Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <370b7cfa.41256055@nntp.ix.netcom.com>
Source record: 86326

On Mon, 5 Apr 1999 21:28:42 -0500, "Bill Bird" <billbird@mo.net>
wrote:

>Even though I built my own Allied Knight Kit Star Roamer Short Wave receiver
>with my Dad's help many years ago I somehow lost the manual. My unit has a
>very loud hum and I would like to repair it. I am thinking of replacing the
>large multi-capacitor component with several capacitors of correct value. I
>was wondering if anyone knew if the Star Roamer can receive CW since I know
>Morse code now. Also if you have an idea about the hum please let me know.
>It is loud and unaffected by the volume control.
>
>Thanks.
>
>Bill
>
>billbird@mo.net
>
>

The hum is indeed filter caps (well Most likely anyhoo)

The radio will do CW, that's what the BFO switch and control is for.

Gotta fix the Hummm first tho..

Good Signals... LCM

351. Re: Collins 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990406004330.13467.00002754@ng-fw1.aol.com>
Source record: 86327

If it's without the speaker and it has a cabinet (most have only a dust cover) and has all three mechanical filters, I think it's worth about $800. It's arguably one of the finest receivers Collins ever made.

W3DEF

352. FA: Drake NB-7 noise blanker (last day)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7ec4lo$fhj@sjx-ixn5.ix.netcom.com>
Source record: 86328
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

24 hours left.....

I've placed a Drake NB-7 noise blanker on ebay. Follow this path:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85052596

or go to :

http://pages.ebay.com/aw/search.html

and type 'ku9c' in the seller search.

tnx, 73!
Steve KU9C

353. FA: Kenwood VS-2 voice synthesis board (last day)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7ec4ph$flp@sjx-ixn5.ix.netcom.com>
Source record: 86329

Last 24 hours....

I've placed a Kenwood VS-2 voice synthesizer module on EBay....follow this
link:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=85074758

--
Steve KU9C

354. WTB: 51J-4 Volume knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <37099f8c.7687114@news.znet.com>
Source record: 86330
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I need a knob like shown at
http://www.znet.com/~wa6fec/knob.jpg

To email remove nospam and replace with sd

TIA,
Walt....
Wally's Wacky World
http://www.znet.com/~wa6fec

355. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Ed Price <edprice@pacbell.net>
Message-ID: <3709B422.1F63@pacbell.net>
Source record: 86331
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Ed wrote:
>
> >>
> >> WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
> >> Factory Service Tech and it beat everything else.
>
> For the life of me, I don't see how anyone can have good results CLEANING
> switch contacts with a petroleum based lubricant. LUBRICANT is used to
> lubricate.... that is, it leaves a slick deposit to reduce friction of parts
> that tend to rub together and protect parts from air and oxidation. CLEANing
> solutions are designed to clean contacts; that is, remove all dirt and
> residue from surfaces. This is just the opposite of a lubricant. You can't
> have both unless you use extremely expensive conductive grease type materials.
> WD 40 is not a good conductor. I would not want to coat small fine switch
> contacts with this material.

> Ed WB6SAT

Ed WB6SAT:

You are generally quite right. But....

WD-40 is cheap, and the lighter, more aromatic components of it, when pressure blown onto a contact, will do a pretty credible job of cleaning oils, dust, cigarette tars and mouse piss. And most of the WD-40 will evaporate. But yes, there is an oily residue that remains. And this residue will hold airborne contaminants very well. So, the WD-40 does a good clean-up quickly, but it leaves a residue that actually accelerates future contamination.

Now, if we're talking cleaning a switch contact, we not only want to wash away the gunk, but we want to remove the metal surface oxidation and sulfides. The metal chosen for contacts are a compromise between conductivity, melting point, hardness, and oxide formation. Ideally, you would like a contact that deforms slightly, to make a wiping action when it makes and breaks, thus breaking surface oxide skins. You would also look for a metal with a soft and relatively conductive oxides. So tin is better than aluminum.

If you want to truly clean a contact, you need to either chemically etch the contact, or mechanically abrade it. And once it's clean, then you want to slather on some compound that keeps the contact wetted (submerged in a protective goop) to prevent contact with the oxygen in the air.

Most home jobs aren't critical enough to go the full contact renewal route. I usually wash with WD-40, then wash with rubbing alcohol (and remember, this also leaves an oil film). If I have to burnish the terminal, I'll wash it again with the rubbing alcohol, and follow up with a small squirt of isopropyl alcohol (no oil).

No isopropyl? Wet a cotton swab with high proof vodka.

Ed
WB6WSN

356. Re: Rack panel screw size

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Ed Price <edprice@pacbell.net>
Message-ID: <3709B60F.5043@pacbell.net>
Source record: 86332

OCEANRADIO wrote:
>
> Does anyone know the thread size for standard rack panel screws?
> I'm sure it's somewhere in the mess of books I have but I'm too lazy to look.

10-32 Pan head or truss head machine screws, with a #10 SAE flat washer.
Sometimes, a classy rack uses a teflon flat washer, or an oval head
Phillips screw with a shoulder or "cup" washer.

Carefull, as I have seen some very cheap racks use a #8 sheet metal
screw with a Tinnermann clip in the rack, and the rail holes are just
clearance drilled, but not tapped.

Have also seen some telecom racks with a larger bolt, maybe a 12-24 or
12-32?

Ed

357. Re: Collins 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: John Ellingson <johnk7os@mail.tss.net>
Message-ID: <3709B75A.A1787B6E@mail.tss.net>
Source record: 86333

I bought one for 450 with the case in 9+ condition. But that was a year ago and I think that they are up in 700+ side

John K7OSK

358. FS WESTON DB Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <370beb53.2360360@news.i-2000.com>
Source record: 86334

FS Older Weston DB mneter Mod#301 Type 20 Zero Power
Level--6Milliwatts--500 ohms..$20.00+shp...the unit is working and in
vy nice shape...Bob on L. Island....Pse remove the (ns) from
my adr..Thanks....

359. Need knob from Eico 753 Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990406083842.17739.00003075@ng15.aol.com>
Source record: 86335

I am in need of 2 of the small knobs used on this rig. Anyone have a junker?

Thanks!

360. Re: Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <370A03F3.E55EB8E3@mitre.org>
Source record: 86336
Body handling: Binary attachment payload not displayed: mwhite.vcf

> >My [Star Roamer] has a very loud hum...

Probably a filter cap. Try Antique Electronic Supply at
www.tubesandmore.com for a replacement. Best of luck; those Star Roamers
are great nostalgia rigs.

[One or more binary attachments are retained only in the source text.]

361. WTB receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <vInO2.375$E4.1888@news1.iquest.net>
Source record: 86437

```
im looking for a good older rceiver.like
sx101
nc300 series
hq180
etc

preferably near indianapolis,indiana
thanks
monte k9dzd@iquest.net
```

362. FS: Hammarlund HQ-145

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "Paul W. Hansen" <pwhansen@bellsouth.net>
Message-ID: <j0oO2.2233$qc1.765@news2.atl>
Source record: 86438
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Very good condition inside and out. Operates perfectly. Includes operating clock and the "S" meter is perfect. $250.00 or offers plus shipping.

Contact: Paul Hansen
(770) 939-1320
pwhansen@bellsouth.net

--
73, Paul

363. Re: Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Allan Kaplan <akaplan@fallschurch.esys.com>
Message-ID: <370A1075.5F878F03@fallschurch.esys.com>
Source record: 86439
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

It is a great old 'scope and WELL worth the money UNLESS it needs fixing! The tube lineup is quite extensive (expensive, too!). If you buy this fine instrument, you may want to find a junker 545 (for parts) at a hamfest. Getting a manual might take some searching. I do not know about parts compatibility, but I have a TEK 541 'scope with manual (about the same age --35+) with bad HV and "good all else" that you can HAVE for the freight (not a really great deal, BTW).

As for the testing, you plug it in, turn it on, let it warm up, and adjust Intensity, Focus, and Astigmatism controls for a nice pair of traces. Play with the Vertical and Horizontal position controls, then make a connection between each of the vertical channels (one at a time) to the CAL output connector near the bottom of the panel. You should get a decent square wave trace, after which you can try the Time Base (H) and Vertical scale controls. If all this works OK, reach for your wallet! If it craps out later, you may need to junk it, tho... I'd be hard pressed to resist taking it home, if I hadn't bought a clean 475!
73 de W1AEL.

364. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7ed52jaht1@news1.rmi.net>
Source record: 86440
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

In rec.radio.amateur.equipment Ed Price <edprice@pacbell.net> wrote:
: ... I'll wash it again with the rubbing alcohol, and follow up
: with a small squirt of isopropyl alcohol (no oil).

: No isopropyl? Wet a cotton swab with high proof vodka.

Is there any other kind?

Jonesy W3DHJ

365. Central Electronics 20A and 458 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370A1C5C.7205@ix.netcom.com>
Source record: 86441
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Front panels excellent, all original knobs. Cabinets freshly painted.
I have good copies of all the manuals. $150 + shipping. Trades???
73 Chris VE3NGW/W4 Florida

366. Bird 43Wattmeter for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370A1D41.42B0@ix.netcom.com>
Source record: 86442
Cross-posted to: rec.radio.swap,rec.radio.equipment,rec.radio.amateur.boatanchors

I have 25C 100-250MHz 25W slugs. $50 each
10D 200-500MHz 10W $50 new
100B 50-125MHz 100W $50
Also a Bird Model 43 Wattmeter like new $200.
73 Chris VE3NGW/W4 Florida

367. Re: Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Brad Thompson <Brad_Thompson@pop.valley.net>
Message-ID: <370A175E.27C2@pop.valley.net>
Source record: 86443
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Will White wrote:
>
> I have an opportunity to obtain a Tek RM-45A scope for $45. It takes
> Type CA plug-ins, whatever that means.I have seen these (the scope
> itself) in Surplus Sales of NEs catalog for $175, so it looks like I may
> be getting a really good deal. Also, the unit appears to have been very
> well cared for. It came out of a university science lab just last
> January.
>
> What should I check before plopping down my money? Can anyone tell me
> what the tube line-up in this unit is? I understand that the RM-45A is
> the rack-mounted version of the 545A, so if this is correct info, that
> should mean the two models are electrically identical or at least very
> close. It is very definitely a boatanchor, at about 50 lbs. and the size
> of a window-mounted air-conditioner!
>
> This scope is more than 25 years old, so what is the price/availability
> of replacement CRTs should I need one in the future? I will check to
> make sure it has a trace before I buy it. How specifically do I evaluate
> the trace/CRT for quality/condition? Other simple tests and/or check
> points that are recommended? <snip>

Hello--

The Tek 54x scopes represent some of the finest pieces of test equipment ever manufactured. The plug-in design concept allowed Tek and a few other manufacturers considerable flexibility in designing accessory plug-ins doing everything from strain-gauge signal amplification to spectrum analysis.

The type CA plug-in was a wideband dual-channel vertical amplifier-- one of the more common and useful types. If ths scope doesn't include one, plan on spending from $5.00 to $50.00 for one, depending on where you buy it and its condition.

However, these scopes consume considerable power, are (as you pointed out) bulky and heavy, and they're well past the point where factory service and support were available.

You can still locate small-signal replacement tubes, and CRTs are also available. The real showstoppers are: range switches, power transformers electrolytic capacitors and and high-voltage transformers. That said, you can locate replacements from salvaged scopes and a few surplus dealers.

Older heavily-used CRTs exhibit 'double peaking", a condition that denotes a tube getting near its end of useful service. Check by examining the CRT's brightness as you increase the intensity-control setting-- the spot's intensity should reach a peak. If the spot brightens, dims and brightens again, you'll probably need a new CRT at some time in the future.

Makes sure that the scope's cooling fan turns freely-- lost cooling air killed a lot of these scopes.

For more info, get a copy of Stan Griffith's book "Oscilloscopes Selecting and Restoring A Classic"-- Stan worked at Tek and his book outlines differences among models and offers servie and restoration tips.

Stan's address:
Stan Griffiths, W7NI
18955 S.W. Blanton
Aloha, OR 97007

Stan's book lists several sources for components and manuals.

You should also purchase manuals-- one for the scope, and one for the plug-in. The manuals are worth buying solely as examples of good tech writing!

73,
Brad AA1IP

368. Re: Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <923413299.765.97@news.remarQ.com>
Source record: 86444

Don't forget to check the "Nut behind the Wheel" either!!! Very Important!!

369. Re: Central Electronics 20A and 458 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7edbb2ehk1@news-1.news.gte.net>
Source record: 86445
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Chris wrote in message <370A1C5C.7205@ix.netcom.com>...
>Front panels excellent, all original knobs. Cabinets freshly
painted.
>I have good copies of all the manuals. $150 + shipping. Trades???
> 73 Chris VE3NGW/W4 Florida

There's really not much demand for the old 20-A and older CE stuff -
if any want to argue the point, I have an excellent factory-built 20-A
of my own to peddle... BUT, I AM looking for a good operational VFO
for mine, preferably the commercial modification type marketed by CE
back in their day that provided the new front panel and cabinet...
This is for a nostalgia rig that won't see appreciable use, but WILL
be maintained in fully operational condition.

Gary - KJ6Q

370. FS: QST's Cheap!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7edfu2$qdb@journal.concentric.net>
Source record: 86446

QST + CQ For Sale How about 50 cent each....and quantity discounts
available....
Look over the list and E-Mail your offers:
k9uwa@cris.com
All magazines sold plus shipping from 46765 Zipcode via: US Post Office
Book Rate
QST Inventory as of 4/05/99

1955 3,4,5,6,8,8,9,11,11,12
1959 7,8,10,11
1963 #8
1964 #12
1965 2 full years + 1,1,1,2,3,3,4,5,7,9,11,12
1966 1,1,1,2,2,3,3,4,4,5,5,6,6,7,8,8,8,9,9,10,10
1967 2 full years + 2,4,5,5,6,6,6,7,7,8,8,9,12
1968 1,1,2,2,2,3,3,3,4,5,6,6,7,7,8,8,9,10,12
1970 2,3,4,5,7,8, 8,9,9,10,11
1971 1,1,2,2,3,3,3,4,4,4,4,5,5,5,6,6,7,7,8,9,12,12
1972 full year + 3,4,4,5,5,6,6,7,10,11
1973 1,1,2,2,3,3,4,5,6,6,7,9
1974 2,3,4,5,5,6
1975 5,11

Large QST's
1977 2,4,5,8,10,11,12
1978 8,10,12
1985 3,3,6,7,8,8,9,10,11,12,12
1986 1,1,2,2,3,3,4,8,10,11
1987 1,1,5,6,7,8,9
1988 full year + 1,2,3,4,5,6,7,8,9,11,12
1989 #1,5
1991 2,3,4,5,6,9,10,11,12
1992 #6
1993 6,11,12
1994 1,2,3,5
1995 7,8,9
1996 5,6,7,7,8,8,8,9,9,10,10,11,11,12
1997 2 full years + 2,3,4,5,7,10,12,12
1998 full year + 1,2,3,4,6,7,8,9,10,11
1999 1,2,3,4

CQ 1998 full year

371. PACE LANDMASTER II manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Tom Frazer <frazer@mail.dec.com>
Message-ID: <7edb4c$951$1@nntpd2.cxo.dec.com>
Source record: 86447

I am looking for a service manual for a PACE LANDMASTER II VHF mobil radio.
I need the diode programming information to program
a radio.

If you can help please email me at the following (remove spam)
spamtfrazer@earthlink.net

372. Huge EIMAC 6C21 tube F.S., NOS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990406133156.07233.00003459@ng151.aol.com>
Source record: 86448

Hello, I have one of these beauties still in it's spring-loaded shipping frame!
It does
take up alot of valuable space on my shelf, so let's off it for 75.00,
including shipping in continental USA.
Thank you,
Joe Pratt, Tubecntral@aol.com

373. Re: Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <370A466D.14C64B0F@teleport.com>
Source record: 86449
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Brad Thompson wrote:

>. . . [excellent advice]

> You should also purchase manuals-- one for the scope, and one for the
> plug-in. The manuals are worth buying solely as examples of good tech
> writing!

The source of manuals for older Tek instruments is Deane Kidd, phone 503-625-7363. He also has some replacement parts.

Roy Lewallen, W7EL

374. FS: New headset with mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <370a49dc.1346821@news.earthlink.net>
Source record: 86450
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.homebrew

For sale:

Headphones with boom microphone.
Jensen Model JMP-41
Headset Response is 20 Hz - 20 kHz
6' Cord with mini stereo plug.
Microphone is Low-Z Condenser type with 2.2 k-ohm impedance.
Response 30 Hz - 16 kHz

Durable and comfortable design with padded ear-pieces, ideal for
communications applications.

Brand new in box. White color.
Great for mobile HF or VHF operating. Think SAFETY!
Also great for extended rag-chews, contesting etc.
No PTT, but has standard connectors - 1/8" mini-style.
Will also work well with computers. Normally $29.95
New in box $20.00 plus shipping

375. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Bert Douglas <bertdNOSPAM@bellsouth.net>
Message-ID: <83sO2.3027$c57.998403@news2.mia>
Source record: 86451
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Don't use WD-40 on anything that is high impedance. It conducts. I once sprayed it in the guts of a marine SSB transceiver and it killed the unit. I had to bake it for days in low-temp oven before it worked again.

Irv Finkleman wrote in message <37081C2C.D2EBD0C4@cadvision.com>...
>WD-40 -- Cleans and lubes at the same time. Used it for years as a Sony
>Factory Service Tech and it beat everything else.
> Irv VE6BP
>
>Ron Harshbarger wrote:
>
>> What's the best way to clean contacts inside push button switches? The
>> actual slide surface is not visable but there are holes in the case that
>> would allow a spray nozzle extension to be pushed in...
>>
>> 73
>> Ron H. K3PID
>

376. Re: FS: Hammarlund HQ-145

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <15786-370A4441-41@newsd-124.bryant.webtv.net>
Source record: 86452

Sorry, I don't need one, but that's an excellent general coverage
receiver.

My only criticism, tongue in cheek, is that you really should have
listed it on ebay (ugh) as you are way under priced. Lo-Ball pricing
could start a PRICE WAR, and then where would all our great profits go?

..just a thought,

73,

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

377. Re: Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <15785-370A4111-63@newsd-124.bryant.webtv.net>
Source record: 86453

Eleven Meter Leenearz!!!!

Pardon me, but ain't that Sick Bird, a.k.a.
ILL EAGLE ????

Last I herd yuh cudn't even by a ten meter commercial amp in this
kuntry....

..jus wonderin',

Plum

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

378. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Joel Jacobs <jacobsj@netzero.net>
Message-ID: <5%sO2.1656$XY4.166878@newsfeed.slurp.net>
Source record: 86454
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

Ron Harshbarger wrote in message ...
>What's the best way to clean contacts inside push button switches? The
>actual slide surface is not visable but there are holes in the case that
>would allow a spray nozzle extension to be pushed in...
>
>73
>Ron H. K3PID
>
>
Most switch contacts are self cleaning if they switch enough current - the arc cleans them. However, sometimes when used in a very low current application they do get oxidized. I've had good luck by removing the switch from the circuit and putting it across a CURRENT LIMITED supply set at about an amp. Exercise the switch a few times - you'd be supprised how well it works.

Joel

379. Re: Collins 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370A718E.5D1645BE@erols.com>
Source record: 86455

Condition, condition, condition! $300-$800

Jacques Tihon wrote:

> any idea what is the value of a good operational 51J4?
>
> Jacques

380. Query on National receivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370A7639.AC5F0D2D@erols.com>
Source record: 86456

I just acquired a very nice NC-173. I don't speak National yet (being a Hallicrafters/Hammarlund person) and would like to know what the procedure is for, how do I explain.... getting it disassembled enough to clean the back of the clear-plastic front-panel tuning dial masks? It appears that, after removal of the front panel knobs, etc and removing the tuning dial guides inside the top cover, it should/may slide out the back??? Any insights will be appreciated. I don't want to step on a mine!!!

381. Re: Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370A72FB.4FD49CD7@erols.com>
Source record: 86457

Naaaa! I'd recommend push-pull CK722's!!! That, and a 400 watt
power-mic should just about do it!!

\\ wrote:

> > I would like a schematic for a 1KW linear. Tube or solid state ...
>
> >2m, 10m and 11m right away. ...
>
> Might also suggest adding taps on that tank coil for 160m and 440mhz.
> Maybe even add 1.2 ghz to take advantage of the UHF repeaters.
>
> Suggest 1625's in the final or maybe 2N107's with adequate heat sinks.
> Keep it broadbanded to avoid dipping the tank, and use GOOD heat
> sinks on those 2N107's! Don't forget a good size neutralization cap
> for the 2m band (and the 440 and 1.2 if you do those as well).
>
> Hope this helps :-)

382. WTB/WTT NC-173/173B books

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370A74BE.7EBDED4@erols.com>
Source record: 86458

I have original, as-new books on the National NC-173B. Problem is, I need a manual for the NC-173. I can get a repro from any number of sources, but I'd like to trade for or buy a "real" one. Thanks. (PS, not interested in selling the 173B books!)

383. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <370f8094.20778730@nntp.ix.netcom.com>
Source record: 86459

On Tue, 06 Apr 1999 18:07:00 GMT, "Bert Douglas"
<bertdNOSPAM@bellsouth.net> wrote:

>Don't use WD-40 on anything that is high impedance. It conducts. I once
>sprayed it in the guts of a marine SSB transceiver and it killed the unit.
>I had to bake it for days in low-temp oven before it worked again.
>
GAWD! You are supposed to spray GENTLY with CAUTION.

I can relate tho.. killed one meself bout 30 years back.

Good Signals... LCM

384. F.S. High Voltage Relays

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: John Mac Cormack <dorothy.john@ns.sympatico.ca>
Message-ID: <370A9695.5FD2@ns.sympatico.ca>
Source record: 86460

Gentelmen/Ladies,
The following Jennings relays are offered for sale.
1)1 ea RD6B-115N300 NIB $50.00
2)2 ea RE6B-26N300 used ,coil tested $50.00 ea
Prices are in U.S. Certified Cheque or Money Order please.
Please add $5.00 for postage
Regards John Mac Cormack

385. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "Curious George"@large.now
Message-ID: <371081f5.21131597@nntp.ix.netcom.com>
Source record: 86461

On Tue, 6 Apr 1999 15:06:17 -0400, "Joel Jacobs" <jacobsj@netzero.net>
wrote:

>
>Ron Harshbarger wrote in message ...
>>What's the best way to clean contacts inside push button switches? The
>>actual slide surface is not visable but there are holes in the case that
>>would allow a spray nozzle extension to be pushed in...
>>
>>73
>>Ron H. K3PID
>>
>>
>Most switch contacts are self cleaning if they switch enough current - the
>arc cleans them. However, sometimes when used in a very low current
>application they do get oxidized. I've had good luck by removing the switch
>from the circuit and putting it across a CURRENT LIMITED supply set at about
>an amp. Exercise the switch a few times - you'd be supprised how well it
>works.
>
>Joel
>

Might try that on a noncritical switch, but I just WD40'd the output
attenuator in my Hickock 191X. That I know is safe.

NO WAY I could subject such a rare component to such drastic shock
treatment. I burn that puppy I'm screwed.

Cautious Servicing... LCM

386. FA J37 Morse Key

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <370A8FDA.4689@sympatico.ca>
Source record: 86462
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

J37 Key on Ebay - have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86101963>

387. Bruce Rahn <brahn@erinet.com>

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Gene Marcus <mmarcus@hiwaay.net>
Message-ID: <370AAF81.CEE14133@hiwaay.net>
Source record: 86463

Bruce,

I'm interested in the 7D13 if you still have it.

Gene W3PM
mmarcus@hiwaay.net

388. Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <370AA678.C62B7636@seidata.com>
Source record: 86464
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

Thanks for reading this message. I am looking for information
from someone who has bought something on the news group
from an individual living in Canada. What are the import duties
or tariffs if any imposed by the US customs? I sure would hate to
buy this radio and find out that there is a 50% or more tariff on the thing!
I have not found a clear answer on the 'net.

Thanks,
Randy KB8ASO Milan, IN.

389. HQ-145X parts needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: pete owen <nutmeg@w-link.net>
Message-ID: <370AAB59.5F4DF778@w-link.net>
Source record: 86465

Anybody have a Telechron transparent cover and a tuning knob they could part with?

Thanks,

Pete

390. Question on trade duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <370AAC2F.CC6BB9AD@seidata.com>
Source record: 86466

Thanks for reading this message. I am looking for information
from someone who has bought something on the news group
from an individual living in Canada. What are the import duties
or tariffs if any imposed by the US customs? I sure would hate to
buy this radio and find out that there is a 50% or more tariff on the thing!
I have not found a clear answer on the 'net.

Thanks,
Randy KB8ASO Milan, IN.

391. Re: Help on CB to 10 Meter conversion.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Gordy Gale <ggale@postoffice.pacbell.net>
Message-ID: <370AAD37.E0A68B5@postoffice.pacbell.net>
Source record: 86467

You should post this at rec.radio.cb. They actually know all this stuff.
--
Gordy Gale

392. Help on CB to 10 Meter conversion.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <370AABD3.25E5F4F4@seidata.com>
Source record: 86468

I am thinking of converting a Sears RoadTalker 40 SSB radio
to 10 meters. It is model # 663.38100050. Is this a Uniden
(Cobra) with a Sears name on it? If so, what is the Cobra
model # for it? If not who made it and what is its equiv.
model #?
Thank you,
Randy KB8ASO Milan, IN.

393. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <370AB498.FBB29F02@teleport.com>
Source record: 86469
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

A lot of government agencies have web sites with all sorts of
information. Have you tried finding a web site for the U.S. Customs
Service?

Roy Lewallen, W7EL

Randy and Cara Randall wrote:
>
> --
> Thanks for reading this message. I am looking for information
> from someone who has bought something on the news group
> from an individual living in Canada. What are the import duties
> or tariffs if any imposed by the US customs? I sure would hate to
> buy this radio and find out that there is a 50% or more tariff on the thing!
> I have not found a clear answer on the 'net.
>
> Thanks,
> Randy KB8ASO Milan, IN.

394. FA: Drake FS-4 Synthesizer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <370abc12@nemo.idirect.com>
Source record: 86470

Hard to find item turns any Drake R line receiver into general coverage.....

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86150773

395. WTB:BC-611 & accessories.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: alanb@cloud9.net
Message-ID: <370AC318.2EB5AB2E@cloud9.net>
Source record: 86471

What have you got? Looking for BC-611's and all accessories.
Alan

396. SP 600 CABINET

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: jetfuel <wa1vqy@efortress.com>
Message-ID: <dwAO2.740$SS2.56403@news14.ispnews.com>
Source record: 86472

Does anyone have any ideas on aquiring a cabinet for a Hammarlund SP 600?
I'm a ham, so naturally I'd like to do it as cheaply as possible. Thanks.
Jeff WA1VQY@EFORTRESS.COM

397. Sylvania 216 manual needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: "J. Reid" <jcreid@ix.netcom.com>
Message-ID: <7eemsg$bms@dfw-ixnews5.ix.netcom.com>
Source record: 86473
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

Greetings all,
I picked up a neat Sylvania signal generator recently at a local swapmeet and I'm trying to locate a manual for it. It's a model 216. Looks to be early 50's vintage. Drop me a line if you can help out. Thanks in advance.

-Jim
jcreid@ix.netcom.com

398. Re: Question on trade duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <370AEA0B.F4881A7D@asu.uswest.net>
Source record: 86474

Randy:

I can't verify this, but a ham acquaintance on IRC chat who lives in Vancouver tells me that if the item is a radio, is used, and was originally *manufactured* in the US, there is no duty save a very small customs fee, less than $5 USD. He says he has sold a number of US made radio equipment to buyers in the US. If you think about it, it makes sense if it is true. US Customs has no interest in assessing a duty on an item that was made in the US. Duties and tariffs are in place to "protect" domestic companies and workers.

Your best bet is to check directly with the Customs Service. They have a good website, and have an extensive section on exports/imports, and associated duties, tariffs, and procedures. Their site is at http://www.customs.ustreas.gov/. The Postal Service may also have some info for you if you plan to have the item sent via the mail.

Randy and Cara Randall wrote:

>
>
> ----------
> Thanks for reading this message. I am looking for information
> from someone who has bought something on the news group
> from an individual living in Canada. What are the import duties
> or tariffs if any imposed by the US customs? I sure would hate to
> buy this radio and find out that there is a 50% or more tariff on the
> thing!
> I have not found a clear answer on the 'net.
>
> Thanks,
> Randy KB8ASO Milan, IN.
>

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

399. Slightly off topic, but....almost free.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904069234.AA923438484@ccmail.ghs.int>
Source record: 86475

Last call:

Computer needs ham to put it to good use.

Have an IBM Model 70 PC tower and color monitor which needs a new home. Someone who needs a practical pc for their shop or word processing purposes or just to do continuous duty with email to take the burden off your family machine. Except for lightening, I don't think you could break this one.

Will trade for a decent D-104 and stand (all metal; or the equivalent in EV) and the shipping or a decent gray military dummy load in the 500w range. Original computer cost was about $3500. Here's your chance to own a piece of the rock, IBM blue that is. :-).

73 ---

400. Knobs & switch needed for HT-33B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-06 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904069234.AA923422570@ccmail.ghs.int>
Source record: 86476

Good afternoon to the list,

I am in need of two of the fluted (late Hallicrafter style) band switch size knobs for my HT-33B. My amp came with two black SX-110/111 style knobs and just does not look right with my 32B or 115. If anyone has a pair and not married to them, please get in touch. The two I remove would then be available to anyone who needs them. Will consider substitutes if there is a way you can send an attachment .jpg with a ruler in the view.

Also need the xtal calibrator tube for the SX-101-A. and an OEM cabinet interlock safety switch for my HT-33B.

73, Doug

401. Re: How to clean contacts??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: franczabkar@ozeemail.com.au
Message-ID: <370a137e.12234110@news.ozemail.com.au>
Source record: 86337
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,sci.electronics.repair

On Sun, 4 Apr 1999 18:12:42 -0500, Ron Harshbarger put finger to
keyboard and composed:

>What's the best way to clean contacts inside push button switches? The
>actual slide surface is not visable but there are holes in the case that
>would allow a spray nozzle extension to be pushed in...

I find that Philips Contact Cleaner, 390CCS, p/n 4822 389 50125 (?) is
excellent for this purpose.

-- Franc Zabkar

Please remove one 'e' from my address when replying by email.

402. NATIONAL LF-10 PRESELECTOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <7ef97d$25s@dfw-ixnews11.ix.netcom.com>
Source record: 86338
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Would like to know if anybody out there has a National LF-10 Preselector for the HRO-500 that they would love to get rid of. I know there is one on Ebay, too rich for my blood. I know it is going to approach $250.00 (I paid that much for the radio in near perfect condition). If anyone has one that needs some TLC that they want to get rid of or one that is under $250.00 email me direct.

Thanks,

Gary bierbier@ix.netcom.com

403. Looking for LF-10 Preselector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <7ef97j$25s@dfw-ixnews11.ix.netcom.com>
Source record: 86339
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

From: GARY <bierbier@ix.netcom.com>
Subject: NATIONAL LF-10 PRESELECTOR
Date: Wednesday, April 07, 1999 2:35 AM

Would like to know if anybody out there has a National LF-10 Preselector for the HRO-500 that they would love to get rid of. I know there is one on Ebay, too rich for my blood. I know it is going to approach $250.00 (I paid that much for the radio in near perfect condition). If anyone has one that needs some TLC that they want to get rid of or one that is under $250.00 email me direct.

Thanks,

Gary bierbier@ix.netcom.com

404. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: trynorZZZ@nbnet.nb.ca
Message-ID: <7efcgi$1uc$1@garnet.nbnet.nb.ca>
Source record: 86340
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

>Thanks for reading this message. I am looking for information
>from someone who has bought something on the news group
>from an individual living in Canada. What are the import duties
>or tariffs if any imposed by the US customs? I sure would hate to
>buy this radio and find out that there is a 50% or more tariff on the thing!
> I have not found a clear answer on the 'net.

Randy:

If you live in the US and are purchasing something in Canada, only US customs may impose duties on your purchase. If the product is made in the US or if it's value us less than $50US, you will have not problems and to my knowledge, no duties will be charged. If it is not either of the above, they will asses a tax based on what it is (ie 5% or the such). You should check with them concerning this. I'm not sure on this, but there may be brokerage fees charged by the shipper to move it across the border.

Don VE9XF

405. FS: Johnson 250-38 SWR Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990407072958.29255.00003416@ng-fz1.aol.com>
Source record: 86341

SWR/Power meter in very good condition. Includes coupler. Best offer.

406. WTB Command sets and accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Jean Paul <ve3jpt@rac.ca>
Message-ID: <370b48fd@nemo.idirect.com>
Source record: 86342

Looking for the above as well as accessories manuals, racks ect...

73
J P Taillebois
996 Greenlane court
Oshawa, Ontario,
Canada L1K-2C6
905 723 1811
jpt1@idirect.com
ve3jpt@rac.ca
www.idirect.com/users/jpt1.html

407. Re: Keithley 610B Electrometer for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: david lawson <dlawson@maine.rr.com>
Message-ID: <5JHO2.2278$6d6.3313@newsr2.maine.rr.com>
Source record: 86343
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

hi chris,
my partner is going to send you a check for $250. he's joe conroy @ envatec.
look forward to getting the meter.
david

Chris <ck5@ix.netcom.com> wrote in message
news:370753D3.3205@ix.netcom.com...
> I have an excellent condition 610B. This is one of the most sensitive
> electrometers ever built. Recently calibrated by Keithley. I want $250
> or best offer, trades Thank you, Chris.

408. Re: Query on National receivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Steve <stevek@Velocity.Net>
Message-ID: <370b64ed@news.velocity.net>
Source record: 86344

I recently breathed new life into an NC-173. The guy who had it before me did a butcher job under the chassis with mods. The guy changed V-5 (6H6) the 2nd Detector/AVC with a 6BA7 and put a xtal callibrator in. He also had a Heathkit Q-Multiplier hooked into it. It looked as though Helen Keller did the mods!

I first re-capped it and it did work OK but the AVC and Noise Limiter didn't work. I decided to restore it to it's original circuitry and it works great now.

This radio has what I call a "rich" sound to it. The audio is incredible!!

409. atlas 210x for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <P1KO2.972$%K3.4566@news.megsinet.net>
Source record: 86345

```
have a nice atlas 210x for sale 100 watt hf rig.80-10 meters
with slide in console d-104 mic $225.00 shipped lower 48
thanks jack
```

410. Re: mercury-wetted relays

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <7efr0f$3df$1@remarQ.com>
Source record: 86346

Grainger still carries them. Look in the telephone book under industrial supplies. They are rather large and very expensive...

Might I recommend you look into vacuum reed relays?

They are fast, cheap and carry a good size current. I use them to cathode key transmitters all the time.

They are a close as your local Radio Shack. There are two kinds - one with a coil and one without. If can only find the one without - simply wind about 50-100 turns using 22 or 24 Ga wire around the class body of the reed relay.

You can then use a 9V battery to key the relay...

Reed relays close (or open) in a magnetic field. They are used everywhere in burglar alarm systems. So as a caution - don't might yours near the tank coil !!! (RF might keep it keyed.)

Try it using both a common open air relay and a vacuum reed relay... I think you will find your CW will sound much better as cathode circuits seem to be sensitive to even small amounts of contact corrosion. Vacuum reed relay contacts tend not to corrode.

You can actually hear the difference over the air.

Anyway, those are MY experiences.... WD0HCO

Jerry W. O'Dell wrote in message <370cb96d.561533@news.det.ameritech.net>...
>Anyone know of a source for such things? I need to cathode
>key a small transmitter, and recall that they were ideal
>for the purpose.
>
>Thanks -- e-mail would be best.
>
>73 jerry w8gnd
>

411. FORSALE - Mint Icom-735

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7efroj$19o@nntpa.cb.lucent.com>
Source record: 86347
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

```
---------------------------------------------------------------------
FORSALE - MINT Icom 735 HF rig
---------------------------------------------------------------------

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter and the original hand mike with up/down controls. I bought
the rig as a "backup" and have never used it (other then to test it
out for about 1 hour). It's like new.

ICOM 735/cw filter/mic $575.

Joe Levantino
KB2FSH
(732) 949-0664
jlevantino@lucent.com
```

412. Re: Help on CB to 10 Meter conversion.....help HERE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: John <johnny598z@zyahoo.com>
Message-ID: <370B7551.F0C28860@zyahoo.com>
Source record: 86348

Hi Randy,

I converted the Radio Shack TRC-47 to 10 meters and use it almost daily. Last cycle I talked to Europe and Africa from my car with a Wilson 1000 magmount.

Anyway, the Roadtalker 40 is another good one to convert. The March, 1980 of 73 magazine has an article on that one. I have a copy of that and would be happy to burn you a copy and send it to you.

Reply to me via private email (remove the z's) if you want the info.

John

Randy and Cara Randall wrote:

> I am thinking of converting a Sears RoadTalker 40 SSB radio
> to 10 meters. It is model # 663.38100050. Is this a Uniden
> (Cobra) with a Sears name on it? If so, what is the Cobra
> model # for it? If not who made it and what is its equiv.
> model #?
> Thank you,
> Randy KB8ASO Milan, IN.

413. Amplifier Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: kb5mer@aol.com
Message-ID: <19990407112740.08311.00003185@ng-fx1.aol.com>
Source record: 86349

Subject: Amplifier Parts
From: kb5mer@aol.com (KB5MER)
Date: Tue, Mar 30, 1999 8:50 PM
Message-id: <19990330205054.09593.00000328@ng31.aol.com>

List #1= 3CX3000A7 tube,
Socket, Filament transformer 7.5 volts @ 51 Amps
Plate Transformer 2.7 Amps @ 5000 volts
HV Caps, Blower, Meters, Tank Coils
Cabinet to build a large amplifier.
I will sale all parts for $1,500.00 plus shipping.

414. WTB FT-101E Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <370b7d25@nemo.idirect.com>
Source record: 86350

G'day All....
I've got a project FT-101E on the bench. I could use the following boards
from anyone who has a scrapper floating around.
Cystal calibrator/ regulator board.
Modulator board.
Crystal filter board---(Low freq if board)-- with or without filters.

If you can help give me a shout.....

Keith, ve3gem
densmore@idirect.com

415. atlas 210x for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <p7LO2.978$%K3.4710@news.megsinet.net>
Source record: 86351
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

```
have a 100 watt atlas 210x with slide in console and d-104 mic nice
condition......$200.00 shipped
thanks jack n9iif
```

416. WTB: Hammarlund S-101 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990407110407.006abe60@pop.inmind.com>
Source record: 86352

I would like to buy a Hammarlund S-101 speaker. Please let me know if you have one for sale, thanks.

417. WTB: Meter for Hickok 600-A Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990407110353.006ae7cc@pop.inmind.com>
Source record: 86353

I need a meter for a Hickok 600-A tube tester. Please let me know if you have one for sale, thanks.
73s...

418. WTB: Hallicrafters S-40A knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990407110337.006ab62c@pop.inmind.com>
Source record: 86354

I need the bandswitch knob (silver, for recessed shaft) and a control knob
for an S40-A. Please let me know if you have any to sell, thanks.
73s...

419. Kenwood R-599 T-599 match cable

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <370B5781.CCECA448@sprint.ca>
Source record: 86355

Looking for the trnscvr cable to mate the T-599 with the R-599, OR a source for the 16 pin male connectors to homebrew one.
thanks and 73
Denis
ve3zpu

420. [Fwd: [Hammarlund] 2-meter Alert!]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <370AA6A3.31F35B46@sprint.ca>
Source record: 86356

Please do not consider this intrusive.
Denis
ve3zpu

David White wrote:

> _____Forward Header_____
> Subject: [2M] Amateur operators to boycott Swatch AG
> Author: Rob Carlson <rcarls2@gl.umbc.edu>
> Date: 4/3/99 9:25 PM
>
> Dear editors, Loop readers, list readers, and assorted amateur friends,
>
> Over the past week I have received an incredible response to my query in
> the Hudson Division's Hudson Loop newsletter about a curious
> advertisement
> on the Swatch web-site. To help advertise their new brand of "Swatch
> time"
> watches, they appeared to be launching a satellite which would broadcast
> the voice messages of web readers into space and back to earth over
> radio
> on the frequencies from 145.800 to 146.000 MHz.
>
> Thanks to the excellent researching skills of Stephan Anderman, K2SMA,
> and
> Rick Lindquist, N1RL, I've discovered that Swatch in cooperation with
> the
> Russian space authorities have decided to use the two meter Amateur band
> for direct advertising via the "Beatnik" satellite (a mini-Sputnik and
> AMSAT-FR project formerly to be known as RS-19) across the entire world.
>
> According to AMSAT-France, during the construction of the satellite, the
> Russian space center had made a separate commercial contract with the
> Swatch watch company to put its messages on the satellite. This was
> done
> in spite of AMSAT objections and contractual agreements with them not to
> put commercial advertising content in the digital messages. AMSAT-FR
> couldn't back out of their own contract and had to forward the parts on
> to
> the space center.
>
> Riley Hollingsworth, K4ZDH, is doing his best to crack down on
> unlicensed
> and unbecoming operations within the jurisdiction of the FCC, but soon
> an

> egregious violation of the non-commercial status of amateur radio will
> begin taking place just a few miles above our heads when our two meter
> band is filled with advertisements for the latest Swatch watches.
>
> Bernard Pidoux, F6BVP, writes that we should do our best to ignore the
> satellite and not do anything to assist Swatch, such as tracking and
> publishing the Keplerian elements of this rogue mini-sat. I completely
> agree, but I believe it's necessary to go even further than that.
>
> Just as we've successfully done in response to Little LEOs and APCO
> proposals in the past, it's time for amateur operators around the world
> to
> let Swatch AG and the Russian space program know just how precious our
> bands are to us.
>
> The first step is a comprehensive boycott of Swatch products. If you
> were
> considering the purchase of a Swatch watch for you or someone else,
> please
> take a moment to consider some of the other watch manufacturers who are
> not stealing away ham frequencies.
>
> Next is to write a letter off to the Swatch company explaining why you
> made your purchase decision away from their products, and how you feel
> about this intrusion on the amateur bands. Use this address from their
> web-site registration as a starting point. If anyone knows the name of
> particular individuals within Swatch that the letters could be
> personally
> addressed to, please let me know.
>
> Swatch AG
> Jakob-Stampfli-Strasse 94
> 2504 Bienne
> CH
>
> As I understand it, the Russian space center will be able to upload
> voice
> data in ten message batches, so it's possible that under pressure from
> Swatch, they could "pull" these commercial advertisements off the ham
> bands at any time during the 30 day life, even while the satellite is
> still operational. This is all the more reason to make it clear to
> Swatch
> how strongly the amateur community feels about this issue right now!
>
> Also, if you come across any amateur's page this month containing the
> Keplerian data or any mention of the Sputnik-99, let them know what
> Swatch
> is doing and encourage them to remove them as soon as possible.
>
> I'll be maintaining a web site concerning the latest news in this

> problem
> at http://rob.carlson.org/swatch-protest, which will start with this
> letter. More news will be posted here and placed on the web site as I
> hear about it. If you have any information, please feel free to e-mail
> me
> at rcarls2@umbc.edu or kc2aei@amsat.org, or call me at (410) 455-3192 at
> any time.
>
> Please forward this message as necessary so that we can inform as many
> amateur operators worldwide as possible about this problem.
>
> 73 and good luck,
> Rob Carlson, KC2AEI
> rcarls2@umbc.edu
>
> --
> Rob Carlson, KC2AEI | rcarls2@umbc.edu | http://rob.carlson.org
>
> _____
> Get Your Private, Free Email at http://www.hotmail.com
>
> ---
> Submissions hammarlund@qth.net

421. Re: More on Swatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: nt4e@bellsouth.NET
Message-ID: <370B84D0.D749576F@bellsouth.net>
Source record: 86357

Date: Mon, 05 Apr 1999 20:48:57 -0400
From: The Bakers <nospam@worldnet.att.net>
Subject: More on Swatch

Get a life.

Just exactly what do you mean by this? Could you explain it more fully
and delve into what exactly that it has to do with the subject topic????
Or am i reading it correctly that you think that it is perfectly all
right for commercial advertising on the Amateur Radio Bands....????Just
wondering?
Clinton Bailey
NT4E

422. FS R390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Craig Harrison <craigjv3@earthlink.net>
Message-ID: <7eg225$m9$1@holly.prod.itd.earthlink.net>
Source record: 86358

Selling my backup R-390A. All EAC unit with tag and original meters s/n 4566. Front panel and knobs all redone. Excellent condition and works great (just overhauled). No covers. Will let go for $700.00

423. Re: Central Electronics 20A and 458 VFO PRICE REDUCED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <7eg1j7$p9b$1@news-2.news.gte.net>
Source record: 86359
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Chris wrote in message <370AF532.3F80@ix.netcom.com>...
>Price reduced MUST SELL
>Front panels excellent, all original knobs. Cabinets freshly painted
>crinkle black.
>I have good copies of all the manuals. $130 + shipping. Trades???
> 73 Chris VE3NGW/W4 Florida

I've got an excellent Hallicrafters SX-96 I'll trade...
--
Gary - KJ6Q
==========
SO - the Serbs kick out the Albanians, and WE
"help" by bombing the #%$@ out of the REST of
the country - INCLUDING whats LEFT of the Albanian's
homes, towns and infrastructure, fully expecting at some point BOTH
parties will kiss and make up, and THANK us for all our "help", as
they
stand arm-in-arm amid the ruins of their country?
WHAT am I missing here...?

424. Re: mercury-wetted relays

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: William Janssen <billj@calweb.com>
Message-ID: <370BA40B.4E9CAAFC@calweb.com>
Source record: 86360

Be careful with mercury relays. They can conduct even when open
if the voltage is sixty volts or more. What happens is a small arc
can vaporize some mercury and that vapor will conduct with
a voltage drop of some value near sixty volts

Bill K7NOM

Jerry W. O'Dell wrote:

> Anyone know of a source for such things? I need to cathode
> key a small transmitter, and recall that they were ideal
> for the purpose.
>
> Thanks -- e-mail would be best.
>
> 73 jerry w8gnd

425. .Ts 570D on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <eHuJ5BTg#GA.250@nih2naab.prod2.compuserve.com>
Source record: 86361

Pic at link below. Till monday

--
PAW TS 570 D NOW ON E-BAY 3/5/99.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

426. Correction! Re: WTB/WTT NC-173/173B books

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370BC36A.50070B97@erols.com>
Source record: 86362

What I meant to say was have 183D books, need 183-straight!! I'll get it right yet......

"D. S. Platt" wrote:

> I have original, as-new books on the National NC-173B. Problem is, I
> need a manual for the NC-173. I can get a repro from any number of
> sources, but I'd like to trade for or buy a "real" one. Thanks. (PS,
> not interested in selling the 173B books!)

427. FS: DOUBLET ANTENNA KITS $18 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0704991436310001@murphy1.cts.com>
Source record: 86363
Cross-posted to:
rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur.antenna,misc.survivalism

DOUBLET ANTENNA KITS WITH ACC. NEW, PACKAGED $18 EA. 3 FOR $45 5 FOR $60

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/3_COMM_ITEMS

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

428. WTD: 2 mtr all mode, repairable OK, reasonable $, trade?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990407181442.15321.00001406@ng35.aol.com>
Source record: 86364

Hello. I am trying to find a all mode 2 mtr in need of repair...funds are short...thanks to tax time. So if someone has one, in need of repair, or Very reasonable, please let me know. I have some items to swap too: Very nice Kenwood tr2400 2 mtr ht with Kenwood leather case, Kenwood speaker mic, Service and owners manuals, charger..New lcd from Kenwood with about 2 hrs use on it installed. Easily modifiable for extended recieve.
Very clean Realistic dx160 sw reciever and matching sp150 speaker. Works great.
Realistic dx440 digital sw rcvr...works fine, with ssb.
Hallicrafters s-120 sw rcvr.
Collectible Lafayette Comstat 25A 23 channel tube cb base with original manual.
Maybe more...
MANY thanks for any help here..
WM5M
David in Tx.

429. LOOKING FOR A SPECTRONICS DD-1 C READOUT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990407182611.02588.00003877@ng127.aol.com>
Source record: 86365

I AM LOOKING A DD-C1 SPECTRONICS READOUT IN LIKE NEW CONDITION!
THANKS DWIGHT..KB4WOV

430. Re: Question on trade duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Lee Smith <ckvnfm@mb.sympatico.ca>
Message-ID: <7egm53$526$1@news1.mts.net>
Source record: 86366

Randy:

There is no duty on radio equipment from Canada. It passes threough as if you were getting something from another state, but it has to be inspected by Customs to ensure that no contraband is enetering the US. Otherwise, it is a transparent operation. I hope that you enjoy the radio.

Lee Smith
VE4ANC
Randy and Cara Randall wrote in message <370AAC2F.CC6BB9AD@seidata.com>...

431. FS: TEK 130LC $125

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0704991553570001@murphy1.cts.com>
Source record: 86367
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,sci.electronics.equipment

TEK 130LC METERS, CLEAN COND. $125 EA. 3 FOR $275

PICT AT:

http://209.239.34.153/murphyjunk/9A_TEST_EQUIPMENT_LIST

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

432. Re: FS: Johnson 250-38 SWR Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: kk6ob@aol.com
Message-ID: <19990407191044.17651.00003406@ng-fq1.aol.com>
Source record: 86368

I will offer 30.00 shipped. THANKS, Howard KK6OB

433. FA Viking Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <370BEDCA.2DB3@sympatico.ca>
Source record: 86369
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.ham-radio.swap

Viking Challenger Transmitter on EBay. Have a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86146091>

434. Source for Microphone Coil Cords?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <370BF9B0.AA8B006A@hamradio.org>
Source record: 86370
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Does anybody have a suggestion for a good mail-order source for replacement coil cords for mobile mics?

Al - K8EUR

435. Looking for Mike for SWAN 240

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Bruce McMullan <bmcmull@idirect.com>
Message-ID: <370bfdb9@nemo.idirect.com>
Source record: 86371

I am looking for a microphone with a 1/4-inch, three-contact connector. I have been unable to find one so far, and a reasonable price will be accepted.

436. Re: mercury wetted relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7eguno$3gq$1@oak.prod.itd.earthlink.net>
Source record: 86372

Hmmmm... I doubt that you need to key 1/2 amp. As I recall, the DX-40 runs no more than 75 watts input ? That would make the plate current 188 ma. at 400V for 75 watt input.

K8AC

Jerry W. O'Dell wrote in message
<370d4538.1298710@news.det.ameritech.net>...
> Gee, everyone has been so nice. But most have been small, low
>voltage, low current devices.
>
> I'm trying to key a DX40, heath, and that takes a bit of heft.
>So I need a big relay. 400V at about 1/2 amp.
>
> Sorry to be such a bother, but the thing is really in mint
>condition. I just hate to give up my lovely keyer.
>
>73 jerry w8gnd
>

437. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: clyde edgar <cedgar@pacificnet.net>
Message-ID: <370C003C.169C4EF1@pacificnet.net>
Source record: 86373
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

I bought a music synthesizer last year for $300 USD, I think I paid $15 shipping for 10# and U.S. Customs charged a $30 tarif and there was a $25 fee from a broker or someone like that. I wouldn't bother doing it again unless its really a rare item.

Randy and Cara Randall wrote:

> ----------
> Thanks for reading this message. I am looking for information
> from someone who has bought something on the news group
> from an individual living in Canada. What are the import duties
> or tariffs if any imposed by the US customs? I sure would hate to
> buy this radio and find out that there is a 50% or more tariff on the thing!
> I have not found a clear answer on the 'net.
>
> Thanks,
> Randy KB8ASO Milan, IN.

438. Test Equipment for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Moose <lnmoose@htonline.com>
Message-ID: <7eh4cmetp1@remarQ.com>
Source record: 86374

I normally would not do this, but I'm raising money for new equipment so here goes. On E-Bay (Yes E-Bay) I have a really nice Cornell-Dublier capacitor checker with magic eye in a beautiful wooden case that is currently at a ridiculous $4.00,
apparently nobody over there appreciates good stuff. I also have a Hickock VTVM, the one with the huge 9" meter on it, good shape.

Thanks for Reading, listings expire Sunday, April 10. Do a Seller Search on robbinsnest or just look in Consumer Electronics.

439. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Mark Fraser <mfraser@helix.net>
Message-ID: <370C14B5.560E01C4@helix.net>
Source record: 86375
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

I think you'll find that items for PERSONAL use do NOT require a broker.
UPS, however, assumes that EVERYTHING is commercial, so they feed things
thru a broker. For 30 bucks or so. Use the post office. Check with FEDEX, as
they may be more friendly, but at higher transport rates. There is a publication
put out
by U.S. Customs, outlining the rules. Be careful in following the rules.
Also be conscious that things like scanners that can receive cellular frequencies
can
be considered to be contraband, under U.S. law. /mark

Don Trynor wrote:

> >Thanks for reading this message. I am looking for information
> >from someone who has bought something on the news group
> >from an individual living in Canada. What are the import duties
> >or tariffs if any imposed by the US customs? I sure would hate to
> >buy this radio and find out that there is a 50% or more tariff on the thing!
> > I have not found a clear answer on the 'net.
>
> Randy:
>
> If you live in the US and are purchasing something in Canada, only US customs
> may impose duties on your purchase. If the product is made in the US or if
> it's value us less than $50US, you will have not problems and to my knowledge,
> no duties will be charged. If it is not either of the above, they will asses a
> tax based on what it is (ie 5% or the such). You should check with them
> concerning this. I'm not sure on this, but there may be brokerage fees charged
> by the shipper to move it across the border.
>
> Don VE9XF

440. WTD: BC348R Schematics and Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Michele D'Amico <damico@nospam.it>
Message-ID: <7efb8epu1@sharon.cilea.it>
Source record: 86376

Hi Netters,

I am desperatly looking for a copy of the Schematics and Service Manual of the "good ole" BC 348 R. I have one sample in quite good conditions, but it needs some minor repairs and alignment. Could somebody out there be so kind to mail me a copy of the above (and let me know how can I pay for the trouble) ?
Thank you very much in advance,

Michele in Milano, Italy

==========
Dr Michele D'AMICO, Ph.D. E-M: damico@elet.polimi.it
Dipart. di Elettronica - Politecnico di Milano
Piazza L. Da Vinci, 32 - Milano 20133 ITALY
Tel. (+39) 02.2399.3613 - FAX (+39) 02.2399.3413 -
- If you are really motivated, you can visit my WEB page:
http://www.elet.polimi.it/people/damico
==========

441. BFO mods for Super Pro???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <370C32F6.784B84C@blarg.net>
Source record: 86377

Hi. I am looking for any BFO mods for the Super Pro receiver. Please let me know if there are any. I am asking for a friend who is not on internet. Thanks. Jim W7LS

442. WTD: HeathKit wind gage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: AMFONE@CONCENTRIC.NET
Message-ID: <7eebng$vl2$1@nnrp1.dejanews.com>
Source record: 86477

Hello
Heathkit made a wind gage that used a sending untit situated on outside and a receiver located inside. The Receiver I want is model number ID-1590. I would like the unit in good working conditon. Also interested in the sending unit as well..
thanks tim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

443. Re: WTB receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990406204711.13114.00004974@ng-cg1.aol.com>
Source record: 86478

Hi,
What kind of condition are you looking for? I have a NC300 that needs some work. Specifically, It needs the main tuning dial re-strung. Other than that, just a couple of tubes that I think I already have.
Let me know..
rgds,
nc183d

444. Re: SX-115, extreme sticker shock!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: xxxtoneri@ils.net
Message-ID: <370ab200.3569356@news.tor.sfl.net>
Source record: 86479

On Sun, 04 Apr 1999 18:45:16 -0500, JM <jmul@iland.net> wrote:

>KB3PT wrote:
>>
>> On 4/3/99 6:12PM, in message <7e678j$71e$1@autumn.news.rcn.net>,
>> "CommQuart" <commquart@erols.com> wrote:
>>
>> > Gaaaa! I was checking some of the closed
>> > eBay Hallicrafters auctions and stumbled
>> > across item 78133312. A Hallicrafter SX-115
>> > that had a closing price of $4150!
>>
>> Once again, P.T. Barnum was absolutely correct.
>>
>> -bill
>> KB3PT
>The SX115 was purchased by WB6ACU Joe Walsh, a guitarist with the rock
>group The Eagles. Joe once had a hit song called Life's Been Good To Me
>So Far, and apparently that is true, but there were several bids close
>to what was paid.
I saw that SX115 on Ebay and the one I have is the serial number one
less than the one that was auctioned. Mine also looks as good as that
one. Gee I would have sold mine to Joe for half the price and in
Canadian dollars too. MAybe I'll put mine on Ebay one day.

73...Mike VE3FGU

To reply to this message remove the xxx in the address

445. Xmtr. Pacemaker Johnson wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <370AB18F.417E@sympatico.ca>
Source record: 86480

I am looking for a SSB.xmtr. Pacemaker Johnson in good shape.
73
VE2AMK

446. Re: FS-Classics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: xxxtoneri@ils.net
Message-ID: <370ab2f7.3815804@news.tor.sfl.net>
Source record: 86481

On Sun, 04 Apr 1999 15:08:15 GMT, justice@neosoft.com (Alan R Linder)
wrote:

>Johnson Adventurer in excellent condition. Not factory wired, but well
>constructed. Front panel is perfect, except for the typical missing white
>pointers in one of the knobs. Some paint scratches on upper lip of the front
>panel and on the back. Panel meter is original and works. Full power output.
>No manual. $200 dollars and half of shipping.
>
I'll sell my Johnson Adventurer for $200 also. I have the manual and
the white pointers are not missing. Oh yes it has full output and a
spare set of tubes.
Mike VE3FGU
To reply to this message remove the xxx in the address

447. Theremine?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: robinson@srsuna.shlrc.mq.edu.au
Message-ID: <7eeekmkbv1@sunb.ocs.mq.edu.au>
Source record: 86482
Body handling: HTML body converted to readable text

Hi There,

>
I seek further info about this odd marriage of radio and music, possibly
>
even a schematic. I'd like to give a shot at building one.
>
--
>
Will White, KD7BFX
>
I have found the original RCA circuit and put it on my web page at
http://www.shlrc.mq.edu.au/~robinson/museum under information
A web search for Theremin will turn up other valve and transistor circuits
including one by Robert Moog!

73s
Ray VK2ILV

448. Re: Query on National receivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990407010557.10121.00001532@ngol05.aol.com>
Source record: 86483

In article <370A7639.AC5F0D2D@erols.com>, "D. S. Platt" <jeepp@erols.com>
writes:

>Subject: Query on National receivers
>From: "D. S. Platt" <jeepp@erols.com>
>Date: Tue, 06 Apr 1999 17:01:45 -0400
>
>I just acquired a very nice NC-173. I don't speak National yet (being a
>Hallicrafters/Hammarlund person) and would like to know what the
>procedure is for, how do I explain.... getting it disassembled enough to
>clean the back of the clear-plastic front-panel tuning dial masks? It
>appears that, after removal of the front panel knobs, etc and removing
>the tuning dial guides inside the top cover, it should/may slide out the
>back??? Any insights will be appreciated. I don't want to step on a
>mine!!!

Hello,

On the NC-173, the rear panel/top cover can be unbolted and the whole chassis slides out the back. Remove the bolts that hold the chassis to the bottom of the cabinet LAST.

The whole receiver chassis will operate outside of the case. Be careful of all of the plastic parts - they are apt to be brittle and difficult to replace.

I had two '173s - one junker and one in pretty good shape. Now they have gone on to better homes. Really nice receiver - always wanted one since reading "Kon-Tiki" as a lad. Arguably the best of the postwar receivers of its price class.

Note that the NC-173 is a bit unusual in that the B- is not grounded, and that RF gain control is by means of direct negative grid bias on the RF and IF tubes.

73 de Jim, N2EY

449. Central Electronics 20A and 458 VFO PRICE REDUCED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370AF532.3F80@ix.netcom.com>
Source record: 86484
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Price reduced MUST SELL
Front panels excellent, all original knobs. Cabinets freshly painted crinkle black.
I have good copies of all the manuals. $130 + shipping. Trades???
73 Chris VE3NGW/W4 Florida

450. Want CW filter for Cubic Astro 102BX/103

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <370b03e3@news1.us.ibm.net>
Source record: 86485
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Looking for the optional cw filter for the cubic astro 103 xcvr. The 102BX filter will work and i think the Astro 150 filter might work also.

Lane Zeitler
Ku7i
San Diego 92139

451. need collins bud rack and hallicrafters stuff.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-07 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990407032721.7091D-100000@cluster2>
Source record: 86486

```
i need a collins small cabinett for collins r-390a for a friend.
he is in atlanta, so if you have one, e-mail back. also looking for the
bfo coil for a hallicrafters s-40's, if you have that, e-mail back also.
```

452. FS:RACAL-DANA 1992 FREQUENCY COUNTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <370C8041.A374F1D8@postoffice.pacbell.net>
Source record: 86237
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.equipment

Hi all.
I have a for sale Racal-Dana universal timer/counter model 1992. It covers DC-1300Mhz. Almost new condition. Have a manual. Price is $275 plus shipping. I can E-Mail photos on request.
Thanks
Jin KB6LUE

453. Outlandish excuse

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: speedskater1@my-dejanews.com
Message-ID: <7ehd0bgec1@nnrp1.dejanews.com>
Source record: 86238

I had sold an HQ-170 to someone and he claimed the receiver would not work because "One knob is loose and the knobs are not origional. I am scared to plug it in. These knobs will keep it from working". I got the radio back. There was a loose screw. There was also one on the radio. He did plug it in, the clock was not where I set before I packed it, and had some controls for CW and the others for A-M. He was too stupid to know how to operate a radio. He should never own a radio, much less a computer! He is also incapable to operate the type of screwdriver with a metal shaft; as for the liquid type he probably has many of these. All the knobs are origional. He sells on ebay and would have to look for the HQ-170 on there and he would have seen my knobs are the same as the others which are origional. He thought I was as stupid as he is to believe his lies. He did not want the radio and gave stupid reasons to get his money back. To top it off he sent threats. I had to block his address to stop the threats. The threats were because of the knobs. The radio works fine as it did when he bought it. I will be taking it to a hamfest this weekend to sell it. Buyers remorse describes this experience.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

454. Re: Test Equipment for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.040899.003821.26@vna-va11-58.ix.netcom.com>
Source record: 86239

On 4/7/99 10:29PM, in message <7eh4cmetp1@remarQ.com>, "Moose"
<lnmoose@htonline.com> wrote:

> I normally would not do this, but I'm raising money for new equipment so
> here goes. On E-Bay (Yes E-Bay) I have a really nice ... <snip blah-blah>

I normally would not do this, but feel your message deserves this:

Why mislead everyone here with your "Subject Line" that suggests you're
selling test equipment (here, in the boatanchors newsgroup), when you're
actually trying to sell it via auction on E-bay? Why not say so in your
subject line? I presume your test equipment consists of "boatanchors"
(older tube-type test equipment), or is somehow related to "boatanchors".

This is "rec.radio.amateur.boatanchors", a place for "boatanchor" amateur
radio equipment and discussion of same. It's NOT...(despite appearances
often to the contrary)...

"rec.radio.lets.fool.as.many.as.we.can.by.advertising.mystuff.on.ebay.
without.them.realizing.it's.really.ebay.so.I.can.make.a.bigger.profit"

Reminds me a bit of the guys who advertise Radio Shack radio equipment
but *NEVER* put the words "Radio Shack", or even "R.S." in their subject
lines. Wonder why that might be?

73,

-bill
KB3PT

455. FS: Tube/None Tube Radio EQ

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990408053637.12645.00003441@ng-cr1.aol.com>
Source record: 86240

I have the following Radio, and electronic equipment for sale. Will consider trades for Pentium computer EQ. All working last time tested unless noted.Shipping is extra.
Thanks

Tempo-1: Tube type Ham Transceive with Power Supply.Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobil power cord and mounting bracket. Looks and works Good. $100

Lafayette: HB444/25A Looks and works great. This is an all tube 25 channel base unit with a nice chrome trim all around. Would rate an 8-9 in looks. I think the mobile mounting bracket is also included, with nice heavy cast alum mic. $125

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks OK and plays on FM only. AM not working. $125

Non Tube Items:

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low mic. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. As is $50.

Swan Phone patch: with hook up cords. This unit looks real good, but is also untested. As is $35.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Bearcat 210XL and 220 Scanner: One of each complete, but not working. $25 each.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

456. Goochland,VA hamfest 4/10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Presley Travis <btravis@mnsinc.com>
Message-ID: <370C9AA3.673C3D5B@mnsinc.com>
Source record: 86241

```
April 10, 1999 6am til 3pm
Goochland County Fairgrounds/intersection of Rts.522 & 632
General Admission $5.00/tailgating free w/admission in large outdoor
area
Great Food & Refreshments(KB4MIB's Kitchen)
Inside tables available at $5.00 each
Contact Buddy Travis, KA4NNN, (540)894-8828 for info
sponsored by S.M.A.R.T to benefit their Repeater System
```

457. Re: *** How do you remove "DIODES"?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7ei5au$1dg$1@ostrich.cybercomm.net>
Source record: 86242

Ridicule and embarrass the offending diode. Perhaps it will
leave on its' own accord.
...Dave

JHulet wrote in message <19990405045638.17318.00002761@ng122.aol.com>...
>Hello,
>
>I am wondering what is involved in removing diodes? Say if someone was to
>modify a radio and it required a couple of diodes to be removed.... First,
>what tool would be used and what special features would one want in this
tool?
>What is the "hard" part in removing the diodes? Is is just a matter of
using a
>fine tip soldering iron and heating the diode contacts and removing the
diode?
>
>
>Is seems that so many modifications out there today require the removal of
>diodes that I am considering learning the trade...
>
>Thanks again for any light you can shed on the subject...
>
>Jason S. Hulet
>W1WOW

458. Re: EV 664 mic info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7ei5f3$1e5$1@ostrich.cybercomm.net>
Source record: 86243
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have a brand new EV 664 PTT base in its' box downstairs.
If you need it, I can take a digital picture of it and email it to you.
...Dave

Michael J. White wrote in message <7e8earcuc1@autumn.news.rcn.net>...
>I have a real nice EV 664 on the 418 base. The finish on the base is
>trashed, and I'd like to restore it to original condition. Anyone have a
>color pic or data on color and finish, and the type of PTT switch installed
>on the front? Thanks.
>
>Mike, N4PDY
>
>

459. Need slugs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: jim breeyear <jbreeyea@zoo.uvm.edu>
Message-ID: <370CA707.29015C49@zoo.uvm.edu>
Source record: 86244

I need some ferrite slugs for my Heath SB303 receiver. Anyone give me leads on where I might find some. Mine are bound up and cracking. Could use about 6.

Jim

--

=+=+=+

460. FS: Tube testers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: ygkit@aol.com
Message-ID: <19990408093250.04140.00000072@ng-fi1.aol.com>
Source record: 86245

I have the following tube testers for sale. All these were just replaced by a mint Hickok 752A, otherwise I would not be parting with them. Ad $15 each for shipping. I dont want to sell them as is, they are as described, refunds are ok as long as buyer pays return shipping.

TV-7A/U, worked fine until one of the ceramic wafers on the selector switch broke,this will need replaced. Case has several dents in it, Overall cosmetics only fair condition, new power cord. Needs new fuse lamp,rectifiers not included.$100.

B&K 747B. Works great, never gave me any problems, this one has a home made case with no lid .Excellent condition! Original tube setting book but no manual. $125.

Hickok 600A, a fine working tester, accurate readings with most tubes, but I do notice some tubes test a little weak when they shouldnt(according to the rollchart) calibration test performed and everything checks out except plate voltage is a little high.This one has a few new resistors, comes with rectifiers but they difinately need changed. Comes with original Instruction Manual, Obselete test data book and Foriegn test data book and several complex home made adapters.Never any problems but it may need a little tweaking to achieve pinpoint accuracy.Case is very,very rough, needs recovered, face plate shows normal wear. $125.

Hickok 6000, fine working tester, very accurate readings, brand new 83 rectifier, case is very rough. Case is missing the lid and the bottom. No manuals, I believe the roll chart is dated 1961.A nice piece with the exception of the case.$140.

Military 177B. This tester shows hardly any use at all, face plate is truely mint condtion, case is also in great shape. They dont come much better than this. Brand new 83 rectifier.$140.

Email or call me directly if interested.

Gerald Kitchens
217-468-2540

461. Re: Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <370eaca1.85475822@news.atl.bellsouth.net>
Source record: 86246
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

On Tue, 06 Apr 1999 10:37:49 -0700, Roy Lewallen <w7el@teleport.com> wrote:
>Brad Thompson wrote:
>
>>. . . [excellent advice]
>
>> You should also purchase manuals-- one for the scope, and one for the
>> plug-in. The manuals are worth buying solely as examples of good tech
>> writing!

You bet they are. I wish the makers of today's equipment could produce
manuals that are even half as good.

>The source of manuals for older Tek instruments is Deane Kidd, phone
>503-625-7363. He also has some replacement parts.
>
>Roy Lewallen, W7EL

Deane is really *the* expert on the 453A (great scope, I prefer it to a 465A).
I've restored two of them with his aid. I believe he bought the entire Tek parts
inventory for them when Tek quit supporting them. He has a lot of inventory
for other old Tek scopes too, but some parts for the tube type scopes are
unobtainium.

In many cases you can substitute something else, but in some cases you
can't. The only option is to get a junker for parts. When my 545B gave up
the ghost, I gave it to another ham to use as spare parts for his. Having
two or three carcasses on hand is very useful for keeping a very old scope
going. Switches and transformers are the sticking points. You can't get
replacement parts, or even reasonable substitutes, you have to salvage.

I wouldn't pay much for a 545. It is a huge old shop heater, and the sync
circuits aren't the best. For a few bucks more, you can find a 453A or
465 (the sync circuits in the 453A are the best). Those are better than a
mid-price brand new scope. You'd have to pay more than five times as
much to get a new scope that beats their capabilities. (I know, I have a
2465A too, and it cost me over five times as much as a 453A, but it is
only maybe twice as good as a 453A, and the improvements are probably
in areas that won't matter to you for servicing most amateur gear.)

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

462. Need Info CV157 converter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <370CC43C.53AD@swbell.net>
Source record: 86247

I picked up (and it wasn't light) one of these behemoths in a trade. I have a vague idea that it's a SSB converter for the R390. I have an R390. I see where the manual guys have this one in stock. Can someone who has tinkered with one of these, please tell me whether it's worth the effort and expense to put it in-line.

Thanks to the NG!

Dan
W5VJ

463. Small HRO-60 Knob needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <370cc6c9@nemo.idirect.com>
Source record: 86248

Hello Group.....Desperately seeking one of the small half inch diameter chrome knobs with a pointer arrow inset for the HRO-60 (maybe the HRO-50, as well?)
Thanks in advance for your help...
Keith
ve3gem
densmore@idirect.com

464. FS: Drake MS-3, AC-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <370CCD8A.4CFD@iglou.com>
Source record: 86249

For Sale: Fairly rare Drake MS-3 speaker with AC-3 supply inside.

Matches TR-3 or TR-4 or T-4X Drake equipment. AC-3 in real nice shape

working fine, speaker has no dents and front panel is in fine shape but

cabinet needs repainted.

Price: $65 + shipping as-is or $80 + shipping restored first.

e-mail W4UDX@juno.com Thanks.....Mark

465. wtb knob for nc-300

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <H24P2.1151$%K3.5743@news.megsinet.net>
Source record: 86250

i have a nc-300 national that i am missing 1 knob,the small silver machined knob that goes below the cal-set knob.can anyone help?? thanks jack n9iif

466. BA Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <370CCE9A.C3747E51@eclipse.net>
Source record: 86251

Many changes with photo uploading from your hard drive to the site!
The Boatanchor Classifieds
Dedicated to classic communication gear..
Thanks for your support,
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi

467. Re: Need Info CV157 converter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <370cd9e6.3078689@news.willapabay.org>
Source record: 86252

On Thu, 08 Apr 1999 09:59:08 -0500, Dan Davenport <w5vj@swbell.net>
wrote:

>I picked up (and it wasn't light) one of these behemoths in a trade. I
>have a vague idea that it's a SSB converter for the R390. I have an
>R390. I see where the manual guys have this one in stock. Can someone
>who has tinkered with one of these, please tell me whether it's worth
>the effort and expense to put it in-line.

The CV-157 is exactly that - an SSB converter for an R-390. It'll
work fine with an R-390A or an R-391 as well.
(The CV-157 IF input freq is adjustable from 450 to 500 KHz, so
it'll kinda work with R-388s & 51S-1s, et al., but the AGC
interconnect from the CV-157 to the receiver may be difficult.)

The CV-157 uses an AFC setup and will (to a certain extent) follow a
drifting signal. The -157 sideband filters are large LC items with a
very flat passband, since the -157 was originally intended for
teletype multiplex use.

The R-390 & CV-157 combination is an excellent one for AM DXing,
either on the AM broadcast band or on the shortwave bands. Hook up
the R-390 & the CV-157 as shown in the manual, and then feed both
CV-157 sideband audio outputs to separate audio amps & separate
speakers.

The CV-157 will detect each AM sideband separately and independent
of the received carrier or the opposite sideband. You'll get perfect
copy even if, due to selective fading, the carrier fades away entirely
- a real nice feature.
The CV-157's AFC function will follow a drifting carrier, and it'll
also try to follow changes in propagation path length - interesting
to see it try to compensate for that...

It's a cool item, right out of the mid '50s. Have fun with it.

73
Dave Ross N7EPI ross@hypertools.com

468. Bendix RA1B rcvr - info required

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: ve1nk@my-dejanews.com
Message-ID: <7eis82$ok2$1@nnrp1.dejanews.com>
Source record: 86253

I have a RA1B rx (aeronautical receiver) made by the Bendix Company
probably in the early 40's. My unit was obtained from an Airline
around 1960 (still in working order).
Trying to trace the origin >>i.e. what type of aircraft it was
used in.
My guess is "Lancaster bomber" or Trans Canada Airlines civil Lancaster.
any ideas??

73
George VE1NK

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

469. FAQ - Frequently Asked Questions about Boatanchors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7eikcv$ds3$1@altair.cs.unc.edu>
Source record: 86254

I maintain the rec.radio.amateur.boatanchors FAQ web site - tons
of info about where to find info, parts, equipment, manuals,
internet resources, nets, etc. All additions and corrections are
welcomed.
http://www.cs.unc.edu/~nick/rrab.faq.htm
73 & Have Fun,
Nick KD4CPL

Index
What are Boatanchors ?
Why Boatanchors ?
How can I read the rec.radio.amateur.boatanchors newsgroup ?
What is the rec.radio.amateur.boatanchors newsgroup for ?
Who is welcome on rec.radio.amateur.boatanchors ?
What is rec.radio.amateur.boatanchors NOT for ?
Where can I find out more about Boatanchors ?
Magazines
Books
Clubs
E-mail lists
Web Sites
Boatanchor Web Ring
Where can I find Boatanchors on the air ?
How can I practice Safe Boatanchoring ?
How do I restore a Boatanchor ?
Restoration Info on the WWW
Commercial Restoration
Where can I get a manual ?
Aren't tubes and parts impossible to find ?
So where can I get tubes & parts ?
What kind of Boatanchor should I get ?
What do boatanchors cost ?
And where can I get some more Boatanchors ?
Epilog
Credits

--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

470. C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7eirfqsmg1@camel0.mindspring.com>
Source record: 86255

This may be a little off topic here, but I have noticed that eBay has been pulling auctions of C.B. amps from their auction site over the past few weeks. One day they are there, the next day the item number comes up invalid. You can see this by doing a search on "linear" or under brand names like "Palomar". I guess the FCC has been on their case about them.

Also eBay says that if you see a questionable auction that you can email them at ctywatch@ebay.com and they will check out the auction to see if it fits into their guidelines. So, it looks like some people have been turning it these auctions to eBay.

However, there was a rather strange one that involved an auction for something called a "Vintage Varmint XL100 Linear Amp"(Item #88422293). It looks like this one was deleted and that eBay put it back because the seller told them he was a amateur and that the amp was built for ten meters. His quote was:

"This amplifier is being listed by a licenced ham radio operator, and is offered for sale for use in the 10-Meter ham band. Now that the legalese is out of the way, happy bidding!"

He also goes on to say:

"eBay mistakenly pulled this item a few days ago, thinking that it was a policy violation. I have since had correspondance with Customer Service, and they have apologised and allowed me to relist it. Thanks, eBay!"

This brings up a good question that I have and that is:
Is he just trying to sell an amp, or does he have a point?

How do you guys read the FCC rules on this?

Allen Cutts
N4OZI

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

471. Re: Need Info CV157 converter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <370CF419.375E@ameritech.net>
Source record: 86256

Dan Davenport wrote:
>
> I picked up (and it wasn't light) one of these behemoths in a trade. I
> have a vague idea that it's a SSB converter for the R390. I have an
> R390. I see where the manual guys have this one in stock. Can someone
> who has tinkered with one of these, please tell me whether it's worth
> the effort and expense to put it in-line.
>
> Thanks to the NG!
>
> Dan
> W5VJ

Good Find Dan!! The 390/CV-157 is really sweet, I have had
the combo running for a few years now. Gotta be the worlds most
"Powerfull Reciever" with 26 tubes in the 390 and another 44 in
the CV-157 all sucking about 700 watts from the AC mains to deliver
two 100mw channels of pure clean AM. Hook those lines to a good
stereo/speaker setup, crack a few cold ones, tune in concert hour
and hope the "gods of the ether" provide some nice fades!! It'll
knock you out of your chair! I have mine setup in what I call
"Panaramic Audio", The LSB is in the left spkr and USB on the right.
The stereo is an old Pioneer SX-950 and my speakers are a set of
Big pioneer monitors.

Durring "extensive" listening test I personnally prefer the
audio from the 157 versus ISB on a R1051. As a matter of fact even
with 2 R1051's, one set to lsb and the other on usb the CV-157 sounds
better. The AGC on the 157 is absolutly fantastic. When properly
aligned and adjusted you wont hear ANY level change in the audio
even when the carrier meter on the 390 is swinging madly from pin to
pin.

The AFC works well however you cant really use it on the
Ham AM stuff. It tunes too slow and the AM roundtables are never
ZERO BEAT with one another to allow the 157 to tune em in. But if
you turn on your 390 cold and lock the 157 up on a SW station it will
certainly keep up with the warm-up drift.

Mine was made by Transcom and my 390 is a '52 MOT. I found
that the crystals in the USB and LSB filters are very fragile. I was
able to open the cases on the filters and remove and repair the broken
100 kc +/- crystals. only a few were bad but all were repairable. I
also recall that the 157 is much easier to work on when installed in a
rack at about standing hieght. I mount my 390 underneath it.

I would like to try my 157 on other RX's, I have a sweet SP600JX-17 that sounds pretty good on its own. GL with the beast Dan and I wonder if you wouldnt mind keeping the NG posted on your progress.

Dan N8ETQ Cleveland,Oh. dharlan@ameritech.net

472. FS!-Shack Cleaning U.S. 6KD6 tubes!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7eisvu$b0q$1@remarQ.com>
Source record: 86257
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Attention All Vintage Yaesu Guys!!!!
Just went through my stash of 6KD6 sweep tubes and found the following
Extras:
Three (3) NOS Sylvania
$22.00 each
Three (3) NOS RCA
$22.00 each
Two (2) NOS GE
$22.00 each
Two (2) USED GE Testing 92 out of 100 (almost new) $35.00
pair
Four (4) USED GE Testing 65 out of 100
$10.00 each
<ALL FOURTEEN (14) TUBES $225.00>
<All prices plus $4.05 shipping via USPS Priority Mail
Insured>

TNX

Steve

473. Re: Test Equipment for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Steve Roys <sroys@umaryland.edu>
Message-ID: <Pine.SOL.4.10.9904081445450.10341-100000@umaryland.edu>
Source record: 86258

On Thu, 8 Apr 1999, KB3PT wrote:

> On 4/7/99 10:29PM, in message <7eh4cmetp1@remarQ.com>, "Moose"
> <lnmoose@htonline.com> wrote:
>
> > I normally would not do this, but I'm raising money for new equipment so
> > here goes. On E-Bay (Yes E-Bay) I have a really nice ... <snip blah-blah>
>
> I normally would not do this, but feel your message deserves this:
>
> Why mislead everyone here with your "Subject Line" that suggests you're
> This is "rec.radio.amateur.boatanchors", a place for "boatanchor" amateur

[big ole snipperoo]

I normally would not do this, but just wanted to put my .02 in. Moose, you need to take a few deep breaths. He *IS* selling equipment, just rather than setting some possibly arbitrary (and possibly outrageous) price, he's letting the market set the price. Sounds all nice and capitalistic to me, and not quite worthy of firing up the flamethrowers.

If you like it, want it, and don't have some aversion to ebay, then bid. If you don't, just hit your "message delete" button and go from there. I have found all sorts of interesting things on ebay, some that I haven't found anywhere else, and many with better prices than I'd get here in r.r.a.b or at a hamfest. I've even bought...gasp...Radio Shack stuff (but don't tell the missus!).

To each their own.

Steve.

474. FS: MICRO-MINI MICROPHONE ELEMENTS $3.50 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0804991207340001@murphy1.cts.com>
Source record: 86259
Cross-posted to:
rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.aviation.restoration

SUB MINATURE MIC. POWERED BY 1.5 TO 9VDC.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/1_SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

475. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <370D0764.D7020ACE@pacbell.net>
Source record: 86260

I can't figure out what Ebay thinks the liability is for them in selling the amps? Is someone going to sue them? Maybe they'll ban selling cassette tapes, because someone might copy them? BMI, or ASCAP or a record company might sue? I mean come on, amplifiers for 10 meters and thus 11 meters are available on lots of sites on the net, and a bunch of stores here in California. I say let the FCC regulate this or simply require proof of Amateur license. Next they'll ban scanners, because you might modify them to get cellualr freqs. I have written to customer support on this to let them know my opinion. Might I suggest I suggest others do the same? Thanks.
--
Gordy Gale
KA6CVE

476. Re: eBay suggestion

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Steve Roys <sroys@umaryland.edu>
Message-ID: <Pine.SOL.4.10.9904081539190.10341-100000@umaryland.edu>
Source record: 86261
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

On Mon, 5 Apr 1999, Sir wrote:

> I prefer to go to flea markets and Hamfests and SEE & FEEL the
> merchandise before I buy, and deal with the seller face to face.
> Neither Ebay OR Yahoo can offer this service. For free or otherwise.

And that's not even a guarantee. Ya pays your money and ya takes your chances. I've bought a tape deck that played but wouldn't record, a hard disk that wouldn't, speakers with blown tweeters, a cd changer that didn't change, etc... I even witnessed one goober at a fleamarket going on about the rich, resonant quality of the sound from the clock radio that he was trying to sell some poor lady, until the lady took a better look at it and realized that it wasn't a clock radio, just a clock.

It's a shame, but that's just how some people are.

477. FS: MOTOROLA 202T $90 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0804991300120001@murphy1.cts.com>
Source record: 86262
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

202T, NEW COND. $90 EA.

MIKE

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

478. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990408163306.21727.00000211@ng-fx1.aol.com>
Source record: 86263

hello,

i just wqanted to comment on the topic.
you can't control what people do with anything. i also don't believe
you should hold someone else responsible (ebay) for the actions of others. i
mean, it would be like holding a gun seller and manufacturer responsible for
someone buying a gun and then later shooting someone. it isn't the seller's or
the manufacturer's fault and they can't control the actions of the buyer. i
don't think it is wrong to sell amps with names as palomar, etc even if they
will tune on 11 meters. as an amateur operator, we use the same amps on 10
meters with proper privilages. i would say it is not ebay's problem either way.
nothing says you can not have an amp modified for 11 meters, you just can't
use it on 11 meters, right? if so, alot of sb amp owners better get ready to
turn them in!

i believe the fcc should concentrate it's efforts on the amps currently in
the hands of illegal operators. the firebird 500's black cat's and the like.
not the one's being purchased "new." had a person living near me not long ago
with one of the above. man, talk about a problem! qrm doesn't do it
justice.thank GOD i moved.

i have come to the conclusion amps on 11 meters is like boose,
prostitution and dope. you will not stop it. however, i agree to do everything
possible to supress it.

i agree with your comments on regulation and show proof of license.

just some thoughts. thanks

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

479. FS or Trade: Drake TR-7/PS-7/7077

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Kevin <kpevin@mediaone.net>
Message-ID: <Zw8P2.537$Dz5.3341347@elnws01.ce.mediaone.net>
Source record: 86264

I have a nice looking/working Drake TR-7 with an AM filter and a new cabinet for sale, only mod done to the radio is a quiet 12V fan that can easily be removed (I have the cover plate). The PS-7 is in very good shape, the only flaw is you can see where someone had decals of their call at one time on the face, its not bad-just if you reflect the light off the face the right way you can see it. The Drake 7077 desk mike is in great shape also. Also included is the original (not copies) owners and service manual for the TR-7 and a MFJ-407 CW keyer. I am asking 685.00 for everything. Take off 35.00 for the keyer and 50.00 for the desk mic if you dont want them. I am located in the Chicago area and would be willing to meet buyer within 300 miles to deliver to avoid the UPS hassle. I would be willing to trade for a TS-450SAT kenwood or I'll add a few $$ for a FT-890. E-mail me for pics.

Thanks and 73,
Kevin

480. FA:: Collins KWM-2A / 312B-5 & 516f-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7ej5ii$mo1$1@news.erinet.com>
Source record: 86265

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88596340

481. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.040899.162052.72@rvl-md14-12.ix.netcom.com>
Source record: 86266

On 4/8/99 3:45PM, in message <370D0764.D7020ACE@pacbell.net>, Gordy Gale <ggale@pacbell.net> wrote:

> I can't figure out what Ebay thinks the liability is for them in selling
> the amps? Is someone going to sue them?

I don't think E-bay is singling out the amplifiers being discussed, or any other items which seem to be currently "disappearing".

They are, however, obviously "tightening up" in several areas. E-bay is under scruitany and investigation by the federal government, according to an article I read in a trade newspaper, in connection with several other matters. They also are under consideration for possible purchase and/or merger (either in full, or in part) by AOL.

An incredibe business "success story", E-bay has grown tremendously and rapidly, becoming extremely profitable in a relatively short time.

73,

-bill
KB3PT

482. Dumbest excuse

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: speedskater1@my-dejanews.com
Message-ID: <7ejdeb$7f9$1@nnrp1.dejanews.com>
Source record: 86267

I had sold an HQ-170 to someone in clean, aligned, copy of the manual, all original and in excellent working condition. He became hostile when he got it claiming "The knobs are not original. One knob is loose and I am scared to plug it in. The loose knob and non original knobs will make the radio not work." The knobs are original because I checked on ebay at one that was for auction. He sells on ebay and did not bother to look for the HQ-170 to see the knobs. His first reply was he was not happy; no reason. I had to ask what was wrong and that is when he gave the response above. I figured he was able to use a screwdriver and tighten the screw. A few days later he sent threats and name calling. I sent his money back and he continued the harrassing e-mails. I had to set a filter to delete any e-mails from his address. He thought I was as stupid as he is to believe his lies. He DID plug the receiver in, the clock was at a different time and the cord was not the way it was sent. Some settings were set for CW and some for A-M. No wonder there was no reception. He likely hooked the speaker to the antenna terminals and the antenna to the speaker output. He must be unable to read as the terminals on the back are clearly marked. The only kind of screwdriver he knows how to use is the liquid kind, obviously several daily. I have kept his name and address in case he sends further threats by mail. If he had said it was not what he was expecting and would like a refund, I would not think he is a lying nut. He is too stupid to own an a-m/f-m radio, much less a computer. His name and the situation has been told to everyone I know so they will avoid him. He is the butt of many jokes and many more to come. I will take the receiver to a local hamfest this weekend to sell it.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

483. FS: Group of tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Brian Carling <AF4K@earthlink.net>
Message-ID: <01be820c$4f0e2ca0$7a490b26@computer>
Source record: 86268
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono

```
For sale:

TUBES LOT #6 (New Old Stock and used-tested mix)
Metal Octal tube assortment

1619 RCA
OZ4 G.E.
6A8 RCA
6C5 Ken-Rad
6C5 Raytheon
6F5 Raytheon
6F5 RCA
6F6 RCA
6H6 RCA
6J5 CBS
6J5 Ken-Rad
6J5 RCA 2
6J7 Ken-Rad
6J7 RCA 2
6K8 RCA
6SA7 RCA
6SC7 G.E.
6SC7 Ken-Rad 3
6SC7 Sylvania
6SF5 G.E.
6SF5 Ken-Rad 2
6SF5 RCA 2
6SG7 Ken-Rad
6SG7 RCA 3
6SJ7 RCA
6SK7 Ken-Rad 2
6SQ7 RCA
12SA7 Ken-Rad
12SG7 Ken-Rad
12SJ7 G.E.
12SK7 RCA
12SR7 Ken-Rad 2

Total of 42 tubes for $25.00 plus shipping

QTHR
```

484. FS: Nice Audio Output Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Brian Carling <AF4K@earthlink.net>
Message-ID: <01be820c$2173acc0$7a490b26@computer>
Source record: 86269
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.antiques.radio+phono

For sale:

Stancor 15 watt Push-pull output transformer Model VAT-6
New in box. Open Channel frame. Adjustable taps: Secondary 2-15 ohms,
Primary 2500-13000 ohms. Will sell for $19.00 plus shipping of $4.85
conus

485. Re: Johnson HF Thunderbolt for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990408192433.00944.00001948@ng33.aol.com>
Source record: 86270

oops on my email, I guess the total shipped price is about $490 to Dayton Ohio 45434.

73

Evan

486. tuned input for Dentron Clipperton-L

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: K5FZ@webtv.net
Message-ID: <24240-370D3F23-130@newsd-101.iap.bryant.webtv.net>
Source record: 86271

I am looking for a tuned input circuit for a Dentron Clipperton-L amplifier. I have heard that Dentron made an add-on board for this amplifier and that another company made one for it also. Any information on either of these would be appreciated.

k5fz

487. FA: HQ-100 and Speaker w/Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Bob <friday@ccnet.com>
Message-ID: <370D5879.4F0D014A@ccnet.com>
Source record: 86272

FA: Nice HQ-100 with the matching speaker and original manual. Includes crystal calibrator option and BFO.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=87569431

488. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7ejl3v$ic7$1@news2.bit-net.com>
Source record: 86273
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Allen, et al,

It is a troublesome grey area that the FCC really needs to address, though
with the numbers of illegal CB amps out there the point may be moot.

One may read the law to prohibit the sale of amps for CB use, thus eBay
may technically be pressured to not allow them to be advertised as such.

One may also read the law to say that a legal 10 meter amp may be sold to
anyone by anyone.

Here they have used the older interpretation and appear to have required
the seller to be a licensed Ham, though they have not required the buyer to
produce a valid Ham license. Hmmm.

I have just bought a used RCI-2950 from a fellow Ham, but we all know
that the majority of RCI-2950 and Uniden 2510 owners are not licensed
anything, just CB'ers who ignore the law ... and who now buy and operate
100 watt RCI-2970's and other rigs on 10 and 11 meters with impunity, not
to mention amps from 100-10,000 watts!

Is such activity illegal, sure! Is the purchase of a so-called 10 meter
amp
by an unlicensed person with the intent of running it illegally a crime,
sure ...
but try to prove intent! They can claim they bought it as a gift, an
incentive
to get licensed, or as a doorstop ... who is to prove otherwise?

Only catching someone in the act of operating illegally can the FCC
really
do anything.

Sorry for the bad news ... we've discussed requiring a Ham license to
buy or to gear designed for Ham-licensed operation before but there are
all sorts of problems with that as well. There is little honor left in
America
towards the law ... the reasons are obvious but that is as much a political
thing as a religious and sociological thing and not appropriate to this
venue.

73, DavidC K1YP

> This may be a little off topic here, but I have noticed that eBay has been
> pulling auctions of C.B. amps from their auction site over the past few

weeks.
> One day they are there, the next day the item number comes up invalid. You
can
> see this by doing a search on "linear" or under brand names like
"Palomar". I
> guess the FCC has been on their case about them.
>
> Also eBay says that if you see a questionable auction that you can email
them
> at ctywatch@ebay.com and they will check out the auction to see if it fits
into
> their guidelines. So, it looks like some people have been turning it these
> auctions to eBay.
>
> However, there was a rather strange one that involved an auction for
something
> called a "Vintage Varmint XL100 Linear Amp"(Item #88422293). It looks
like
> this one was deleted and that eBay put it back because the seller told
them he
> was a amateur and that the amp was built for ten meters. His quote was:
>
> "This amplifier is being listed by a licenced ham radio operator, and is
> offered for sale for use in the 10-Meter ham band. Now that the legalese
is
> out of the way, happy bidding!"
>
> He also goes on to say:
>
> "eBay mistakenly pulled this item a few days ago, thinking that it was a
policy
> violation. I have since had correspondance with Customer Service, and
they
> have apologised and allowed me to relist it. Thanks, eBay!"
>
> This brings up a good question that I have and that is:
> Is he just trying to sell an amp, or does he have a point?
>
> How do you guys read the FCC rules on this?
>
>
> Allen Cutts
> N4OZI

489. FS: SWAN MARK II 80-10 MTR 2 KW AMP.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7ejn45$lr5$1@news.itis.com>
Source record: 86274

THIS AMP IS IN EXCELLANT COND. HAS A PAIR OF NEW 3-400 TUBES AND IS IN EXTREMELY CLEAN COND. MANUAL LIKE NEW. LOOKING FOR OFFERS + SHIPPING.

490. FS: SWAN MARK II 80-10 MTR 2 KW AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7ejnbn$m0l$1@news.itis.com>
Source record: 86275

ALSO THIS TABLETOP AMP HAS THE MATCHING SOLID STATE POWER SUPPLY IN EQUALLY GOOD CONDITION. IT OPERATES ON 110V OR 220V. LOOKING FOR BEST OFFER ON THE PACKAGE + SHIPPING

491. Re: SWAN MARK II 80-10 MTR 2 KW AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Bruce McMullan <bmcmull@idirect.com>
Message-ID: <370d6e99@nemo.idirect.com>
Source record: 86276

BUCKY BADGER wrote in message <7ejnbn$m0l$1@news.itis.com>...
>ALSO THIS TABLETOP AMP HAS THE MATCHING SOLID STATE POWER SUPPLY IN EQUALLY
>GOOD CONDITION. IT OPERATES ON 110V OR 220V. LOOKING FOR BEST OFFER ON THE
>PACKAGE + SHIPPING
>
>
I am just wondering - is it set on 2 kW output, or can it be adjusted
when needed? Any price $200.00 or below would do...just name your price.

73, VA3 CMJ
SWAN-240
QTH Toronto, Ontario, CANADA
Age 13

492. Re: Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Moose <lnmoose@htonline.com>
Message-ID: <923627688.698.34@news.remarQ.com>
Source record: 86277

Hey I've got a Kenmore Leenear with that thar side burn filter,
works great no need to build yerself one. Heck on 11 meters
I can lite ceegars off that big ol whip after only five minutes key
down country western on the old superslab.

Seriously, let's hope they don't lower the amatuer standards anymore
or this will be where all the new ones come from.

Rosey Rosenbaum wrote in message ...
>I would like a schematic for a 1KW linear. Tube or solid state doesn't
>matter. If it is tube type I would hope it is for available tubes. I would
>like to use it on 2m, 10m and 11m right away. Hopefully further expansion
>later. I would like to build the unit myself out of self found parts. Any
>help would be appreciated.
>
>Rosey
>bili@iquest.net
>
>
>
>
>

493. mercury-wetted relays

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: jwodell@ameritech.net
Message-ID: <370cb96d.561533@news.det.ameritech.net>
Source record: 86378

Anyone know of a source for such things? I need to cathode
key a small transmitter, and recall that they were ideal
for the purpose.

Thanks -- e-mail would be best.

73 jerry w8gnd

494. FA Heathkit HW16

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <370BF388.491A@sympatico.ca>
Source record: 86379
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.ham-radio.swap

HW16 on EBay - have a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86143530>

495. W T B HEATH DX40 POWER TRANSF

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990407201237.06275.00003671@ng-ft1.aol.com>
Source record: 86380

I AM IN NEED OF POWER TRANSFORMER FOR HEATH
DX40 TRANSMITTER PLEASE ADVISE W2FNT JOHNYK78

496. FA KW107 Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <370BF445.577D@sympatico.ca>
Source record: 86381
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.ham-radio.swap

Very nice Antenna tuner on EBay - will look nice with your S Line.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86169929>

497. Need INFO!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: brumar001@aol.com
Message-ID: <19990407205339.21902.00004147@ng99.aol.com>
Source record: 86382

Does anyone have a schematic and alignment info for a Hammarlund HQ-100. If so could you fax to me or copy . Live in Richmond, Va. area. Will pick up in 50 mile radius. thanks in advance.

Bruce KF4LOV

498. Re: FA: Short Wave Craft Mags 1930 -38 on EBay ends 4/11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990407210823.06276.00003725@ng-ft1.aol.com>
Source record: 86383

I searched and couldnt lotact the add on the
short wave magazines is it complete set
from 1930 to 1938???? please advise
johnyk78@AOL

499. F S DRAKE C LINE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990407211617.06276.00003731@ng-ft1.aol.com>
Source record: 86384

DRAKE R4C WITH 2 FILTERS AND NOISE BLANKER

DRAKE T4XC

DRAKE MS45

DRAKE AC4 CABLES AND BOOKS COMPLETE SHIPPED $575

UNITS ARE VERY CLEAN THIS IS AN ESTATE ITEM PLLEASE ADVISE
JOHNYK78@AOL.COM

500. Re: Central Electronics 20A and 458 VFO PRICE REDUCED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <7eh3fruv0@208.207.71.143>
Source record: 86385
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.amateur.radio.equipment

Gary - KJ6Q wrote:
==========
> SO - the Serbs kick out the Albanians, and WE
> "help" by bombing the #%$@ out of the REST of
> the country - INCLUDING whats LEFT of the Albanian's
> homes, towns and infrastructure, fully expecting at some point BOTH
> parties will kiss and make up, and THANK us for all our "help", as
> they
> stand arm-in-arm amid the ruins of their country?
> WHAT am I missing here...?

Well....the Emperor had no clothes, but the President had no
clue....

501. Lots of Equip. 4 Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-08 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990407231424.17653.00003766@ng-fq1.aol.com>
Source record: 86386

Kenwood TS530s HF Transceiver, kenwood MC50 Mic and Manual $400.00 SOLD

Kenwood TS 430S, AM filter, general coverage TX/RX, stock mic, Manual,
Some scrathes on cover, face excellent, No FM board. $425.00

Cubic/Swan 102 BX solid state HF transceiver, Dual PTO tuning Dials, Passband indicator,
speech processor etc..Matching Power supply /Speaker. Manuals. $380.00

Qty 2 Tram D201s each in need of minor repairs, with Sams $150.00 each

Tram D201, good condition, Great AM tx and rx, SSB receive a bit weak,
probable needs a tube, have not had time to work on it, with manual and SAMs
$250.00

Kenwood TH315 220 Handheld, Leather case, wall charger, Speaker Mic $225.00
SOLD

Redco Digi Scan -5, RDS-02, I think it's for use with a O2A PLL $60.00

Eico 720 HF CW transmitter, Cabinet need painted, Inside is super clean,
Untested $75.00

Homebrew 10 Meter amplifier, uses three 24 volt versions of the 6146 tube, Made
from a military transceiver PA section. Separate power supply made from Mil
parts. Fairly compact modules, Peak readings of 200 watts. $150.00

Bearcat 210 scanner $30.00 SOLD

D&A Mfg. T-600 , 10 tube amplifier Later version of the Phantom 500, Black,
in excellent condition
10-20-40-80 meters, all tubes in great shape, Keys 500 watts swings 1000 Pep, a
super clean unit
$400.00

D&A Mfg. Maverick 250 , 8 tube 10 meter amplifier, tubes all in good shape,
6LQ6's recently replaced with NOS stock $300

Phantom 500 10 meter amplifier, Needs 10 6LQ6s (Ouch!) $150.00 Sold

Texas Star Killer Bee HD250V, 10 meter amplifier, Class C, Direct keyed only
$85.00

Varmint XL350, 3 tube, 10 meter amplifier, With the famous "Super Mod" switch,
Clean,
Tubes 80% or better Swings 500 pep on YS-60 peak meter. $250.00

Heathkit SB201 10-20-40-80 Linear amplifier, Fresh 572B Tubes, Manual, Works
great $375.00

HTX202 RadioShack 2 meter handheld, Speaker Mic, Box, Manual, Wall charger $100 SOLD

Crate Stealth 60 Tube Guitar amp, In great condition. Manual $200.00

Yamaha 12 string acoustic, beautiful guitar with case!! $500.00

Yamaha RX11 Drum Machine $100.00

Rack mount Lab power supply, Power Ten Inc. Model 3300D-10010, 0-100 VDC, 0-10 Amps,
Voltage and current LCD read outs, Clean $200.00

Bird 4391 Analyst, Microprocessor controlled CW power / Pep Power / Modulation /
and more, uses bird 43 slugs. Carrying case, manual, $400.00

Bird slug 50-125 Mhz, 5,000 W Peak mode / 1000W Max average Power $60.00
Like new, low use

Bird slug 50-125 Mhz, 10,000 W Peak mode / 1000W Max average Power $60.00
Like new, low use

Siltronics model 90 VFO -6 $85.00 Clean

Alan CTE HQ135 25-29 Mhz Wattmeter 10/100/1000 watt scales, illuminated, Low use like new in box $40.00

Alan CTE 36" apartment dwellers antenna, adjustable swr, Low use Like New $25.00

Alinco DJ-S11 Mini 2 meter hand held, in box, low use, slight scratch on front $65.00

Cushcraft R5 five band Vertical, uses short counterpoise radials $150.00

Radio Shack Digital SWR/Power meter RMS and PEP 0-30 Mhz $30.00

Watts 0-160 PSI precision Regulator & Sub-regulator filter block assemblies NEW $100.00 Ea.

Recoton CBM430 Amplified Desk Mic $20.00

Mirage B3016 2 meter FM/SSB amplifier, with preamp, 30 in 160 Watts out. $200.00 Sold

SBE Trinidad AM Base, Excellent condition with Manual and D104 Mic $120.00

Realistic TRC459, AM/SSB 40Channel CB ,unique flat console design, dial a watt, Stock Mic. $130.00

Sears Road talker 40 AM/SSB 40 channel Mobile, In box, Low usage, No Manual, Clean No Mods $100

Sears Road talker Base/Mobile 40 channel AM/SSB, In box, Low usage, No Manual , clean, No Mods $100 SOLD

Uniden HR2600 with chipswitch modification, 575-M6 mic, Manual and chipswitch manual $260.00

Yaesu FRG 7 SW receiver, good condition $160.00

Ameritron AL 811 HF Amplifier uses 3 811 tubes, minor flaw on face plate, 7.5 to 8 on condition, works perfect, full output with manual $400 SOLD

Complete ammunition reloading set up, 2 Presses, scale, several dies, tumbler, Case trimmer, books, Brass, 2 powder drops, trickler, A whole lot of stuff ...dies for 223, 45 long colt, 7mm Rem mag, 30-30, 308, 22 hornet, 30 carbine and others $320.00

Craftsman compressor 4 HP 30 Gal, In good condition, with hose and regulator/seperator setup $200 Local pick up only in the Simi Valley Ca. area

Roland 4 track multi-tracker recording system, Higher end model, Nice mixer/EQ section. Not sure of the model #, must check in storage. $300.00 Clean condition, with manual

* I buy, sell and trade vacuum tubes

Will possibly trade above items for:
Drake equipment and accessories
Bird 43
Bird HF slugs
Digital camera
Yaesu Y0 100 scope
Yaesu FV101 VFO
Electro Voice Mics
Johnson Viking II with Johnson VFO
Collins 30L1 in good condition
Collins R390A
MFJ antenna analyzer. The one with resistance read out
Drake RV-7 VFO
Power supply for the Drake TR 7
Yaesu FT-7 in very good condition
or ??? what do you have?
Astatic 10DA SSB mic head
Astatic Night Eagle
Yaesu FL2100B

JPG Pictures available on some items *

--The stuff that will never make it to the bench for repair--
Below sold as is:

Siltronics Albatrose 23 channel AM/SSB mobile with big ol venier slider knob $25.00 Works, Occasional Intermittent TX

Pierce Simpson Bengal AM/SSB 23 channel base SSB works AM doesn't $30.00

Zachery T AM Base No TX week RX $30.00

President Washington w/ freqs and slider (Worked perfect before UPS got ahold of it) Came back from
Hawaii , No TX or RX, Possible damaged loop mixer crystal $60.00

Robyn tiger 23C Needs Audio transistor $10.00

Messenger 250 23 channel base CB, beautiful gold and brown, good cosmetic condition, Possible power supply problem $40.00

Icom IC230 2 meter parts radio, No Knobs $20.00 TX works.

*All items do not include shipping.
*Shipping Via UPS ground unless otherwise stated
*All items guaranteed to work unless otherwise stated.
* Most larger items are professionally packaged and double boxed.
* Buyer splits packing charges.
* Most prices negotiable.
* Use of 10 meter amps on 11 meters is illegal.
* References available upon request.

502. EBAY- Autek QF-1A "give-away"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990408235150.03220.00000202@ng145.aol.com>
Source record: 86187

Hi Guys;
Well not exactly a "give-away" but darn close to it.
Its at only $21 with 1 day left!
Heres the URL Folks!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=86210401

503. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: maddog@io.com
Message-ID: <370d9ace.270998849@news.io.com>
Source record: 86188
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

On Wed, 07 Apr 1999 18:02:53 -0700, clyde edgar
<cedgar@pacificnet.net> wrote:

>I bought a music synthesizer last year for $300 USD, I think I paid $15 shipping
>for 10# and U.S. Customs charged a $30 tarif and there was a $25 fee from a
>broker or someone like that. I wouldn't bother doing it again unless its really
>a rare item.

Sheesh! What happened to "free trade"?

monty N5FC

504. FS: DRAKE RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <7ek8oenhc1@holly.prod.itd.earthlink.net>
Source record: 86189
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: DRAKE 2-C Receiver and Matching 2 SC speaker. 9.5 condition !
Collector quality unit.

$ 175 + shipping

Thank you,

-ERIC

505. FS: HEATHKIT RECEIVERS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <7ek93s$o14$1@holly.prod.itd.earthlink.net>
Source record: 86190
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: HEATHKIT Receivers

AR-2 .5 - 35 MHz, Good cosmetic shape, has hum in receiver. $ 40
+ shipping

GR81 Regenerative Receiver, .15 - 18 MHz, no case, needs repair. $25 +
shipping

OR both for $ 60 + shipping.

Thank you,

-ERIC

506. Mil radio newsgroup somewhere??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <370DB519.EAB361B0@blarg.net>
Source record: 86191

Hi. Anyone know where I can find a military radio newsgroup?
Thanks. Jim W7LS

507. RE: SWAN MARK II AMP BEST OFFER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7ekd1t$6fu$1@news.itis.com>
Source record: 86192

AT THIS TIME I HAVE A BID OF $350.00 + SHIPPING.
THIS UNIT IS COLLECTOR QUALITY. IT WAS OWNED BY A NOW DECEASED HAM WHO
ALMOST NEVER USED IT AND IT SHOWS.

508. key for new ham

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: w8ak@aol.com
Message-ID: <19990409074431.11470.00000544@ng19.aol.com>
Source record: 86193

Hi,
I'm trying to find a key for a new ham. He prefers a j-38? type key. Any help is appreciated. Thanks, Glenn

509. Problemo: AC hum on tx carrier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: JGinNY <jgovost1@twcny.rr.com>
Message-ID: <370E1362.8E6DA03@twcny.rr.com>
Source record: 86194

'Been having problems with bad hum (buzz?) in transmit audio of an old '60's VHF tcvr -- a Laffy-ette. The hum sounds like 60-cycle; very loud on the signal, when monitored on a separate rcvr.

Could this hum be coming from the PTT relay? It is a ~ 12V AC relay, powered off the rig's filament-supply line. Wonder if there might be some unintended coupling going on, causing the hum on the tx output. Sound like a possibility?

WA1HLR, in a QSO on 75m yesterday, mentioned something about this type of problem in certain low-pwr rigs (e.g,. Globe Scout). He said something about problematic coupling involving the PTT line, filament supply, etc., and that the mfr's sometimes didn't include enough filtering capacitance on the main filament line. Or something like that -- I missed most of Tim's followup comments due to QRN.

This rig has the "unbalanced" type filament wiring (one side of each filament is grounded).

Looking for any comments/suggestions on this type of thing. (BTW, pwr supply is recapped -- didn't affect tx hum.)

Thanks, and 73 all
Joel, nr. Ithaca

510. Re: Need Info CV157 converter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <370E131C.3645@swbell.net>
Source record: 86195

Thanks to the guys that took time to follow-up on my question and thanks to the NG!

Dan
W5VJ

511. ICOM SM-20 DESK MIKE AS NIB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990409115944.23365.00000741@ng124.aol.com>
Source record: 86196

HAVE A ICOM SM-20 DESK MIKE THIS IS THE BEST MIKE ICOM HAS EVER CAME OUT WITH
....SOLD FOR OVER $200.00 WHEN PRODUCED...WILL SHIP FOR $175.00 TO YOUR DOOR
INSURED ...UPS ..THANKS
DWIGHT

512. rare rockwell/collins hf-2050

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: luc dugas <collins2@globetrotter.net>
Message-ID: <370DCEC0.B26852AE@globetrotter.net>
Source record: 86197

see hf-2050 at ebay no:88893850 luc ve2lgj 73s

513. FS 6mtr AM Rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990409121042.27488.00000480@ng16.aol.com>
Source record: 86198

Lafayette HE45B with manual. Good condition. $85 plus shipping.

514. FA: Collector's Mint Swan mark II Linear Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <370E2BD3.1E5BD5A0@cfu.net>
Source record: 86199

See ebay.com item # 87081673 till 9:55 pm Sunday, 4/11. Tks es 73!

515. Nameplates: Collins 51J-3/4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <370DF09A.23DA@iamerica.net>
Source record: 86200

I have for sale reproduction commercial nameplates for the 51J-3 and 51J-4. These are reproduced with the permission of Rockwell. They are made of etched aluminum with rig type and serial numbers stamped. Serial numbers start at 12000 to avoid duplication with originals.

These are $12 shipped with screws, two for $20. Add postage for outside of the US.

Also have R-390A generic plates FS, $9 shipped with screws.

73 Tom N5OFF

TF Marcotte
242 Chestnut Oak
Mandeville, LA 70448

516. New HAM category on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <370E37D8.83568843@pacbell.net>
Source record: 86201

Well, looks like Ebay figured out how to deal with the HF amplifier situation. They have split up the radio categories into General, CB and HAM. Excellent solution.
--
Gordy Gale
KA6CVE

517. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <370E6915.5EBEC2E9@jorsm.com>
Source record: 86202
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6
20.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950 75.00
6AZ8 5.00 6LB6 20.00 7558 10.00 6ME6 25.00 6DJ8
5.00
12BY7A 7.00 24LQ6 15.00 6JT6 20.00 5AR4 12.00 5753 7.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

518. Antenna tuner in S-86 Hallicrafter reciever?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: "D.Pearce" <depearce@netscape.net>
Message-ID: <370E62A3.4CC3EE18@netscape.net>
Source record: 86203

I was comparing a picture of the Hallicrafter S-86 reciever with the one I own. Mine has a knob on the top left side of the panel (below the dials) that does not appear in the picture. Inside, there is a variable capacitor hooked to the knob. The knob is unmarked, but the installation looks like factory installation.

I think it is an antenna tuner, as when I switch bands I adjust it to get the loudest signal. Does this sound right?

David Pearce KC0DQA

519. JBT AC Freq Meter(60cps)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37116f18.39715842@news.i-2000.com>
Source record: 86204

FS Brand New JBT frequency meter for 60 cycle AC...this is a
reed type unit that is ideal for your field day generator to make sure
its on 60 cycles...Its brand new, and working, as I tried it prior to
this posting....$25.00+shp...Bob on L. Island...
Pse remove the (ns) from my adr...Thanks...

520. Need: Millen Manual Copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Terry Brown <browntl@concentric.net>
Message-ID: <370E7B13.524AD9F@concentric.net>
Source record: 86205

I'm in need of a copy of the manual for the Millen Band Scope model
90932. If anyone has one or can put me onto one I'd really appreciate
it. Thanks.
Terry (KA5IHV)

521. FA/Kenwood TS-690S/AT MC60A/SS-25/SP-23

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990409181526.16140.00000764@ng-ft1.aol.com>
Source record: 86206

A real winner and 100% functional and in great shape. Pictures on Ebay
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89009481
Thanks for looking

522. WTB-EXTERNAL VFO FOR KENWOOD TS520

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: N8SN@webtv.net
Message-ID: <5849-370E7638-28@newsd-234.iap.bryant.webtv.net>
Source record: 86207

I am looking for model vfo-520 for kenwood ts520. in good working
condition.
please email me at above address if you
have one for sale.
TNX....73
CHUCK N8SN

VISIT MY WEBSITE AT:http://www.geocities.com/capecanaveral/hangar/7903/
73 FROM N8SN FORMERLY KF8HT

523. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990409190647.25942.00000579@ng-cd1.aol.com>
Source record: 86208

I have written to both e-Bay, and earlier, AOL, re: sale of illegal amplifiers.
I asked if they might not also sell drugs on their sites, since being illegal
did not seem to be reason for not selling.

Sorry, I can't agree with you on this one.
Or on "the mods."

K&#65533;MB

524. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <370E8485.939@ix.netcom.com>
Source record: 86209
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

Monty Northrup wrote:
>
> On Wed, 07 Apr 1999 18:02:53 -0700, clyde edgar
> <cedgar@pacificnet.net> wrote:
>
> >I bought a music synthesizer last year for $300 USD, I think I paid $15 shipping
> >for 10# and U.S. Customs charged a $30 tarif and there was a $25 fee from a
> >broker or someone like that. I wouldn't bother doing it again unless its really
> >a rare item.
>
> Sheesh! What happened to "free trade"?
>
> monty N5FC
This does not apply to amateur radio equipment. There's NO duty on ham equipment. Otherwise for all other stuff there's Duty about 5-10% and taxes about 7-8%. Then if you use a broker it cost even more. If they think you claimed too low they can appraise it for you at a using some rediculous method. If they catch you tring to hide it in a car they can impound the car and charge you double duty and taxes to get your item back or it goes to auction. Remember to mark whatever you are sending clearly "AMATEUR RADIO EQUIPMENT" 73 Chris

525. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Victor Panzica <vpanzica@sprintmail.com>
Message-ID: <370E8ABA.E0AB3527@sprintmail.com>
Source record: 86210

Unfortunately the sale, purchase and possession of drugs is illegal. Not just the use of drugs.

I do not believe the sale, purchase and possesion of an amp useable for 11 meters is illegal. Only the use of the amp on 11 meters.

MailfrmPA wrote:

> I have written to both e-Bay, and earlier, AOL, re: sale of illegal amplifiers.
> I asked if they might not also sell drugs on their sites, since being illegal
> did not seem to be reason for not selling.
>
> Sorry, I can't agree with you on this one.
> Or on "the mods."
>
> Kï¿½MB

526. Re: Knight Kit Star Roamer Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7em1em$17v3@eccws1.dearborn.ford.com>
Source record: 86211

In article <YieO2.945$S07.6510445@typhoon.stlnet.com>, billbird@mo.net says...

>Even though I built my own Allied Knight Kit Star Roamer Short Wave receiver
>with my Dad's help many years ago I somehow lost the manual. My unit has a
>very loud hum and I would like to repair it. I am thinking of replacing the
>large multi-capacitor component with several capacitors of correct value. I
>was wondering if anyone knew if the Star Roamer can receive CW since I know
>Morse code now. Also if you have an idea about the hum please let me know.
>It is loud and unaffected by the volume control.

It sounds like a defective (probably open) filter capacitor in the power
supply; you've probably got one section of the filter devoted to the B+ for
the audio amplifier, which is why the loud hum is unaffected by adjusting
the volume control.

If the unit is a "twist-lok" type (metal exterior with tabs that twist to
anchor the capacitor to the chassis), you ought to be able to find an
equivalent replacement through Antique Electronic Supply in Tempe, AZ...
they have both NOS as well as modern units. Alternatively, you can
disconnect the leads to the (+) side(s) of the filter capacitor and
substitute individual axial-lead electrolytic capacitors that are of the
equivalent capacity and WVDC for each of the sections of the original
filter can. I've had to do this for Hallicrafters S-38s, where the power
supply filter is a "strap" mounted paper case multisection electrolytic
that I have had absolutely no luck finding as an exact replacement. The
individual electrolytics have worked just as well in this situation.

Depending on the age of the receiver, you may also want to replace any
smaller-value tubular paper/foil capacitors if they appear to be rotting.
You can substitute Sprague or SBE "orange drop" mylars, which are for
all intents and purposes indestructible, and they'll never need to be
replaced again (in the 25 years or so I've been doing this sort of thing,
I've yet to see an "orange drop" fail). Also check the values of any carbon
resistors to verify that they're still within spec tolerance, and replace
any that have gone out of range.

C.K.

527. WTD: Bird products "Mini-monitor" thruline (2-10 MHz)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <370E9B4A.6D57@ix.netcom.com>
Source record: 86212

This is a military-related item..

If you have any leads, let me know

This is a miniature thruline wattmeter
made by Bird, and it covers from
2-10 MHz, rated at 100 watts
full-scale..
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

528. WTB: EF JOHNSON navigator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <370E9D1A.FE6DD51C@tinyradio.com>
Source record: 86213

WTB: EF JOHNSON navigator - preferably working, or will fix.

73 Al W1UX

529. WTB: HALLICRAFTERS HT-18 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <370E9CA5.F857EDA@tinyradio.com>
Source record: 86214

WTB: HALLICRAFTERS HT-18 EXCITER - the one that covers 160m.

73 Al W1UX

530. FS Heathkit SWR Meter movement

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <%1yP2.2052$YI4.9518@typhoon-sf.pbi.net>
Source record: 86215

Hi, anyone need a H_e_a_t_h_k_i_t Antenna S.W.R. Meter, white scale, black lettering, plastic case?

Front dimensions: 2-3/8"h x 2-21/23"w

Title: Standing Wave Ratio
Top scale: 1...2..3.456
Next scale: 0-100
"Percent Reflected Power"
"Heathkit"
"Antenna S.W.R. METER"

FS = 100ua

The meter case needs buffing, but looks like it would clean up. No cracks or breaks.

Please make an offer, I don't know what is a fair asking price.

73 de Bill, AB6MT
billsmith@jps.net

531. Re: FA/Kenwood TS-690S-A BOATANCHOR???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Mike & Coreen Smith <ve9aa@nbnet.nb.ca>
Message-ID: <370EEEA5.E9FE104@nbnet.nb.ca>
Source record: 86216

Geez, if a Ts-690s is a boatanchor, my ts-530s must be a rare antique
!!!

:-)))

--
Michael ve9aa
271 Smith Road
Waterville Sunbury Co,
New Brunswick Canada E2V 3V6
<ve9aa@nbnet.nb.ca>

532. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Bob Lewis <aa4pb@erols.com>
Message-ID: <370EB3F9.7ABC8545@erols.com>
Source record: 86217
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

It is my understanding that there is an exemption of some type for amateur radio equipment purchased for personal use (not resale). It's been a while and I don't remember the details but I purchased a PTC-II from SCS in Germany for $900 plus and was not accessed any import duties on it.

533. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Victor Panzica <vpanzica@sprintmail.com>
Message-ID: <370EBA41.C30669C4@sprintmail.com>
Source record: 86218

Its possible that's a self imposed restriction by the manufacturer's themselves to avoid giving amateur equipment a bad rap when its purchased for illegal 11 Meter operation.

Back in the 60's catalogs would advertise the 10 meter amps with the warning "Illegal for 11 Meter Operation". The only problem was they advertised the amps on the pages right after the CB Equipment in their catalogs.....Hmmmmm

Ka9p wrote:

> <the sale, purchase and possesion of an amp useable for 11 meters
> is illegal. Only the use of the amp on 11 meters.>
>
> Then why is it so hard to buy an amateur amp with 10 meters on it from the
> factory - or is that hassle a thing of the past now?

534. Hammarlund HQ-200 & Heathkit HW-22 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: SWL <dk664@yahoo.com>
Message-ID: <7ememo$4e$1@birch.prod.itd.earthlink.net>
Source record: 86219
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

Please go to -

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89129515 for HQ-200

and

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89123305 for HW-22

Thank you.

535. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7emgi4$4uu@chronicle.concentric.net>
Source record: 86220

I say let the FCC regulate this or simply
>require proof of Amateur license. Next they'll ban scanners, because you
>might modify them to get cellualr freqs. I have written to customer
>support on this to let them know my opinion. Might I suggest I suggest
>others do the same? Thanks.
>--
>Gordy Gale
>KA6CVE
#1...E_Bay DID PULL the auctions for illegal cell frequency scanners.
Apparently they scaned for opened freequencies and other such comments
indicating that they were opened up to those freq.
#2....in order to purchase an all band amp from an amp manufactured you DO
have to present a copy of your Ham Ticket to get the instructions on
how to open the 10 meter position on the band switch
#3....a couple of weeks ago there was one www site that the FCC shut down
that was advertising into these newsgroups and selling CB Amps...
de John K9UWA

536. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <370EC873.D30FBD46@pacbell.net>
Source record: 86221

I meant ALL scanners as they could be modified.
--
Gordy Gale

537. WTB: Cubic, CIR, Astro, Swan, etc. for repair or parts also Satan Electronics gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: BOB DUCKWORTH <bob@atl.org>
Message-ID: <370DDAFE.3357@atl.org>
Source record: 86222
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.scanner,rec.radio.cb

Looking for any of the early synthesized radios.
Prefer inop as I enjoy working on them and these
don't cost as much but will also look at nicer working models.
Esp if it's something new.

some HF examples.
CIR Astro
Swan Astro
Cubic Astro

I'm sure there are others but these are the one's I
know about so far.

Also looking for anything by Satan Electronics
ie Brimstone 144 or ???(are there others)

-bob
wb4mnf
Atlanta
<mailto:bob@atl.org> or
404-888-0389

538. Desk Kilowatt Price?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: Bill Strangfeld <bstrang@iac.net>
Message-ID: <Pine.SUN.3.93.990409131836.7633A-100000@crystal.iac.net>
Source record: 86223

Would like to contact you if you know the actual selling
price for a desk kilowatt that traded within the last year
or two. I will have one for sale soon, and an extra left
hand desk pedestal, and want to establish price ranges.

Bill, W8FIX, Cincinnati
bstrang@iac.net

539. mercury wetted relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: jwodell@ameritech.net
Message-ID: <370d4538.1298710@news.det.ameritech.net>
Source record: 86278

Gee, everyone has been so nice. But most have been small, low voltage, low current devices.

I'm trying to key a DX40, heath, and that takes a bit of heft. So I need a big relay. 400V at about 1/2 amp.

Sorry to be such a bother, but the thing is really in mint condition. I just hate to give up my lovely keyer.

73 jerry w8gnd

540. F S HEATH DX40

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990408201714.03220.00000115@ng145.aol.com>
Source record: 86279

DX40 VERY CLEAN AND ALL ORIGINAL TRANSFORMER
IS MISSING WITH COPY OF MANUAL SHIPPED $45
JOHN KAKSTYS 18 HILLCREST TER LINDEN NJ 07036
CALL IS W2FNT (1933) JOHNYK78@AOL

541. WTB UTC Transformers, WE111C, Triad RA6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: MarkHugh@aol.com
Message-ID: <7ejo52$g6n$1@nnrp1.dejanews.com>
Source record: 86280
Cross-posted to: in.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

WTB UTC Transformers, WE111C, Triad RA6

Want to buy or trade for the following UTC transformers:
A-10,11, 12, 16, 17, 18,19, 25, 26
HA-100, 100X,133
LS-10, 12,14, 19, 21, 52, 55, 56, 57, 63

A24,
O1

Western Electric Repeat Coils 111C
Triad RA6 Power Transformers

markhugh@aol.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

542. Re: F S HEATH DX40

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990408213345.02130.00000384@ng-fr1.aol.com>
Source record: 86281

Hi JOhn;

I'll purchase the DX-40.

73's
Bob, W4RLC
73's
Bob, W4RLC (formerly WA7OGU)

543. WTB: Johnson attenuator for Thunderbolt

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990408222545.24283.00000329@ng144.aol.com>
Source record: 86282

Need Johnson attenuator to reduce drive to Thunderbolt amp.

73

Evan

544. FS: Antique test instruments

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: "David L. Jones" <k4dlj@bellsouth.net>
Message-ID: <370D72C7.D6789140@bellsouth.net>
Source record: 86283
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,sci.electronics.equipment,sci.electronics.repair

Hi all!
Have for sale the following antique test instruments:

Wheastone Bridge - resistance bridge - model ZM-4B mad for the U.S. Army by Tech Labs, Inc. Unit is in excellent physical and operational condition. manufactured approx. 1955. Last calibrated 1970. Original gray metal case with all metal identification tags. - $85.00

"O" scope model OS-8C/U 4" screen - manufactured for the department of the Navy Bureau of Ships with waterproffing cover model CY-1300U. Manufactured approx. 1960. - In very good physical condition and works like a charm. - $45.00

Wood Am-Meter (this is the name printed on the face of the instruments)- model 2687 manufactured by Fort Wayne Electric - Transformer Department - SN-1587 Fort Wayne Indiana. Unit is housed in a all wood case and has the identification and documentation as original glued to the rear of unit. Copper/bronze terminals. Manufactured approx. 1890. Very interesting unit and very much a collectors item. $150.00.

Weston model 4021 - Wood base 0-600vdc voltmeter - totally enclosed with terminals and switch on front of unit. - In good condition. Definate collectors item/quality- $45.00

Prices include shipping.
Best 73/dx de Dave K4DLJ Darlington, SC

545. Re: FS or Trade: Drake TR-7/PS-7/7077

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990408233455.08457.00000296@ng10.aol.com>
Source record: 86284

HI KEVIN, I WOULD LIKE TO BUY THE DESK MIKE FOR THE TR7. I HAVE THE STATION
WITH OUT THE MATCHING MIKE. IF IT'S MINT I'LL GIVE YOU THE 50. 73S JACK

546. Re: Question on import duties from Canada.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: "Paul S. Hinman" <pshinman@shaw.wave.ca>
Message-ID: <370D7619.935B5C05@shaw.wave.ca>
Source record: 86285
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

Many of us up here will decline to make a purchase from the US if they insist on
using UPS for just that reason.
I got ding $145 brokerage on a $600 item once. I have found the US postal service
to be one of the best ways
to get stuff accross the 49th parallel.

Paul VE6LDS from the other side of the story

Mark Fraser wrote:

> I think you'll find that items for PERSONAL use do NOT require a broker.
> UPS, however, assumes that EVERYTHING is commercial, so they feed things
> thru a broker. For 30 bucks or so. Use the post office. Check with FEDEX, as
> they may be more friendly, but at higher transport rates. There is a publication
> put out
> by U.S. Customs, outlining the rules. Be careful in following the rules.
> Also be conscious that things like scanners that can receive cellular frequencies
> can
> be considered to be contraband, under U.S. law. /mark
>
> Don Trynor wrote:
>
> > >Thanks for reading this message. I am looking for information
> > >from someone who has bought something on the news group
> > >from an individual living in Canada. What are the import duties
> > >or tariffs if any imposed by the US customs? I sure would hate to
> > >buy this radio and find out that there is a 50% or more tariff on the thing!
> > > I have not found a clear answer on the 'net.
> >
> > Randy:
> >
> > If you live in the US and are purchasing something in Canada, only US customs
> > may impose duties on your purchase. If the product is made in the US or if
> > it's value us less than $50US, you will have not problems and to my knowledge,
> > no duties will be charged. If it is not either of the above, they will asses a
> > tax based on what it is (ie 5% or the such). You should check with them
> > concerning this. I'm not sure on this, but there may be brokerage fees charged
> > by the shipper to move it across the border.
> >
> > Don VE9XF

547. EBAY- NEW Military J-37 "knee-Key"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-09 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990408234423.03220.00000196@ng145.aol.com>
Source record: 86286

Hi Guys;
Need a new Military J-37 "knee-Key" ?
It may pay to take a look. Only at $10.50 so far!
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=87906141
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

548. Re: Ham-BoatAnchors Digest V99 #90

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: bmarx@bellsouth.NET
Message-ID: <007c01be8354$6c8faf80$cbd14dd8@billmarx>
Source record: 86087

The Sister to that radio was the SX-99 and it had an antenna trimmer I think...
Bill W2CQ

549. WTB: HT33A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "Paul W. Hansen" <pwhansen@bellsouth.net>
Message-ID: <UcJP2.3144$l61.787909@news4.atl>
Source record: 86088

Have really great HT-32A and SX-101 MK3. Really need a cosmetically good HT-33A to go with them. If you have one and you want it to go to a great home, let's talk. I will also pay a finders fee for anyone who refers me to a party that results in a purchase.

Contact: Paul Hansen, W6XA
(770) 939-1320
pwhansen@bellsouth.net

2411 Robert Nash Ct.
Tucker, GA 30084

--
73, Paul

550. WTB: Oper./Maint. manuals for PRC-126,128,68B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: sparkes@fast.net
Message-ID: <7enp21$1oc$1@news1.fast.net>
Source record: 86089
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Looking for operation and/or maintenance manuals for any of the following radios:
PRC-68, PRC-68A, PRC-68B, PRC-126, PRC-128.

Also looking for canvas carrying cases for these radios, amd hi or lo band modules for
PRC-68B and
PRC-128.

If you have and are willing to sell pls email sparkes@fast.net with condition and price.

Regards,
Ned Parkes - N3LKT
sparkes@fast.net

551. WTB YAESU FILTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Richard Rosenthall <rosenthallr@claven.fanshawec.on.ca>
Message-ID: <370F899B.7428A496@claven.fanshawec.on.ca>
Source record: 86090

I'M looking for the XF-30C Narrow CW filter for the FR-101 receiver

Tnx. Richard VE3MG

552. Re: WTB: Oper./Maint. manuals for PRC-126,128,68B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <370F8B5A.66AF@ix.netcom.com>
Source record: 86091
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Hello Ned... am wondering if you have any leads on
clean and complete AN/GRA39 remote control sets.
I've checked with Mike Murphy and he doesn't have
any that are clean and not scratched up ..

Trish

sparkes@fast.net wrote:
>
> Looking for operation and/or maintenance manuals for any of the following radios:
> PRC-68, PRC-68A, PRC-68B, PRC-126, PRC-128.
>
> Also looking for canvas carrying cases for these radios, amd hi or lo band modules for
PRC-68B and
> PRC-128.
>
> If you have and are willing to sell pls email sparkes@fast.net with condition and price.
>
> Regards,
> Ned Parkes - N3LKT
> sparkes@fast.net

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

553. Old Tube Box Web Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: ldaniel102@aol.com
Message-ID: <19990410145527.22832.00001107@ng67.aol.com>
Source record: 86092

Old Tube Boxes on the Web----Enjoy!

Http://members.aol.com/ldaniel102/collect4/index.htm

554. FA R1155 WW2 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <370FA5FD.675B@sympatico.ca>
Source record: 86093
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave,rec.antiques.radio+phono,rec.collecting

R1155A receiver on EBay - have a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89335037>

555. Re: Ham-BoatAnchors Digest V99 #90

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <370FA9C4.60A8C404@home.com>
Source record: 86094

I have an SX-99 and it does have an antenna trimmer.

Alan
W1HYV

Bill Marx wrote:
>
> The Sister to that radio was the SX-99 and it had an antenna trimmer I
> think...
> Bill W2CQ

556. FA Swan 270B and WM-2000 wattmeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7eoa1i$n3k@chronicle.concentric.net>
Source record: 86095
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Check it out

Swan WM-2000 meter
http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=89350930

Swan 270B xcvr
http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=89348987

557. FA: Shure 522 desk mic, like 444 but with a directional cardioid mic element

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7eoajbmeo1@autumn.news.rcn.net>
Source record: 86096
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

At auction on eBay, a Shure 522 desk mic. This mic is very similar to the famous Shure 444, but features a directional cardioid mic element that cancels noise from the back and sides. Switch selectable high or low impedance. In excellent condition, works great. Includes data sheet with hookup info and specs. With coiled cord, wired for Collins with PJ-68 plug. Starting bid of $35, no reserve. Please point your browser to

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89355380

Thanks.

Mike, N4PDY

558. WTB: S-100 bus modem

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Alan <alan.diaz@snet.net>
Message-ID: <7eo8re$bbe@news1.snet.net>
Source record: 86097
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap

I'm looking for an S-100 bus modem. Yes, honest, S-100 bus, 300 baud modem.
I want to add it to an S-100 bus system I have and add one to my display
wall at work where I have a number of S-100 items. Any S-100 bus modem you
may have in that box of wires in the shack. I'll buy it from ya. I'd also
be interested in an acoustic modem (coupler) if you have one of those.
Please reply to me directly at chipsndips@snet.net.
Thanks.

Alan

559. FS: SWAN MARK II 2 KW AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7eobdp$l4n$1@news.itis.com>
Source record: 86098

THIS 80-10 MTR HF AMP IS IN LIKE NEW COND. MANUAL LOOKS NEW ALSO. I WOULD
LIKE TO SWAP IT FOR A CLEAN 75A4 RECEIVER OR $450.00 SHIPPED

560. FS: PALAMAR 90A HF AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7eobgt$l4t$1@news.itis.com>
Source record: 86099

THIS CUTE LITTLE AMP RUNS A PAIR OF 6HF5 SWEEP TUBES AND IS FOR 10-40 MTRS.
NO MANUAL BUT RUNS ON 120VAC AND IS VERY CLEAN. $125.00 SHIPPED FROM
MADISON, WI

561. WTB Drake MS-7 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7eod09$4is$1@alexander.INS.CWRU.Edu>
Source record: 86100

Please respond with condition and price. Tnx George

562. Re: WTD: BC348R Schematics and Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <370FEAD2.7993CB9E@home.com>
Source record: 86101

Try Fair Radio sales in Lima, Ohio. Their tel # is 419-223-2196. I bought a BC348 from them in 1966! - they are also on the net at: http://www2.wcoil.com/~fairadio

Michele D'Amico wrote:

> Hi Netters,
>
> I am desperatly looking for a copy of the Schematics and Service
> Manual of the "good ole" BC 348 R. I have one sample in quite
> good conditions, but it needs some minor repairs and alignment.
> Could somebody out there be so kind to mail me a copy of the
> above (and let me know how can I pay for the trouble) ?
> Thank you very much in advance,
>
> Michele in Milano, Italy
>
> ==========
> Dr Michele D'AMICO, Ph.D. E-M: damico@elet.polimi.it
> Dipart. di Elettronica - Politecnico di Milano
> Piazza L. Da Vinci, 32 - Milano 20133 ITALY
> Tel. (+39) 02.2399.3613 - FAX (+39) 02.2399.3413 -
> - If you are really motivated, you can visit my WEB page:
> http://www.elet.polimi.it/people/damico
> ==========

563. FA: MP-1 12 vdc mobile power supply for Collins KWM-2/2a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7eogd7$59c$1@autumn.news.rcn.net>
Source record: 86102
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

At auction on eBay, an MP-1 12vdc mobile power supply for Collins KWM-2/2a transceivers. Tested and working fine. Starting bid of $75, no reserve. Please point your browser to

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89396998

Thanks.

Mike, N4PDY

564. fs atlas 206

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990410175732.15649.00000999@ng95.aol.com>
Source record: 86103

I have a like new and very rare Atlas 206 external VFO. This is the VFO that also functions as a frequency counter that matches the Atlas 210x (80-10m) and 215x (160-15m) solid state mobile transceivers.

Asking 100.00 or best offer

PLEASE TAKE A LOOK AT THE PHOTOS AT:
http://members.aol.com:/RADIOWALT/ATLAS.JPG

THANKS, WALT

565. FS BIRD DUMMY LOAD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990410184033.15649.00001024@ng95.aol.com>
Source record: 86104

Bird Termaline dummy load. 100 Watt with type N male connector. The load is new but does have a few paint chips from my handling that I won't charge extra for. 40.00 SHIPPED Please take a look at the photos at:

http://members.aol.com:/RADIOWALT/BIRD.JPG

THANKS,WALT

566. FS ALLIED CATALOGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990410184347.02692.00001052@ng96.aol.com>
Source record: 86105

20.00 EACH MAILED
1968 1969 1970
THANKS, WALT

567. Stupid excuse from Barry Anderson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: speedskater1@my-dejanews.com
Message-ID: <7eonln$cr7$1@nnrp1.dejanews.com>
Source record: 86106

I had sold this guy who is from Frederick Md. an HQ-170. It was aligned, clean, working well, original knobs and a copy of the manual. He got in and said he is not happy. I had to ask what is it not doing. He claimed "One knob is loose. All the knobs are not original and I am scared to plug it in as these reasons will keep the radio from working." I figured he had the capacity to use a screwdriver to tighten the loose screw (in the knob). A few days later he sent threats by e-mail. Giving his money back to get him off my back did no good. I had to block his address to stop getting any more harrassing e-mails of any kind. Several weeks went by before I got the radio back. It was as I suspected, a loose screw. There was also one on the knob. He must be only able to handle the liquid kind of screwdriver. He claims to be a collector of Hammarlund recivers on ebay. A collector who cannot tighten a screw, interesting. He thought I had the same amount of intelligence as he does to believe his lies. A look at the second page of the manual showed a picture of the receiver with the exact knobs on the actual unit. I figured I had better check the alignment to see if it was tampered with. It sure was! NONE of the bands were near alignement. I had to realign the oscillator and antenna trimmers. He DID plug it in, another lie, and had some controls set for a-m and some for c-w. No wonder why no reception was heard. It is likely he reversed the antenna and speaker connections. It is clearly marked on the back which is which. His "excuse" is used in many jokes now. If he had said he did not want the radio and would like a refund, I would not have the opinions, along with others, I do now and this posting would not have been listed. He had buyer's remorse. I will NEVER deal with this guy again under any circumstances. Others can judge for themselves.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

568. F.S. Heathkit SB-610

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <370FD80E.62B6AFE7@ameritech.net>
Source record: 86107
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a Heathkit SB-610 that I got from an estate sale, already have one, don't need two. Excellent condition, exceptionally clean, a 9+. Works well- has good trace, all controls work, tone generator works, etc.

$75 or best offer and buyer pays shipping from 48335.

73/Carter/K8VT

569. Transel Trans-a-lyzer monitor scope/watt meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <370FDAFB.14442D3D@ameritech.net>
Source record: 86108
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Got a Trans-a-lyzer monitor scope as part of an estate. It is made by
Transel in Indianapolis. It has a 3 inch monitor scope and wattmeter.
Other controls on the front panel are: vertical position, vertical size,
band switch (80-10) and wattmeter range (20-200-2000). Back panel has
SO-239 in and out. Seems to work well-has a nice trace and wattmeter
appears to be pretty accurate. 9Wx6Hx12D
Best offer plus shipping from 48335

73/Carter/K8VT

570. Re: FS: PALAMAR 90A HF AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: freqpolice@aol.com
Message-ID: <19990410191739.25935.00001195@ng-cd1.aol.com>
Source record: 86109

>THIS CUTE LITTLE AMP RUNS A PAIR OF 6HF5 SWEEP TUBES

Well, guess we can expect more of this now that eBay is not accepting listings for illegal CB amps.

All them gud numbers to ya, gud buddy!

571. Stancor P-6314 power transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <370FDE0B.205E4F41@ameritech.net>
Source record: 86110
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.swap

I have a Stancor power transformer, P-6314 for sale. Has metal tag on it for the mfr and model number. It came out of a half finished (never completed) home brew short wave receiver that looks to be from the early '40s. (The war came along and it never got finished??) Looked like it was to be about a 16 tube receiver. It is incomplete enough that it can just be salvaged for parts. The transformer is roughly 4x4x4 and would be a good replacement for many boatanchor receivers.

Best offer and shipping from 48335.

73/Carter/K8VT

572. Heathkit HD-1250 Solid State Dip Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <370FDEE1.A18923E3@ameritech.net>
Source record: 86111
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Heathkit HD-1250 solid state (tunnel diode) dip meter; includes case and all coils, excellent condition. $40 or best offer and shipping from 48335.

73/Carter/K8VT

573. RCA 6146A tubes-new in boxes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <370FE132.4BE0E1A8@ameritech.net>
Source record: 86112
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

More estate stuff...
have (6) RCA new in boxes 6146A. Best offer and shipping from 48335

73/Carter/K8VT

574. Marantz 2330B schematic needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: michaels@kc2kj.k2nesoft.com
Message-ID: <michaels-1004992047560001@10.2.1.8>
Source record: 86113
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Just got a barely working (no fm/am) Marantz 2330B stereo receiver. Now need schematic or service manual to repair. Anyone out there have one to copy or whatever?
Thanks,
Mike
kc2kj
Merchantville, NJ

575. Re: FS BIRD DUMMY LOAD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: dunham@removethis.earthlink.net
Message-ID: <MPG.1179a25e54d584a4989690@news.earthlink.net>
Source record: 86114

In article <19990410184033.15649.00001024@ng95.aol.com>,
radiowalt@aol.com said...
> Bird Termaline dummy load. 100 Watt with type N male connector. The load is new
> but does have a few paint chips from my handling that I won't charge extra for.
> 40.00 SHIPPED Please take a look at the photos at:
>
> http://members.aol.com:/RADIOWALT/BIRD.JPG
>
> THANKS,WALT

Walt, I looked at the picture, and it looks nice, except the nameplate
says 50 watts! Could you explain this apparent contradiction?

--
James

For non-commercial reply, delete "removethis" from my address.

576. hq180 ant trimmer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Morgan KA9ERZ <ka9erz@mediaone.net>
Message-ID: <QYTP2.1142$Dz5.4426743@elnws01.ce.mediaone.net>
Source record: 86115

Wtd:hq180 antenna trrimmer varible cap??? mike KC9NF

577. WWII "Huff-Duff" Gear or info?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Brian Harrison <bharrison@apple.com>
Message-ID: <7ep5o6jfh1@oak.prod.itd.earthlink.net>
Source record: 86116

Hello, and thanks for reading.

I am looking for anything "Huff-Duff" (HF direction-finding) related, for an upcoming article:

equipment (such as the British FH-3,or American DAQ, DAR, or DAJ), manual copies, pictures, articles, eye-witnesses...

Thank you in advance for your assistance, and regards,

brian
kn4r

Brian Harrison
4036 Will Proctor Street
Denver, NC 28037

704 483-5679
bharrison@earthlink.net

578. FA: Collector's Mint Swan Mark II Linear Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <371026BC.5BC5232D@cfu.net>
Source record: 86117

Ebay.com item # 87081673. Auction ends 9:55 pm Sunday, 4/11. Tks es
73!

579. Re: Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: black <nrhblack@condate.com>
Message-ID: <7epald$jdt@chronicle.concentric.net>
Source record: 86118
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Sorry to spoil the fun, but this thread has gone far enough.

It was an April fool hoax.

WB3KJX wrote in message <37096f97.0@hiq.pc-intouch.com>...
>Anything that affects our bands like this shoul dbe cross posted on all the
>amateur sites.... no matter if your interest is boatanchors or microwave,
>we'll all hams and need to stick together!
>
>73's Scott WB3 KJX
>
>

580. FA: Bird 43 and accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <3710319F.E01EAD6F@pacbell.net>
Source record: 86119

On Ebay at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88917466

Click on the link to have a look at my other auctions too.
--
Gordy Gale
KA6CVE

581. FS: Hallicrafters S-19R

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: n3ab@fast.net
Message-ID: <37129aee.3507665@news.fast.net>
Source record: 86224

For sale......Hallicrafters S-19R. Needs restoration. Looks
complete. Asking $50.00 (shipped to lower 48). Another project that
I'll never get to. Please e-mail if interested. Thanks.

John Schell N3AB

n3ab@fast.net

582. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990409212103.20679.00000871@ng-cr1.aol.com>
Source record: 86225

<the sale, purchase and possesion of an amp useable for 11 meters
is illegal. Only the use of the amp on 11 meters.>

Then why is it so hard to buy an amateur amp with 10 meters on it from the
factory - or is that hassle a thing of the past now?

583. S.W.R.bridge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <370EB429.5A43@sympatico.ca>
Source record: 86226

hello
I am interested to your bridge is it a model number to see what kind
of bridge hi..
73
VE2AMK

584. WTB - Kenwood TH-78A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "David M. Graham" <grahd@home.com>
Message-ID: <370EB8AB.C496B151@home.com>
Source record: 86227

Wanting to buy a Kenwood TH-78A. Anyone who knows where one is in the midwest please e-mail me at grahd@home.com. looking to spend anywhere from $200-$300 US Dollars.

Thanks
Dave - KB0TDY

585. Re: Test Equipment for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Xjshillw6ivw@earthlink.net
Message-ID: <370eb0f1.10245776@news.earthlink.net>
Source record: 86228

The big problem, to my way of thinking, is the misleading title. There is only one item, and it is not for sale. A title similar to FA Cornell Dublier xxx Capacitor Tester, Wood Case, or FA Antique ..... if you prefer, assuming it is really an old item and not just something from the 50's. Listing items for sale is a somewhat controversial topic here, but implying auctioned items are for sale is definately a step in the wrong direction. If it is possible, include a "link" to your particular auction site. If I'm casually interested and the address is there I'll often go an look at it. If I have to search, etc., I usually won't.
73's Jim

On Wed, 7 Apr 1999 22:29:29 -0400, "Moose" <lnmoose@htonline.com> wrote:

>I normally would not do this, but I'm raising money for new equipment so
>here goes. On E-Bay (Yes E-Bay) I have a really nice Cornell-Dublier
>capacitor checker with magic eye in a beautiful wooden case that is
>currently at a ridiculous $4.00,
>apparently nobody over there appreciates good stuff. I also have a Hickock
>VTVM, the one with the huge 9" meter on it, good shape.
>
>Thanks for Reading, listings expire Sunday, April 10. Do a Seller Search
>on robbinsnest or just look in Consumer Electronics.
>
>
>
>

Delete the X before using my e-mail address.
The X was added to stop spam.

586. WTB Morrow and Gonset Mobile HF Equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: candoandys@aol.com
Message-ID: <19990409225444.14696.00000759@ng-da1.aol.com>
Source record: 86229

Looking for working or not equipment

587. Re: Tektronix RM-45A scope query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: Xjshillw6ivw@earthlink.net
Message-ID: <370ec757.15980374@news.earthlink.net>
Source record: 86230
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

I have a number of Tektronix 530-540 series scopes (wish I had less), and notice they are starting to malfunction. At a minimum, I would take off the side and bottom covers, set it right side up, and turn it on, carefully watching the side opposite from the plug-in. There's a time delay device, and wait until it operates, which applies B+ . Be ready to turn it off quickly if there problems (sounds, smells, etc). You can then do a little preliminary trouble shooting and see where the problem area is, i.e. where is the smoke coming from. If it is underneath, you are ready to tip it over and check it fairly quickly. Have the work bench clean, so you can put it on it's side without damage. I reread your post, and notice you are going to check it at the store. Taking off the side covers is still a good idea, particularly if you plan to make a lowball offer if there are problems.

If no sounds or smells, and no trace, look at the little neon bulbs giving rough trace position. There is a good chance the trace is off the face. If the trace is a point, avoid a bright point (turn intensity down) to avoid burning the CRT, which makes the phospor black.

If you have a choice of a number of manuals, notice a serial number is listed on the front page. Pick a manual with a serial number equal to or a little higher than your scope serial number.

I think a bad CRT is the least of your problems, and would not worry much about it initially. When trouble shooting, checking power supply voltages at the test points is a good start.
73's Jim jshillw6ivw@earthlink.net (delete X from header address)

On Mon, 05 Apr 1999 19:45:29 -0700, Will White <wcw@asu.uswest.net> wrote:

>I have an opportunity to obtain a Tek RM-45A scope for $45. It takes
>Type CA plug-ins, whatever that means.I have seen these (the scope
>itself) in Surplus Sales of NEs catalog for $175, so it looks like I may
>be getting a really good deal. Also, the unit appears to have been very
>well cared for. It came out of a university science lab just last
>January.
>
>What should I check before plopping down my money? Can anyone tell me
>what the tube line-up in this unit is? I understand that the RM-45A is
>the rack-mounted version of the 545A, so if this is correct info, that
>should mean the two models are electrically identical or at least very
>close. It is very definitely a boatanchor, at about 50 lbs. and the size

>of a window-mounted air-conditioner!
>
>This scope is more than 25 years old, so what is the price/availability
>of replacement CRTs should I need one in the future? I will check to
>make sure it has a trace before I buy it. How specifically do I evaluate
>the trace/CRT for quality/condition? Other simple tests and/or check
>points that are recommended?
>
>That's a lot of questions, whew! Thanks for reading this and
>double-thanks for your replies.
>--
>Will White, KD7BFX
>
>to reply, please click this link mailto:wcw@asu.uswest.net
>
>

Delete the X before using my e-mail address.
The X was added to stop spam.

588. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990409233648.27676.00000802@ng-fq1.aol.com>
Source record: 86231

There is *NO* such thing as a "CB" amp.....all the ones ON the 11 meter band are amateur amps , anyway! DUH!!???
Thank you,
Joe Pratt, Tubecntral@aol.com

589. Re: Problemo: AC hum on tx carrier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: msix@nmia.com
Message-ID: <7emlvg$un9$2@hume.nmia.com>
Source record: 86232

```
:>Joel, nr. Ithaca

Scope the B+ and bias lines for ripple first.
If there, fix...

73 - John W7ZFB
1400 Catron SE Albq, NM 87123
**********************************************************
* Homebrewer since 1947 CW BoatAnchors Norcal #930 *
* BA CW freqs - 3578, 7050, 7118, 14050, 21050, 28050 *
**********************************************************
```

590. Re: Test Equipment for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <24475-370EE4CC-32@newsd-122.bryant.webtv.net>
Source record: 86233

The subject line is deceptive.

Would you eBay fans go to a used car lot and make a purchase from a salesman whom you KNEW used deceptive gimmicks?

Well, you know that about "Moose", because there is no "FA" and no real name - (although on eBay you can check the sellers background to some extent.)

Sadly, these subject lines are becoming the norm on this group, so I guess "Moose" is just useing a socially accepted sales technique.

Good luck, "Moose", hope you make lots of money out of this auction; then you can buy that new equipment you neeed....on
eBay, of course!!!!

73,

MOUSE
a.k.a
Plum
w6lac

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

591. WTB: 10.7 MHz SSB filter from TS700

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "Dale R. Parfitt" <parinc@bellsouth.net>
Message-ID: <370F3C07.5DA56C1A@bellsouth.net>
Source record: 86234

Need to replace the SSB filter in my TS700SP- anyone have one from a junker? The same filter was probably used in a number of the Kenwoods of that era.

Dale W4OP

592. Wanted: Hallicrafters HA-6 Transverter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: ezela57383@aol.com
Message-ID: <19990410083130.25780.00000957@ng42.aol.com>
Source record: 86235

Wanted: Hallicrafters HA-6 six meter transverter/P.S. ....mates with the SX-111 and HT-37 combination. Must be in VG cosmetic condition.

KA8GEF

593. Re: Hammarlund HQ-200 & Heathkit HW-22 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-10 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <370F4DE2.A97C20DC@erols.com>
Source record: 86236
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

No thank you!!! I buy things, not enter into financial contests!!! Please use FA!!!

SWL wrote:

> Please go to -
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89129515 for HQ-200
>
> and
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89123305 for HW-22
>
> Thank you.

594. FA versus For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: dxguy@earthlink.NET
Message-ID: <370FEBC4.6D34@earthlink.net>
Source record: 86120

Re: The FA versus For Sale raging debate:

Where I grew up, all mechandise for sale was listed as "For Sale" regardless of how it was to be sold. Soemtimes you would see "For Sale at Auction", "For Sale to Highest Bidder", "For Sale Private Treaty", For Sale by Broker", etc, etc.

Get the point? Everything one sells is.... well, for sale! If the seller's terms and conditions of the sale (as-is, where-is, open auction, sealed bid, etc) don't suit you - MOVE ON! ebay auction is just another term & condition. I personally don't like ads that read "Make me an Offer". These are often folks trolling for a price to make themselves feel good about what they own. At least on ebay if it's for sale, then it's for sale. Also, I see lots of posts here that state "For Sale", only to find that it is pick up only. I'm disappointed often, since the unit is always in MO or NJ, and I'm in California. Do I write a whining complaint letter? No.

Accept it, ebay and other auctions are a fact of life, and are just as legitimate a way to sell something as any other method (with any other seller conditions). I do agree that it is the polite thing to do, posting FA in the title, but it makes just as much sense to posta ALL of the restrictions to the sale in the post line. In fact, let's just publish the entire text in the title? That way nobody will be offended or inconvenienced.

Best Wishes & 73

Don Davis

595. FS: Halli S-36a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01be83bc$de667720$eedefed0@jpwarner>
Source record: 86121

$100, working with manual. Cosmetics not too bad. Chassis is clean.
Northern ILLINOIS.
No shipping.
Jim
815-825-2522 lv msg
W1SBA/9

596. FS: Johnson Pacemaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01be83bd$59ba6d00$eedefed0@jpwarner>
Source record: 86122

$150 working with manual. Nice condition. No extra holes or alterations.
Front panel above average.
Northern Illinois, no shipping.
Jim
815-825-2522
W1SBA/9

597. WTB: meter movement for FL2100B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01be83bd$f650ca60$eedefed0@jpwarner>
Source record: 86123

Either meter for a 2100B will work. I just need a working mechanical
movement.
Any leads appreciated.
Jim
815-825-2522
W1SBA/9

598. FS: RT-834/GRC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01be83be$c83209e0$eedefed0@jpwarner>
Source record: 86124

$160 w/ -35 and supplements. Mic, DC cable and power supply.
Good condition with correct meter. Prefer not to ship.
Northern ILLINOIS
JIm
815-825-2522
W1SBA/9

599. Re: WTB: S-100 bus modem

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: rlmobley@aol.com
Message-ID: <19990410224335.23758.00001088@ng104.aol.com>
Source record: 86125

>Subject: WTB: S-100 bus modem
>From: "Alan" <alan.diaz@snet.net>
>Date: 4/10/99 2:37 PM CDT
>Message-id: <7eo8re$bbe@news1.snet.net>
>
>I'm looking for an S-100 bus modem. Yes, honest, S-100 bus, 300 baud modem.

I can honestly say I never saw an internal modem during the S-100 era. The most you could hope for would be an external modem. I did have an acoustical 300 at one time, but I haven't seen it in a while. If I happen upon it, I will let you know. I carried the acoustical around with my genuine Kaypro CP/M with 10MB hard disk and 64k RAM.

600. Manual copy for OS-10/U Navy Oscilloscope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: mc@nospam.sover.net
Message-ID: <37101625.23613738@news2.sover.net>
Source record: 86126
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Found this in a filing cabinet....

It is a decent photocopy for a Hickok oscilloscope OS-10/U made for
the Navy circa early 1950s. The scope is long gone but the docs
remain!! $5.00 plus postage...

If interested please reply by e-mail.

73,

Michael Crestohl,
mc@sover.net

601. FS: Manual copy for Lafayette model HA410 10m transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: mc@nospam.sover.net
Message-ID: <37101634.23628352@news2.sover.net>
Source record: 86127
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Another manual copy from the past.....

This is for the Lafayette 10 meter transceiver model HA-410. $5.00
plus postage....

If interested please reply by e-mail.

73,

Michael Crestohl,
mc@sover.net

602. HELP with a GE K-126 Console..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01be83ca$650ff690$91d7050c@mdt>
Source record: 86128
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

Hello and thanks for reading this post. I am in need of a manual or schematic and alignment instructions for the above console. If you have such or know where I can get a copy, please email me. I will gladly pay for all reproduction costs. Thanks, Markus.

603. 1923 grebe cr5 radio for swap

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990411002948.16132.00001275@ng-ft1.aol.com>
Source record: 86129

i have an early version grebe cr5 one tube set in original condition and would like to swap toward tube audio gear such as western electric,utc,peerless,ipc,adc including tubes ,transformers,speakers,amps etc
thanks
michael
2813319217

604. Re: WTB Drake MS-7 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: jimkd1bx@aol.com
Message-ID: <19990411020322.20348.00001273@ng29.aol.com>
Source record: 86130

Hi George...

Let me know if you get more than one reply, I've been looking for a while now myself.

Jim

605. looking for old tube type cb?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990411030816.24242J-100000@cluster2>
Source record: 86131

i am looking for an old tube cb that was called a lincoln, it came out back in the mid 60's i would say, it don't have to be working, i just want it for sitting on the shelf, if you have one, e-mail back.

606. Re: FS: PALAMAR 90A HF AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990411031425.24242K-100000@cluster2>
Source record: 86132

i think that is good, the fcc needs to crack on those little cb folks, and
they need to get all those truck drivers off the 2 meter band,
sounds like channel 19 on some of the repeaters.

On 10 Apr 1999, Freqpolice wrote:

> Date: 10 Apr 1999 23:17:39 GMT
> From: Freqpolice <freqpolice@aol.com>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: Re: FS: PALAMAR 90A HF AMP
>
> >THIS CUTE LITTLE AMP RUNS A PAIR OF 6HF5 SWEEP TUBES
>
> Well, guess we can expect more of this now that eBay is not accepting listings
> for illegal CB amps.
>
> All them gud numbers to ya, gud buddy!
>
>

607. anyone have another cb i am looking for?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990411031948.24242L-100000@cluster2>
Source record: 86133

```
i am looking for a 5 channel globe cb to put on the shelf also, if ya have
one, e-mail back.
```

608. Trade original Ranger 2 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7epkgc$q3t$1@holly.prod.itd.earthlink.net>
Source record: 86134

In very nice condition (I'd say 8.5 to 9 on a 10 scale) for a Ranger 1 manual in similar condition. Please note, I won't sell this manual unless I have the Ranger 1 Manual to replace it.

Thanks

Roger KD6CC

609. RE: SWAN AMP SOLD THANKS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7epuo9mnb1@news.itis.com>
Source record: 86135

THE SWAN AMP IS SOLD THANKS

610. FS: PALOMAR 10-40 MTR HF AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7epurvmrh1@news.itis.com>
Source record: 86136

THIS AMPLIFIER IS VERY CLEAN AND I HAVE A MANUAL COMING FOR IT. RUNS 10-40
MTRS.
$125.00 SHIPPED. MANUAL TO FOLLOW.

!!!!!!! NOTE !!!!!!!!! THIS IS A HAM RADIO AD BY A LICENSED HAM RADIO
OPERATOR. THIS IS NOT A CB AD!!!!!!!!!!!!!!

611. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Ed Price <edprice@pacbell.net>
Message-ID: <371088C3.71C3@pacbell.net>
Source record: 86137

Victor Panzica wrote:
>
> Its possible that's a self imposed restriction by the manufacturer's
> themselves to avoid giving amateur equipment a bad rap when its purchased for
> illegal 11 Meter operation.
>
> Back in the 60's catalogs would advertise the 10 meter amps with the warning
> "Illegal for 11 Meter Operation". The only problem was they advertised the
> amps on the pages right after the CB Equipment in their catalogs.....Hmmmmm
>
> Ka9p wrote:
>
> > <the sale, purchase and possesion of an amp useable for 11 meters
> > is illegal. Only the use of the amp on 11 meters.>
> >
> > Then why is it so hard to buy an amateur amp with 10 meters on it from the
> > factory - or is that hassle a thing of the past now?

OK Guys:

Enough of what you believe and what oughta be. The LAW says, as codified
in 47 CFR Chapter 1, Part 2, Section 2.815:

§2.815 External radio frequency power amplifiers.
(a) As used in this part, an external radio frequency power amplifier
is any device which, (1) when used in conjunction with a radio
transmitter as a signal source is capable of amplification of that
signal, and (2) is not an integral part of a radio transmitter as
manufactured.
(b) After April 27, 1978, no person shall manufacture, sell or lease,
offer for sale or lease (including advertising for sale or lease) or
import, ship or distribute for the purpose of selling or leasing or
offering for sale, or lease, any external radio frequency power
amplifier or amplifier kit capable of operation on any frequency or
frequencies between 24.00 MHz and 35.00 MHz.
NOTE: For purposes of this part, the amplifier will be deemed incapable
of operation between 24.00 MHz and 35.00 MHz if-
(1) The amplifier has no more than 6 decibels of gain between 24.00
and 26.00 MHz and between 28.00 and 35.00 MHz. (This gain is determined
by the ratio of the input RF driving signal (mean power measurement) to
the mean RF output power of the amplifier.); and
(2) The amplifier exhibits no amplification (0 decibels of gain)
between 26.00 and 28.00 MHz.

(mercifully snipped here; it just keeps on going....)

So, you can sell a 27 MHz amp, so long as it doesn't exceed 0 dB gain.
That does make the design of a 28 MHz amp a bit tricky, good buddy!

Regards,

Ed
WB6WSN

612. FS: QST's Cheap!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7eq81d$2n0@journal.concentric.net>
Source record: 86138

QST + CQ For Sale How about 50 cent each....and quantity discounts
available....
Look over the list and E-Mail your offers:
k9uwa@cris.com
All magazines sold plus shipping from 46765 Zipcode via: US Post Office
Book Rate
QST Inventory as of 4/11/99

1965 2 full years + 1,1,2,3,4,5,7,9,11,12
1966 1,2,3,4,5,6,8,9,10
1967 2 full years + 2,4,5,6,6,7,8,9,12
1968 1,2,2,3,3,4,5,6,7,8,9,10,12
1970 2,3,4,5,8,9,10,11
1971 1,2,3,3,4,4,4,5,5,6,7,8,9,12,12
1972 full year + 3,4,5,6,7,10,11
1973 1,2,3,4,5,6,7,9
1974 #5

Large QST's
1977 2,4,5,8,10,11,12
1978 8,10,12
1985 3,3,6,7,8,8,9,10,11,12,12
1986 1,1,2,2,3,3,4,8,10,11
1987 1,1,5,6,7,8,9
1988 full year + 1,2,3,4,5,6,7,8,9,11,12
1989 #1,5
1991 2,3,4,5,6,9,10,11,12
1992 #6
1993 6,11,12
1994 1,2,3,5
1995 7,8,9
1996 5,6,7,7,8,8,8,9,9,10,10,11,11,12
1997 2 full years + 2,3,4,5,7,10,12,12
1998 full year + 1,2,3,4,6,7,8,9,10,11
1999 1,2,3,4

CQ 1998 full year

Thanks
John K9UWA

613. Auction: Collins Mechanical Filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7eqbqpjju1@nnrp1.dejanews.com>
Source record: 86139
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have three Collins Mechanical Filters for auction on eBay. The URL is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89351201

And the blurb follows:

A lot of three mechanical filters made by Collins Radio. Two are type
F250A20, and one is type F500F60. I don't know what they're for, but they are
in good condition and have not been abused. No way to test them so they are
sold "as is".

I also have an Ameco 2 meter converter/preamp and a T-195/GRC-19 manual for
auction, so please check my other auctions.

Thank-you.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

614. Re: Collins51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <MR1Q2.1291$cZ3.3231@news.cwix.com>
Source record: 86140

Tore Sandstr&#65533;m <tore.sandstrom@comtech-data.SE> wrote in message
news:000e01be83c4$87cc62a0$23d0c6c2@ToreSandstrm...
> This is a multi-part message in MIME format.
>
> ------=_NextPart_000_000B_01BE83D5.4B2BFFC0
> Content-Type: text/plain;
> charset="iso-8859-1"
> Content-Transfer-Encoding: quoted-printable
>
> Hello!
> I got my first Collins last week...after 40 years of hamming!
> A Collins 51J4! With original cabinet! Abt 380 dollars!
> Missing the dust cover and adjustments tool!
> Were to get them and the cover?
> Litterature! Product detector mod?! Were to find it?
> It sonds very nice! By the way...I got a SP600 J17 last week.....to!
> Now i can complete the HX500 and Viking Valiant and have two big set-ups =
> from the 60-ties..He!
>
> Regard=20
>
> Tore Sandstrom / SM7CBS=20
>
Tore - Believe the AUgust(?) 98 iussue of Electric Radio had an article on
a product detector for both the SP600 and the 51J4. Earlier issues of ER
also had mods for the 51J4 to improve that crummy audio (maybe yours has had
that already). It involves increasing negative feedback on the 6AQ5. 73
and enjoy - John

615. Auction: Manual for GRC-19 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7eqcnq$k4t$1@nnrp1.dejanews.com>
Source record: 86141

I have a mint-condition manual for the T-195/GRC-19 for auction on eBay.

The URL is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89348627

And the blurb is

An original manual for the famous T-195/GRC-19 military Transmitter. In mint condition, contains chapters on Introduction, Installation, Operation, Organizational Maintenance, Auxilliary Equipment, Theory, Field maintenance, and the all-important Shipment and Limited Storage and Demolition to Prevent Enemy Use. Well-illustrated and non-yellowed; dated June 1956.

Thank-you.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

616. Auction: Lot of Straight keys and Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7eqd1jkfc1@nnrp1.dejanews.com>
Source record: 86142
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have one lot of straight keys and parts for auction on eBay.

The URL is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89354963

And the description is

This is a lot of three straight keys and parts. One is solid brass and has a "Navy-type" knob and the maker "Mesco" on it, one is mounted on a board with a code-practice buzzer and has a plaque "Signal Electric Mfg. Co., Menominee, Mich.", the third is a stamped-steel unit with no name that I can find. Also included is a shorting bar and a few misc. springs, thumbwheels and pivots. In "as found" condition.

Also have a GRC-19 manual and a two meter Ameco converter, so please check my other auctions.

Thank-you.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

617. Re: Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: "Carl R. Stevenson" <wa6vse@fast.net>
Message-ID: <7eqa3d$4t1$1@news1.fast.net>
Source record: 86143
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

```
-----BEGIN PGP SIGNED MESSAGE-----
Hash: SHA1

black <nrhblack@condate.com> wrote in message
news:7epald$jdt@chronicle.concentric.net...
> Sorry to spoil the fun, but this thread has gone far enough.
>
> It was an April fool hoax.

Sorry to spoil your day, but no it wasn't ...

- --
Carl - wa6vse
wa6vse@fast.net
http://www.users.fast.net/~wa6vse
NCI #1052
Join No Code International!
Hams for the 21st century.
Support the modernization of ham radio and help
to assure its survival into the 21st century!
http://www.nocode.org

-----BEGIN PGP SIGNATURE-----
Version: PGP for Personal Privacy 5.5.3

iQA/AwUBNxCrhpe+N6+q84HiEQJ6qwCdF6wwbgwM9sZs4oSEEbuF0Q9THYMAoMwg
wisZ4o5UIqfKWrc7lP32stCr
=VOkq
-----END PGP SIGNATURE-----
```

618. WTB: DX ENGINEERING SPEECH PROCESSOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Bill Soomann <bsoomann@pacbell.net>
Message-ID: <3710B4AC.91233A1F@pacbell.net>
Source record: 86144
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I'm looking for the DX ENGINEERING SPEECH PROCESSOR for the DRAKE T4XC.
email bsoomann@pacbell.net

619. WTB: G-76 knobs and VFO dial

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: cbkent <cbkent@ix.netcom.com>
Message-ID: <01be840b$69eb7d60$1f16d3c6@cbkent.ix.netcom.com>
Source record: 86145

Wanted: Knobs, VFO dial, and case for a Gonset G-76. I have an ugly but functional rig I'd like to restore cosmetically. If you have an old, dead junker and you'd like to sell the knobs and transmit VFO dial, I'm interested.

Christopher Kent
KG2NP

cbkent@ix.netcom.com

620. Re: C.B. vs. Amateur Amps - The legal issue.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Victor Panzica <vpanzica@sprintmail.com>
Message-ID: <3710C2D0.D2D89BE1@sprintmail.com>
Source record: 86146

Ed,

Very good. I stand corrected. This should be forwarded on to E-Bay's Legal Department.

Vic

Ed Price wrote:

> Victor Panzica wrote:
> >
> > Its possible that's a self imposed restriction by the manufacturer's
> > themselves to avoid giving amateur equipment a bad rap when its purchased for
> > illegal 11 Meter operation.
> >
> > Back in the 60's catalogs would advertise the 10 meter amps with the warning
> > "Illegal for 11 Meter Operation". The only problem was they advertised the
> > amps on the pages right after the CB Equipment in their catalogs.....Hmmmmm
> >
> > Ka9p wrote:
> >
> > > <the sale, purchase and possesion of an amp useable for 11 meters
> > > is illegal. Only the use of the amp on 11 meters.>
> > >
> > > Then why is it so hard to buy an amateur amp with 10 meters on it from the
> > > factory - or is that hassle a thing of the past now?
>
> OK Guys:
>
> Enough of what you believe and what oughta be. The LAW says, as codified
> in 47 CFR Chapter 1, Part 2, Section 2.815:
>
> ï¿½2.815 External radio frequency power amplifiers.
> (a) As used in this part, an external radio frequency power amplifier
> is any device which, (1) when used in conjunction with a radio
> transmitter as a signal source is capable of amplification of that
> signal, and (2) is not an integral part of a radio transmitter as
> manufactured.
> (b) After April 27, 1978, no person shall manufacture, sell or lease,
> offer for sale or lease (including advertising for sale or lease) or
> import, ship or distribute for the purpose of selling or leasing or
> offering for sale, or lease, any external radio frequency power
> amplifier or amplifier kit capable of operation on any frequency or
> frequencies between 24.00 MHz and 35.00 MHz.
> NOTE: For purposes of this part, the amplifier will be deemed incapable

> of operation between 24.00 MHz and 35.00 MHz if-
> (1) The amplifier has no more than 6 decibels of gain between 24.00
> and 26.00 MHz and between 28.00 and 35.00 MHz. (This gain is determined
> by the ratio of the input RF driving signal (mean power measurement) to
> the mean RF output power of the amplifier.); and
> (2) The amplifier exhibits no amplification (0 decibels of gain)
> between 26.00 and 28.00 MHz.
>
> (mercifully snipped here; it just keeps on going....)
>
> So, you can sell a 27 MHz amp, so long as it doesn't exceed 0 dB gain.
> That does make the design of a 28 MHz amp a bit tricky, good buddy!
>
> Regards,
>
> Ed
> WB6WSN

621. DO NOT DEAL WITH Vincent Electronics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: banderso@eni.net
Message-ID: <MPG.117a9420eb3c1cae989680@206.171.12.203>
Source record: 86147

Folks ...

This is the first time that I have ever had any trouble on the
internet. HOWEVER, since seeing his attack on me in this group, I feel
that I must speak. His origional ad follows:

The receiver is in good condition. There are a few scratches on the back.
I
do not know how there got there, They were there when I got it. Paint
will
fix this. It is working. It does not need anything. Things one can add if
he
wants are a grounded cord, change heaters to filtered d-c, coolers on the
rect. and output, change the rectifier to a 5AR4 or 5V4-G. The are not
critical to operation, merely a personal choice. It is clean inside and
out.
The controls are not scratchy and all knobs are origional. The valves
have
been tested and are good. This one has the heater transformer to keep one
or
two heaters on to minimize drift.

Mark
NOW ... When I received the unit, the clear face from the clock
was missing. The case was rusty, not only on the vented cover, but ON THE
FRONT PANEL !! The front panel was heavly scratched. The screws were
missing from the capacitor for the vernier tuning and the cap was
rattling around in its hole. The knob on this WAS NOT ORIGIONAL. This
receiver was NOT clean inside and out !! It looked as if it had been
dragged behind a car for a mile.

My response to this follows:

Mark ...

I received the HQ-170 today. I made the trip without any
additional damage. However, I am not very happy. I believe you
misrepresented this receiver. Below is the description you sent to me:

At 12:14 AM 3/4/99 -0500, you wrote:
> Barry,
>
> The receiver is in good condition. There are a few scratches on
the back. I
^^^^^^^^^^^^
^^^^^^^^^^^^^^^^^^^^^^

>do not know how there got there, They were there when I got it. Paint
will
>fix this. It is working. It does not need anything. Things one can add
if he
>wants are a grounded cord, change heaters to filtered d-c, coolers on
the
>rect. and output, change the rectifier to a 5AR4 or 5V4-G. The are not
>critical to operation, merely a personal choice. It is clean inside and
out.
>The controls are not scratchy and all knobs are origional. The valves
have
^^^^^^^^
^^^^^^^^^^
>been tested and are good. This one has the heater transformer to keep
one or
>two heaters on to minimize drift.
>
> Mark

When I received the unit, the cover for the clock was missing. It was not in the box. The clock, itself, appears to be frozen. The Vernier tuning is rattling around loose in the receiver and the knob is not origional. The paint on the face appears to be not too bad, but the edges of the front panel are in poor shape. Did you send me the wrong receiver ??

This can be described as good, I suppose, but certainly NOT clean ... inside and out. The knob is no biggie, but the fact that the vernier tuning cap is rattling around loose means that the receiver cannot be just turned on.

I was attracted to this receiver because of it's good price. I suppose one gets what one pays for, but this receiver is suffering from more than a "few scratches on the back" ... and it certainly needs opened up before turning on.

I would like to commend you on the packing, however. It was very well packed and it appears that it did not sustain any damage in shipment. There were no loose hardware found in the box the receiver was packed in. This tells me that this receiver was ailing when it left Richmond.

Barry

I asked Mark about this and he informed me that I was stuck with this piece of crap. So, I advised that I would mention this on the net. He then said that I could return it. I never turned the unit on because the vernier cap was loose and may have been shorted out. The receiver was a piece of junk and I merely wanted my money back.

I never turned the unit on, nor did I open the case. I spent $26 to have the receiver PROFESSIONALLY packed and sent it back to Mr Vincent

insured for $200.

As for my electronics expertise. I have been in ham radio for 36 years. I was in charge of ATT's repair facilities for 13 years for all of the eastern US. I have a degree in electrical engineering and have worked at Bell Labs. If you look in the elmer listings, and the CCA listings, you will see that I am listed for teaching and repair.

It really pisses me off that this crook would 1st try to foist a piece of shit like this radio on me ... and THEN attack me in public. Why should HE be mad ?? It cost me $60 shippig and packing to find out HE is a crook !!

Not another word would have been heard on this, but Mr Vincent has cast down the gauntlet and I am answering. I would be willing to send digital photos of this receiver and copies of all of our e-mail to anyone interested.

--
Barry Anderson K3SUI
Frederick, MD.
banderso@eni.net

----------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
http://www.newsfeeds.com/ The Largest Usenet Servers in the World!
---------== Over 72,000 Groups, Plus Dedicated Binaries Servers ==--------

622. fs- Heath HW-2036 Mobile TechSpec $40ppd!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990411122210.24172.00000879@ng-fv1.aol.com>
Source record: 86148

Hi Fellas;
I have for SALE:
Heathkit HW-2036 2 meter fm xcvr, Hard wired for packet but have a heathkit MICODER mike, cover painted black, Volume pot is very tight but works, No signals heard but carriers are detected and meter goes full scale(?).
Price is $40ppd Conus!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

623. Shipping "boat anchors"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Santee <jsantee@pacifier.com>
Message-ID: <3710cd5a.0@news.pacifier.com>
Source record: 86149

This might help for those who have to ship heavy equipment.

When you sell via the Internet, be it e-bay or other newgroups, you are advertising to the world you have something to sell. Naturally, you are going to get responses from, literally, all over the world.

If the items are heavy or bulky, i.e... over fifty pounds, and you do not normally ship heavy items yourself, consider using a commercial packing company to pack up your item and ship it. If the item has to go via truck... the 2kw linear with the four hundred pound power supply... go to a trucking firm that makes crates. Many large trucking firms have packing departments that will crate and ship the heavy items, or they can refer you to someone who can. It is important that the item be properly packed... or you can't collect the insurance if it is damaged. Take a picture of your goodies as the packer places in the box!

Some firms like Mail Boxes Etc... have packing and shipping services. Many other specialty firms are also in the business.

Shipping heavy items is world by itself. If you don't normally do it, get professional help. Once you establish the relationship with a packer, your life will be easier, and shipping across county will be snap for that old linear.

One point to remember: Shipping to foreign countries has an entirely set of different rules. Unless you are business or have connections with a business who ships internationally, you could be in for some real heart ache. Ask a lot of questions. Shipments to Canada, is usually is not a problem. Shipping the ARC-164 to North Korea will get you in lots of HOT WATER, probably an all expense paid trip to central Kansas.

Jim Santee

624. Best Info: 51J-4 & Others

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Dallas Lankford <dallas@bayou.com>
Message-ID: <3710D2CB.C03ED948@bayou.com>
Source record: 86150

The best information about 51J-4's, R-390A's, SP-600's and related receivers is found in reprints of The Hollow State Newsletter.

Contact Ralph Sanserino, Publisher, P.O. Box 1831, Perris, CA 92572-1831, e-mail: sanser@GTE.net.

625. Re: WTB: S-100 bus modem

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: michaels@kc2kj.k2nesoft.com
Message-ID: <michaels-1104991246130001@10.2.1.8>
Source record: 86151

In article <19990410224335.23758.00001088@ng104.aol.com>, rlmobley@aol.com (RLMobley) wrote:

> >Subject: WTB: S-100 bus modem
> >From: "Alan" <alan.diaz@snet.net>
> >Date: 4/10/99 2:37 PM CDT
> >Message-id: <7eo8re$bbe@news1.snet.net>
> >
> >I'm looking for an S-100 bus modem. Yes, honest, S-100 bus, 300 baud modem.
>
> I can honestly say I never saw an internal modem during the S-100 era. The most
> you could hope for would be an external modem. I did have an acoustical 300 at
> one time, but I haven't seen it in a while. If I happen upon it, I will let you
> know. I carried the acoustical around with my genuine Kaypro CP/M with 10MB
> hard disk and 64k RAM.

There was a company that made a 110-300-600 baud modem on an s-100 board.
I used to own one, so they did exit. Good luck finding one!
Mike

626. Valiant II tune-up help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7eqjva$kb0@dfw-ixnews9.ix.netcom.com>
Source record: 86152

Gentlemen:

I am having some tune-up irregularities on all bands. These are the facts:

1. Plate current must reach 500 mA (should be 330 mA) before 150 watts achieved.
2. Grid current is 8 mA (this is the recommended current).
3. "Appears" to be neutralized. Max output corresponds with plate current dip.
4. I am using a 50 ohm dummy load.

Any suggestions?

Roy

627. WTT: Huntron Tracker 2000 trade for ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: David <ddlee@neosoft.com>
Message-ID: <7eqlkl$51b$1@uuneo.neosoft.com>
Source record: 86153
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Before going to ebay, thought I'd see if there might be some interesting trade offers for Excellent condition Huntron Tracker 2000 with op/service manual. No probes (uses VOM type, nothing special...). Works perfectly.

Looking for old National HRO, Central Electronics CE100/200, or other interesting rigs.

--
David D. Lee, AB5AX ddlee@neosoft.com
Houston, Tx
"Take 2 aspirin and call me at Turtle Island..."

628. Info on MFJ HF loop antennas

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3710de03@news1.us.ibm.net>
Source record: 86154
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

Does anyone have any experience using the MFJ HI-Q loop antennas models 1786
or 1782? Feedback welcomed.

Lane
Ku7i
San Diego

629. FS: SWAN CYGNET 270B XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7eqod6$37p$1@news.erinet.com>
Source record: 86155

I have for sale a Swan Cygnet 270B Transceiver. It is in excellent condition and has a spare set of tubes. Has all cables and Manual. Price $160 + shipping.
Contact Jim KB8NN here or 937-845-0943.
Visit WEBSITE at:
http://www.angelfire.com/oh/kb8nnhomepage

630. Manual copy for OS-10/U Navy Oscilloscope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: mc@sover.net
Message-ID: <3710f1c4.2622024@news2.sover.net>
Source record: 86156
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Found this in a filing cabinet....

It is a decent photocopy for a Hickok oscilloscope OS-10/U made for
the Navy circa early 1950s. The scope is long gone but the docs
remain!! $5.00 plus postage...

If interested please reply by e-mail.

73,

Michael Crestohl,
mc@sover.net

631. Re: Amateurs Protest Swatch Co. Intrusion on 146 MHz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <37110519.2F19@ibm.net>
Source record: 86157
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

```
Carl R. Stevenson wrote:
>
> black <nrhblack@condate.com> wrote in message
> > It was an April fool hoax.
>
> Sorry to spoil your day, but no it wasn't ...

The report that it was an April fool hoax was an April fool hoax.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca
```

632. Re: Valiant II tune-up help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: johnmbXX@mindspring.com
Message-ID: <3711f8da.6061876@news.mindspring.com>
Source record: 86158

"Argus" <rlong3@ix.netcom.com> wrote:

>Gentlemen:
>
>I am having some tune-up irregularities on all bands. These are the facts:
>
>1. Plate current must reach 500 mA (should be 330 mA) before 150 watts
>achieved.

Check the meter shunt...this is a low value resistor (.2 ohm?)
that is notoriously bad. My Valiant I was the same way (and was the
subject of a comment in an ER article years ago dealing with this
issue). Changed the shunt , and volia...no more low power problem.

I'm betting yours is the same issue
Best
/John
WB5OAU

johnmb@mindspring.com/~johnmb/

633. Re: Valiant II tune-up help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <v27Q2.1097$b73.63877@paloalto-snr1>
Source record: 86159

Valiants are notorious for having meter shunts WAY off value - try
breaking the plate leads just above the RF deck, on the "cold" side of
the RF coil, and place an ohmmeter in series - I think you'll find the
Valiant meter shunt is way off - but it's only a short length of
resistance wire, and can be CAREFULLY trimmed in length to obtain the
proper value to match the outboard ohmmeter

--
Gary - KJ6Q
====================
"Atrocites and war crimes"
When the Serbs do the same thing on the
battlefied that Clinton did in hotel rooms...

Argus wrote in message <7eqjva$kb0@dfw-ixnews9.ix.netcom.com>...
>Gentlemen:
>
>I am having some tune-up irregularities on all bands. These are the
facts:
>
>1. Plate current must reach 500 mA (should be 330 mA) before 150
watts
>achieved.
>2. Grid current is 8 mA (this is the recommended current).
>3. "Appears" to be neutralized. Max output corresponds with plate
current
>dip.
>4. I am using a 50 ohm dummy load.
>
>Any suggestions?
>
>Roy
>
>
>
>
>

634. Re: SWAN CYGNET 270B XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jim Bolin <kb8nn@erinet.com>
Message-ID: <7eqvaq$7k6$1@news.erinet.com>
Source record: 86160

Jim Bolin <kb8nn@erinet.com> wrote in message
news:7eqod6$37p$1@news.erinet.com...
> >
> PROCEEDS GO TO HANDI-HAMS

635. F.S. Daiwa Meter and FL-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: sfritts@icx.net
Message-ID: <371102dc.719074@news.icx.net>
Source record: 86161

Hi all,

I have a Daiwa CNW 419 Crosshair Meter and a Datong FL-3 for sale.
They both are in excellent condition.

70.00 each.

Steve

636. Equip 4 Sale Revised 4/11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990411164725.17137.00001728@ng-fd1.aol.com>
Source record: 86162

Mike K.
(805) 526-5487
(805) 376-4457 Voice Pager

Kenwood TS530s HF Transceiver, kenwood MC50 Mic and Manual $400.00 SOLD

Kenwood TS 430S, AM filter, general coverage TX/RX, stock mic, Manual,
Some scrathes on cover, face excellent, No FM board. $425.00

Cubic/Swan 102 BX solid state HF transceiver, Dual PTO tuning Dials, Passband indicator,
speech processor etc..Matching Power supply /Speaker. Manuals. $380.00

Qty 2 Tram D201s each in need of minor repairs, with Sams $150.00 each

Tram D201, good condition, Great AM tx and rx, SSB receive a bit weak,
probable needs a tube, have not had time to work on it, with manual and SAMs
$250.00

Kenwood TH315 220 Handheld, Leather case, wall charger, Speaker Mic $225.00
SOLD

Redco Digi Scan -5, RDS-02, I think it's for use with a O2A PLL $60.00

Eico 720 HF CW transmitter, Cabinet need painted, Inside is super clean,
Untested $75.00 SOLD

Homebrew 10 Meter amplifier, uses three 24 volt versions of the 6146 tube, Made from a military transceiver PA section. Separate power supply made from Mil parts. Fairly compact modules, Peak readings of 200 watts. $150.00

Bearcat 210 scanner $30.00 SOLD

D&A Mfg. T-600 , 10 tube amplifier Later version of the Phantom 500, Black,
in excellent condition
10-20-40-80 meters, all tubes in great shape, Keys 500 watts swings 1000 Pep, a super clean unit
$400.00 SOLD

D&A Mfg. Maverick 250 , 8 tube 10 meter amplifier, tubes all in good shape,
6LQ6's recently replaced with NOS stock $300 SOLD

Phantom 500 10 meter amplifier, Needs 10 6LQ6s (Ouch!) $150.00 Sold

Texas Star Killer Bee HD250V, 10 meter amplifier, Class C, Direct keyed only
$85.00 SOLD

Varmint XL350, 3 tube, 10 meter amplifier, With the famous "Super Mod" switch,
Clean,

Tubes 80% or better Swings 500 pep on YS-60 peak meter. $250.00

Heathkit SB201 10-20-40-80 Linear amplifier, Fresh 572B Tubes, Manual, Works great $375.00

HTX202 RadioShack 2 meter handheld, Speaker Mic, Box, Manual, Wall charger $100 SOLD

Crate Stealth 60 Tube Guitar amp, In great condition. Manual $200.00

Yamaha 12 string acoustic, beautiful guitar with case!! $500.00

Yamaha RX11 Drum Machine $100.00

Rack mount Lab power supply, Power Ten Inc. Model 3300D-10010, 0-100 VDC, 0-10 Amps,
Voltage and current LCD read outs, Clean $200.00

Bird 4391 Analyst, Microprocessor controlled CW power / Pep Power / Modulation /
and more, uses bird 43 slugs. Carrying case, manual, $400.00

Bird slug 50-125 Mhz, 5,000 W Peak mode / 1000W Max average Power $60.00
Like new, low use

Bird slug 50-125 Mhz, 10,000 W Peak mode / 1000W Max average Power $60.00
Like new, low use

Siltronics model 90 VFO -6 $85.00 Clean

Alan CTE HQ135 25-29 Mhz Wattmeter 10/100/1000 watt scales, illuminated, Low use like new in box $40.00

Alan CTE 36" apartment dwellers antenna, adjustable swr, Low use Like New $25.00

Alinco DJ-S11 Mini 2 meter hand held, in box, low use, slight scratch on front $65.00

Cushcraft R5 five band Vertical, uses short counterpoise radials $150.00

Radio Shack Digital SWR/Power meter RMS and PEP 0-30 Mhz $30.00 SOLD

Watts 0-160 PSI precision Regulator & Sub-regulator filter block assemblies NEW $100.00 Ea.

Recoton CBM430 Amplified Desk Mic $20.00

Mirage B3016 2 meter FM/SSB amplifier, with preamp, 30 in 160 Watts out. $200.00 Sold

SBE Trinidad AM Base, Excellent condition with Manual and D104 Mic $120.00

Realistic TRC459, AM/SSB 40Channel CB ,unique flat console design, dial a watt, Stock Mic. $130.00

Sears Road talker 40 AM/SSB 40 channel Mobile, In box, Low usage, No Manual, Clean No Mods $100 SOLD

Sears Road talker Base/Mobile 40 channel AM/SSB, In box, Low usage, No Manual , clean, No Mods $100 SOLD

Uniden HR2600 with chipswitch modification, 575-M6 mic, Manual and chipswitch manual $260.00 SOLD

Yaesu FRG 7 SW receiver, good condition $160.00

Ameritron AL 811 HF Amplifier uses 3 811 tubes, minor flaw on face plate, 7.5 to 8 on condition, works perfect, full output with manual $400 SOLD

Complete ammunition reloading set up, 2 Presses, scale, several dies, tumbler, Case trimmer, books, Brass, 2 powder drops, trickler, A whole lot of stuff ...dies for 223, 45 long colt, 7mm Rem mag, 30-30, 308, 22 hornet, 30 carbine and others $320.00

Craftsman compressor 4 HP 30 Gal, In good condition, with hose and regulator/seperator setup $200 Local pick up only in the Simi Valley Ca. area

Roland 4 track multi-tracker recording system, Higher end model, Nice mixer/EQ section. Not sure of the model #, must check in storage. $300.00 Clean condition, with manual

* I buy, sell and trade vacuum tubes

Will possibly trade above items for:
Drake equipment and accessories
Bird 43
Bird HF slugs
Digital camera
Yaesu Y0 100 scope
Yaesu FV101 VFO
Electro Voice Mics
Johnson Viking II with Johnson VFO
Collins 30L1 in good condition
Collins R390A
MFJ antenna analyzer. The one with resistance read out
Drake RV-7 VFO
Power supply for the Drake TR 7
Yaesu FT-7 in very good condition
or ??? what do you have?
Astatic 10DA SSB mic head
Astatic Night Eagle
Yaesu FL2100B

JPG Pictures available on some items *

--The stuff that will never make it to the bench for repair--
Below sold as is:

Siltronics Albatrose 23 channel AM/SSB mobile with big ol venier slider knob $25.00 Works, Occasional Intermittent TX

Pierce Simpson Bengal AM/SSB 23 channel base SSB works AM doesn't $30.00

Zachery T AM Base No TX week RX $30.00

President Washington w/ freqs and slider (Worked perfect before UPS got ahold of it) Came back from
Hawaii , No TX or RX, Possible damaged loop mixer crystal $60.00 SOLD

Robyn tiger 23C Needs Audio transistor $10.00

Messenger 250 23 channel base CB, beautiful gold and brown, good cosmetic condition, Possible power supply problem $40.00

Icom IC230 2 meter parts radio, No Knobs $20.00 TX works.

*All items do not include shipping.
*Shipping Via UPS ground unless otherwise stated
*All items guaranteed to work unless otherwise stated.
* Most larger items are professionally packaged and double boxed.
* Buyer splits packing charges.
* Most prices negotiable.
* Use of 10 meter amps on 11 meters is illegal.
* References available upon request.

637. DRAKE TR-7 FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990411165535.06952.00001317@ng149.aol.com>
Source record: 86163

At this time, I have available a Drake TR-7, serial number 10XXX so it is high serial number. Has the DR-7 digital display but NO other options, no filter, no fans, etc. I'm asking $635 for it plus shipping. It is on the high side, but it is in very very good shape. Includes original owner's manual, and copies of service manual, plus copy of service manual for R-7, as well as copies of just about all owner's manuals for the 7 line.

73
Evan

638. FS: 100 NOS 5749/6BA6W TUBES-USED IN R-390A RECEIVER IF DECK

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: mike@3dnet.com
Message-ID: <7er5vf$8gl$1@nnrp1.dejanews.com>
Source record: 86164
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale: Lot of 100 New, Old Stock 5749/6BA6W Tubes as used in Military R-390A HF Receiver IF Deck. Tubes are GE Branded in original boxes and the lot is in original packing from distributor.

If interested, please reply via e-mail or telephone.

Mike Nowlen WB4UKB
mike@3dnet.com
Evenings 7pm-10pm Eastern: (703) 716-1363

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

639. WTB: R1475

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Simon Collinge <collinge@ix.netcom.com>
Message-ID: <3711127D.DF553339@ix.netcom.com>
Source record: 86165

I am looking for any of these receivers used in particular in the B-24 Liberator in the RAF. Does anybody have any info.

Simon - KF2HO ex G8DRR

640. Re: FS: PALAMAR 90A HF AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: BOB DUCKWORTH <bob@atl.org>
Message-ID: <371027C3.11F1@atl.org>
Source record: 86166

Some of us out here build things and find the 'ol 11 meter amps useful
for parts if the price is right.
-bob
wb4mnf
Atlanta

641. Packet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Fran&#65533;ois Boirot <bookmake@worldnet.fr>
Message-ID: <7er5ot$78h$1@news4.isdnet.net>
Source record: 86167

I have a sailing boat an IcomSSB 728 a computer Toshiba and I would like to know if I can send and receive mail and fax ; May I send a mail to somebody on internet.
What kind of elecronic stuff I need to to do it?
I plan to circumnavigate how far can I send fax and mails
Thanks
Francois
F1IMD
bookmake@worldnet.fr

642. Siemens FM-WT1-M what is it for?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Michael Adam <michael.adam@gmx.de>
Message-ID: <7er90b$g76$1@f40-3.zfn.uni-bremen.de>
Source record: 86168

Hello,

can anybody please explain me what the telegraphy-device Siemens
FM-WT1-M is used for in particular and in combination with which
addtional device? (It is not a telex)

Thank you in advance
Regards
Michael Adam

643. Re: DRAKE TR-7 FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: guy quartarone <guyq@worldnet.att.net>
Message-ID: <7erakv$8m6$1@bgtnsc03.worldnet.att.net>
Source record: 86169

Evan is the ps7 included tnx Guy
K9SQG wrote in message <19990411165535.06952.00001317@ng149.aol.com>...
>At this time, I have available a Drake TR-7, serial number 10XXX so it is
high
>serial number. Has the DR-7 digital display but NO other options, no
filter,
>no fans, etc. I'm asking $635 for it plus shipping. It is on the high
side,
>but it is in very very good shape. Includes original owner's manual, and
>copies of service manual, plus copy of service manual for R-7, as well as
>copies of just about all owner's manuals for the 7 line.
>
>73
>Evan

644. Re: Shipping "boat anchors"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990411192213.04133.00002415@ng-fi1.aol.com>
Source record: 86170

Hi,
Just another 2 cents worth... If you are shipping a boatanchor and you are going to use styrofoam 'peanuts' for cushioning material, PLEASE,PLEASE,PLEASE put the boatanchor in a plastic bag before pouring on the 'peanuts'. These little devils can and do find a way to work themselves, or pieces of themselves into the most difficult places in terms of removal. I speak from experience as I have just purchased a National NC2-40-D that has a whole community of 'peanuts' living in the chassis. I will be using the hemostats for a while on this extraction...
rgds,
Mark S.

645. Want Eimac sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: KA7WOC <bern@whidbey.com>
Message-ID: <923873255.967.72@news.remarQ.com>
Source record: 86171

Looking to purchase Eimac SK700, SK710, SK711, SK12 sockets. What do you
have? Need for
4CX300 Series
tnx
--
de Bob
KA7WOC

646. RF connector query

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37111FFB.89E6EA4A@asu.uswest.net>
Source record: 86172

I have an Eico 324 signal generator, no probe. I have to make one up. I am unfamiliar with the type of connector used with this piece of equipment, except that it (the RF out connector) is the same type as used on the Heathkit Lunchboxes. What is the name/designation of this connector, and where can I buy one?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

647. Trade Amp supply LK-500ZA for IC-751A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <371139da@news1.us.ibm.net>
Source record: 86173
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have an outstanding Amp Supply LK-500ZA with the Dahl plate xmfr. It has like new Eimac 3-500Zs. The red paint on the tubes is still very bright red. The amp will do around 1500 out on 80 and 40 and around 1400 or so on 20 to 10 meters. I normally do not run it on 160 but I could check the power level if that is a need.

I would like to trade the amp for a nice Icom 751A hf rig. The one with the passband tuning and not the IF shift.

Please include ur name, call, qth, and phone number when replying.
73s and thanks for the read.

Lane Zeitler
Ku7i
San Diego

648. Re: Collins HF-2050 DSP Communications Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <uvOybMIh#GA.329@upnetnews03>
Source record: 86174

This receiver was written up in a book on 1942 - 1947 receivers?

peter5487@my-dejanews.com wrote in message
<7ejjg6$c9f$1@nnrp1.dejanews.com>...
>I have a rare Collins HF-2050 DSP Communications Receiver for sale.. It is
in
>MINT condition both cosmetically and electrically... Loaded with all
filters
>and noise blanker. Complete with the manuals and all schematics. Asking
>$2500 shipped. You can see the picture/specs at the following site:
>
>http://www.falls.igs.net/~testequipment/hf2050.html
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

649. Auction Ending: Mint Swan Mark II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37114C08.F1018DF8@cfu.net>
Source record: 86175

Collector's Mint Swan Mark II Linear Amp, ebay. com # 87081673, ends at 9:55 CT Sunday, 4/11. Tks es 73!

650. Re: Shipping "boat anchors" AND OTHER THINGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <37114034.F49929@iglobal.net>
Source record: 86176

IF YOU ARE SHIPPING...anything over 5 lbs using peanuts....you are a rookie and better take out good insurance....they just dont offer enough protection......Go to the HOME DEPOT and get 1 inch blue foam board at 7 bux a sheet and do it right....cuts easily and offers great protection between double boxes (you should do it that way) and offers great protection with in the main box...no muss no fuss....still you should put that plastic over it...IF YOU ARE USING UPS on anything over 25 or so lbs....double your insurance, cause they are gonna break it!! 73 Murray

Nc183d wrote:

> Hi,
> Just another 2 cents worth... If you are shipping a boatanchor and you are
> going to use styrofoam 'peanuts' for cushioning material, PLEASE,PLEASE,PLEASE
> put the boatanchor in a plastic bag before pouring on the 'peanuts'. These
> little devils can and do find a way to work themselves, or pieces of themselves
> into the most difficult places in terms of removal. I speak from experience as
> I have just purchased a National NC2-40-D that has a whole community of
> 'peanuts' living in the chassis. I will be using the hemostats for a while on
> this extraction...
> rgds,
> Mark S.

651. Re: Shipping "boat anchors" AND OTHER THINGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <37114056.BBE818E1@iglobal.net>
Source record: 86177
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

IF YOU ARE SHIPPING...anything over 5 lbs using peanuts....you are a rookie and better take out good insurance....they just dont offer enough protection......Go to the HOME DEPOT and get 1 inch blue foam board at 7 bux a sheet and do it right....cuts easily and offers great protection between double boxes (you should do it that way) and offers great protection with in the main box...no muss no fuss....still you should put that plastic over it...IF YOU ARE USING UPS on anything over 25 or so lbs....double your insurance, cause they are gonna break it!! 73 Murray

Nc183d wrote:

> Hi,
> Just another 2 cents worth... If you are shipping a boatanchor and you are
> going to use styrofoam 'peanuts' for cushioning material, PLEASE,PLEASE,PLEASE
> put the boatanchor in a plastic bag before pouring on the 'peanuts'. These
> little devils can and do find a way to work themselves, or pieces of themselves
> into the most difficult places in terms of removal. I speak from experience as
> I have just purchased a National NC2-40-D that has a whole community of
> 'peanuts' living in the chassis. I will be using the hemostats for a while on
> this extraction...
> rgds,
> Mark S.

652. FS: HALLICRAFTERS SX-96

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: BB Wolf <bigbadwolf1@earthlink.net>
Message-ID: <7erire$g9j$1@oak.prod.itd.earthlink.net>
Source record: 86178
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave

FOR SALE: HALLICRAFTERS SX-96. 8.5 of 10 Condition ! Very nice old boatanchor ! Receives excellent ! Very few flaws. Copy of manual also included.

$ 225 + shipping from 45373.

Thank you,

-ERIC

653. Help! Need a 3BP1 CRT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: Joe Eide <jeide@execpc.com>
Message-ID: <37115939.D64969FE@execpc.com>
Source record: 86179

Anyone know where I could find a good 3BP1 CRT for my Central
Electronics MM-2?

I am lost without it since the CRT died!

Thanks for any help .. Joe - KB9R

654. Re: HALLICRAFTERS SX-96

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: ERIC <bigbadwolf1@earthlink.net>
Message-ID: <7ermhcmjh1@oak.prod.itd.earthlink.net>
Source record: 86180
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave

$ 225 or Highest Offer + Shipping from 45373.

Thanks,

-ERIC

BB Wolf <bigbadwolf1@earthlink.net> wrote in message
news:7erire$g9j$1@oak.prod.itd.earthlink.net...
> FOR SALE: HALLICRAFTERS SX-96. 8.5 of 10 Condition ! Very nice old
> boatanchor ! Receives excellent ! Very few flaws. Copy of manual also
> included.
>
> $ 225 + shipping from 45373.
>
> Thank you,
>
> -ERIC
>
>
>
>

655. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-11 00:00:00 UTC
From: vantalon <vantalon.f6bwf@wanadoo.fr>
Message-ID: <7f0205$j6t$1@wanadoo.fr>
Source record: 86181
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Hello . In my past job i have had to use 3 bird 43 in our laboratory . All have given different measures (on the same load of course !)For an output of 40 watts , one of them gives 50w reading ! This one was used for " demo " with the customers !! 73 to all

656. WTB: Simpson 260 carrying case

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: techni@netcom.com
Message-ID: <techniFA20op.FBx@netcom.com>
Source record: 86037

WTB: Simpson 260 Carrying Case. Harold Meltzer

657. FA: Quantity of 10 New NiCd battery packs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: mcp@ricochet.net
Message-ID: <7ervaassf1@nnrp1.dejanews.com>
Source record: 86038
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors

Quantity of 10 New NiCd battery packs at Ebay. to find the auction first go here:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=boatman9&sort=3&since=-1&page=1&rows=0

then select the auction hyper-link for the batteries.

These are Mitsubishi cellular telephone battery packs. Each pack contains five (5) size AA Nickel Cadmium rechargeable batteries. These are rated by the manufacturer at 850 MilliAmp hours. Since each cell is nominally 1.2 volts the entire pack is a 6 volts. These packs can be used by soldering onto the terminals or you can cut them open and remove the cells for use individually.

Connection to a digital camera can be made by soldering a small power cord onto the battery's positive and negative terminals and then attach the correct plug for your camera on the other end of the cord. Since the batteries are 850 mAH the correct charge rate is 85 MilliAmp for 14 to 16 hours. If you use the batteries individually you can simply charge them using an ordinary AA NiCd charger.

You get 10 of these packs for one price.

Pictures are here ==> http://members.xoom.com/simmtech/nicads/

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

658. FS: Old Books - FREE !!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <621-37117382-99@newsd-122.bryant.webtv.net>
Source record: 86039

[...your daddy told you "Nothing is free, son"] The catch on this one is that the books weigh 24 pounds. Must be the heavy components in all those old boatanchors.

Call your friendly Postmaster and inquire the price of 24# BOOK RATE
from 15845
to your ZIP.

...if you live in Yugoslavia, don't bother to call. We have a deal with the USAF, and we can just drop them in, on the way to Belgrade.

These books are the left-overs, and some are older than I am...an' thats olde, buddy!

Hurry, hurry, hurry, like they always say on eBay, this auction ends at midnight, 12/31/99

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

659. FS: Lafayette 2m Conv. / Ameco Pre-amp, 6CW4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <625-3711712A-15@newsd-122.bryant.webtv.net>
Source record: 86040

Items work and sold as one unit. $30 + shipping from 15845

Oldie, but a Goodie!

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

660. Working National NC-44 -- is it rare or no big deal?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: w0mc@my-dejanews.com
Message-ID: <7es1c1ucl1@nnrp1.dejanews.com>
Source record: 86041

Hi Folks,

I recently dug up an old National NC-44 my dad had long ago. The thing still works on all bands, although it does suffer from must, dust, and a few specs of rust. I even found the old matching speaker for it, still functional (the padded lining in it has a bit more "mustiness" than the rest of the radio, apparently it was discovered by a cat at one time -- whew!).

So, I went surfing the net to find info on it and came up with only one hit that just gave me specs and a description of the radio. No archived discussions of it, no pricing on the boatanchor boneyard list, nuttin but the single page in the on-line National museum. Even W7FG doesn't list a manual for it. So, is this lack of information because it's a hunk-o-junk or because there aren't many out there? Anybody out there have a manual for it?

Thanks for any info/clues.

73,
Jerry
W0MC

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

661. FS: Collins 75A-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: "Paul N. Katz" <w5ntq@pdq.net>
Message-ID: <3711803F.3DC89212@pdq.net>
Source record: 86042

75A-1 working and in good condition, $350. Houston TX

Can have professionally packed, or you can pick up in Houston, Belton, Dayton, or Dallas hamfests.

662. Metron CB ???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Southern Kiwi <p.mccaul@ihug.co.nz>
Message-ID: <7es7oeakn1@newsource.ihug.co.nz>
Source record: 86043

Does anyone have ANY info or links on this set?.
Thanx for any help
Paul

p.mccaul@ihug.co.nz
Wisdom from high in the mountains....you know....like a Guru !!.....but not
as old......or mystic......or wise.

663. FS: 6AS7G power triodes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990412051144.17846.00001820@ng30.aol.com>
Source record: 86044

A few years ago I THOUGHT I wanted to build an OTL poweramp. I never finished the project because (1) I ran out of time, and (2) I ran out of money (itï¿½s EXPENSIVE to build a power supply for this kind of project).

Anyway, I bought a whole bunch of 6AS7G power triodes, and Iï¿½ve never put them to use. I have 21 total. All are NOS, in original boxes. All are the cool, retro ï¿½coke bottleï¿½ envelope. AND I just tested them TODAY on an emissions tester, and all are electrically perfect.

17 - RCA 6AS7G
3 - Raytheon 6AS7 G (physically identical to RCA)
1 - GE 6AS7G

All for $150 (US 48 only, please)

Interested? Please respond by email.

Tom Mitchell
email - OvrReactor@aol.com

664. FS:DRAKE MS-4 SPEAKER AND 6 KHZ AM FILTER ON EBAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Pab <pab1@home.com>
Message-ID: <nxjQ2.5206$LM.10628@news.rdc1.mi.home.com>
Source record: 86045

The filter go to>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90023977

For the speaker go to >
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90030719

Both items have pic's

Thanks

665. FS: SX-96 HALLICRAFTERS New Price

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: ERIC <bigbadwolf1@earthlink.net>
Message-ID: <7eshq2$4jp$1@oak.prod.itd.earthlink.net>
Source record: 86046
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

```
FS: SX-96 HALLICRAFTERS ,
Excellent condition, 8.5 of 10, receives nice.

$ 175 + shipping from 45373

Thank you,

-ERIC
```

666. FS: Misc. Radio EQ.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990412065452.14820.00001927@ng-fy1.aol.com>
Source record: 86047

I have the following Radio, and electronic equipment for sale. Will consider trades for Pentium computer EQ. All working last time tested unless noted. Shipping is extra.
Thanks

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $300

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. As is $50.

Swan Phone patch: with hook up cords. This unit looks real good, but is also untested. As is $35.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $175 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

667. FA: Book: Rebel Radio (Viking Valiants in guerrilla war)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <371207fe.4857292@news.erols.com>
Source record: 86048

Fans of the Viking Valiant will get a kick out of this book about
Radio Venceremos, the propaganda station of the Salvadoran guerrillas.

Viking Valiants formed the core of their SW effort. Includes pictures
of the Valiants in operation from guerilla camps.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89651060

73 de Bill N2CQr

668. FA: Surplus Beam Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <371208d7.5074246@news.erols.com>
Source record: 86049

Useful as an AF filter for CW work (or WWII navigation!)

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89650693

73 Bill N2CQR

669. FA: Bird Elemnet on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <3711D6DF.2742C992@pacbell.net>
Source record: 86050

Bird 43 Slug 5E 400-1000 MHZ 5 watts ends at 9am today.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88911240
--
Gordy Gale

670. Heath IM-11 VTVM meter bezel needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990412091513.17138.00001743@ng-fd1.aol.com>
Source record: 86051

Hello, I need a reasonably good one to replace the missing meter clear plastic cover on my Heath IM-11 VTVM . If you can provide one reasonably, please let me know...Heath has one, but it is priced ridiculously...
Thank you,
Joe Pratt, Tubecntral@aol.com

671. WTB Drake TX4C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7estij$q4j@world1.bellatlantic.net>
Source record: 86052

```
WTB Drake TX4C, AC4 not required. 8.5
and higher only please. State price/condition.

Jeff Kelly
jkelly@bellatlantic.net
```

672. Collins KWS-1 For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: K9CSM <k9csm@pcisys.net>
Message-ID: <923925154.879.23@news.remarQ.com>
Source record: 86053

I have a KWS-1 for sale, SN 585. Altho I never operated it, I was told it was unplugged from operation the day prior to shipping to me, several years ago. It has excellent front, both top & bottom units. Afew paint chips on top. No extra holes & appears unmodified, excepting a few exterior cables have been replaced, usually due to age of the insulation. Very sharp fronts, (original) w/ very clean lettering, indicates a "non-smoker" to me. I have exactly $2500. in it in cash & thats my price. This is the cleanest looker I've seen. Ben k9csm@pcisys.net

673. WTB RV-4C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: ekugrad@mindspring.com
Message-ID: <3711ee61.35611468@news.mindspring.com>
Source record: 86054

I need an RV-4C to go with my newly aquired TR4Cw. Looking for one
that is in very good to excellent condition. No dents or dings.
Small scratches on case OK.

Thanks and 73
David
W4IDX

ekugrad@mindspring.com

674. Capacitor Questions

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Terry Brown <browntl@concentric.net>
Message-ID: <37120291.9350F6E1@concentric.net>
Source record: 86055

I picked up a BC-1031B Panoramic Adapter and intend to recap prior to realignment and use. However, I'm not familiar with 1940's components and don't understand exactly what type of caps to use. The majority are either bathtub or large aluminum can types which are described as "paper - oil" in the tech manual. None of the caps, even in the power supplies, are marked as electrolytics either on the caps or in the tech manual/schematic. Any ideas what types to use to replace the existing caps?
Two of the caps are in the high-voltage filter section, rated at 2,500 WVDC, and one appears to be leaking. Any idea where to get replacements? Thanks for any advice I can get.
Terry (KA5IHV)

675. FS: Hallicrafters SX-101A MKIII

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Walter Fairclough <wfairclo@netcom.ca>
Message-ID: <bKnQ2.21912$134.228236@tor-nn1.netcom.ca>
Source record: 86056
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have an SX-101A MKIII. This receiver is very near, if not, collector quality . Everything original. Copy of manual and original Hallicrafters box. Asking $350.00 (US) plus S&H.
--
Walter - VE3EN

676. FS La Fayette HA-600A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <3712067b.2459651@news.iwvisp.com>
Source record: 86057

I recently acquired a La Fayettete HA-600A, all band reciever with the matching HE-48C Speaker enclosure. It works OK, but probably will need a tune-up for max performance. It's completely solid state. On a 1-10 scale, it's conservatively a 9. No dents, dings, or scratches, everything there and working. There are two label machine labels on it, one on the reciever and one on the speaker. I did not attempt to remove them. This appears to have sat on the shelf of a technician at NWC, China Lake since new and then was surplused. (Just a guess)

I don't know what year it was made, and have no idea of what it's value is. Any information would be a great help.

Thanx

Ron, WB6GKI
DrPepper@iwvisp.com

Dr. Pepper
10 - 2 & 4
Good ALL the time
For utility radio information, goto:
iwvisp.com/DrPepper/

677. FA TS570 Monday Last day

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <OW4DEcPh#GA.333@nih2naaf.prod2.compuserve.com>
Source record: 86058
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf

Monday is the last day for TS 570 on Ebay #87477836

--
PAW TS 570 D NOW ON E-BAY 3/5/99.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

678. Bird 43 type slugs have been sold

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: ke6hlw@aol.com
Message-ID: <19990412130444.23919.00001652@ng-fv1.aol.com>
Source record: 86059

```
Bird 43 type slugs have been sold
```

679. FS: Tube Ham, large audio xfrmrs, etc

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: olds98@together.net
Message-ID: <7etcss$3gg$1@nnrp1.dejanews.com>
Source record: 86060

for sale:

World Radio Labs (WRL) Globe Scout 65-A Xmtr- very good cond
working when stored about 10 years ago, unable to test at
present, as is complete unmodified unit. $60 plus shipping.

Sonar tube CB 23 channel mobile unit same cond as above $50 plus ship

2 sets- (2 power 2 output) transformers from 2 Dukane 200 watt
per channel model 1A921-C amplifiers- huge and heavy- these
are twice the size of Altec 1569 xfmrs. Great condition no
corrosion, work xlnt.
$200 per set or $400 for all 4 plus shipping

please email direct for more info thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

680. Help identify this receiver...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: dave@boatanchors.com
Message-ID: <7etdcg$41m$1@nnrp1.dejanews.com>
Source record: 86061
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hello all,

I have just acquired an old regen chassis that I hate to see stripped out for parts. I'd like to restore it and make it operable, but I need to find out what it is first, and if anyone has the schematic. I don't have the coil or tube lineup (I'm sure it's coil, detector, and audio but I'm not sure). The underside components are all there and seem to be in good shape. There is a small inductor shaped like a very thick washer that's loose and I have no idea about. It's hanging under the chassis. A schematic would be very helpful!

It appears to be a Pilot 'kit' - the kind that had all the parts and panels, but you had to drill the holes yourself.

I have photos at:

http://www.boatanchors.com - then click on the link at the top of the page 'Help identify this receiver'.

I'd like to find a schematic, and a replacement vernier for the right dial which is broken. If anyone has one or is at all familiar with this little regen, drop me a note.

Thanks and 73

Dave WB7AWK
regen@boatanchors.com

http://www.boatanchors.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

681. WTB - Large Mod Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: John P Russo <jprusso@acsu.buffalo.edu>
Message-ID: <37122E56.C322171F@acsu.buffalo.edu>
Source record: 86062

Subject says it all, I need a 400 - 500 watt modulation transformer for a project. I would prefer a multi tap type if possible, like a CVM5.

Thanks, John KF2JQ

682. Parts Radios: Clegg 22'er & PolyComm 6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: jparker@fix.net
Message-ID: <3712344f.14678926@news.fix.net>
Source record: 86063

I have one each of the following for sale for parts.

Both are real rough and dirty, but suitable for parts.

Clegg 22'er Make Offer + Shipping

PolyComm 6 Make Offer + Shipping

Thanks,,,Jerry...WA6OWR

jparker@fix.net

683. VF-1 Manual Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: w9fs@aol.com
Message-ID: <19990412144014.21729.00002070@ng-fx1.aol.com>
Source record: 86064

Title says it all, be glad to pay for copies.

Thanks in advance,

Jerry W9FS

684. Lafayette HA-800 Manual wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: w9fs@aol.com
Message-ID: <19990412144139.21729.00002071@ng-fx1.aol.com>
Source record: 86065

Title says it all, willing to pay for copies.

Thanks in advance,

Jerry W9FS
Jerry W9FS
ex W9FTI, W4RXU, K9PFV, DL5GI
Licensed since 1958, getting to be
a real OT.

685. WTB: ICOM AT-500 Auto Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: James.E.BRown@lrdor.USace.ARmy.MIL
Message-ID: <49B1F0812748D211A39100805F9FA68102C912@lrdormail01.lrd.usace.army.mil>
Source record: 86066

Want to buy mint/near mint ICOM AT-500 automatic antenna tuner. Must have box, manual and cable. Have for trade (not even up) JW Miller AT-2500 3+KW automatic tuner in excellent condition. 606 525 2776 eve. or weekends.
w4lc@juno.com <mailto:w4lc@juno.com>
Jim W4LC

686. FS:TUBE CHECKER TV-7D/U

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <3712DF92.96963BE1@postoffice.pacbell.net>
Source record: 86067
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.marketplace

Hi all
I have a for sale TV-7D/U tube checker. Price is $150 plus shipping
from 92833.
I can E-Mail photos on request.
Thanks
Jin KB6LUE

687. Re: Shipping "boat anchors" AND OTHER THINGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <O7iMuHUh#GA.241@upnetnews03>
Source record: 86068
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Correct. The peanuts with vibration will "flow" to the top side.

The foamboard works, as does multiple layer wraps in two different directions of air bubble sheets which you can rolls at at any office supply store like Staples or Office Max.

I have also heard of good suvccess with "foam in place" packing, but I sure would want to make sure the unit was securely plastic wrapped!

Don't neglect the box. Try to get a double walled heavy duty box and tape all seams securely.

If you pack an item so that it can survive a 5 foot drop on any side or edge, most of the time it will make it through UPS shipping.

J. Murray Neece wrote in message <37114056.BBE818E1@iglobal.net>...
>IF YOU ARE SHIPPING...anything over 5 lbs using peanuts....you are a rookie and
>better take out good insurance....they just dont offer enough protection......Go to
>the HOME DEPOT and get 1 inch blue foam board at 7 bux a sheet and do it
>right....cuts easily and offers great protection between double boxes (you should
>do it that way) and offers great protection with in the main box...no muss no
>fuss....still you should put that plastic over it...IF YOU ARE USING UPS on
>anything over 25 or so lbs....double your insurance, cause they are gonna break
>it!! 73 Murray
>
>Nc183d wrote:
>
>> Hi,
>> Just another 2 cents worth... If you are shipping a boatanchor and you are
>> going to use styrofoam 'peanuts' for cushioning material, PLEASE,PLEASE,PLEASE
>> put the boatanchor in a plastic bag before pouring on the 'peanuts'. These
>> little devils can and do find a way to work themselves, or pieces of themselves
>> into the most difficult places in terms of removal. I speak from experience as
>> I have just purchased a National NC2-40-D that has a whole community of
>> 'peanuts' living in the chassis. I will be using the hemostats for a

while on
>> this extraction...
>> rgds,
>> Mark S.
>
>
>

688. SX-28 bottom cover needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: cliff hensley <wb4nkl@wireco.net>
Message-ID: <37129357.7C2A@wireco.net>
Source record: 86069

Need bottom plate for Hallicrafters SX-28. Can pick up at Dayton hamfest.

Cliff WB4NKL@wireco.com

689. Re: Working National NC-44 -- is it rare or no big deal?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <3712978f@news1.us.ibm.net>
Source record: 86070

Isn't the NC-44 the predecessor of the NC-57, with much the same circuitry?

--
Crazy George

690. Re: Help identify this receiver...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Joe Schlatter <w4hh@3wave.com>
Message-ID: <b5xQ2.267$z3.34582@news20.ispnews.com>
Source record: 86071
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Dave:

That's a really neat site you have there. RE: the photo: is all that
stuff on the shelves in front of you your station? I see a lot of old
Collins, Drake, Hallicrafters, and Hammarlund gear there.

--
Regards,
Joe Schlatter
joe@schlatter.org
http://www.schlatter.org/
http://www.miafacts.org/
http://www.asphome.org/
Amateur radio callsign W4HH

dave@boatanchors.com wrote in message <7etdcg$41m$1@nnrp1.dejanews.com>...
>Hello all,
>
>I have just acquired an old regen chassis that I
>hate to see stripped out for parts. I'd like to
>restore it and make it operable, but I need to
>find out what it is first, and if anyone has the
>schematic. I don't have the coil or tube lineup
>(I'm sure it's coil, detector, and audio but I'm
>not sure). The underside components are all there
>and seem to be in good shape. There is a small
>inductor shaped like a very thick washer that's
>loose and I have no idea about. It's hanging
>under the chassis. A schematic would be very
>helpful!
>
>It appears to be a Pilot 'kit' - the kind that had
>all the parts and panels, but you had to drill the
>holes yourself.
>
>I have photos at:
>
>http://www.boatanchors.com - then click on the link at
>the top of the page 'Help identify this receiver'.
>
>I'd like to find a schematic, and a replacement vernier
>for the right dial which is broken. If anyone has one
>or is at all familiar with this little regen, drop me a
>note.

>
>Thanks and 73
>
>Dave WB7AWK
>regen@boatanchors.com
>
>http://www.boatanchors.com
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

691. FA: WRL Globe King 500A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <3712a107.0@news3.buffnet.net>
Source record: 86072
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

World Radio Labs Globe King 500A Transmitter. Covers 160-10 meters. In excellent cosmetic and working condition. Audio has been modified for near Broadcast quality with caps and large modulation reactor. Power supply has been beefed up with extra filtering and cooling. Front panel and Bud case (on wheels) is in outstanding condition. Package deal includes Johnson 122 external VFO, Astatic D104 microphone, and Johnson KW Matchbox. Manuals and spare parts are included. Due to size and weight, the unit must be picked up near Buffalo, NY. Payment in cash or bank check only. If you have additional questions please email to kg2ic@arrl.net. Tnx

To view, click on this URL -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90454184

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

692. Need: 400HZ/CYC Aircraft Power Source

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Jim Santee <jsantee@pacifier.com>
Message-ID: <3712a0be.0@news.pacifier.com>
Source record: 86073

I am looking for a 400HZ/CYC aircraft power source to use a test old aircraft radio equipment and instruments. Any ideas or sources. Many years ago, there were tons of this stuff around.

I would rather not do the old trick of putting a cap across one of the phases, reducing the voltage and hope it does not get "too hot".

Jim Santee

693. FS:AN/PRC-10 -&- AM-598/U AMP.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: "Edwin G. Buttell" <edd.b@snet.net>
Message-ID: <3712B848.3681@snet.net>
Source record: 86074

FS: AN/PRC-10 FM 38mc to 54.9mc
Good condition,clean,works.
About 2 watts output on 51.0mc.

With LS-166/U speaker and
H-33PT Handset and Manuals;
Depot Maintenance TM 11-5820-292-35
Organizational TM 11-612
And a spare NIB 5A6 tube.(very hard to find)

FS: AM-598/U Amplifier-Power Supply
For Vehicular Installation of
the AN/PRC-10.
Very good condition,clean and
works well.
With Power Cable and Manual
TM 11-5055

The PRC-10 and the AM-598 are
sold as a SET ONLY.

I am asking $125.00 for both.
New England area pick-up and/or
I will deliver up 100 miles from
QTH. NO SHIPPING !!!!!!!

Contact me via e-mail edd.b@snet.net
W1AFA Storrs,Ct.

694. FS:GRC-19/R-392/;T-195B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: "Edwin G. Buttell" <edd.b@snet.net>
Message-ID: <3712B6D4.41C6@snet.net>
Source record: 86075
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap,rec.ham-radio.swap,rec.amateur.radio.equipment

FS: R-392/URR Receiver
Collins Radio Co.
Serial # 1287 M-1
Order # 3075 PH-51

With Maintenance Manual TM 11-5820-334-35(Copy by W7FG)
With Power and Interconnecting Cables.
With 10 Amp dual voltage 24/33 volt Power Supply.
With spare tubes and LS-116/U Speaker.

FS: T-195B/GRC-19 Transmitter
Philco Corporation.
Serial # 594
Order # 3214-PP-59

With Maintenance Manuals TM 11-806
(Copy by W7FG) TM 11-806
TM 11-274
With Power and Interconnecting Cables.
And Handset H-33PT And LS-116/U Speaker

The R-392 is in almost mint condition and works very good.
The T-195B is in good condition, works well and has the solid
state high and low voltage supplies. It has 115-120 watt
output when used with a 28 volt input.

I will sell the T-195B and R-392 as a SET ONLY,
New England pick-up or delivered within 100 miles
of my QTH. NO SHIPPING !!!!!!
I am asking $475.00 for everything.

Contact me via e-mail only at edd.b@snet.net
W1AFA Storrs, Ct.

695. WANTED: Microphone for Kenwood TS-520 HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: SWL <dk664@yahoo.com>
Message-ID: <7euamd$n5b$1@ash.prod.itd.earthlink.net>
Source record: 86076
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.shortwave,rec.radio.swap

I've just acquired a Kenwood TS-520 HF Transceiver but it didn't come with a microphone. If anyone has a Kenwood or a compatible microphone for sale, I'd like to hear from you. Please send me an email to - dk664@yahoo.com
Thank you.

696. heathkit part

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: Kevin Schuchmann <kschuchm@pacbell.net>
Message-ID: <fOyQ2.385$MQ1.2935@typhoon-sf.pbi.net>
Source record: 86077

Hi, I am trying to find the 3 digit display out of a heathkit ID-1390 digital thermometer, it is also listed as a Beckman SP-354 if anyone has one,or has a busted ID-1390 they would like to part with or knows a source, I would appreciate it thanks Kevin WA6FWF

697. Re: Help! Need a 3BP1 CRT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <3712D3E9.DF4C9922@aade.com>
Source record: 86078

I think that fair radio lists these in their catalog. They have a web site also as I recall. http://www.fairradio.com/

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

698. Re: Desk Kilowatt Price?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <3712D482.5208E6BE@aade.com>
Source record: 86079

check
http://www.mnsinc.com/bry/ham/boneyard.htm#J

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

699. RE: my TR-7 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990411200037.16751.00001866@ng05.aol.com>
Source record: 86182

I neglected to mention that the rig also includes the Drake PS-7 heavy duty power supply.

73

Evan

700. Re: Source for Microphone Coil Cords?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: dr.dongle@juno.com
Message-ID: <7erhm6$i06$1@nnrp1.dejanews.com>
Source record: 86183
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In article <370BF9B0.AA8B006A@hamradio.org>,
al.dolgosh@hamradio.org wrote:
> Does anybody have a suggestion for a good mail-order source for
> replacement coil cords for mobile mics?
>
> Al - K8EUR
>
>

Belden makes replacement coil cords, expencive but good quality, check with Allied, Newerk and Mouser dr.d Kiss Technologys The more complicated the plumbing the easer it is to stop up the pipes M. Scott

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

701. Re: Mil radio newsgroup somewhere??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: "SPC Kelly", 4/8 CAV <kelly_4_8_cav@my-dejanews.com>
Message-ID: <7erj8gjcb1@nnrp1.dejanews.com>
Source record: 86184

In article <370DB519.EAB361B0@blarg.net>,
Jim <w7ls@blarg.net> wrote:
> Hi. Anyone know where I can find a military radio newsgroup?
> Thanks. Jim W7LS
>
>

MilSurplus@QTH.net

I think you send email to majordomo@qth.net with the phrase 'subscribe milsurplus' in the body. If that doesn't work try 'help'.

Sean

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

702. Re: FS: Johnson Pacemaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: kk6ob@aol.com
Message-ID: <19990411211850.00533.00001892@ng120.aol.com>
Source record: 86185

Jim I will buy the Pacemaker if you will ship it. I think it will go
UPS...they have raised their weight limit. What can we do? I really want it!
TNX and 73 Howard KK6OB

703. New Leatherette & Embossed Papers Available

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-12 00:00:00 UTC
From: cavisco@aol.com
Message-ID: <19990411211935.00316.00001680@ng108.aol.com>
Source record: 86186

New Leatherette now available in Black, Brown, Red, Blue, Green, Gray, Charcoal, two Tans, and Cream. Bonded leathers available in Black, Wine, Brown, and Oyster. Embossed papers available in Smoke and Granite, perfect for under the H-500 Wavemagnet. Black Argent embossed paper, perfect replacement for T.O. 1000 front and rear doors, or front of T.O.-3000. Send self addressed stamped envelope for samples or call for a consultation.
Scott McAuley
Cayce Vintage Sound Company
117 Sandy Lane
Cayce, S.C. 29033
(803) 791-0733

704. BAs Available for Delivery to Belton Hamfest, 17 Apr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: gharmon@idworld.net
Message-ID: <3712cc29.7811196@news.idworld.net>
Source record: 85987

I have decided to move some of my big iron to make room in the garage.
Actually, She WHo Must Be Obeyed suggested it.

The following can be delivered to the Belton, TX hamfest this weekend,
17 April. If you are interested send me an email or give me a call
for additional information. All are in VG to excellent condition,
a.k.a., no dogs. None have obvious mods. All are complete. None have
been restored. Manuals are available to copy. Untested as of right
now unless noted. I may have time to give a "light up" test before
Saturday.

1. CE-100V - $225
2. SX-42 - $175 (works)
3. HT-37 - $75
4. HT-41 with 572B finals - $250
5. HT-32A - $125 each for two
6. Apache - $150
7. Mohawk - $150 (works)
8. Marauder - $150
9. Warrior - $250

Thanks in advance and best 73,
gary

======================
Gary H. Harmon, Jr. - K5JWK
6302 Robin Forest
San Antonio, TX 78239-3218
(210) 657-1549
gharmon@idworld.net
================

705. Re: WANTED: Microphone for Kenwood TS-520 HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: jtyburczy@aol.com
Message-ID: <19990413023244.02131.00002298@ng-fr1.aol.com>
Source record: 85988
Body handling: HTML body converted to readable text

<>

Unless you need "DX audio, you might look into the Shure 444. I have talked with many hams using the TS520/Shure444 combo on the air. It's the best sounding mike (good wide response, high AF output) for that transceiver I've heard yet. - JT, W1GFH

706. Re: FS La Fayette HA-600A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <37134ce1.80502803@news.erols.com>
Source record: 85989

On Mon, 12 Apr 1999 14:52:01 GMT, DrPepper@iwvisp.com wrote:

>
>I recently acquired a La Fayettete HA-600A, all band reciever with the
>matching HE-48C Speaker enclosure. It works OK, but probably will need
>a tune-up for max performance. It's completely solid state. On a 1-10
>scale, it's conservatively a 9. No dents, dings, or scratches,
>everything there and working. There are two label machine labels on
>it, one on the reciever and one on the speaker. I did not attempt to
>remove them. This appears to have sat on the shelf of a technician at
>NWC, China Lake since new and then was surplused. (Just a guess)
>
>I don't know what year it was made, and have no idea of what it's
>value is. Any information would be a great help.
>
>Thanx
>
>Ron, WB6GKI
>DrPepper@iwvisp.com
>
>
>Dr. Pepper
>10 - 2 & 4
>Good ALL the time
>For utility radio information, goto:
>iwvisp.com/DrPepper/

Ron: I got mine for Christmas in 1973! Nice General coverage rx.
Simple. I used it for my first QSOs (before moving up to a Drake
2-B). Seized by a bit of nostalgia, I picked one up on the 'net a
while back. Fellow wanted 50 bucks for it (sounded reasonable) but
knocked it down to 25 when he discoverred that it didn't work. I
bought it. Turned out that the FET in the front end was blown
(probably by static charge). Replaced it and it works fine.

73 Bill N2CQR

707. RACAL Syncal-30 100Watt power amp.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <01be8599$fdba7b60$b570c610@utovandongen2.uto.dec.com>
Source record: 85990

For sale or trade (trade preferred)
I have a spare RACAL TA940-B 100 Watt HF Linear Amplifier with its
12/24Volt MA-936 vehicle power supply. This amplifier is used for the TRA
906/921/931 Squad- and Syncal HF manpack sets.

I'm interested in a BCC A14-HP HF tranceiver or other HF manpack sets

By the way, does anybody knows on which sets the RACAL MA-949 AC
powersupply and the RACAL MA-4010 B High Speed Morse unit are used.

73's

Nico van Dongen PA3ESA

nico.vandongen@compaq.com
(Location is the Netherlands)

708. AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <01be859c$c9d00c40$b570c610@utovandongen2.uto.dec.com>
Source record: 85991

I'm looking for information regarding an AN/GRC-106.

I'm offered an AN/GRC-106 or 106A. The guy offering it to me told me that 90% of the sets on the market were de-militarized by removing knobs, meters and cutting the wiring harness. This set is supposed to be in mint condition, it is the receiver/transmitter driver only, the power amplifier is missing. What I would like to know is an idea of the value of this set and if it is possible to find the power amplifier. Is there much difference in value between a 106 and a 106A version? and is it indeed rare to find a 106 not de-militarized.

73's

Nico PA3ESA

nico.vandongen@compaq.com

709. Re: R-390A Challenge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Tom Pinner <tpinner@mwci.net>
Message-ID: <37134CB9.C09A86E5@mwci.net>
Source record: 85992

Hello Bill,

Have a R-390-A A Amelco and it's new been rebuilt yet...then was rebuilt in the late 70's and the guy gave it to me just to get it out of the house. LOL

Tom/W9NEA

Mudshark wrote:

> Hi, everyone!
>
> I'm probably opening a Pandora's box here, but this newsgroup is always
> starving for good conversation. My question is this: Can anyone offer any
> legitimate arguments as to why the R-390A is not the finest receiver ever
> built?
>
> I have a Stewart-Warner R-390A recently restored to "new" condition by Rick
> Mish of Miltronix, and I would not trade it for my life. Who feels the same
> way?
>
> All responses, positive and negative, are truly appreciated!!!
>
> 73's to all!
> Bill Tobin
> tobin@csrlink.net

710. BELTON::BIG AMPS !!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <37133F4F.2C77E68E@iglobal.net>
Source record: 85993
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

At the Belton Texas swapmeet this coming weekend, I will bring a very nice Henry 4K-2 console, 4000 watt PEP input that does over 2kw out!! These unit have be going in the over $3000 range, this wont be that much...my wife says dont bring it home again!! Also bringing Henry 2K-4 , nice console dual 3-500 amp....AND and Apha 76 two holer...plus a few smaller or less expensive amplifiers....IF you have ever wanted a BIG IRON amp, nows your chance for a resonable price...C U there and thanks Murray Neece K5MDM

ALL TRADES FOR GOOD
OPERATION HF GEAR WILL BE CONSIDERED !!!::::::::::::::::::::::::::::::

711. For you Tempo fans...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: John <mstr-jl@swbell.net>
Message-ID: <icIQ2.456$Sa.4222@typhoon01.swbell.net>
Source record: 85994
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I've got an exceptional condition Tempo One transceiver with matching power supply/speaker. Comes with a copy of the manual - but no mic.

Radio has full output and receiver is XInt with good calibration. Rig is far above 'average' condition for these sets. Cabinets are about a 9 - 9+ on the 10 scale also... All in all - this is the best Tempo One I've seen.

Price is $250 (firm) plus shipping (advise your zip code). No CODs.

Thanks.

John

--

John Lewis - (South) St. Louis, Mo. 63116
mstr-jl@swbell.net
--

712. Wanted: Microphone stands

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904139240.AA924016282@ccmail.ghs.int>
Source record: 85995

Subject almost says it all. Need OEM microphone stands for:

the ElectroVoice 664

and

the Turner/Collins SM-1.

Will pay the right price for the right base. Also have some
radio gear to trade for same.

==73==

713. LPWS 6506

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: fkcvvv@aol.com
Message-ID: <3cJQ2.66507$Eb.13740@nnrp2.clara.net>
Source record: 85996

LPWS web site!

http://www.laughingpoliceman.com

G0GNF
nzeojsmcmqeedlyhjbjyioxyetnxptxzrsnyrfslhotmzhwdbiptcwizoxzocwotgnvrjxnixdpfvoufhcsjqbj

714. LPWS 422

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: gnfrykman@aol.com
Message-ID: <0gJQ2.3807$uU2.56959@mors.clara.net>
Source record: 85997

The LPWS web site is up and running for your pleasure!

Please submit any articles to the webmaster

http://www.laughingpoliceman.com
tnnmyziucqqijmzvkvcnyyqlodhdyztpxzkhkbtsvuquqrjbfmyksefbwvjnzzjdhdnpoiuyvogstpudnvbyuwpjgplbzlulm

715. Pro-2006 center frequency IF filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: valeriyp@yahoo.COM
Message-ID: <19990413154150.15492.rocketmail@web607.mail.yahoo.com>
Source record: 85998

Does anyone know what center frequency Radio Shack's
Pro-2006 scanner uses: 450kHz or 455kHz? And where to
get replacement center frequency IF filter? And also
where is discriminator chip located on pro-2006, (one
from which tap off is used to get clean data signal)?
Don't reply to this mailing list, send you reply to
valeriyp@yahoo.com

____
Do You Yahoo!?
Get your free @yahoo.com address at http://mail.yahoo.com

716. Re: FS La Fayette HA-600A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <371461af.1221202@news.iwvisp.com>
Source record: 85999

Thanx for the interesting story :-}

I guess that in this condition, it's probably worth about $50 - $75
bucks. It's VERY clean, but I just can't bring myself to call it
"mint"! This one seems to work OK, it's just that I don't care to
listen to the HF bands. I've been a scanner/ham since 1963, and do
MUCH more listening than talking.

Thanx for the reply.

73

Ron WB6GKI

==========

On Tue, 13 Apr 1999 13:58:56 GMT, wmeara@erols.com (Bill Meara)
wrote:

>On Mon, 12 Apr 1999 14:52:01 GMT, DrPepper@iwvisp.com wrote:
>
>>
>>I recently acquired a La Fayettete HA-600A, all band reciever with the
>>matching HE-48C Speaker enclosure. It works OK, but probably will need
>>a tune-up for max performance. It's completely solid state. On a 1-10
>>scale, it's conservatively a 9. No dents, dings, or scratches,
>>everything there and working. There are two label machine labels on
>>it, one on the reciever and one on the speaker. I did not attempt to
>>remove them. This appears to have sat on the shelf of a technician at
>>NWC, China Lake since new and then was surplused. (Just a guess)
>>
>>I don't know what year it was made, and have no idea of what it's
>>value is. Any information would be a great help.
>>
>>Thanx
>>
>>Ron, WB6GKI
>>DrPepper@iwvisp.com
>>
>>
>>Dr. Pepper
>>10 - 2 & 4
>>Good ALL the time
>>For utility radio information, goto:
>>iwvisp.com/DrPepper/
>

>
>Ron: I got mine for Christmas in 1973! Nice General coverage rx.
>Simple. I used it for my first QSOs (before moving up to a Drake
>2-B). Seized by a bit of nostalgia, I picked one up on the 'net a
>while back. Fellow wanted 50 bucks for it (sounded reasonable) but
>knocked it down to 25 when he discoverred that it didn't work. I
>bought it. Turned out that the FET in the front end was blown
>(probably by static charge). Replaced it and it works fine.
>
>73 Bill N2CQR

Dr. Pepper
10 - 2 & 4
Good ALL the time
For utility radio information, goto:
iwvisp.com/DrPepper/

717. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Jack Taylor <n7oo@theriver.com>
Message-ID: <37137215.1B7FA2A9@theriver.com>
Source record: 86000

Value is a relative term. To my way of thinking the GRC-106(A) has little value. This is basically a .quarter watt output AM/CW/USB transceiver running off 28 volts DC. As I recall the -A model increased the number of synthesized channel steps down to perhaps .1 KHz across it's range. Don't think the receiver compares to modern technology as far as overload and IMD capacity is concerned. It is possible to convert this radio to LSB, but at considerable loss of frequency stability.

The separate PA for this rig is a real beast with a blower that truly would wake the dead!

73 de Jack

Nico van Dongen wrote:

> I'm looking for information regarding an AN/GRC-106.
>
> I'm offered an AN/GRC-106 or 106A. The guy offering it to me told me that
> 90% of the sets on the market were de-militarized by removing knobs, meters
> and cutting the wiring harness. This set is supposed to be in mint
> condition, it is the receiver/transmitter driver only, the power amplifier
> is missing. What I would like to know is an idea of the value of this set
> and if it is possible to find the power amplifier. Is there much difference
> in value between a 106 and a 106A version? and is it indeed rare to find a
> 106 not de-militarized.
>
> 73's
>
> Nico PA3ESA
>
> nico.vandongen@compaq.com

718. FA: National NC-270 and Matching Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Bob <friday@ccnet.com>
Message-ID: <37137A32.CBC059E5@ccnet.com>
Source record: 86001

National NC-270 and matching speaker in very good condition. Includes original manual. Ham band receiver 80-6 meters. No WARC (of course).

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90672613

719. Collins KY-45/FRT-5 -- just arrived

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904139240.AA924023538@ccmail.ghs.int>
Source record: 86002

Hello everyone,

I unexpectedly found and acquired a little Navy blue/gray KY-45 / FRT-5 FSK Keyer/exciter this weekend. Uses the 807 tube and panel work is reminiscent of the R390 era. Does anyone on the list have any experience or documentation with same? I will have to build a power supply for it but it's condition is so nice, that will be a pleasure. Made by Collins Radio Company, Cedar Rapids Division.

I am guessing it's output is 2 - 4 mHZ. Enough power to drive an 811A or pair of 811A's?

Thanks in advance for any information.

73, Doug

720. Want Swan PSU-6 power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <371382f4@news1.us.ibm.net>
Source record: 86003
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

The companion supply for the Cubic Astro 102BX and 103 rigs. Need not work.

Lane Zeitler
Ku7i
San Diego zip 92139

721. Re: R-390A Challenge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: treynolds@my-dejanews.com
Message-ID: <7f07hvilq1@nnrp1.dejanews.com>
Source record: 86004

In article <19990330135100.01345.00000122@ng-ft1.aol.com>,
wb9gkz@aol.com (WB9GKZ) wrote:
> The R-390 is an overdesigned mechanical
> nightmare that is the direct result of the military-industrial complex. In my
> book a
> fine receiver would be simple enough for
> the owner to maintain and operate. The
> only owner that could ever appreciate the
> R-390A would be Uncle Sam. In the
> Government's concept of a receiver...it
> worked fine. Easy to operate - - sure - -
> they were parked on one frequency.
> Maintenance a problem - - no - - you had
> half a warehouse of spare modules and
> half a batallion of technicians on-hand to fix
> 'em.
>
> From a civilian-use perspective they are
> cumbersome left-overs from the cold war.
> They should all be dropped in the nearest
> nuclear silo and cemented shut. I hate the
> darn things!
>
> Respectfully submitted,
> Pat - - WB9GKZ
>

Twelve posts, ten positive, one neutral, and yours is the only negative comment. I respect your opinion but I have owned three R390s (Collins and SW). If you have the depot manual the mechanical aspects of it are not that bad. Just follow the instructions. Beyond that, they are as easy as any tube radio to troubleshoot and repair, easier than some.

And they gave excellent performance. I agree with the poster who said the dial was too hard to turn. It made tuning RTTY a little difficult. Usually I would get it in the passband and use the BFO to get a good copy. For RTTY it was really nice to have the seperate, metered, line out. Tune in the station, turn down the audio and go.

Mine are all gone now. I sold off most of my boat anchor collection a few years ago. (I wanted to lighten my load). I can't say I regret selling them but I do have good memories.

73s
Tom

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

722. Need: Manual for Hallicrafters S-85

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: mgillie@pagesz.net
Message-ID: <371398f3.398968724@news.pagesz.net>
Source record: 86005

Does anyone have a manual for a Hallicrafters S-85 that they would
part with or copy, or better yet, would scan and place on the web??

Thanks,
Miles

723. Re: Need: 400HZ/CYC Aircraft Power Source

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-1304991246170001@murphy1.cts.com>
Source record: 86006

In article <3712a0be.0@news.pacifier.com>, "Jim Santee"
<jsantee@pacifier.com> wrote:

I am looking for a 400HZ/CYC aircraft power source to use a test old
aircraft radio equipment and instruments. Any ideas or sources. Many years
ago, there were tons of this stuff around.

I would rather not do the old trick of putting a cap across one of the
phases, reducing the voltage and hope it does not get "too hot".

Jim Santee

JIM:

I HAVE SOME STATIC INVERTERS ON MY WEB PAGE (TEST ITEMS)

SEE IF THEY WILL DO WHAT YOU WANT.

MIKE

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

724. Re: Hickok 752 tube tester-Free

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: wavelengh@aol.com
Message-ID: <19990413164444.17906.00000117@ng08.aol.com>
Source record: 86007

I will buy it for $100 and send a money orderASAP
Mario
KC2CKD

725. COLLINS 270G-3 SPEAKER FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990413164805.20632.00000145@ng105.aol.com>
Source record: 86008

HAVE A COLLINS 270G-3 SPEAKER THAT IS VERY NICE EXCEPT SOMEONE PUT A COLLINS WING EMBLEM ON IT ..STILL LOOKS PRETTY WITH IT! I MIGHT SAY ..THE SPEAKER HAS NO DENTS OR DINGS I WOULD RATE IT A 9 OUT OF 10 ..WILL SHIP FOR $375.00..AND INSURED...

726. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <L7PQ2.3700$IQ3.373@news2.atl>
Source record: 86009

Nico van Dongen <nico.vandongen@compaq.com> wrote in message
news:01be859c$c9d00c40$b570c610@utovandongen2.uto.dec.com...
> I'm looking for information regarding an AN/GRC-106.
>
> I'm offered an AN/GRC-106 or 106A. The guy offering it to me told me that
> 90% of the sets on the market were de-militarized by removing knobs,
meters

Not usually. The most likely thing you may find is the meters missing
because of
the radium dials on them. This is not a rare item at all. I spent the day at
Fair Radio
Sales one day last week, and they had racks of them, many with meters. I
have a
GRC-106 myself (not an A, but easy to mod for XIT) and it is interesting
to use.
If you like to collect and use mil radios, this is a neat rig. I would
spring for an amp
as well though. I like mine, but the other guy is right, the blower noise is
pretty loud!!

73

Tom Norris KA4RKT

727. FS: 44 year accumulation of Tubes & Microwave Components

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: "m.pasternack" <m.pasternack@cwix.com>
Message-ID: <01be85ff$50d8e920$8c9c3ea6@pavilion>
Source record: 86010
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

e-mail to "m.pasternack@cwix.com" to receive 10 page list. Murray, W6KRC

728. Harris RF-2305 Receiver/Exciter For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990413184820.14352.00000162@ng64.aol.com>
Source record: 86011

Harris RF-2305 Receiver/Exciter. 10 electrically, 9+ cosmetically. Incredible up-conversion receiver. Digital Mechanical VFO somewhat like a Collins R390 but controlled with pushbuttons instead of a tuning dial. Modes of operation: AM,LSB,USB,CW,RTTY,FAX. Frequency coverage from 10kc. to 29.999 kc. RX and TX from 1.5 through 30MHZ, possibly modified to TX lower. PLEASE NOTE: THIS RADIO DOES NOT HAVE A NOISE BLANKER! I have the original hand held Harris microphone and full factory manual. Originally purchased by the U.S. and Canadian governments for point to point embassy, forestry communication etc. power outout approx. 5 watts. Original cost from Harris in 1984 approx. $12,500.00 I'm asking $625.00 US plus shipping which is a fair price for a RX/TX of this performance. Will consider trades for ???? what-have-you. 73 and thank you for reading this message.
Contact Joe Cro N3IBX at yardleyite@aol.com

---

729. forsale rdz, and tdz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: kb2ms@webspan.net
Message-ID: <3713d846.358522@news.webspan.net>
Source record: 86012

I have a navy issue RDZ reciever and TDZ transmitter excellent condition. Make me an offer. (pickup only they are giant)
kb2ms@webspan.net

730. T195/GRC19 Meters wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7f0mne$4rp$1@news.eclipse.net>
Source record: 86013

Im looking for meters for the T195 xmitter.
1 or both is fine .
Thanks
Doug

731. FS Collins 32S-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <7f0mq8$4mn$1@news-1.news.gte.net>
Source record: 86014
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Have FS a 32S-1 transmitter in good condition. Sold as untested.
I did not get a power supply with the rig. It shows no sign
of trauma or any excessive current damage. Rig belonged to a smoker
but is pretty clean in spite of that. Includes the original manual for
$300.
Missing two xtals and front foot risers, all else is present and
accounted
for. No extra holes or extra dents etc, front panel is nice. Thats
about
it, thanks de Fred.

732. FS: Heath HD-11 Q-Multiplier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7f0pdd$p0q$1@user2.teleport.com>
Source record: 86015
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Heath HD-11 Q-Multiplier. Not tested, no manual. All original knobs, etc.
$35 shipped.
Larry
larryj@teleport.com

733. FT Pair RCA 810 NOS/Sealed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Chong Ong <ongkt88@erols.com>
Message-ID: <3713E8F0.D7A5943D@erols.com>
Source record: 86016

For trade one pair NOS RCA 810 sealed in original boxes since mid 40's.
I have no use of these and would like to trade for RCA 211/VT4C or 845
types.
Thank you.
Chong

734. Re: FS Collins 32S-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <3713fc26@news1.us.ibm.net>
Source record: 86017
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Those empty crystal sockets were standard. Crystals 3C and 2E and 3E were not supplied with the transmitter. The first covered 15 MHz WWV, and the other two were 10 meter optional coverage (your choice). There may not even be a space for 3C, come to think of it.
--
Crazy George

735. Wanted SX-28 Tuning Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: davemed@postoffice.worldnet.att.net
Message-ID: <7f0v4n$m93$1@bgtnsc02.worldnet.att.net>
Source record: 86018

I am presently restoring a Hallicrafters SX-28. The only parts that are missing are one of the tuning knobs and the dial lock mechanism. Would appreciate any help in finding these parts.
<davemed@att.net>

736. Re: forsale rdz, and tdz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <3713FFB2.2867@roanoke.infi.net>
Source record: 86019

kb2ms wrote:
>
> I have a navy issue RDZ reciever and TDZ transmitter excellent
> condition. Make me an offer. (pickup only they are giant)
> kb2ms@webspan.net
It would be very helpful to know where "pickup only" would take
place. Craig

737. Help. RTTY question ...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: zygo@azstarnet.com
Message-ID: <zygo-1304992020370001@dialup20ip111.tus.azstarnet.com>
Source record: 86020

Could anyone suggest what I might try using, whether a "black box" or computer software, to read the MSK (multiplex shift modulation) signals from the Navy VLF stations (14-30 kHz)? My receiver gives good strong audio from several of these. I know that the material might well be encrypted. Just assume, for the purpose of this question, that it is straight text (as it might be in part). Thanks.

Jim Mandaville KF7A, Tucson, AZ

738. FS: Icom IC-RM2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <37141231.BB2F7BB6@atlantic.net>
Source record: 86021

Icom IC-RM2, computerized remote controller. Excellent condition, with mounting bracket. $70.00 shipped, lower 48.

n1rt@atlantic.net

739. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990414.0352.9901519snz@microvest.demon.co.uk>
Source record: 86022
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Sunday, in article <7f0205$j6t$1@wanadoo.fr>
vantalon.f6bwf@wanadoo.fr "vantalon" wrote:

> Hello . In my past job i have had to use 3 bird 43 in our laboratory . All
> have given different measures (on the same load of course !)For an output
> of 40 watts , one of them gives 50w reading ! This one was used for " demo "
> with the customers !! 73 to all

What is your point? Are you claiming that Bird watt meters do not
meet their specified accuracy?

Your comments raise a few questions, such as how do you know that the
true power was 40 watts and what were the ranges and conditions of
the Bird elements with which you made those measurements? And also,
if you were serious about the last comment there's the ethical
question of why you were showing a reading to your customers that you
believed was false and fully 25% greater than the true power.

New standard Bird 43 meters are specified at +-5% of Full Scale in
carrier mode (and +-8% in PEP mode where that's available). So, even
if the true power was 40 watt (and you didn't explain how you reached
that conclusion), then measuring it with a new meter and new 250 watt
element will not guarantee a reading any of better than around 237 to
263 watts, and using an old and mishandled meter and element of any
rating may also not give a particularly accurate measurement.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

740. Re: Capacitor Questions

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <MrLQ2.670$MQ1.7622@typhoon-sf.pbi.net>
Source record: 86023

This sounds like a commercial plug, but a good source for replacement capacitors is:

http://www.radioantiques.com/supplies.html

(I have no other interest in this company other than to recommend it.)

Likely, the paper capacitors in your set have all deteriorated. You can make a quick test if you have a Simpson 260 VOM or equivalent. Disconnect wires from a terminal from one of caps, and make an ohmmeter test between the capacitor terminal and chassis. Use the highest ohm range. You should see the meter movement move up briefly and then return to the meter resting point at the left hand side of the meter. If you read any resistance, (any meter deflection while the probe is attached) the capacitor is leaky and requires replacement. The actual reading is unimportant, although lower-value resistance readings are worse.

The second test is to remove the probe from the capacitor, wait one or two seconds and then reattach the probe. Watch the meter carefully as you perform this step. If you see any meter movement, however brief, when you reattach the probe (you can repeatedly perform this test to verify the results), then the capacitor is leaky. The idea here is that once charged by the ohmmeter, the capacitor should retain the charge when you remove and then reapply the probe.

This is a "quick and dirty" test. The voltage used on the ohm scale is either 1.5 or 9 volts, depending upon the meter used. The voltage typically on the capacitor when in service in the equipment can typically be anywhere from 200 to 600 volts. Very often, capacitor tests made at low voltage will show the capacitor to be good when in fact the capacitor will not function well in circuit at circuit voltages.

Regarding oil-filled caps. You may not wish to perform this operation because some have PCB oil inside. I first remove the two screws that hold the device to the chassis and without disconnecting leads, bend the device up to expose the underneath. I then make three cuts along the edges of the capacitor using Dremel tool with a carborundum cutting wheel. I do so with lots of rags around and in a well ventilated area and avoid smelling any vapors, especially smoke from any oil that might be generated as a consequence of cutting open the capacitor with the Dremel. I then use a screwdriver to pry open the back of the capacitor and further drain any oil. The internal capacitors are then pried out and replaced with modern equivalents. Fortunately, newer capacitors are smaller and fit nicely within the case. I solder to the original wires inside the metal case and attach the new capacitors then carefully fit them back into the paper insulation that is inside the cans. When the replacement is complete (many

cans take more than one capacitor), I bend the metal flap back and remount the capacitor. The result is a good repair with little or no evidence that the equipment has been updated with the new components.

Hope this helps.

BTW, I think Antique Radio Electronic Supply sells selected values of high-voltage capacitors. Perhaps someone on the net will have better information.

73 de Bill, AB6MT
billsmith@jps.net

Terry Brown <browntl@concentric.net> wrote in message
news:37120291.9350F6E1@concentric.net...
> I picked up a BC-1031B Panoramic Adapter and intend to recap prior
> to realignment and use. However, I'm not familiar with 1940's
> components and don't understand exactly what type of caps to use.
> The majority are either bathtub or large aluminum can types which
> are described as "paper - oil" in the tech manual. None of the caps,
> even in the power supplies, are marked as electrolytics either on the
> caps or in the tech manual/schematic. Any ideas what types to use to
> replace the existing caps?
> Two of the caps are in the high-voltage filter section, rated at
> 2,500 WVDC, and one appears to be leaking. Any idea where to get
> replacements? Thanks for any advice I can get.
> Terry (KA5IHV)
>

741. Re: Help identify this receiver...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <3VMQ2.702$MQ1.7804@typhoon-sf.pbi.net>
Source record: 86024
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi, Dave.

I talked to a friend of mine who is very knowledgeable about these units, and he seems to feel this was likely a homebrew. From the photos, it seems there are three tube sockets. One would be used for a coil, another for the regenerative stage, and the third for an audio amplifier. The transformer was likely an interstage between the regen and audio. The (magnetic) earphones would typically be hooked to the battery and plate of the audio amplifier.

It looks like a battery set - that is the tubes were directly heated filament/cathode. It was hard to tell from the pix whether the tube sockets were four or five pin. The resistance control is likely to adjust filament voltage, and the presence of a transformer in the regen circuit was more typical of battery sets than later "AC" sets that used tubes with indirectly heated cathodes.

Regarding the schematic. You are probably best off by finding a typical regen schematic, then tracing out the wiring in your set. There were many minor variations but all followed the same basic approach. From the size of the tuning capacitors (one was tuning, the other is likely a regeneration control) it looks like it was built as a short wave receiver.

The coil will probably take some educated guessing, but if you can find a typical schematic, you might borrow the coil winding data from that project. The coil windings are probably not too critical provided you have the basic windings and taps hooked to the proper places.

It should be straightforward to make the set work again, after all these years. Good Luck!

73 de Bill, AB6MT
billsmith@jps.net

<dave@boatanchors.com> wrote in message
news:7etdcg$41m$1@nnrp1.dejanews.com...
> Hello all,
>
> I have just acquired an old regen chassis that I
> hate to see stripped out for parts. I'd like to
> restore it and make it operable, but I need to
> find out what it is first, and if anyone has the
> schematic. I don't have the coil or tube lineup
> (I'm sure it's coil, detector, and audio but I'm
> not sure). The underside components are all there

> and seem to be in good shape. There is a small
> inductor shaped like a very thick washer that's
> loose and I have no idea about. It's hanging
> under the chassis. A schematic would be very
> helpful!
>
> It appears to be a Pilot 'kit' - the kind that had
> all the parts and panels, but you had to drill the
> holes yourself.
>
> I have photos at:
>
> http://www.boatanchors.com - then click on the link at
> the top of the page 'Help identify this receiver'.
>
> I'd like to find a schematic, and a replacement vernier
> for the right dial which is broken. If anyone has one
> or is at all familiar with this little regen, drop me a
> note.
>
> Thanks and 73
>
> Dave WB7AWK
> regen@boatanchors.com
>
> http://www.boatanchors.com
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

742. RE: Help identifying a receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <8WMQ2.703$MQ1.8546@typhoon-sf.pbi.net>
Source record: 86025

Hi, Dave.

I talked to a friend of mine who is very knowledgeable about these units, and he seems to feel this was likely a homebrew. From the photos, it seems there are three tube sockets. One would be used for a coil, another for the regenerative stage, and the third for an audio amplifier. The transformer was likely an interstage between the regen and audio. The (magnetic) earphones would typically be hooked to the battery and plate of the audio amplifier.

It looks like a battery set - that is the tubes were directly heated filament/cathode. It was hard to tell from the pix whether the tube sockets were four or five pin. The resistance control is likely to adjust filament voltage, and the presence of a transformer in the regen circuit was more typical of battery sets than later "AC" sets that used tubes with indirectly heated cathodes.

Regarding the schematic. You are probably best off by finding a typical regen schematic, then tracing out the wiring in your set. There were many minor variations but all followed the same basic approach. From the size of the tuning capacitors (one was tuning, the other is likely a regeneration control) it looks like it was built as a short wave receiver.

The coil will probably take some educated guessing, but if you can find a typical schematic, you might borrow the coil winding data from that project. The coil windings are probably not too critical provided you have the basic windings and taps hooked to the proper places.

It should be straightforward to make the set work again, after all these years. Good Luck!

73 de Bill, AB6MT
billsmith@jps.net

<dave@boatanchors.com> wrote in message
news:7etdcg$41m$1@nnrp1.dejanews.com...
> Hello all,
>
> I have just acquired an old regen chassis that I
> hate to see stripped out for parts. I'd like to
> restore it and make it operable, but I need to
> find out what it is first, and if anyone has the
> schematic. I don't have the coil or tube lineup
> (I'm sure it's coil, detector, and audio but I'm
> not sure). The underside components are all there
> and seem to be in good shape. There is a small

> inductor shaped like a very thick washer that's
> loose and I have no idea about. It's hanging
> under the chassis. A schematic would be very
> helpful!
>
> It appears to be a Pilot 'kit' - the kind that had
> all the parts and panels, but you had to drill the
> holes yourself.
>
> I have photos at:
>
> http://www.boatanchors.com - then click on the link at
> the top of the page 'Help identify this receiver'.
>
> I'd like to find a schematic, and a replacement venire
> for the right dial which is broken. If anyone has one
> or is at all familiar with this little regen, drop me a
> note.
>
> Thanks and 73
>
> Dave WB7AWK
> regen@boatanchors.com
>
> http://www.boatanchors.com
>
> ----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

743. Re: Help! Need a 3BP1 CRT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <3712BD3B.F3611478@home.com>
Source record: 86080

Fair Radio has a lot of CRT's. Last time I looked the 3BP1 was $15.

Joe Eide wrote:

> Anyone know where I could find a good 3BP1 CRT for my Central
> Electronics MM-2?
>
> I am lost without it since the CRT died!
>
> Thanks for any help .. Joe - KB9R

744. Put a Noise Blanker that Works in your Drake R-4C for $25!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: frohro@wwc.edu
Message-ID: <frohro-1204991759160001@csp-frohro.wwc>
Source record: 86081
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

Hi All,

After Drake's 4NB didn't do much for me on my QRN I decided to cobble something together that would work. While it is still a work I'd like to improve, I have something that works a whole bunch better than the 4NB. I used Ten-Tec's Model 297 accessory blanker for the Scout. The details of the project are on my web site. See them at:

http://www.wwc.edu/~frohro/R-4C/NoiseBlanker.htm

If you have any suggestions, I'd love to hear them.

73,

Rob, KL7NA

745. WTB: 'A' plug-in for HRO-50

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Jeff Anderson <jeffa@ix.netcom.com>
Message-ID: <7eu54d$s8p@dfw-ixnews10.ix.netcom.com>
Source record: 86082

I'm looking for a clean 'A' plug-in for an HRO-50.

Could also use a bottom cover!

Thanks,

- Jeff, WA6AHL

746. Wanted: 100Khz crystal tube for Hallicrafters HA-7 calibrator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: ezela57383@aol.com
Message-ID: <19990412213235.29983.00002028@ng38.aol.com>
Source record: 86083

Wanted: 100Khz calibrator tube (octal base, glass housing) for the
Hallicrafters HA-7 calibrator. The calibrator was used in the Hallicrafters
SX-111 and other receivers....just need the crystal tube....

Emil

KA8GEF

747. WTB:NCX-5 External VFO VX-501

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: wb2pag@aol.com
Message-ID: <19990412214011.24009.00001803@ng-cf1.aol.com>
Source record: 86084

Please state condition and price shipped
Tnx John WB2PAG@AOL.COM

748. WTB: PS for Swan 500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <37134A64.C7B9255@citrus.infi.net>
Source record: 86085
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Greetings ....

I am posting this for my friend Walt N4GL.

He needs a power supply for his Swan 500 (120 VAC & 12 VDC).
Please reply to my EMail w4ono@citrus.infi.net if you have
one for sale or trade. Please include your price including
shipping to Homosassa Springs, Fl 34448.

Thank you,

73 de Jim W4ONO .-.-.

749. WTT: Halli SX 62 for other Halli

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-13 00:00:00 UTC
From: Tim Carey <ni6l@ix.netcom.com>
Message-ID: <7eu9ci$5r6@dfw-ixnews3.ix.netcom.com>
Source record: 86086

HI, I have a SX62 receiver, needs new tubes (some hum but no receive). Front panel is about an 8,
cabinet is about a 7 (needs paint). No extra holes etc. Dial is very nice. needs Bandswitch knob.
All else is there and looks unmodified and clean. Chassis is very clean.

Looking to trade for another old Halli of similar value. S27 or S 36 VHF rcvrs or ???

LMK what you have, 73,
Tim

750. EBAY- MINT-O Yaesu FRG-7 SW RCVR!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990413233831.24773.00000472@ng-fv1.aol.com>
Source record: 85937

Hi Guys;
Please check this out will ya! It looks like new!
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90113334
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

751. Wiring D-104

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: The Talking Bird <knot@all.com>
Message-ID: <7f19pr$j0c$1@camel29.mindspring.com>
Source record: 85938

Can anyone tell me how to wire a D-104 to a kenwood TM231A ?

Thanks...The Bird

752. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <37144026.4492@ix.netcom.com>
Source record: 85939

Fair radio sales has had GRC106's for sale in the past.

Note that the receiver/exciter unit without the RF
power amplifier will ONLY give you 100 mW output
power. With the PA, the radio is 400 Watts..

The U.S. Gov't has adopted a policy over the past
few years of chopping up LOTS of radios that used
to be surplussed to the public. There are AN/GRC106's
around but I would doubt that a lot more will show
up via legitimate surplus channels .. I've even
heard war stories out of Sacramento/McClellan AFB
that even KWM-2A's have been chopped up rather than
surplussed because the people handling the surplus
radio gear don't know what the stuff is.

If they have any doubt about something at all,
they "de-mil" it .. :-(

Our governement is getting more and more paranoid.

I belong to a military vehicle collector's organization
and have seen GRC-106's with PA's go for around
$500.00 or so. The hard part is finding all the
appropriate cables ..

Trish

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

Nico van Dongen wrote:
>
> I'm looking for information regarding an AN/GRC-106.
>
> I'm offered an AN/GRC-106 or 106A. The guy offering it to me told me that
> 90% of the sets on the market were de-militarized by removing knobs, meters
> and cutting the wiring harness. This set is supposed to be in mint
> condition, it is the receiver/transmitter driver only, the power amplifier

> is missing. What I would like to know is an idea of the value of this set
> and if it is possible to find the power amplifier. Is there much difference
> in value between a 106 and a 106A version? and is it indeed rare to find a
> 106 not de-militarized.
>
> 73's
>
> Nico PA3ESA
>
> nico.vandongen@compaq.com
>

753. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <37144BE3.3661C078@teleport.com>
Source record: 85940
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Anthony R. Gold wrote:
>
> On Sunday, in article <7f0205$j6t$1@wanadoo.fr>
> vantalon.f6bwf@wanadoo.fr "vantalon" wrote:
>
> > Hello . In my past job i have had to use 3 bird 43 in our laboratory . All
> > have given different measures (on the same load of course !)For an output
> > of 40 watts , one of them gives 50w reading ! This one was used for " demo "
> > with the customers !! 73 to all
>
> What is your point? Are you claiming that Bird watt meters do not
> meet their specified accuracy?
>
> Your comments raise a few questions, such as how do you know that the
> true power was 40 watts and what were the ranges and conditions of
> the Bird elements with which you made those measurements? And also,
> if you were serious about the last comment there's the ethical
> question of why you were showing a reading to your customers that you
> believed was false and fully 25% greater than the true power.
>
> New standard Bird 43 meters are specified at +-5% of Full Scale in
> carrier mode (and +-8% in PEP mode where that's available). So, even
> if the true power was 40 watt (and you didn't explain how you reached
> that conclusion), then measuring it with a new meter and new 250 watt
> element will not guarantee a reading any of better than around 237 to
> 263 watts, and using an old and mishandled meter and element of any
> rating may also not give a particularly accurate measurement.
>
> Regards,
> --
> Tony - G3SKR / W2TG email: tgold@panix.com

With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
can read as much as 52.5 or as little as 27.5 watts with a 40 watt
power level and still be within its specified accuracy. If you want
better accuracy than this you'll have to use a different instrument,
or perhaps get the meter specially calibrated against a known standard
of greater accuracy.

People frequently misunderstand the 43's spec to be 5% of reading.
It's not.

Roy Lewallen, W7EL

754. SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7f1llspfl1@nnrp1.dejanews.com>
Source record: 85941

Guys,
I am new to BA activities and thus to this group as well.
I am approaching my first restoration project aimed to revive a Hallicrafters SX-28 (no-mil, no-'A' version). The rig is stored since at least 15 years.

I have already read a lot of Web pages and messages on this newsgroup but still I am looking for any tip available. In particular: - description on how to de-assemble and re-assemble the rig without producing additional (..and my be definive) damage - how to reassemble the quite involved tuning appliance - cleaning tips - how to reform electrolytics caps - wich kind of today caps to use to replace the old ones - wich kind of today resistors to replace old one - use or not use a variac at the first fire up

As it is my intention to produce a detailed log of the project activities with plenty of pictures, I would also like to know if anybody has found a cheap way of taking digital pictures of rigs internals. I think about a cheap camera (the one used for low cost videconferencing..) but I am concerned about resolution. Digital photography (Canon.. and the like) is too expensive for my pocket.

Thank you very much
Emanuele.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

755. Re: WTD: Info re: Lettine 240

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: dpnewkirk@home.com
Message-ID: <371478b2.603834@news>
Source record: 85942

On 14 Apr 99 02:16:34 GMT, cnord@snet.NET (Carl H. Nord) wrote:

>I am restoring an old Lettine 240 and have run into an interesting problem.
>The manual I got shows a plug in osc and final coils and a front panel xtal
>socket. However there were no Osc coils provided and there is no provision
>for an xtal on the front panel.
>Were there several versions of this rig, and can anyone shed some light on
>this ?

I'd say yes, based on the fact that the Lettine 240 I used in my
Novice days used an octal socket, on the chassis right next to the
oscillator tube, as a crystal socket. Because of the darkness of the
set's innards and the potentially hazardous temperature of the
oscillator-tube envelope, I used to change crystals with a flashlight
and a pair of gas pliers!

73,

Dave Newkirk, W9VES
dpnewkirk@home.com

756. More BAs Going to Belton Hamfest, 17 APril

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: gharmon@idworld.net
Message-ID: <37148196.3498592@news.idworld.net>
Source record: 85943

Additional equipment has become available for the Belton trip this Saturday, 17 April.

If you are interested send me an email or give me a call for additional information. All are in G or better condition. None have been restored. Manuals are either available or available to copy. Untested as of right now unless noted. I may have time to check for smoke before Saturday.

1. Globe King 500 (not sure which model but no VFO; missing rear door, needs work) - $300

2. Heathkit DX-100 (2 units; one nice one has a modulator problem; other is untested) - $150 for both

3. Hallicrafters SX-25 - $125

==========
Gary H. Harmon, Jr. - K5JWK
6302 Robin Forest
San Antonio, TX 78239-3218
(210) 657-1549
gharmon@idworld.net
==========

757. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990414.1200.9901524snz@microvest.demon.co.uk>
Source record: 85944
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Wednesday, in article <37144BE3.3661C078@teleport.com>
w7el@teleport.com "Roy Lewallen" wrote:

> Anthony R. Gold wrote:

> > New standard Bird 43 meters are specified at +-5% of Full Scale in
> > carrier mode (and +-8% in PEP mode where that's available). So, even
> > if the true power was 40 watt (and you didn't explain how you reached
> > that conclusion), then measuring it with a new meter and new 250 watt
> > element will not guarantee a reading any of better than around 237 to
> > 263 watts, and using an old and mishandled meter and element of any
> > rating may also not give a particularly accurate measurement.
>
> With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> power level and still be within its specified accuracy.

Roy, I must remember not to try arithmetic late at night :-)

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

758. WTB RF-131, RF-130-01

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Francesco Ledda <fledda@airmail.net>
Message-ID: <687F7E3F3A49A170.B83EDEC73380CE8F.124AF007B86E611A@library-proxy.airnews.net>
Source record: 85945

WTB

Exciter RF-131
1KW Transmitter RF-130
Associated antenna tuner.

Thanks,

Francesco Ledda

Texas, USA

759. B&W 334A Dummy Load

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: nsnadel@worldnet.att.net
Message-ID: <371487cd.2565669@netnews.att.net>
Source record: 85946

A friend of mine just sent me, as a gift, a B&W 334A dummy load. It is in mint condition ... ALMOST !!! On the trip across country via UPS most of the oil leaked out of the sealed can .. yes, a mess.

I contacted B&W and have been advised that repairing the can is can create an explosion hazard. So, I need a replacement can.

Does anyone out there have a non-working unit that has a good can that they would want to sell, trade, or whatever ...

Norm
K9NSN

760. Re: forsale rdz, and tdz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990414092451.20901.00000552@ng37.aol.com>
Source record: 85947

Details, details!

761. FS: Heath AM2 SWR Meter $15

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990414092753.01906.00000439@ng27.aol.com>
Source record: 85948

Heath AM2 vintage SWR meter from 50's. Very Good Condition. $15 plus ups.

762. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37149496.E6999E61@mwci.net>
Source record: 85949
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Roy Lewallen wrote:

> With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> power level and still be within its specified accuracy. If you want
> better accuracy than this you'll have to use a different instrument,
> or perhaps get the meter specially calibrated against a known standard
> of greater accuracy.
>
> People frequently misunderstand the 43's spec to be 5% of reading.
> It's not

This is not correct.

Within the past month or so, I purchased a *new* Model 43 with a *new* 250H element. I compared it with a recently calibrated Boonton Model 92B RF voltmeter and 50 ohm load setup. The readings compared as closely as I could read the scale at all levels from 10 watts to 250 watts. I found this to be impressive. I found the accuracy to be quite a bit better than the "guaranteed 5% of full scale".

The meter scale on the 43 is highly compressed at full scale but spreads out greatly at readings below full scale and is easier to read. For example, midscale is about 80 watts. At 40 watts the error is not +/- 12.5 watts for a 250 watt element. It is definitely not off by 31% at 40 watts.

5% of 250 watts does not imply 12.5 watts at "all" meter readings. That is not what the term means. In fact, the term doesn't really say much of anything about the accuracy at lower readings.

The manner in which they mark the meter scale indicates the confidence they have in those markings. The validity of the markings is verified at the factory, where they have made more than 230,000 Model 43s. The skeptical owner should verify this for himself, as I did.

The nonlinearity of the meter scale has to be considered.

I also checked my new 1000H element with the same results.

Bill W0IYH

763. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37149815.EBF8CC96@mwci.net>
Source record: 85950
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote:

> Roy Lewallen wrote:
>
> > With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> > can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> > power level and still be within its specified accuracy. If you want
> > better accuracy than this you'll have to use a different instrument,
> > or perhaps get the meter specially calibrated against a known standard
> > of greater accuracy.
> >
> > People frequently misunderstand the 43's spec to be 5% of reading.
> > It's not
>
> This is not correct.
>
> Within the past month or so, I purchased a *new* Model 43 with a *new* 250H
> element. I compared it with a recently calibrated Boonton Model 92B RF voltmeter
> and 50 ohm load setup. The readings compared as closely as I could read the scale at
> all levels from 10 watts to 250 watts. I found this to be impressive. I found the
> accuracy to be quite a bit better than the "guaranteed 5% of full scale".
>
> The meter scale on the 43 is highly compressed at full scale but spreads out greatly
> at readings below full scale and is easier to read. For example, midscale is about
> 80 watts. At 40 watts the error is not +/- 12.5 watts for a 250 watt element. It is
> definitely not off by 31% at 40 watts.
>
> 5% of 250 watts does not imply 12.5 watts at "all" meter readings. That is not what
> the term means. In fact, the term doesn't really say much of anything about the
> accuracy at lower readings.
>
> The manner in which they mark the meter scale indicates the confidence they have in
> those markings. The validity of the markings is verified at the factory, where they
> have made more than 230,000 Model 43s. The skeptical owner should verify this for
> himself, as I did.
>
> The nonlinearity of the meter scale has to be considered.
>
> I also checked my new 1000H element with the same results.
>
> Bill W0IYH

One other thing. The RF should have all harmonics and sub-harmonics greatly attenuated.

764. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: troglodite@aol.com
Message-ID: <19990414102259.10223.00000611@ng-fq1.aol.com>
Source record: 85951

>Guys,
>I am new to BA activities and thus to this group as well.
>I am approaching my first restoration project aimed to revive a Hallicrafters
>SX-28 (no-mil, no-'A' version). The rig is stored since at least 15 years.
>

I'm in the middle of restoring one of these myself. If you haven't found it already, check Jim's SX-28 page at http://www.exit109.com/~jimh/hallicrafters.shtml

If you don't have a schematic, I'll be happy to send you a copy of the manual. The electrolytics are available from several sources. Probably ALL the paper capacitors should be replaced. Jim's site gives details on getting to the ones under the band switch. I followed these instructions and it worked fine. You probably won't have to disassemble the gearboxes. If you remove the front panel, you can get at everything and clean and re-lubricate it. Use fishing line to restring the band pointers.

Drop me some E-mail if you want to swap info. This SX-28 is my third Hallicrafters restoration project, but is taking me the longest time. I know it will be worth it though, as I used to own an SX-28 back in 1957.

Doug Moore KB9TMY (formerly K6HWY)

765. FA: National NC-270 and NTS-3 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Bob <friday@ccnet.com>
Message-ID: <3714A822.67A9EC0E@ccnet.com>
Source record: 85952

National NC-270 and matching speaker in very good condition. Includes original manual. Ham band receiver 80-6 meters. No WARC (of course)

Bid is at only $52.01 right now.

Great for 6 meter AM this summer.

This is a really nice radio in the famous "Cosmic Blue" color. The picture does not do it justice. Please take a look. Thanks.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90672613

766. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <3714AB2A.75819E8A@stratos.net>
Source record: 85953

Hello Emanuele,

Before you do anything else, you need to join
the hallicrafters@qth reflector. You will find
all the answers to all of your questions there.

Good luck,

Bruce Sugarberg, WA8TNC
---
emanuele_girlando@my-dejanews.com wrote:
>
> Guys,
> I am new to BA activities and thus to this group as well.
> I am approaching my first restoration project aimed to revive a Hallicrafters
> SX-28 (no-mil, no-'A' version). The rig is stored since at least 15 years.
>
> I have already read a lot of Web pages and messages on this newsgroup but
> still I am looking for any tip available. In particular: - description on how
> to de-assemble and re-assemble the rig without producing additional (..and my
> be definive) damage - how to reassemble the quite involved tuning appliance -
> cleaning tips - how to reform electrolytics caps - wich kind of today caps to
> use to replace the old ones - wich kind of today resistors to replace old one
> - use or not use a variac at the first fire up
>
> As it is my intention to produce a detailed log of the project activities
> with plenty of pictures, I would also like to know if anybody has found a
> cheap way of taking digital pictures of rigs internals. I think about a cheap
> camera (the one used for low cost videconferencing..) but I am concerned
> about resolution. Digital photography (Canon.. and the like) is too expensive
> for my pocket.
>
> Thank you very much
> Emanuele.

767. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <3714B4C7.61CBAB7@teleport.com>
Source record: 85954
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote:
>
> Roy Lewallen wrote:
>
> > With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> > can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> > power level and still be within its specified accuracy. If you want
> > better accuracy than this you'll have to use a different instrument,
> > or perhaps get the meter specially calibrated against a known standard
> > of greater accuracy.
> >
> > People frequently misunderstand the 43's spec to be 5% of reading.
> > It's not
>
> This is not correct.

Which part of my statement is not correct: That the Bird accuracy is not as I said, that readings of 27.5 to 52.5 watts for a 40 watt signal are within its specified accuracy, or that you have to use a different instrument to get better accuracy than this? If you're referring to the last of this list, is your sole evidence the measurement of a single new meter? Certainly, any single meter or even the vast majority of meters could be much better than the specification. None should be worse. And a given one can be calibrated or verified to better than the specified accuracy, as I suggested in my posting. But it's perilous to infer the accuracy of all meters from a single sample. If all Bird meters were as good as yours, it would be foolish for Bird to specify them so loosely.

If "5% of full scale" doesn't mean 5% of full scale, then what does it mean? If I measure, say, 40 watts, exactly what range of power could actually be going through the meter with certainty guaranteed by Bird? If they can't specify a range of values, then there is no specification at all. I say this as a person who has spent most of his career designing test equipment, all with carefully defined specifications, although this is very basic metrology.

Out of curiosity, what was the specified accuracy of the Boonton you compared it with?

Roy Lewallen, W7EL

> Within the past month or so, I purchased a *new* Model 43 with a *new* 250H
> element. I compared it with a recently calibrated Boonton Model 92B RF voltmeter

> and 50 ohm load setup. The readings compared as closely as I could read the scale at
> all levels from 10 watts to 250 watts. I found this to be impressive. I found the
> accuracy to be quite a bit better than the "guaranteed 5% of full scale".
>
> The meter scale on the 43 is highly compressed at full scale but spreads out greatly
> at readings below full scale and is easier to read. For example, midscale is about
> 80 watts. At 40 watts the error is not +/- 12.5 watts for a 250 watt element. It is
> definitely not off by 31% at 40 watts.
>
> 5% of 250 watts does not imply 12.5 watts at "all" meter readings. That is not what
> the term means. In fact, the term doesn't really say much of anything about the
> accuracy at lower readings.
>
> The manner in which they mark the meter scale indicates the confidence they have in
> those markings. The validity of the markings is verified at the factory, where they
> have made more than 230,000 Model 43s. The skeptical owner should verify this for
> himself, as I did.
>
> The nonlinearity of the meter scale has to be considered.
>
> I also checked my new 1000H element with the same results.
>
> Bill W0IYH

768. FS:JOHNSON VIKINGII PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: wayne <kj4gy@icx.net>
Message-ID: <37147A65.2C92@icx.net>
Source record: 85955

I have a Johnson Viking II for $35.00 pickup in KNoxville,tn.
It has all tubes missing and a r13 modulator resistor missing.It did
operate with the resistor and tubes.
Cabinet is fair.
Wayne
kj4gy

769. FS: FIELD PHONES PAIR TA-1 P/T

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <3714BC72.DA196FD9@tinyradio.com>
Source record: 85956

FS: Nice pair of Army Field Phones TA-1P/T. Require just 2 conductor
wire.
With field cases and straps.

Sportsmen's Guide is selling these for $199!!!!! without the wire.

$75.00 postpaid (or UPS prepaid)

73 Al W1UX

770. WTB: Heathkit HX-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: PEYK47A@prodigy.com
Message-ID: <7f2ht5$44ec$1@newssvr03-int.news.prodigy.com>
Source record: 85957

WTB: Heathkit HX-11

John

K7VGF

771. WTB HBR receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: stevem <wb9tow@egr.msu.edu>
Message-ID: <3714CACE.305E4130@egr.msu.edu>
Source record: 85958

Looking for a HBR receiver. State condition, model and price..
vri 73 steve
wb9tow/8

772. BC 306A ant. tuner. What freq range??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: boeing377@aol.com
Message-ID: <19990414132418.04725.00000619@ng02.aol.com>
Source record: 85959

Does anyone know what frequency range and power capability the BC 306A antenna tuner has? There is one on eBay, but no numerical data on freqs. Says it may have been used for LF with BC 375. Is this correct?

773. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990414122557.0095d360@popd.ix.netcom.com>
Source record: 85960
Body handling: HTML body converted to readable text

```
--======================_82345214==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..
Please email price, condx. and contact information.
Frank 'Jamie' Jamison W5YSM/VK2AIX
-

--======================_82345214==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

-

--======================_82345214==_.ALT--
```

774. FS:GRID DIP METER AN/PRM-10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: kb6lue@postoffice.pacbell.net
Message-ID: <37147509.EFB41D7B@postoffice.pacbell.net>
Source record: 85961
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,scielectronics.equipment

Hi all
I have a for sale military grid dip meter model AN/PRM-10. It covers
2-400Mhz. Price is $100 plus shipping from 92833. I can E-Mail photos on
request.
Thanks
Jin KB6LUE

775. Drake R-4B on ebay.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: WA0KDS <WA0KDS@mcipnet.com>
Message-ID: <3714ED13.22F5@mcipnet.com>
Source record: 85962

Been looking for a Drake R-4B for your station? Click below for the one this one on ebay.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89913376

776. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <3714F4EC.743218B8@mwci.net>
Source record: 85963
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Roy Lewallen wrote:

> Which part of my statement is not correct: That the Bird accuracy is
> not as I said, that readings of 27.5 to 52.5 watts for a 40 watt
> signal are within its specified accuracy?

Yes. That is what I said. Suppose you read 12.5 watts. Does that mean the power is between 0 and 25 watts. Read the scale on a 43 in good condition and you will see that this does not make sense.

> If all Bird meters were as good as yours, it would be
> foolish for Bird to specify them so loosely.

It would not be foolish at all. See explanation below.

> If "5% of full scale" doesn't mean 5% of full scale, then what does it
> mean?

It means what it says and should not be extrapolated. If the reading is 250 watts the error can be +/- 12.5 watts (0.22 dB). It does not say that a 40 watt reading is also +/- 12.5 watts. In certain applications, for best "percent" error, we would try to pick a plug-in element whose full scale coincides with the power that we are interested in.

The maximum error in watts is not a constant number at every point on the scale.

> If I measure, say, 40 watts, exactly what range of power could
> actually be going through the meter with certainty guaranteed by Bird?

As I said before, the exact accuracy at readings below full scale is not specified (there may be some formula that they use and that my inquiry to them could not determine). It is very difficult and dangerous legally to "guarantee" the accuracy at every point on the scale. My guess is that they computer-check maybe five points in the factory. I also guess that their diodes are tightly specified and hand picked (I have seen this practice also). For reasons of their own they do want to be involved with tight specs on portable instruments that may be misused or abused or operated over a wide ambient temp range (because of the tempco of the diodes).

But if you look at the scale, the markings are very well done, and the pointer is an anti-parallax type for accurate reading. I don't think this is just "window dressing." There is a certain error associated with the ability to read the meter that has to be considered. At low wattage the percent error can increase somewhat because of this. If the needle gets bent because of misuse, or if the meter has an aging effect, these things aggravate errors over time. The D'Arsonval meter does have certain systematic errors with age.

There are digital instruments that are used only in metrology laboratories such as Rock-Col that are used to check things such as 43s, which are then used at the test stations on the production line. In some applications there may be a correction chart attached to the 43.

> If they can't specify a range of values, then there is no
> specification at all. I say this as a person who has spent most of his
> career designing test equipment, all with carefully defined
> specifications, although this is very basic metrology.

I am sure that I know as much about these matters as you do. And I know exactly what 5% of full scale means, and what it does not mean.

> Out of curiosity, what was the specified accuracy of the Boonton you
> compared it with?

It was calibrated by the Rockwell Collins metrology dept. I don't know the exact number but you can be damned sure it is not off by 1.6 dB at 40 watts. Government contracts require periodic and accurate calibration of all test equipment. And the 92B is an excellent instrument that is capable of very close calibration. I use a Boonton 100:1 voltage divider for xmit measurements, and it has been verified also.

The 43 and the two elements that I bought are just a random sample of one each. Also, I am confident that Bird checks the 43 at their test stations to better tolerance than what they guarantee at the customer's site. This is common practice. The guarantee to the customer is more relaxed than their production line test. Companies have to do this to cover their butts. Tek does the same thing, I'll wager.

I also know that the 43 can be abused. I have seen plenty of that.

And if the instrument is initially much better than 5% of full scale, then over a long time, with proper usage, it will probably still be within 5% of full scale. I know that is how I would spec it.

And be sure to filter out the harmonics, amplitude ripple and other spurious.

Bill W0IYH

777. Need a copy of the National NC183D manual?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990414172106.20553.00000995@ng-fi1.aol.com>
Source record: 85964

Hi,
I recently picked up a very nice original manual for the National NC183d. I copied it up and it came out pretty good. If you don't have a copy of the manual and need one, let me know.
rgds,
Mark S.

778. Re: B&W 334A Dummy Load

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7f320g$876$1@news1.alltel.net>
Source record: 85965

I replaced the can on an old Heath Cantenna once....went to the paint store
and got a 1 gal paint can.....worked great, still using it today

dave
KG5XR
http://www.geocities.com/TheTropics/Island/4371/index.html

Norm Nadel wrote in message <371487cd.2565669@netnews.att.net>...
>A friend of mine just sent me, as a gift, a B&W 334A dummy load. It is
>in mint condition ... ALMOST !!! On the trip across country via UPS
>most of the oil leaked out of the sealed can .. yes, a mess.
>
>I contacted B&W and have been advised that repairing the can is can
>create an explosion hazard. So, I need a replacement can.
>
>Does anyone out there have a non-working unit that has a good can that
>they would want to sell, trade, or whatever ...
>
>Norm
>K9NSN

779. Re: Help identify this receiver...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7f3425$mo2$1@autumn.news.rcn.net>
Source record: 85966
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Dave

I suspect it is a homebrew.

Most of the components are 1920 vintage
and are very common items. Early homebrews
typically used wood breaboards and bakelite
front panels, not metal; so there is a bit of
an anachronism here. The large
rheostat is for controlling the filament voltage
on the two tubes. The tube sockets appear
to be wafers--again a contrast to the earlier
vintage vernier dials and transformer.

The larger capacitor was probably used for
tuning. 140-pF was a "standard" tuning capacitor
value during the 30s and 40s, manufacturers
supplied coil sets for that value tuning capacitor.
The smaller variable was most likely used in series
with the tickler winding, as a throttle control, to set
the regeneration point.

If the tube sockets are 4-pin, likely tube candidates
are 30, UX199, and UX201. Blank 4-pin coil forms
are available from Ocean State Electronics. Antique
Electronic Supply I believe offers 5 and 6 pin forms.

Regards

Peter, K1ZJH
restoration columnist, PopComm Magazine
dave@boatanchors.com wrote in message <7etdcg$41m$1@nnrp1.dejanews.com>...
>Hello all,
>
>I have just acquired an old regen chassis that I
>hate to see stripped out for parts. I'd like to
>restore it and make it operable, but I need to
>find out what it is first, and if anyone has the
>schematic. I don't have the coil or tube lineup
>(I'm sure it's coil, detector, and audio but I'm
>not sure). >It appears to be a Pilot 'kit' - the kind that had
>all the parts and panels, but you had to drill the
>holes yourself.
>
>I have photos at:

>
>http://www.boatanchors.com - then click on the link at

780. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <aT9R2.22400$%z5.19827@news.cwix.com>
Source record: 85967

I've restored about a dozen of these (including the SX-28's cheaper brother, the SX-32) and offer the following:

- The front panel is steel and the paint that Hallicrafters put on is pretty good. Remove the front panel, spray it down with Westley's Blech-White (whitewall tire cleaner), rinse then wax it up real nice. Re-lettering is easy but the SX-28s generally don't need it.

- While you have the front panel off, lubricate all the bearings for the bandspread and tuning gears. Re-string the dial cord if necessary. Taking the gearbox apart greatly simplifies both tasks but BE CAREFUL if you do this because there are ball bearings that come out and fly all over the place if you're not careful.

- The "PHASING" knob is ALWAYS a bitch to take off. Instead, loosen the shaft at the flex coupling inside the radio and pull the whole shaft out. BTW the shaft is non-conductive - found this out the hard way when I had a radio with a missing shaft and replaced it with a metal one out of a volume control. THe radio wouldn't play unless you bumped it a little. Took HOURS to track down the problem!

- Follow the Hallicrafters alignment directions to the letter. If you don't, or aren't careful, you'll get the IF so screwed up it'll take hours to get it back. Also a freq counter is handy to make sure the LO is working ABOVE the signal. I've found many boatanchors to have "ham-special" alignments that have the LO set high at the top end and set low (below the signal) at the bottom end.

- If you're having problems zeroing the meter, put a 100 ohm resistor in series with the pot. This will put the control at a new place on the carbon in the pot.

Any other hints you need, give me an email.

73 and good luck - John

781. Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: aa010@detroit.freenet.org
Message-ID: <aa010-1404992011380001@aa1-241-8.detroit.usabestnet.net>
Source record: 85968
Cross-posted to: rec.antiques.radio+phono,,rec.radio.amateur.boatanchors

```
Looking for a supplier of Tubes in Detroit area.
Often find vendors at swaps but don't know of
retail or private source. Need to do some
re-tubing of my Heath SB-102.
--
Chuck Reti WV8A Detroit,MI
aa010@detroit.freenet.org
```

782. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <371524AB.F69A4CE1@ibm.net>
Source record: 85969
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

> William E. Sabin wrote:
>
> > Roy Lewallen wrote:
> >
> > > With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> > > can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> > > power level and still be within its specified accuracy. If you want
> > > better accuracy than this you'll have to use a different instrument,
> > > or perhaps get the meter specially calibrated against a known standard
> > > of greater accuracy.
> > >
> > > People frequently misunderstand the 43's spec to be 5% of reading.
> > > It's not
> >
> > This is not correct.
> >
>

That is correct. It is not speced at 5% of the reading, but of full
scale.
That means it could be way off at the lower power readings. Lots of
meters becides the Bird watt meters are speced that way, that is why
for the analog meters, you should try to get the reading on the
upper portion of the scale.
The scale is not linear and the diodes are very poor in calibration
at the lower levels. They are operating in the square low reagon
and could be way off.

I will agree that the Birds are usually more accurate than that. I
work with lab instruments calibrating other instruments every day
and find a quality instrument will normally beat the specs by a
large ammount under controlled conditions, but if they are operated
in a very hot area or very cold area, they can 'drift' near the
limits. Don't know about the Bird, but suspect if you place one at
the extream ends of the temp range, it will be luckey to hold as
near as 2 or 3 %.

783. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <3715332A.5110C470@teleport.com>
Source record: 85970
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote:
>
> Roy Lewallen wrote:
> . . .
> > If I measure, say, 40 watts, exactly what range of power could
> > actually be going through the meter with certainty guaranteed by Bird?
>
> As I said before, the exact accuracy at readings below full scale is not specified (there
> may be some formula that they use and that my inquiry to them could not determine). It is
> very difficult and dangerous legally to "guarantee" the accuracy at every point on the
> scale. My guess is that they computer-check maybe five points in the factory. I also
> guess that their diodes are tightly specified and hand picked (I have seen this practice
> also). For reasons of their own they do want to be involved with tight specs on portable
> instruments that may be misused or abused or operated over a wide ambient temp range
> (because of the tempco of the diodes).
>. . .

Virtually all test equipment manufacturers guarantee and stand by the accuracy of their instruments. Certainly all the companies I worked for did. I've spent many, many hours writing specifications, verifying them, and establishing that I had with high confidence that all instruments would meet their published specifications. The specifications are written so they can be met. If the accuracy of the Bird 43 wattmeter is not specifed at some points on the scale, as you say, then it's useless for making any kind of meaningful measurement, as is any piece of test equipment with unspecified accuracy. I'll qualify that to say that it's useless unless you've specifically calibrated it against a standard which does have known accuracy. (Incidentally, I've heard that at least on some of the ranges, the Bird is near the lower end of its spec at one end of the frequency range and near the upper end at the other. I haven't investigated this personally, though.) I believe that the reason Bird gets by with such a sloppy spec is that they don't have any serious competitor that's willing to guarantee a better one. Or perhaps the market for their instrument feels as you do -- that hey, what the heck, I know they're pretty good.

You mentioned the calibration of the Boonton meter. (I apologize for cutting the quote too quickly.) I'll bet that if you were to send the Bird 43 meter to the calibration lab and it measured 30 watts with 40 applied, or even 12 watts with zero in, it would be returned as being in calibration. You might check this with the lab. Most labs will return a meter as calibrated if it meets its spec. If it has no spec,

it can't be calibrated. The fact that the Boonton was returned as calibrated doesn't mean that it's dead on, only that it meets whatever spec Boonton or your company put on it.

At this point it's clear that you have an entirely different approach to measurement verification than I do, so this is probably a good time to once again go our separate ways.

Roy Lewallen, W7EL

784. WTB: NATIONAL MATCHING SPKR FOR NC-300

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7f3dvr$sb1$1@news.itis.com>
Source record: 85971

WTB MATCHING SPEAKER FOR THE NATIONAL NC-300. THE ONE WITH THE LIGHTNING
BOLT AND MATCHING TWO-TONE PAINT TO MATCH. ALSO A XTAL CALIBRATOR THE
XCU-300 I AM LOOKING FOR ALSO
TNX

785. WTB: EJ JOHNSON RELAY CABLE PLUG

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7f3dq8$sa3$1@news.itis.com>
Source record: 85972

WANTED: THE LITTLE WHITE PORCELAIN 2 PIN MALE CONNECTOR THAT PLUGS INTO THE JACK ON THE BACK OF A VALIANT, RANGER, OR OTHER EF JOHNSON EQUIP. THIS IS FOR THE ANTENNA RELAY CONNECTION.... I NEED THREE OF THEM. ANY OUT THERE? TNX

786. WTB: SR42A Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <37153B47.3F948BB0@atlantic.net>
Source record: 85973

SR-42A Manual or good copy.

n1rt@atlantic.net

787. Johnson viking I Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "Mark F. Reinen" <n2aih@planet.net>
Message-ID: <371543F4.3CE56172@planet.net>
Source record: 85974

Can anyone help me find schematics and manual for a Johnson Viking I ?
The rig is missing the crystals for the oscillator (all Bands) are
these crystals available ? how much approx. Are 807s still available?
TNX Mark N2AIH

788. Re: Johnson viking I Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <371546C0.77A39DEA@stratos.net>
Source record: 85975

Hi Mark,

Try the johnson@qth.net net. Go to:

http://www.qth.net

Click on "Lists." Now you have a choice
of several hundred reflectors, including
Johnson.

Good luck,

Bruce Sugarberg, WA8TNC

"Mark F. Reinen" wrote:
>
> Can anyone help me find schematics and manual for a Johnson Viking I ?
> The rig is missing the crystals for the oscillator (all Bands) are
> these crystals available ? how much approx. Are 807s still available?
> TNX Mark N2AIH

789. Re: BC 306A ant. tuner. What freq range??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37154B7A.14CD3DB0@ix.netcom.com>
Source record: 85976

BOEING377 wrote:
>...(BC-306) Says it may
> have been used for LF with BC 375. Is this correct?

That is correct. Was used in WW-II bombers and other
larger aircraft to tune a 200 ft. trailing antenna
for use between 125 and 600 KC, making it a match to
the BC-375s (around) 12-ohm output impedance.

73 Dave AB5S

790. R4C - New tube set and extra crystals vendors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7f3iam$qph@world1.bellatlantic.net>
Source record: 85977

Can someone recommend a vendor for a new
set of tubes for the R4C and extra crystals to
add the WARC bands.

Thank You,

Jeff Kelly
KT2K
jkelly@bellatlantic.net

791. FS: 51J-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37154f0f@news1.us.ibm.net>
Source record: 85978
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

After many inquiries as to "how much" I will offer my 51J-4 for sale. It has all three mechanical filters the 500B14, 500B31, and 500B60--1.4, 3.1 and 6.0 kc respectively.

It has the Collins cabinet.

It of course has the dustcover.

It has the two alignment tools that are housed on the inside of the rig on the right side.

I have a copy of the manual.

I will professionally double box and ship ONLY through UPS. It will be appropriately insured for replacement value.

Cosmetic condx: A 10/10 means it looks like it just came out of the box for the first time.

With that in mind the front panel is an 8.5/10.

The cabinet is around a 7.5 to 8/10.

The dial drum is yellow with age. The dial glass is clear and intact with no cracks.

Electrical condx: Could probably use an alignment. I use it primarily for AM bdcst reception but it does hear everything my TS-520S hears, although not always as strong. I think the AF Gain and RF Gain pots could use a good cleaning.

With all of this in mind I would like $625.00 for the package. We will split the ACTUAL UPS charges. I will CONSIDER a smaller HF amp that covers 160 meters as partial trade, such as an Ameritron 3 or 4 tube 811A amp, AL-80A, Heathkit SB-1000, or even a nice Swan Mk II (I know it does not cover 160).

Will not seperate. All or nothing.

Pls respond only by e-mail. If we have to talk on the phone send me ur number and I will call you.

Thanks for the read.

Lane Zeitler
2262 Barney St
San Diego CA 92139
619-470-6528

Call: Ku7i

792. FS/Trade: Drake MS-3, AC-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <37154A51.963AF5F1@iglou.com>
Source record: 85979

For Sale or Trade:
Drake MS-3, AC-3 speaker/power supply. Front of speaker is super but cabinet needs repainted. (There are no dents and Krylon matte black spray paint matches the Drake gear quite nicely). Driver sounds fine. (No buzzing). AC-3 power supply appears to be all original parts and was tested about 4 months ago on a TR-3 transceiver and it was delivering all required voltages. Will not seperate units.

I have advertised these before but grossly under priced them. The price is $100 + shipping firm or will trade for older Kenwood or Yaesu 2 Meter mobile (synthesized) or Radio Shack 2M HT and you pay shipping.

E-mail W4UDX@juno.com

Thanks..... Mark W4UDX

793. Re: WTB RF-131, RF-130-01

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: luc dugas <collins2@globetrotter.net>
Message-ID: <37150489.7C51A70C@globetrotter.net>
Source record: 85980

i have 2 exciters rf-131 and 2 rf-110a 1kw transmitters no power supply.
i also have 2 rf-1810 test set and one rf-505 receiver and rf-530
receiver luc ve2lgj 73s

Francesco Ledda wrote:

> WTB
>
> Exciter RF-131
> 1KW Transmitter RF-130
> Associated antenna tuner.
>
> Thanks,
>
> Francesco Ledda
>
> Texas, USA

794. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "Barry L. Ornitz" <ornitz+U@dpnet.net>
Message-ID: <5McR2.276$GQ2.30204@news20.ispnews.com>
Source record: 85981
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

In all my years of working with instrumentation in the mechanical, electrical, and chemical areas, my training and experience tell me that Roy's understanding of percent of full scale is correct. If a manufacturer specifies percent of _reading_, that is exactly what is meant. But percent of _full scale_ is quite different - the actual reading can be in error as much as this percentage of the full scale reading _anywhere_ along the scale. In general, stating accuracy as percent of full scale is done to make a poor calibration look better than it actually is. For those wanting to quibble about definitions, ISA (formerly Instrument Society of America, now International Society for Measurement and Control) publishes a number of International Standards giving definitions of all of these terms.

I suspect Bird is just lazy in not giving better accuracy statements. For example, I have seen precision digital instruments specify accuracy as X% of reading + Y% of full scale +/- 1 count. In this case, the X value relates mostly to how well the true reading matches the divisions of the instrument's scale. The Y value relates more to the errors obtained when switching from one scale to the next. Finally the +/- one count relates to the ambiguity of the digital electronics (such as a counter or A/D converter).

What Bird really needs to do is present a calibration curve of actual value versus indicated value. Added to this should be two additional curves, one above and one below, indicating the 95% confidence limits as determined for a large number of instruments. This sort of statistical accuracy presentation is expensive, obviously, and I doubt if Bird will ever give one.

Percent of full scale is, in my opinion, a cop-out for Bird. Whenever accuracy is stated this way, it means the actual accuracy of any reading will always be worse than the full scale accuracy (unless the reading IS full scale, in which case the accuracy is the full scale accuracy).

73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net

795. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37156C36.608214E6@mwci.net>
Source record: 85982
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Barry L. Ornitz wrote:

> In all my years of working with instrumentation in the mechanical,
> electrical, and chemical areas, my training and experience tell me that
> Roy's understanding of percent of full scale is correct.

It is not correct. High quality meters of all types routinely specify full scale accuracy. Because of quality control of the relationship between "deflection" and "input" they can mark the scale with considerable confidence. The accuracy degrades "gracefully" below full scale.

I definitely do not agree with your comments on this. They are contrary to my experience with high quality laboratory analog meters of many types.

Bill W0IYH

796. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37156A00.9CF7CD94@mwci.net>
Source record: 85983
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Roy Lewallen wrote:

> Virtually all test equipment manufacturers guarantee and stand by the
> accuracy of their instruments.

5% of full scale is 12.5 watts. The error at 40 watts (or 12.5 watts) cannot be "assumed" to
also be 12.5 watts by any reasonable person. That is nonsense and anyone who knows anything about analog meters knows that it is nonsense.

The % error in any high quality analog meter degrades "gracefully" as you go downscale. The errors at less than full scale are definitely related to the full scale accuracy. Pick up a catalog of meters and you will see that the full scale accuracy is what is specified. That does
not mean the meter is "junk" at other readings.

Here is the main idea. A properly designed D'Arsonval meter maintains a certain definite relationship between "deflection" vs "input" over its range. The full scale accuracy is correlated to that relationship. Because of that relationship the scale can be marked with considerable confidence across most of the scale. At this moment I am looking at a Simpson catalog that specs full scale accuracy. Yet the picture shows finely spaced markings all across
the scale. Is this some kind of "fraud"?

Hogwash.

Meter designers and manufacturers learned long ago how to deal with this problem of reproducibility, so that "one" meter scale can be used over and over.

For a rectifier meter the rectifiers do introduce a problem, but with quality control this problem is manageable, and is responsible for a slightly relaxed spec for this kind of meter.
AC meters also have a crest factor problem.

> If the accuracy of the
> Bird 43 wattmeter is not specifed at some points on the scale, as you
> say, then it's useless for making any kind of meaningful measurement,
> as is any piece of test equipment with unspecified accuracy.

My experience with my 43, with its 2-30 MHz elements, is that it is quite "accurate" across most of the scale within that frequency range.

> I'll bet that if you were to send the
> Bird 43 meter to the calibration lab and it measured 30 watts with 40
> applied, or even 12 watts with zero in, it would be returned as being

> in calibration.

Baloney. It would be sent to the factory repair shop.

> Most labs will
> return a meter as calibrated if it meets its spec. If it has no spec,
> it can't be calibrated. The fact that the Boonton was returned as
> calibrated doesn't mean that it's dead on, only that it meets whatever
> spec Boonton or your company put on it.

It meets the requirements that Boonton says it supposed to meet. And when it is adjusted at full scale, it is very accurate across a 13 dB range, as determined by accurate RF attenuators.
I have been using these meters for 30 years and I know their quality.

As for going separate ways, go which ever way you like. If that is the way you want to behave
toward me, I couldn't care less.

Bill W0IYH

797. Knwd TS-520S w/DG-5 $375.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37157c63@news1.us.ibm.net>
Source record: 85984
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

You get what you pay for. This rig was completely aligned front to back by a retired Dept. of Defense EE using all HP test equipment two weeks ago. I have all documentation. $375.00 for the TS-520S and digital readout DG-5. The units will be professionally packed and double boxed. You pay actual UPS shipping charges from San Diego zip 92139.

73s

Lane
Ku7i
San Diego zip 92139

798. F S DRAKE C LINE LOADED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990413204300.24779.00000351@ng-fv1.aol.com>
Source record: 86026

i HAVE A NICE CLEAN C LINE RECIEIVER HAS TWO OPTIONBAL FILTERS
ALSO NOISE BLANKER UNITS ALL CHECKED OUT
R4C T4XC AC4 MS4 AND MANUALS PRICED TO SELL $545

799. F S ATLAS DIGITAL READOUT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990413204624.24779.00000353@ng-fv1.aol.com>
Source record: 86027

I HAVE A DIGITAL READ OUT FOR ATLAS 210X GOOD COND $145
ALSO HAVE MOBILE BRACKET FOR 210 ATLAS....$25

PARTS AVAILABLE FOR HEATH SB220 PLEASE INQUIRE E MAIL
JOHNYK78

800. W T B KENWOOD SM230

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990413204930.24779.00000358@ng-fv1.aol.com>
Source record: 86028

wanted kenwood SM220- OR SM230 MONITORSCOPE CONDITION AND
PRICE PLEASE JOHNYK78

801. F S DRAKE TR7 PS7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990413210123.24779.00000368@ng-fv1.aol.com>
Source record: 86029

I HAVE A CLEAN TR7 WITH MATCHING PS WILL SELL FOR $475 PLUS UPS
JOHNYK78

802. F S KENWOOD SP30

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990413205728.24779.00000365@ng-fv1.aol.com>
Source record: 86030

KENWOOD SP230 SPEAKER CLEAN SHIPPED $110
JOHNYK78

803. EBAY- ERIE 500pf @30KV DoorKnobs Caps! DUTCH!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990413215004.24773.00000388@ng-fv1.aol.com>
Source record: 86031

Hi Guys;
I have another 3 pairs of these great ERIE 500pf @ 30KV Doorknob caps!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90124812

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

804. ebay- Heathkit "tunnel Dipper" GDO, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990413220358.24773.00000404@ng-fv1.aol.com>
Source record: 86032

Hi Guys;
Heres another Neat Heathkit Item, The "tunnel Dipper" GDO.
Only 2 days and only at $20.00. Cant hurt to look! Right?
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88780779

805. EBAY- Nice Heath VOM in Case @ $7.50

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990413215945.24773.00000399@ng-fv1.aol.com>
Source record: 86033

Hi Guys;
Dont let this one get away.
Its a excellent heathkit VOM in its case, only $7.50 with 2 days left!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88762381

Also a real clean working SWR meter HM-15
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88769501

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

806. WTD: Info re: Lettine 240

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: cnord@snet.NET
Message-ID: <00a101be861c$e5057920$dc163ccc@default>
Source record: 86034

I am restoring an old Lettine 240 and have run into an interesting problem.
The manual I got shows a plug in osc and final coils and a front panel xtal
socket. However there were no Osc coils provided and there is no provision
for an xtal on the front panel.
Were there several versions of this rig, and can anyone shed some light on
this ?
Thanks and 73
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

807. WTD: Info re: Lettine 240

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: cnord@snet.net
Message-ID: <3713fd2c.14749633@news.snet.net>
Source record: 86035

I am restoring an old Lettine 240 and have run into an interesting
problem.
The manual I got shows a plug in osc and final coils and a front panel
xtal socket. However there were no Osc coils provided and there is no
provision for an xtal on the front panel.
Were there several versions of this rig, and can anyone shed some
light on this ? I cannot find a spot for the xtal at all.
Thanks and 73
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

808. EBAY-RARE HALLICRAFTERS HP-1 Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-14 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990413233109.24773.00000461@ng-fv1.aol.com>
Source record: 86036

Hi Guys;
Please check this out will ya! Only at $25.00
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90097321
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

809. FR and FLDX-400 Yaesu Twinds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: bwyatt@onenet.net
Message-ID: <1103_924140749@home>
Source record: 85787

Hi,

I have a nice set of Yaesu Twins that I picked up the other day. These rigs are very clean and work, other than the need to move them off 11-meters and back on 10. Also, they need an good tune up and tube check.

I have the factory books on these but, was wondering if there are any service manuals out there and, if so, would anyone mind copying or offering the originals for sale. I'll pay copying and shipping charges.

Thanks for reading and please get back to me at my e-mail address; <bwyatt@onenet.net>

Thanks again,

Bill N5WO

810. Hallicrafters RE-! 1945 troop receover for sale.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: AMFONE@CONCENTRIC.NET
Message-ID: <7f3kphgkj1@nnrp1.dejanews.com>
Source record: 85788

Excellent condition working perfect Hallicrafter RE-1 troop reciever
from 1945.. rare radio..... made for the troops during wwII and only
production run was in 1945........
$225.00
bye tim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

811. Hunter Bandit

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: daveiq0@aol.com
Message-ID: <19990414221213.02349.00000736@ng-cr1.aol.com>
Source record: 85789

I am interested in information on the Hunter Bandit HF linear amps.Kit or assembled. Different tube complement,ect.. E-mail or address group. Thank you,Dave -KA4CNH daveiq0@aol.com

812. SEARCH SELLER NC-270

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37154D60.693E@sympatico.ca>
Source record: 85790

HELLO
Iam looking for the seller of the NC-270 rcvr. telling 52.01 on e-bay
hi hi....
73
VE2AMK

813. Need Info on RME VHR-152A convertor and 6/2MTR units

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990414230745.27723.00000765@ng-da1.aol.com>
Source record: 85791

Does anyone have a manual for the RME VHF-152A 6/2/10 meter unit and does anyone know where I can find the 6 and the 2 meter converter units that go in the unit?
Thanks de Mike, K6STU.

814. marconi radio HELP!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: va3rzs@rac.ca
Message-ID: <37155e2c.40386901@news.cgocable.net>
Source record: 85792

I need help in getting this old marconi radio on the air again

,,,,,,,,

3 tubes are missing and one ristor is blown.

can any one help me with tis FM 2 M radio ??

PLS HELP!

thank you

RIck

815. FS: >>> Collins S-Line <<<

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: w8kzw@hotmail.com
Message-ID: <7f3urjojc1@nnrp1.dejanews.com>
Source record: 85793
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale: Nice Collins S-line

75S-1 Receiver:

Front panel, trim ring, knobs, dial, meter excellent.
Cabinet very good. Just retubed and aligned. Works
Great! No CW filter (was an option). Photocopy of
manual. $295.00

32S-1 Transmitter:

Front panel, trim ring, knobs, dial, meter excellent.
Cabinet has a couple of areas where it was slightly bent
and straightened. Not "disfiguring" at all, but noticeable
if you look for it. Recently retubed and aligned. Works
Great! Photocopy of manual. $275.00

516F-2 AC Power Supply

Works great. For mounting in 312B-3 Speaker enclosure
(though will be shipped unmounted as that's how they
get banged up). The sides on this 312B-3 have been bent
as above, and straightend. Still looks kind of rough,
though, with some paint scuffed off one side. Also, front
metal grill needs a bit of straightening. Also, speaker
is 8-ohm, not 4. $165.00

Add Shipping, packaging, and insurance to all items.

Total price is $735.00.

I will give preference to buyers who will pick up locally.

I will give preference to buyers who want the entire station.

Let me know which pieces you want in the event no one wants
everything. If I don't respond to your email, assume the
piece is not available.

The power supply / speaker combo won't be sold before the
transmitter.

Wire your own cables.

Gear is located in West Bloomfield, Michigan (near Detroit).

This is a nice S-line. Not collector quality, but nice.

Thanks.

Jeff Bauman
W8KZW
w8kzw@hotmail.com
248-435-4000 (leave message)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

816. WTB: SX-122

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: The Bell Family <bell@fwi.com>
Message-ID: <924158960.640.24@news.remarQ.com>
Source record: 85794

WTB : SX-122. Please state condition and price

73 Mark NV9B

817. Re: Johnson viking I Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3715B4B7.94F3C747@erols.com>
Source record: 85795

W7FG Vintage manuals has what you need, documentation wise. The V-1 uses xtals for the 160, 80, and 40 meter band, multiplied for the others. Or, you could look for the model 122 VFO. The rig isn't "missing" the crystals as it did not come with any. This rig doesn't use "band" crystals that mix with a VFO. With these old rigs, one uses an xtal for each frequency or use a VFO. 807 tubes are readily available on the net. Just search for "vacuum tubes". You'll get a bunch of hits. Regards de K3HVG

"Mark F. Reinen" wrote:

> Can anyone help me find schematics and manual for a Johnson Viking I ?
> The rig is missing the crystals for the oscillator (all Bands) are
> these crystals available ? how much approx. Are 807s still available?
> TNX Mark N2AIH

818. WTB: HQ-140, 150, 160.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3715B57D.553659A3@erols.com>
Source record: 85796

Looking for quality examples of these 3 receivers. What might you have
for sale?
Thanks.

819. Re: FR and FLDX-400 Yaesu Twinds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: landaircom@aol.com
Message-ID: <19990415090814.15609.00001006@ng135.aol.com>
Source record: 85797

The books you have is all that were available on that radio group I know My company services them. Signed Hal Land Air Communications 718-8473090

820. Re: Ham-BoatAnchors Digest V99 #95

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: montytaylor@texoma.NET
Message-ID: <002301be8742$d6822fc0$5a6697d1@thinkpad>
Source record: 85798
Body handling: HTML body converted to readable text

I do not have what you mentioned, but I have a TR-3 with no power supply or speaker. If you do not receive any acceptable offer, would you consider a new, use once or twice, Radio Shack digital wattmeter? I did buy a Bird 43 four days after I bought the Radio Shack wattmeter and thr R/S unit is with 3 to 4% of the Bird, depending on the band.

Regards,

Monty/WB5GLB

-----Original Message-----
From: Ham-BoatAnchors Mailing List and Newsgroup
To: Ham-BoatAnchors@ucsd.edu
Date: Thursday, April 15, 1999 7:17 AM
Subject: Ham-BoatAnchors Digest V99 #95

>
>Ham-BoatAnchors Digest Thu, 15 Apr 99 Volume 99 : Issue 95
>
>Today's Topics:
> B&W 334A Dummy Load (2 msgs)
> BC 306A ant. tuner. What freq range?? (2 msgs)
> Capacitor Questions
> Drake R-4B on ebay.
> EBAY- ERIE 500pf @30KV DoorKnobs Caps! DUTCH!
> FA: National NC-270 and NTS-3 speaker
> forsale rdz, and tdz
> FR and FLDX-400 Yaesu Twinds
> FS/Trade: Drake MS-3, AC-3
> FS: >>> Collins S-Line <<<
> FS: FIELD PHONES PAIR TA-1 P/T
> FS: Heath AM2 SWR Meter $15
> FS:JOHNSON VIKINGII PARTS
> Hallicrafters RE-! 1945 troop receover for sale.
> Help identifying a receiver
> Hunter Bandit
> Johnson viking I Help (2 msgs)
> Knwd TS-520S w/DG-5 $375.00
> Looking for Tubes Detroit MI area
> marconi radio HELP!!!
> More BAs Going to Belton Hamfest, 17 APril
> Need a copy of the National NC183D manual?
> Need Info on RME VHR-152A convertor and 6/2MTR units
> R4C - New tube set and extra crystals vendors ?

> Sams Photofacts $.25 ea
> SX-28 restoration tips needed (3 msgs)
> WTB: Heathkit HX-11
> WTB: MILLEN 90801 EXCITER
> WTB: NATIONAL MATCHING SPKR FOR NC-300
> WTB: SR42A Manual
> WTB: SX-122
> WTB HBR receiver
> WTB RF-131, RF-130-01 (2 msgs)
> WTD: Info re: Lettine 240
>
>Send Replies or notes for publication to:
>Send subscription requests to:
>Problems you can't solve otherwise to brian@ucsd.edu.
>
>Archives of past issues of the Ham-BoatAnchors Digest are available
>(by FTP only) from ftp.UCSD.Edu in directory
"mailarchives/ham-boatanchors".
>
>We trust that readers are intelligent enough to realize that all text
>herein consists of personal comments and does not represent the official
>policies or positions of any party. Your mileage may vary. So there.
>Loop-Detect: Ham-BoatAnchors:99/95
>--
>
>Date: Wed, 14 Apr 1999 12:26:21 GMT
>From: nsnadel@worldnet.att.net (Norm Nadel)
>Subject: B&W 334A Dummy Load
>
>A friend of mine just sent me, as a gift, a B&W 334A dummy load. It is
>in mint condition ... ALMOST !!! On the trip across country via UPS
>most of the oil leaked out of the sealed can .. yes, a mess.
>
>I contacted B&W and have been advised that repairing the can is can
>create an explosion hazard. So, I need a replacement can.
>
>Does anyone out there have a non-working unit that has a good can that
>they would want to sell, trade, or whatever ...
>
>Norm
>K9NSN
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 16:42:03 -0500
>From: "Hillbilly Dave"
>Subject: B&W 334A Dummy Load
>
>I replaced the can on an old Heath Cantenna once....went to the paint store

>and got a 1 gal paint can.....worked great, still using it today
>
>
>dave
>KG5XR
>http://www.geocities.com/TheTropics/Island/4371/index.html
>
>
>Norm Nadel wrote in message <371487cd.2565669@netnews.att.net>...
>>A friend of mine just sent me, as a gift, a B&W 334A dummy load. It is
>>in mint condition ... ALMOST !!! On the trip across country via UPS
>>most of the oil leaked out of the sealed can .. yes, a mess.
>>
>>I contacted B&W and have been advised that repairing the can is can
>>create an explosion hazard. So, I need a replacement can.
>>
>>Does anyone out there have a non-working unit that has a good can that
>>they would want to sell, trade, or whatever ...
>>
>>Norm
>>K9NSN
>
>
>.
>
>------------------------------
>
>Date: 14 Apr 1999 17:24:18 GMT
>From: boeing377@aol.com (BOEING377)
>Subject: BC 306A ant. tuner. What freq range??
>
>Does anyone know what frequency range and power capability the BC 306A
antenna
>tuner has? There is one on eBay, but no numerical data on freqs. Says it
may
>have been used for LF with BC 375. Is this correct?
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 21:14:18 -0500
>From: David Stinson
>Subject: BC 306A ant. tuner. What freq range??
>
>BOEING377 wrote:
>>...(BC-306) Says it may
>> have been used for LF with BC 375. Is this correct?
>
>That is correct. Was used in WW-II bombers and other
>larger aircraft to tune a 200 ft. trailing antenna

>for use between 125 and 600 KC, making it a match to
>the BC-375s (around) 12-ohm output impedance.
>
>73 Dave AB5S
>.
>
>------------------------------
>
>Date: Tue, 13 Apr 1999 10:51:51 -0700
>From: "Bill Smith"
>Subject: Capacitor Questions
>
>This sounds like a commercial plug, but a good source for replacement
>capacitors is:
>
>http://www.radioantiques.com/supplies.html
>
>(I have no other interest in this company other than to recommend it.)
>
>Likely, the paper capacitors in your set have all deteriorated. You can
>make a quick test if you have a Simpson 260 VOM or equivalent. Disconnect
>wires from a terminal from one of caps, and make an ohmmeter test between
>the capacitor terminal and chassis. Use the highest ohm range. You
should
>see the meter movement move up briefly and then return to the meter resting
>point at the left hand side of the meter. If you read any resistance, (any
>meter deflection while the probe is attached) the capacitor is leaky and
>requires replacement. The actual reading is unimportant, although
>lower-value resistance readings are worse.
>
>The second test is to remove the probe from the capacitor, wait one or two
>seconds and then reattach the probe. Watch the meter carefully as you
>perform this step. If you see any meter movement, however brief, when you
>reattach the probe (you can repeatedly perform this test to verify the
>results), then the capacitor is leaky. The idea here is that once charged
>by the ohmmeter, the capacitor should retain the charge when you remove and
>then reapply the probe.
>
>This is a "quick and dirty" test. The voltage used on the ohm scale is
>either 1.5 or 9 volts, depending upon the meter used. The voltage
typically
>on the capacitor when in service in the equipment can typically be anywhere
>from 200 to 600 volts. Very often, capacitor tests made at low voltage
>will show the capacitor to be good when in fact the capacitor will not
>function well in circuit at circuit voltages.
>
>Regarding oil-filled caps. You may not wish to perform this operation
>because some have PCB oil inside. I first remove the two screws that hold
>the device to the chassis and without disconnecting leads, bend the device
>up to expose the underneath. I then make three cuts along the edges of the

>capacitor using Dremel tool with a carborundum cutting wheel. I do so with
>lots of rags around and in a well ventilated area and avoid smelling any
>vapors, especially smoke from any oil that might be generated as a
>consequence of cutting open the capacitor with the Dremel. I then use a
>screwdriver to pry open the back of the capacitor and further drain any
oil.
>The internal capacitors are then pried out and replaced with modern
>equivalents. Fortunately, newer capacitors are smaller and fit nicely
>within the case. I solder to the original wires inside the metal case and
>attach the new capacitors then carefully fit them back into the paper
>insulation that is inside the cans. When the replacement is complete (many
>cans take more than one capacitor), I bend the metal flap back and remount
>the capacitor. The result is a good repair with little or no evidence that
>the equipment has been updated with the new components.
>
>Hope this helps.
>
>BTW, I think Antique Radio Electronic Supply sells selected values of
>high-voltage capacitors. Perhaps someone on the net will have better
>information.
>
>73 de Bill, AB6MT
>billsmith@jps.net
>
>
>
>
>Terry Brown wrote in message
>news:37120291.9350F6E1@concentric.net...
>> I picked up a BC-1031B Panoramic Adapter and intend to recap prior
>> to realignment and use. However, I'm not familiar with 1940's
>> components and don't understand exactly what type of caps to use.
>> The majority are either bathtub or large aluminum can types which
>> are described as "paper - oil" in the tech manual. None of the caps,
>> even in the power supplies, are marked as electrolytics either on the
>> caps or in the tech manual/schematic. Any ideas what types to use to
>> replace the existing caps?
>> Two of the caps are in the high-voltage filter section, rated at
>> 2,500 WVDC, and one appears to be leaking. Any idea where to get
>> replacements? Thanks for any advice I can get.
>> Terry (KA5IHV)
>>
>
>
>.
>
>------------------------------
>
>Date: 14 Apr 1999 12:36:00 PDT
>From: WA0KDS

>Subject: Drake R-4B on ebay.
>
>Been looking for a Drake R-4B for your station? Click below for the one
>this one on ebay.
>
>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89913376
>
>.
>n
>request.
>Thanks
>Jin KB6LUE
>
>.
>
>------------------------------
>
>Date: 15 Apr 1999 01:00:02 GMT
>From: k9sqg@aol.com (K9SQG)
>Subject: EBAY- ERIE 500pf @30KV DoorKnobs Caps! DUTCH!
>
>What category are they under?
>
>73
>
>Evan
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 07:37:22 -0700
>From: Bob
>Subject: FA: National NC-270 and NTS-3 speaker
>
>National NC-270 and matching speaker in very good condition. Includes
>original manual. Ham band receiver 80-6 meters. No WARC (of course)
>
>Bid is at only $52.01 right now.
>
>Great for 6 meter AM this summer.
>
>This is a really nice radio in the famous "Cosmic Blue" color. The
>picture does not do it justice. Please take a look. Thanks.
>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=90672613
>
>
>
>.

>
>------------------------------
>
>Date: 14 Apr 1999 13:24:51 GMT
>From: oceanradio@aol.com (OCEANRADIO)
>Subject: forsale rdz, and tdz
>
>Details, details!
>.
>
>------------------------------
>
>Date: Thu, 15 Apr 1999 01:45:49 GMT
>From: bwyatt@onenet.net (Bill Wyatt)
>Subject: FR and FLDX-400 Yaesu Twinds
>
>Hi,
>
>I have a nice set of Yaesu Twins that I picked up the other day.
> These rigs are very clean and work, other than the need to
>move them off 11-meters and back on 10. Also, they need an
>good tune up and tube check.
>
>I have the factory books on these but, was wondering if there
>are any service manuals out there and, if so, would anyone mind
>copying or offering the originals for sale. I'll pay copying and
>shipping charges.
>
>Thanks for reading and please get back to me at my e-mail
>address;
>
>Thanks again,
>
>Bill N5WO
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 22:09:21 -0400
>From: W4UDX
>Subject: FS/Trade: Drake MS-3, AC-3
>
>This is a multi-part message in MIME format.
>--------------F6916AAAFB8B902DFD8CF838
>Content-Type: text/plain; charset=us-ascii
>Content-Transfer-Encoding: 7bit
>
>
>
>--------------F6916AAAFB8B902DFD8CF838

>Content-Type: text/plain; charset=us-ascii;
> name="MS3AC3.txt"
>Content-Transfer-Encoding: 7bit
>Content-Disposition: inline;
> filename="MS3AC3.txt"
>
>For Sale or Trade:
>Drake MS-3, AC-3 speaker/power supply. Front of speaker is super
>but cabinet needs repainted. (There are no dents and Krylon matte
>black spray paint matches the Drake gear quite nicely). Driver sounds
>fine. (No buzzing). AC-3 power supply appears to be all original parts
>and was tested about 4 months ago on a TR-3 transceiver and it was
>delivering all required voltages. Will not seperate units.
>
>I have advertised these before but grossly under priced them. The
>price is $100 + shipping firm or will trade for older Kenwood or Yaesu
>2 Meter mobile (synthesized) or Radio Shack 2M HT and you pay shipping.
>
>E-mail W4UDX@juno.com
>
>Thanks..... Mark W4UDX
>--------------F6916AAAFB8B902DFD8CF838--
>
>.
>
>------------------------------
>
>Date: Thu, 15 Apr 1999 05:52:53 GMT
>From: w8kzw@hotmail.com
>Subject: FS: >>> Collins S-Line <<<
>
>For Sale: Nice Collins S-line
>
>75S-1 Receiver:
>
>Front panel, trim ring, knobs, dial, meter excellent.
>Cabinet very good. Just retubed and aligned. Works
>Great! No CW filter (was an option). Photocopy of
>manual. $295.00
>
>32S-1 Transmitter:
>
>Front panel, trim ring, knobs, dial, meter excellent.
>Cabinet has a couple of areas where it was slightly bent
>and straightened. Not "disfiguring" at all, but noticeable
>if you look for it. Recently retubed and aligned. Works
>Great! Photocopy of manual. $275.00
>
>516F-2 AC Power Supply
>

>Works great. For mounting in 312B-3 Speaker enclosure
>(though will be shipped unmounted as that's how they
>get banged up). The sides on this 312B-3 have been bent
>as above, and straightend. Still looks kind of rough,
>though, with some paint scuffed off one side. Also, front
>metal grill needs a bit of straightening. Also, speaker
>is 8-ohm, not 4. $165.00
>
>Add Shipping, packaging, and insurance to all items.
>
>Total price is $735.00.
>
>I will give preference to buyers who will pick up locally.
>
>I will give preference to buyers who want the entire station.
>
>Let me know which pieces you want in the event no one wants
>everything. If I don't respond to your email, assume the
>piece is not available.
>
>The power supply / speaker combo won't be sold before the
>transmitter.
>
>Wire your own cables.
>
>Gear is located in West Bloomfield, Michigan (near Detroit).
>
>This is a nice S-line. Not collector quality, but nice.
>
>Thanks.
>
>Jeff Bauman
>W8KZW
>w8kzw@hotmail.com
>248-435-4000 (leave message)
>
>
>
>
>
>
>
>
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 12:04:02 -0400
>From: "Yves A. Feder W1UX"

>Subject: FS: FIELD PHONES PAIR TA-1 P/T
>
>FS: Nice pair of Army Field Phones TA-1P/T. Require just 2 conductor
>wire.
>With field cases and straps.
>
>Sportsmen's Guide is selling these for $199!!!!! without the wire.
>
>$75.00 postpaid (or UPS prepaid)
>
>73 Al W1UX
>
>
>
>.
>
>------------------------------
>
>Date: 14 Apr 1999 13:27:53 GMT
>From: w9zr@aol.com (W9zr)
>Subject: FS: Heath AM2 SWR Meter $15
>
>Heath AM2 vintage SWR meter from 50's. Very Good Condition. $15 plus ups.
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 12:22:13 +0100
>From: wayne
>Subject: FS:JOHNSON VIKINGII PARTS
>
>I have a Johnson Viking II for $35.00 pickup in KNoxville,tn.
>It has all tubes missing and a r13 modulator resistor missing.It did
>operate with the resistor and tubes.
> Cabinet is fair.
>Wayne
>kj4gy
>.
>
>------------------------------
>
>Date: Thu, 15 Apr 1999 03:01:09 GMT
>From: AMFONE@CONCENTRIC.NET
>Subject: Hallicrafters RE-! 1945 troop receover for sale.
>
> Excellent condition working perfect Hallicrafter RE-1 troop reciever
>from 1945.. rare radio..... made for the troops during wwII and only
>production run was in 1945.....
>$225.00
>bye tim

>
>------------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>.
>
>------------------------------
>
>Date: Tue, 13 Apr 1999 12:32:34 -0700
>From: "Bill Smith"
>Subject: Help identifying a receiver
>
>Hi, Dave.
>
>I talked to a friend of mine who is very knowledgeable about these units,
>and he seems to feel this was likely a homebrew. From the photos, it seems
>there are three tube sockets. One would be used for a coil, another for
the
>regenerative stage, and the third for an audio amplifier. The transformer
>was likely an interstage between the regen and audio. The (magnetic)
>earphones would typically be hooked to the battery and plate of the audio
>amplifier.
>
>It looks like a battery set - that is the tubes were directly heated
>filament/cathode. It was hard to tell from the pix whether the tube
sockets
>were four or five pin. The resistance control is likely to adjust filament
>voltage, and the presence of a transformer in the regen circuit was more
>typical of battery sets than later "AC" sets that used tubes with
indirectly
>heated cathodes.
>
>Regarding the schematic. You are probably best off by finding a typical
>regen schematic, then tracing out the wiring in your set. There were many
>minor variations but all followed the same basic approach. From the size
of
>the tuning capacitors (one was tuning, the other is likely a regeneration
>control) it looks like it was built as a short wave receiver.
>
>The coil will probably take some educated guessing, but if you can find a
>typical schematic, you might borrow the coil winding data from that
project.
>The coil windings are probably not too critical provided you have the basic
>windings and taps hooked to the proper places.
>
>It should be straightforward to make the set work again, after all these
>years. Good Luck!
>
>73 de Bill, AB6MT
>billsmith@jps.net
>

>
>
> wrote in message
>news:7etdcg$41m$1@nnrp1.dejanews.com...
>> Hello all,
>>
>> I have just acquired an old regen chassis that I
>> hate to see stripped out for parts. I'd like to
>> restore it and make it operable, but I need to
>> find out what it is first, and if anyone has the
>> schematic. I don't have the coil or tube lineup
>> (I'm sure it's coil, detector, and audio but I'm
>> not sure). The underside components are all there
>> and seem to be in good shape. There is a small
>> inductor shaped like a very thick washer that's
>> loose and I have no idea about. It's hanging
>> under the chassis. A schematic would be very
>> helpful!
>>
>> It appears to be a Pilot 'kit' - the kind that had
>> all the parts and panels, but you had to drill the
>> holes yourself.
>>
>> I have photos at:
>>
>> http://www.boatanchors.com - then click on the link at
>> the top of the page 'Help identify this receiver'.
>>
>> I'd like to find a schematic, and a replacement venire
>> for the right dial which is broken. If anyone has one
>> or is at all familiar with this little regen, drop me a
>> note.
>>
>> Thanks and 73
>>
>> Dave WB7AWK
>> regen@boatanchors.com
>>
>> http://www.boatanchors.com
>>
>> -----------== Posted via Deja News, The Discussion Network ==----------
>> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>
>.
>
>------------------------------
>
>Date: 15 Apr 1999 02:12:13 GMT
>From: daveiq0@aol.com (Daveiq0)

>Subject: Hunter Bandit
>
>I am interested in information on the Hunter Bandit HF linear amps.Kit or
>assembled. Different tube complement,ect.. E-mail or address group. Thank
>you,Dave -KA4CNH daveiq0@aol.com
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 21:42:13 -0400
>From: "Mark F. Reinen"
>Subject: Johnson viking I Help
>
>Can anyone help me find schematics and manual for a Johnson Viking I ?
>The rig is missing the crystals for the oscillator (all Bands) are
>these crystals available ? how much approx. Are 807s still available?
>TNX Mark N2AIH
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 21:54:08 -0400
>From: Bruce Sugarberg
>Subject: Johnson viking I Help
>
>Hi Mark,
>
>Try the johnson@qth.net net. Go to:
>
>http://www.qth.net
>
>Click on "Lists." Now you have a choice
>of several hundred reflectors, including
>Johnson.
>
>Good luck,
>
>Bruce Sugarberg, WA8TNC
>-----------------------
>"Mark F. Reinen" wrote:
>>
>> Can anyone help me find schematics and manual for a Johnson Viking I ?
>> The rig is missing the crystals for the oscillator (all Bands) are
>> these crystals available ? how much approx. Are 807s still available?
>> TNX Mark N2AIH
>.
>
>------------------------------
>

>Date: Wed, 14 Apr 1999 22:40:25 -0700
>From:
>Subject: Knwd TS-520S w/DG-5 $375.00
>
>You get what you pay for. This rig was completely aligned front to back by
a
>retired Dept. of Defense EE using all HP test equipment two weeks ago. I
>have all documentation. $375.00 for the TS-520S and digital readout DG-5.
>The units will be professionally packed and double boxed. You pay actual
UPS
>shipping charges from San Diego zip 92139.
>
>73s
>
>Lane
>Ku7i
>San Diego zip 92139
>
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 20:11:37 -0400
>From: aa010@detroit.freenet.org (Chuck Reti)
>Subject: Looking for Tubes Detroit MI area
>
>Looking for a supplier of Tubes in Detroit area.
>Often find vendors at swaps but don't know of
>retail or private source. Need to do some
>re-tubing of my Heath SB-102.
>--
>Chuck Reti WV8A Detroit,MI
>aa010@detroit.freenet.org
>.
>
>------------------------------
>
>Date: Thu, 15 Apr 1999 03:35:33 GMT
>From: va3rzs@rac.ca (Rick)
>Subject: marconi radio HELP!!!
>
>I need help in getting this old marconi radio on the air again
>,,,,,,,,
>
>3 tubes are missing and one ristor is blown.
>
>can any one help me with tis FM 2 M radio ??
>
>

>PLS HELP!
>
>
>thank you
>
>RIck
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 11:53:23 GMT
>From: gharmon@idworld.net (Gary Harmon)
>Subject: More BAs Going to Belton Hamfest, 17 APril
>
>Additional equipment has become available for the Belton trip this
>Saturday, 17 April.
>
>If you are interested send me an email or give me a call for
>additional information. All are in G or better condition. None have
>been restored. Manuals are either available or available to copy.
>Untested as of right now unless noted. I may have time to check for
>smoke before Saturday.
>
>1. Globe King 500 (not sure which model but no VFO; missing rear
>door, needs work) - $300
>
>2. Heathkit DX-100 (2 units; one nice one has a modulator problem;
>other is untested) - $150 for both
>
>3. Hallicrafters SX-25 - $125
>
>======================
>Gary H. Harmon, Jr. - K5JWK
>6302 Robin Forest
>San Antonio, TX 78239-3218
>(210) 657-1549
>gharmon@idworld.net
>================
>
>.
>
>------------------------------
>
>Date: 14 Apr 1999 21:21:06 GMT
>From: nc183d@aol.com (Nc183d)
>Subject: Need a copy of the National NC183D manual?
>
>Hi,
>I recently picked up a very nice original manual for the National NC183d. I

>copied it up and it came out pretty good. If you don't have a copy of the
>manual and need one, let me know.
>rgds,
>Mark S.
>.
>
>------------------------------
>
>Date: 15 Apr 1999 03:07:45 GMT
>From: k6stu@aol.com (K6STU)
>Subject: Need Info on RME VHR-152A convertor and 6/2MTR units
>
>Does anyone have a manual for the RME VHF-152A 6/2/10 meter unit and does
>anyone know where I can find the 6 and the 2 meter converter units that go
in
>the unit?
>Thanks de Mike, K6STU.
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 22:17:01 -0400
>From: "Jeff Kelly"
>Subject: R4C - New tube set and extra crystals vendors ?
>
>Can someone recommend a vendor for a new
>set of tubes for the R4C and extra crystals to
>add the WARC bands.
>
>Thank You,
>
>Jeff Kelly
>KT2K
>jkelly@bellatlantic.net
>
>
>.
>
>------------------------------
>
>Date: 15 Apr 1999 00:09:35 GMT
>From: vintel@aol.com (VINT EL)
>Subject: Sams Photofacts $.25 ea
>
>Sam's Photofacts available as low as $.25 per SET(not folder but set) in
>quantity Follow the "Schematics" link from
http://www.vintage-electronics.com/
>Also selling Tubes, Radios, Test Equip, Tube Amps(couple nice Marantz units
>among others), books, other things related to vintage electronics.
>Thanks for taking the time to check this out.

>John
>.
>
>------------------------------
>
>Date: 14 Apr 1999 14:22:59 GMT
>From: troglodite@aol.com (Troglodite)
>Subject: SX-28 restoration tips needed
>
>>Guys,
>>I am new to BA activities and thus to this group as well.
>>I am approaching my first restoration project aimed to revive a
Hallicrafters
>>SX-28 (no-mil, no-'A' version). The rig is stored since at least 15 years.
>>
>
>I'm in the middle of restoring one of these myself. If you haven't found it
>already, check Jim's SX-28 page at
>http://www.exit109.com/~jimh/hallicrafters.shtml
>
>If you don't have a schematic, I'll be happy to send you a copy of the
manual.
>The electrolytics are available from several sources. Probably ALL the
paper
>capacitors should be replaced. Jim's site gives details on getting to the
ones
>under the band switch. I followed these instructions and it worked fine.
You
>probably won't have to disassemble the gearboxes. If you remove the front
>panel, you can get at everything and clean and re-lubricate it. Use fishing
>line to restring the band pointers.
>
>Drop me some E-mail if you want to swap info. This SX-28 is my third
>Hallicrafters restoration project, but is taking me the longest time. I
know it
>will be worth it though, as I used to own an SX-28 back in 1957.
>
>Doug Moore KB9TMY (formerly K6HWY)
>
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 10:50:18 -0400
>From: Bruce Sugarberg
>Subject: SX-28 restoration tips needed
>
>Hello Emanuele,
>

>Before you do anything else, you need to join
>the hallicrafters@qth reflector. You will find
>all the answers to all of your questions there.
>
>Good luck,
>
>Bruce Sugarberg, WA8TNC
>--
>emanuele_girlando@my-dejanews.com wrote:
>>
>> Guys,
>> I am new to BA activities and thus to this group as well.
>> I am approaching my first restoration project aimed to revive a
Hallicrafters
>> SX-28 (no-mil, no-'A' version). The rig is stored since at least 15
years.
>>
>> I have already read a lot of Web pages and messages on this newsgroup but
>> still I am looking for any tip available. In particular: - description on
how
>> to de-assemble and re-assemble the rig without producing additional
(..and my
>> be definive) damage - how to reassemble the quite involved tuning
appliance -
>> cleaning tips - how to reform electrolytics caps - wich kind of today
caps to
>> use to replace the old ones - wich kind of today resistors to replace old
one
>> - use or not use a variac at the first fire up
>>
>> As it is my intention to produce a detailed log of the project activities
>> with plenty of pictures, I would also like to know if anybody has found a
>> cheap way of taking digital pictures of rigs internals. I think about a
cheap
>> camera (the one used for low cost videconferencing..) but I am concerned
>> about resolution. Digital photography (Canon.. and the like) is too
expensive
>> for my pocket.
>>
>> Thank you very much
>> Emanuele.
>.
>
>-----------------------------
>
>Date: Wed, 14 Apr 1999 23:52:38 GMT
>From: "wb0poz"
>Subject: SX-28 restoration tips needed
>
>I've restored about a dozen of these (including the SX-28's cheaper

brother,
>the SX-32) and offer the following:
>
>- The front panel is steel and the paint that Hallicrafters put on is
>pretty good. Remove the front panel, spray it down with Westley's
>Blech-White (whitewall tire cleaner), rinse then wax it up real nice.
>Re-lettering is easy but the SX-28s generally don't need it.
>
>- While you have the front panel off, lubricate all the bearings for the
>bandspread and tuning gears. Re-string the dial cord if necessary. Taking
>the gearbox apart greatly simplifies both tasks but BE CAREFUL if you do
>this because there are ball bearings that come out and fly all over the
>place if you're not careful.
>
>- The "PHASING" knob is ALWAYS a bitch to take off. Instead, loosen the
>shaft at the flex coupling inside the radio and pull the whole shaft out.
>BTW the shaft is non-conductive - found this out the hard way when I had a
>radio with a missing shaft and replaced it with a metal one out of a volume
>control. THe radio wouldn't play unless you bumped it a little. Took
HOURS
>to track down the problem!
>
>- Follow the Hallicrafters alignment directions to the letter. If you
>don't, or aren't careful, you'll get the IF so screwed up it'll take hours
>to get it back. Also a freq counter is handy to make sure the LO is
working
>ABOVE the signal. I've found many boatanchors to have "ham-special"
>alignments that have the LO set high at the top end and set low (below the
>signal) at the bottom end.
>
>- If you're having problems zeroing the meter, put a 100 ohm resistor in
>series with the pot. This will put the control at a new place on the
carbon
>in the pot.
>
>
>Any other hints you need, give me an email.
>
>73 and good luck - John
>
>
>
>.
>
>------------------------------
>
>Date: 14 Apr 1999 17:05:41 GMT
>From: PEYK47A@prodigy.com (John Ritter)
>Subject: WTB: Heathkit HX-11
>

>WTB: Heathkit HX-11
>
>John
>
>K7VGF
>
>.
>
>------------------------------
>
>Date: 14 Apr 99 17:27:14 GMT
>From: austrade@ix.NETcom.COM (Jamison)
>Subject: WTB: MILLEN 90801 EXCITER
>
>--======================_82345214==_.ALT
>Content-Type: text/plain; charset="us-ascii"
>
>
>Will pay top dollar for a Millen Model 90801 Exciter is good condx..
>Please email price, condx. and contact information.
>Frank 'Jamie' Jamison W5YSM/VK2AIX
>-
>
>--======================_82345214==_.ALT
>Content-Type: text/html; charset="us-ascii"
>
>
>

>Will pay top dollar for a Millen Model 90801 Exciter is good condx..
>

>Please email price, condx. and contact information.

>Frank 'Jamie' Jamison W5YSM/VK2AIX

>-

>
>
>--======================_82345214==_.ALT--
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 20:00:05 -0500
>From: "BUCKY BADGER"
>Subject: WTB: NATIONAL MATCHING SPKR FOR NC-300
>
>WTB MATCHING SPEAKER FOR THE NATIONAL NC-300. THE ONE WITH THE LIGHTNING
>BOLT AND MATCHING TWO-TONE PAINT TO MATCH. ALSO A XTAL CALIBRATOR THE

>XCU-300 I AM LOOKING FOR ALSO
>TNX
>
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 21:05:12 -0400
>From: Ron Toller
>Subject: WTB: SR42A Manual
>
>SR-42A Manual or good copy.
>
>n1rt@atlantic.net
>
>.
>
>------------------------------
>
>Date: Thu, 15 Apr 1999 01:49:01 -0500
>From: "The Bell Family"
>Subject: WTB: SX-122
>
>WTB : SX-122. Please state condition and price
>
>73 Mark NV9B
>
>
>.
>NECTOR THAT PLUGS INTO THE
>JACK ON THE BACK OF A VALIANT, RANGER, OR OTHER EF JOHNSON EQUIP. THIS IS
>FOR THE ANTENNA RELAY CONNECTION.... I NEED THREE OF THEM. ANY OUT THERE?
>TNX
>
>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 13:05:18 -0400
>From: stevem
>Subject: WTB HBR receiver
>
> Looking for a HBR receiver. State condition, model and price..
>vri 73 steve
>wb9tow/8
>
>
>

>
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 07:09:41 -0500
>From: Francesco Ledda
>Subject: WTB RF-131, RF-130-01
>
>WTB
>
>Exciter RF-131
>1KW Transmitter RF-130
>Associated antenna tuner.
>
>Thanks,
>
>Francesco Ledda
>
>Texas, USA
>.
>
>------------------------------
>
>Date: Wed, 14 Apr 1999 22:11:37 +0100
>From: luc dugas
>Subject: WTB RF-131, RF-130-01
>
>i have 2 exciters rf-131 and 2 rf-110a 1kw transmitters no power supply.
>i also have 2 rf-1810 test set and one rf-505 receiver and rf-530
>receiver luc ve2lgj 73s
>
>Francesco Ledda wrote:
>
>> WTB
>>
>> Exciter RF-131
>> 1KW Transmitter RF-130
>> Associated antenna tuner.
>>
>> Thanks,
>>
>> Francesco Ledda
>>
>> Texas, USA
>
>
>
>.
>

>------------------------------
>
>Date: Wed, 14 Apr 1999 11:17:21 GMT
>From: dpnewkirk@home.com (David Newkirk)
>Subject: WTD: Info re: Lettine 240
>
>On 14 Apr 99 02:16:34 GMT, cnord@snet.NET (Carl H. Nord) wrote:
>
>>I am restoring an old Lettine 240 and have run into an interesting
problem.
>>The manual I got shows a plug in osc and final coils and a front panel
xtal
>>socket. However there were no Osc coils provided and there is no provision
>>for an xtal on the front panel.
>>Were there several versions of this rig, and can anyone shed some light on
>>this ?
>
>I'd say yes, based on the fact that the Lettine 240 I used in my
>Novice days used an octal socket, on the chassis right next to the
>oscillator tube, as a crystal socket. Because of the darkness of the
>set's innards and the potentially hazardous temperature of the
>oscillator-tube envelope, I used to change crystals with a flashlight
>and a pair of gas pliers!
>
>73,
>
>Dave Newkirk, W9VES
>dpnewkirk@home.com
>.
>
>------------------------------
>
>End of Ham-BoatAnchors Digest V99 #95
>******************************
>

821. FS 7036 (6BE6) tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01be8740$97345ac0$0b7b9ece@larry>
Source record: 85799
Cross-posted to:
rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

For Sale NEW 7036 (6BE6) tubes.
The boxes have the following information on them:
5960-00-074-4833 ELECTRON TUBE
1 EACH DLA900-82-G-0017-005
A-3/83 GE-7036 GENERAL ELECTRIC CO. Tubes are 5 to a sleeve.
$10.00 per sleeve plus $3.00 priorty mail shipping U.S. locations only
Thanks Larry WA9VRH

822. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7f4r89$iom3@eccws1.dearborn.ford.com>
Source record: 85800
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

In article <aa010-14049920113800001@aa1-241-8.detroit.usabestnet.net>,
aa010@detroit.freenet.org says...

>Looking for a supplier of Tubes in Detroit area.
>Often find vendors at swaps but don't know of
>retail or private source. Need to do some
>re-tubing of my Heath SB-102.

Purchase Radio Supply in Ann Arbor is not *too* far from Detroit. It's
on E. Hoover, next to the railroad tracks.

C.K.

823. Re: Need Info on RME VHR-152A convertor and 6/2MTR units

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9904151010040.16336-100000@Stratus.CAM.ORG>
Source record: 85801

On 15 Apr 1999, K6STU wrote:

> Does anyone have a manual for the RME VHF-152A 6/2/10 meter unit and does
> anyone know where I can find the 6 and the 2 meter converter units that go in
> the unit?
> Thanks de Mike, K6STU.
>
>
That must be the tuneable converter, since it tunes 10meters. Someone
asked about it some months ago, and I looked it up and posted a bit,
unless this isn't the same model. If it is, it's tuneable on all three
bands, and there isn't any converter to add to it. Even a later RME
converter, which didn't have 10Meters but might have added 220MHz, was a
complete unit. It's not like later converters where you'd see a company
put out a 6Meter converter and a 2Meter converter, and then a box to put
them in that had the power supply and calibrator and switching (such as
Drake had).

Michael VE2BVW

824. Re: Johnson viking I Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: radiomuseum@webtv.net
Message-ID: <12428-3715F242-24@newsd-154.iap.bryant.webtv.net>
Source record: 85802

The assembly and transmitter manuals are available from W7FG Manuals for $17 each. His phone number is (800)807-6146 for ordering. The 807 are available from Radio Electronic Supply for $12 each. His phone number is (352)475-1950 - Both take cards. Try to find a Johnson 122 VFO instead of using xtals.
73 de W7BUG, Henry

825. NEEDED FOR BB-35, USS TEXAS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3715FCD6.4E03EBFA@ix.netcom.com>
Source record: 85803
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Battleship USS Texas, BB-35, needs the following items
for restorations:

1. the guts of the RCA Class S round reproducers (Mi-2917- BJ or BE)
2.. 17" power horn Class H or L(MI-2915-C or CA),
3. 20 MC Captain's Radar Command announcing box,
4. The 21 Command announcing box for the 1MC and 2MC.

If you have these items, or even photos or information
about them, please let me know.

73 DE Dave Stinson AB5S

826. FA: National NC-100ASD, Ending Today

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: tony@bright.net
Message-ID: <3715fd77.326941342@news.bright.net>
Source record: 85804
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I'm offering this restorable NC-100ASD via eBay. The auction ends later today. Interested? Please visit:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=88824641

Thanks & 73,

Tony N8SNC

827. RADIO STUFF NEEDED FOR BB-35, USS TEXAS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3715FDE6.CA799151@ix.netcom.com>
Source record: 85805
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

oops! Forgot to add this to the last list:

Radio Equipment Needed:

1. Radio Direction Finder DAK-1: In a 1948 Navy inventory of equipment
left aboard was a DAK-1 in the Nav Bridge radio room
2. TBS-5 or TBS-7 Remote control Unit: The ship has a TBS-5 system in
the
Radio Transmitter Room. On the system plate 2 remote units were listed.
However the same 1948 inventory from above lists a TBS-7 remote control
unit in the Nav Bridge.
3. LORAN receiver: no idea what id. For our purpose any unit of WWII
or
just post WWII would be great.

Non functioning equipment is fine. A functional unit is also
acceptable.

If you have this equipment or manuals for it please
contact me.

73 Dave AB5S
arc5@ix.netcom.com

828. Swap HC-9 xtals for 30-meter FT-243 xtals?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Art Winterbauer <artwinte@sprynet.com>
Message-ID: <7f548s$8ie$1@juliana.sprynet.com>
Source record: 85806
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

My little homemade 6J5/6L6 transmitter is only happy with crystals in FT-243 holders, so I'd like to trade away, one-for-one, various crystals in HC-9 holders.

Want: 30-meter xtals (10.101 to 10.119 mhz) in FT-243 holders

Trade: Crystals in HC-9 holders (the 3/4-inch by 3/4-inch, sturdy aluminum holders):

40 meters: 7.005, 7.010, 7.030, 7.040
30 meters: 10.105, 10.110, 10.115, 10.120
20 meters: 14.005, 14.020, 14.030, 14.040, 14.050

These little xtals work fine in my various homemade solid-state rigs.

73/Art, WA5OES

--
Windows NT crashed.
I am the Blue Screen of Death.
No one hears your screams.

829. Re: RADIO STUFF NEEDED FOR BB-35, USS TEXAS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990415131957.14476.00001037@ng-fc1.aol.com>
Source record: 85807

There is a flea market type store in the shopping center just south of I 10 on Alexander (can't remember the name of the shopping center) that has had a tube type loran that I worked with in the sixties. I am not familiar with WWII loran for ship use but it might be what you need. I can check further if you can't make it by yourself.

Need help restoring electronic stuff on that ship? I am pretty well versed in the techniques of the day!

Bob Garrett, W4PEX (since 1949)
USN electronic tech 1950-1953

830. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Joseph Mowery <jmowery@nswc.navy.mil>
Message-ID: <37161DE7.A32E8D0@nswc.navy.mil>
Source record: 85808
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Ralph,
You don't want the readings near full scale. While I was a Calibration
Tech, the method was to keep
the meter reading between 20%-80% of full scale deflection. The middle of the
scale was were the
accuracy was checked.

Joe,
KF4YYA

Ralph Mowery wrote:

> > William E. Sabin wrote:
> >
> > > Roy Lewallen wrote:
> > >
> > > > With a 250 watt element, +/-5% of full scale is +/-12.5 watts. So it
> > > > can read as much as 52.5 or as little as 27.5 watts with a 40 watt
> > > > power level and still be within its specified accuracy. If you want
> > > > better accuracy than this you'll have to use a different instrument,
> > > > or perhaps get the meter specially calibrated against a known standard
> > > > of greater accuracy.
> > > >
> > > > People frequently misunderstand the 43's spec to be 5% of reading.
> > > > It's not
> > >
> > > This is not correct.
> > >
> >
> That is correct. It is not speced at 5% of the reading, but of full
> scale.
> That means it could be way off at the lower power readings. Lots of
> meters becides the Bird watt meters are speced that way, that is why
> for the analog meters, you should try to get the reading on the
> upper portion of the scale.
> The scale is not linear and the diodes are very poor in calibration
> at the lower levels. They are operating in the square low reagon
> and could be way off.
>
> I will agree that the Birds are usually more accurate than that. I
> work with lab instruments calibrating other instruments every day
> and find a quality instrument will normally beat the specs by a

> large ammount under controlled conditions, but if they are operated
> in a very hot area or very cold area, they can 'drift' near the
> limits. Don't know about the Bird, but suspect if you place one at
> the extream ends of the temp range, it will be luckey to hold as
> near as 2 or 3 %.

831. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: David Orlowski <daveo50@lni.net>
Message-ID: <7f546n$au4$1@adonis.tdi.net>
Source record: 85809
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

Purchase Radio Supply
327 E. Hoover
Ann Arbor, MI 48104
(734)668-8696

I'm not positive about the zip code, but it will get you to Ann Arbor. Ask
for Dan.
They have tubes and a whole lot more.

Hope this helps.

Regards,

Dave

Christopher A. King wrote in message
<7f4r89$iom3@eccws1.dearborn.ford.com>...
>In article <aa010-1404992011380001@aa1-241-8.detroit.usabestnet.net>,
>aa010@detroit.freenet.org says...
>
>>Looking for a supplier of Tubes in Detroit area.
>>Often find vendors at swaps but don't know of
>>retail or private source. Need to do some
>>re-tubing of my Heath SB-102.
>
>Purchase Radio Supply in Ann Arbor is not *too* far from Detroit. It's
>on E. Hoover, next to the railroad tracks.
>
>C.K.
>
>

832. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <3716202F.A3C1255@teleport.com>
Source record: 85810
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote:
>
> Roy Lewallen wrote:
>
> > Virtually all test equipment manufacturers guarantee and stand by the
> > accuracy of their instruments.
>
> 5% of full scale is 12.5 watts. The error at 40 watts (or 12.5 watts) cannot be "assumed" to
> also be 12.5 watts by any reasonable person. That is nonsense and anyone who knows anything
> about analog meters knows that it is nonsense.

I have to confess that I know more about oscilloscopes than analog meters. Tektronix scopes not only has specifications on all important parameters but the manual generally contains a verification procedure. This is a list of equipment, and complete setup instructions, for a customer to verify that the scope is meeting its specifications. Some of the larger customers routinely order this equipment at the same time they order the scope, and the scope won't get past incoming inspection unless it meets all the specs during the verification test. I was the project engineer for a 50 GHz sampling head. (I didn't design that sampler, but improved production control on the existing 40 GHz one.) We had to reduce the stated accuracy of the instrument substantially because of the uncertainty in our ability to verify it. (Even such normally mundane items as the uncertainty in connector adapter SWR added to the overall uncertainty.) I have good evidence that a large percentage of the sampling heads would actually do 60 GHz. But we were never able to assemble a system to reliably verify it. So the spec remains 50.

Some typical specifications from my 2246 manual: Step response (5-division step) Rise Time -10C to 35C: 3.5 ns or less. Vertical deflection system accuracy (includes ADD MODE and Ch 2 INVERT) 15 to 35C: Within +/- 2%. -10C to 15C and 35C to 55C: Within +/- 3%. And so forth. You've undoubtedly got manuals for Tek or HP equipment, so know how these instruments are specified.

And every specification is taken literally, by both the manufacturer and the customers. Those specifications which aren't guaranteed are plainly labeled "typical".

> The % error in any high quality analog meter degrades "gracefully" as you go downscale. The

> errors at less than full scale are definitely related to the full scale accuracy. Pick up a
> catalog of meters and you will see that the full scale accuracy is what is specified. That does
> not mean the meter is "junk" at other readings.

That's nice, but "gracefully" is a pretty loose spec for serious measurement, don't you think?

> Here is the main idea. A properly designed D'Arsonval meter maintains a certain definite
> relationship between "deflection" vs "input" over its range. The full scale accuracy is
> correlated to that relationship. Because of that relationship the scale can be marked with
> considerable confidence across most of the scale. At this moment I am looking at a Simpson
> catalog that specs full scale accuracy. Yet the picture shows finely spaced markings all across
> the scale. Is this some kind of "fraud"?

Absolutely not. My 260 manual states DC accuracy of 2% of full scale. On the 50 volt range, I expect the reading to be within one volt of the actual value. Period. Anywhere on the scale.

> Hogwash.

Now there's a statement that's difficult to rationally argue against.

> Meter designers and manufacturers learned long ago how to deal with this problem of
> reproducibility, so that "one" meter scale can be used over and over.
>
> For a rectifier meter the rectifiers do introduce a problem, but with quality control this
> problem is manageable, and is responsible for a slightly relaxed spec for this kind of meter.
> AC meters also have a crest factor problem.
>
> > If the accuracy of the
> > Bird 43 wattmeter is not specifed at some points on the scale, as you
> > say, then it's useless for making any kind of meaningful measurement,
> > as is any piece of test equipment with unspecified accuracy.
>
> My experience with my 43, with its 2-30 MHz elements, is that it is quite "accurate" across
> most of the scale within that frequency range.

"Quite accurate" isn't a specification. I wish all the customers I've designed instruments for were as easy to please as you are. My life would have been much easier! (I can see it now, "Roy's Pretty Good Scopes".)

> > I'll bet that if you were to send the
> > Bird 43 meter to the calibration lab and it measured 30 watts with 40
> > applied, or even 12 watts with zero in, it would be returned as being

> > in calibration.
>
> Baloney. It would be sent to the factory repair shop.
>
> > Most labs will
> > return a meter as calibrated if it meets its spec. If it has no spec,
> > it can't be calibrated. The fact that the Boonton was returned as
> > calibrated doesn't mean that it's dead on, only that it meets whatever
> > spec Boonton or your company put on it.
>
> It meets the requirements that Boonton says it supposed to meet.

Yet if the Bird meter were sent to the cal lab it would have to exceed the accuracy Bird says it will meet? How do they decide which meters have to meet spec and which have to be better than spec? Quite a cal lab you've got there!

> And when it is adjusted at
> full scale, it is very accurate across a 13 dB range, as determined by accurate RF attenuators.
> I have been using these meters for 30 years and I know their quality.

I wondered about the spec on the Boonton, and you say "very accurate", and it was used to verify the Bird, which you describe as "quite accurate". By this I infer that "very accurate" is more accurate than "quite accurate". Perhaps we can get the meter manufacturers to standardize these terms for those of us more used to working with numbers. Your cal lab obviously knows how to translate them.

> As for going separate ways, go which ever way you like. If that is the way you want to behave
> toward me, I couldn't care less.
>
> Bill W0IYH

Sorry I've made you grumpy again. I know there's no way of changing your mind once set, but I'll continue posting a bit longer for the benefit of other readers who'd like to decide for themselves what specifications mean.

Roy Lewallen, W7EL

833. FORSALE - Mint Icom-735

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: jpl@hoserve.ho.lucent.com
Message-ID: <7f57c4$aap@nntpb.cb.lucent.com>
Source record: 85811
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,nj.forsale

---

FORSALE - MINT Icom 735 HF rig

I have an absolutely mint condition (still has the
protectice plastic over the slide swithces!) Icom 735 HF rig that
I'd like to sell. The rig includes the optional 500-Hz
CW filter and the original hand mike with up/down controls. I bought
the rig as a "backup" and have never used it (other then to test it
out for about 1 hour). It's like new.

ICOM 735/cw filter/mic $575.

Joe Levantino
KB2FSH
(732) 949-0664
jlevantino@lucent.com

834. WTB: Clock for HQ-170

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7f57mqgts1@oak.prod.itd.earthlink.net>
Source record: 85812

Anyone have an HQ-170 clock that they'd part with?

K8AC
Floyd Sense in Angier, NC

835. Re: Hickok 752 tube tester-Free

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990415134723.06499.00000916@ng-ce1.aol.com>
Source record: 85813

if the tube checker is still a ailable I will take it
please advise shipping charges thank you
johnyk78 W2FNT

836. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Scott <westsidescott@yahoo.USPAMBACKcom>
Message-ID: <37165208.539A@yahoo.USPAMBACKcom>
Source record: 85814
Cross-posted to: rec.antiques.radio+phono,,rec.radio.amateur.boatanchors

Chuck Reti wrote:
>
> Looking for a supplier of Tubes in Detroit area.
> Often find vendors at swaps but don't know of
> retail or private source. Need to do some
> re-tubing of my Heath SB-102.

Antique Audio
253 Blanche Street
Plymouth, MI 48170 (734) 20-RADIO or (734) 455-4169

837. Re: WTB Drake TX4C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990415135223.06499.00000917@ng-ce1.aol.com>
Source record: 85815

I HAVE A COMPLETE C LINE BUT WILL SELL SEPARATELY SERIAL 22496 AND UNITIS
EXCEPTILONALLY CLEAN AND \
IN GOOD WORKING CONDITION WITH
MONEY BACK GUARANTEE WILL SHIP
FOR $275 73 JOHNYK78 W2FNT

838. WTD: Info on EF Johnson Fleetcom 2 UHF radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Joe K7JOE <K7JOE@yahoo.com>
Message-ID: <371630A3.35DA50F5@yahoo.com>
Source record: 85816
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi,
I picked up an EF Johnson UHF radio (Fleetcom 2) that has been
converted to a repeater. I need tuneup info to get the
thing on the UHF ham band. I have searched with no luck
on the web, and still come up empty. Need to presumably align
the transmitter and the receiver (along with the helical front end).

The conversion appears to be a home brew job -- little circuit
boards inside apparently cover "time out" timer, COR, and
audio mixing. No idea how to interface a controller to this, as I
can't seem to find the COR line.

I need:

1. Any info on the Fleetcom 2, especially service / tuneup info
2. Looking for UHF crystals 440.925 (TX) 445.925 (RX) if you have any
or if you know the "details" for ordering rocks for this unit.
3. Any info on converting to repeater use....maybe, just maybe, this
was a common
mod and info is out there on "how to".

I am willing to pay for this info.
thanks,
Joe K7JOE

839. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990415135520.00943d70@popd.ix.netcom.com>
Source record: 85817
Body handling: HTML body converted to readable text

```
--====================_23763676==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..
Please email price, condx. and contact information.
Frank 'Jamie' Jamison W5YSM/VK2AIX
-

--====================_23763676==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

-

--====================_23763676==_.ALT--
```

840. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7f5bv8$hms10@eccws1.dearborn.ford.com>
Source record: 85818
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

In article <7f546n$au4$1@adonis.tdi.net>, daveo50@lni.net says...

>Purchase Radio Supply
>327 E. Hoover
>Ann Arbor, MI 48104
>(734)668-8696

> I'm not positive about the zip code, but it will get you to Ann
> Arbor. Ask for Dan. They have tubes and a whole lot more.

> Hope this helps.

There's also Norwest Electronics in Livonia, on Plymouth Road about a couple of blocks west of Farmington Road on the noth side of the street (I used to work there 15-20 or so years ago). They were a Sylvania tube/ECG semiconductor distributor back then; have not been in the store for at least 15 years, so I'm not sure if they still are.

Another one that comes to mind is K40 Electronics in Warren (?), just east of Van Dyke off of either 13 or 14 Mile Road. I have never bought tubes there, so I'd call that one first, but they are a parts shop similar to either Norwest or Purchase.

There's also The Electronic Connection in Westland, at Ford Road and Newburgh, but I don't think that they carry tubes (and I would be afraid to ask the price if they did, if I go by the exhorbitant prices I see on the other stuff there).

There used to be quite a few more, but most of them closed when the television/radio repair trade died out. We got a huge amount of business from the repair shops back when I worked at Norwest. Those were the good old days, selling banana plugs and phonograph belts... :^)

C.K.

841. FA: KNIGHT V-44 VFO MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990415151123.24748.00001021@ng31.aol.com>
Source record: 85819

Auctioning on eBay, original V-44 VFO manual with pic.

Search ebay.com for V-44

or view item # 89994838

Pat

842. FA: ELMAC PMR-6A MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990415150714.24748.00001020@ng31.aol.com>
Source record: 85820

Original Elmac PMR-6A receiver manual on eBay with picture.

Search ebay.com for PMR-6A

or View item # 90004874

843. FA: TMC SSB RECEIVE ADAPTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990415151438.24748.00001022@ng31.aol.com>
Source record: 85821

Auction on eBay with 3 pics. Search ebay.com for "Technical Materiel"

or view item # 89101827

Pat

844. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: aa010@detroit.freenet.org
Message-ID: <aa010-1504991623080001@aa1-240-214.detroit.usabestnet.net>
Source record: 85822
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

In article <7f4r89$iom3@eccws1.dearborn.ford.com>, cking4@ford.com
(Christopher A. King) wrote:

>In article <aa010-1404992011380001@aa1-241-8.detroit.usabestnet.net>,
>aa010@detroit.freenet.org says...
>
>>Looking for a supplier of Tubes in Detroit area.
>>Often find vendors at swaps but don't know of
>>retail or private source. Need to do some
>>re-tubing of my Heath SB-102.
>
>Purchase Radio Supply in Ann Arbor is not *too* far from Detroit. It's
>on E. Hoover, next to the railroad tracks.
>
>C.K.

Thanks for replies, direct and to NG.
I had forgotten about Purchase Radio in Ann Arbor.
I did find that NorWest Electronics in Livonia MI
has a fairly good tube inventory (but didn't have
what I needed this time). I was also referred to an interesting
place, Tel-Van Electronics in Dearborn (Van Born Rd/Telegraph Rd area).
Musty, dark place with that smell of old electronic stuff (like an
old ham's basement), but lots of tubes (ones I needed) and lots
of carded parts and loose parts in bins.
--
Chuck Reti WV8A Detroit,MI
aa010@detroit.freenet.org

845. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Bruce Muscolino <w6toy@erols.com>
Message-ID: <37165194.265@erols.com>
Source record: 85823

Emanuele,

The cheapest way to produce digital pictures is to shoot 35mm pictures and have a Picture Disk or Photo CD made when they are processed. Kodak offers this service for a small additiona fee when you have your photos processed. The service is from print film only at the moment. However, there are many print films with fine grain which make excellent scans. I use this method almost daily. You can import the pictures into almost any document.

73

846. Transformer repair service offered

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be8785$7a69b260$8a1a99cf@ve6nap1>
Source record: 85824
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Will repair or rewind most transformers ie
Audio /Modulation /Filiment/Power/Plate

No oil filled or PCB types because of shipping problems

packaging and shipping extra

for quote please provide the following

Complete discription of transformer end use, including coy of scheme for
equipment -

Discription of transfomer
- is it sealed /potted or otherwise difficult to dismantle.
- details of weight and dimensions
- details of lead lengths and color codes unless obvious

Firm quote and repair scope will be issued on receipt of the transformer at

our repair shop

please email prior to shipping transformer to
:
JAYMCEE Enterprises Ltd.
9116-79 street
Edmonton, AB
T6C 2R4
(780)-465-3082

email -ve6nap@oanet.com

Hope we can be of service
de
ve6nap@oanet.com

847. We're outta here.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37166184.442AADA1@erols.com>
Source record: 85825

Herewith withdraw request for these receivers. I'm now batting about .400 (quality received wise) here, on the group, over the past 2 years. Pretty good number for the Majors, but P-poor for the wallet. Thanks to all who provided "as advertised" equipment...you guys do good work and you know who you are. Guess I'll stick to the hamfest circuit, now.
Adios... we be unsubscribing.

"D. S. Platt" wrote:

> Looking for quality examples of these 3 receivers. What might you have
> for sale?
> Thanks.

848. Re: FS: DRAKE RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: ERIC <bigbadwolf1@earthlink.net>
Message-ID: <7f5q5rcjb1@holly.prod.itd.earthlink.net>
Source record: 85826

Thabks for your inquiry. The Drakes have been sold.

-ERIC

Badboy224 <badboy224@aol.com> wrote in message
news:19990415143717.09326.00001208@ng-cc1.aol.com...
> If they are available, I will take them...please advise..thanks..Dana
>

849. WTB: HQ-180 Sams Photofact

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: mbmcf@erols.com
Message-ID: <371761b3.1652355@news.erols.com>
Source record: 85827

Hello To All...

Having just received a somewhat functioning HQ-180 (NOT 180-A), I have realized I need the service bulletin and Sams POhotofact for it.

I got to the Manual web site that some Hammarlund lovers support, and have loaded the Gif's and Jpeg's of the manual pages, but I still would like to locate the Sams Photofact for it.

If anyone out there has one to sell, or has one that can be copied, please let me know via email.

Thanks in advance...

Bruce McFarland
302 - 455 - 0700
Change the at to @
mbmcf at erols.com

850. FS: Originall Hammarlund HQ120 Manual $15

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990415191332.25416.00001047@ng05.aol.com>
Source record: 85828

HQ120X manual in mint condition$15 plus shipping

851. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37166C6F.D0DBBA86@mwci.net>
Source record: 85829
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Roy Lewallen wrote:

> Sorry I've made you grumpy again. I know there's no way of changing
> your mind once set, but I'll continue posting a bit longer for the
> benefit of other readers who'd like to decide for themselves what
> specifications mean.

This kind of arrogant garbage doesn't deserve a reply, so I won't bother.

Bill W0IYH

852. Wanted: original operator's manual for Kenwood 820S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: acomarow@aol.com
Message-ID: <19990415193133.16323.00000999@ng114.aol.com>
Source record: 85830

Anybody have one at a reasonable price? I also *might* be interested in an original service manual.

Avery W4OGK

853. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <37166A53.3FDA273C@mwci.net>
Source record: 85831
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Joseph Mowery wrote:

> Ralph,
> You don't want the readings near full scale. While I was a Calibration
> Tech, the method was to keep
> the meter reading between 20%-80% of full scale deflection. The middle of the
> scale was were the
> accuracy was checked.

That does make some sense. The top end of the scale is quite crowded and the 20% to 80% has much better resolution. Below 20% the diodes can effect the readings at high/low ambient temps.

But if you look carefully, the top end can be read accurately, although it requires more effort. The Bird 43 is well marked and readable.

The big fallacy here is that if a meter is specified 5% at full scale (all meter mfrs do this) that it is somehow worthless any where below full scale because it is not officially specified everywhere. This is contrary to the common knowledge of those who are knowledgeable about D'Arsonval meters.

The correct viewpoint is that a 2% full scale spec (very common) is, believe it or not, a measure of the quality of the meter across the rest of the scale. It is not true that the rest of the scale can be "anything".

A meter that is accurate at zero and full scale, but highly inaccurate elsewhere is not a *reliable* meter *anywhere*. It is poorly designed.

The "art" of meter design is to get a movement that is as reproducible as possible. This movement cannot have gross systematic errors because that would make that goal impossible.

Bill W0IYH

854. FS 7036 (6BE6) tubes ALL spoken for

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01be8798$77dfffa0$067b9ece@larry>
Source record: 85832
Cross-posted to:
rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

HI all all of the 7036 (6BE6) tubes have been spoken for. Thanks Larry
WA9VRH

855. Re: FS: Originall Hammarlund HQ120 Manual $15

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Bill Mitchell <bmitchel@lucent.com>
Message-ID: <371681A6.57153377@lucent.com>
Source record: 85833

I will take it if it is still available.

Bill Mitchell

W9zr wrote:

> HQ120X manual in mint condition$15 plus shipping

856. Swap HC-9 xtals for 30-meter Ft-243 xtals? (with my address!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Art Winterbauer <artwinte@sprynet.com>
Message-ID: <7f60t0$a8$1@juliana.sprynet.com>
Source record: 85834
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

[I've appended my e-mail address to this query. Makes it easier to respond!]

My little homemade 6J5/6L6 transmitter is only happy with crystals in FT-243 holders, so I'd like to trade away, one-for-one, various crystals in HC-9 holders.

Want: 30-meter xtals (10.101 to 10.119 mhz) in FT-243 holders

Trade: Crystals in HC-9 holders (the 3/4-inch by 3/4-inch, sturdy aluminum holders):

40 meters: 7.005, 7.010, 7.030, 7.040
30 meters: 10.105, 10.110, 10.115, 10.120
20 meters: 14.005, 14.020, 14.030, 14.040, 14.050

These little xtals work fine in my various homemade solid-state rigs.

73/Art, WA5OES

artwinte@sprynet.com

857. Re: Shipping "boat anchors" AND OTHER THINGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: Jordan Arndt <jordana@nucleus.com>
Message-ID: <37169DEF.3491@nucleus.com>
Source record: 85835
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Peter Gottlieb wrote:
>
> Correct. The peanuts with vibration will "flow" to the top side.
>
> The foamboard works, as does multiple layer wraps in two different
> directions of air bubble sheets which you can rolls at at any office
> supply store like Staples or Office Max.
>
> I have also heard of good suvccess with "foam in place" packing,
> but I sure would want to make sure the unit was securely plastic wrapped!
>
> Don't neglect the box. Try to get a double walled heavy duty box
> and tape all seams securely.
>
> If you pack an item so that it can survive a 5 foot drop on any side
> or edge, most of the time it will make it through UPS shipping.
>
> J. Murray Neece wrote in message <37114056.BBE818E1@iglobal.net>...
> >IF YOU ARE SHIPPING...anything over 5 lbs using peanuts....you are a
> rookie and
> >better take out good insurance....they just dont offer enough
> protection......Go to
> >the HOME DEPOT and get 1 inch blue foam board at 7 bux a sheet and do it
> >right....cuts easily and offers great protection between double boxes (you
> should
> >do it that way) and offers great protection with in the main box...no muss
> no
> >fuss....still you should put that plastic over it...IF YOU ARE USING UPS on
> >anything over 25 or so lbs....double your insurance, cause they are gonna
> break
> >it!! 73 Murray
> >
> >Nc183d wrote:
> >
> >> Hi,
> >> Just another 2 cents worth... If you are shipping a boatanchor and you
> are
> >> going to use styrofoam 'peanuts' for cushioning material,
> PLEASE,PLEASE,PLEASE
> >> put the boatanchor in a plastic bag before pouring on the 'peanuts'.
> These
> >> little devils can and do find a way to work themselves, or pieces of
> themselves

> >> into the most difficult places in terms of removal. I speak from
> experience as
> >> I have just purchased a National NC2-40-D that has a whole community of
> >> 'peanuts' living in the chassis. I will be using the hemostats for a
> while on
> >> this extraction...
> >> rgds,
> >> Mark S.
> >
> >
> >

If you are NOT double boxing the rig, then you are asking for trouble... I have shipped RX-1's and NC-300 from Canada to the U.S. Old Heavy Tube testers to Japan and hundreds of other items... the secret to "Proper" packing is to eliminate internal inertia within the package... Popcorn will work fine if it is packed dense enough to act as a shock absorber... I usually completely Bubble wrap the rig, in BOTH directions using 12" wide 1/2" Bubble wrap... If you wish to protect the VFO shaft/knob etc, tape the roll end of your packing tape on top of the bubble wrap, so it and the wrap will take the brunt of the force of an impact... you can also remove the VFO Knob, This should all be Inserted into a strong INNER box, that is a tight fit... mark the top and front of this box with a T and an F respectively... this will come in handy later... then using a tall box, place 2 thicknesses of cardbboard and then at least 2" of Hard S Peanuts... then place the Inner box end down into the larger box... align it so that you have a little more room for the front than the rear, and more room for the bottom than the top... the pour more Hard S Peanuts to fill the package... then using more boxes, insert broken-down packing boxes on all 4 sides... recheck the peanut fill for hardness... now you see why marking the top and front are important... then fill the top of the Packing box with Peanuts and a double layer of Cardboard... seal the box and label it so that the label is on the top or the FRONT side of the rig... mark on your label for the front " DO NOT Lay on This Side" UPS always packs the parcels so that they can read the destination without having to move the package... use arrows to indicate that it goes end up... YES END UP!!!! if you have a delicate Plastic Dial drun ala the TX-1, RX-1 etc nothing will break it like having it thrown on the floor of the truck/warehouse etc, than if it is packaged bottom side down... but if the force is toward the end of the drum, its chances of survival is MUCH improved... also this method of packing will not allow feet etc to push through the package... some GIVE is a must , and using solid sheet simply transfers the forces directly to the rig and or internal packaging box... which is NOT what we want....Your package will end up spending most of its time occupying the least floor space during its trip, which means it will go end up anyway... this way you can pack the item specifically for this type of shipping... and if the label/ Packing list /customs forms are on the front panel side, you can be sure they will be shipped so that this side is always visible...and will not find it's way to be the bottom of the

shipment... this has worked VERY well for me, and I have not had any complaints of item or component breakage... be sure you place the heaviest side of the unit on the bottom end... this makes it very hard to tip over, and will force the carriers to lift and place the unit down with a little more care than if it were heavier on one side or the other... Try to anticipate the actions of the handlers, and your work becomes quite clear... just my 32.00 per bags worth... 73 de Jordan...

858. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: "Barry L. Ornitz" <ornitz+U@dpnet.net>
Message-ID: <f9xR2.708$GQ2.75060@news20.ispnews.com>
Source record: 85836
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote in message <37156C36.608214E6@mwci.net>...
>
>Barry L. Ornitz wrote:
>
>> In all my years of working with instrumentation in the mechanical,
>> electrical, and chemical areas, my training and experience tell me that
>> Roy's understanding of percent of full scale is correct.
>
>It is not correct.

Yes it is by definition of what an accuracy statement referenced to
full-scale is. Read ANY elementary book on instrumentation.

>High quality meters of all types routinely specify full
>scale accuracy. Because of quality control of the relationship between
>"deflection" and "input" they can mark the scale with considerable
>confidence. The accuracy degrades "gracefully" below full scale.

What you refer to here is a different accuracy statement. This implies
accuracy as a percent of reading. This was not what was specified.

As I stated yesterday, precision instruments usually give an accuracy
statement including both percent of reading and percent of full-scale.
Percent of reading accuracy is easy to measure with a linear scale, but
much more difficult with a nonlinear scale. With nonlinear instruments,
you are concerned with two things - how well the scale calibration fits the
instrument response curve, and how well the curve represents reality. The
Bird accuracy statement tells you only that the one reading, that taken at
the full-scale reading of the dial, is within 5% of the actual value. It
tells
you nothing of how well the dial calibration fits the actual instrument
response.

In the instrumentation industry, manufacturers routinely go through the
game of "specmanship". I would much rather have an instrument with an
accuracy of 1% of reading plus 20% of full scale than I would one with 5%
of reading and 5% of full scale. In the first case, I can do one
calibration at the full-scale value and then make any measurement to within
1%. In the second, all measurements are no better than 5%. And when a
manufacturer gives only the full scale accuracy for a nonlinear
measurement, you have no actual idea of the real accuracy at lower scale.
It likely is not as bad as only the full-scale accuracy suggests, but the
only guarantee from the manufacturer is the one point.

>I definitely do not agree with your comments on this. They are contrary to
>my experience with high quality laboratory analog meters of many types.

Please go back and consult the actual accuracy specifications on these meters. The better ones will state accuracy as a percent of reading. The excellent ones will give you a full set of statistics.

73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net

859. Sams Photofacts $.25 ea

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: vintel@aol.com
Message-ID: <19990414200935.24775.00001008@ng-fv1.aol.com>
Source record: 85985

Sam's Photofacts available as low as $.25 per SET(not folder but set) in
quantity Follow the "Schematics" link from http://www.vintage-electronics.com/
Also selling Tubes, Radios, Test Equip, Tube Amps(couple nice Marantz units
among others), books, other things related to vintage electronics.
Thanks for taking the time to check this out.
John

860. Re: EBAY- ERIE 500pf @30KV DoorKnobs Caps! DUTCH!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-15 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990414210002.17301.00000580@ng101.aol.com>
Source record: 85986

What category are they under?

73

Evan

861. WTD-NC270-NTS3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37167EC4.4CED@sympatico.ca>
Source record: 85887

HELLO
Iam looking for a NC-270 -NTS3 SPEAKER NATIONAL in good shape.
73
VE2AMK

862. WTB: PRC-515 or 719D-2 parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <371691c4.1198978@news.willapabay.org>
Source record: 85888
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

hello -

I've got a broken 719D-2 (Canadian Forces PRC-515), and am looking for certain parts for it. It is a small HF manpack radio built by Collins (Toronto). If you've got any of these parts lying around, please let me know.

719D-2 Radio Set, consists of:
671V-2 Receiver/Exciter
549A-2 20W Power Amplifier/Antenna Tuner
377L-2 Control Head
612A-1 battery pack

Mine seems to have synthesizer troubles - if you've got any extender cables or test sets for the PRC-515, I'd be interested in those, too. I believe the radios are in current use in Canada, so some pieces may show up north of the border.

73 and thanks!
Dave Ross N7EPI ross@hypertools.com

863. Hallicrafters CRX-2 schematic wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: exray@caribe.net
Message-ID: <7f67iu$o87$1@nnrp1.dejanews.com>
Source record: 85889

Anybody out there have a schematic and/or alignment info for the CRX-2 VHF receiver?

Thanks,
Bill M

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

864. FA: Ameco 2 Meter Converter and Preamp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7f69g3prn1@nnrp1.dejanews.com>
Source record: 85890
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have an Ameco 2-meter converter and preamp for auction on eBay.

The location is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89672192

And the description is

A near-mint example of the classic Ameco 2 meter converter, model CB-2, including PS-1 power supply and model PV preamp. Ideal for using your HF receiver to listen to 2 meters; can be configured for output between the standard broadcast band thru 54 mHz. by changing crystals; crystal supplied for 30-34 mHz. output. Converter has over 70 dB image rejection, better than 4 dB noise figure and over 30 dB gain. Includes original manuals and all connecting cables. Works well but considering the age of these units they are sold "as is."

Closes 4/18/99 at 7:08 AM.

Thank-you.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

865. FA: Collins Radio Mechanical Filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7f69lg$q42$1@nnrp1.dejanews.com>
Source record: 85891
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a set of three Collins Mechanical Filters for auction on eBay.

The location is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89351201

And the description is:

A lot of three mechanical filters made by Collins Radio. Two are type
F250A20, and one is type F500F60. I don't know what they're for, but they are
in good condition and have not been abused. No way to test them so they are
sold "as is".

Closes 4/17/99 at 12:42 PM.

Thank-you.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

866. FA: Straight Keys and Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7f69qb$q7t$1@nnrp1.dejanews.com>
Source record: 85892
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a set of straight keys and parts for auction on eBay.

The location is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89354963

And the description is:

This is a lot of three straight keys and parts. One is solid brass and has a "Navy-type" knob and the maker "Mesco" on it, one is mounted on a board with a code-practice buzzer and has a plaque "Signal Electric Mfg. Co., Menominee, Mich.", the third is a stamped-steel unit with no name that I can find. Also included is a shorting bar and a few misc. springs, thumbwheels and pivots. In "as found" condition.

Closes 4/17/99 at 12:52 PM.

Thank-you.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

867. FA: Manual for Mil Radio Transmitter T-195/GRC-19

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: jbr101@my-dejanews.com
Message-ID: <7f69v3$q8u$1@nnrp1.dejanews.com>
Source record: 85893
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have an orignal manual for the T-195/GRC-19 for auction on eBay.

The location is

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=89348627

And the description is:

An original manual for the famous T-195/GRC-19 military Transmitter. In mint condition, contains chapters on Introduction, Installation, Operation, Organizational Maintenance, Auxilliary Equipment, Theory, Field maintenance, and the all-important Shipment and Limited Storage and Demolition to Prevent Enemy Use. Well-illustrated and non-yellowed; dated June 1956.

Closes 4/17/99 at 12:35 PM.

Thank-you.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

868. Need Siltronix 1011D Mod

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: SysAdmin <sysadmin@w3gate.com>
Message-ID: <3716DB16.2CA6F828@w3gate.com>
Source record: 85894

I need the mod to unlock the 11 meter transmit on the Siltronix 1011D.
If you have the mod or know a site that has it, an email response would
be greatly appreciated.

Brian KB9QBJ
brian@w3gate.com

869. JBT AC Freq Meter(60cps)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <371912f4.5270774@news.i-2000.com>
Source record: 85895

FS Brand New JBT frequency meter for 60 cycle AC...this is a
reed type unit that is ideal for your field day generator to make sure
its on 60 cycles...Its brand new, and working, as I tried it prior to
this posting....$25.00+shp...Bob on L. Island...
Pse remove the (ns) from my adr...Thanks...

870. WTB: Drake RV-7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: reedj@earth.execpc.com
Message-ID: <7f76sp$cc2@newsops.execpc.com>
Source record: 85896

I'm looking for a nice Drake RV-7 vfo. If anyone has one for sale please advise as to price and condition.

Joe N9JR
reedj@execpc.com

871. FA:SURPLUS RADIO CONVERSION MANUAL VOL. III

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <37172742.18D12099@citrus.infi.net>
Source record: 85897

Greetings ....

For your information, I have listed the following on Ebay:

SURPLUS RADIO CONVERSION MANUAL - Volume III by William I Orr.

It covers many conversions of military radio equipments with
schematics. You can click on the following URL if interested:

http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&item=91577117

73 de Jim W4ONO .-.-.

872. The Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <37173D5E.DEEBCFCB@eclipse.net>
Source record: 85898

```
Major changes to the site make it easy to post, modify, delete, and add
PICS to your ads!
Please visit when you have the chance..
Thank you,
The Boatanchor Classifieds
Dedicated to vintage radio..
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
```

873. Vikibg Ranger P-Transformer FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37173eda.737175@news.i-2000.com>
Source record: 85899

FS Power Ttransformer Viking Ranger---$30.00 + shipping
Bob..on Long Island.....Pse remove the (ns) from my add
ress......Thank You.......

874. FS Vikibng Ranger Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37183f43.842423@news.i-2000.com>
Source record: 85900

FS Viking Ranger Meter....$20.00 shipped to your door via USPS Priority CONUS...Bob....Pse remove the (ns) from my adr...

875. Re: Shipping "boat anchors" AND OTHER THINGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: tbendell@bmts.com
Message-ID: <924270198.70667@cindy.bmts.com>
Source record: 85901
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

On 1999-04-15 jordana@nucleus.com said:

>on one side or the other... Try to anticipate the actions of the
>handlers, and your work becomes quite clear... just my 32.00 per
>bags worth... 73 de Jordan...

Excellent advice Jordan, Thank you!

73
Terry

tbendell@bmts.com

Net-Tamer V 1.11.2 - Test Drive

876. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <3717322A.25148D5A@mwci.net>
Source record: 85902
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

I took some data on two 2 inch panel meters that I bought in 1946, 53 years ago. For 10 years they were in a CW transmitter, needles flopping around at 25 WPM. A Beckman 310 with accuracy of 0.75% +/- 1 digit was the reference. Both meters are rated nominal 3% of full scale.

Meter number 1: 0 to 50 mA:
Reading Actual % error
50 48.5 3.0%
40 39.1 2.3%
30 29.1 3.0%
20 19.7 1.5%
10 9.5 5.0%
5 4.0 20%

Meter number 2: 0 to 200 mA:
200 198 1.0%
150 149 0.7%
100 102 2.0%
50 51.5 3.0%
25 26.1 4.2%

So much for the intuition that a panel meter that is specified only at full scale cannot be trusted in regions above, say 20% of full scale.

Bill W0IYH

877. FS: Cubic Astro 103 HF rig $405 shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37174339@news1.us.ibm.net>
Source record: 85903
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Cubic Astro 103 HF xcvr (formerly Swan). 160-10 meters including WARC. Dual PTOs built in. IF, RF, and AF Gain controls. Continiously variable AGC, Full QSK, all solid state no tune rcvr and xmtr, all documentation including service scats. homebrew dc power cord. Only 200 or so units were made. This was the last radio off the Cubic production for the amateur arena.

one problem with the rig: Power out on 160 is only about 10 watts so if you want 160 operation you will need to troubleshoot it. Perhaps the 160 meter bandpass filter is not being switched in (bad diode in the matrix?). All the scats are there to troubleshoot. I have not fixed it because right now I am not active on 160.

Price is $405.00 shipped continental US.

Lane Zeitler
2262 Barney St
San Diego CA 92139

73s

Lane
Ku7i

878. FS/Trade: Drake MS-3, AC-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <37174703.5372@iglou.com>
Source record: 85904

For Sale/ Trade: Drake MS-3 speaker with AC-3 power supply.

Matches TR-3, TR-4 and T-4X equipment. Speaker has fine front panel and

good driver but cabinet needs repainted. (Krylon matte black spray paint

matches Drake gear quite nicely). No dents. AC-3 was tested about 4

months ago on a TR-3 and it was supplying all the proper voltages.

$100 + shipping firm or trade for older Kenwood, Yaesu or Alinco 2M

mobile radio I can use for FM or packet.

Thanks..... W4UDX

e-mail W4UDX@juno.com

879. Re: F.S. Heathkit SB-610

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: hitech@erols.com
Message-ID: <7f7njp$1l1$1@nnrp1.dejanews.com>
Source record: 85905
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

In article <370FD80E.62B6AFE7@ameritech.net>,
k8vt@ameritech.net wrote:
> I have a Heathkit SB-610 that I got from an estate sale, already have
> one, don't need two. Excellent condition, exceptionally clean, a 9+.
> Works well- has good trace, all controls work, tone generator works,
> etc.
>
> $75 or best offer and buyer pays shipping from 48335.
>
73/Carter/K8VT Do you still have it email me hitech@erols.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

880. Hallicrafters Manual SX-117

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37195428.6191962@news.i-2000.com>
Source record: 85906

FS...Sx-117 Original Manual(not a copy) mint...$25.00 to your door
CONUS via USPS Priority mail.....Bob...on L. Island
Pse remove the (ns) from my adr..Tnx...

881. WTD: INFO ON HEATHKIT SB-200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: PIERRE <dupp@netrover.com>
Message-ID: <7f7ket$g5b$1@nntp2.uunet.ca>
Source record: 85907

I have a very HI SWR when I drive my SB-200 with my FT-1000
on 20,15 and 10 meter.
The input coil on the SB-200 are not ajustable.
Can you tell me if you have a idea to fix this problem.

Thanks, Pierre VE2MP

882. WTD: HELP ON HEATHKIT SB-200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: PIERRE <dupp@netrover.com>
Message-ID: <7f7kfc$g5b$2@nntp2.uunet.ca>
Source record: 85908

I have a very HI SWR on my transceiver when I drive
my SB-200 on 20,15 and 10 meter.
The input coil in the linear are not ajustable.Problably
the input is not at 52 homs.Can you tell me if I can change
the input coils with ajustable coils

Thanks, Pierre VE2MP

883. 160m or 6m VFO for Gonset Commander?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7f7m78$hj4$1@news2.bit-net.com>
Source record: 85909
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have just acquired one of the little passive VFOs
that match the Gonset Commander transmitter
(160-6m AM/CW).

I had forgotten that it didn't cover 160m, though I did
know that it didn't cover 6m.

Anyone aware of a VFO or VFO circuit for 160 and/or
6m for the Commander?

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net or 603-894-1174
~~~

884. Need Drake L-7 relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: AMFONE@CONCENTRIC.NET
Message-ID: <7f7qpq$4ss$1@nnrp1.dejanews.com>
Source record: 85910

Hello
I have a really nice Drake L-7 amp..that I have had for 20 years..
Recently the relay went out in it and I am in need of finding the original
one used by Drake.. If you have a new unused relay for the Drake L-7
I sure would like to buy it to get the amp back on the air....
please let me know
thanks
73 tim
wb8uhz

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

885. Re: Looking for Tubes Detroit MI area

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7f7nk8$e0j6@eccws1.dearborn.ford.com>
Source record: 85911
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

In article <aa010-15049916230800001@aa1-240-214.detroit.usabestnet.net>,
aa010@detroit.freenet.org says...

>Thanks for replies, direct and to NG.
>I had forgotten about Purchase Radio in Ann Arbor.
>I did find that NorWest Electronics in Livonia MI
>has a fairly good tube inventory (but didn't have
>what I needed this time). I was also referred to an interesting
>place, Tel-Van Electronics in Dearborn (Van Born Rd/Telegraph Rd area).
>Musty, dark place with that smell of old electronic stuff (like an
>old ham's basement), but lots of tubes (ones I needed) and lots
>of carded parts and loose parts in bins.

Aww, DUH!!! <smack> How could I have forgotten about *that* one? Only
about a five minute drive away from here, too... :^)

Tel-Van is a real dive of a store, and not the friendlist staff on the
planet, but they have some good stuff there. Try finding 8V fuse lamps
for a Marantz stereo or an exact replacement whip for a Panasonic RF-2200
anywhere else -- was able to get both from them. Always worth a try in
a pinch.

C.K.

886. FS: Rare Ten-Tec Model 234 Speech Processor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37177992.6868EBD9@cfu.net>
Source record: 85912

Excellent condition, works perfectly, includes complete manual. One of the best ever made. $100 + shipping.

887. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37177A55.DE766DD6@jorsm.com>
Source record: 85913
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.audio.tubes,rec.antique.radio+phono

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6
20.00 6BQ5 9.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950
75.00 6CZ5 5.00
6AZ8 5.00 6LB6 20.00 7558 10.00 6ME6 25.00 6DJ8
5.00 7199 USA 20.00
12BY7A 7.00 24LQ6 15.00 6JT6 20.00 5AR4 12.00 5753
7.00 12AX7 US 10.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

888. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37177A76.D78993ED@jorsm.com>
Source record: 85914
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace,rec.audio.tubes,rec.antique.radio+phono

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6
20.00 6BQ5 9.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950
75.00 6CZ5 5.00
6AZ8 5.00 6LB6 20.00 7558 10.00 6ME6 25.00 6DJ8
5.00 7199 USA 20.00
12BY7A 7.00 24LQ6 15.00 6JT6 20.00 5AR4 12.00 5753
7.00 12AX7 US 10.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

889. Wanted: Collins 312B4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904169242.AA924287642@ccmail.ghs.int>
Source record: 85915

Wanted: Collins 312B4 and related S-line accessories. Also need SM-1 deskstand.

Price and condition please in reply.

890. Wtd: Power Supply for SP-200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904169242.AA924288236@ccmail.ghs.int>
Source record: 85916

As I search for parts for my homebrew power supply,
I have to ask:

"Does anyone have a Hammarlund SP-200 series supply
surplus to their needs?".

If so, please reply with price and shipping information.

Thanks.

891. Sell Drake tr4cw

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: guy quartarone <guyq@worldnet.att.net>
Message-ID: <7f83a0$26u$1@bgtnsc01.worldnet.att.net>
Source record: 85917

Drake tr4cw beautiful cosmetic condx been sitting in storage does not transmit and weak on receive with nb and ac4 and original manual 250.00 plus shipping tnx Guy

892. FS 2 Swan 270B's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7f83qp$acl@chronicle.concentric.net>
Source record: 85918
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS 2 Swan 270B xcvrs
#1 is VGC a minor scuff on face and all good tubes. Works on all bands. Original knobs with aluminum brights. Looks about 8+ out of 10. With copy on manual.
Asking $155 plus shipping

#2 is in fair condition, face is good. Cabinet is fair. Radio plays but needs a little help. With copy of manual. About 6 out of ten.
Asking $95 plus shipping.

All reasonable offers considered, cash or trade.
Looking for Zenith Transoceanics or any Drake receivers.

Thanks

Butch

893. Kenwood R-599 T-599 cnnct cable

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <3717A21D.86E88CBB@sprint.ca>
Source record: 85919

Sorry to take up bandwidth, but I deleted the address of the gent who wanted to know how to homebrew a cable for R-599 to T-599. Thanks to a very generous list member I can now give informed advice.
For any who are interested, write me directly for a copy of a typical response from a parts supplier. Kinda humorous if it wasn't so aggravating. (and to think tyhey want $80 for the cable!!!)

894. NC2-40-D question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990416172325.20560.00002679@ng-fi1.aol.com>
Source record: 85920

Hi all,
The National NC2-40-D is up and runing. It appears to be VERY sensitive on the higher bands (14-30 mhz). The 2 questions for today are:Is the 's' meter suposed to light up? And why is this set SO good on the upper bands while the only comparable set that I have in it's class (a Hallicrafters SX28A) falls off dramatically in reception in the upper bands? The next comparison test will see how the NC2-40-D performs overall against the dreaded NC183D...
Any feedback will be appreciated.
rgds,
Mark S.

895. Need a NC2-40-D manual copy?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990416172501.20560.00002680@ng-fi1.aol.com>
Source record: 85921

Hi all,
I have good copies of the manual for the National NC2-40-D. If you need one,
let me know via email.
rgds,
Mark S.

896. Re: marconi radio HELP!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <3717D862.338F@nbnet.nb.ca>
Source record: 85922

Howdy Rick....I'd be glad to try to help but you need to let me know what you need or at least, the model number of the Marconi rig you're working on.
73 - Gord VE1AJF

897. FT: Shure "oval base" microphone stand

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9904169243.AA924303844@ccmail.ghs.int>
Source record: 85923

For trade: Shure "oval base" microphone stand. Has
under-carriage vernier tilt adjustment. Grey hammer-tone
with neat Shure emblem on front.

Will trade for EV-664 mic stand or other high impedance
period microphone. Do not want the D-104. Please send
.jpg in reply if you have one.

Also have Shure "controlled reluctance" mobile microphone
which was popular for the KWM-2, with Collins plug. Looks
almost identical to the MM-1 but is a better microphone. This
was the model 505-C. Case needs repainting (an easy chore).
A very desirable and increasingly rare microphone. Will trade
for CP-1 crystal pack.

Other trade suggestions considered. These are not for sale.

73, Doug

898. FS Johnson 500 RF Deck only

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: "Paul N. Katz" <w5ntq@pdq.net>
Message-ID: <3717C218.B02C5F0@pdq.net>
Source record: 85924

Sell Johnson 500 RF deck $700, no power supply/modulator. Good condition, cabinet new paint, front panel paint and lettering good with some scuffing on top edge. Pick up or can have packed and shipped from Houston, Tx.

899. Wanted: Hallicrafters S38 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Michael Gray Anthony <mganthon@unity.ncsu.edu>
Message-ID: <3717C5DE.719A880F@unity.ncsu.edu>
Source record: 85925

Hey all,

I'm looking for a copy of a manual or schematic for a Halli. S38. If you'd like, you could just scan in the schematic and send it to me. That would work fine. Please repy to my email address if you can help me out: mganthon@unity.ncsu.edu

Thanks,
Gray KE4QIU

--
--One Man's Sunset is another Man's Dawn. -- Fievel Mouskawitz
--The art of flying is to throw yourself at the ground and miss. -- Douglas Adams
--"From what we get, we can make a living; what we give, however, makes a life." -- Arthur Ashe
--Don't cry because its over, smile because it happened.
--Have a nice day! :-)

ICQ # 22931469

-- M. Gray Anthony KE4QIU

900. OFF Topic Old Typwriter repair manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be8863$3697a400$991a99cf@ve6nap1>
Source record: 85926

Have a number of older typewriter repair and parts manuals
and would like to find them a new home....
No charge for the manuals BUT you must take all

These include the following

IBM Mag Card II Typewriter Operating instructions

IBM Mag Card II Typewriter Applications Supplement

Ames Basic Manual For Electric Typewriters
Covers
: IBM Selectric
: IBM C and D
: Underwood
: Smith Corona
: Remington
: Royal

Randmar Parts catalogue

Etc.

about 10 lbs worth
Pick up in Edmonton, AB ,Canada ((780)-465-3082
or
Shiping and postage for surface parcel post should run about 10.00 U$ funds

in CONUSA and canada

email if intrested..
to ve6nap@oanet.com

901. Re: Wanted: Hallicrafters S38 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Michael Gray Anthony <mganthon@unity.ncsu.edu>
Message-ID: <3717D035.30D4603F@unity.ncsu.edu>
Source record: 85927

Oh well, I answered my own question, found one online.

Thanks,

Gray KE4QIU

--
--One Man's Sunset is another Man's Dawn. -- Fievel Mouskawitz
--The art of flying is to throw yourself at the ground and miss. --
Douglas Adams
--"From what we get, we can make a living; what we give, however, makes
a life." -- Arthur Ashe
--Don't cry because its over, smile because it happened.
--Have a nice day! :-)

ICQ # 22931469

-- M. Gray Anthony KE4QIU

902. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: PoppaPump <poppa0pump@aol.com>
Message-ID: <bqQR2.1042$o31.27043@news2.voicenet.com>
Source record: 85928
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

You are also correct I, believe Roy is wrong

--

>
>Within the past month or so, I purchased a *new* Model 43 with a *new* 250H
>element. I compared it with a recently calibrated Boonton Model 92B RF
voltmeter
>and 50 ohm load setup. The readings compared as closely as I could read the
scale at
>all levels from 10 watts to 250 watts. I found this to be impressive. I
found the
>accuracy to be quite a bit better than the "guaranteed 5% of full scale".
>
>The meter scale on the 43 is highly compressed at full scale but spreads
out greatly
>at readings below full scale and is easier to read. For example, midscale
is about
>80 watts. At 40 watts the error is not +/- 12.5 watts for a 250 watt
element. It is
>definitely not off by 31% at 40 watts.
>
>5% of 250 watts does not imply 12.5 watts at "all" meter readings. That is
not what
>the term means. In fact, the term doesn't really say much of anything about
the
>accuracy at lower readings.
>
>The manner in which they mark the meter scale indicates the confidence they
have in
>those markings. The validity of the markings is verified at the factory,
where they
>have made more than 230,000 Model 43s. The skeptical owner should verify
this for
>himself, as I did.
>
>The nonlinearity of the meter scale has to be considered.
>
>I also checked my new 1000H element with the same results.
>
>Bill W0IYH
>
>

>

903. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: PoppaPump <poppa0pump@aol.com>
Message-ID: <uDQR2.1046$o31.27140@news2.voicenet.com>
Source record: 85929
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

We must also take into consideration the bird meters slug, they vary greatly
from one to another. Take 3 different slugs all of them the same power
rating you will see 3 different readings

William E. Sabin wrote in message <3717322A.25148D5A@mwci.net>...
>I took some data on two 2 inch panel meters that I bought in 1946, 53 years
>ago. For 10 years they were in a CW transmitter, needles flopping around at
>25 WPM. A Beckman 310 with accuracy of 0.75% +/- 1 digit was the reference.
>Both meters are rated nominal 3% of full scale.
>
>Meter number 1: 0 to 50 mA:
>Reading Actual % error
>50 48.5 3.0%
>40 39.1 2.3%
>30 29.1 3.0%
>20 19.7 1.5%
>10 9.5 5.0%
>5 4.0 20%
>
>Meter number 2: 0 to 200 mA:
>200 198 1.0%
>150 149 0.7%
>100 102 2.0%
>50 51.5 3.0%
>25 26.1 4.2%
>
>So much for the intuition that a panel meter that is specified only at full
>scale cannot be trusted in regions above, say 20% of full scale.
>
>Bill W0IYH
>

904. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <3717E430.87778339@teleport.com>
Source record: 85930
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

PoppaPump wrote:
>
> You are also correct I, believe Roy is wrong

Which of my statements was wrong?

I hope no one thinks I'm claiming that no individual Bird wattmeter can measure more accurately than its specification. (In fact, I'm quite sure that all of them do. And in many cases, an individual meter with an individual slug might commonly be a great deal better.) All I've said is that the Bird accuracy specification of 5% of full scale means that they guarantee that the reading will be within 5% of full scale. With a 250 watt slug, this means +/- 12.5 watts. They don't have different specifications for different parts of the scale, so it applies to a reading anywhere on the scale. If they stated the spec as "5% of full scale at full scale" with no more information, then the only reading they'd be guaranteeing is full scale, with no guarantee of accuracy anywhere else on the meter. If they specified "5% of reading", the guarantee would be, for a 250 watt slug, 12.5 watts at full scale, 6.25 watts at the 125 watt level, and so forth. But neither of these is what the specification says.

If this is what you disagree with, there's nothing more I can really add to the discussion. Either you take specifications literally, as I do, or interpret them in some other way as Bill does. If I made some other statement that you believe was wrong, I'll be glad to listen to your reasons for thinking so.

Roy Lewallen, W7EL

905. N6HKF addition to crooked hams list

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7f8r4s$o25$1@ostrich.cybercomm.net>
Source record: 85931
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I keep a 3M postit on my monitor with emails and call letters of internet
people who have been less than honest with various dealings.
In short, the 'shit list'.
The newest member is Chuck Olive N6HKF.
Earlier this week, he posted several items for sale. I was 'on-line' at the
time and replied right away that I would take it, so I thought I would have
a fair chance at being the first respondent. This was in the evening.
Sure enough, I got a message back the next morning that I was the first to
reply and to send my address for calculating shipping. I sent off my
address,
and checked again that night for the full amount. Nothing. I checked the
next
morning and still nothing. I then sent a message asking if he got my
address.
That night I got a message "sorry, the unit is sold"
I replied reminding him that he sold it to me. He said he waited, and just
thought
I lost interest. Oh, he said he did get my message with an indication that
it went through 3 retries or something like that.
Anyway, clearly something else went on. If I was selling something and sold
it and was waiting for the address, I would surely send a message after 2
days
or so saying I didn't get your address, did you send it??
So, my advice would be to keep track of jokers like this, Perhaps with a
little stick on note like I do so you can avoid them in the future.
Good luck all !
Dave Edwards WB2TBB

906. Test

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: John C <N0URE1@msn.com>
Message-ID: <#gZKj$Fi#GA.313@upnetnews05>
Source record: 85932

Only a test.

907. FS: E.F. Johnson Viking Adventurer Novice Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-16 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7f96cs$i85$1@user2.teleport.com>
Source record: 85933
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: E.F. Johnson Viking "Adventurer" Novice CW Transmitter. 50 watts input. Picked this up at an estate sale today - the cabinet is in poor condition. Two -toggle switches added to the front panel, a hole in the top of the cabinet, the AC cord has been cut off, and the rear panel has had a big section removed and replaced with an aluminum panel. The meter, switches, and knobs are original. Not tested, with partial original manual copy. Probably best as a parts radio. $40.

ALso picked up some other BA's that will be listed separately - a hallicrafters SR-160 SSB Transceiver (no supply), a Drake TR-4 with AC-4 supply and MS-4 speaker, two-Drake supplies (one-AC-4 and one-DC-4) with another MS-4 speaker, E.F. Johnson Directional Coupler. Some things probably going to eBay (a 75A-4, a Johnson Invader 2000, a Johnson Ranger and a Ranger II, HQ-170 and matching speaker, Heath AT-1, etc. etc.)

Larry
larryj@teleport.com
(503) 246-5645 home

908. your xtal cal. 100 kcs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3717D442.275B@sympatico.ca>
Source record: 85837

hello
I have probably the same and I use 9 volts as battery.it is very small
unit hi..
73
VE2AMK Quebec city

909. FA 6LQ6/6JE6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3717D718.5BD@sympatico.ca>
Source record: 85838
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Pair of 6LQ6/6JE6 Sweep tube finals for auction:

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=91976393>

910. Re: Johnson viking I Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: davek2dp@aol.com
Message-ID: <19990417023741.29406.00001625@ng43.aol.com>
Source record: 85839

Hi mark,

Interestingly enough, I just acquired a nice Viking 1 also. I would guess that one of the Manual suppliers would have a manual for sale. I need one also, but haven't checked to see who has them.

The crystal board is not a master oscillator board as you see in the modern rigs today. The Viking 1 is a crystal controlled transmitter. It does not contain a VFO. EF Johnson made an outboard VFO for the transmitter called a VFO-122 (if I am correct). The crystal board you are looking at will allow you to have 10 different crystal controlled transmit frequencies. You can buy individual crystals from several sources, including Petersen Crytal and JAN Crystals.

The 807's are used as modulators in this transmitter, while the 4D32 is the final output tube. All these tubes are still available from various dealers such as Antique Electronic Supply in AZ. I also have some spare 807's if you actually want to buy them from me. (I don't normally sell parts)

Hope that helps you out with your rig. The viking 1 was made in 1951.

73 and have fun with your restoration,
Dave, K2DP, St. Louis
73,
Dave, K2DP
St.Louis

911. Laughing Policemen! you can count on us 2426

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: gnfrykman@aol.com
Message-ID: <%mXR2.70751$Eb.14803@nnrp2.clara.net>
Source record: 85840
Cross-posted to: alt.sports.baseball.pitt-pirates,alt.tv.pirate,alt.pirate.radio,alt.games.microprose.pirates-gold,alt.radio.pirate,alt.usenet.pirated.agent,rec.radio.amateur.boatanchors

Laughing Policeman Wireless Society, visit our web site for the best alternative radio amateur club.

http://www.laughingpoliceman.com

Submit articles, new links, and press cuttings to Brian G8ASO g8aso@hotmail.com

Seventy Trees G0GNF

efrxtjkfvtqoqypiveswvopfdxbsdlkhxycirmnmzldjobpphzpyghpykkutcqqwbxgssl

912. Tektronix 547 Relay Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Chuck Curran <ccurran@execpc.com>
Message-ID: <7f9q7r$eip@newsops.execpc.com>
Source record: 85841

I have a need for a replacement relay or just the relay coil for a Tektronix 547 vacuum tube oscilloscope. The Tek part number is a 148-019. If you have one laying in a drawer somewhere or an old dead scope, please contact me -- Thanks

ccurran@execpc.com

Chuck Curran

913. Parting out Halli S-22R

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Windows 95 INNOVA Media User <cleidner@worldnet.att.net>
Message-ID: <01be88c9$d67a5ce0$2c13460c@default>
Source record: 85842

```
Parting out Hallicrafters S-22R.
Similar to S-20R except ac/dc
Let me know your needs.
Charles
```

914. Re: your xtal cal. 100 kcs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: pierretr@collegebdeb.qc.ca
Message-ID: <K1%R2.236$YG3.12289@wagner.videotron.net>
Source record: 85843

In <3717D442.275B@sympatico.ca>, Claude Bouchard <claude.bouchard8@sympatico.ca> writes:
>hello
>I have probably the same and I use 9 volts as battery.it is very small
>unit hi..
>73
>VE2AMK Quebec city
Merci beaucoup Claude!

It is very small considering the period it was made. I almost did try it with
this battery, as the ratings on the transistor say it is good to 18 volts.
But if I toast it, I will have to redesign it entirely as nobody will sell be a
2N409 anymore - even if the calibrator has a nice transistor socket!

915. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <7fa214$2k$1@nnrp1.dejanews.com>
Source record: 85844
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave

Irv Finkleman <finkirv@cadvision.com> wrote:

:
:--------------4C14893D274E780E4335D96E
:Content-Type: text/plain; charset=us-ascii
:Content-Transfer-Encoding: 7bit
:
:Well Said!
: Irv VE6BP

You win the award for the most wasted space in a news group.
Quoteing a large amount of text TWICE and adding unnecesary
extra code was a master stroke. To top it off by adding only
one line was unbeatable.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

916. WTB: Front Panel Handles for 51J-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Jeff Anderson <jeffa@ix.netcom.com>
Message-ID: <7f9vjj$2u7@sjx-ixn1.ix.netcom.com>
Source record: 85845

I'm looking for the front panel "handles" that are on either
side of a 51J-4's front panel.

Thanks!

- Jeff, WA6AHL

917. WTB: Johnson Courier Amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: johnmbXX@mindspring.com
Message-ID: <37188a0c.8795188@news.mindspring.com>
Source record: 85846

Looking for a functional Courier amp.
Thanks very much!
/John
wb5oau/4

johnmb@REMOVETHISCAPSPARTmindspring.com

^^^^^^^^^^^^^^^^^^^^^^^^^^^^

Remove secton in caps...anti-spam munging

918. FS..ART-13 Conversation Book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <371b8838.9862141@news.i-2000.com>
Source record: 85847

FS..Conversation notes on ART-13 by K5MKI...this book deals
mainly with converting the ART-13 for use as a homestation AM rig...it
takes you through the radio section by section, explaining the various
functions of each stage, and what if any problems might be encounted
when converting this radio...Such things as additional cooling are
discussed, and illustrated, plus converting the filaments to AC, pi
out-put changes, and even discusses ways to add an external SSB
generator..and of course an AC power supply is discussed, and
illustated...its 23 pages full of concise info for anyone who wants to
understand, or convert his ART-13...$25.00shipping included CONUS
Bob..K2LGO....Pse remove the (ns) from my adr......

919. Audio Mods for B&W 5100-B?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: ezela57383@aol.com
Message-ID: <19990417102137.24017.00001974@ng14.aol.com>
Source record: 85848

Can anyone assist in directing me to any audio mods for the B&W 5100B...outside of fattening up the coupling caps?

Thanks

KA8GEF

920. Wiring D-104

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: The Talking Bird <knot@all.com>
Message-ID: <7fa5er$s27$1@camel19.mindspring.com>
Source record: 85849

I hope some one can help with this.

I want to wire a D-104 to use with a kenwood TM 231A
I also want to wire another D-104 to use with a Yaesu FT 5200

Any info is appreciated.

73

921. National NC270 manual !!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <924359736.617.41@news.remarQ.com>
Source record: 85850
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello All,

I recently acquired a National NC270 receiver . It needs a bit of work. Does anyone have a copy of the manual available?

Tnx es 73,

Russ W8RHJ

922. WTB: Bencher Paddles

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <3718a311.1899150@news.znet.com>
Source record: 85851
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I'd like to buy some used Bencher Paddles.
Please state model, condition and price
with first email.

To email, remove the nospam and replace with sd.

TIA,
Walt...
Wally's Wacky World
http://www.znet.com/~wa6fec

923. Re: NC2-40-D question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Al Klase <skywaves@bw.webex.net>
Message-ID: <7fab5s$7e1$1@nnrp1.dejanews.com>
Source record: 85852

In article <19990416172325.20560.00002679@ng-fi1.aol.com>,
nc183d@aol.com (Nc183d) wrote:
The 2 questions for today are:Is the 's' meter
> suposed to light up?

Yes. Mine has a #47 bulb held in the hole in the back of the meter held with
a rubber grommet.

>And why is this set SO good on the upper bands while
>the
> only comparable set that I have in it's class (a Hallicrafters SX28A) falls
> off dramatically in reception in the upper bands?

The short answer is quality. Plus all that sliding coil jazz counts for
something. However, SX-28's can be notoriously difficult to restore to
origninal performance. E.g., coil forms in the non-A's are pretty poor:
absorb moisture etc. -- Al Klase - N3FRQ skywaves@bw.webex.net Web Page:
http://www.webex.net/~skywaves/home.htm

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

924. FS: 8417 GE NIB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: rh3333@aol.com
Message-ID: <19990417113405.14518.00001433@ng136.aol.com>
Source record: 85853

NEW IN THE BOX GE 8417 - TESTED FOR NOISE LEVELS - $48 EA 1-5 $45 EA 6-10
$42EA 10+
SUBJECT TO PRIOR SALE

925. KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3718ad01.16376116@news.earthlink.net>
Source record: 85854
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

J1aguiar & friends,

I really think NO-CODE is a mis-nomer.

They SHOULD be called ANTI-code, for that is the net effectof their destructive efforts, in my opinion.

I wonder if anyone has seen this rather axcellent and well thought-out editorial by KA7NOC from his web site?
= = = =

KA7NOC on CW

Well, it had to happen sooner or later ! My opinion on the morse code requirement for obtaining an amateur radio license ! I debated for several months whether or not to add to the many opinions on the web. And decided , what the hay, I'm going to do it ! Obviously since this seems to be a "CW" site, you must have guessed by now that I enjoy operating radio using the morse code for communication between myself and other hams ! So you probably already know where I stand on the issue. At any rate, here is my opinion on the subject. First off, I want to say that I am not an "O.F" (that's Old Fart for the unwashed !). I'm in my mid 30's and have held "KA7NOC" since 1982. I came into the hobby near the end of the era where you had to go to the F.C.C. to take the amateur exam for any class license other than the "novice" license. In fact , I never went to the F.C.C. to take any exam. By the time I was ready to upgrade to "General", the V.E. program was well under way. Why does that matter ? Well, I just wanted you to know that I am not set in my ways . I'm from the spaceage man !!! The code (in my opinion) should remain a license requirement for operation on the HF amateur bands. What some people don't realize is this is an international agreement among other countries which belong to the ITU , International Telecommunications Union. This is not just an F.C.C. , A.R.R.L , U.S.A. issue ! Several countries would have to agree to abolish this requirement from their licensing structure as well. I have heard all of the argument's for and against , with valid points on both sides. However, I still am on the pro-code side of the fence.

Some have said , " I can't learn the code " . Hogwash, anyone who set's their mind to it can learn the morse code. It simply is not that difficult, and 5 WPM is very slow. Besides , the amateur community has given up the code requirement on the VHF bands. So in reality, you don't need to learn the code to obtain an amateur radio license. This always happens when there is a lessening of the requirements in any organization, they always want more ! Just give me a piece at a time !

I will admit, when I first became interested in amateur radio I thought, "oh man , I gotta learn the morse code ? " . But let me tell you something , that was the most challenging part of the whole license ! And I am glad that I stuck with it , it took me over 4 years to buckle down and get serious about it . Most non-hams that visit my shack are amazed that I know the morse code ! They are more interested in that aspect of the hobby than anything else !

So why the code ? This is the 90's not the 30's ! That's right, and all the more reason we should keep this requirement. It is what makes amateur radio different from the other radio service's. It's tradition, history and pride. We are so quick to get rid of things that have a rich history and are traditional. What is wrong with sticking with tradition anyway ? Always giving in to the ill- informed for fear of "loosing" something ! Something else to consider, how do you know you won't like something if you never give it a try ? I mean a real try, not just 5 wpm code either. I'm talking about being able to carry on a conversation with someone in code as you would on phone. It is being done everyday , you are just not hearing it ! I have heard many times both on the air and over the internet about people who hated the code , until they mastered it. Don't sell yourself short by thinking the code is too hard, you are probably smarter than that ! Consider it a challenge, not a deterrent ! Do you see the class as half full or half empty ?

Some have said , " why not test on the use of other modes of communication's as well ? ". They are right, and I think they do. I remember studying about RTTY and satellites when going for my extra class ticket. And I think they should require that you have a working knowledge of other modes just as they do with CW ! The only real argument the anti-coders have is that the code is outdated as a form of communications, and they are right there ! UPI is not sending news via morse code, that's for sure ! But the amateur radio service is not UPI or the Coast Guard or NASA. The amateur radio service is just that "amateur" .

I don't plan on using the code, so why should I have to learn it ? Well, what if you don't plan on building any of your own gear ? Should you not have to be tested on the electronic theory part of the test as well ? Or what if you only want to fly remote control airplanes using VHF/UHF amateur radio freqs. ? Should you not be required to be tested on the HF band segments because you don't plan on using them anyway ? Where does it end ? It is easier than ever before to obtain an amateur radio license. With VE exams given every month or so in many different locations across the country, test questions over the internet etc. The only real challenge is the code requirement ! And some countries require you to send as well as receive ! Lets face it , there are certain requirements for getting an amateur radio license, once you meet those requirements and pass an exam you obtain those privileges ! Simple, eh ?

Well, there you have it folks, my opinion on the code requirement. Like it or not , I stand by it ! Try to remember that this is only a hobby and we are all members of a small community of people sharing the same interest's . Find an elmer to help you learn the code , you may be surprised at how fun and challenging it really is! "

- KA7NOC

926. Re: N6HKF addition to crooked hams list

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: "Mike B. Feher" <n4fs@monmouth.com>
Message-ID: <7fades$e8r$1@news.monmouth.com>
Source record: 85855
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Sorry to hear about your unfortunate incident, with a fellow ham yet. Good suggestion about the yellow stickies. Or maybe a little pocket note book. It used to be there were only one or two of these types and you could remember them. I guess they multiplied. 73 - Mike

--
Mike B. Feher, N4FS
89 Arnold Blvd.
Howell, NJ, 07731
732-901-9193

927. WANT Icom R-71A rcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3718c674@news1.us.ibm.net>
Source record: 85856
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Looking for a pristine icom R-71A rcvr. State condx, price, options, remote controller?, filters, etc. etc. I will buy outright or trade you my Cubic Astro 103 or cherry TS-520S with DG-5 digital readout.

Lane Zeitler
Ku7i
San Diego

928. Cubic Astro 103 HF rig $375 shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3718c77d@news1.us.ibm.net>
Source record: 85857
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

160-10 meters including WARC. Dual VFOs built in. Full QSK. AF, IF, and RF gain. Continiously variable AGC. PBT and notch. A cw ops dream rig. Selling because I want an icom R-71A rcvr. Power out on 160 is 10 watts for some reason. All other bands are full output, 100 watts. I have all the scats and service documentation. price is $375.00 shipped Continental US only.

73s

Lane Zeitler
Ku7i
San Diego

929. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Alan <alankg@siscom.net>
Message-ID: <3718c5fe@news.siscom.net>
Source record: 85858
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Yes, I admit it ! I am ANTI-CODE ! For hams that want to use code, I say fine, go for it. But maintaining code proficiency as a requirement for HF usage is totally ridiculous and completely without merit! Face it guys, code has no place in modern communications except as a hobby. If I either desire or for some reason I cannot possibly imagine need to transmit code, I can have my PC do it with far greater proficiency than anyone using a key. I see it as a live and let live proposition...for those that wish to keep using this dusty dinosaur from the past, I say fine. But in the same regard keep your noses out of my business when I wish to have no knowledge of the same dusty dinosaur.
Cedric <sabbatai_zvi@hotmail.com> wrote in message
news:3718ad01.16376116@news.earthlink.net...
J1aguiar & friends,

I really think NO-CODE is a mis-nomer.

They SHOULD be called ANTI-code, for that is the net effectof their destructive efforts, in my opinion.

I wonder if anyone has seen this rather axcellent and well thought-out editorial by KA7NOC from his web site?
= = = =

KA7NOC on CW

Well, it had to happen sooner or later ! My opinion on the morse code requirement for obtaining an amateur radio license ! I debated for several months whether or not to add to the many opinions on the web. And decided , what the hay, I'm going to do it ! Obviously since this seems to be a "CW" site, you must have guessed by now that I enjoy operating radio using the morse code for communication between myself and other hams ! So you probably already know where I stand on the issue. At any rate, here is my opinion on the subject. First off, I want to say that I am not an "O.F" (that's Old Fart for the unwashed !). I'm in my mid 30's and have held "KA7NOC" since 1982. I came into the hobby near the end of the era where you had to go to the F.C.C. to take the amateur exam for any class license other than the "novice" license. In fact , I never went to the F.C.C. to take any exam. By the time I was ready to upgrade to "General", the V.E. program was well under way. Why does that matter ? Well, I just wanted you to know that I am not set in my ways . I'm from the spaceage man !!! The code (in my opinion) should remain a license requirement for operation on the HF amateur bands. What some people don't realize is this is an international agreement among other countries which belong to the ITU , International Telecommunications Union. This is not just an F.C.C. ,

A.R.R.L , U.S.A. issue ! Several countries would have to agree to abolish this requirement from their licensing structure as well. I have heard all of the argument's for and against , with valid points on both sides. However, I still am on the pro-code side of the fence.

Some have said , " I can't learn the code " . Hogwash, anyone who set's their mind to it can learn the morse code. It simply is not that difficult, and 5 WPM is very slow. Besides , the amateur community has given up the code requirement on the VHF bands. So in reality, you don't need to learn the code to obtain an amateur radio license. This always happens when there is a lessening of the requirements in any organization, they always want more ! Just give me a piece at a time !

I will admit, when I first became interested in amateur radio I thought, "oh man , I gotta learn the morse code ? " . But let me tell you something , that was the most challenging part of the whole license ! And I am glad that I stuck with it , it took me over 4 years to buckle down and get serious about it . Most non-hams that visit my shack are amazed that I know the morse code ! They are more interested in that aspect of the hobby than anything else !

So why the code ? This is the 90's not the 30's ! That's right, and all the more reason we should keep this requirement. It is what makes amateur radio different from the other radio service's. It's tradition, history and pride. We are so quick to get rid of things that have a rich history and are traditional. What is wrong with sticking with tradition anyway ? Always giving in to the ill- informed for fear of "loosing" something ! Something else to consider, how do you know you won't like something if you never give it a try ? I mean a real try, not just 5 wpm code either. I'm talking about being able to carry on a conversation with someone in code as you would on phone. It is being done everyday , you are just not hearing it ! I have heard many times both on the air and over the internet about people who hated the code , until they mastered it. Don't sell yourself short by thinking the code is too hard, you are probably smarter than that ! Consider it a challenge, not a deterrent ! Do you see the class as half full or half empty ?

Some have said , " why not test on the use of other modes of communication's as well ? ". They are right, and I think they do. I remember studying about RTTY and satellites when going for my extra class ticket. And I think they should require that you have a working knowledge of other modes just as they do with CW ! The only real argument the anti-coders have is that the code is outdated as a form of communications, and they are right there ! UPI is not sending news via morse code, that's for sure ! But the amateur radio service is not UPI or the Coast Guard or NASA. The amateur radio service is just that "amateur" .

I don't plan on using the code, so why should I have to learn it ? Well, what if you don't plan on building any of your own gear ? Should you not have to be tested on the electronic theory part of the test as

well ? Or what if you only want to fly remote control airplanes using VHF/UHF amateur radio freqs. ? Should you not be required to be tested on the HF band segments because you don't plan on using them anyway ? Where does it end ? It is easier than ever before to obtain an amateur radio license. With VE exams given every month or so in many different locations across the country, test questions over the internet etc. The only real challenge is the code requirement ! And some countries require you to send as well as receive ! Lets face it , there are certain requirements for getting an amateur radio license, once you meet those requirements and pass an exam you obtain those privileges ! Simple, eh ?

Well, there you have it folks, my opinion on the code requirement. Like it or not , I stand by it ! Try to remember that this is only a hobby and we are all members of a small community of people sharing the same interest's . Find an elmer to help you learn the code , you may be surprised at how fun and challenging it really is! "

- KA7NOC

930. FS: Hallicrafters SR-160 HF SSB/CW Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7fagri$pr2$1@user2.teleport.com>
Source record: 85859
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

From an estate sale - a Hallicrafters SR-160 HF SSB/CW Transceiver, covers
80 thru 20 Meters. No power supply, so not tested. $65 plus UPS.
Larry

931. WTB: Gold Lion Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: ldaniel102@aol.com
Message-ID: <19990417135802.03515.00001996@ng15.aol.com>
Source record: 85860

Hi. Looking to buy NIB Gold Lion tubes for a collection of the different types from this source. Looking for those types not on the high demand list but are Gold Lion packaged. Also looking for info on what types in total were marketed by Gold Lion. Thanks for the help. Larry

932. WTB: NC-183D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990417143550.13857.00002005@ng-fa1.aol.com>
Source record: 85861

Looking for a nice nc-183d, original, working and the correct knobs.
No extra holes please.
Jim, w9ud
Moline, IL

933. NRD -JRC 525 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: hitriode@iinet.net.au
Message-ID: <3718d944.3057283@news.m.iinet.net.au>
Source record: 85862

JRC-NRD 525 for sale
Looks like new. Standard model.
$US.600. Including Economy Air shipping

934. FA: SBE SB-34 HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7famn9$mo1$1@autumn.news.rcn.net>
Source record: 85863
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

At auction on eBay, an SBE SB-34 HF transceiver in excellent condition.
Please point your browser to

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92324613

Thanks.

Mike, N4PDY

935. FS: Heath AM2 Vintage SWR Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990417163038.00321.00002887@ng-fp1.aol.com>
Source record: 85864

This AM2 is in exclt condition. $15 shipped.

936. WTD Datong filter info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: J Peitsch <peitsch@concentric.net>
Message-ID: <7fasjs$ruc@chronicle.concentric.net>
Source record: 85865
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave

Anyone have info on a Datong FL-1 Frequency agile audio filter made about 1978 and imported from England by AR Technical Products Corp in Birmigham, MI. Any info will help especially hook ups on back panel and operating manual.

Thanks

Butch

937. Hallicrafters SP44 Panaoramic Skyrider

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990417172240.00321.00002923@ng-fp1.aol.com>
Source record: 85866

SP44 in decent shape physically but is missing power transformer and some other components. Probably a parts rig. $45 plus shipping

938. What is an 8106 tube?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990417173647.00321.00002934@ng-fp1.aol.com>
Source record: 85867

Can anyone telle me what an 8106 tube is? I think it is an industrial number for a commonly used tube.

73 Randy

939. FS: Collins MP-1 12 volt power supply for KWM-2/2a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7favdm$i5v$1@autumn.news.rcn.net>
Source record: 85868
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

12 volt dc power supply for Collins KWM-2 transceiver. In excellent condition, works fine. $75 + shipping. Email if interested. Thanks.

Mike, N4PDY

940. FS: Hallicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Gerald E Blankenship <eugene@auburn.campuscwix.net>
Message-ID: <3719018A.6A00@auburn.campuscwix.net>
Source record: 85869

Have the following, all in fair condition physically, don't know about
otherwise, just bought from estate of silent key.
SX-43, SX-42, R-44 Speaker, S38C, S-108,
Will take any reasonable offers...
Thanks Eugene

941. FA: Excellent Kenwood R-5000 World-Class Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <371907BF.EC19582F@cfu.net>
Source record: 85870
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

See ebay.com item # 90077292, auction ends 9:30 CDT Sunday 4/18.

942. Re: Commercialism on the newsgroups - shotgun posts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: PAW <73457.650@CompuServe.COM>
Message-ID: <u4wp6QSi#GA.225@nih2naad.prod2.compuserve.com>
Source record: 85871

Where are the shot guns you were selling? Please send a pic.

--
PAW TS 570 D NOW ON E-BAY 3/5/99.
(W9JMN@Compuserve.com) Check our site for mikes, ham, video, etc
http://ourworld.compuserve.com/homepages/w9jmn

943. Wanted Heath GR-78 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <3719158c@nemo.idirect.com>
Source record: 85872

Greetings All

Can anyone direct me to a site where I might find a schematic diagram for a Heath Portable shortwave radio GR-78? Or does anyone have it in their files that can email me?

Thanks in advance,

Keith, ve3gem

densmore@idirect.com

944. Re: What is an 8106 tube?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990417192302.22405.00002094@ng21.aol.com>
Source record: 85873

The 8106 was/is used as an amplifier or frequency doubler and goes up to 450 mhz.

brokebob

945. Western Electric 92B schematics FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <371922B8.41A7A546@ameritech.net>
Source record: 85874
Cross-posted to: rec.audio.tubes,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

I have two original Western Electric 92B schematics listed on eBay. One is 11x15 and is a "pictorial"; the other is 11x20 and is a schematic. Both include a parts list and notes. They came from the estate of a retired telephone company engineer. The listing can be seen at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92449210

Thanks,
Carter

946. Re: New 4-400

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: gaetan lavergne <ve3azq@accglobal.net>
Message-ID: <7fb79mbps1@news2.tor.accglobal.net>
Source record: 85875

I have (2) brand new in the box 4-400 amplifier tubes.
Will ship for 80.00US each
Tnx,Gaetan

947. Radio Estate Auction for Frank Krantz, Radioman, April 24-25

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <37192D35.5799@worldnet.att.net>
Source record: 85876
Cross-posted to: rec.antiques.radio+phono,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

To all,

Radio Estate Auction for Frank Krantz, Radioman, April 24-25.

I have created an on-line catalog with photos, so you can see what
will be auctioned next Saturday and Sunday. The list is extensive. It
is
split into a Saturday list and a Sunday list. I have included a map and
directions to the auction, which is at Frank Krantz's home in Somerdale,
NJ.

http://www.eht.com/krantz/

Frank Krantz was a Radioman all his life. In the last 25 years he
supplied everyone with tubes, radio parts, radios and you-name-it! He
advertised regularly in Antique Radio Classified and was well-known and
liked among collectors.

He leaves four Daughters who want to sell off everything from his
estate.

--
73' John Dilks, K2TQN

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum

Webmaster for the Antique Wireless Association
http://www.ggw.org/awa Click on "Page 2"
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio
-

948. FS: Johnson Viking 1 KW Matchbox

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7fbeebvud1@camel15.mindspring.com>
Source record: 85877

For Sale: Johnson Viking 1 KW Matchbox. Good condition. Includes coupler. $330, inlcudes insured shipping within continental US. For more info, email blyall@mindspring.com .

Bob, WB4BZG

949. WTB T-4XC or R-4C Main Tuning Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <3719412C.43EEDBF4@earthlink.net>
Source record: 85878

I have a nice Drake T-4XC transmitter with the wrong main tuning knob. The same one is also used on the companion R-4C receiver. If anyone has one they would be willing to sell me, I would appreciate hearing from you. Thanks. Lee Bahr w0vt

950. Re: What is an 8106 tube?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <371946d9@news1.us.ibm.net>
Source record: 85879

Randy:
The 8106 is a beam pentode which was designed for General Electric Mobile Radio about 1962 for use as a frequency multiplier in the Mastr Pro series of equipment. It is not clear what the *prototype* is, but my suspicions would center on the 6CL6 which is what we used in Progress Line which was the immediate predecessor. The 8106 is not a ruggedized 6CL6, however, as it was purpose designed for the application, where the predecessor was selected as the best available bottle for the application back in the 50s.

--
Crazy George

951. TRADE: 4cx250's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <37194a3f@nemo.idirect.com>
Source record: 85880

Greetings........
I am in need of a single 4cx350A, prefer NOS
I have two 4cx250B's I'd be willing to trade, NOS (also have 4cx250 F,G and R's.)

Thanks,

Keith VE3GEM densmore@idirect.com

952. WTB: March 1973 Ham Radio Magazine

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Roland <lroland@teleport.com>
Message-ID: <2_cS2.47634$A6.23760362@news1.teleport.com>
Source record: 85881

I'm looking for a copy of March 1973 Ham Radio with the article describing mods to the HW-16. Thanks /John WB7SWB

953. FA; Vintage (1920's) QST's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7fbnpj$795$1@birch.prod.itd.earthlink.net>
Source record: 85882

On E-Bay at;
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92598582
and
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92595562
and
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92590130
and
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92524602

954. HP 8640b opt 323

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <37196577.CA4D8ED@earthlink.net>
Source record: 85883

I have a HP 8640b for sale opt 323 working very nice
$300.00 shipped

955. Heathkit 100KC Xtal calibrator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: pierretr@collegebdeb.qc.ca
Message-ID: <lpQR2.92$YG3.2397@wagner.videotron.net>
Source record: 85934

I found a model HD20 Heathkit crystal calibrator, in standard Heath pale green/dark green colors. It uses a battery which has caps slightly larger than those on a 9 volt transistor battery, and which seems to be cylindrical and about the size of a C battery. Would anybody know what voltage it was? This circuit uses a single PNP germanium transistor (2N409) and is one of the first Heath transistorised devices...

956. F S OUTBACKER ANT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990416202733.09757.00001606@ng-fu1.aol.com>
Source record: 85935

I HAVE A NEW OUTBACKER MOBILE ANTENNA NEW
IN ITS CASE IT IS THE MODEL THAT SPLITS IN THE
MIDDLE WILL SHIP FOR $220 PLEASE INQUIRE 73 JOHNYK78

957. F S TENTEC HERCULES 11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-17 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990416203008.09757.00001608@ng-fu1.aol.com>
Source record: 85936

I HAVE A HERCULES 11 MOBILE AMP LOOKS LIKE NEW
THIS IS ALL SOLID STATE AND NO TUNE SOLD FOR $1375
WILL SHIP FOR 750 73 JOHNYK78

958. 28volt coil NEED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: NI4L <ni4l@bellsouth.net>
Message-ID: <37193BE7.A015FF67@bellsouth.net>
Source record: 85737

need 28 volt coli with "T" plunger for a coaxial Dow-Key relay has 259
connecters on Dow-Key in Rf Communication 102 amp
24 volt will work also thanks chris

959. Re: WTD Datong filter info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: jerry r <jerryrc@pobox.com>
Message-ID: <37195F77.5E6F1E1@pobox.com>
Source record: 85738
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave

I have that unit here, I have not used it in some time. I don't know If
I have a book or not. Will look this week.

960. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "Barry L. Ornitz" <ornitz+U@dpnet.net>
Message-ID: <0bdS2.1235$Bm3.87354@news20.ispnews.com>
Source record: 85739
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote in message <3717322A.25148D5A@mwci.net>...
>I took some data on two 2 inch panel meters that I bought in 1946, 53
years
>ago. For 10 years they were in a CW transmitter, needles flopping around
at
>25 WPM. A Beckman 310 with accuracy of 0.75% +/- 1 digit was the
reference.
>Both meters are rated nominal 3% of full scale.
>
>Meter number 1: 0 to 50 mA:
>Reading Actual % error
>50 48.5 3.0%
>40 39.1 2.3%
>30 29.1 3.0%
>20 19.7 1.5%
>10 9.5 5.0%
>5 4.0 20%
>
>Meter number 2: 0 to 200 mA:
>200 198 1.0%
>150 149 0.7%
>100 102 2.0%
>50 51.5 3.0%
>25 26.1 4.2%
>
>So much for the intuition that a panel meter that is specified only at
full
>scale cannot be trusted in regions above, say 20% of full scale.
>
>Bill W0IYH

Thank you for proving my exact point, Bill. The top meter is accurate to 3% of full scale or +/- 1.5 milliamp anywhere over its tested range. It meets this specification perfectly. Yet it is off by 20% [actually by 25% if you more correctly used (Actual - Reading)/Actual as the equation.] So the real accuracy can be quite poor and get worse the lower the reading - and yet remain true to the percent of full scale accuracy statement.

In the case of the second meter, the full scale accuracy is 1%. With only a percent of full scale accuracy statement, this meter must read to within 2 milliamps over its range. Yet at the low end of its scale, the 25 reading, it is off only 1.1 milliamps - much better than its accuracy statement. But again, the true accuracy based on a percent of reading is

over 4 times worse.

I think Bill has misunderstood my point - which is that percent of full scale as the SOLE accuracy statement tells you little about how well the instrument scales at lower readings. He has said that his *NEW* Bird was tested over its range and came out with an excellent report. This is great, and I am pleased for him. But someone else could have an identical model that met the same accuracy statement yet give entirely different results - especially on low readings. I would expect the models would be somewhat reproducible but without additional information, you cannot say for sure. Bill's data illustrates this exactly.

73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net

961. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <3719A182.52AE00AE@mwci.net>
Source record: 85740
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Barry L. Ornitz wrote:

> William E. Sabin wrote in message <3717322A.25148D5A@mwci.net>...
> >I took some data on two 2 inch panel meters that I bought in 1946, 53
> years
> >ago. For 10 years they were in a CW transmitter, needles flopping around
> at
> >25 WPM. A Beckman 310 with accuracy of 0.75% +/- 1 digit was the
> reference.
> >Both meters are rated nominal 3% of full scale.
> >
> >Meter number 1: 0 to 50 mA:
> >Reading Actual % error
> >50 48.5 3.0%
> >40 39.1 2.3%
> >30 29.1 3.0%
> >20 19.7 1.5%
> >10 9.5 5.0%
> >5 4.0 20%
> >
> >Meter number 2: 0 to 200 mA:
> >200 198 1.0%
> >150 149 0.7%
> >100 102 2.0%
> >50 51.5 3.0%
> >25 26.1 4.2%
> >
> >So much for the intuition that a panel meter that is specified only at
> full
> >scale cannot be trusted in regions above, say 20% of full scale.
> >
> >Bill W0IYH
>
> Thank you for proving my exact point, Bill. The top meter is accurate to
> 3% of full scale or +/- 1.5 milliamp anywhere over its tested range. It
> meets this specification perfectly. Yet it is off by 20% [actually by 25%
> if you more correctly used (Actual - Reading)/Actual as the equation.] So
> the real accuracy can be quite poor and get worse the lower the reading -
> and yet remain true to the percent of full scale accuracy statement.
>
> In the case of the second meter, the full scale accuracy is 1%. With only
> a percent of full scale accuracy statement, this meter must read to within
> 2 milliamps over its range. Yet at the low end of its scale, the 25

> reading, it is off only 1.1 milliamps - much better than its accuracy
> statement. But again, the true accuracy based on a percent of reading is
> over 4 times worse.
>
> I think Bill has misunderstood my point - which is that percent of full
> scale as the SOLE accuracy statement tells you little about how well the
> instrument scales at lower readings. He has said that his *NEW* Bird was
> tested over its range and came out with an excellent report. This is
> great, and I am pleased for him. But someone else could have an identical
> model that met the same accuracy statement yet give entirely different
> results - especially on low readings. I would expect the models would be
> somewhat reproducible but without additional information, you cannot say
> for sure. Bill's data illustrates this exactly.
>
> 73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net

Not so fast!

Look at the first meter. At 10 mA the error is 5% and according to the "rule" it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it should be 8.0%. For the second meter at 25 mA the error is 4.2% and it should be 8.0% if it is a 1% meter.

The conventional rule is not functioning very well here because it is too simplistic. If it were, the percentages at lower readings would be much worse. The top reading by itself does not tell the whole story about the accuracy of a particular specimen. Because of small system nonlinearities the % accuracy fluctuates across the scale. It can be pessimistic at full scale, for example. The data for meter #1 suggests this.

D'Arsonval Taut Band Meter folks "try" to maintain the best *average % error* over as much of the scale as they can, despite the conventional interpretation of full scale accuracy. The data shows this, and I have seen it many times.

I repeat: these meters don't just become real poor %-wise at lower scale readings.

More about the Bird wattmeter later.

Bill W0IYH

962. FS: Microphones--Classics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Sir Robin <nexus15@flash.net>
Message-ID: <3719C3E5.4AB7@flash.net>
Source record: 85741

For Sale Microphones (Classics)

I have the following microphones for sale:

Electrovoice V-2A Hi-Z Impedance Good condition--$275.

Electrovoice 731 Cardyne--large chrome head needs cleanup
and internal work--$125

Electrovoice 719 Desk communication microphone--Ceramic Hi-Z --$65
Similar to 619--Great for older Hi-Z input xceivers

Electrovoice 926 'Slim Crystal'--beautiful chromed desk microphone--$50

Brush BA 106--Acousticel--$50

Aiwa DM-17--1/2 size RCA 77 look alike--$125

Aiwa M-18--3/4 size RCA 77 look alike--$125

Astatic A-77 dynamic cardioid, chrome--$125

All with stands and spec sheet or catalog page copy.
I pay shipping, domestic US. International extra.

Thanks...Rick in Houston

963. tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: kb2ms@webspan.net
Message-ID: <3719c684.7378474@news.webspan.net>
Source record: 85742

have the following tubes, take them all.
1. raytheon rk4632 (b6246)
1. 12by7/12bv7/12dq7
3. 6er5
1. 6t8
2. 6bh6
2. 6t8a
3. 6ba6
2. 6be6
2. 6ke8
1. 6ejw7/efi84
4. 6x4
1. 6al5
1.575/6as6w
all are in boxes, new (no box for the rk4d32) kb2ms@webspan.net

964. FS: Drake TR4 Dial Assmbly (New)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990418081356.13856.00002085@ng-fa1.aol.com>
Source record: 85743

New Drake spare part....dial assembly with nylon gears for TR4 series. $10 plus shipping

965. Ham and mil bits FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <#W9SJjZi#GA.262@nih2naae.prod2.compuserve.com>
Source record: 85744

```
Heathkit RA-1 ham bands rx, working... 35.00
POED Reciver No 12, 30-100MHz, working... 25.00
A43 tx/rx, no acc's......... 40.00
Avo All Wave Signal Generator, 95KHz-80MHz... 25.00
Monitor Crystal Type 2, used with R1082/R1116.. 20.00
Oscilloscope, miniature, 2"............ 20.00
Airband Tx/Rx, xtal controlled, valved, mains powered..... 25.00
Midland 4001 cb.............. 10.00
Harrier cb...................10.00
BE-201 tx/rx with dc psu...... 80.00
BE-201 tx/rx for spares/rebuild..... 40.00
RAF WWII J switch, used with T1154.......35.00
80 Mtr amp, 5 in, 50 out, valved, inc psu... 35.00

all prices in Sterling, plus postage if required.
or swap for other mil bits.

Ben
```

966. F S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990418103022.24782.00002861@ng-fv1.aol.com>
Source record: 85745

I HAVE A FEW MORE 813 JAN TUBES LEFT $20 EA SHIPPED \
W2FNT JOHNYK78

967. Re: Radio Estate Auction for Frank Krantz, Radioman, April 24-25

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990418103331.24782.00002863@ng-fv1.aol.com>
Source record: 85746

JOHN GOOD TO SEE YOUR NAME IN
PRINT WILL PROBABLY SEE YOU AT THE HAMFEST THIS COMING
WEEKEND 73 AND LUCK JOHNYK78

968. FS: Drake TR7/MS75/R7 Transceive cable $20

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990418103840.13857.00002375@ng-fa1.aol.com>
Source record: 85747

This is the 12 pin cable used to transceive Drake 7 line gear. $20 plus shipping.

969. Re: FS: Old Books - FREE !!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: rlmobley@aol.com
Message-ID: <19990418111611.20120.00002316@ng152.aol.com>
Source record: 85748

>Subject: FS: Old Books - FREE !!!!
>From: w6lac@webtv.net (Bob Plumskey)
>Date: 4/11/99 11:16 PM CDT
>Message-id: <621-37117382-99@newsd-122.bryant.webtv.net>

>These books are the left-overs, and some are older than I am...an' thats
>olde, buddy!
>

How about a short list of what kind of books one would find in this collection.

970. Re: FS: Drake TR7/MS75/R7 Transceive cable $20

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990418112128.27722.00002263@ng-da1.aol.com>
Source record: 85749

I'll take it if you've still got it - please send address or confirm QRZ is ok-
thanks, Scott ka9p@aol.com

971. Re: NC2-40-D question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <26nS2.49$yW6.5246@news.cwix.com>
Source record: 85750

Did you replace the plate and screen bypass caps in the front end in the SX-28? Also I've seen at least one SX-28 that had the first RF stage plate bypass cap (as I remember) wired to itself, apparently from the factory. Reception was great on the first 2 bands but dropped off rapidly after that :).

Also, I';ve seen a ton of boatanchors with "ham specialed" alignment. Check to make sure that the LO is ABOVE the displayed frequency over the entire band. Betcha some dumb ham set aligned it for low side injection which will screw up the RF/mixer tracking something awful.

Good luck and 73 - John

Nc183d <nc183d@aol.com> wrote in message news:19990416172325.20560.00002679@ng-fi1.aol.com...
> Hi all,
> The National NC2-40-D is up and runing. It appears to be VERY sensitive on the
> higher bands (14-30 mhz). The 2 questions for today are:Is the 's' meter
> suposed to light up? And why is this set SO good on the upper bands while the
> only comparable set that I have in it's class (a Hallicrafters SX28A) falls
> off dramatically in reception in the upper bands? The next comparison test will
> see how the NC2-40-D performs overall against the dreaded NC183D...
> Any feedback will be appreciated.
> rgds,
> Mark S.

972. FS: QST's Cheap!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7fd11u$hg6@chronicle.concentric.net>
Source record: 85751

QST + CQ For Sale How about 50 cent each....and quantity discounts
available....
Look over the list and E-Mail your offers:
k9uwa@cris.com
All magazines sold plus shipping from 46765 Zipcode
via: US Post Office Book Rate
QST Inventory as of 4/18/99

1965 2 full years + 1,1,2,3,4,5,7,9,11,12
1966 1,2,3,4,5,6,8,9,10
1967 2 full years + 2,4,5,6,6,7,8,9,12
1968 1,2,2,3,3,4,5,6,7,8,9,10,12
1970 2,3,4,5,8,9,10,11
1971 1,2,3,3,4,4,4,5,5,6,7,8,9,12,12
1972 full year + 3,4,5,6,7,10,11
1973 1,2,3,4,5,6,7,9
1974 #5

Large QST's
1977 2,4,5,8,10,11,12
1978 8,10,12
1985 3,3,6,7,8,8,9,10,11,12,12
1986 1,1,2,2,3,3,4,8,10,11
1987 1,1,5,6,7,8,9
1988 full year + 1,2,3,4,5,6,7,8,9,11,12
1989 #1,5
1991 2,3,4,5,6,9,10,11,12
1992 #6
1993 6,11,12
1994 1,2,3,5
1995 7,8,9
1996 5,6,7,7,8,8,8,9,9,10,10,11,11,12
1997 2 full years + 2,3,4,5,7,10,12,12
1998 full year + 1,2,3,4,6,7,8,9,10,11
1999 1,2,3,4

CQ 1998 full year

973. old heathkit catalogs??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: jack <cmb@owc.net>
Message-ID: <NRnS2.3892$%K3.16407@news.megsinet.net>
Source record: 85752

what are old heathkit catalogs worth??
thanks jack n9iif

974. 75S-1 Info Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Darrel Nichols <n0dbx@mindspring.com>
Message-ID: <7fd1ps$185$1@camel0.mindspring.com>
Source record: 85753

I have one with what seems to be an added crystal socket on the top of the chassis above where the BFO crystals are. Assumed it was put there by a previous owner, but on closer inspection, holes seemed to have been punched and not drilled. Has never been soldered to.

Did Collins ever install those for the CW filter/BFO crystal mod? Is not shown in the book.

Darrel

975. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: tubepwr813@aol.com
Message-ID: <19990418124609.23733.00002039@ng68.aol.com>
Source record: 85754

My two cents worth.......

CW is fun! Ham Radio is fun! It is a HOBBY!!! Not a business! Though some people think it is a business. Are there better ways to communicate? Maybe, but then again which way is more fun and requires skill to use?

I had to learn CW back in 79 and you know what? I am sure glad that I did it!

Sure I had to buckle down for a few weeks and study, but anything of value does not come easy or free. Was it easy...yes it was.

I remember listenening to my Radio Shack DX-160 copying bits and pieces of Novice CW QSO's. Boy what a thrill that was ! Of course, practice makes perfect and in no time I was rattling away at 20 wpm.

CW is still my favorite mode. So is it worth it? In my book there is no question that it sure is!

73,
Chris "KX0Y"

976. Fastnet-Radio user

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Ariadne@t-online.de
Message-ID: <7fd38ndht1@news05.btx.dtag.de>
Source record: 85755

Hallo,
Is there an user of the FASTNET-RADIO GMDSS ,and can give some informations
about the usability

Mfg
Willi

977. F.S. Electro-Voice mike

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: w5vhp@aol.com
Message-ID: <19990418131956.12900.00002017@ng118.aol.com>
Source record: 85756

New or near new in box EV 600D hi-z dynamic hand-held mike. Very hansome solid black, made of high-impact phenolic.

Complete with instx/spec. sheet, mounting hardware and the warranty card! (I doubt if the warranty is still valid). A beautiful mike.

$30.00 plus priority mail shipping

Please reply via private e-mail

Larry w5vhp@aol.com

978. Finding J-38 replacement parts?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Jim Janke <janke005@DELETETHIS.tc.umn.edu>
Message-ID: <7fd2it$9jq$1@news1.tc.umn.edu>
Source record: 85757

I have a J-38 hand key that is missing one small part (the knurled screw on one of the posts). It doesn't affect the operation of the key, but I would like to bring it back to original appearance.

Any suggestions about how/where to find this type of part?

To reply, remove the "deletethis" from my e-mail address.

73,
Jim K9WIE

979. Info WTD: 8613 valve

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <371a2564.513768@news1.telia.com>
Source record: 85758

Hi,

I have a 8613 valve on my shelf, but I can't find any data on it. I have looked everywhere in all my manuals (many...), but no one mention the 8613. I think it is made by ITT and it is made in USA. The base is about the same size as a 813 valve, but it has a 4-pin base. The shape of the valve is cylindrical and it is all ceramic except for the base which is steel. It has a large diameter topcap. I looks like a thyratron and there is an x-radiation warning enclosed in the box indicating that this is a very high voltage device.
Can anyone help me with some data?

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets, transformers, caps, resistors and books about valves and valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

980. FS: assorted 807s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990418145651.24749.00002117@ng31.aol.com>
Source record: 85759

I am selling an assortment of five (5) 807 type tubes. I just tested each tube on an emissions tester today, and they all test like new. All are NOS, in original boxes (5933 in original white box).

2 - 807 - RCA - brown base, date code 5-43
2 - GL807 - GE - brown base, date code 57-04
1 - CHS-5933/807W - Sylvania - brown base

$50 all, please respond by email if interested.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

981. FA: Radio Craft Mag. 193 - 39, eBay/ends 4-24

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990418150428.21955.00002402@ng17.aol.com>
Source record: 85760

The 30's decade. To see them go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92527504

then click on "view seller's other auctions" to see the rest.

982. Re: FS: Drake TR4 Dial Assmbly (New)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <371A304B.91FD4CD5@earthlink.net>
Source record: 85761

I would like to buy it. Lee Bahr w0vt

W9zr wrote:
>
> New Drake spare part....dial assembly with nylon gears for TR4 series. $10
> plus shipping

983. Hammurlund HQ-129X Value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Gerry Zell <puccini@erols.com>
Message-ID: <371A3823.D096593@erols.com>
Source record: 85762

Found a nice Hammurlund HQ129X locally. Old duffer wont give asking price. He wants an offer. Its working and in 8 out of 10 condition. Whats a good offer.

Reply to: Puccini@erols.com

Thanks,
Gerry

984. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Brian <brianburke@my-dejanews.com>
Message-ID: <7fdi6v$p02$1@nnrp1.dejanews.com>
Source record: 85763

In article <19990418124609.23733.00002039@ng68.aol.com>,
tubepwr813@aol.com (TubePwr813) wrote:
> My two cents worth.......
>
> CW is fun! Ham Radio is fun! It is a HOBBY!!! Not a business! Though some
> people think it is a business. Are there better ways to communicate? Maybe,
> but then again which way is more fun and requires skill to use?
>
> I had to learn CW back in 79 and you know what? I am sure glad that I did it!
>
> Sure I had to buckle down for a few weeks and study, but anything of value
does
> not come easy or free. Was it easy...yes it was.
>
> I remember listenening to my Radio Shack DX-160 copying bits and pieces of
> Novice CW QSO's. Boy what a thrill that was ! Of course, practice makes
> perfect and in no time I was rattling away at 20 wpm.
>
> CW is still my favorite mode. So is it worth it? In my book there is no
> question that it sure is!
>
> 73,
> Chris "KX0Y"
>
You sound like a very enthusiastic proponent of code use. Sounds like fun.
73,
Brian/N0iMD

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

985. Re: Info on MFJ HF loop antennas

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "Bob Walker, N4CU" <n4cu@amsat.org>
Message-ID: <RsrS2.13194$Yq5.134564990@news2.pompano.net>
Source record: 85764
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

I have a 1786 and an AEA Isoloop. They are useable antennas. Great field day antennas. Easy to put up. Narrow bandwidth is no fun. Full wave loop works better. I had a temporary full wave on 20 and it beat the AEA by 10 dB. AEA was not as good as MFJ but easier to tune with the microprocessor tuning box. If you need a limited space antenna, the small loop is your best bet. Try to put up a bigger antenna.
zeitler@ibm.net wrote in message <3710de03@news1.us.ibm.net>...
>Does anyone have any experience using the MFJ HI-Q loop antennas models 1786
>or 1782? Feedback welcomed.
>
>Lane
>Ku7i
>San Diego
>
>

986. Help -- Installing R-4B power supply caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Jack Hardin <jhardin@hal-pc.org>
Message-ID: <371A4243.7BF0@hal-pc.org>
Source record: 85765

OK --
I have the 4 new axial electorlytic capacitors for the R-4B power supply to replace the C-90 can. If you have recapped an R-4B, let me know where you managed to find room under the chassis for all 4 new capacitors... I have some ideas, but I'd like to hear from someone who has actually done this.
73
Jack, KD5EDO
jhardin@hal-pc.org

987. Ballentine Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7fdk0t$8sh$1@autumn.news.rcn.net>
Source record: 85766

I have found an NOS 1945 tagged Ballentine 500D3COB Dynamotor. It works off of 27 V at 32 A, and puts out 400 V and 750 V. I know it is for aircraft radio or equipment, but which equipment? Thanks,

--
john@astory.com
http://www.astory.com

988. Hallicrafters transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990418180605.26071.00002846@ng13.aol.com>
Source record: 85767

I have a medium big Hallicrafters/Chicago Transformer Co. plate transformer and
was about to use it for homebrew but thought it might be something someone
needs for a BC-610 or other Hallicrafters transmitter. I think I bought it
from a guy who had some BC610 manuals in the lot somewhere.
It is Hallicrafters part 52C214, Chicago Transformer CTC 15803, also TF1A03MB.
1000v 220 ma plus two filament windings.
Let me know if it fits something you need.
John Kelly K4XC

989. Re: F S OUTBACKER ANT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Butch Magee <butchkay@netdoor.com>
Message-ID: <371A58BA.BD048748@netdoor.com>
Source record: 85768

I'll offer you 50.00 for it John.

Butch KF5DE

Johnyk78 wrote:

> I HAVE A NEW OUTBACKER MOBILE ANTENNA NEW
> IN ITS CASE IT IS THE MODEL THAT SPLITS IN THE
> MIDDLE WILL SHIP FOR $220 PLEASE INQUIRE 73 JOHNYK78

990. FA: Hammurland HQ-170A Receiver on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <371a5936.0@news3.buffnet.net>
Source record: 85769
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Hammurland HQ-170A Receiver. This vintage receiver is in excellent condition both inside and out. Chasis very clean with no dirt or corrosion. Face near perfect, cabinet also. Have original manual, also in very good condition. Unit plays fine, great audio, and is great for SWL or Amateur use. Only change to unit was the installation of a 3 wire power cord for safety reasons. Would make a great addition to any shack or shortwave station. No service or clean up needed, just plug and play. Will ship, but buyer to pay cost of proper packing. Terms are bank or certified check prior to shipment.If you have any questions feel free to email me. Thanks!

Click here -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92860472

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

991. FS: Old ARRL Handbooks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7fdlg3rsa1@user2.teleport.com>
Source record: 85770
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Old ARRL Handbooks: 1932, 1934, 1936, 1938. $30 each. 1940, 1946 - $25 each.

Old ARRL Training books: All 3 for $35:

1) 1945 "First Postwar Edition" Radio Amateur's License Manual
2) 1944 "Learning the Radiotelegraph Code"
3) 1942 "A Course in Radio Fundamentals"

Thanks,
Larry

992. WTD: Info on Heath C1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <371a5b71.3989146@news.tiac.net>
Source record: 85771

Picked up this ancient Capacitor Checker (so old they were called
Condensers). Anyone have a manual or schematic I can copy ?
Tnx, Dick, W1KSZ

993. FA: National National "PW-1" Air Variable Condensor in box.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <371a5d1c.0@news3.buffnet.net>
Source record: 85772
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

National "PW-1" Air Variable Condensor in box. Unit appears to be new, and is in great shape. Looks like it may be a replacement for the HRO series of receiver. Complete with right angle gear drive. Super for that homebrew project, or HRO that you are servicing. Buyer pays shipping. Terms: Bank or certified check only. Thanks!

Click here -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92871337

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

994. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <37376c97.250398828@news.atl.bellsouth.net>
Source record: 85773
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Fri, 16 Apr 1999 20:30:55 -0400, "PoppaPump" <poppa0pump@aol.com> wrote:
>We must also take into consideration the bird meters slug, they vary greatly
>from one to another. Take 3 different slugs all of them the same power
>rating you will see 3 different readings

The line section in the meter matters too. It isn't just the meter movement
as Bill apparently thinks. The guaranteed specification covers the entire
instrument. The meters are usually better than the spec, they should *all*
be better than the guaranteed spec, but it is the total instrument being
specified, not just the meter movement or its scale. Bird recomends using
a slug matched to the power level you expect to read. That tells me that they
want you to stay away from the lower end of the scale for best accuracy.
That makes sense because diode non-linearity is typically a bigger issue
at the lower end of the scale. This has nothing to do with the meter movement.

Gary

>William E. Sabin wrote in message <3717322A.25148D5A@mwci.net>...
>>I took some data on two 2 inch panel meters that I bought in 1946, 53 years
>>ago. For 10 years they were in a CW transmitter, needles flopping around at
>>25 WPM. A Beckman 310 with accuracy of 0.75% +/- 1 digit was the reference.
>>Both meters are rated nominal 3% of full scale.
>>
>>Meter number 1: 0 to 50 mA:
>>Reading Actual % error
>>50 48.5 3.0%
>>40 39.1 2.3%
>>30 29.1 3.0%
>>20 19.7 1.5%
>>10 9.5 5.0%
>>5 4.0 20%
>>
>>Meter number 2: 0 to 200 mA:
>>200 198 1.0%
>>150 149 0.7%
>>100 102 2.0%
>>50 51.5 3.0%
>>25 26.1 4.2%
>>
>>So much for the intuition that a panel meter that is specified only at full
>>scale cannot be trusted in regions above, say 20% of full scale.
>>
>>Bill W0IYH

>>
>

Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

995. HAMMERLUND HQ180

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Morgan KA9ERZ <ka9erz@mediaone.net>
Message-ID: <CtvS2.2095$Dz5.8565218@elnws01.ce.mediaone.net>
Source record: 85774

I NEED THE ANT TRIMMER CAP ,ON THIS THING ANYONE PARTING ONE OUT OR KNOW I CAN FIND A REPLACEMENT??? ANYONE IN CHGO OR NORTHERN ILLINOIS WORK ON THIS THING???

996. WTD DRAKE TR33C 2 METER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Morgan KA9ERZ <ka9erz@mediaone.net>
Message-ID: <lvvS2.2096$Dz5.8565765@elnws01.ce.mediaone.net>
Source record: 85775

WTD DRAKE TR33C 2 METER RADIO

997. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <371A801A.214A200A@mwci.net>
Source record: 85776
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Gary Coffman wrote:

> The line section in the meter matters too. It isn't just the meter movement
> as Bill apparently thinks.

No, that is not what Bill apparently thinks, and in the testing of two ancient panel meters I did not suggest that.

The Bird meter looks like a 2% meter, judging by its size and workmanship.

> Bird recomends using
> a slug matched to the power level you expect to read. That tells me that they
> want you to stay away from the lower end of the scale for best accuracy.

In my posts on this subject I have advocated that. I am aware of the diode, but if the 43 is used at strictly 27 degrees or so the calibration should be OK at fairly low levels. Incidentally, there are some "hidden" adjustment pots that they set at the factory.

The Bird 43 has 50 markings. The smallest marking corresponds to 2% of full scale power. This corresponds to 1.33 SWR. They suggest "forget about SWR and just think in terms of forward power and reflected power". If reflected power is "very small" that is usually good enough, they say, except possibly in applications such as TV and certain pulse systems.

If I can't detect "any" reflected power, I don't care what the SWR is. If I really want to know small values of SWR I use a directional coupler (no diodes) and my spectrum analyzer to get the return loss.

The biggest hazards to the 43 are the hammerheads who abuse them.

Bill W0IYH

998. HQ-170 Power Transformer needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: jack leishman <k8xx@gtii.com>
Message-ID: <371A9284.D6BC4824@gtii.com>
Source record: 85777

I need a power transformer for a Hammarlund HQ-170. Thanks for reading!
Jack k8xx

--
If I am buying or selling something, the following information will be
helpful:
My address is Jack Leishman, Spectrum Radio Service, 1551 Hammond Rd.
E., Traverse City, MI 49686.
My email address is k8xx@gtii.com
My homepage is http://www.traverse.net/members/k8xx/
If you need to talk by telephone, please email me for the number.
Thank-you! Jack K8XX

999. WTB: Power transformer for HQ-170.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: jack leishman <k8xx@gtii.com>
Message-ID: <371A92C5.4A5F479C@gtii.com>
Source record: 85778

Thanks for reading. Please reply if you have one. Thanks Jack k8xx
--
If I am buying or selling something, the following information will be
helpful:
My address is Jack Leishman, Spectrum Radio Service, 1551 Hammond Rd.
E., Traverse City, MI 49686.
My email address is k8xx@gtii.com
My homepage is http://www.traverse.net/members/k8xx/
If you need to talk by telephone, please email me for the number.
Thank-you! Jack K8XX

1000. FS: Collins 312E-1 Powered Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: MICHAEL NEIDICH <neidich@worldnet.att.net>
Message-ID: <7fe7n0pfo1@bgtnsc03.worldnet.att.net>
Source record: 85779

Good working condition.
Make an offer.
Mike

1001. WANTED: Precision 954 Manual/Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Chris Smith <n3cs@qis.net>
Message-ID: <371AA32E.F3B6E246@qis.net>
Source record: 85780
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipmemt,rec.antiques.radio+phono,rec.radio.swap,sci.electronics.equipment

I need info for Precision Apparatus tube tester series 954, schematic,
manual.

Thanks for any leads

Chris
N3CS@QIS.NET

1002. Wanted: Meter for Gonset GSB-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <371AC14B.33B47AF@saber.net>
Source record: 85781

I have need of meter for the Gonset GSB-100 exciter. Please e-mail with cost and condition. Prefer mint condition..

1003. Free Swap Page: Reminder

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: W6ABC <friday@ccnet.com>
Message-ID: <371AC631.C7787DF5@ccnet.com>
Source record: 85782

Hi,
Just want to remind all that I still have my swap pages up and running
and everyone is invited to post and purchase there. No fee...just for
the fun of it. Every now and then I like to drum up your participation.
Have fun and good swapping!

http://www.insideTheWeb.com/mbs.cgi/mb129978

73,
Jack

1004. Re: Cubic Astro 103 HF rig $375 shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: ajh1239@aol.com
Message-ID: <19990417203647.20906.00001891@ng155.aol.com>
Source record: 85884

Hi Lane, maybe we can do some trading. John K6KOI

1005. Collins S-Line For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: w8kzw@my-dejanews.com
Message-ID: <7fbck3$2h1$1@nnrp1.dejanews.com>
Source record: 85885
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale: Nice Collins S-line

75S-1 Receiver:

Front panel, trim ring, knobs, dial, meter excellent.
Cabinet very good. Just retubed and aligned. Works
Great! No CW filter (was an option). Photocopy of
manual. $295.00

32S-1 Transmitter:

Front panel, trim ring, knobs, dial, meter excellent.
Cabinet has a couple of areas where it was slightly bent
and straightened. Not "disfiguring" at all, but noticeable
if you look for it. Recently retubed and aligned. Works
Great! Photocopy of manual. $275.00

516F-2 AC Power Supply

Works great. For mounting in 312B-3 Speaker enclosure
(though will be shipped unmounted as that's how they
get banged up). The sides on this 312B-3 have been bent
as above, and straightend. Still looks kind of rough,
though, with some paint scuffed off one side. Also, front
metal grill needs a bit of straightening. Also, speaker
is 8-ohm, not 4. $165.00

Add Shipping, packaging, and insurance to all items.

Total price is $735.00.

I will give preference to buyers who will pick up locally.

I will give preference to buyers who want the entire station.

Let me know which pieces you want in the event no one wants
everything. If I don't respond to your email, assume the
piece is not available.

The power supply / speaker combo won't be sold before the
transmitter.

Wire your own cables.

Gear is located in West Bloomfield, Michigan (near Detroit).

This is a nice S-line. Not collector quality, but nice.

Thanks.

Jeff Bauman
W8KZW
w8kzw@hotmail.com
248-435-4000 (leave message)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1006. FA RCA AR88 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-18 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37193B51.11E2@sympatico.ca>
Source record: 85886
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equimpment,rec.antiques.radio+phono,

AR88LF Manual on Ebay

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92515338>

1007. FS: Heath HP-23 HV Filter Caps - New!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: k3ac@aol.com
Message-ID: <19990418223917.01905.00002260@ng27.aol.com>
Source record: 85687

For Sale: Set of 4 Sprague electrolytic HV filter capacitors for the Heath HP-23 series power supply. They are the exact replacements and look like long metal cans with the mounting tabs on the bottom. They are matched and brand new, never used. Very hard to find (don't think they're made anymore). Asking $35, shipped.

Bob, K3AC

1008. Re: F.S. Electro-Voice mike

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: w5vhp@aol.com
Message-ID: <19990418230033.12899.00002254@ng118.aol.com>
Source record: 85688

The mic has been sold. Thanks to all who responded.

Larry W5VHP

1009. WTB Siltronix VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990419011357.27469.00002287@ng108.aol.com>
Source record: 85689

Need a Siltronix VFO. I Forget which number it is , but it's the one that matched the 1011 series transceiver. Prefer one in excellent condition. Please reply direct with shipped price to Pittsburgh.

Brian K3VR

n3xbu@aol.com

1010. Gonset meter needed.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <371AD5B3.24FC3DFE@saber.net>
Source record: 85690
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I need the meter for Gonset GSB-100 exciter. Prefer mint/excellent condition. Please e-mail with condition and price.
Thank you
WB6VSE
Mike

1011. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feota$l95@world1.bellatlantic.net>
Source record: 85691

> From: "Nico van Dongen" <nico.vandongen@compaq.com>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: AN/GRC-106
> Date: 13 Apr 1999 11:01:01 GMT
>
> I'm looking for information regarding an AN/GRC-106.

Here's what my card files says... maybe it will help a bit...

AN/GRC-106 Transceiver

2 to 30 Mc. (that's what they were called back then!)
400 watts PEP SSB + TTY; solid state; p/o AN/GRC-122
includes RT-662 and AM-3349

RT-662/GRC-106 Transciever

2 to 30 Mc. in 28,000 channels of 1 Kc increments
drives the AM-3349

AM-3349 RF Amplifier

400w PEP.

Not all that much info, but maybe some new bits...
(my notes say I have a spec sheet in the files, but
they are 'buried' in long-term storage for now).

Jim W2JC
BVE Enterprises
[surplus Tech.Manuals and info]
P.O. Box 73, Paramus NJ 07653-0073

(been 'dormant' for a few years...)

1012. Re: AN/PRC 47

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feotd$l95@world1.bellatlantic.net>
Source record: 85692

> WTB: Looking for the mobile mounting bracket for an AN/PRC 47 HF
> military rig. The mount is suppose to be an "S" shaped piece of spring
> type metal (2 of them). It bolts the the bottom of the unit and then to
> a shelf.

Here are some Tech. Manual numbers, which might help you track
down the info you need:

TM 11-5820-509-##
T.O. 31R2-2PRC47-2, -14

Unfortunately, I have neither of them in my 'master' library.

Jim W2JC w2jc@tech-manuals.com
BVE Enterprises, POB 73, Paramus NJ 07653-0073

1013. Re: Collins KY-45/FRT-5 -- just arrived

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7fep0e$l95@world1.bellatlantic.net>
Source record: 85693

> I unexpectedly found and acquired a little Navy blue/gray
> KY-45 / FRT-5 FSK Keyer/exciter this weekend. Uses
> the 807 tube and panel work is reminiscent of the R390
> era. Does anyone on the list have any experience or
> documentation with same? I will have to build a power
> supply for it but it's condition is so nice, that will be a
> pleasure. Made by Collins Radio Company, Cedar
> Rapids Division.
>
> I am guessing it's output is 2 - 4 mHZ. Enough power
> to drive an 811A or pair of 811A's?

Doug,

I only have a few notes on this one, but here's what I have:

KY-45/FRT-5 Frequency Shift Keyer
by Collins Radio Co.

TM 11-847 (unfortunately, my library doesn't have that)

used with T-225 15KW transmitter; part of AN/FRT-22
heterodyning type; rack mounted.

FSN 5820-503-3401.

[in 1965 K5LQL sold one for $90 with power supply]
^ how's that for trivia? ;))

1014. Re: AN/PRC-10 and Motorola 25-54MC receiver dated 12/18/56

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feouq$l95@world1.bellatlantic.net>
Source record: 85694
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

> Found a circuit diagram for a Motorola VHF receiver. It looks very
> much like AN/PRC-10, but covers the larger range. I am not certain
> about how much similar the receivers are. The Motorola receiver uses
> almost the same modules and valves, it is marked ISSUE F Part
> No.63E845727. 'AN/PRC-10' transceiver seems to have been manufactured
> in Sweden (which is a non-NATO country) as Ra105, perhaps the
> technique is not as secret as we were told when I was in the army 32
> years ago....

The AN/PRC-10 range was 38 to 54.9 MHz, with about 1 watt RF output.

The technical manuals for it are:

TM 11-612
TM 11-4065
T.O. 31R2-2PRC-101

I have a 'master copy' of the two TMs in my library.

Jim W2JC w2jc@tech-manuals.com
BVE Enterprises, PO Box 73, Paramus NJ 07653-0073

1015. RE: Hallicrafters SR-160 HF SSB/CW Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Jabi Aguirre <govier02@sarenet.es>
Message-ID: <7ferbk$2tc$1@unbe.sarenet.es>
Source record: 85695
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Dear Larry
I pad $100 plus shipping via UPS to Spain. Ok?
73,s de Jabi, EA2ARU.

1016. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feqdt$8mf@world1.bellatlantic.net>
Source record: 85696

> From: "Nico van Dongen" <nico.vandongen@compaq.com>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: AN/GRC-106
> Date: 13 Apr 1999 11:01:01 GMT
>
> I'm looking for information regarding an AN/GRC-106.

Here's what my card files says... maybe it will help a bit...

AN/GRC-106 Transceiver

2 to 30 Mc. (that's what they were called back then!)
400 watts PEP SSB + TTY; solid state; p/o AN/GRC-122
includes RT-662 and AM-3349

RT-662/GRC-106 Transciever

2 to 30 Mc. in 28,000 channels of 1 Kc increments
drives the AM-3349

AM-3349 RF Amplifier

400w PEP.

Not all that much info, but maybe some new bits...
(my notes say I have a spec sheet in the files, but
they are 'buried' in long-term storage for now).

Jim W2JC
BVE Enterprises
[surplus Tech.Manuals and info]
P.O. Box 73, Paramus NJ 07653-0073

(been 'dormant' for a few years...)

1017. Re: AN/PRC-10 and Motorola 25-54MC receiver dated 12/18/56

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feqet$8mf@world1.bellatlantic.net>
Source record: 85697
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

> Found a circuit diagram for a Motorola VHF receiver. It looks very
> much like AN/PRC-10, but covers the larger range. I am not certain
> about how much similar the receivers are. The Motorola receiver uses
> almost the same modules and valves, it is marked ISSUE F Part
> No.63E845727. 'AN/PRC-10' transceiver seems to have been manufactured
> in Sweden (which is a non-NATO country) as Ra105, perhaps the
> technique is not as secret as we were told when I was in the army 32
> years ago....

The AN/PRC-10 range was 38 to 54.9 MHz, with about 1 watt RF output.

The technical manuals for it are:

TM 11-612
TM 11-4065
T.O. 31R2-2PRC-101

I have a 'master copy' of the two TMs in my library.

Jim W2JC w2jc@tech-manuals.com
BVE Enterprises, PO Box 73, Paramus NJ 07653-0073

1018. Re: AN/PRC 47

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feqeg$8mf@world1.bellatlantic.net>
Source record: 85698

> WTB: Looking for the mobile mounting bracket for an AN/PRC 47 HF
> military rig. The mount is suppose to be an "S" shaped piece of spring
> type metal (2 of them). It bolts the the bottom of the unit and then to
> a shelf.

Here are some Tech. Manual numbers, which might help you track
down the info you need:

TM 11-5820-509-##
T.O. 31R2-2PRC47-2, -14

Unfortunately, I have neither of them in my 'master' library.

Jim W2JC w2jc@tech-manuals.com
BVE Enterprises, POB 73, Paramus NJ 07653-0073

1019. Re: Collins KY-45/FRT-5 -- just arrived

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: - <w2jc@bve-ent.com>
Message-ID: <7feqf5$8mf@world1.bellatlantic.net>
Source record: 85699

> I unexpectedly found and acquired a little Navy blue/gray
> KY-45 / FRT-5 FSK Keyer/exciter this weekend. Uses
> the 807 tube and panel work is reminiscent of the R390
> era. Does anyone on the list have any experience or
> documentation with same? I will have to build a power
> supply for it but it's condition is so nice, that will be a
> pleasure. Made by Collins Radio Company, Cedar
> Rapids Division.
>
> I am guessing it's output is 2 - 4 mHZ. Enough power
> to drive an 811A or pair of 811A's?

Doug,

I only have a few notes on this one, but here's what I have:

KY-45/FRT-5 Frequency Shift Keyer
by Collins Radio Co.

TM 11-847 (unfortunately, my library doesn't have that)

used with T-225 15KW transmitter; part of AN/FRT-22
heterodyning type; rack mounted.

FSN 5820-503-3401.

[in 1965 K5LQL sold one for $90 with power supply]
^ how's that for trivia? ;))

1020. Hall. SX-28 trim

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: dale brown <dgbrown@wcnet.net>
Message-ID: <371B080C.1DB4@wcnet.net>
Source record: 85700

Does anyone have the side trim for the cabinet?....Dale KC2PZ

1021. Help hy-gain 617 mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <371B2ED4.E27@nbnet.nb.ca>
Source record: 85701

Howdy all....I have an old hy-gain Model 617 preamp mic which I use on one of my Heathkit rigs....works ok but I've never known what the correct battery is supposed to be for it....I'm currently using a 6 volt unit which I merely sized at Radio Shack but the holder is quite a bit longer. This gives me approx 30 mV p-p open when monitored on the scope...a bit less than the Heath mobile style mic I use on other rigs....There's no NEDA number inside or indication of what the battery is supposed to be - Any wizards out there know what this might be ?

73 - Keep on Tinkering.....THAT....is....REAL HAM RADIO!

Gord - VE1AJF

1022. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <371B3047.59E3@nbnet.nb.ca>
Source record: 85702
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Glad ya spoke your mind! One of the benefits of "having" to be inducted into "operating" using Morse was that it taught us.....to.....OPERATE. Whether you like it or not.....and the results of the new no-code operators are painfully obvious (spreading to the general population)...is that radio amateurs are becoming less amateur radio operators. Heck, even the ones who DO learn morse and try to use it after the fact....have a rough time...trying to put a hundred BK's and other plain language in between everything they say.....not catching on to a much simpler "handed-down" procedure for basic operating. The gov'ts sure dumped us into this one eh!

73 - Gord VE1AJF

1023. Re: Ham-BoatAnchors Digest V99 #98

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: akaplan@fallschurch.ESys.COM
Message-ID: <371B1CF3.3913E14F@fallschurch.esys.com>
Source record: 85703

Right on! But not entirely appropriate use of bandwidth on the Boat
Anchors newsgroup...
73 de W1AEL, an OF

1024. Re: Ballentine Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371B2D27.BA34EE4E@ix.netcom.com>
Source record: 85704

There should be a "DM-xx" or "Cxx-xxxxx" type
nomenclature plate on it somewhere. Will need that to
find out which radio it powers.

73 Dave AB5S

1025. Re: Hammurlund HQ-129X Value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <371B3FDC.3DABFDB8@stratos.net>
Source record: 85705

Hi Gerry,

I bought two of them at local hamfests last year.
Both were operating, and in decent physical condition.
I paid $35 for one, and $50 for the other one.

One in truly excellent condition, might be worth $100.

Two other comments: These radios are very common.
Replacement front panels are available for $50 from
several sources. With one of these, a $35 HQ-129
looks like brand new.

73,

Bruce Sugarberg, WA8TNC

Gerry Zell wrote:
>
> Found a nice Hammurlund HQ129X locally. Old duffer wont give asking
> price. He wants an offer. Its working and in 8 out of 10 condition.
> Whats a good offer.
>
> Reply to: Puccini@erols.com
>
> Thanks,
> Gerry

1026. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: tgold@microvest.demon.co.uk
Message-ID: <19990419.1631.9901590snz@microvest.demon.co.uk>
Source record: 85706
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Sunday, in article <3719A182.52AE00AE@mwci.net>
sabinw@mwci.net "William E. Sabin" wrote:

> > >Both meters are rated nominal 3% of full scale.
> > >
> > >Meter number 1: 0 to 50 mA:
> > >Reading Actual % error
> > >50 48.5 3.0%
> > >40 39.1 2.3%
> > >30 29.1 3.0%
> > >20 19.7 1.5%
> > >10 9.5 5.0%
> > >5 4.0 20%
> > >
> > >Meter number 2: 0 to 200 mA:
> > >200 198 1.0%
> > >150 149 0.7%
> > >100 102 2.0%
> > >50 51.5 3.0%
> > >25 26.1 4.2%
> > >

> Not so fast!
>
> Look at the first meter. At 10 mA the error is 5% and according to the "rule"
> it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it
> should be 8.0%. For the second meter at 25 mA the error is 4.2% and it should
> be 8.0% if it is a 1% meter.

Why "should" the error of the first meter at 10mA be 18% or at 20mA
ought the error be 8%, etc.

I think you have totally missed Roy's point. A specification is a
promise of accuracy and not a promise of inaccuracy. If you're
measurements are correct then the observed fact that the meter is
more accurate than the specification at less than FSD is simply proof
that the meter is within its specification and not any sort of proof
that the specification is somehow wrong.

Regards,
--
Tony - G3SKR / W2TG email: tgold@panix.com

1027. FS: 0.01mF 1KV Ceramic Disc Caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7fftea$pc1$1@nnrp1.dejanews.com>
Source record: 85707
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.rado.amateur.homebrew,rec.radio.amateur.boatanchors

FOR SALE:

0.01mF 1KV 20% Z5U ceramic disc capacitors - N.O.S. (New old stock), taken from factory sealed bag.

10 for $2.00
25 for $3.00
100 for $10.00

Shipping $1 (up to 75 capacitors) then $.50 each additional 25 (USPS First-Class Mail, U.S. only)

Money order preferred; checks must clear bank. Cash always works.

If interested, e-mail with the quantity you'd like. I have about 1000 of these for sale.

73,

-Marty KI0LO
martyt@pobox.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1028. HQ-110 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Denis Sharon <DNSSHRN@worldnet.att.net>
Message-ID: <7ffpc0jgo2@bgtnsc02.worldnet.att.net>
Source record: 85708

Here's a long shot...

I have an original HQ110A manual that I would like to trade for manual for an HQ-110 to match my receiver. Or, how about this.. Does someone have a very clean HQ-110A that they would like to trade for my very clean HQ-110 to match my manual?

Denis Sharon W1AOK Ridgefield, CT

1029. Re: WTB: 572B tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Andy Micheals <anigma@gte.net>
Message-ID: <371B6D1E.CE6C66A6@gte.net>
Source record: 85709

Gerry VanLoh wrote:

> Looking for a good pair of 572B tubes.
>
> Thanks
> Gerry
> --
> WAï¿½JCV

You might try http://www.tubesandmore.com and
http://www.rfparts.com, they can help you.

1030. FLDX400 TX 160m info reqd ...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Mike Tatum <mike.tatum@btinternet.com>
Message-ID: <7ffsmh$5vo$3@mendelevium.btinternet.com>
Source record: 85710

Hi All!

Does anyone have any old articles or info on how to add the
160m band to this great little valve transmitter ?

I'd be more than happy to pay copying/postage costs or even buy the old
magazines.

Can anyone help me please ?

Many thanks!

MikeT
M0AWS

--
SPAM BAIT mailto: nobody@nowhere.void
mailto: Spam_all_you_want@just.here.com

==========

1031. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Reid Simmons <reid.w.simmons@intel.com>
Message-ID: <371B852F.64218A1F@intel.com>
Source record: 85711

I just picked up an SX-28 in really good condition (9 out of 10 excluding dust and dirt) for $200 at a hamfest a month or two ago. My plan is to:
1) Vacuum the dust out of it
2) Clean the chassis, cabinet, and knobs
3) Replace all of the electrolytics
4) Replace tubular caps
5) Measure and replace out of spec resistors (that ought to be fun!)
6) Lubricate dial mechanisms
7) Test tubes, replace as necessary
8) Replace the line cord, check the fuse
9) Power it up
10) Enjoy it

Let's see now, did I forget anything?

Reid, K7YX

emanuele_girlando@my-dejanews.com wrote:

> Guys,
> I am new to BA activities and thus to this group as well.
> I am approaching my first restoration project aimed to revive a Hallicrafters
> SX-28 (no-mil, no-'A' version). The rig is stored since at least 15 years.
>
> I have already read a lot of Web pages and messages on this newsgroup but
> still I am looking for any tip available. In particular: - description on how
> to de-assemble and re-assemble the rig without producing additional (..and my
> be definive) damage - how to reassemble the quite involved tuning appliance -
> cleaning tips - how to reform electrolytics caps - wich kind of today caps to
> use to replace the old ones - wich kind of today resistors to replace old one
> - use or not use a variac at the first fire up
>
> As it is my intention to produce a detailed log of the project activities
> with plenty of pictures, I would also like to know if anybody has found a
> cheap way of taking digital pictures of rigs internals. I think about a cheap
> camera (the one used for low cost videconferencing..) but I am concerned
> about resolution. Digital photography (Canon.. and the like) is too expensive
> for my pocket.
>
> Thank you very much
> Emanuele.
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1032. Re: Wanted Heath GR-78 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9904191534410.17552-100000@Ocean.CAM.ORG>
Source record: 85712

On Sat, 17 Apr 1999, Keith wrote:

> Greetings All
>
> Can anyone direct me to a site where I might find a schematic diagram for a
> Heath Portable shortwave radio GR-78? Or does anyone have it in their files
> that can email me?
>
> Thanks in advance,
>
> Keith, ve3gem
>
> densmore@idirect.com
>

The December 1974 issue of 73 had an article about the receiver, and
included a blcok diagram and a schematic. One could assume that the
schematic is a direct copy of what was in the manual.

It was sort of a second generation receiver. In the early sixties
Heathkit had a similar appearing transistorized battery-operated portable.
Who knows how good it could have been at that early a date.

The GR-78 is double conversion on the highest band, and that plus the rest
of the circuitry probably made it a lot better than many similar receivers
at the time.

Michael VE2BVW

1033. Re: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <371B8A3E.53D0@ameritech.net>
Source record: 85713

Reid Simmons wrote:
>
> I just picked up an SX-28 in really good condition (9 out of 10 excluding dust
> and dirt) for $200 at a hamfest a month or two ago. My plan is to:
> 1) Vacuum the dust out of it
> 2) Clean the chassis, cabinet, and knobs
> 3) Replace all of the electrolytics
> 4) Replace tubular caps
> 5) Measure and replace out of spec resistors (that ought to be fun!)
> 6) Lubricate dial mechanisms
> 7) Test tubes, replace as necessary
> 8) Replace the line cord, check the fuse
> 9) Power it up
> 10) Enjoy it
>
> Let's see now, did I forget anything?
>
> Reid, K7YX
>
>

How about line 9A) Align it

GL

Dan N8ETQ Cleveland,Oh.

1034. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990419145207.009591e0@popd.ix.netcom.com>
Source record: 85714
Body handling: HTML body converted to readable text

```
--====================_286763240==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..
Please email price, condx. and contact information.
Frank 'Jamie' Jamison W5YSM/VK2AIX
-

--====================_286763240==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter is good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

-

--====================_286763240==_.ALT--
```

1035. WWWI aircraft radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Steve M <steve@netfeed.com>
Message-ID: <7fg440olf1@news.ncal.verio.com>
Source record: 85715

I have a radio which my grandfather removed from a Genny biplane at the end of the war. It will work if tubes are found (3), it worked great when I was a kid but the tubes have been broken.

This is receive only, as I recall it covers most of the present AM broadcast band, 540 to 1500khz possibly, can't quite remember.

Does anyone have any Idea of the value?

I have not wanted to sell it due to sentimental reasons, but If by some chance it is worth a very great amount I might change my mind.

Steve

1036. meter cal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990419171020.18900.00002331@ng134.aol.com>
Source record: 85716

The loading of the meter looking into the detector can cause an error also.

1037. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <371B9007.CCDF668A@mwci.net>
Source record: 85717
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Anthony R. Gold wrote:

> On Sunday, in article <3719A182.52AE00AE@mwci.net>
> sabinw@mwci.net "William E. Sabin" wrote:
>
> > Not so fast!
> >
> > Look at the first meter. At 10 mA the error is 5% and according to the "rule"
> > it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it
> > should be 8.0%. For the second meter at 25 mA the error is 4.2% and it should
> > be 8.0% if it is a 1% meter.
>
> Why "should" the error of the first meter at 10mA be 18% or at 20mA
> ought the error be 8%, etc.

If the accuracy is "allowed" to be 3%, then officially it is "allowed" to be 3% of full scale anywhere on the scale.

Example: A 0 to 100 meter is rated at 3% of full scale. This means that at 100 it "can be" 97 to 103, which is 3% of full scale. But that also means that at 20 it "can be" between 17 and 23, which is not 3% but 15%. Or at 10 it "can be" between 7 and 13, which is 30%.

Any worthwhile 3% panel meter that I have ever worked with is a lot better than that.

If a meter *just barely* meets that spec and is no better than that, then as I said, at lower readings the errors "should be" the larger numbers. That statement was correct. The cheaper junk meters do exactly that and no more, so that the meter is not very good except close to full scale.

If you read my writeup more carefully, I am saying that meters in practice are not built that way, and the data that I gave for two old knocked-around meters is a very good example.

> I think you have totally missed Roy's point.

I think you are totally missing my point. The specification is standard practice, but a meter that does nothing more than meet the bare minimum advertised definition of "full scale accuracy" is not one that I would buy if I can find something that goes the extra mile and tries to get a better "average % accuracy" over "most" of the scale. And you may be sure that I can in fact do just that. Read my post again (the part that you deleted from your reply).

The "% of full scale" spec is a tradition, and anyone just barely meeting the spec will not go to jail, but he will not compete with those who do a much better design and test job for the same sell price. I'm not talking about $1000 laboratory things in walnut cases, just ordinary $80 taut band panel meters.

These days an automated test station could take data points (using a computerized optical reader), calculate a linear regression and the standard deviations, min and max errors etc. and possibly tweak the meter mechanism (or reject it) in just 15 seconds. The old traditional "% of full scale" spec is a lousy way to do business since it permits a lousy result.

Bill W0IYH

1038. FA: Collins 51S1 Receiver in Exclt Condition

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990419175701.09333.00002796@ng12.aol.com>
Source record: 85718

This is a real nice 51S1, late wing emblem.

Check out:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92725633

1039. Standard C110 H/T

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: K5FZ@webtv.net
Message-ID: <28339-371B9A2B-6@newsd-102.iap.bryant.webtv.net>
Source record: 85719

I have an old C110/Standard HT which only covers 144.00-145.95 simplex only (evidently this model was only designed for Japanese use and not for export.

I needed information on mods to expand frequency coverage and/or allow for duplex operation.

Any info on this unit would be appreciated since I have no manual, etc.

Tnx
RT

1040. FS: Gonset Communicator 2 Mtr AM Rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.041999.182207.82@vna-va13-27.ix.netcom.com>
Source record: 85720

Have two (2) classic Gonset Communicator 2 Meter AM transceivers
for sale, in "collector quality":

Gonset Communicator II - this rig is a collector's dream!
This is the Communicator II with the green "Magic Tuning Eye".
Front panel, cabinet, and chassis are absolutely spotless.
This rig looks and works just like the day it was brand-new!
A definite "9.9+". A nicer Communicator II won't be found!
A true "classic", in true "museum condition". Chrome carrying
handle, A/C power cord, and *original* manual! $100 & Shipping.

Gonset Communicator IV - a definite "9.5" on anyone's scale!
Front panel perfect, cabinet scratch & dent-free. Meter face
and tuning dial plastic clear, no scratches. All original,
all in outstanding condition. Chassis and interior are both
exceptionally clean. Carrying handle. A/C power cord, no DC
cord or manual. Works perfectly. $125 & Shipping.

Both rigs are guaranteed as described; prices are firm.
Rigs will be well packed and shipped via (your choice)
UPS Insured or USPS Insured upon receipt of Money Order
(only). Sorry, no C.O.D.

73,

-bill
KB3PT

1041. Re: AN/GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <371BAE10.9B4C084A@erols.com>
Source record: 85721

AM-CW-USB (only)

- wrote:

> > From: "Nico van Dongen" <nico.vandongen@compaq.com>
> > Newsgroups: rec.radio.amateur.boatanchors
> > Subject: AN/GRC-106
> > Date: 13 Apr 1999 11:01:01 GMT
> >
> > I'm looking for information regarding an AN/GRC-106.
>
> Here's what my card files says... maybe it will help a bit...
>
> AN/GRC-106 Transceiver
>
> 2 to 30 Mc. (that's what they were called back then!)
> 400 watts PEP SSB + TTY; solid state; p/o AN/GRC-122
> includes RT-662 and AM-3349
>
> RT-662/GRC-106 Transciever
>
> 2 to 30 Mc. in 28,000 channels of 1 Kc increments
> drives the AM-3349
>
> AM-3349 RF Amplifier
>
> 400w PEP.
>
> Not all that much info, but maybe some new bits...
> (my notes say I have a spec sheet in the files, but
> they are 'buried' in long-term storage for now).
>
> Jim W2JC
> BVE Enterprises
> [surplus Tech.Manuals and info]
> P.O. Box 73, Paramus NJ 07653-0073
>
> (been 'dormant' for a few years...)

1042. FA: REAL NICE Collins S LINE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3720b5c5.285088450@news.earthlink.net>
Source record: 85722

***** Collins S Line ***** 32S3/75S3B/516 in cabinet/D104/Spare
Tubes/Manuals/Cables. This came from the original owner in
original collins boxes. He
stated they all work fine and the one tube in power supply has to
be replaced,which I
have. As I mentioned,I have all the spare tubes for the
516/Collins S Line,which go
with it. I haven't tried them,but he told me he had them on a
month ago and work great.
Only reason he was letting them go,because he wanted a new rig.
They really look
VERY NICE!!
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93351985

1043. FA; 1920's QST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7fglip$q7s$1@oak.prod.itd.earthlink.net>
Source record: 85723

At Auction, Good condition QST issues from the '20's

on E-Bay at;
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92524602
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92590130
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92595562
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92598582
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92601220

1044. Re: Hammurlund HQ-129X Value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <371bdf52@news1.us.ibm.net>
Source record: 85724

There were more HQ129Xs at Belton Saturday than I have seen in a long time. Prices were from $75 to $250. I don't believe any of the over $100 ones changed hands, at least while I was there.

--
Crazy George

1045. Re: 75S-1 Info Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <371bdff8@news1.us.ibm.net>
Source record: 85725

I can't see it on mine (S/N33). Where exactly?
--
Crazy George

1046. WANTED: Knobs for HP 339A Distortion meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <YgRS2.1917$1v.2597@ndnws01.ne.mediaone.net>
Source record: 85726
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

This is probably a long shot...but....anyone have the "Distortion Range"
and "Osc Level" knobs for a HP 339A distortion meter?
Thanks!
Chuck...K1KW

1047. WTB; Kenwood 3395 CW filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7fgnnc$741$1@ostrich.cybercomm.net>
Source record: 85727
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Anyone got one of these filters? I think it is used in the TS511, TS900, TS520,
and R599. Not sure of all the numbers, but if it is a 3395 Kenwood CW filter, it probably is correct.
Hope someone can help out!
...Dave

1048. Marine Dealers/Marine Repair

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Bill Rollins <brollins@tcsoft.com>
Message-ID: <zKRS2.1704$gl3.29149@typhoon01.swbell.net>
Source record: 85728
Cross-posted to: rec.boats.racing,rec.boats.racing.power,rec.radio.amateur.boatanchors,torfree.boating,uk.rec.boats

To All Marine Dealers and Marine Repair Shops

Please visit our web site http://www.tcsoft.com for the latest information
on our computer
software products for marine dealers.

Thanks

Bill Rollins
Total Control Software Corporation
sales@tcsoft.com

1049. Re: FS: Gonset Communicator 2 Mtr AM Rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Jack Friday <friday@ccnet.com>
Message-ID: <371BE678.66F4CF54@ccnet.com>
Source record: 85729

Hi Bill,
Would you do $100 shipped? Let me know I am really interested in it.
TNX and 73,
Jack

1050. Re: GE Lo-Band DELTA -Need Help Identifying Resistor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: W6ABC <friday@ccnet.com>
Message-ID: <371BF965.E7ECEE28@ccnet.com>
Source record: 85730

Hi Chuck,
Sorry I don't have the answer to your question, but saw your post and thought I'd say Hi. I guess you are not going to Vegas? Our chief engineer from KBLX got there today with another old friend from KFRC Phil Lerza WB6RFU, who is chief there. HOw are things with you? Any goodies for sale I might be interested in? Still kicking around getting an old audio board for the "AM" side of Ham radio here. Really would like one of the old Collins mono boards from the early 60's with the big rotery pots. If you ever latch on to one let me know. That was the first board I ever used as a Disc Jockey back at WRAW in Reading, PA., my hometown. The RE-20 is doing fine.
73 from the Bay Area,
Jack Lewalski W6ABC

1051. Foothill JC Swapmeet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Gene Martin <trains4@ibm.net>
Message-ID: <371C183E.F4EF1E0B@ibm.net>
Source record: 85731

Have the monthly swap meets started at Foothill Jr College in the San Francisco Bay Area this year? Which Sat of the month is it? Gene

1052. Re: Foothill JC Swapmeet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <371C1993.2DA0@ix.netcom.com>
Source record: 85732

Gene Martin wrote:
>
> Have the monthly swap meets started at Foothill Jr College in the San
> Francisco Bay Area this year? Which Sat of the month is it? Gene

2nd saturday of each month from March thru September..
starts at "Oh dark thirty" :-)

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

1053. Needed: Meter for Gonset GSB-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <924590148.666.69@news.remarQ.com>
Source record: 85733
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.swap

I have a need for the plate meter for a Gonset GSB-100 transmitter. Please state condition and price. Prefer e-mail if possible.

Thanks
WB6VSE/Mike

1054. FA: Collins Filters and SM-3 Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Mike Kennedy <gallop@mindsync.com>
Message-ID: <371b34f2.0@news.sac.bfp.net>
Source record: 85734

Excess Collins Accessories to my needs, if interested go to the following:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&Item=92722374 SM-3 Mic

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92718761 4Kc S-line Filter

http://cgi.eBay.com/aw-cgi/eBayiSAPI.dll?ViewItem&item=92712399 500Hz filter

http://cgi.eBay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92711271 1.5Khz filter

http://cgi.eBay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92710055 3.1Khz filter

1055. FS R-1051

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: Craig Harrison <craigjv3@earthlink.net>
Message-ID: <7foe0l$7mh$1@ash.prod.itd.earthlink.net>
Source record: 85735

For Sale R-1051 Military HF Receiver. 2 to 30 MegHz. Good Condition and works all bands. $250.00 KE6U0W

1056. FS Clegg 22er , 2 meter AM Vintage Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: arsk9two@email.msn.com
Message-ID: <7fdurr$2p8$1@nnrp1.dejanews.com>
Source record: 85783

Excellent condition tube type 2 meter
AM transceiver. Looks and works like new.
Operates 144-148 mhz. Has nuvistor front end.

Thanks much,
Don Ferrill K9TWO 317-859-1053

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1057. FS: McElroy Telegraph Training Set (Military)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: keymaster@stlnet.com
Message-ID: <7fe4ku$7hn$1@nnrp1.dejanews.com>
Source record: 85784
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

Dear All,

The Signal Corps contracted with McElroy Manufacturing Corp. to make code practice training sets during WWII (and probably afterwards too). These sets were oscillators each with 10 J-37s on a special anti-tip base. I have 2 of them for sale (and a junker chassis)

I plugged the two complete sets in and one sends a good tone through the earphone jack and the other one hums (I'm guessing bad filer capacitors). I didn't plug the junker in but it looks 100% complete to me (no missing parts).

I have one of the keys on the special base.

To see pictures of the sets, the junker, and the key, please use the following links:

http://home.stlnet.com/~keymaster/code.jpg
http://home.stlnet.com/~keymaster/junk.jpg
http://home.stlnet.com/~keymaster/key1.jpg

The total price for all three sets plus the key is $45.00. I often see just the key for $30.00 but I would prefer to sell all items and not just the key.

I'm in the St. Louis, MO area so pickup would be the easiest for these boatanchors. However, if you'd like me to ship, I can. Just remember that they're large and heavy.

Thank you for the read and if you'd like additional pictures from different angles, please let me know.

Thanks!

Derek
WB0TUA
e-mail: keymaster@stlnet.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1058. FS: McElroy Telegraph Training Set (Military)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: keymaster@stlnet.com
Message-ID: <7fe4oo$7jr$1@nnrp1.dejanews.com>
Source record: 85785
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

Dear All,

The Signal Corps contracted with McElroy Manufacturing Corp. to make code practice training sets during WWII (and probably afterwards too). These sets were oscillators each with 10 J-37s on a special anti-tip base. I have 2 of them for sale (and a junker chassis)

I plugged the two complete sets in and one sends a good tone through the earphone jack and the other one hums (I'm guessing bad filer capacitors). Neither puts out a tone through the speaker but I understand from an old Signal Corps man that it was common for the instructors to disconnect the speaker so the students would just listen through headsets. I didn't plug the junker in but it looks 100% complete to me (no missing parts). I'm calling it a junker because it doesn't have the wooden box that enclosed the metal chassis.

I have one of the keys on the special base.

To see pictures of the sets, the junker, and the key, please use the following links:

http://home.stlnet.com/~keymaster/code.jpg
http://home.stlnet.com/~keymaster/junk.jpg
http://home.stlnet.com/~keymaster/key1.jpg

The total price for all three sets plus the key is $45.00. I often see just the key for $30.00 but I would prefer to sell all items and not just the key.

I'm in the St. Louis, MO area so pickup would be the easiest for these boatanchors. However, if you'd like me to ship, I can. Just remember that they're large and heavy.

Thank you for the read and if you'd like additional pictures from different angles, please let me know.

Thanks!

Derek
WB0TUA
e-mail: keymaster@stlnet.com

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1059. German, Belgian, or Netherlands

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-19 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <371A8E21.347125F4@sprint.ca>
Source record: 85786

YL and I will be in the 3 countries above within next 3 weeks. Any addresses you guys know of that a RADIO FREAK like moi should check out?
thanks
Denis
ve3zpu

1060. FA: Corrected URL for 51S1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990419201721.05435.00002860@ng39.aol.com>
Source record: 85637

I posted the wrong url for the 51S1in my earlier post.

Here is the correct one!

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=91572028

1061. FS Hammurland HQ-150 (RARE)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990419204318.08516.00002851@ng113.aol.com>
Source record: 85638

Hammurland HQ-150 Receiver.. This Is A rare one.Receiver is in excellent condition both inside and out. Work fine.Asking 250.00 shipped
Thanks,Walt

1062. FS: Heath AM2 SWR meter $10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990419204554.05433.00002967@ng39.aol.com>
Source record: 85639

Vintage Heath AM2 SWR meter in excellent condition $10 plus shipping

1063. Re: FS Johnson 500 RF Deck only

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990419213457.05433.00002991@ng39.aol.com>
Source record: 85640

I'll take the RF deck if its still available. How much to ship to 19053 and where would you like me to send a M.O.
Tnx,
W3ATV

1064. Re: FS Johnson 500 RF Deck only

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990419213554.05433.00002993@ng39.aol.com>
Source record: 85641

I'll take the RF Deck if it's still available.
How much to shop to 19053 and what is your info to send a M.O.
Tnx,
W3ATV

1065. Q: who can fix my BA????

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: wa6fec@nospam.znet.com
Message-ID: <371be3fb.5713126@news.znet.com>
Source record: 85642

My Drake 2B was damaged in transit.
Is there anybody who specializes in Drake repair?????

To email remove nospam and replace with sd

TIA,
Walt...
Wally's Wacky World
http://www.znet.com/~wa6fec

1066. FS: Heathkit VTVM IM-5228

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Sir Robin <nexus15@flash.net>
Message-ID: <371BE65B.22DA@flash.net>
Source record: 85643

For Sale: Heathkit Vacuum Tube Volt Meter IM-5228 complete with original manual, original probe and Heath High Voltage probe. Very good condition. I ship for $95.

Rick in Houston

1067. Johnson Thunderbolt and spare tubes FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990419225159.24888.00002435@ng133.aol.com>
Source record: 85644

Have acquired a Johnson Thunderbolt and decided that it is too heavy for my operating table, let alone my back, hi. Condition: 7-8, perforated cabinet could use a repaint for the scratches, but no dents. Front panel not too bad, haven't cleaned it yet, but meters look good. Dial pointer needs restringing. Power cable needs new connectors. I have not plugged it in yet. Have what appears to be an original manual put into a binder. Not sure if it has solid state rectifiers or not but there is a spare set of rectifier tubes to go with it. This is pick up only in Dayton, Ohio, or Dayton Hamvention. Previous owner said he had it on the air a couple of weeks ago.

For seperate sale, a spare set of 4-400 tubes that I was told are full output but I have not had the amp up and running to see.

This is all I know about the merchandise. If you're interested, I'm taking offers for the next week or so and will see what happens, hi.

73

Evan

1068. GE Lo-Band DELTA -Need Help Identifying Resistor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: cbullett@aol.com
Message-ID: <19990419234153.23274.00000169@ngol02.aol.com>
Source record: 85645

Thanks for giving this a read:

I have a smoked 2-Watt cabon composition resistor that is labled as R-17 on the transmitter strip in my Delta Lo-Band Transmitter. I do not have a print of this radio. Can anyone please tell me what it should be? I use this radio of the amateur 6-meter band (52.525 et al).
The transmitter strip id # is AXA 9MZKT 212-C.
receiver strip id # AXA 9MZER 137-C.

Combination # is N38106.

The resistor is so black there is no chance of figuring out what it was. It's also slpit and shattered. I suspect my coax line got yanked out of the coax connector when I threw something in the trunk, there-by stressing the coax. There are other resistors in the ipa filter network leading to the finals that look as though they saw a significant amount of heat, too, but appear intact, and the Fluke meter says they are o-kay.

End result; I keyed the bloody thing up into no load, or worse, a shorted antenna connector. I'm not sure if the finals survived. They are 8738's (there's 2 of them). Other markings on the finals are 3422P1K / 8738 / M275. Would anyone know who made these for GE?

Please expedite your helpful information to: Chuck; W1AEK
cbullett@maine.rr.com or cbullett@aol.com
Chuck Bullett; Director of Engineering-WGAN/WMGX/WPOR AM&FM/WYNZ/WZAN
Saga Communications of New England, Inc.

1069. FS PRC-47 MILITARY HF RADIO SET

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: kh6jjs@aol.com
Message-ID: <19990419233817.23457.00002721@ng95.aol.com>
Source record: 85646

i HAVE A COMPLETE PRC-47 RADIO SET. FOR $350.00 PLUS SHIPPING.

HENRY KH6JJS

1070. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: "Barry L. Ornitz" <ornitz+U@dpnet.net>
Message-ID: <I_US2.2858$Bm3.183705@news20.ispnews.com>
Source record: 85647
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

William E. Sabin wrote in message <371B9007.CCDF668A@mwci.net>...
>Anthony R. Gold wrote:
>> On Sunday, in article <3719A182.52AE00AE@mwci.net>
>> sabinw@mwci.net "William E. Sabin" wrote:
>>
>> > Not so fast!
>> >
>> > Look at the first meter. At 10 mA the error is 5% and according to the
"rule"
>> > it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and
it
>> > should be 8.0%. For the second meter at 25 mA the error is 4.2% and it
should
>> > be 8.0% if it is a 1% meter.
>>
>> Why "should" the error of the first meter at 10mA be 18% or at 20mA
>> ought the error be 8%, etc.
>
>If the accuracy is "allowed" to be 3%, then officially it is "allowed" to
be 3% of
>full scale anywhere on the scale.

This is EXACTLY the statement I have been trying to convince Bill of all
along. Change the words in his previous posting and things make much more
sense. [But I still cannot duplicate his numbers exactly.]

>Look at the first meter. At 10 mA the error is 5% and according to the
"rule"
>it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it
>should be 8.0%. For the second meter at 25 mA the error is 4.2% and it
should
>be 8.0% if it is a 1% meter.

The accuracy statement supplied by the manufacturer does not tell you what
the error is at any point. It just sets bounds on the error. A corrected
wording _might_ be:

At 10 mA the actual error is 5%, and according to the manufacturers
accuracy statement, it could be as high as 15%, if it is a 3% of full-scale
meter. At 20 mA the actual error is 1.5% but it could be as high as 7.5%.
For the second mneter at 25 mA, the error is 4.2% but it could be as high
as 8%
based only on the full scale accuracy of 1%.

>Example: A 0 to 100 meter is rated at 3% of full scale. This means that at
100 it
>"can be" 97 to 103, which is 3% of full scale. But that also means that at
20 it
>"can be" between 17 and 23, which is not 3% but 15%. Or at 10 it "can be"
between
>7 and 13, which is 30%.

Which is the point Roy Lewallen made.

>Any worthwhile 3% panel meter that I have ever worked with is a lot better
than
>that.
>
>If a meter *just barely* meets that spec and is no better than that, then
as I
>said, at lower readings the errors "should be" the larger numbers. That
statement
>was correct. The cheaper junk meters do exactly that and no more, so that
the meter
>is not very good except close to full scale.

No, at lower readings the errors do not _have_ to be larger numbers. But
they _CAN_ be and still meet the full scale specification.

>If you read my writeup more carefully, I am saying that meters in practice
are not
>built that way, and the data that I gave for two old knocked-around meters
is a
>very good example.
>
>> I think you have totally missed Roy's point.
>
>I think you are totally missing my point. The specification is standard
practice,
>but a meter that does nothing more than meet the bare minimum advertised
definition
>of "full scale accuracy" is not one that I would buy if I can find
something that
>goes the extra mile and tries to get a better "average % accuracy" over
"most" of
>the scale. And you may be sure that I can in fact do just that. Read my
post again
>(the part that you deleted from your reply).
>
>The "% of full scale" spec is a tradition, and anyone just barely meeting
the spec
>will not go to jail, but he will not compete with those who do a much
better design
>and test job for the same sell price. I'm not talking about $1000
laboratory things
>in walnut cases, just ordinary $80 taut band panel meters.

>
>These days an automated test station could take data points (using a computerized
>optical reader), calculate a linear regression and the standard deviations, min
>and max errors etc. and possibly tweak the meter mechanism (or reject it) in just
>15 seconds. The old traditional "% of full scale" spec is a lousy way to do
>business since it permits a lousy result.

Which was my contention all along...

>Bill W0IYH

There is a small enough amount of data here that it can be done by hand. Taking the first meter, for example, we can either fit the best straight line though the data points, or if we assume the meter was properly zeroed first, we can force our calibration to go through zero. Doing the latter gives:

Predicted_Value = 0.97213 * (Meter_Reading)

Without forcing the calibration to go through zero gives:

Predicted_Value = 0.98537 * (Meter_Reading) + 0.47205

If you look at the errors between these predicted values and the actual values, you will still find the worst error at the 5 mA reading. On the 10, 20, 30, 40 and 50 mA points on the scale, the above equations come to within 2.5% - an excellent meter. But you cannot read into this data that which is not there. Is the meter nonlinear below 10 mA, or is the 5 mA point just a bad reading? You can say only with further testing, not with this data.

But again, with only the 3% of full scale statement to work with, you would never know this. Bill said he had his meter checked against a calibrated Boonton RF voltmeter. So he can say with certainty that his meter is good over the range he checked. Another meter may not be nearly as accurate as his, yet it still meet Bird's 5% of full scale accuracy.

73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net

1071. See my bolocks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Harry Lythall <a@sm0vpo.8m.com.spam>
Message-ID: <01be8b07$8a2c3ee0$8534d693@e0060b0eb282a>
Source record: 85648

Quite a few practical circuits and technical info in my building blocks
section.

http://sm0vpo.8m.com/ Main page
http://www.geocities.com/SiliconValley/3569/ Mirror in the USA
http://hem2.passagen.se/sm0vpo Mirror in Europe
http://members.xoom.com/sm0vpo Mirror in Far-East
http://www.insidetheweb.com/mbs.cgi/mb426630 Message Board

1072. Re: FA: REAL NICE Collins S LINE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990420065640.16036.00003261@ng-fr1.aol.com>
Source record: 85649

WOULD YOU SEND ME YOUR PHONE NUMBER? i WOULD LIKE TO TALK TO YOU ABOUT THE COLLINS GEAR THANKS JACK HURST. 1-800 9344657

1073. Re: Needed: Meter for Gonset GSB-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Joe Schlatter <w4hh@3wave.com>
Message-ID: <9nZS2.2887$Bm3.189272@news20.ispnews.com>
Source record: 85650
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.swap

Are you still using the GSB-100 on the air? A plate meter? I'll bet that most of the folks reading your post have never seen a plate meter! .... :-) :-)

I should talk -- I'm still using a SB-101 -- and thinking about upgrading to a KWM-2!!!

--
Regards,
Joe Schlatter
joe@schlatter.org
http://www.schlatter.org/
http://www.miafacts.org/
Amateur Radio Extra Class call sign W4HH

Mike de Wey wrote in message <924590148.666.69@news.remarQ.com>...
>I have a need for the plate meter for a Gonset GSB-100 transmitter. Please
>state condition and price. Prefer e-mail if possible.
>
>Thanks
>WB6VSE/Mike
>
>

1074. FS: Misc Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990420073223.14477.00003157@ng-fc1.aol.com>
Source record: 85651

I have the following Radio, and electronic equipment for sale. All working last time tested unless noted. Will consider trades for Electronic or Pentium computer EQ. Shipping is extra.
Thanks

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $250

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. As is $50.

Swan Phone patch: with hook up cords. This unit looks real good, but is also untested. As is $35.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

1075. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: 10-7 <boygonbad@aol.com>
Message-ID: <74%S2.604$I11.46130@news3.voicenet.com>
Source record: 85652
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

People keep refering to the meter movements accuracy , I question the slugs, check from one to the next . What good does the meters accuracy mean If my slug reads higher than someone elses slug , I guess now there is now 2 things to consider with regards of accuracy, the meter movement and the slug. Again, either you guys dont own more than one slug of the same value or even different values to really see what a differance there really are between the slugs

--

Barry L. Ornitz wrote in message ...
>
>William E. Sabin wrote in message <371B9007.CCDF668A@mwci.net>...
>>Anthony R. Gold wrote:
>>> On Sunday, in article <3719A182.52AE00AE@mwci.net>
>>> sabinw@mwci.net "William E. Sabin" wrote:
>>>
>>> > Not so fast!
>>> >
>>> > Look at the first meter. At 10 mA the error is 5% and according to the
>"rule"
>>> > it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and
>it
>>> > should be 8.0%. For the second meter at 25 mA the error is 4.2% and it
>should
>>> > be 8.0% if it is a 1% meter.
>>>
>>> Why "should" the error of the first meter at 10mA be 18% or at 20mA
>>> ought the error be 8%, etc.
>>
>>If the accuracy is "allowed" to be 3%, then officially it is "allowed" to
>be 3% of
>>full scale anywhere on the scale.
>
>
>This is EXACTLY the statement I have been trying to convince Bill of all
>along. Change the words in his previous posting and things make much more
>sense. [But I still cannot duplicate his numbers exactly.]
>
>>Look at the first meter. At 10 mA the error is 5% and according to the
>"rule"
>>it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it
>>should be 8.0%. For the second meter at 25 mA the error is 4.2% and it

>should
>>be 8.0% if it is a 1% meter.
>
>The accuracy statement supplied by the manufacturer does not tell you what
>the error is at any point. It just sets bounds on the error. A corrected
>wording _might_ be:
>
>At 10 mA the actual error is 5%, and according to the manufacturers
>accuracy statement, it could be as high as 15%, if it is a 3% of full-scale
>meter. At 20 mA the actual error is 1.5% but it could be as high as 7.5%.
>For the second mneter at 25 mA, the error is 4.2% but it could be as high
>as 8%
>based only on the full scale accuracy of 1%.
>
>>Example: A 0 to 100 meter is rated at 3% of full scale. This means that at
>100 it
>>"can be" 97 to 103, which is 3% of full scale. But that also means that at
>20 it
>>"can be" between 17 and 23, which is not 3% but 15%. Or at 10 it "can be"
>between
>>7 and 13, which is 30%.
>
>Which is the point Roy Lewallen made.
>
>>Any worthwhile 3% panel meter that I have ever worked with is a lot better
>than
>>that.
>>
>>If a meter *just barely* meets that spec and is no better than that, then
>as I
>>said, at lower readings the errors "should be" the larger numbers. That
>statement
>>was correct. The cheaper junk meters do exactly that and no more, so that
>the meter
>>is not very good except close to full scale.
>
>
>No, at lower readings the errors do not _have_ to be larger numbers. But
>they _CAN_ be and still meet the full scale specification.
>
>>If you read my writeup more carefully, I am saying that meters in practice
>are not
>>built that way, and the data that I gave for two old knocked-around meters
>is a
>>very good example.
>>
>>> I think you have totally missed Roy's point.
>>
>>I think you are totally missing my point. The specification is standard
>practice,

>>but a meter that does nothing more than meet the bare minimum advertised
>definition
>>of "full scale accuracy" is not one that I would buy if I can find
>something that
>>goes the extra mile and tries to get a better "average % accuracy" over
>"most" of
>>the scale. And you may be sure that I can in fact do just that. Read my
>post again
>>(the part that you deleted from your reply).
>>
>>The "% of full scale" spec is a tradition, and anyone just barely meeting
>the spec
>>will not go to jail, but he will not compete with those who do a much
>better design
>>and test job for the same sell price. I'm not talking about $1000
>laboratory things
>>in walnut cases, just ordinary $80 taut band panel meters.
>>
>>These days an automated test station could take data points (using a
>computerized
>>optical reader), calculate a linear regression and the standard
>deviations, min
>>and max errors etc. and possibly tweak the meter mechanism (or reject it)
>in just
>>15 seconds. The old traditional "% of full scale" spec is a lousy way to
>do
>>business since it permits a lousy result.
>
>Which was my contention all along...
>
>>Bill W0IYH
>
>
>There is a small enough amount of data here that it can be done by hand.
>Taking the first meter, for example, we can either fit the best straight
>line though the data points, or if we assume the meter was properly zeroed
>first, we can force our calibration to go through zero. Doing the latter
>gives:
>
> Predicted_Value = 0.97213 * (Meter_Reading)
>
>Without forcing the calibration to go through zero gives:
>
> Predicted_Value = 0.98537 * (Meter_Reading) + 0.47205
>
>If you look at the errors between these predicted values and the actual
>values, you will still find the worst error at the 5 mA reading. On the
>10, 20, 30, 40 and 50 mA points on the scale, the above equations come to
>within 2.5% - an excellent meter. But you cannot read into this data that
>which is not there. Is the meter nonlinear below 10 mA, or is the 5 mA

>point just a bad reading? You can say only with further testing, not with
>this data.
>
>But again, with only the 3% of full scale statement to work with, you would
>never know this. Bill said he had his meter checked against a calibrated
>Boonton RF voltmeter. So he can say with certainty that his meter is good
>over the range he checked. Another meter may not be nearly as accurate as
>his, yet it still meet Bird's 5% of full scale accuracy.
>
> 73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net
>
>
>

1076. Re: WWWI aircraft radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371C8C8D.6CB503BB@ix.netcom.com>
Source record: 85653

WW-I is VERY collectable right now.
You have doubtless been contacted by the usual sharks,
trying to tell you "it's worth $100 and do you want to sell it??"

If it is indeed WW-I, in good condition and not "hammed"
(modified, chainsawed, otherwise destroyed by "improvements"),
it will be worth several hundred dollars.
How many depends on what and what condition.

Good luck with it!

73 Dave Stinson AB5S
arc5@ix.netcom.com

1077. Alliance HD-73 Rotater FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <371d8c42.18689689@news.i-2000.com>
Source record: 85654

FS Alliance HD-73 rotater in excellent condition....this rotater is
comparable to the CDR-44 in its specs...but actually has a feature
that CDR rotaters don't have, and that is a two speed control, which
is downright handy, when zeroing in on a station...Its been sitting in
my basement for two years now,so it hasn't been over-used...It comes
with the manual....$150.00 + shipping from L. Island.....Bob..K2LGO
Pse remove the (ns) from my adr.....

1078. Re: See my bolocks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371C8F63.C2D6D021@ix.netcom.com>
Source record: 85655

No thanks. I don't "swing" that way.

1079. ART-13 Conversation Book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37209098.19799878@news.i-2000.com>
Source record: 85656

FS...Conversation Notes on Collins ART-13 by K5MKI...this book deals mainly with converting the art-13 for use as a station AM rig...it takes you through thge radio stage, by stage, explaining the various functions of each stage, and what if any problems might be encounted. Such things as additional cooling, microphones,power supply construction, and so much more....even discusses adding a SSB generator...Its 23 pages, and every page is filled with no no-nonsense info....$25.00 to your door...CONUS...Bob...K2LGO...
Pse remove the (ns) from my address.....

1080. Blaupunkt Riviera schematics/manual wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: pje@haystack.mit.edu
Message-ID: <7fihdk$6t3$1@nnrp1.dejanews.com>
Source record: 85657
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

Hello,

I have recently inherited a Blaupunkt Riviera tabletop LW/MW/SW/FM set
(circa 1957 or so). I'm looking for a source for manuals and schematics.

If anyone knows of a good source, please email or post.

Thanks in advance,

Phil Erickson
pje@haystack.mit.edu

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1081. FS / Trade: Drake MS-3, AC-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <371CAA4B.44CF@iglou.com>
Source record: 85658

For Sale/ Trade: Drake MS-3 speaker with AC-3 power supply.

Matches TR-3, TR-4 and T-4X equipment. Speaker has fine front panel and

good driver but cabinet needs repainted. (Krylon matte black spray paint

matches Drake gear quite nicely). No dents. AC-3 was tested about 4

months ago on a TR-3 and it was supplying all the proper voltages.

$100 + shipping firm or trade for older Kenwood, Yaesu or Alinco 2M

mobile radio I can use for FM or packet.

Thanks..... W4UDX

e-mail W4UDX@juno.com

1082. FA Ebay: Rare Hammarlund HQ-215 (item # 93652135)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Marco Ciocca <marco@pa.uky.edu>
Message-ID: <371CAD53.8986112@pa.uky.edu>
Source record: 85659
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio.swap,rec.antiques.radio+phono

I have on action on ebay a receiver seldom seen: a "very scarce" (as
Fred Osterman puts it)
Hammarlund HQ-215. This 80-10 Ham band only receiver can be "expanded"
by plugging in crystal in 13 available sockets. At the moment, with the
unit, several optional crystals are furnished to cover the WARC bands.
The reserve is $400.
Thank you very much for the bandwidth!
--
Marco KF4URS

1083. FS Lafayette 6mtr AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990420124357.00324.00004426@ng-fp1.aol.com>
Source record: 85660

Model HE-45B good condition with power cord and manual, no mic. $75 plus shipping.

1084. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: ke4zv@bellsouth.net
Message-ID: <3728b467.399868377@news.atl.bellsouth.net>
Source record: 85661
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

On Tue, 20 Apr 1999 09:13:21 -0400, "10-7" <boygonbad@aol.com> wrote:

>People keep refering to the meter movements accuracy , I question the slugs,
>check from one to the next . What good does the meters accuracy mean If my
>slug reads higher than someone elses slug , I guess now there is now 2
>things to consider with regards of accuracy, the meter movement and the
>slug. Again, either you guys dont own more than one slug of the same value
>or even different values to really see what a differance there really are
>between the slugs

Right. And the *same* slug can give different readings at different
frequencies within its specified range. The compensation is far
from perfect across the marked range. That same slug will give
different readings again if it is used in a different line section.
The machining of Bird line section castings isn't very tightly
controlled (a small difference in insertion depth of the slug makes
a pretty large difference in the indicated power). Then consider the
nonlinearity of the diode at different power levels, temperature effects,
etc, and you see that there are many potential sources of error. The
meter movement is probably the least of the factors in determining
the instrument's accuracy.

In our shop, we mark slugs to be used with a particular line section
and meter, and make calibration charts for the combination at the
frequencies where they will be used. (We have a Dielectric water
load with flowmeters and temperature probes so we can calculate
actual power and prepare the calibration charts.) That can get us
to about 1% of full scale for the higher power slugs. At low power
levels, uncertainties in flowrate and temperature differential can
lead to a larger percentage error for our calibration setup. So we
try to avoid using the instruments near the low end of a power
range.

Gary
Gary Coffman KE4ZV | You make it |mail to ke4zv@bellsouth.net
534 Shannon Way | We break it |
Lawrenceville, GA | Guaranteed |

1085. Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7fj35bmti1@nnrp1.dejanews.com>
Source record: 85662

```
For trade or sale:
RS-6 survival radio set used on the U-2 spy planes.
Circa early 1950s. Includes: RT-6 transmitter,
RR-6 receiver, RP-6 power supply, RA-6 filter unit.
Good unmodified condition.
Will trade for any German WWII radio equipment.
Will sell for $350 if no trades.
Please reply to vlad at: kb9olm@hotmail.com
Still looking for RAL-7 Navy receiver with power supply.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
```

1086. F.S. Vacuum Tubes 6AS7GA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be8b56$1153b760$601a99cf@ve6nap1>
Source record: 85663

I have a a number of new old stock General Electric white box tubes

Part # 6AS7GA
Twin Triode
6.3 Volt Filament
2.5 Amp Filament
Plate disapation 13 watts per section
Max plate volts 250 VDC

Price each $3.50 U$ dollars
Quantity discount available on orders over 4 tubes

Only 500 Hundred available so order now to avoid disapointment.

Terms

NO COD
All applicable taxes extra
Shipping charges extra
Postal M.O. or Certified Bank Draft in advance of shipment

Email or snail mail with address and quantity of tubes desired to obtain
firm quote.

Gerald G. Caouette
9116-79 street
Edmonton, Ab. T6C 2R4

de
ve6nap@oanet.com

1087. Wanting Older Kenwood Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Steven KB9HGI <kb9hgi@qsl.net>
Message-ID: <371C814D.927E53FF@qsl.net>
Source record: 85664

```
Wanting to buy:
kenwood ts-520s VFO knob
Kenwood MC-50 desk mic
Kenwood Sp520 external speaker
kenwood DG 5 digital display for the 520s

please email me! thanks & 73s

Steve KB9HGI
kb9hgi@qsl.net
```

1088. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <371C808F.8198A1DA@mwci.net>
Source record: 85665
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Barry L. Ornitz wrote:

> William E. Sabin wrote

>If the accuracy is "allowed" to be 3%, then officially it is "allowed" to

> be 3% of
> >full scale anywhere on the scale.
>
> This is EXACTLY the statement I have been trying to convince Bill of all
> along. Change the words in his previous posting and things make much more
> sense. [But I still cannot duplicate his numbers exactly.]

And you still do not understand what I am trying to tell you.

One more (and last) time. I am really sick and tired of this.

I am saying that a meter that just barely meets the full scale % (aka the Roy meter) is "allowed" to be a very poor meter %-wise at below full scale. The meter that I will buy is the one that is 3% of full scale, but designed so that the degradation of % accuracy is smaller than what the Roy meter tolerates. I *know* that I can buy such a 3% meter for the same price. In other words the % error across the scale is the thing that anyone in his right mind is going to shop for and compare.

"How well does the meter track across the scale?" This is the most sensible question that I can think of. When I evaluate a meter it is the FIRST thing that I look for. And if I compare brands X,Y and Z 3%-rated $80 meters, guess which one I will buy.

This preoccupation with the literal interpretation of "% of f.s." that is used in catalogs is not necessary. I think it is a lousy way to do business and vendors do it to make life simpler and less litigious for themselves (who can blame them?). But they can, and do, perform better than that, they just don't commit to it.

If you understand this simple message then you understand my point exactly. I have no interest whatsoever in the strictly legal "Roy meter". A meter that is off by +/- 3 units at a reading of 10% of f.s., or even +/- 3 units at 20% of f.s., is not desirable. I will not buy it and I do not have to. Instead of haggling about numbers to 4 decimal places, let's use some common sense.

The message is clear and simple. Why is there so much trouble with it?

I do not want to argue about this any more. If you nice (and one or two not so nice) folks out there think that I am "mind set", then so be it. I will believe

what I think makes sense and let it go at that.

Bill W0IYH

1089. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: "William E. Sabin" <sabinw@mwci.net>
Message-ID: <371C9325.6C26EA3E@mwci.net>
Source record: 85666
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

10-7 wrote:

> People keep refering to the meter movements accuracy , I question the slugs,
> check from one to the next . What good does the meters accuracy mean If my
> slug reads higher than someone elses slug , I guess now there is now 2
> things to consider with regards of accuracy, the meter movement and the
> slug. Again, either you guys dont own more than one slug of the same value
> or even different values to really see what a differance there really are
> between the slugs

At this point in time the discussion is centered on the actual 0 to 30 uA DC meter itself and not on the Bird wattmeter. The meter itself has interesting problems of its own.

The Bird 43 is rated at 5% of full scale. The meter itself is probably a 2% meter. The other 3% includes the element and the built-in coaxial assembly. The 43 construction is "precision" as nearly as I can tell by looking.

As for the elements, my *new* 250H and 1000H for the 2-30 MHz range are *very good* (within a couple of tenths of a dB) in my *new* 43.

Bill W0IYH

1090. Re: Audio Mods for B&W 5100-B?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990420155431.06495.00002537@ng-ce1.aol.com>
Source record: 85667

I think, OM, you'll find the stock 5100-B audio to be among the best in ham radio. I continue to get excellent audio reports with mine.

W3DEF

1091. Info? Justin Inc. Mini-Com QRP?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: FC <me@myplace.ca>
Message-ID: <LA5T2.18$fT3.132007@news.bctel.net>
Source record: 85668

I have a QRP rig that is made by Justin Inc. of California. It's called a Mini Com. It has the whole 40m ham spectrum, and is actually SSB!
It seems to have a hearing problem, and there is a fair carrier on the ssb tx. I'm sure in has a null somewhere on the board, but I'd really like to fix it up since QRP is something I enjoy. Does anyone have schematic for this thing, or any information would be great, i.e. year it was made etc.
Thanks
Fred VE7FYO

1092. FS:Bell/Heathkit 4540 scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7fip95$o5l$1@camel18.mindspring.com>
Source record: 85669

I have a clean Bell/Heathkit 4540 working scope, manual, 2x3 ft schematic
for $50 or trade for a vintage Heathkit or similar radio deskmic.
Location ....Long Island

1093. VT-62 (801A) FS/trade

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7fip53$m81$1@alexander.INS.CWRU.Edu>
Source record: 85670

One used JAN vt-62 aka 801A, tested good (u=1700) on TV-10 tester. Trade for
8116 several 8233
drake acessories or cash. 73 George

1094. WTB: Simpson 260 case

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: techni@netcom.com
Message-ID: <techniFAIAJ0.L0K@netcom.com>
Source record: 85671

WTB: Intact case for Simpson 260. Harold Meltzer

1095. Re: WWWI aircraft radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <371CEEB2.83543EC3@erols.com>
Source record: 85672

WW1? Didn't know Jennies had an electrical system? Hmmmm, where'd
they put it?

David Stinson wrote:

> WW-I is VERY collectable right now.
> You have doubtless been contacted by the usual sharks,
> trying to tell you "it's worth $100 and do you want to sell it??"
>
> If it is indeed WW-I, in good condition and not "hammed"
> (modified, chainsawed, otherwise destroyed by "improvements"),
> it will be worth several hundred dollars.
> How many depends on what and what condition.
>
> Good luck with it!
>
> 73 Dave Stinson AB5S
> arc5@ix.netcom.com

1096. Re: See my bolocks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Don Vosper <don@vosper.freeserve.co.uk>
Message-ID: <7fiqro$l37$1@news7.svr.pol.co.uk>
Source record: 85673

one more for the filter

1097. For Trade: Collins KWM-2 access's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371D0264.640E4A9D@ix.netcom.com>
Source record: 85674
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Trade:
351D-2 mobile mount and the DC mobile power supply for the KWM-2.
These need cleaning and the cable on the DC supply
needs to have four wires resoldered, but they look
to be in good shape and complete as far as I can tell.
I haven't tested the DC supply because I don't want to
take the time to recap it, but it looks OK with no
burn smells or anything amiss.

I'm interested in trading for items for my military collection.
I collect the "ARC-5" command sets, pre-WW-II military
aircraft items and WW-II era ground portable items.
No interest in post-1950s military items.

On the "ARC-5" type units-
I have every "common" command set many times over and
would only be interesting in the "uncommon" units,
such as those factory built for 12 VDC, for unusual
freq. ranges like above 9 MC or transmitters for below
2 MC, non-English markings, or any unmodified unit that is marked
both US ARMY SIGNAL CORPS *and* AIRCRAFT RADIO CORP
on the same plate. I would also be interested in multiples
of control boxes, shock mounts, racks, connectors, etc.

I am willing to talk about other trades.

Kind Regards,
David Stinson AB5S
arc5@ix.netcom.com

1098. WTD: Schematic for Philco 46-420

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Stuart <stuart@valon.net>
Message-ID: <371D1A8E.55751637@valon.net>
Source record: 85675

Anyone have a schematic for this broadcast receiver?
--
Stuart

1099. FA: Collins Mechanical Filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Mike Nadeau <mnadeau@gwi.net>
Message-ID: <dN8T2.71$h35.464@newsfeed.slurp.net>
Source record: 85676
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I have two Collins mechanical filters for auction on eBay...

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93469306

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93472073

Mike - N1ENA

1100. Radio books F/S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Paul Washa <w0tok@email.msn.com>
Message-ID: <OpEb0R5i#GA.285@cpmsnbbsa05>
Source record: 85677

We sell books at hamfests, our selection is one of the most interesting available and our prices are very competitive. Books on ham radio, telegraph keys, antique radio collecting, reprints of old 1920's electronics books, telephones, Tesla, tubes, crystal sets, antennas, shortwave listening, antique TV sets, survival books, over 300 titles and growing, send an email request for the list in MS word or give my your address and one will be sent no charge. Paul Washa Mound, MN will be at Dayton Spaces: 2615, 2616, 2617

1101. FS: Boonton Eq. 260A, 250A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <yZ9T2.2053$1v.3204@ndnws01.ne.mediaone.net>
Source record: 85678
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Both in excellent cosmetic and working condition with original manuals!

The 260A is their famous "Q" meter, covering 50 KHz to 50 MHz.
This is a late model unit that works perfectly.

The 250A is the Rx meter that covers 500 KHz to 250 Mhz and measures
resistance from 15 ohms to 100K ohms over the range. Measures capacitance as
well. This unit works perfectly and is accurate.

$250 each shipped CONUS. Q standards and inductors available for the 260A
as
well.

regards,

Chuck...K1KW

1102. Collins 516-F2 manual FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <371D4264.AF288676@value.net>
Source record: 85679

Hi All:

I have a great condition original 516-F2 manual for sale. Asking $20 shipped. Cal.

1103. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Ralph Mowery <rmowery@ibm.net>
Message-ID: <371D2428.DA71837C@ibm.net>
Source record: 85680
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

I tried to address that a while back. The Bird 43 is a field
instrument, not a lab instrument. It must work over a very large
tempature range. Not only is the meter movement in questiion, but
also the components in the slug and mechanical accuracy of the
sampling line secment. You always have to allow for the worst case,
which migh only show up as 1 in 1000 while the others are much
closer, especially under more controlled enviroments.

10-7 wrote:
>
> People keep refering to the meter movements accuracy , I question the slugs,
> check from one to the next . What good does the meters accuracy mean If my
> slug reads higher than someone elses slug , I guess now there is now 2
> things to consider with regards of accuracy, the meter movement and the
> slug. Again, either you guys dont own more than one slug of the same value
> or even different values to really see what a differance there really are
> between the slugs
>
> --
>
> Barry L. Ornitz wrote in message ...
> >
> >William E. Sabin wrote in message <371B9007.CCDF668A@mwci.net>...
> >>Anthony R. Gold wrote:
> >>> On Sunday, in article <3719A182.52AE00AE@mwci.net>
> >>> sabinw@mwci.net "William E. Sabin" wrote:
> >>>
> >>> > Not so fast!
> >>> >
> >>> > Look at the first meter. At 10 mA the error is 5% and according to the
> >"rule"
> >>> > it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and
> >it
> >>> > should be 8.0%. For the second meter at 25 mA the error is 4.2% and it
> >should
> >>> > be 8.0% if it is a 1% meter.
> >>>
> >>> Why "should" the error of the first meter at 10mA be 18% or at 20mA
> >>> ought the error be 8%, etc.
> >>
> >>If the accuracy is "allowed" to be 3%, then officially it is "allowed" to
> >be 3% of
> >>full scale anywhere on the scale.

> >
> >
> >This is EXACTLY the statement I have been trying to convince Bill of all
> >along. Change the words in his previous posting and things make much more
> >sense. [But I still cannot duplicate his numbers exactly.]
> >
> >>Look at the first meter. At 10 mA the error is 5% and according to the
> >"rule"
> >>it should be 18%, if it is a 3% meter. At 20 mA the error is 1.5% and it
> >>should be 8.0%. For the second meter at 25 mA the error is 4.2% and it
> >should
> >>be 8.0% if it is a 1% meter.
> >
> >The accuracy statement supplied by the manufacturer does not tell you what
> >the error is at any point. It just sets bounds on the error. A corrected
> >wording _might_ be:
> >
> >At 10 mA the actual error is 5%, and according to the manufacturers
> >accuracy statement, it could be as high as 15%, if it is a 3% of full-scale
> >meter. At 20 mA the actual error is 1.5% but it could be as high as 7.5%.
> >For the second mneter at 25 mA, the error is 4.2% but it could be as high
> >as 8%
> >based only on the full scale accuracy of 1%.
> >
> >>Example: A 0 to 100 meter is rated at 3% of full scale. This means that at
> >100 it
> >>"can be" 97 to 103, which is 3% of full scale. But that also means that at
> >20 it
> >>"can be" between 17 and 23, which is not 3% but 15%. Or at 10 it "can be"
> >between
> >>7 and 13, which is 30%.
> >
> >Which is the point Roy Lewallen made.
> >
> >>Any worthwhile 3% panel meter that I have ever worked with is a lot better
> >than
> >>that.
> >>
> >>If a meter *just barely* meets that spec and is no better than that, then
> >as I
> >>said, at lower readings the errors "should be" the larger numbers. That
> >statement
> >>was correct. The cheaper junk meters do exactly that and no more, so that
> >the meter
> >>is not very good except close to full scale.
> >
> >
> >No, at lower readings the errors do not _have_ to be larger numbers. But
> >they _CAN_ be and still meet the full scale specification.
> >

> >>If you read my writeup more carefully, I am saying that meters in practice
> >are not
> >>built that way, and the data that I gave for two old knocked-around meters
> >is a
> >>very good example.
> >>
> >>> I think you have totally missed Roy's point.
> >>
> >>I think you are totally missing my point. The specification is standard
> >practice,
> >>but a meter that does nothing more than meet the bare minimum advertised
> >definition
> >>of "full scale accuracy" is not one that I would buy if I can find
> >something that
> >>goes the extra mile and tries to get a better "average % accuracy" over
> >"most" of
> >>the scale. And you may be sure that I can in fact do just that. Read my
> >post again
> >>(the part that you deleted from your reply).
> >>
> >>The "% of full scale" spec is a tradition, and anyone just barely meeting
> >the spec
> >>will not go to jail, but he will not compete with those who do a much
> >better design
> >>and test job for the same sell price. I'm not talking about $1000
> >laboratory things
> >>in walnut cases, just ordinary $80 taut band panel meters.
> >>
> >>These days an automated test station could take data points (using a
> >computerized
> >>optical reader), calculate a linear regression and the standard
> >deviations, min
> >>and max errors etc. and possibly tweak the meter mechanism (or reject it)
> >in just
> >>15 seconds. The old traditional "% of full scale" spec is a lousy way to
> >do
> >>business since it permits a lousy result.
> >
> >Which was my contention all along...
> >
> >>Bill W0IYH
> >
> >
> >There is a small enough amount of data here that it can be done by hand.
> >Taking the first meter, for example, we can either fit the best straight
> >line though the data points, or if we assume the meter was properly zeroed
> >first, we can force our calibration to go through zero. Doing the latter
> >gives:
> >
> > Predicted_Value = 0.97213 * (Meter_Reading)

> >
> >Without forcing the calibration to go through zero gives:
> >
> > Predicted_Value = 0.98537 * (Meter_Reading) + 0.47205
> >
> >If you look at the errors between these predicted values and the actual
> >values, you will still find the worst error at the 5 mA reading. On the
> >10, 20, 30, 40 and 50 mA points on the scale, the above equations come to
> >within 2.5% - an excellent meter. But you cannot read into this data that
> >which is not there. Is the meter nonlinear below 10 mA, or is the 5 mA
> >point just a bad reading? You can say only with further testing, not with
> >this data.
> >
> >But again, with only the 3% of full scale statement to work with, you would
> >never know this. Bill said he had his meter checked against a calibrated
> >Boonton RF voltmeter. So he can say with certainty that his meter is good
> >over the range he checked. Another meter may not be nearly as accurate as
> >his, yet it still meet Bird's 5% of full scale accuracy.
> >
> > 73, Barry L. Ornitz WA4VZQ ornitz@dpnet.net
> >
> >
> >

1104. Re: HOW TO: Calibrate SWR/Watt meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: 10-7 <boygonbad@aol.com>
Message-ID: <YCaT2.43$hU2.3368@news2.voicenet.com>
Source record: 85681
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.equipment,alt.ham-radio.mods,rec.radio.amateur.boatanchors

Gary Coffman wrote in message <3728b467.399868377@news.atl.bellsouth.net>...
|>The machining of Bird line section castings isn't very tightly
>controlled (a small difference in insertion depth of the slug makes
>a pretty large difference in the indicated power).

Very true Gary, I have notice this as well with different line sections

1105. Re: Hammarlund HQ-100A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <cUaT2.2061$1v.3412@ndnws01.ne.mediaone.net>
Source record: 85682
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I goofed!! This is a HQ-100, not a 100A. No difference really though.....
73,
Chuck...K1KW

Chuck O'Neal wrote in message ...
>This receiver works well and is in very good condition. Needs just a
little
>cleaning
>up to be excellent. A bit dusty, no dents, scratches, and comes with
>original
>manual. Has a xtal calibrator also with a switch installed on the rear.
>Other than that, all original, no mods, original knobs.
>$150 shipped CONUS
>regards,
>Chuck...K1KW
>
>

1106. FS: Hammarlund HQ-100A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <oSaT2.2060$1v.3441@ndnws01.ne.mediaone.net>
Source record: 85683
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

This receiver works well and is in very good condition. Needs just a little
cleaning
up to be excellent. A bit dusty, no dents, scratches, and comes with
original
manual. Has a xtal calibrator also with a switch installed on the rear.
Other than that, all original, no mods, original knobs.
$150 shipped CONUS
regards,
Chuck...K1KW

1107. RME-45 + speaker FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <371D492D.2E79F337@value.net>
Source record: 85684

Too many BA's here. Works great. Comes with original speaker, VHF-152 (great condition), and RME-20 preselector. $100. You ship. Cal. N6KYR.

1108. Re: FS: Johnson Pacemaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: RexBrown@webtv.net
Message-ID: <16290-371D459F-92@newsd-174.iap.bryant.webtv.net>
Source record: 85685

Jim, is the Pacemaker still for sale? I would be able to pick it up in Illinois or at Dayton , if you are going. Let me know. Thanks,
Rex

1109. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <924741932.709.90@news.remarQ.com>
Source record: 85686
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Mike Nadeau <mnadeau@gwi.net> wrote in message
news:dN8T2.71$h35.464@newsfeed.slurp.net...
> I have XXX for auction on eBay...
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX>
> Mike - N1ENA

Rec.radio.swap is the proper groups for sale items. Please do not post ebay
stuff in discussion groups.

- 73 Bob W7OV

1110. Philo Farnsworth - tonight on PBS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-20 00:00:00 UTC
From: tiuk@aol.com
Message-ID: <19990419201553.22755.00002588@ng100.aol.com>
Source record: 85736

WNET channel 13, the local PBS station here in the New York City area is broadcasting a one hour program on the inventor of the electronic television. It starts at 9PM. It is a repeat but worth watching again.

Apologies in advance for being slightly off topic.

Roman, N2CDD

1111. Re: WTD: Schematic for Philco 46-420

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990420212353.15457.00002883@ng111.aol.com>
Source record: 85587

>Anyone have a schematic for this broadcast receiver?
>--
>Stuart

I just happen to have this service bulletin. I don't normally advertise Philco service info outside the 1928-1942 year span.

Order it thru my site below.

Regards,

Chuck Schwark, Chicago, IL
Member ARCI, AWA, HTML Writers Guild
Antique Radio Resource Page:
http://members.aol.com/caschwark
Home of the PHILCO REPAIR BENCH

1112. WTD: SX-101 "response" Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: cnord@snet.net
Message-ID: <371d2f86.15628743@news.snet.net>
Source record: 85588

This is the knob that has Power, SSB etc on it.
Anyone have one for sale ?
Tnx and 73

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

1113. FS lotta,lotta TRW Swapmeet Stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7fjdpbjhc2@ash.prod.itd.earthlink.net>
Source record: 85589

I have some stuff for sale, and the equipment will be at TRW swapmeet
this Saturday in El Segundo Ca. Saturday 4/24/99. Cross streets
Aviation, and Marine Blvd. 2 miles west of the 405 Freeway. 3 MILES
SOUTH OF LAX AIRPORT. The spot where the stuff will be is SPACE
J-8....Ask for Emilio

1. Gonset GSB - 101 Model 3262 linear amplifier with 4- 811 tubes
lights up OK, condition is good untested $189.00 (pick up only)

2. Bird 8201 500 watt 50 ohm dummy load in great condition W/ N
connector $265.00
3. Bird 4381 RF Power Analyst W/ N connector, no manual. Don't know
if it takes regular batteries or rechargeables. It has a charger
connection great condition, but can't test $499..00
4. Bird 43 N $150.00 good
5. Bird 43 N $125.00 scratch, and little dent on bottom
6. Bird 1000C 100--250 MHZ 1000 watts $38.00
7. Bird 500C 100--250 MHZ 500 watts $38.00
8. Bird 50C " " 50 watts $38.00
9.. Bird 1K W max it looks like a element
with a BNC connector in the middle, and states on it
40 DB 125-250 MHZ $50.00
10. MA-COM nice heavy dry dummy load I would guess
about 200 watts capability model 44017 $69.00
11. Kenwood VFO-820 with cable, and manual $79.00
12. Uniden BC-560XLT scanner works great $45.00
13. MFJ-484 Grandmaster Memory Keyer with manual works great $40..00
14. Yaesu FT-208R with antenna, and charger , PA-3 car adaptor
untested $25.00
15. Palomar RX Noise Bridge $30.00
16. Plastic key $2.00
17. Ameco Preamplifier PLF $20.00
18. Heathkit GD-1B grid dip meter $15.00
19. Hygain Hy seas marine untested $7.00
20. Amcomm 2m2 2 meter amplifier $30.00
21. Tokyo Hy Power HL-30 V 2 meter amp 30 watts output $40.00
22.. Mirage B-23A 2 meter amp 30 watts output $40.00
23. Yaesu (2) TWO YM-24A speaker microphones $20.00 each

24. DENTRON MLA-2500 AMPLIFIER IN EXCELLENT CONDITION
.....$500.00.....FIRM....(Pick up only).....

Thanks Leo KJ6HI Ph/Fax (310) 670-6969

1114. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be8bc2$037702c0$8a1a99cf@ve6nap1>
Source record: 85590

"

> >
> You sound like a very enthusiastic proponent of code use. Sounds like
fun.
> 73,
> Brian/N0iMD
>

Yep its a lot of fun - hope to see you during CQWPX CW
I Will be at VE6SV as one of the MS ops....

P.S.
CW still is in wide spead use in the commercial market for stn id and as a
back up system. Also ask pilots how they identify their beacons (CW)

73
de
ve6nap@oanet.com

1115. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: VE6NAP <ve6nap@oanet.com>
Message-ID: <01be8bc5$100a9620$8a1a99cf@ve6nap1>
Source record: 85591
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

>Alan <alankg@siscom.net> wrote in article <3718c5fe@news.siscom.net>...
>Yes, I admit it ! I am ANTI-CODE ! For hams that want to use code, I
say
>fine, go for it. But maintaining code proficiency as a requirement for HF
>usage is totally ridiculous and completely without merit! Face it guys,
>code has no place in modern communications except as a hobby. If I either
>desire or for some reason I cannot possibly imagine need to transmit code,
I
>can have my PC do it with far greater proficiency than anyone using a key.
>I, see it as a live and let live proposition...for those that wish to keep
>using this dusty dinosaur from the past, I say fine. But in the same
regard
>keep your noses out of my business when I wish to have no knowledge of the
>same dusty dinosaur.

My take on this one is we are hobbists on one side of the coin but the
other side is we are also the last line of communications when all else is
gone or not working..
.
Eliminate the morse code requirement and you lose one of the few modes of
communication that can be copied or generated with out the aid of a
machine. The morse code can be detected with the aid of only rudamentry
equipment and
the generation of a signal in times of dire circumstances requires no more
than creating an arc and some type of antenna system.

Personaly I am for reducing the speed requirements somewhat, to the levels
we in Canada have ..i.e 5 and 12 WPM but increasing the depth of basic
electronics knowledge testing for all levels and licence classes thus
improving the available
skills base. (From content of some of the postings I wonder how some made
it to NOVICE or TECH....)

de
ve6nap@oanet.com

1116. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Jones <nomail@nomail.com>
Message-ID: <7fk05dhvc1@news.orbitworld.net>
Source record: 85592
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

VE6NAP wrote
>Personaly I am for reducing the speed requirements somewhat, to the levels
>we in Canada have ..i.e 5 and 12 WPM but increasing the depth of basic
>electronics knowledge testing for all levels and licence classes thus
>improving the available
>skills base. (From content of some of the postings I wonder how some made
>it to NOVICE or TECH....)

Personally I am for reducing the sub-bands in Canada to the same we have
here in the States. And while I'm meddling in your country's affairs, lets
reduce your power levels also, just as punishment for your dumb ham posting
about our dumb ham postings...

1117. GPR-90 orig manual FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <371DC2A0.9F5F17B6@value.net>
Source record: 85593

GPR-90 manual for sale. Good condition. Covers laminated. Everything else is original. Asking $25 shipped. Cal. N6KYR.

1118. Re: WWWI aircraft radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <371DC105.3626@roanoke.infi.net>
Source record: 85594

D. S. Platt wrote:
>
> WW1? Didn't know Jennies had an electrical system? Hmmmm, where'd
> they put it?

Actually I rather doubt they were ever used in Jennies--The
SCR-59 receiver was developed just a bit too late for WWI and was
designed as part of a squadron system--flight leaders had the SCR-68
tranceiver---and other members had the SCR-59 receiver only. A # of
neat little wind driven generators were developed--as well as dry
batteries for various other required voltages in the sets.
And you're correct--no electrical system//other than the mags//
no throtle either on some of those babies---had to "blib" the mags on
the way down final to slow it down enough to land.
Craig
BTW---The SCR-65 and the British Sterling--both little spark
transmitters were used in combat by artillary spotters--sent reports
back to the gunners who had either BC-14A crystal sets or the British
equiv.

1119. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: billsohl@planet.net
Message-ID: <371dc9bd.2255704@news.planet.net>
Source record: 85595
Cross-posted to: rec.radio.amateur.misc,rec.radio.amateur.boatanchors

I posted a reply to the post but have ONLY sent it
to r.r.a.policy. You can find it there if interested.

Cheers,
Bill K2UNK

1120. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: W6RCecilA <Cecil.A.Moore@IEEE.org>
Message-ID: <371DC60E.CA34F5CE@IEEE.org>
Source record: 85596
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

VE6NAP wrote:
> Eliminate the morse code requirement and you lose one of the few modes of
> communication that can be copied or generated without the aid of a
> machine.

Sending/receiving CW without a machine is just a myth since the
transmitter/receiver *is* a machine. Most commercial transceivers
even contain an embedded microcontroller.

> The morse code can be detected with the aid of only rudamentry
> equipment and the generation of a signal in times of dire circumstances
> requires no more than creating an arc and some type of antenna system.

Please try an actual experiment using an "arc" and let us know how
it turns out. I predict all you will do is aggravate your neighbors
and the FCC. I doubt that any hams can read spark-gap code.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1121. USN MAB Paratrooper Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7fkm13$4l1$1@autumn.news.rcn.net>
Source record: 85597
Cross-posted to: rec.radio.amateur.boatanchors,alt.military.collecting

I have picked up one of these from a group of items, and it actually came with the original manual. It is a real interesting transceiver, similar internals to BC 611. I am missing the headset and mike, antenna and carrying case. I would like to find these items. Any help is appreciated.

--
john@astory.com
http://www.astory.com

1122. Re: GPR-90 orig manual FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: wjoew@aol.com
Message-ID: <19990421104717.11450.00005791@ng-ch1.aol.com>
Source record: 85598

I would like to buy this if still available.

Joe Watson

1123. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <7fks50dps1@208.207.71.134>
Source record: 85599
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:

> I doubt that any hams can read spark-gap code.

Keep reading Cecil long enough and you eventually find out
how little he really knows.
Most experienced CW operators can read a small change in
the character of the noise that is caused by a very weak CW
signal. So you doubt that those hams could read
sparkgap code. How uninformed can you be?

Dick W0EX
FISTS #3939
BIT #0003

1124. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Oscar <oscarrben@att.net>
Message-ID: <371DF5E3.D6B3506@att.net>
Source record: 85600
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

My take on this one is we are hobbists on one side of the coin but the other side is we are also the last line of communications when all else is gone or not working..

This too may end. Read the interesting article in the May QST re hams and emergencies.

1125. Wtd MFJ & Bencher CW Stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Gregg E <Gregg.E@worldnet.att.net>
Message-ID: <7fkv76$h0i$1@bgtnsc01.worldnet.att.net>
Source record: 85601
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I Am Looking For The Following Items Preferably To Trade.
I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.
I Have Items From
Amateur Radio
Shortwave Radio
Metal Detectors
Fishing
Scanners (HandHeld & Desktop)
Automotive
Some Nice 11 Meter SSB Equiptment
And Much More....

MFJ462B Multi-Reader

MFJ 493 Menu Driven Memory Keyer With 32K Memory
MFJ-1315,
MFJ-79, full function Remote Control.
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ 452 Morse Keyboard With LCD Display
MFJ 451 Morse Keyboard
MFJ 414 Professional Classroom Tutor & Keyer (Maybe)

Only Need One Of The Following
MFJ Pocket Morse Tutor
MFJ 411
MFJ 418

Only Need One Of The Following
Bencher Keyer
BY-1 Black Base (Paddles)
BY-2 Chrome Base (Paddles)

Thanks W5IDX Houston

--
W5IDX@worldnet.att.net

1126. WTB: PE-104A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: n3xon@webtv.net
Message-ID: <5916-371DFD54-56@newsd-104.iap.bryant.webtv.net>
Source record: 85602

Would like a working unit or at least the vibrator working. Not hacked up. Also in search of power cable for a GRC-9. Thanks.

1127. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Michael Young <nobody@all.org>
Message-ID: <924717847.748.13@news.remarQ.com>
Source record: 85603
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Years ago, you needed the same theory background as a general to become a tech. These days, if you can microwave popcorn, chances are you read well enough to pass element 3A. As a filter for intellectual selection, the radio amateur written exams leave much to be desired.

VE6NAP <ve6nap@oanet.com> wrote in message news:01be8bc5$100a9620$8a1a99cf@ve6nap1...
>(From content of some of the postings I wonder how some made
> it to NOVICE or TECH....)

1128. manual for the GPR-90

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <371E27FE.50A6@sympatico.ca>
Source record: 85604

hello om
please contact W7FG ; he is selling manual for many types of equipment
73
VE2AMK

1129. Re: Foothill JC Swapmeet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Heinz und Hannelore Breuer <hbreuer@debitel.net>
Message-ID: <371E2CF5.679F@debitel.net>
Source record: 85605

Gene Martin wrote:
>
> Have the monthly swap meets started at Foothill Jr College in the San
> Francisco Bay Area this year? Which Sat of the month is it? Gene

Yep, started in March and goes until October. 2nd Saturday each month
Bring $2 for parking and a flashlight :-)
Best deals around 5 AM
73
Heinz - KF6FNC

1130. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: BOB DUCKWORTH <bob@atl.org>
Message-ID: <371D452E.5303@atl.org>
Source record: 85606

Just where on the U-2 does this radio go?
(Flight suit pockets is the wrong guess!)
-bob

1131. Re: PACE LANDMASTER II manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: n5ddd@my-dejanews.com
Message-ID: <7flk21$3g$1@nnrp1.dejanews.com>
Source record: 85607

Your in luck!!

A friend of mine W5KCK (lives 15 miles away) has the manual you want.

I am in contact with him but he does not have email or fax.

If you tell me what you need to know I might be able to relay it for you, otherwise I will have to go out and bring his manual into town and copy it. I would be glade to do that for you. Let me know how you want the info. You could also call him on the phone if you want to. He is retired from the radio business and is very knowledgeable.

73 Drew N5DDD

In article <7edb4c$951$1@nntpd2.cxo.dec.com>,
"Tom Frazer" <frazer@mail.dec.com> wrote:
> I am looking for a service manual for a PACE LANDMASTER II VHF mobil radio.
> I need the diode programming information to program
> a radio.
>
> If you can help please email me at the following (remove spam)
> spamtfrazer@earthlink.net
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1132. Drake AC-3, MS-3 SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <371E380D.40C5@iglou.com>
Source record: 85608

SOLD!

For Sale/ Trade: Drake MS-3 speaker with AC-3 power supply.

Matches TR-3, TR-4 and T-4X equipment. Speaker has fine front panel and

good driver but cabinet needs repainted. (Krylon matte black spray paint

matches Drake gear quite nicely). No dents. AC-3 was tested about 4

months ago on a TR-3 and it was supplying all the proper voltages.

$100 + shipping firm or trade for older Kenwood, Yaesu or Alinco 2M

mobile radio I can use for FM or packet.

Thanks........ W4UDX

e-mail W4UDX@juno.com

1133. Re: Need a copy of the National NC183D manual?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Tony Faiola <arfaiola@erols.com>
Message-ID: <371E386D.F382E48F@erols.com>
Source record: 85609

Hello Mark:

I have an original if anyone is interested. Thanks. Tony K3WX

Nc183d wrote:

> Hi,
> I recently picked up a very nice original manual for the National NC183d. I
> copied it up and it came out pretty good. If you don't have a copy of the
> manual and need one, let me know.
> rgds,
> Mark S.

1134. Re: Need a copy of the National NC183D manual?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: kf4kl@ipass.net
Message-ID: <371e4cf6.874254844@DOUGHALL>
Source record: 85610

On Wed, 21 Apr 1999 16:43:27 -0400, Tony Faiola <arfaiola@erols.com>
wrote:

>Hello Mark:
>
>I have an original if anyone is interested. Thanks. Tony K3WX
>
>Nc183d wrote:
>
>> Hi,
>> I recently picked up a very nice original manual for the National NC183d. I
>> copied it up and it came out pretty good. If you don't have a copy of the
>> manual and need one, let me know.
>> rgds,
>> Mark S.

You can also download a copy in Adobe Acrobat format from:

http://www.ipass.net/~kf4kl

73,
Doug, KF4KL

1135. F.S. Globe (WRL?) V-10 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <371E4E1D.957100E0@ameritech.net>
Source record: 85611
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a Globe Electronics V-10 VFO for sale. Not sure what Globe/WRL rig it goes with but it covers 160 through 6 meters. Original paint, knobs, no holes, dents or modifications. Dial glass and pointer are good. A good 8- 8.5 as-is and should clean up to a 9. It works-but signal sounds a little raspy. Probably needs a filter cap (big surprise after 20 or 30 years, right?) Has a slide rule type dial with a jeweled pilot light for each scale on the dial. They all light in turn as the band is selected. Very colorful! Sorry, no manual-it came from the estate of a retired telephone engineer and the family threw out a lot of "magazines" and probably a lot of manuals too :-(

Asking $50 plus $5 for a box/plastic peanuts/UPS shipping.

73/Carter/K8VT

1136. Re: GPR-90 orig manual FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <371E5402.741A43DE@erols.com>
Source record: 85612

Hey Cal, did you ever got your cabinet project off the ground? I was interested in a couple of them. 73 Jeep - K3HVG Round.....Over!

Cal Eustaquio wrote:

> GPR-90 manual for sale. Good condition. Covers laminated. Everything
> else is original. Asking $25 shipped. Cal. N6KYR.

1137. FS HEATHKIT CW-99 W/SPEAKER/MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990421185703.28106.00000280@ng-ch1.aol.com>
Source record: 85613

LIKE NEW.. PLEASE LOOK PHOTOS.
http://members.aol.com/RADIOWALT/HECW99.JPG
http://members.aol.com/RADIOWALT/HESP99.JPG

WILL SELL TO BEST OFFER.
THANKS, WALT 818 883 8282

1138. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <371E5737.3E7D@ibm.net>
Source record: 85614
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Dick Carroll wrote:
> So you doubt that those hams could read
> sparkgap code. How uninformed can you be?

Spark-gap code in NOT International Morse, Dick. I don't think
I could read it. I seriously doubt that you could. There are
no dashes. There are only dots with different spacings. I can't
find a chart at the moment, but if I remember correctly, the
code is quite different from International Morse.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1139. FT: 1965 Cobra Cam 88 24 channel CB for Paddle or simple repair of my Hallicrafters sx-24.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <6_sT2.47$0r5.438@newsfeed.slurp.net>
Source record: 85615
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

I'd like to trade my 1965 Cobra Cam 88 tube type, 24 channels. (One of the few early units that came with an extra channel).

Recently gone over electronically, although the chassis is a bit gooey and needs a good cleaning. Will go base or mobile with included power cords and mounting brackets. Has original hand held microphone, but sounds great with a
TUG8-D104. The channel knob is not original, but you'd
never know it if I hadn't told you. (blends in real well with the scheme). A few minor blemishes in the brushed aluminum face. Also the S-Meter is a replacement....
It is exactly the same size as the original, but it is black face rather than white face. Has fine tune, squelch, PA/CB, and "Dyna-Boost", (or speech
compression).

I'd like to trade for a nice chrome Vibroplex paddle or similar. I'll entertain all ideas, including swapping for a repair job on my Hallicrafters
SX-24. It needs the four section electrolytic cap in the power supply replaced, and possibly a new choke which I think is what took out the cap to begin with. I have a schematic to go with it, but I'm not talented enough to fix it.

Please email Cary at cfries@tic.bisman.com.

Regards,

Cary Fries

--

/~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
C oo impair chlordane resourceful Pericles propylene step antisemite
(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g

1140. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7flle4$207@news.Hawaii.Edu>
Source record: 85616
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:
> I doubt that any hams can read spark-gap code.

Have you ever heard code sent via spark? I have a cassette
containing 30 minutes of such code, sent from various museum-
owned transmitters. It's a joy to listen to the raspy notes;
no more difficult to copy than continuous wave code.

73, Jeff KH6O

1141. Alliance HD-73 Rotater FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <371e61cc.24657850@news.i-2000.com>
Source record: 85617

FS Alliance HD-73 rotater in excellent condition....this rotater is
comparable to the CDR-44 in its specs...but actually has a feature
that CDR rotaters don't have, and that is a two speed control, which
is downright handy, when zeroing in on a station...Its been sitting in
my basement for two years now,so it hasn't been over-used...It comes
with the manual....$150.00 + shipping from L. Island.....Bob..K2LGO
Pse remove the (ns) from my adr.....

1142. FA: Collins? 70E-8A PTO Assembly..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01be8c49$70006d50$92d7050c@mdt>
Source record: 85618

On eBay, item #93903564. Thanks for looking.

1143. FS..Weston R.F. Ammeter(new)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <3720633b.25024380@news.i-2000.com>
Source record: 85619

```
FS...Weston RF Ammeter 0-10 Amps New $30.00 + shp
Bob K2LGO...Pse remove the (ns) from my adr....
```

1144. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <371E617D.6181@ibm.net>
Source record: 85620
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Jeffrey Herman wrote:
>
> W6RCecilA wrote:
> > I doubt that any hams can read spark-gap code.
>
> Have you ever heard code sent via spark? I have a cassette
> containing 30 minutes of such code, sent from various museum-
> owned transmitters. It's a joy to listen to the raspy notes;
> no more difficult to copy than continuous wave code.

Maybe so, but can you copy it, Jeff? How do you differentiate
between the dots and dashes since they sound identical? I
have never heard spark-gap so I am ignorant. I have heard
telegraph clicks and haven't a clue what was being sent.
I remember seeing a Morse telegraph chart and it was quite
different from our International Morse chart.

I'm not trying to give you a hard time. I'm just ignorant
and skeptical.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1145. Re: See my b*locks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <dUtT2.3450$qE6.573@news1.atl>
Source record: 85621

Did anyone actaully *GO* to the page? It is a page for homebrew
circuits as he says. It is perhaps one of the better homebrew pages
on the web really. The

Besides, were it "bollocks" it would have had 2 "l"s in it....

Filter it if you want, but no bollocks there Don. Granted Harry could
have worded the subject line a bit differently, but looking at the page,
it seems he has a lot of "circuit *BLOCKS*" so it seems to be a typo.

73

Tom KA4RKT

Don Vosper <don@vosper.freeserve.co.uk> wrote in message
news:7fiqro$l37$1@news7.svr.pol.co.uk...
> one more for the filter
>
>

1146. Re: 75S-1 Info Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Darrel Nichols <n0dbx@mindspring.com>
Message-ID: <7flqkfdjr1@nntp6.atl.mindspring.net>
Source record: 85622

munsch@ibm.net wrote in message <371bdff8@news1.us.ibm.net>...
>I can't see it on mine (S/N33). Where exactly?
>--
>Crazy George
>
Directly in front of the fuse holder. It had to be hacked in there.
Sure did a neat job of it though.....

1147. WTB: Harris RF590/A or Rockwell/Collins RF-2050 receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: George <gwagner9@idt.net>
Message-ID: <7flrit$j@nnrp1.farm.idt.net>
Source record: 85623

Looking to buy either of these units. Must come with complete service manual

1148. Re: Radio books F/S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Neal McEwen <nmcewen@metronet.com>
Message-ID: <371E78D6.C2B70E0C@metronet.com>
Source record: 85624

Hi Paul,
Send me your list. Do you still have the book on Don Wallace? If so,
please reserve it for me.
--
73 de K5RW, Neal McEwen, at "The Telegraph Office", nmcewen@metronet.com
A WWW Page for Telegraph Key Collectors and Historians
http://www.metronet.com/~nmcewen/tel_off.html

1149. FA: JT30 Astatic MIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Steve Ellington N4LQ <n4lq@iglou.com>
Message-ID: <371e7f25.0@news.iglou.com>
Source record: 85625

Don't pass up the chance to own a mint JT30. See it on Ebay:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93418705

1150. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <371E9580.7D@ibm.net>
Source record: 85626
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Dick Carroll wrote:
> I do believe you're confused with wireline telegraphy.
> Spark gaps generated a very broadband 'frying' signal,
> coarse as sawgrass but certainly readable in long and short
> - well, noises instead of tones.

Like I said, I am ignorant of the sound of spark-gap. The dots
and dashes must have decayed at the same rate. Did the dashes
just decay for a longer time than the dots?
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1151. Re: See my b*locks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371E997C.C428A52F@ix.netcom.com>
Source record: 85627

I think most everyone just took it for a funny typo.

73 OM Dave AB5S

1152. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <371E98DC.720@roanoke.infi.net>
Source record: 85628
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:
>
> Dick Carroll wrote:
> > I do believe you're confused with wireline telegraphy.
> > Spark gaps generated a very broadband 'frying' signal,
> > coarse as sawgrass but certainly readable in long and short
> > - well, noises instead of tones.
>
> Like I said, I am ignorant of the sound of spark-gap. The dots
> and dashes must have decayed at the same rate. Did the dashes
> just decay for a longer time than the dots?
> --
> 73, Cecil, W6RCA http://www.bigfoot.com/~w6rca
Actually, later spark transmitters--the quenched gap models didn't sound too bad--I've got a 1 KW Navy quenched gap system here behind me in the office. It used a 500 cycle AC power source [BIG motor-generator unit//about 700 pounds of big] to produce quite a musical tone very different from the open gap sets using 60 cycle power. Most of the rotary gaps sounded pretty good too. Craig sort of a MCW effect.

1153. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <371E9B50.2A2FA2A5@ix.netcom.com>
Source record: 85629

If you don't like Ebay, please filter it out.

This horse has been beaten to dust already.
Sale ads, including Ebay, are going to continue.
Better to learn to live with it then stomp off mad.

Lots of people do want to see the ads.
It's more fair for you to filter,
rather then many more people do without the leads they want.
If you don't know how to filter, please consult your "help" file.

73 Dave AB5S

1154. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-21 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <371E9980.6856@roanoke.infi.net>
Source record: 85630

Tiuk wrote:
>
> >Just where on the U-2 does this radio go?
> >(Flight suit pockets is the wrong guess!)
> >-bob
>
> My guess is that the RS-6 would've been placed somewhere on the "booby trapped"
> ejection seat.
>
> So Bob, are you confirming that the RS-6 was standard issue on U2 aircraft?
>
> I've heard that the RS-6 was a CIA rig or possibly a B-47 or U2 bailout rig.
>
> Inquiring RS-6 owners, like myself, would like to know.
>
> Regards, Roman, N2CDD
B-47 survival radio seems to be the most common use--at least in
my experience--not out of the question for it to be in a U-2. Of course
not much use if the pilot "bit the big one" like Gary Powers was
supposed to have. Cynanide pills?? Craig

1155. FS Swan 270B hf xcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fodtb$h66@journal.concentric.net>
Source record: 85488
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FS
Swan 270B very good condition and working all bands with copy of manual. 80
thur 10 meters SSB/CW/AM with calibrator, built in supply. Cabinet 8+ out of
ten.
$150 plus ship
Also have another 270B working on 40 meters, cabinet 7 out of ten.
needs some help.
$90 plus ship
Will consider reasonable offers, will sell as a pair for $225 plus ship.

Butch

1156. FS Swan 270B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fodg7$go6@journal.concentric.net>
Source record: 85489
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS 2 Swan 270B xcvrs
#1 is VGC a minor scuff on face and all good tubes. Works on all bands. Original knobs with aluminum brights. Looks about 8+ out of 10. With copy on manual.
Asking $155 plus shipping

#2 is in fair condition, face is good. Cabinet is fair. Radio plays but needs a little help. With copy of manual. About 6 out of ten.
Asking $95 plus shipping.

All reasonable offers considered

Thanks

Butch

1157. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Dick Carroll <dixie@townsqr.com>
Message-ID: <7fm2v7$11j$3@208.207.71.165>
Source record: 85538
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:
>
> Dick Carroll wrote:
> > So you doubt that those hams could read
> > sparkgap code. How uninformed can you be?
>
> Spark-gap code in NOT International Morse, Dick. I don't think
> I could read it. I seriously doubt that you could. There are
> no dashes. There are only dots with different spacings. I can't
> find a chart at the moment, but if I remember correctly, the
> code is quite different from International Morse.
>

I do believe you're confused with wireline telegraphy.
Spark gaps generated a very broadband 'frying' signal,
coarse as sawgrass but certainly readable in long and short
- well, noises instead of tones.

Dick W0EX

1158. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: David
Message-ID: <371e9629.11434156@news.mindspring.com>
Source record: 85539

"Bob Headrick" <bobh@proaxis.com> wrote:

>
>Mike Nadeau <mnadeau@gwi.net> wrote in message
>news:dN8T2.71$h35.464@newsfeed.slurp.net...
>> I have XXX for auction on eBay...
>>
>> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX
>>
>> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX>
>> Mike - N1ENA
>
>Rec.radio.swap is the proper groups for sale items. Please do not post ebay
>stuff in discussion groups.
>
> - 73 Bob W7OV
>
>
Bob, why are you picking on eBay? Look at all the other posts in this
group looking to sell or buy items. I can understand if you don't like
eBay, but at least be fair and complain about the other folks too!

- 73 - David - WD4JKH

1159. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <371E8F6D.2547@no.net>
Source record: 85540
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Bob Headrick wrote:
>
> Mike Nadeau <mnadeau@gwi.net> wrote in message
> news:dN8T2.71$h35.464@newsfeed.slurp.net...
> > I have XXX for auction on eBay...
> >
> > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX
> >
> > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX>
> > Mike - N1ENA
>
> Rec.radio.swap is the proper groups for sale items. Please do not post ebay
> stuff in discussion groups.
>
> - 73 Bob W7OV

People who are out to make a buck do not care if they turn a discussion group into a place for ebay ads. Forward all ebay ads along with a complaint to: support@ebay.com and cc safeharbor@ebay.com, founder@ebay.com.

1160. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Dave Heil <K8MN@cats-net.com>
Message-ID: <371EA0B4.259E@cats-net.com>
Source record: 85541
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:
>
> Dick Carroll wrote:
> > So you doubt that those hams could read
> > sparkgap code. How uninformed can you be?
>
> Spark-gap code in NOT International Morse, Dick. I don't think
> I could read it. I seriously doubt that you could. There are
> no dashes. There are only dots with different spacings. I can't
> find a chart at the moment, but if I remember correctly, the
> code is quite different from International Morse.

The batter swings and misses. Yer out!

Dave 5H3US, K8MN
--
For 5H3US photos, go to
http://jjr.ne.mediaone.net/5H3US/

1161. EICO 720 - Need Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Donald & Christine Anderson <pita@outrageous.net>
Message-ID: <01be8c79$deac0720$75cdd4cf@pita.emerald.sierra.net>
Source record: 85542

Found an Eico 720 CW rig and it has no output. Any chance anyone has a schematic or any personal knowledge on the old boatanchor? This was my first novice rig almost 30 years ago so I would like to get it up and running.
Thanks donald N6XAZ

1162. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7fmig5$m1g@news.Hawaii.Edu>
Source record: 85543
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

In article <371E9580.7D@ibm.net>, W6RCecilA <w6rca@ibm.net> wrote:
>Like I said, I am ignorant of the sound of spark-gap. The dots
>and dashes must have decayed at the same rate. Did the dashes
>just decay for a longer time than the dots?

Cecil, a short-duration closure of the key would produce a short-duration spark across the gap; a long-duration closure would produce a long-duration sparking across the gap -- there was no detectable decay on the dashes.

Consider how such a transmitter worked: DC was fed into the primary windings of a transformer with an "interrupter" (a crude version of latter day vibrators used in power supplies) and key in series with the primary; hence, pulsed DC was applied to the primary. This induced a high voltage across the secondary, which was in series with a tuned circuit and a gap. The frequency of the interrupter's opening and closing modulated the spark so that a (rough) tone was produced that of course matched the frequency of the interrupter. Some fellows would place a rubber band around the interrupter's arm, increasing or decreasing its tension, in order to increase or decrease the frequency of the tone; that to distinguish their signal from the cacophony of other signals, all on the same wavelength(s).

Such transmitters are very easy to build, but as of 1 January 1966, are not legal to use on any frequency (as per the 1959 Geneva Conference).

73, Jeff KH6O

1163. That should be BLOCKS (building blocks)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Harry Lythall <harryvpo@hotmail.com>
Message-ID: <01be8ca3$621f5110$8534d693@e0060b0eb282a>
Source record: 85544

That should be BLOCKS (building blocks)

1164. Re: See my blocks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Harry Lythall <harryvpo@hotmail.com>
Message-ID: <01be8ca3$7560f940$8534d693@e0060b0eb282a>
Source record: 85545

That should be BLOCKS (Building blocks)

1165. Re: See my blocks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <371f2856.88412772@news.erols.com>
Source record: 85546

I thought it was some sort of wierd UK slang! Thanks for the great pages Harry!

73 Bill N2CQR

On 22 Apr 1999 09:19:10 GMT, "Harry Lythall" <harryvpo@hotmail.com> wrote:

>That should be BLOCKS (Building blocks)
>
>

1166. One more for the filiter?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Harry Lythall <harryvpo@hotmail.com>
Message-ID: <01be8ca6$b156d430$8534d693@e0060b0eb282a>
Source record: 85547

>One more for the filiter

Sorry, I meaent Building Block circuits
==========
Member of the DNA
(National Association of Dyslexics)

1167. FS Diamond wattmeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fn0s1$dsh@journal.concentric.net>
Source record: 85548
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FS Diamond SX-200 wattmeter/swr. 200 watts, 1.8-200 MHZ,
reads average and PEP power. Works well and looks good.
$26 shipped CONUS

Butch

1168. FS MFJ keyer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fn0ns$dr6@journal.concentric.net>
Source record: 85549
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FS MFJ 407C keyer works very well and looks about a 9
with instruction sheet.
$32 shipped CONUS

Butch

1169. FS Swan desk mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fn0v5$dt9@journal.concentric.net>
Source record: 85550

FS Swan logo desk mic, same as Shure 444, with plug to work with Swan tube radios. Works well and looks good.
$47 shipped CONUS

Butch

1170. Re: Recommand a 225K freeware

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: meng_263@my-dejanews.com
Message-ID: <7fn5hc$ad2$1@nnrp1.dejanews.com>
Source record: 85551

>It's quite good, I have more than 300 items in the bookmark.
>It can organize bookmark or favorite as a tree and find the
>websites which updated.
>how ever, it's very good as a 225K little program. :)

>it can be download from
>http:// www.bookmarkonline.com/download/bmm.exe

Oh, though its function is simple, but it's easy to use. when new version?

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1171. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Al Klase <skywaves@bw.webex.net>
Message-ID: <7fn943drt1@nnrp1.dejanews.com>
Source record: 85552

In article <371E9980.6856@roanoke.infi.net>,
ip500@roanoke.infi.net wrote:

> B-47 survival radio seems to be the most common use--at least in
> my experience--

Craig,

Please tell us about your experience. A number of us have been trying to
get to the bottom of the RS-6 story for a couple of years now. I corresponded
with a couple of B-47 guys and they knew nothing.

--
Al Klase - N3FRQ
skywaves@bw.webex.net
Web Page: http://www.webex.net/~skywaves/home.htm

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1172. fs: tube manual 1961

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: olds98@together.net
Message-ID: <7fnbqkgep1@nnrp1.dejanews.com>
Source record: 85553

For Sale:

Sonar FS-23 tube CB mobile radio excellent original condition.
$50 plus shipping.

please email direct for info thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1173. fs: Sonar tube mobile CB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: olds98@together.net
Message-ID: <7fnbub$gn4$1@nnrp1.dejanews.com>
Source record: 85554

For Sale:

Sonar FS-23 tube CB mobile radio excellent original condition.
$50 plus shipping.

please email direct for info thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1174. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: W6RCecilA <Cecil.A.Moore@IEEE.org>
Message-ID: <371F24FC.A548A20@IEEE.org>
Source record: 85555
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Craig Smith wrote:
> Actually, later spark transmitters--the quenched gap models didn't
> sound too bad--I've got a 1 KW Navy quenched gap system here behind me
> in the office. It used a 500 cycle AC power source [BIG motor-
> generator unit//about 700 pounds of big] to produce quite a musical tone
> very different from the open gap sets using 60 cycle power. Most of the
> rotary gaps sounded pretty good too. Craig sort of a MCW effect.

Thanks Craig, for the history lesson. But the original argument was whether
a trapped person could short out a storage battery (connected to an antenna)
and send receivable and understandable Morse code. I still doubt it.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1175. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: n4lq@iglou.com
Message-ID: <371f1730.0@news.iglou.com>
Source record: 85556
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

This is too a sales group and I want to see all postings including Ebay.
The more the better! If sales were not allowed then there wouldn't be much
to see here anyway. Not many folks want to discuss the color of a certain
knob on a BC458 etc.

JJ (jj@no.net) wrote:
: Bob Headrick wrote:
: >
: > Mike Nadeau <mnadeau@gwi.net> wrote in message
: > news:dN8T2.71$h35.464@newsfeed.slurp.net...
: > > I have XXX for auction on eBay...
: > >
: > > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX
: > >
: > > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX>
: > > Mike - N1ENA
: >
: > Rec.radio.swap is the proper groups for sale items. Please do not post ebay
: > stuff in discussion groups.
: >
: > - 73 Bob W7OV

: People who are out to make a buck do not care if they turn a discussion
: group into a place for ebay ads. Forward all ebay ads along with a
: complaint to: support@ebay.com and cc safeharbor@ebay.com,
: founder@ebay.com.

--
Steve Ellington N4LQ
N4LQ@IGLOU.COM

1176. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <371F2E3E.1C47@ibm.net>
Source record: 85557
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Jeffrey Herman wrote:
> Cecil, a short-duration closure of the key would produce a short-duration
> spark across the gap; a long-duration closure would produce a long-
> duration sparking across the gap -- there was no detectable decay on
> the dashes.

Remember the discussion was triggered by this statement:
"... the generation of a signal in times of dire circumstances requires
no more than creating an arc and some type of antenna system."

From this I have visions of a ham in "dire circumstances" shorting
out a storage battery to "create an arc". So please explain to me
how one can generate dashes VS dots by simply "creating an arc"
during "dire circumstances" assuming that the person has absolutely
no commercial spark-gap equipment to start with.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1177. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: W6RCecilA <w6rca@ibm.net>
Message-ID: <371F2F2A.7D57@ibm.net>
Source record: 85558
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

Dave Heil wrote:
> The batter swings and misses. Yer out!

How about simply explaining how a person can generate International Morse Code without any commercial spark-gap equipment. The argument was about this statement: "... the generation of a signal in times of dire circumstances requires no more than creating an arc and some type of antenna system." Nobody has convinced me that a copyable signal can be generated by shorting out a storage battery.
--
73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

1178. Last Day. 1920's QST @ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7fnbf1hqm1@oak.prod.itd.earthlink.net>
Source record: 85559

At Auction, Good condition QST issues from the '20's

on E-Bay at;
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92524602
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92590130
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92595562
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92598582
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92601220

1179. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: konstans@nospam.nwpt.net
Message-ID: <371f39ae.469776263@news.npwt.net>
Source record: 85560
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

On Wed, 21 Apr 1999 13:03:57 -0500, "Michael Young" <nobody@all.org>
wrote:

>Years ago, you needed the same theory background as a general to become
>a tech. These days, if you can microwave popcorn, chances are you read
>well enough to pass element 3A. As a filter for intellectual selection,
>the radio amateur written exams leave much to be desired.

This assumes any filter is desireable or legal or..

The basic assumetion being used is as flawed as the idea of
Code Testing. being that if it was X in the past it must X for all
time. Change is wrong and intoleratbale. We are quite tired of that,
aren't you tired of sying the same ole thing

Mark Morgan
KB9RQZ

Public comment welcome, indeed private email
on the Morse Code issues, esp if insulting will
become Public at My sole discretion

Sending Private email is deemed acceptance of these terms

Why can't people keep there flames Public?

Now spmaing will be dealt with as I see fit

1180. Radios, newspapers and money, more money.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: i <hacked@mainradio.com>
Message-ID: <7fneni$e8a$1@cnn.cc.biu.ac.il>
Source record: 85561
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.b

Get into the world wide news, go:

http://www.mainradio.com

World wide guide of radio stations and newspapers on the internet. more than
20000 links to all the world.

We Have a new sponsor, that give you free money when you surf the web !!!

We guarantie the veracity of our ads, mail us if you encounter a problem
with our sponsors.

1181. Re: EICO 720 - Need Help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: "R. Sherry" <RSherry@metricom.com>
Message-ID: <371F3ED3.51C4@metricom.com>
Source record: 85562

Donald & Christine Anderson wrote:
>
> Found an Eico 720 CW rig and it has no output. Any chance anyone has a
> schematic or any personal knowledge on the old boatanchor? This was my
> first novice rig almost 30 years ago so I would like to get it up and
> running.
> Thanks donald N6XAZ
The drive pot was supplied as a two watt part. It should be a 5 watt part. 50K as I remember. The unit is clamp tube keyed so will not produce output with out adequate drive. There is a jumper plug required to allow B+ to get from the power supply output to the RF final dc plate supply. This is where the modulator plugs in. Watch the key voltage as it is cathode keyed and key up there will be 600 or so volts across the key. I do not have any other hints. Enjoy.
Russ, WA2GWV

1182. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9904221215220.12113-100000@Ocean.CAM.ORG>
Source record: 85563
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

On 22 Apr 1999, Steve Ellington wrote:

>
> This is too a sales group and I want to see all postings including Ebay.
> The more the better! If sales were not allowed then there wouldn't be much
> to see here anyway. Not many folks want to discuss the color of a certain
> knob on a BC458 etc.

You'd better take a look at the newsgroups this was posted to. Apart from the issue of whether forsale ads are welcome in a given group, cross-posting greatly increases the problem.

rec.radio.amateur.homebrew is not about buying and selling. It's for discussion of building your own radio equipment. There's been a tiny bit of debate about whether forsale ads should be allowed, but the pivot point is over whether on-topic items (ie components and perhaps related test equipment) should be allowed, not over whether any ads should be welcome.

rec.radio.amateur.boatanchors was set up to discuss the old stuff. I remember the debate when it was created about whether forsale ads should be allowed, and eventually it was decided that they would be allowed, but only in a secondary fashion. In other words, a few ads would be okay, but it wasn't the primary purpose of the newsgroup.

Sadly, ads do tend to dominate the group. I sincerely question what kind of hobby it is that people are more interested in buying and selling the stuff than talking about it, because that old equipment is interesting enough to have plenty to talk about. I'd be less bothered by the forsale ads if people took the time when selling something to say something about the equipment they have for sale, both technical and their own relationship to it, and take the time to look up reviews of the equipment and references to finding the ads for when the equipment was new. But that doesn't happen becuase people seem more interested in selling the stuff, and it appears in a fair number of cases the people don't even know anything much about the equipment they are selling, other than that it's "rare".

rec.radio.amateur.equipment was never intended for the sale of equipment. It was intended to discuss it. I rarely look in there nowadays becuse ads dominate.

The problem with letting any ads in is that more ads will follow. Someone sees an ad from someone else, and they decide it's okay to do so and then they do. What might start off as being a handful of appropriate forsale ads, if you accept forsale ads in the first place, becomes a flood of ads

and then the un-related items start getting forsale ads in that newsgroup.

Nowadays in rec.radio.amateur.homebrew we are seeing a steady increase in forsale ads. Most of the ads are not selling components for us to build with. It's commercially built equipment. Some of it arrives through the wonders of cross-posting, but I've noticed a fair amount of it being posted only in rec.radio.amateur.homebrew (or perhpas the person is posting to other newsgroups but one at a time).

But it doesn't stop there. Once the ads are happening, then people decide to sell off their other stuff. So you see ads for computers in the ham radio newsgroups. Then you see people selling their audio equipment. One of these days someone will try to sell their kitchen sink.

The debate keeps pivoting on ebay, as if ebay is particularly worse than someone selling something here, rather than announcing here that they are selling something elsewhere. In reality, there is very little difference. They are both just as troubling.

An important thing to keep in mind is that readership is not limited to the US. Maybe people there are willing to buy and sell across the country to people they've never met, but once you cross borders the problems increase. I don't think anything would tempt me to order outside the country from an individual. Yet as the ads increase, those of us not in the US have to put up with stuff that is not only not particularly on-topic, but has no relevance to us. If you want to drive the non-US participants away, just keep posting forsale ads and forget about discussion.

Michael VE2BVW

> > > JJ (jj@no.net) wrote: > : Bob Headrick wrote: > : > > : > Mike Nadeau <mnadeau@gwi.net> wrote in message
> : > news:dN8T2.71$h35.464@newsfeed.slurp.net...
> : > > I have XXX for auction on eBay...
> : > >
> : > > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX
> : > >
> : > > http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=XXX>
> : > > Mike - N1ENA
> : >
> : > Rec.radio.swap is the proper groups for sale items. Please do not post ebay
> : > stuff in discussion groups.
> : >
> : > - 73 Bob W7OV
>
> : People who are out to make a buck do not care if they turn a discussion
> : group into a place for ebay ads. Forward all ebay ads along with a
> : complaint to: support@ebay.com and cc safeharbor@ebay.com,
> : founder@ebay.com.
>
> --

> Steve Ellington N4LQ
> N4LQ@IGLOU.COM
>
>

1183. Ebay- Cubic ST-3B Tuner @$40

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990422130106.19794.00000134@ng-fb1.aol.com>
Source record: 85564

Hi All;
I have on Ebay, this great Cubic(swan) ST-3B antenna tuner, Please check it
out! Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93039917
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1184. Re: Recommand a 225K freeware

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <371F5A89.3A794E2C@teleweb.at>
Source record: 85565

Hello from Vienna!

Could you please give me the URL from where I can download this program
? The URL in the news does'nt run with me.

Kurt. OE1002419

meng_263@my-dejanews.com schrieb:
>
> >It's quite good, I have more than 300 items in the bookmark.
> >It can organize bookmark or favorite as a tree and find the
> >websites which updated.
> >how ever, it's very good as a 225K little program. :)
>
> >it can be download from
> >http:// www.bookmarkonline.com/download/bmm.exe
>
> Oh, though its function is simple, but it's easy to use. when new version?
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

--
end

73's de OE 1002419
Kurt from Vienna Austria
You are welcome. Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com

HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!
Fight Spam! Join EuroCAUCE: http://www.euro.cauce.org/

1185. Drake Paint?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Ron Manfredi <wa2eio@ibm.net>
Message-ID: <371F6DFB.B2BFBBCD@ibm.net>
Source record: 85566

Can anyone suggest a good match to Drake's black cabinet paint? I need to re-finish a TR4C cabinet, and would like a good match to the original color. Also, would dry transfer lettering work for the labels along the side of the radio? (Mic, Key, etc.) Any suggestions appreciated.

Ron WA2EIO

1186. Re: Classified Intelligence...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Bill Becker <bill.becker@semflex.com>
Message-ID: <371F1363.F8B164CA@semflex.com>
Source record: 85567

Scanning speed was as fast as your wrist could twist!

Bill

1187. Re: Drake Paint?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <371F792A.BD46D275@teleweb.at>
Source record: 85568

Hello to all!

Would also be very interested. Have to refinish a R4C. But can I get
this color in Europe ?

Kurt. OE1002419

Ron Manfredi schrieb:
>
> Can anyone suggest a good match to Drake's black cabinet paint? I need
> to re-finish a TR4C cabinet, and would like a good match to the original
> color. Also, would dry transfer lettering work for the labels along
> the side of the radio? (Mic, Key, etc.) Any suggestions appreciated.
>
> Ron WA2EIO

--
end

73's de OE 1002419
Kurt from Vienna Austria
You are welcome. Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com

HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!
Fight Spam! Join EuroCAUCE: http://www.euro.cauce.org/

1188. WTB: HAMMARLUND HQ 145 !!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: CHUCK <cwtappe@connectnet.com>
Message-ID: <7fo2cb$6pr$1@nnrp1.dejanews.com>
Source record: 85569

Am in IMMEDIATE need of an HQ 145 or derivation thereof. Must be excellant to MINT condition. Top $$$ for the right rig!!!

Thanks,
Chuck
K3UBD/San Diego

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1189. FS: Johnson Viking 2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: ltoneri@geocities.com
Message-ID: <371e7be1.221567@news.tor.sfl.net>
Source record: 85570

I have for salel a Johnson Viking 2 transmitter. This rig has been in
storage since the mid fifties so I do not know if it is operational.
All the tubes are there and the transmitter is in very good condition.
Asking $150 CDN and can deliver within a reasonable distance of
Toronto. It is too heavy to ship. For more in f or offers, please
reply by e-mail to toneri@ils.net

73...Mike VE3FGU

** To reply to this message please delete the "XXX" in the email address**

1190. Variable glass transmitter tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Rob Parker <rparker@sprint.ca>
Message-ID: <19NT2.112673$Mb.41932025@newscontent-02.sprint.ca>
Source record: 85571

I have 3 glass envelope transmitting capacitors.
Range 5-500PF
5KV at max CAP
10KV at min CAP
Will consider any interesting trades or offers.
Rob
VE3RPF
rparker@sprint.ca

1191. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <371F9EF4.97@roanoke.infi.net>
Source record: 85572
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:
>
> Craig Smith wrote:
> > Actually, later spark transmitters--the quenched gap models didn't
> > sound too bad--I've got a 1 KW Navy quenched gap system here behind me
> > in the office. It used a 500 cycle AC power source [BIG motor-
> > generator unit//about 700 pounds of big] to produce quite a musical tone
> > very different from the open gap sets using 60 cycle power. Most of the
> > rotary gaps sounded pretty good too. Craig sort of a MCW effect.
>
> Thanks Craig, for the history lesson. But the original argument was whether
> a trapped person could short out a storage battery (connected to an antenna)
> and send receivable and understandable Morse code. I still doubt it.
> --
> 73, Cecil, W6RCA http://www.bigfoot.com/~w6rca
A little more history---in one of the Radio Boys series books,
ca 1926 or so, they were trapped somewhere and did just that--however
they used an old file and dragged the wire lead across the file
serations---giving more of a "make-break" action to it. Did it work???
Did in the book. Craig

1192. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7fo8vehmj1@autumn.news.rcn.net>
Source record: 85573
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Sadly, Mike, it is the same clowns who ruined
Rec.Antique.Radio+Phono. After being a contributor
there for three years, I finally gave it up because of
the growing commercialism. Some folks just don't
believe in netiquette, or reading the group charters.

Peter

>rec.radio.amateur.homebrew is not about buying and selling. It's for
>discussion of building your own radio equipment. There's been a tiny bit
>of debate about whether forsale ads should be allowed, but the pivot point
>is over whether on-topic items (ie components and perhaps related test
>equipment) should be allowed, not over whether any ads should be welcome.
>
>rec.radio.amateur.boatanchors was set up to discuss the old stuff. I
>remember the debate when it was created about whether forsale ads should
>be allowed, and eventually it was decided that they would be allowed, but
>only in a secondary fashion. In other words, a few ads would be okay, but
>it wasn't the primary purpose of the newsgroup.
>
>Sadly, ads do tend to dominate the group. I sincerely question what kind
>of hobby it is that people are more interested in buying and selling the
>stuff than talking about it> Michael VE2BVW
>

1193. Re: Drake Paint?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: wa5kbq@hotmail.com
Message-ID: <371faecb.1109338@news.flash.net>
Source record: 85574

Try here. You can find the Drake paint as well as many others.

http://www.geocities.com/ResearchTriangle/Lab/4513/rr.html

Larry - WA5KBQ

On Thu, 22 Apr 1999 14:44:12 -0400, Ron Manfredi <wa2eio@ibm.net>
wrote:

>Can anyone suggest a good match to Drake's black cabinet paint? I need
>to re-finish a TR4C cabinet, and would like a good match to the original
>color. Also, would dry transfer lettering work for the labels along
>the side of the radio? (Mic, Key, etc.) Any suggestions appreciated.
>
>Ron WA2EIO

1194. FS GRC 106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Dennis Kippa KW5G <d2kippas@tyler.net>
Message-ID: <924826509.732.19@news.remarQ.com>
Source record: 85575

Complete GRC 106 with amp power supply rtty demod and cables. This unit works

$600.00 deliver within 250 miles of East Texas

kw5g@yahoo.com
Dennis

1195. WTB 6 meter conv for NC 300

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Dennis Kippa KW5G <d2kippas@tyler.net>
Message-ID: <924826716.835.76@news.remarQ.com>
Source record: 85576

..I need a 6 meter converter for my restored NC 300. Any more out there?

Dennis

kw5g@yahoo.com

1196. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <19500-371FB4CA-12@newsd-161.iap.bryant.webtv.net>
Source record: 85577

The answer Cecil is yes.

Morse Code is based on times of dot/dashes. Shorting a battery connected to an antenna generates two small arcs. One for Make Contact. The other when contact is broken. Each arc generates a small broadband RF pulse.

So making a "dash" produces 2 RF pulses and making a "dash" produces 2 RF pulses.

The difference is in the time between the first pulse and the second. A quick "one two" is a dot and a long "one...two" is a dash.

It's very easy to copy and as a test, take a good 9v battery and bring it close to a SW Receiver. Short it out, making dots and dashes and in a short while you will be able to copy your own stuff.

Good Radio CW ops are trained to distinquish tones of varying types, time intervals and repeating patterns in rather noisy environments.

Stuff most untrained ears miss.

Landline Telegraphers are not as well trained since EVERYTHING for them is arm chair copy and they usally pass traffic to the same guy day in and day out...

There is nothing like working low end of 40 filled with S/A LSB QRM from some contest during a T storm. Crystal control - 15 watts - flat top antenna - working other CW stations from coast to coast.

It's as close to heaven as you'll ever get.

... ..

_ _ ... ... _ _ DE WDØHCO

1197. Re: FS Diamond wattmeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Steven KB9HGI <kb9hgi@qsl.net>
Message-ID: <371F7E67.DCF43B82@qsl.net>
Source record: 85578
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Butch,
you still have the watt meter? if so I will take it. Send me you address
so i can get
payment to you.

Steven Baker KB9HGI

zenith #1 wrote:

> FS Diamond SX-200 wattmeter/swr. 200 watts, 1.8-200 MHZ,
> reads average and PEP power. Works well and looks good.
> $26 shipped CONUS
>
> Butch

1198. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: sparksw4eas@mindspring.com
Message-ID: <7foi26$2fm$1@nntp2.atl.mindspring.net>
Source record: 85579

SOG's had them droped behind lines for como... Sparks W4EAS

Craig Smith wrote in message <371E9980.6856@roanoke.infi.net>...
>Tiuk wrote:
>>
>> >Just where on the U-2 does this radio go?
>> >(Flight suit pockets is the wrong guess!)
>> >-bob
>>
>> My guess is that the RS-6 would've been placed somewhere on the "booby
trapped"
>> ejection seat.
>>
>> So Bob, are you confirming that the RS-6 was standard issue on U2
aircraft?
>>
>> I've heard that the RS-6 was a CIA rig or possibly a B-47 or U2 bailout
rig.
>>
>> Inquiring RS-6 owners, like myself, would like to know.
>>
>> Regards, Roman, N2CDD
> B-47 survival radio seems to be the most common use--at least in
>my experience--not out of the question for it to be in a U-2. Of course
>not much use if the pilot "bit the big one" like Gary Powers was
>supposed to have. Cynanide pills?? Craig

1199. FA: Universal Digital Display

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7foj1ssca1@bgtnsc02.worldnet.att.net>
Source record: 85580

Torrestronics Universal Digital Display. Turns any superhet boatanchor into a digital readout receiver or transciever. Works with all brands. Follow link for details.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=94729157

1200. FS Ballentine Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7fopqn$j5$1@autumn.news.rcn.net>
Source record: 85581

Ballantine Dynamotor. DY 17/ ART-13A. Original OK tag from 1945. This one is brand new, never used. Black crinkle finish is un marred. Price is $45.00 plus shipping.

--
john@astory.com
http://www.astory.com

1201. Gonset plate meter NEEDED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <924840277.874.91@news.remarQ.com>
Source record: 85582
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Still haven't had any luck with a plate meter for my GSB-100. Does anybody have a junker they would like to get rid of? Help! It's the last thing I need to finish and get it on the air again.
Thanks
Mike/WB6VSE

1202. Wtd: Keys & Keyer & CW Accessories & CW Reader

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7foskp$p20$1@bgtnsc02.worldnet.att.net>
Source record: 85583
Cross-posted to: alt.ham-radio.hf,alt.ham-radio.marketplace,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

--
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1203. FS 2 Swan 270B's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fnuqu$3eg@journal.concentric.net>
Source record: 85584
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS 2 Swan 270B xcvrs

#1 is VGC a minor scuff on face and all good tubes. Works on all bands. Original knobs with aluminum brights. Looks about 8+ out of 10. With copy on manual.
Asking $145 plus shipping

#2 is in fair condition, face is good. Cabinet is fair. Radio plays but needs a little help. With copy of manual. About 6 out of ten.
Asking $90 plus shipping.

All reasonable offers considered.

Thanks

Butch

1204. Re: FS Diamond wattmeter SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fo2v1$6pg@journal.concentric.net>
Source record: 85585
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Thanks guys. The wattmeter has been spoken for.

Butch

1205. Re: FS 2 Swan 270B's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fo33p$6tn@journal.concentric.net>
Source record: 85586
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

FS 2 Swan 270B xcvrs
#1 is VGC a minor scuff on face and all good tubes. Works on all bands. Original knobs with aluminum brights. Looks about 8+ out of 10. With copy on manual.
Asking $155 plus shipping

#2 is in fair condition, face is good. Cabinet is fair. Radio plays but needs a little help. With copy of manual. About 6 out of ten.

Asking $95 plus shipping.
All reasonable offers considered

Thanks

Butch

1206. Octal Sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: jwodell@ameritech.net
Message-ID: <371efd43.900851@news.det.ameritech.net>
Source record: 85631

I need a source for octal sockets -- went to my local radio store
which used to have 2000 of them, and nary a one!

73 jerry w8gnd

1207. Kenwood TS-820S manuals FS and wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: acomarow@aol.com
Message-ID: <19990421201818.23995.00000251@ng146.aol.com>
Source record: 85632

FS: excellent copy of TS-820S service manual, $25 including shipping. Selling because I just found an original.

Wanted: original of TS-820S operating manual.

Also wanted, if there's an 820 being parted out: any of the paddle switches at the left of the front panel to replace my send/rec switch.

Thanks!

Avery W4OGK

1208. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: tiuk@aol.com
Message-ID: <19990421203617.02898.00000238@ng94.aol.com>
Source record: 85633

>Just where on the U-2 does this radio go?
>(Flight suit pockets is the wrong guess!)
>-bob

My guess is that the RS-6 would've been placed somewhere on the "booby trapped" ejection seat.

So Bob, are you confirming that the RS-6 was standard issue on U2 aircraft?

I've heard that the RS-6 was a CIA rig or possibly a B-47 or U2 bailout rig.

Inquiring RS-6 owners, like myself, would like to know.

Regards, Roman, N2CDD

1209. Classified Intelligence...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: jaguar@netperson.net
Message-ID: <924722454.512476@axilla.wwnet.net>
Source record: 85634

Found this one on eBay. Apparently Hallicrafters was years ahead of
their time... :^)

C.K.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93554579

1210. WTB R-390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990421215158.07762.00000416@ng-fi1.aol.com>
Source record: 85635

WOULD LIKE TO FIND A NICE R-390 RECEIVER.
IT DOES NOT NEED TO BE OF COLLECTORS
GRADE.. THANKS, WALT 818 883 8282

1211. FA Manual for RCA AR88 WW2 radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-22 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <371E8CB0.2B3C@sympatico.ca>
Source record: 85636
Cross-posted to:
rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave,rec.antiques.radio+phono

Good manual for RCA AR88 WW2 radio on Ebay

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=92515338>

1212. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: jpevner@aol.com
Message-ID: <19990422200233.11903.00001137@ng-ck1.aol.com>
Source record: 85490

>rec.radio.amateur.boatanchors was set up to discuss the old stuff. I
>remember the debate when it was created about whether forsale ads should
>be allowed, and eventually it was decided that they would be allowed, but
>only in a secondary fashion. In other words, a few ads would be okay, but
>it wasn't the primary purpose of the newsgroup.
>
I don't think there is any such thing as allowing something in a "secondary"
fashion. It's much too subjective to be practical.

>An important thing to keep in mind is that readership is not limited to
>the US. Maybe people there are willing to buy and sell across the country
>to people they've never met, but once you cross borders the problems
>increase. I don't think anything would tempt me to order outside the
>country from an individual. Yet as the ads increase, those of us not in
>the US have to put up with stuff that is not only not particularly
>on-topic, but has no relevance to us. If you want to drive the non-US
>participants away, just keep posting forsale ads and forget about
>discussion.

Please don't assume that because you wouldn't want to buy/sell from someone
overseas, that others don't. I would very much enjoy being able to hear about
and possibly obtain some of the foreign sets (Racal, Eddystone..). Besides, I
don't see why the poster should be burdened with making his post relevant to
any one person or group so long as he is on-topic. It's inherent in a newsgroup
that many posts won't be particularly interesting.

If people stick to the polite convention of putting FS, FA, WTB, WTT in their
subject lines, then those who do not wish to view them can easily filter
this.

Lastly, although rec.radio.swap is certainly a good place for buying and
selling, boatanchor ads tend to get swallowed up there as it is mostly oriented
around recent gear. I don't see anything wrong with people
buying/selling/swapping parts and rigs on the ng. It makes it possible to
search the world for that increasingly rare part to get an old rig going. Not
everyone who buys or sells is looking to make big money. If I want an AR88
because it looks cool, or I want to sell an R390 because I'm not using it
what's the problem??

de N1LIS

1213. WTB: 2.5V HRO doghouse supply & HRO speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: jpevner@aol.com
Message-ID: <19990422201008.11903.00001154@ng-ck1.aol.com>
Source record: 85491

Like the title says...

Regards,

N1LIS

1214. F/A TenTec VFO263

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: K1KEG <k1keg@home.com>
Message-ID: <WoQT2.1182$G.485@news.rdc1.ct.home.com>
Source record: 85492

For auction on Ebay:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=94731547

1215. FS - EICO MANIA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: tam166@aol.com
Message-ID: <19990422235332.11903.00001616@ng-ck1.aol.com>
Source record: 85493

I am somberly putting the following Eico equip up for sale

(PICK UP IN NYC AREA ONLY)

730 Modulator
720 Xmitter -plus- another 720 "parts" rig
722 VFO

- Modulator does not have cover, and was modified per Electric Radio article.
- all in good shape and working. (about a "7") on a 1-10 scale.(some minor blemishes from wear and tear etc.)
- have manuals for 730 and 720, but I dont know about the VFO

(how many of us Junior Novices actually loaded that 720 exactly to the red line for "novice 75w input"....)

$175.00 or best offer takes it. Please e mail me, I will not respond on this newsgroup.

Bob

tam166@aol.com

1216. FS: O-37A/FRT Audio Oscillator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990423010527.28356.00000199@ngol04.aol.com>
Source record: 85494

Hello Folks,

I have for sale an O-37A/FRT audio oscillator. It is military surplus, mid-'50s vintage. Provides a pure sine wave 1000 Hz output, variable from 0 to about 10 volts. Output impedance 600 ohms. Built in 115 VAC power supply, which also provides an independent "control voltage" of 0-200 VDC at up to 50 mA. Front panel has power switch, control voltage switch, key switch, key jack andmonitor jack. Dish type chassis, mounts in 19 inch rack, 3-1/2" high, 7" depth including tubes. Beautiful mil-spec construction, made by Eldico. Very good to excellent condition, works perfectly. No manual, schematic on inside of chassis cover. Includes all tubes (one 5Y3GT and two 12AT7). Shipping weight 12 pounds from 19082. Asking $20, but let's deal. Can supply extra tube sets if desired.

This is a really nice unit. Anybody know what it was originally meant to do? Perfect as an audio test oscillator for the boatanchor station, or as the ultimate code practice oscillator. (Will drive many pairs of high impedance headphones).

73 de Jim, N2EY

1217. Collins R390A, need info, please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: jbr@randomc.com
Message-ID: <%pUT2.236$Dm3.22460@monger.newsread.com>
Source record: 85495
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radioplusphono,rec.ra

HI, Guys,
I just recently bought a Collins R390A in nearly mint condition. It has all the original knobs, meters, filters, and black shields on all the tubes. I don't yet have a manual or other info on the model and would like any detailed information anybody would care to E-mail me on this rig. Appreciated would be a full description of all the controls and connections on the unit, what they do, and in case of the connectors what you would connect to them. I am blind, so can not see to read any of the labels on the unit, and some of them are not immediately obvious as to their function just by trying them out.

I'd also like a good description of the unit, including its technical specifications and capabilities. Any information on FAQ files, mod files, and any other information on the net available in text-based, non-framed, non-JAVA-driven websites would also be helpful.

In case it might be helpful, here is the model and serial number from the back pannel:
Collins R390A\URR
Serial number, 4563
order number, 8719-P-55

Any info would be appreciated.
Thanks.
Reply to: jbr@randomc.com
Brent Reynolds, Atlanta, GA USA

Murphy's Military Laws:15. Don't be conspicuous. In the combat zone, it draws fire. Out of the combat zone, it draws sergeants.

Net-Tamer V 1.11.2 - Registered

1218. Re: FS Swan desk mic SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fpe7u$jnf@journal.concentric.net>
Source record: 85496

Mic has been sold
Thanks to all
Butch

zenith #1 wrote in message <7fn0v5$dt9@journal.concentric.net>...
>FS Swan logo desk mic, same as Shure 444, with plug to work with Swan tube
>radios. Works well and looks good.
>$47 shipped CONUS
>
>Butch
>
>

1219. Re: marriage wanted3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Glen Ross <ross@zetnet.co.uk>
Message-ID: <19990423092853802 94@zetnet.co.uk>
Source record: 85497

The message <7ffjfp$g9p@netnews.hinet.net>
from " abc" <23564@ucs.com.tw> contains these words:

> 3 Chinese girls search husband.

Whose husband??
Did he enjoy the experience??

Glen G8MWR

1220. Re: Hammurlund HQ-129X Value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: tcltd@widomaker.com
Message-ID: <372075AC.7D5E@widomaker.com>
Source record: 85498

I bought one about 2 yrs ago w/speaker and original manual for $100. In excellent working condition. The only thing I did was replace power cord. Jim

Gerry Zell wrote:
>
> Found a nice Hammurlund HQ129X locally. Old duffer wont give asking
> price. He wants an offer. Its working and in 8 out of 10 condition.
> Whats a good offer.
>
> Reply to: Puccini@erols.com
>
> Thanks,
> Gerry

1221. FS: ARRL Handbooks $5 each

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <37205bd3.4675354@cnews.newsguy.com>
Source record: 85499

I have the following ARRL Handbook years available @ $5 + postage.
64, 72, 74, 77, 78, 80, 51 w/ missing front cover.
Radio Handbook by Bill Orr- $10 + postage
ARRL Antenna Handbook $3 + postage
Tnx, Ron K5GIT ronfol@hilconet.com

1222. What I DO NOT have to touch Was: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: emanuele_girlando@yahoo.com
Message-ID: <7fq0d7$tb8$1@nnrp1.dejanews.com>
Source record: 85500
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I want to thank you very much everybody that answered my question.
The next question I have now is:

is there anything I DO NOT have to touch in the rig ?

I am trying to figure out what can happen if I have to remove one of the trim caps or coils that are marked as "fixed pad" (something that needs not to tuned) in the Halli's alignment procedure. Will I (or a professional) be able to re-align the rig even if I move those?
Anything else to care about?

Thanks.

P.S.
I'll summarize all answers in my restoration log for the net to enjoy my experience.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1223. FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37207A7F.BFF99FD@ix.netcom.com>
Source record: 85501

FS:
Rare Kitchen Sink. Listed it Bunnull's "Antique Sink Guide."
It's heavy like a boatanchor and it's old.
Unmodified, original finish.
Make Offer (snicker....)

1224. FS: VERY Old Boatanchor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: olds98@together.net
Message-ID: <7fq2fg$vh5$1@nnrp1.dejanews.com>
Source record: 85502

For Sale:

1921 Ham rig with 3 separate wooden chassis and black Bakelite
faceplates, knobs,homebuilt. Dated to 1920 or 21 by Alan Douglas.

Power supply chassis has Thordardson Xfmr and 2 Thordardson chokes,
Tobe B block, Fletcheim bypass condenser, Potter condenser, 1
4 pin tube socket, ceramic base fork and knife power switch.
Regenerative receiver chassis with 3 wooden Simplex variometers,
with 3 large Vernier bakelite knobs etc.
Amplifier chassis with 1 rectifier tube and 201 amplifier tubes.
Bakelite face plate and knobs, large pots, brass terminal
posts on all 3 units.All handwired, much exposed solid wiring.

Dusty and unused for years if not decades but in good condition.

Make a fair and reasonable offer on the 3 units together. Can be seen
in New England if desired. Local pickup or will ship.

ALSO will accept a separate offer on:

Large (approx 30 lb.) box of 20s-30s old mostly unused vintage
radio parts including variable condensers, knobs, switches,
4 pin tube bases, NOS unused fabric coated wire coils, glass
antenna insulators, meters, old resistors (2 watt etc), wax
box capacitors, oil can caps, large quantity of brass posts &
knurled knobs etc., large pots, choke coils, etc etc.

PLEASE EMAIL DIRECT for more info. Buyer pays all shipping charges.
Thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1225. FS: OLD 20s Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: olds98@together.net
Message-ID: <7fq3aj$9o$1@nnrp1.dejanews.com>
Source record: 85503

some RARE Old Tubes soon to be available:

Approx 20-25 old tubes (early-mid 20s) some New In Box and some
good tested tubes:

Includes 199,200,201,WD-12,224,280,301 etc.

If interested in tube list please email direct. Thanks RHAnderson

PLEASE EMAIL DIRECT for more info. Buyer pays all shipping charges.
Thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1226. Re: FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Bismarck Wichy <wichy@dallas.net>
Message-ID: <924876535.142.77@news.remarQ.com>
Source record: 85504

Interested in Rare Kitchen sink but have a few questions...

Is it the "A" or "B" model?

Does it have orignial the knobs?

Does it work and has any modifications been done on it?

Is it the rare Collins kitchen sink as listed in Bunnull's?

DE WD0HCO

Member #1920
Collins Kitchen Sink Collectors Group
Net 14.213 every Sunday @ 2PM

```
___ _____
.'/,-Y" "~-.
l.Y ^.
/\ _\_
i ___/" "\
| /" "\ o !
l ] o !__./
\ _ _ \.___./ "~\
X \/ \ ___./
( \ ___. _..--~~~" ~`-.
` Z,-- / \
\__. ( / ______) "Hope he doesn't take it to eBay... doooh!"
\ l /-----~~" /
Y \ /
| "x______.^
| \
j Y
```

1227. Drake TR4CW and Power Supply $85.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: w8wls@aol.comnospam
Message-ID: <19990423110923.19165.00000835@ng-fp1.aol.com>
Source record: 85505

Radio sold as a parts radio.The power supply works. You ship. Bill w8wls

1228. Re: Collins R390A, need info, please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <8R0U2.429$Hy2.29833@news2.giganews.com>
Source record: 85506
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radioplusphono,rec.ra

Go to www.qth.net and subscribe to the R-390 reflector.

All your questions will be answered, and even questions you don't have.

The R-390, the greatest radio ever built. Bar none.

TR

jbr@randomc.com wrote in message
>
>
>HI, Guys,
>I just recently bought a Collins R390A in nearly mint condition. It has
all
>the original knobs, meters, filters, and black shields on all the tubes. I
>don't yet have a manual or other info on the model and would like any
>detailed information anybody would care to E-mail me on this rig.
>Appreciated would be a full description of all the controls and connections
>on the unit, what they do, and in case of the connectors what you would
>connect to them. I am blind, so can not see to read any of the labels on
>the unit, and some of them are not immediately obvious as to their function
>just by trying them out.
>
>I'd also like a good description of the unit, including its technical
>specifications and capabilities. Any information on FAQ files, mod files,
>and any other information on the net available in text-based, non-framed,
>non-JAVA-driven websites would also be helpful.
>
>In case it might be helpful, here is the model and serial number from the
>back pannel:
>Collins R390A\URR
>Serial number, 4563
>order number, 8719-P-55
>
> Any info would be appreciated.
>Thanks.
>Reply to: jbr@randomc.com
>Brent Reynolds, Atlanta, GA USA
>
>Murphy's Military Laws:15. Don't be conspicuous. In the combat zone,
>it draws fire. Out of the combat zone, it draws sergeants.
>
>Net-Tamer V 1.11.2 - Registered

1229. Wtd: Keys & Keyer & CW Accessories & CW Reader

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7fqcht$83i$1@bgtnsc03.worldnet.att.net>
Source record: 85507
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

--
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1230. Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <3720AD71.76EAC1BD@eclipse.net>
Source record: 85508

```
The Boatanchor Classifieds
Dedicated to Vintage Radio!
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Thanks for the read..
```

1231. FS Gonset Comm IV/VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990423140138.23457.00000175@ng41.aol.com>
Source record: 85509

6 mtr am rig with matching vfo both in good condition. Have power cords but no mic or manual. $150 plus shipping.

1232. WTB: Drake 2-C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Randy Ott <k5hj@NOSPAMfastlane.net>
Message-ID: <0F0BA32D88BD3D4B.07B17E5BB6CCBB20.09A376BAC4A2C37F@library-proxy.airnews.net>
Source record: 85510

I am looking for a nice clean Drake 2-C receiver to go with my 2-NT. Would also like a matching speaker.

Please remove the 'NOSPAM' from my address to reply directly.

Randy Ott, K5HJ

Email: k5hj 'AT' fastlane 'DOT' net

1233. Wtd: Keys & Keyer & CW Accessories & CW Reader..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7fqg40akf1@bgtnsc03.worldnet.att.net>
Source record: 85511
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

--
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1234. FS: 1938 book "Fundamentals of Radio", by Frederick Emmons Terman

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: dhrnsn@ptd.net
Message-ID: <vc0U2.1000$6N6.7733@nnrp2.ptd.net>
Source record: 85512

For sale: book "Fundamentals of Radio", by Frederick
Emmons Terman

Published in 1938, a collaboration with Lt. F.W. MacDonald,
U.S.N., in EXCELLENT condition.

This is a great old radio book, with lots of illustrations
and pictures; including several of RCA 1-kw broadcast
transmitters of the day showing internal front and back
pictures.

In excellent condition, except for a name
written on the inside front cover: "France MaCurdy
Plowman" - whom I think we can assume was the
original owner. The pages are absolutly pristine, with
NO writing, margin notes, underlining, etc.

I'm asking $27 + $3 for USPS priority mail = $30

David W. Hirneisen, N3GKB
Lititz, Pennsylvania

dhrnsn@ptd.net

1235. FS: National speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <3720cbae.33314773@cnews.newsguy.com>
Source record: 85513

Large National speaker , gray w/ red and chrome emblem. Matches
NC-183, NC-300 , etc. nice original condx. $75 + shp.
Tnx, Ron K5GIT ronfol@hilconet.com

1236. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Al Klase <skywaves@bw.webex.net>
Message-ID: <7fqrgcndh1@nnrp1.dejanews.com>
Source record: 85514

In article <7foi26$2fm$1@nntp2.atl.mindspring.net>,
<sparksw4eas@mindspring.com> wrote:
> SOG's had them droped behind lines for como... Sparks W4EAS

WHEN?
WHERE?
WHAT'S YOUR SOURCE?
WHAT'S AN SOG?

Pardon me for bring a wisenheimer, but I really want some reliable info on
these sets.

Al Klase - N3FRQ
skywaves@bw.webex.net
Web Page: http://www.webex.net/~skywaves/home.htm

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1237. Re: Last Day. 1920's QST @ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: "F. Rodenburg" <hstech@cistron.nl>
Message-ID: <7fqlmg$sr5$1@enterprise.cistron.nl>
Source record: 85515

Your URL doesn't work !!!!

1238. SOLD SOLD SOLD TR4CW & POWER SUPPLY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: w8wls@aol.comnospam
Message-ID: <19990423171137.01999.00000213@ng61.aol.com>
Source record: 85516

THANKS for all of the responses. Items have been sold. 73 Bill

1239. Re: What I DO NOT have to touch Was: SX-28 restoration tips needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <RU5U2.136$aZ.15312@news.cwix.com>
Source record: 85517
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

<emanuele_girlando@yahoo.com> wrote in message
news:7fq0d7$tb8$1@nnrp1.dejanews.com...
> I want to thank you very much everybody that answered my question.
> The next question I have now is:
>
> is there anything I DO NOT have to touch in the rig ?

You shouldn't have to replace many resistors as the ones Hallicrafters used are generally pretty good EXCEPT for the higher power ones. Also pay close attention to any resistors over 100K or so as these seem to be the most likely to change value, in my experience. You shouldn't have to remove the IF xformers either. Anything else is fair game.

> I am trying to figure out what can happen if I have to remove one of the
trim
> caps or coils that are marked as "fixed pad" (something that needs not to
> tuned) in the Halli's alignment procedure. Will I (or a professional) be
able
> to re-align the rig even if I move those?
> Anything else to care about?
>
> Thanks.

DO NOT touch the fixed pad caps unless you can't get the beast to track by normal alignment methods. It's a REAL pain to align the thing if you mess with them. Unfortunately if you run into a "ham special" alignment job or someone dicked with them before, you may have to adjust them. On an SX-32 I just finished I had to adjust every single stinkin one of the padders because some idiot ham had "aligned" the receiver so that the LO was BELOW the received freq. NO WONDER it had no sensitivity!

Good luck and 73 - John

1240. Astatic 10DA/D104 with UG-9

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3720FFF4.8BB57441@value.net>
Source record: 85518

FS. The mic stand UG-9 (non amplifying). D-104 head (no element) and 10DA head. Stand needs to be reconditioned (missing bottom plate). Has coiled cord. 10 DA head seems o.k. Offered as a package only. $60. You ship. Cal.

1241. Atwater Kent spkr/reproducer FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3721004B.FE083742@value.net>
Source record: 85519

Atwater Kent reproducer/speaker shell FS. Restorable condition. Needs cone element. Has some missing parts (minor hardware). $40. You ship.

1242. FS: Drake 2C, 2CQ, and 2NT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3720FF67.A9C09503@value.net>
Source record: 85520

Generally good condition on all of the above. The 2C is the most outstanding. Picked it up at Dayton last year. The cleanest unit I've seen. No corrosion marks anywhere on the chassis. No marred cabinets or front panel. Really honest to goodness mint condition radio. Includes like new original manual and hb aux xtal switcher for short wave use (has extra xtals).

2NT. Not quite the same. Good condition. Chassis has usual spots on the copper. Cabinet may need a good repaint although the present condition is acceptable. Works and has about 50 watts out.

2CQ. Cabinet similar condition to 2NT except that the description applies to the cabinet. Also works fine.

Spare parts included with this one from Drake. 1 small knob, electrolytic cap for the 2NT, and a pot.

Asking $375. You ship. Cal.

1243. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <3720F9DB.8F5CEA84@dimensional.com>
Source record: 85521

SOGs were "Study and Observation Group"s, a purposely misleading name given to special commando teams during the Vietnam war. They did quite a bit more than just "study" and "observe".

73,

Marv
KC0EGB

Al Klase wrote:

> In article <7foi26$2fm$1@nntp2.atl.mindspring.net>,
> <sparksw4eas@mindspring.com> wrote:
> > SOG's had them droped behind lines for como... Sparks W4EAS
>
> WHEN?
> WHERE?
> WHAT'S YOUR SOURCE?
> WHAT'S AN SOG?
>
> Pardon me for bring a wisenheimer, but I really want some reliable info on
> these sets.
>
> Al Klase - N3FRQ
> skywaves@bw.webex.net
> Web Page: http://www.webex.net/~skywaves/home.htm
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1244. MIsc Stuff For Sale....let's deal or swap; or what have you.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <Nm7U2.94$8j6.1098@newsfeed.slurp.net>
Source record: 85522
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

For Sale:

A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B", but which was actually channel 24. The rig has recently been gone through to the tune of well over $150.00. The chassis looks a little gooey to me and could use some cleaning up.
The channel knob is not the original, but it fits in very nicely with the scheme of things...you'd never know Otherwise. The S-Meter is a replacement, however it is EXACTLY the same size as the original except with a black face. The brushed aluminum face has a few minor flaws....nothing too terible. All the lettering is very good.
Comes with original Mic; from what I can gather, it is an Astatic hand held contracted by B/K, Output is near 4 watts. Modulation is very nice with a Tug8-D104.....punchy yet mellow. It has built in switchable speech compression; Cobra calls it "Dyna-Boost". It has power cords for both 13.8 VDC and 110 AC,

Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a two tube preamp for use between the mic and mic input. I suspect that there is some collectablity factor here. It's missing the two tubes, and I'll be damned if I know what they are. I'm sure a Riders book could settle the score quickly. I can assure you this unit was working properly before I decided to salavage the tubes in all my pubescent pomposity. (duh) It'll need the proper amphenol mic connectors to be useable.

Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic condition with with three preset NOAA freqs. It's operated from a 12 volt power adapter. It has an external antenna output Obviously, this is a primitive item, and might be good for the casual listener. I'll throw in the last two items if we can come to terms on a mutually satisfactory deal.

For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll make you a great package deal. (I think it was 40.00 new!)

Now for something completley different, any call for THESE odd balls? I have two mint woofers for the JBL Model 4401 Control Monitor speakers. They appear to be 51/2" from surround to surround, or 61/2" from one end of the brushed aluminum frame to the other. The speakers are mint with heavy magnets, rubber surrounds, and white cones. These origianlly served in radio monitor
duty, but the moronic jocks insisted on driving the weasely amp just past the point of distortion and subsequently turned the tweets to toast. You can have them naked, or I can ship with the cabinets, your choice. The cabinets are in pretty fair shape.

If you'd like to know more, Please email me cfries@ tic.bisman.com

---

/~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
C oo impair chlordane resourceful Pericles propylene step antisemite
(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g

1245. Re: FS Swan 270B hf xcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fr1ll$3v@journal.concentric.net>
Source record: 85523
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

The first 270 is spoken for but number 2 it still available, make an offer.

zenith #1 wrote in message <7fodtb$h66@journal.concentric.net>...
>FS
>Swan 270B very good condition and working all bands with copy of manual. 80
>thur 10 meters SSB/CW/AM with calibrator, built in supply. Cabinet 8+ out
of
>ten.
>$150 plus ship
>Also have another 270B working on 40 meters, cabinet 7 out of ten.
>needs some help.
>$90 plus ship
>Will consider reasonable offers, will sell as a pair for $225 plus ship.
>
>Butch
>
>

1246. Re: FS MFJ keyer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7fr1p1$6q@journal.concentric.net>
Source record: 85524
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

MFJ 407C keyer very good condition and working well.
$28 plus shipping

1247. FS: Lot's O' Stuff...looking for a good home

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <to9U2.439$8j6.2051@newsfeed.slurp.net>
Source record: 85525
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

For Sale:

A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B", but which was actually channel 24. The rig has recently been gone through to the tune of well over $150.00. The chassis looks a little gooey to me and could use some cleaning up.
The channel knob is not the original, but it fits in very nicely with the scheme of things...you'd never know Otherwise. The S-Meter is a replacement, however it is EXACTLY the same size as the original except with a black face. The brushed aluminum face has a few minor flaws....nothing too terrible. All the lettering is very good.
Comes with original Mic; from what I can gather, it is an Astatic hand held contracted by B/K, Output is near 4 watts. Modulation is very nice with a Tug8-D104.....punchy yet mellow. It has built in switchable speech compression; Cobra calls it "Dyna-Boost". It has power cords for both 13.8 VDC and 110 AC,

Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a two tube preamp for use between the mic and mic input. I suspect that there is some collectablity factor here. It's missing the two tubes, and I'll be damned if I know what they are. I'm sure a Riders book could settle the score quickly. I can assure you this unit was working properly before I decided to salvage the tubes in all my pubescent pomposity. (duh) It'll need the proper amphenol mic connectors to be useable.

Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic condition with with three preset NOAA freqs. It's operated from a 12 volt power adapter. It has an external antenna output Obviously, this is a primitive item, and might be good for the casual listener. I'll throw in the last two items if we can come to terms on a mutually satisfactory deal.

For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll make you a great package deal. (I think it was 40.00 new!)

Now for something completely different, any call for THESE odd balls? I have two mint woofers for the JBL Model 4401 Control Monitor speakers. They appear to be 51/2" from surround to surround, or 61/2" from one end of the brushed aluminum frame to the other. The speakers are mint with heavy magnets, rubber surrounds, and white cones. These originally served in radio monitor
duty, but the moronic jocks insisted on driving the weasely amp just past the point of distortion and subsequently turned the tweets to toast. You can have them naked, or I can ship with the cabinets, your choice. The cabinets are in pretty fair shape.

If you'd like to know more, Please email me @ tic.bisman.com

/~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
C oo impair chlordane resourceful Pericles propylene step antisemite
(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g

1248. Lots of radio manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Carol <c.lechner@worldnet.att.net>
Message-ID: <372123F0.F0E1F203@worldnet.att.net>
Source record: 85526

I have the following collection of copies of various ham radio manuals :

Manual:
Price:

AEA
Morsematic
7.00
Alpha 374 Linear Amplifier
Manual 15.00
Ameritron AL 1500 Linear Amplifier Manual
15.00
Amp Supply LK500ZB Linear Amplifier Manual 15.00
Autek Research QF-1A Audio Filter Instructions
7.00
Collins 516F-2 AC Power Supply Instruction Manual 12.00
Collins 312B-4 & 312B-5 Station Controls Instruction Manual 12.00
Cushcraft 215WB Boomer 2 Meter Yagi
5.00
Cushcraft 230WB Boomer & 230 VPK Stacking Kit 5.00
Cushcraft A4 Antena
Manual 5.00
Cushcraft A743 & A744 Add-On Kit 40 or 30 Meter Antenna 5.00
Dentron Clipperton-L Linear Amplifier Manual
12.00
Dentron GLA-1000B Linear Amplifier Manual
12.00
Dentron MLA 2500 Linear Amplifier Manual
12.00
Dentron MT-2000A Antenna Tuner Manual
12.00
Drake 2-B Receiver
Maual 15.00
Drake L-4B Linear Amplifier
Manual 15.00
Drake MN2700 Antenna Matching Network Manual 12.00
Drake R-4B Receiver
Manual 15.00
Drake R4C Receiver
Manual 15.00
Drake T4XB Transmitter
Manual 15.00
Galaxy III Tranceiver & AC3 Power Supply Manual
15.00
Hallicrafters Model SX101A Receiver Manual

15.00
Hammarlund HK-1B Keyer
Manual 12.00
Hammarlund HQ-170 Receiver
Manual 15.00
Heathkit HD-1410 Electronic
Keyer 12.00
Heathkit Model HP-23B Power Supply Manual
12.00
Heathkit Model IT-21 Tube
Checker 12.00
Hustler 4-BTV Vertical
Manual 5.00
hy-gain Ham IV Rotor System Owner Manual
15.00
Icom IC-32R Dual Band
Tranceiver 15.00
James Millen Instructions for Antenna Bridge Cat. No. 90672
7.00
Johnson Valiant Johnson Ranger II Transmitter Manual
20.00
Johnson Viking Matchbox Antenna Tuner 250 Watt Manual 7.00

Kenwood Model SM-220 Station Monitor Operating Manual 10.00
Kenwood Service Manual TL-922 Linear Amplifier
15.00
Measurements Model 59 Megacycle Meter Operating Instructions 10.00
MFJ Model 259 Antenna
Analyzer 5.00
MFJ Model 418 Code Tuner
Manual 5.00
Mirage B108 2 Meter Power
Amplifieir 5.00
Mirage B1016-G 2 Meter
Amplifier 5.00
National NCL 2000 Linear Power
Amplifier 20.00
Nye Viking Model MB-V-A 3000 Watt Antenna Tuner Manual 10.00
SGC SG231
Smartuner
15.00
Tempo Model 2020 Tranceiver
Manual 15.00
Ten-Tec Owners Manual Titan 425 Linear
Amplifier 15.00
Viking Thunderbolt
Amplifier
20.00
Yaesu FL-7000 Linear Amplifier
Manual 15.00

Yaesu FRG-9600 Scanning Receiver
Manual 10.00
Yaesu FT-416 Handheld
Manual 10.00

Please add $2.00 for shipping and handling. If interested, please let me know via e-mail.

1249. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37212EFA.5AE3FEB2@jorsm.com>
Source record: 85527
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950 75.00
6AZ8 5.00 6LB6 20.00 6ME6 25.00 6DJ8 5.00 12BY7A
7.00 24LQ6 15.00 5753 7.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

1250. WTB Heath HA-14 Kompact Kilowatt

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: dalien <dalien@pacifier.com>
Message-ID: <3721320B.A701D9B8@pacifier.com>
Source record: 85528
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

WTB: Heath HA-14 Kompact Kilowatt with power supplies, cables and manuals.

Dave w6ovp@arrl.net

1251. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-23 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <ujyTyBgj#GA.287@cpmsnbbsa05>
Source record: 85529
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

>>Some folks just don't
>>believe in netiquette, or reading the group charters.
>>

What's a group charter?

(Just kidding)

Actually, I like the idea of individuals selling stuff, as long as it's
boatanchor stuff.

Peter
KB2VTL

1252. Re: FS: VERY Old Boatanchor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: not@home.now
Message-ID: <37241d52.52496437@nntp.ix.netcom.com>
Source record: 85438

On Fri, 23 Apr 1999 15:09:41 GMT, olds98@together.net wrote:

>For Sale:
>
> 1921 Ham rig with 3 separate wooden chassis and black Bakelite
> faceplates, knobs,homebuilt. Dated to 1920 or 21 by Alan Douglas.
>
> Power supply chassis has Thordardson Xfmr and 2 Thordardson chokes,
> Tobe B block, Fletcheim bypass condenser, Potter condenser, 1
> 4 pin tube socket, ceramic base fork and knife power switch.
> Regenerative receiver chassis with 3 wooden Simplex variometers,
> with 3 large Vernier bakelite knobs etc.
> Amplifier chassis with 1 rectifier tube and 201 amplifier tubes.
> Bakelite face plate and knobs, large pots, brass terminal
> posts on all 3 units.All handwired, much exposed solid wiring.
>
> Dusty and unused for years if not decades but in good condition.
>
> Make a fair and reasonable offer on the 3 units together. Can be seen
> in New England if desired. Local pickup or will ship.
>
> ALSO will accept a separate offer on:
>
> Large (approx 30 lb.) box of 20s-30s old mostly unused vintage
> radio parts including variable condensers, knobs, switches,
> 4 pin tube bases, NOS unused fabric coated wire coils, glass
> antenna insulators, meters, old resistors (2 watt etc), wax
> box capacitors, oil can caps, large quantity of brass posts &
> knurled knobs etc., large pots, choke coils, etc etc.
>
>PLEASE EMAIL DIRECT for more info. Buyer pays all shipping charges.
> Thanks RHAnderson
>
>

With all that lumber, it sounds more like a 'boat dock'.

Good Signals... LCM

1253. FS: NC-125 parts, case, knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: k6sde@my-dejanews.com
Message-ID: <7frd6i$50j$1@nnrp1.dejanews.com>
Source record: 85439

I have completed restoring my NC-125 and have a parts unit from which I'd sell parts to get your NC-125 back working. I have NO silver bar knobs (had to buy the parts receiver to get them) but have the other knobs. Chassis parts, etc. are available. The parts unit has had a lot of "modifying" done to it but most everything is there.

The cabinet sheet metal is in pretty good shape but would need a repainting to be nice. (I need
to paint the one I'm keeping also!) It's not dented or bent but has the usual scrapes and
scratches on it.

Let me know what you're looking for and I'll see if I have it.

A few of the parts MAY be usable on NC-173/183 series receivers but I'm not positive about
that. It seems as though I've seen some of those receivers with the same S-meter for example.

Let's keep the NC-125 working!!!!

Ian, K6SDE

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1254. Re: FS: National speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990423220549.18046.00001064@ng-ba1.aol.com>
Source record: 85440

Hi Ron.
If you still have the speaker. ship it to me.
Mike. K6STU.
P.S. do you have the disc-fiducial dial for the kwm 2a you know the little dial with the center line??? I need to replace one.
Thanks again.

1255. Drake TR-7 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990423220622.09527.00000638@ng27.aol.com>
Source record: 85441

Drake TR-7, SN10,8XX, includes digital readout, no other options, no filters, no noise blanker, no AUX 7 board, no fans, etc. It does include the PS7 heavy duty power supply. Both units are in excellent condition. Includes original owner's manual. Will throw in a packet of copies including TR-7 service manual, R7 service manual, and copies of just about every 7 line item owner's manual. $600 plus UPS shipping or pick-up in Dayton, Ohio.

73

Evan

1256. Collins S-line eBay $100.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990423231230.25863.00000968@ng-fq1.aol.com>
Source record: 85442

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95173751

Take a look!

1257. FS: QST - March 1972 to December 1974

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990424010536.27032.00000347@ngol08.aol.com>
Source record: 85443

Hello,

I have for sale QST for March 1972 through December 1974 (34 issues total). They are in mint condition - still in the original brown paper wrappers. Asking 25 cents each or $7 for all 34 issues. Buyer pays shipping - 6 pounds per year from 19082.

73 de Jim, N2EY

1258. RCA RIDER CHANELYST FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: wbelsito@aol.com
Message-ID: <19990424020749.14336.00003105@ng-cl1.aol.com>
Source record: 85444

I have a R C A / RIDER chanelyst for sale .

e - mail me for details . $ 100 WALT

1259. Need halli SX-110 knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37215FA4.30F8@ix.netcom.com>
Source record: 85445

Anyone have a parts sx-110 or sx-111 or s-108. I need knobs. One of the big tuning knobs, 3 small metal ones, and all the other control knobs.
Thank you Chris

1260. Offers - Collins 30K-5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Fred <as149@detroit1.freenet2.org3>
Message-ID: <7fruqo$1gd$1@newsource.ihug.co.nz>
Source record: 85446

I have a Collins 30K-5 HF transmitter AM/CW, capable of about 300W, and built somewhere around 1955. This little beauty is in full working order, completely undamaged apart from a chip off one of the knobs, is unmodified, and there are coils for 80/40/20 and a modest collection of spares, including finals. The transmitter requires 110V/230V 50-60 Hz at about 1500 Watts.

The 30K-5 is similar to the Amateur band Collins 30K, but is crystal controlled and remote controllable, with instant switching between separately two tuned-up channels. The final is a 4-125A and the modulator a pair of 75THs.

The rig would make a great remote transmitter for a club interested in setting up a "commercial style" steam radio shack.

I realise it is huge and heavy, but if anybody is interested in it, make me a offer! Transport from Auckland New Zealand is your problem!

Email me - as149@detroit.freenet.org

73,

Murray ZL1BPU

1261. WTB: AN/GRC-9

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7fs88hqme1@nnrp1.dejanews.com>
Source record: 85447

Wanted: AN/GRC-9 military radio in good condition, intact. If you have on
that is surplus to your needs, please let me know.

Alan, N3BJ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1262. Re: MIsc Stuff For Sale....let's deal or swap; or what have you.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: K <kwin@execpc.com>
Message-ID: <7fs7r2$2th@newsops.execpc.com>
Source record: 85448
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

Without trying to sound obnoxious, I might not corss post to areas that would have little interest.

Good luck

Cary Fries wrote in message ...
>For Sale:
>
>A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B",
>but which was actually channel 24. The rig has recently been gone through
>to the tune of well over $150.00. The chassis looks a little gooey to me
>and could use some cleaning up.
>The channel knob is not the original, but it fits in very nicely with the
>scheme of things...you'd never know Otherwise. The S-Meter is a
>replacement, however it is EXACTLY the same size as the original except
with
>a black face. The brushed aluminum face has a few minor flaws....nothing
>too terible. All the lettering is very good.
>Comes with original Mic; from what I can gather, it is an Astatic hand held
>contracted by B/K, Output is near 4 watts. Modulation is very nice with
>a Tug8-D104.....punchy yet mellow. It has built in switchable speech
>compression; Cobra calls it "Dyna-Boost". It has power cords for both 13.8
>VDC and 110 AC,
>
>Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a two
>tube preamp for use between the mic and mic input. I suspect that there
>is some collectablity factor here. It's missing the two tubes, and I'll be
>damned if I know what they are. I'm sure a Riders book could settle the
>score quickly. I can assure you this unit was working properly before I
>decided to salavage the tubes in all my pubescent pomposity. (duh) It'll
>need the proper amphenol mic connectors to be useable.
>
>Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic condition
>with with three preset NOAA freqs. It's operated from a 12 volt power
>adapter. It has an external antenna output Obviously, this is a
>primitive item, and might be good for the casual listener. I'll throw in
>the last two items if we can come to terms on a mutually satisfactory deal.
>
>For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll
>make you a great package deal. (I think it was 40.00 new!)
>
>Now for something completley different, any call for THESE odd balls? I
>have two mint woofers for the JBL Model 4401 Control Monitor speakers.

They
>appear to be 51/2" from surround to surround, or 61/2" from
>one end of the brushed aluminum frame to the other. The speakers are mint
>with heavy magnets, rubber surrounds, and white cones. These origianlly
>served in radio monitor
>duty, but the moronic jocks insisted on driving the weasely amp just past
>the point of distortion and subsequently turned the tweets to toast. You
>can have them naked, or I can ship with the cabinets, your choice. The
>cabinets are in pretty fair shape.
>
>If you'd like to know more, Please email me cfries@ tic.bisman.com
>
>_____
>
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
>C oo impair chlordane resourceful Pericles propylene step antisemite
>(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
>_____
>
>
>
>
>
>

1263. Re: MIsc Stuff For Sale....let's deal or swap; or what have you.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <iniU2.922$8j6.6191@newsfeed.slurp.net>
Source record: 85449
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

Oddly enough, Mr. K....

YOU JUST DID!
Good Morning Kettle....this is the pot calling....YOU'RE BLACK!!!!!

Have a lovely day.

K <kwin@execpc.com> wrote in message news:7fs7r2$2th@newsops.execpc.com...
> Without trying to sound obnoxious, I might not corss post to areas that
> would have little interest.
>
> Good luck
>
>
> Cary Fries wrote in message ...
> >For Sale:
> >
> >A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B",
> >but which was actually channel 24. The rig has recently been gone
through
> >to the tune of well over $150.00. The chassis looks a little gooey to
me
> >and could use some cleaning up.
> >The channel knob is not the original, but it fits in very nicely with the
> >scheme of things...you'd never know Otherwise. The S-Meter is a
> >replacement, however it is EXACTLY the same size as the original except
> with
> >a black face. The brushed aluminum face has a few minor flaws....nothing
> >too terible. All the lettering is very good.
> >Comes with original Mic; from what I can gather, it is an Astatic hand
held
> >contracted by B/K, Output is near 4 watts. Modulation is very nice
with
> >a Tug8-D104.....punchy yet mellow. It has built in switchable speech
> >compression; Cobra calls it "Dyna-Boost". It has power cords for both
13.8
> >VDC and 110 AC,
> >
> >Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a
two
> >tube preamp for use between the mic and mic input. I suspect that
there
> >is some collectablity factor here. It's missing the two tubes, and I'll

be
> >damned if I know what they are. I'm sure a Riders book could settle the
> >score quickly. I can assure you this unit was working properly before I
> >decided to salavage the tubes in all my pubescent pomposity. (duh)
It'll
> >need the proper amphenol mic connectors to be useable.
> >
> >Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic
condition
> >with with three preset NOAA freqs. It's operated from a 12 volt power
> >adapter. It has an external antenna output Obviously, this is a
> >primitive item, and might be good for the casual listener. I'll throw in
> >the last two items if we can come to terms on a mutually satisfactory
deal.
> >
> >For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll
> >make you a great package deal. (I think it was 40.00 new!)
> >
> >Now for something completley different, any call for THESE odd balls? I
> >have two mint woofers for the JBL Model 4401 Control Monitor speakers.
> They
> >appear to be 51/2" from surround to surround, or 61/2" from
> >one end of the brushed aluminum frame to the other. The speakers are
mint
> >with heavy magnets, rubber surrounds, and white cones. These origianlly
> >served in radio monitor
> >duty, but the moronic jocks insisted on driving the weasely amp just past
> >the point of distortion and subsequently turned the tweets to toast.
You
> >can have them naked, or I can ship with the cabinets, your choice. The
> >cabinets are in pretty fair shape.
> >
> >If you'd like to know more, Please email me cfries@ tic.bisman.com
> >
> >_____
> >
> > /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> >C oo impair chlordane resourceful Pericles propylene step antisemite
> >(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> >_____
> >
> >
> >
> >
> >
> >
>
>

1264. Manual for Collins 75S-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <3721B873.7696B97D@teleweb.at>
Source record: 85450

Hello to everybody!

Does anybody know where I can get a original manual or a copy of the
Collins 75S-2 ? I've only a copy of a manual of the 75S-1. I know,
there is not much difference, but if it's possible, I want to buy a
manual of the 75S-2 (or a copy). I've looked on various sources in the
web for a copy, but can't find it.

Thanks for your help.
Kurt. OE1002419
kurt.brandstetter@teleweb.at
--
end

73's de OE 1002419
Kurt from Vienna Austria
You are welcome. Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com

HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!
Fight Spam! Join EuroCAUCE: http://www.euro.cauce.org/

1265. ara

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Ana Maria Braga <xinhas@mail.telepac.pt>
Message-ID: <01be7ef7$1b23b760$cfe941c2@nop58448>
Source record: 85451

http://www.terravista.pt/AguaAlto/2328/

1266. Johnson Ranger and More

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Tim Craig <wd4tc@twave.net>
Message-ID: <xjjU2.5598$Bm3.373367@news20.ispnews.com>
Source record: 85452

Hello and tnx for looking These items are for sale or trade
Iam looking for TS50 KNWD ts570 or large base amp anyway the list
1 johnson ranger great cond 275.00
1 johnson ranger good cond 240.00
1 johnson viking 1 ugly but works 100.00
1 Hammarlund SP 600 jx 7 with case 450.00 exec cond
1 tv 7a/u tube checker good cond 100.00
1 eico 667 tube checker good cond 75.00
1 johnson 122 vfo exec cond 100.00
and all are with buyer to pay 1/2 of the shipping
tnx Tim wd4tc@twave.net or call 828-754-2343

1267. STB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990424091530.00959140@popd.ix.netcom.com>
Source record: 85453
Body handling: HTML body converted to readable text

```
--====================_126609889==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX
austrade@ix.netcom.com
-

--====================_126609889==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good
condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

austrade@ix.netcom.com

-

--====================_126609889==_.ALT--
```

1268. FA: REAL NICE Collins S LINE,,.,.,

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3721da75.236338366@news.earthlink.net>
Source record: 85454

***** Collins S Line ***** 32S3/75S3B/516 in cabinet/D104/Spare
Tubes/Manuals/Cables, everything goes with this deal....
This came from the original owner in original collins boxes. He
stated they all work fine and the one tube in power supply has to
be replaced,which I
have. As I mentioned,I have all the spare tubes for the
516/Collins S Line,which go
with it. I haven't tried them,but he told me he had them on a
month ago and work great.
Only reason he was letting them go,because he wanted a new rig.
They really look
VERY NICE!!
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93351985

1269. FA; Vintage 1920's issues of QST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7fsphf$jd0$1@holly.prod.itd.earthlink.net>
Source record: 85455

Vintage Issues of QST from the 20's on auction at;

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95237049
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95238511
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95239252
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95239808
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95241262
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95242726
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95243232
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95243722

1270. Re: FA: REAL NICE Collins S LINE,,.,.,

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990424121627.01576.00002116@ng-ck1.aol.com>
Source record: 85456

I AM TRYING TO FIND THIS ADD ON EBAY AND CAN'T. WOULD YOU SEND ME A PHONE NUMBER? THANKS JACK HURST 330-352-1522

1271. Wtd: Keys & Keyer & CW Accessories & CW Reader

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7fssmf$303$1@bgtnsc01.worldnet.att.net>
Source record: 85457
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

--
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1272. Wanted CW Keyer, Keys & Reader Etc. Etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7fst2q$727$1@bgtnsc01.worldnet.att.net>
Source record: 85458
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

W5IDX@qsl.net
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

--
W5IDX@worldnet.att.net

1273. FS: THINGS FROM MANUALS TO BROADCAST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: hammarlund@acd.net
Message-ID: <3723ff8f.88719970@news.acd.net>
Source record: 85459

I have some equipment for sale. may need minor work...
or may not.
prefer pick up due to size of equipment...OR...I will meet you
with in 65 mile radius of Jackson, Mich.....OR halfway...on
larger $ amounts.

But, shipping can be done on most items, you pay for materials
(I buy new boxes & packing material) & shipping.

Console:
Sparta 5 channel $50, *missing 2 pots and jack from front panel not the main
panel.
*(headset volume & monitor volume & jack) w/PS,

cart machines...$50 each...(10 to choose from)
cart machines...record/play units..(2 only)..$75
Carts available for above...$4.00 each with purchase of machine...
These are the smaller carts...

QRK 3 speed turntable w/ arm & pickup & pre amps...$100

Phaser Parts (10 coils & 3 turns counters)..from Gates 3 tower phaser...
good 160 phased tower project...$300 for all...no mica'S
will sell the 3 turns counters separate for $75 + shipping

radio shack 35 watt amp...like new..MPA-46 p.a. amp...mic 1&2, aux/cd inputs and
3 band EQ...$40

new sealed in bags 2-pin mic connectors...4 for $20..+ shipping

BSR 10x1 audio routing switcher...10 in to 1 out..push button selectable..
2" rack unit...$75

100TH w/ socket...$50

Beckman 5424-16 preset counter w/ original manual...
needs 4 tubes..$75 rack unit...

HQ-129xr..RACK mount receiver..could use alignment..but works close as is..
has resilk screened front panel..non-original knobs though...
$140 will throw in a manual copy also..

JAN CRC 832A tubes..have 11 nos in boxes...$30 for all...

tentec nos 241..osc. in the box never used..$30

SyQuest EZ-135 scsi external drive w/cable($30 new never used)
...$75 these store 135 mb on a disk...

TCS 12 Collins restored xmitter & TCS 13 Hamilton receiver (needs restored)
w/ power cable and manual copy covering most TCS units..$200

Technics SL-PG440 CD player...has many broadcast useage features not on consumer
units..
$50...has a/c cord

Technics SL-PG300 same as above...$50...no a/c cord
Technics SL-PG450 same as above units...
works but needs cleaning (it skips)...$25..no a/c cord

Sansui..AU-517 integrated amp & TU-217 AM/FM matching stereo tuner..both
are black rack units..tuner works fine...amp needs some attention in the
preamp section..65-WRMS per channel...$200 for pair...

Bogen Challenger CHB-10A...small pa style amp..$25...

12' Satelite dish & dish make; unknown
receiver: Drake ESR 240
Descrambler: General Insturments Videocipher II
positioner: MTI 2800A
...pick up only...$150
everything, except the pole in the ground....
if you have full size pick-up, you can transport the dish easily.

Kenwood KR-5150 50 watt per channel..receiver/tuner/amp..with manual...currently
used
as my computer audio amp...wood cabinet all original...sounds good
$150

Teac EQA-20 equalizer...black unit and almost like new...$150

SOFTWARE: GT Express Professional v.6.5..Power Tools for Auto-Cad...
New in sealed package...Interface to AutoCAD 386 R10, R11, R12 with Auto CLICK
$50

Manuals
Hammarlund RDF-10 NOS....$25
Hammarlund HQ-110 copy...$15
Hammarlund HQ-129X copy...$15
Hammarlund HQ-140X copy...$15
Hammarlund HQ-120X copy...$15
Collins TCS NAVSHIPS 900, 291-1B...copy
Covers..TCS-7,-9,-10,-11,-12...$20
EFJ Ops for 275 watt Matchbox...copy...$10
Hallicrafters...S-29..copy $10
National...HRO-5A1...copy...$15
National...NC-46...copy...$15

email me if interested in any of the above, or call at 517-789-8702...
if you get no answer I may be on the internet
if you think my prices are out of line, Lets talk!!
I don't bite.

thanks for reading this post...
Bob

Best Regards Robert Fowle KC8DBC
my shipping address is: 1215 Winifred..Jackson, Mich. 49202-1946
ICQ #649056 Phone: 517-789-8702
Email address: hammarlund@acd.net
My Web Page: www.qsl.net/hammarlund

1274. FA: Collins S Line [Nice]..,.,.,.,.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <3721fe06.245444546@news.earthlink.net>
Source record: 85460

***** Collins S Line ***** 32S3/75S3B/516 in cabinet/D104/Spare
Tubes/Manuals/Cables. This came from the original owner in
original collins boxes. LAST DAY!!!!!!!!!!!!!!!!!!!!!!
He stated they all work fine and the one tube in power supply has
to be
replaced,which I have. As I mentioned,I have all the spare tubes
for the 516/Collins S
Line,which go with it. I haven't tried them,but he told me he had
them on a month ago
and work great. Only reason he was letting them go,because he
wanted a new rig.
They really look VERY NICE!!
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93351985

1275. Heathkit DX40 help.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Windows 95 INNOVA Media User <cleidner@worldnet.att.net>
Message-ID: <01be8e7d$709c4be0$7414460c@default>
Source record: 85461

Need a Power Transformer for a very nice DX 40
Regards, Charles K4QZO

1276. Re: FS MFJ keyer SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7ft3eo$1hv@journal.concentric.net>
Source record: 85462
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Keyer is spoken for
Thanks
Butch

zenith #1 wrote in message <7fr1p1$6q@journal.concentric.net>...
>MFJ 407C keyer very good condition and working well.
>$28 plus shipping
>
>

1277. FA Rare National RCL Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <372217D1.615C@sympatico.ca>
Source record: 85463
Cross-posted to:
rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave,rec.antiques.radio+phono

Instruction book for National Type RCL radio.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95358000>

1278. B&W LPA1 Amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: John Strunck III <1jhs9867@unixstew.tstc.edu>
Message-ID: <37221bc2.0@news>
Source record: 85464

Hello All,

Looking for manual and schematic for B&W LPA-1. Also looking for
12v or 120v Dow Key relay

Thanks,

J. Strunck III
kc5ngx

1279. Re: FA: REAL NICE Collins S LINE,,.,.,

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <37220EBF.2A71@no.net>
Source record: 85465

WD8CFS wrote:
>
> I AM TRYING TO FIND THIS ADD ON EBAY AND CAN'T. WOULD YOU SEND ME A PHONE
> NUMBER? THANKS JACK HURST 330-352-1522
\
All you have to do is click on the link.

1280. FS: Rockwell-Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7ft94t$67i$1@news.erinet.com>
Source record: 85466
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have for sale a Rockwell Collins KWM-380 I'm asking $2900.00 plus shipping. See web pages for details.

http://users.erinet.com/30845/facollin.htm

1281. Re: FA: Collins S Line [Nice]..,.,.,.,.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990424174655.22911.00001062@ng04.aol.com>
Source record: 85467

still trying to reach you. jack

1282. Collins 270G-1 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: tvcomlguy@aol.com
Message-ID: <19990424180101.29120.00001125@ng146.aol.com>
Source record: 85468

For sale: Collins 270G-1 speaker in excellent condition. $275 plus shipping.

Ron

1283. F.S. Collins cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: tvcomlguy@aol.com
Message-ID: <19990424180400.29120.00001127@ng146.aol.com>
Source record: 85469

For Sale: Original cabinet for Collins 75A1,2,3 or 51J series receivers.
Excellent original condition. $250 plus shipping.

Ron

1284. F.S. Collins 312B-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: tvcomlguy@aol.com
Message-ID: <19990424180639.29120.00001129@ng146.aol.com>
Source record: 85470

For Sale. Collins 312B-4 in very good to execellent condition with original manual.
$250 plus shipping.

Ron

1285. FS: ART-13

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: jpevner@aol.com
Message-ID: <19990424181540.14294.00004811@ng-cm1.aol.com>
Source record: 85471

Project I don't think I'm going to get to..

Appearance pretty good
Porcelain egg connector replaced with SO-239
power connector changed
has mounting rack but no cal book, or front panel freq chart/holder
all tubes and modules present, but never had p.s. to fire it up
manual copy from Fair Radio

$100 + u ship from Central Mass.

de N1LIS

1286. F/A TenTec VFO #263

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: K1KEG <k1keg@home.com>
Message-ID: <BDrU2.2693$G.907@news.rdc1.ct.home.com>
Source record: 85472

For Auction on Ebay

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=94731547

1287. Ebay FA Drake R-4B with MS-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: wa0kds <wa0kds@mcipnet.com>
Message-ID: <37223206.D63@mcipnet.com>
Source record: 85473

Click below and hope you enjoy also hope you bid:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95427332

Thanks,

Ron WA0KDS/7

1288. RME Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Merle <lal@sum.net>
Message-ID: <372249ba.0@209.4.156.74>
Source record: 85474

Hello all..

I need some advice please. I picked up some things from an estate this weekend, among the stuff was an RME Model 4350A receiver. It had been in it's box for years, the front panel looks like new, scratched on the top from having things set on top of it. Also has the original owners manual with it. As I don't want this unit I would like to find out what it might be worth. Any help would be appreciated..

Thanks, Merle

1289. Re: FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: The Warners <wb3kjx@pc-intouch.com>
Message-ID: <37225165.0@hiq.pc-intouch.com>
Source record: 85475

I don't think this model uses tubes, must be solid state.... the diagram shows a "drain" connection, must be an FET model.

I usually hate to see all the stupid and commercial posts in these groups, but I got a good laugh out of this one !
David wrote in message

1290. FS: Collins S-line spinner knob and 75A4 4:1 spinner knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <37223b9c.29811714@cnews.newsguy.com>
Source record: 85476

```
New S-line spinner knob $65
New 75A4 4:1 spinner knob $75
+ $5 shipping /ins. on each.
Tnx, Ron K5GIT
ronfol@hilconet.com
```

1291. Re: FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: lrware@pipeline.com
Message-ID: <372245de.299395657@news.pipeline.com>
Source record: 85477

(C&C Warning!)

David Stinson <arc5@ix.netcom.com> cogitated then commented:
>FS:
>Rare Kitchen Sink. Listed it Bunnull's "Antique Sink Guide."
>It's heavy like a boatanchor and it's old.
>Unmodified, original finish.
>Make Offer (snicker....)

Would you say this one is in better or worse condition than the one currently listed at auction-the-universe.com?
(Currently 1779 bids but the $25,000 reserve has not yet been met.)

The seller claims his is CKSCA (Collins Kitchen Sink Collectors Assoc.) 9.9 or better.

I think he's legitimate, because he is also auctioning a sealed in bag genuine Art Collins Fart. (check his other auctions!)

He also claims to have documentation to prove Art puked in it once...
<Way Kewl!>

Anyway; Should I buy yours instead? Will you sell it a lot cheaper? Can I promise to pay you then put it up on E-bay, sell it and just have you ship it for me? Unless E-bay doesn't go well, then I'll back out and never pay.

If I buy the other one, will you sell me all the knobs and emblems from yours for $1? After all you still have the sink.

Please write back soon as I'm already starting the E-bay auction....

<with tongue firmly in cheek>
-larry

#
Bigot, n. One who obstinately and zealously attached
to an opinion that you do not entertain.
-Ambrose Bierce
#

1292. SWAN For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: ke6hlw@aol.com
Message-ID: <19990424193703.17264.00001150@ng96.aol.com>
Source record: 85478

FS SWAN 500C Includes: 117XC Power Supply/speaker;Cubic/Shure Mod. CM17L Mic; Mod. 405X Crystal controlled oscillator; WM-3000 SWR/PEP reading wattmeter; mod. FP-1 hybrid phone patch. All in very good to excellence condition. The 500C has 8950 finals and comes with a spare set. Has just been completely gone through-complete re-alignement-receiver and tramsmitter (by ex Swan tech).This is a very nice and complete Swan station. The 500C showes a little paint wear around the Band switch and the "Tune;CW etc." switch.Ware on paint is on the lower cover, not on the front cover which is in exelence condition. Have all manuals,execpt for the WM-3000. Also the mods to change back to the 6LQ6 finals.(12 back to 6 volt fills.) $400.00 U ship from 92104. Any Questions? Please E mail to: KE6HLW@aol.com

1293. Re: RME Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Niel Wiegand <nielw@ix.netcom.com>
Message-ID: <372259BC.D1443C4B@ix.netcom.com>
Source record: 85479

Check http://www.mnsinc.com/bry/ham/boneyard.htm for a listing of
prices seen in 1998.

73, Niel

I picked up some things from an estate this
> weekend, among the stuff was an RME Model 4350A receiver. I would like to find out what
it might be
> worth. Any help would be appreciated..
>

1294. FS: Drake TR-4 Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7ftvdb$9e1$1@user2.teleport.com>
Source record: 85480
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale from a local estate sale: Drake TR-4 HF SSB/CW/AM Transceiver and accessories: Drake TR-4, front panel good, black metal cover could use :repainting (flat glossy black). Tried it out on 40 and 20 Meters - transmitter puts out 100+ watts, receiver has very weak audio.

Also included is an AC-4 matching power supply, and an MS-4 speaker. The MS-4 speaker has had three additional holes drilled in its front panel (may have been for some switches, pilot lights, or ???) A small box of misc used tubes labelled "TR4 tubes" is included, and also a mic that appears to be a Shure 444-type mic (needs some cleaning up). Entire package $125 plus UPS.
Larry
larryj@teleport.com

1295. Icom and Kenwoods Desk Mikes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7fu106gig1@news.eclipse.net>
Source record: 85481
Cross-posted to: alabama.birmingham.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

FS
Icom SM-8 VGC 2 cords $75
Kenwood MC-85 VGC 2 cords 1 does not have connector. $85
Plus shipping
Doug

1296. FS: National HRO-7 Original manual, exc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <H5wU2.3032$1v.5214@ndnws01.ne.mediaone.net>
Source record: 85482
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
Excellent original HRO-7 manual
$25 mailed to you.
regards,
Chuck...K1KW
```

1297. Hammarlund Clock Repair Note:

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <37228FE1.3B0D@viaduct.custom.net>
Source record: 85483

I just purchased a HQ-170A with a non-working clock. I determined that the problem was
the motor was stuck and wouldn't turn, but was able to repair it. This procedure may get
your clock going again:

1. Unsolder the two wires going to the motor winding.
2. Remove the two screws that attach the motor frame to the gear works of the clock. (It's not required to remove the entire clock assembly form the radio panel.)
3. Twist and pull the motor free of the stacked frame.
4. Drill a small hole in the copper case on the same face as the output shaft near the bottom
of the motor. (Use slow speeds, the case is thin.)
5. Inject a good amount of WD-40 into the hole and slosh it around quite a bit. Then shake
out through the hole.
6. Repeat #5 until no black crud comes out the hole.
7. Put the motor back into its frame and bench test with 120 VAC attached to the motor
coil. (Be carful here, you can get shocked!)
8. If the output shaft turns at a 3.6 rpm rate then your repair was a success.
9. Reassemble then savor your achievement!

If anyone else has clock repair tips or recommendations, please post.

73,
Joe - KF9EU

1298. FS: Amp Supply LK-500ZA $775.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3722b9a5@news1.us.ibm.net>
Source record: 85484
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Just replaced the wimpy stock plate tune padding caps for 160 with heavy duty transmitting doorknobs. Amp will deliver 1300 to 1500 watts out with 80 watts of drive. Very fresh Eimac 3-500Zs. Amp covers all ham bands 160 to 10 meters. Price is $775.00 plus shipping from San Diego 92139.

Amp will be in it's own box and the tubes in a seperate box. Both will be professionally packed and double boxed. Insured via UPS.

Lane Zeitler
Ku7i

1299. FS:REALLY NICE DRAKE TR7 AND PS7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: jrybak@mesa7.MesaState.EDU
Message-ID: <7ft9fheqo1@mesa7.mesa.colorado.edu>
Source record: 85485

FOR SALE: REALLY NICE DRAKE TR7 TRANSCEIVER WITH MATHCHING PS7 POWER SUPPLY. TRANSCEIVER HAS STANDARD SSB XTAL FILTER PLUS ACCESSORY CW XTAL FILTER. THERE ARE NO ELECTRICAL PROBLEMS OF ANY KIND IN EITHER UNIT OF WHICH I AM AWARE. COSMETIC CONDITION OF BOTH IS 9++. WITH MANUAL. THIS IS A REALLY NICE OUTFIT.

PRICE: $600 PLUS SHIPPING.

JIM RYBAK W0KSD

1300. Re: this is not a sale group

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: la8ak@online.no
Message-ID: <37210b59.449850141@news.online.no>
Source record: 85530
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

On Thu, 22 Apr 1999 18:47, "CommQuart" <commquart@erols.com> wrote:

>Sadly, Mike, it is the same clowns who ruined
>Rec.Antique.Radio+Phono.

rec.radio.amateur.boatanchors is worse! Just request some info on some rig you collect, and a crowd of idiots think everything is for sale, at least it is possible to ask technical questions using Rec.Antique.Radio+Phono and you receive lots of valuable info, but I never subscribe to any of these two groups for more than a week at the time

>After being a contributor
>there for three years, I finally gave it up because of
>the growing commercialism. Some folks just don't
>believe in netiquette, or reading the group charters.
>
>Peter
>
>
jan-martin LA8AK

1301. FS: SX-62 / 42 Parts, knobs, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: k6sde@my-dejanews.com
Message-ID: <7fra1r$2f5$1@nnrp1.dejanews.com>
Source record: 85531

I have an SX-62A parts receiver. (Some parts are also usable on the SX-42 I'm told.)

I have been asked about **KNOBS** by many people. I had thought that I had a chance to do a trade which would get me the SX-101 style knob that I need for the band switch on my rebuilt SX-62A (large knob) but that seems to have fallen through so I'm not waiting longer to offer them.

I have a complete set of the fluted knobs. (But NO POINTER RESET KNOB!) I will entertain OFFERS that will put these knobs to use to help a "needy" SX-62 receiver to become complete. I will give preference to an offer that also gets me the SX-101 knob that I need to make my restored SX-62A complete. I will make an attempt to get as many SX-62s back in original shape if I can by having the knobs go to needy homes so please understand and don't get frustrated if I seem reluctant to immediately sell the entire set of knobs to you. Let's give an opportunity to those who only check their mail a few times a week!

Here's a picture of the entire knob set. It has been sharpened and adjusted so it shows the blemishes more clearly and does make them look worse than they are I think. No work has been done to try to polish and clean the knobs or skirts and one of the skirts with the 0 to 10 scale has been squashed as a result of poor packing when the receiver was shipped to me. The knob itself is OK and perhaps the skirt can be restored but at least the 0 to 10 skirt on it is more generic and probably easier to find than some of the other skirts. This is a fairly large image file to try to retain the detail so it'll take a bit of time to view it. (80 K or so)

http://www.geocities.com:80/Heartland/Ridge/7463/sx62/sx62allknobs2.jpg

Here's a much smaller file with only a few of the knobs in a different view.

http://www.geocities.com:80/Heartland/Ridge/7463/sx62/knobsidex.jpg

---
The following have ALREADY GONE TO NEEDY HOMES:

* Front panel
* Bezel
* dial scale glass
* cover glass for dial scale
* left side sheet metal with pointer reset shaft
* dial pointer
* dial pointer track across top (L shaped aluminum bar)
* 1st, 2nd & 3rd IF coils

* case

I have most of the rest of the receiver so if you need specific parts,
ASK.

Let's hope that this makes it possible for some SX-62 (SX-42?) receivers
to spring back to life!

Ian, K6SDE
San Jose, CA area

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1302. Need Harvey Wells TBS-50C front panel

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: wa5ufo@my-dejanews.com
Message-ID: <7frcmf$4ia$1@nnrp1.dejanews.com>
Source record: 85532

Subject says it all. Thanks for reading this post, markus.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1303. Re: FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: David
Message-ID: <3721177c.1532838@news.mindspring.com>
Source record: 85533

David Stinson <arc5@ix.netcom.com> wrote:

>FS:
>Rare Kitchen Sink. Listed it Bunnull's "Antique Sink Guide."
>It's heavy like a boatanchor and it's old.
>Unmodified, original finish.
>Make Offer (snicker....)

I am restoring one similar to the above and am in need of
the left knob for the unit, as the original is missing. The orginal
graphics on the knob I need had the word "HOT".
Any help is appreciated.

Thanks...

1304. FA Collins ART13

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37211BEE.7714@sympatico.ca>
Source record: 85534
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Collins ART13 on Ebay - Nice one.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95094379>

1305. FS: Eimac Y-739G Planar Triodes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Butch Butler <bbutler@home.com>
Message-ID: <N29U2.4279$WG.351@news.rdc1.tn.home.com>
Source record: 85535
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have two NOS tubes of this variety in the original Eimac Boxes. They've never been mounted. Price is $200 ea. or both for $375. Description below is from the Eimac book.

73,

Butch Butler kf4sag
Mt. Pleasant, SC

The Y-739, a planar triode of ceramic/metal construction, is designed for ground and airborne applications. The tube is especially suited in ground Tacan applications where peak powers up to 8KW with a gain of 13dB can be obtained. The tube employs the standard features of a planar triode, such as high current capability from an arc-resistant, extended interface matrix cathode.

CHARACTERISTICS

Plate dissipation: 600W
Grid dissipation: 2.0W
Freq. for MAX Ratings (CW): 1200 MHz
Freq. for MAX Ratings (Pulsed): 2000 MHz
Cooling: Forced Air
Cathode: Oxide-coated Unipotential
Heater Voltage: 6.3V
Heater Current: 2.25A

CAPACITANCES (Grounded Grid)
Grid/Cathode: 14.5pF
Plate/Cathode: 0.1pF
Grid/Plate: 2.1pF

Amplification factor: 175
G,C,H contacts: Special Coaxial
Heater Contact: Special
Maximum Seal & Anode Core Temp: 250°C
Maximum Length: 4.37"; 11.1 cm
Maximum Diameter: 2.6"; 6.6 cm
Weight (Approximate): 1.7 lb.; 0.77 kg
Operating position: Any

TYPICAL OPERATIONS

Class "C" Operation, Grid-pulsed Ampl. or Osc. @1200MHz,
4KV Plate voltage, 3A avg during pulse, duty cycle of 0.01,
Pulse length of 500µs, will result in an output power of 6KW

useful Pulse Power delivered to the load.

Class "C" Operation, Plate-pulsed Ampl. or Osc. @2000MHz,
3.5KV Plate voltage, 10.0A avg during pulse, duty cycle of 0.0033,Pulse
length of 6&#65533;s, will result in an output power
of 10KW useful Pulse Power delivered to the load.

1306. Heathkit DX40

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Windows 95 INNOVA Media User <cleidner@worldnet.att.net>
Message-ID: <01be8df0$658476c0$2a13460c@default>
Source record: 85536

Need Transformer for subject rig.
Thank you. Charles

1307. FA RCA CR91A WW2 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-24 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37211B8A.62B3@sympatico.ca>
Source record: 85537
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

RCA WW2 CR91A Shortwave Radio - true boatanchor!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95107711>

1308. Re: FS:(=6B4G)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Danny <dbelectrons@accesshub.net>
Message-ID: <3722A2F9.F3073C98@accesshub.net>
Source record: 85289
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

Hi I have about twenty new old stock 6B4G in original boxes.

Danny

"DEMOSTENES A. Goksoyr" wrote:

> I have found some of these excellent 6B4G valves. 6C4C in Russia is
> equivalent to 6B4G and it looks identical to the old Sylvania 6B4G
> with double anode stapped together by a metal plate, not the type with
> two separate anodes. This 6C4C valves is very well built and is of
> high quality. It is unlike the new Sovtek 6B4G which looks more like a
> scaled down Sovtek 300B with a single anode.
> I don't have many 6C4C left, so e-mail me if you are interested
>
> Best regards,
>
> Arnold Goksoyr
>
> DEMOSTENES A. Goksoyr
> N5850 Balestrand
> NORWAY
> Phone +47 5769 1340
> Fax +47 5769 1267
> e-mail arnoldg@sf.telia.no
>
> More than 1800 different valves in stock. Plus: sockets,
> transformers, caps, resistors and books about valves and
> valve equipment. Many rare European valve types.
> You will find it at my homepage: http://demostenes.vestdata.no

1309. FS: Avo RC Bridge

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Bill J, Edinburgh" <maestro@cix.co.uk>
Message-ID: <7fttt6jgb1@plutonium.compulink.co.uk>
Source record: 85388

Are private FS/WTB/swap notices OK here?
Thanks,
Bill

1310. Ebay-Real Nice DRAKE R-4A, 1 day, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990424223846.09817.00001877@ng-fv1.aol.com>
Source record: 85389

Hi Guys;
Theres a real nice R-4A on ebay, if you would like to look! Its over tomorrow night!
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93060925
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

1311. EBAY- Brand New Realsistic HTX-100, 1 Day!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990424224703.09817.00001888@ng-fv1.aol.com>
Source record: 85390

Hi Guys;
I put a Brand New, in the box Realsitic HTX-100 10 meter radio on Ebay.
Its not going to go for much and theres only one day left, Thought you guys
might wanna know.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93014699
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

1312. New Listing: Collins S-line Cheap FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990424233546.14255.00005076@ng-fe1.aol.com>
Source record: 85391

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95173751

Life is short, don't you deserve an S-line?

1313. FS- Kenwood TS-930SAT, Exc. $600+UPS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: jllkb2tee@aol.com
Message-ID: <19990425002115.14296.00005123@ng-cm1.aol.com>
Source record: 85392

Dear Hams;
I have for SALE:
One (1) Kenwood TS-930sat amateur radio transceiver.
I have only the Original Shipping Carton, its in Excellent condition and HAS the built in Auto Antenna Tuner. Everything works.
I had bought it, contemplating getting a higher grade license but have not had the time to do so. It just sits here collecting dust.
I want to get $600 plus shipping from LI, NY! Please, no trades, deals or anything but Cash.
Thanks es 73
John
JLLKB2TEE@aol.com

1314. WTB DRAKE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <3722A9F7.E8C93D18@earthlink.net>
Source record: 85393

I am looking for the following pices of DRAKE equipment for my station:
R-4C, MS-4, AC-4. Please describe. Lee Bahr w0vt

1315. FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <3722bac2.376236@news1.telia.com>
Source record: 85394
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

I have found some of these excellent 6B4G valves. 6C4C in Russia is
equivalent to 6B4G and it looks identical to the old Sylvania 6B4G
with double anode stapped together by a metal plate, not the type with
two separate anodes. This 6C4C valves is very well built and is of
high quality. It is unlike the new Sovtek 6B4G which looks more like a
scaled down Sovtek 300B with a single anode.
I don't have many 6C4C left, so e-mail me if you are interested

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

1316. Re: FA Collins ART13

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "F. Rodenburg" <hstech@cistron.nl>
Message-ID: <7funrqitt1@enterprise.cistron.nl>
Source record: 85395
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

URL doesn't work !!!!!!!!!

1317. Cay - 46077 navy receiver HELP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: wilfried dobbelaere <wilfried.dobbelaere@pandora.be>
Message-ID: <372302A8.17A624B@pandora.be>
Source record: 85396

Hallo,

I'm looking for the wiring diagram for the CAY - 46077 hf navy
receiver
All info and experience is appreciated

Thanks,
Wilfried

1318. FS Antique 1921 Ham rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: olds98@together.net
Message-ID: <7fv7d9$616$1@nnrp1.dejanews.com>
Source record: 85397

For sale- Antique Ham Radio- museum piece- OLD boatanchor

1920-21 Ham Radio rig on 3 wood chassis with Bakelite faceplates.
-Power supply chassis with Thordardson Xfrm and chokes,
Tobe B block, Fletcheim condenser, knife switch etc.
-Receiver with 3 wooden Simplex Variometers etc.
-Power amp with 4 tubes, (rectifier, UV201s) etc.
all units hand wired with much solid wire, brass terminals,
bakelite knobs etc. all in good condition.
$250 including shipping (about 45 lbs).

Please email direct for info. Thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1319. FS: National NPW-O Dial

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990425092051.27030.00000527@ngol08.aol.com>
Source record: 85398

Hello folks,

I have for sale a national NPW-O dial mechanism. This is the dial used in the NC-101 family of receivers, and is similar to the PW type used in the HROs. (PW dials have the output shaft parallel to the front panel, while NPW dials are at right angles (perpendicular) to the front panel). No capacitor sections - this is the dial drive and knob only.

Dial has a 10:1 ratio and is in good shape. Some scratches on the black Bakelite knob, paint is very good. Very smooth feel. Good for both restoration of NC-101 receivers, or build something with a really nice dial.

Asking $25 plus shipping from 19082.

73 de Jim, N2EY

1320. "S-Line" Filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Gary E." <jo-n-gary@bigriver.net>
Message-ID: <372316cc.0@news.isdn.net>
Source record: 85399

Would someone give me the going price on the following Collins "S-Line" filters:

1. F455FA-60, 6.0-kc B.P.F.
2. F455FA-40, 4.0-kc B.P.F.
3. F455FA-31, 3.1-kc B.P.F.
4. F455FA-05, 500-cps B.P.F.

Need to buy and don't want to get ripped off.
Thank you,
Gary K4KSE...

1321. Viking Ranger Parts FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <3723157c.1495384@news.i-2000.com>
Source record: 85400

FS Ranger Parts...
Meter....$20.00
Meter Switch...$15.00
Cabinet.(decent physical shape, lot of scratches).$20.00
Knobs(not many left)...
Drive Control...$10.00
Escutcheon & Dial & Indicator(not bad but shows its age)$20.00

Crystal/Vfo Switch.............$10.00
Dual Variable Cap. Assy(believe its the final cap) indicated
as C8AB(part #149.530-3.........$20.00
VFO Assy(not complete) pse specify.....
Ranger l l Manual(there are a lot of notations on the
schematic, and on some pages, but it appears complete) the
previous owner put it in a binder........$15.00

All the transformers have been sold.......
All above plus shipping from L. Island....
Pse remove the (ns) from my adr....
Thanks..Bob....K2LGO

1322. Hallicrafters Manual SX-117

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37241c39.3220939@news.i-2000.com>
Source record: 85401

FS...Sx-117 Original Manual(not a copy) mint...$20.00 to your door
CONUS via USPS Priority mail.....Bob...on L. Island
Pse remove the (ns) from my adr..Tnx...

1323. LK-500ZA has Peter Dahl transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37231f27@news1.us.ibm.net>
Source record: 85402
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I forgot that to mention that the LK-500ZA I am selling comes with the Peter Dahl plate xmfr. <160 - 10 meters, (2) Eiamc 3-500Zs>. $775.00 plus shipping from 92139 San Diego.

Lane
Ku7i

1324. SW-3 Coils - any leads?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: mulligan@advinc.com
Message-ID: <7fva9v$8ba$1@nnrp1.dejanews.com>
Source record: 85403

Just got a nice National sw3, and the only problem is it has only one set of coils. I have done some quick searching around and these seem to be pretty much unobtainium. (what happened, they kept the radios and threw out the coils??)

So if anyone has any leads on forms, complete coils, or any repros I would be very grateful. Otherwise I will be reduced to machining my own forms and they won't look half as nice as the originals.

Thanks in advance for *any* leads on this.

Jim

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1325. WTB: ROBOT 800 FULL UNIT or PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Frank Davis <fdavis@nf.sympatico.ca>
Message-ID: <372322AA.B079064C@nf.sympatico.ca>
Source record: 85404

A friend is looking for the main board for the ROBOT 800.
Will consider purchase
of a complete unit if there is one available.

Pls reply to me directly:

fdavis@nf.sympatico.ca

73 Frank VO1HP

1326. WTB: Homebrew, Tube CW TX and RX or XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7fvd6makk1@nnrp1.dejanews.com>
Source record: 85405
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Looking for an old project that may be sitting in your attic from years past. Especially interested in projects out of the magazines in years past for low power tube transmitters (xtal or VFO), receivers (superhet or regenerative FB) or ideally a tranceiver employing these technologies. Completed, not completed, working, non-working OK. Trying to help a older, local fellow's wish to put something from this era on the air to keep him busy.

Will pay shipping and whatever additional value we can agree on...

Thanks,

Alan, N3BJ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1327. Re: SW-3 Coils - any leads?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7fvao9$ro0$1@autumn.news.rcn.net>
Source record: 85406

What style coil forms does it use?

Peter

mulligan@advinc.com wrote in message <7fva9v$8ba$1@nnrp1.dejanews.com>...
>Just got a nice National sw3, and the only problem is it has only
>one set of coils. I have done some quick searching around and these
>seem to be pretty much unobtainium. (what happened, they kept the
>radios and threw out the coils??)
>
>So if anyone has any leads on forms, complete coils, or any repros
>I would be very grateful. Otherwise I will be reduced to machining
>my own forms and they won't look half as nice as the originals.
>
>Thanks in advance for *any* leads on this.
>
>Jim
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1328. WTB: Hallicrafters SX-28 or SX-28A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: mbmcf@erols.com
Message-ID: <3723360b.8171890@news.erols.com>
Source record: 85407

Hello,

I am lookin to find a Hallicrafters Sx-28, or SX-28A recevier. Unit must be in good cosmetic condition, but not necessarily working. I plan to add to my personal collection, and restore to original condition as closely as possible.

Please email me with condition and price.
TIA

Bruce McFarland
302 - 455 - 0700
Change the at to @
mbmcf at erols.com

1329. FA: Excellent Kenwood PS-30 Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3723369B.329AD4E@cfu.net>
Source record: 85408
Cross-posted to: rec.radio.amateur.space,rec.radio.amateur.boatanchors

Ends 11:00 p.m. CDT Sunday, 4/25. Tks es 73!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=93117401

1330. FS: Bird 2500H Slug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37233984.3ED51578@cfu.net>
Source record: 85409
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

2500 watts, 2-30mhz, one owner, protective plastic box, works perfectly. $95. Tks es 73! jan N0JR

1331. FS: rf amp deck for s-band

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7fvi6tetk1@nnrp1.dejanews.com>
Source record: 85410

rf amp deck from s-band sig gen. tunable high quality assembly. power out unknown but can furnish pics so you can see how beefy this unit is. has various adjustments on the front of the assembly. you figure out how to power up the tube. i'm not into microwave so kind of useless to me. tube is good. unit was working. bought it for tubes. can provide pics. came from university of miami radar lab. $20 plus shpng from 33165 thanks robert

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1332. UK Vintage group ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <utvDKrzj#GA.355@nih2naac.compuserve.com>
Source record: 85411

Anyone interested in forming a vintage net, a place
where users of military gear can try them out, am,
cw, fm, etc, whatever mode the particular set has.

Listening around 3605 sounds a good place to operate it
for a start but given the present poor conditions on 80, it might
be wise
to havea 40 Mtr frequency as well, 7025 ? or something similar.

Times, weekends, weekdays ? whatever to suit. I am available most
days and will be listening on 3605 when in my shack.

If anyone wants to try out a particular set I would be happy to
arrange a
sked on 3605 or 40.

So, lets get a decent net going where we can chat about mil gear
and keep it operating.

cheers, Ben G4BXD.

1333. Re: SW-3 Coils - any leads?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: mulligan@advinc.com
Message-ID: <7fvm3c$i2l$1@nnrp1.dejanews.com>
Source record: 85412

In article <7fvao9$ro0$1@autumn.news.rcn.net>,
"CommQuart" <commquart@erols.com> wrote:

> What style coil forms does it use?
>
> Peter

The forms are about 1.5 inch in diameter, and about 2.5 inches
tall. There are six pins on the bottom, each pin being 1/8 inch
in diameter. The pins are set up in an odd pattern, with a group
of three pins fairly near to each other on one side of the circle,
and three that are spaced a bit farther apart on the other side
of the circle.

It is most certainly not the same pattern as the usual 6-pin vacuum
tube base, with two large pins and 4 small, with approximately
equal spacing between all. If it were I could just sacrifice
a dud tube and add a form to the top of the base. But National
seems to have decided on an unusual standard, most likely to
prevent the accidental interchange of tubes and coils in their
equipment.

Thanks - Jim
>
> mulligan@advinc.com wrote in message <7fva9v$8ba$1@nnrp1.dejanews.com>...
> >Just got a nice National sw3, and the only problem is it has only
> >one set of coils. I have done some quick searching around and these
> >seem to be pretty much unobtainium. (what happened, they kept the
> >radios and threw out the coils??)
> >
> >So if anyone has any leads on forms, complete coils, or any repros
> >I would be very grateful. Otherwise I will be reduced to machining
> >my own forms and they won't look half as nice as the originals.
> >
> >Thanks in advance for *any* leads on this.
> >
> >Jim
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1334. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990425134338.19280.00001447@ng36.aol.com>
Source record: 85413

Model HE-45B with manual and power cord, no mic. $75 plus shipping.

1335. WTB TEN TEC MODEL 240 CONVERTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Jeffrey J. May" <jeffreymay@worldnet.att.net>
Message-ID: <7fvkc4nmb1@bgtnsc03.worldnet.att.net>
Source record: 85414

puts the Triton 4 on 160..need clean unit..thanks ..Jeff..W0XV

1336. Need Power Connection to Tempo 1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Bob Miller <bmiller@calweb.com>
Message-ID: <37235975.D6453D5C@calweb.com>
Source record: 85415
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I could use the power connection data on a Tempo 1 ssb xcver. Its an all tube import thing with an 11 pin (0ctal style) power connector. There is also an accessory socket on the back (octal style) and finally a 7 pin miniature socket that is used to power an external VFO. I'd like to fire it up with an old Heath HP-23 power supply, but I noticed the thing uses a pair of 8950s in the final (more than likely flat hi hi), which may put a strain on the old heath. I don't have a lot of experience with these early Imported tube rigs, but am kind of curious as to whether this one works and how well. In the mean time I'll check out the manual suppliers. Tnx for the read

73

Bob, KE6F

1337. FS/T: RF RELAY'S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Glenn, KZ7R" <wilson@accessone.com>
Message-ID: <925065773.642.90@news.remarQ.com>
Source record: 85416

Made for Rockwell Collins by Deltrol Controls. R/C part number 970-0031-010. Deltrol reference P/N 100RF DPST-NO.

10 Amp, 5 kV contacts. Made specifically for RF switching. 12VDC coil, 150 ma. 1 1/2 high, 1 7/8" deep,1 1/8" wide. Open frame, Double Pole, Single Throw; Normally Open.

These relays, being normally open, make them ideal for a 1 of 'n' antenna switch (like the Ameritron RCS-4, for example). In this type of application, you can easily switch full legal output power from your transceiver and amplifier via a common feedline, to any one antenna or another.

All new 'old stock' in original factory wrapping. Perfect condition. I have several cases of these relays.

$5 each, plus post. Five or more, postage paid and shipped via 'Priority Mail.'

Significant discount on any quantity of 10 or more.

Have case's to bargain with. Looking for 'full output' 3CX3000A7 pull, vacuum variables, plate xfmrs, turns counters...other QRO parts. What do you have to trade?

73, Glenn KZ7R

1338. Re: SW-3 Coils - any leads?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7fvnrh$9gi$1@bgtnsc03.worldnet.att.net>
Source record: 85417

Which version do you have. There are differences in the tickler coil depending on the version. If you do not know, tell me the tube list and I will look it up for you.

Original coils are very hard to come by. There is someone selling coil forms. Since this is a unique pin configuration, your best bet (unless you get very lucky and get coils) will be to buy the coilforms and wind your own.

If you send me an SASE, I will photocopy the coil winding chart for you

73

Joel

mulligan@advinc.com wrote in message <7fva9v$8ba$1@nnrp1.dejanews.com>...
>Just got a nice National sw3, and the only problem is it has only
>one set of coils. I have done some quick searching around and these
>seem to be pretty much unobtainium. (what happened, they kept the
>radios and threw out the coils??)
>
>So if anyone has any leads on forms, complete coils, or any repros
>I would be very grateful. Otherwise I will be reduced to machining
>my own forms and they won't look half as nice as the originals.
>
>Thanks in advance for *any* leads on this.
>
>Jim
>
>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1339. Re: Ebay-Real Nice DRAKE R-4A, 1 day, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <3723d893@news1.jps.net>
Source record: 85418

Lots of birdies, eh?

1340. WTB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <3723700B.9928F77C@atlantic.net>
Source record: 85419

Need Johnson Viking 122 VFO.
Working Unit.

Please advise.

n1rt@atlantic.net

1341. Re: Drake Paint?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7fvtjb$1cf@canyon.sr.hp.com>
Source record: 85420

L.K. (wa5kbq@hotmail.com) wrote:
> Try here. You can find the Drake paint as well as many others.

> http://www.geocities.com/ResearchTriangle/Lab/4513/rr.html

They list the Drake paint as "DRAKE #400 DRAKE "4" LINE SATAN BLACK"
^^^^^
The Devil you say! This typo was discussed extensively several years
ago...they meant SATIN BLACK as IIRC, the original Drake paint
was Martin Senour Satin Black #69. They might still make it, but
this part number has been replaced by an unknown seven digit number.
Martin Senour says their distributors can match any of their old
paints if you have a sample chip.

73 Don K6LTS
donrm@sr.hp.com

1342. FA: Hallicrafters SX-42 Receiver -Excellent!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <37237d77.0@news3.buffnet.net>
Source record: 85421
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For sale on Ebay -->

Hallicrafter SX-42 Receiver. Must see this one, very clean and perfect face! Coverage from 500KC to 108MC which includes the FM Broadcast Band! Finest audio frm any receiver. Up to 10 watts of Hi-Fi audio from Push-Pull 6V6 tubes in the audio stage. Cabinet is near perfect, original manual is included. One of the real classic 40s vintage shortwave receivers, a true collectors dream! I am selling this for a friend, so if you have any questions please email. Terms are Postal Money Order or Certified Funds before shipping. Buyer to pay shipping, your choice UPS or Fedex. Tnx.

Click here for the link -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95812551

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

1343. FA: Marconi Electra receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <H2LU2.8246$K46.14219@news.rdc1.ab.wave.home.com>
Source record: 85422
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

I have placed my Marconi Electra receiver on ebay. Please give it a look at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95841647

Email any questions...thanks for looking!

==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

1344. FA: National NC-173 -Very Clean

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <37237dd0.0@news3.buffnet.net>
Source record: 85423
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

On Ebay -->

National NC-173 Receiver in very nice condition. Unit looks and works 100%. General Coverage 500KC to 30MC with 6 meters! All tubes have been checked or replaced last June 1998. Includes original manual. Great sounding shortwave receiver! Payment must be in Postal Money Order or Certified Funds prior to shipping. Buyer to pay shipping cost, your choice of Fedex or UPS.I am selling this for a friend, so if any questions just email. Tnx.

Click here for link -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95806593
--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

1345. Re: FA: Marconi Electra receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37237FCF.4AFF98F3@erols.com>
Source record: 85424
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

If everyone had pix this good, a lot of "problems" would be avoided!!! Good job Walt.

Walt Novinger wrote:

> I have placed my Marconi Electra receiver on ebay. Please give it a look at:
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95841647
>
> Email any questions...thanks for looking!
> ==========
> Walt Novinger Real Radios Keep You Warm At Night!
> Collector of hollowstate communications receivers and test equipment
> wnovinger@home.com

1346. Amateur Radio and David Letterman

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: hmnadel@banet.net
Message-ID: <37238FEB.35E31203@banet.net>
Source record: 85425

Check out http://www.qsl.net/w2ufo

For the latest information on The Long Island Mobile Amateur Radio
Club's challenge to
David Letterman on May 3 1999

--

1347. FS: Heathkit SB-200 Amplifier $270 + shipping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Joe <joe@the-stock-market.com>
Message-ID: <3723907F.E0C958CC@the-stock-market.com>
Source record: 85426
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Hi,
Here's a chance to own a legend. Original Heathkit SB-200 amplifier.
Totally stock (you do the mods you want). Very nice
cosmetic condition (all original) and clean. Delivers approximately
600W pep output with 70-80 watts input. Amperex 572B tubes are in
very good condition. Photocopy of the manual.

This amp is wired for 110-120 VAC. It is very heavy, so I will need
to double box it and ship the tubes separately from the chassis.

$270 + shipping gets this amp.

Or, you can see it and pick it up in Portland OR

thanks,
Joe K7JOE
Portland OR

1348. Correction!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <VBNU2.23863$L66.2212863@news1.giganews.com>
Source record: 85427
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radioplusphono,rec.ra

tcrpe wrote in message <8R0U2.429$Hy2.29833@news2.giganews.com>...
>Go to www.qth.net and subscribe to the R-390 reflector.
>
>All your questions will be answered, and even questions you don't have.
>
>The R-390, the greatest radio ever built. Bar none.

The R-390A, the greatest radio ever built. Bar None.

>TR
>
>
>jbr@randomc.com wrote in message
>>
>>
>>HI, Guys,
>>I just recently bought a Collins R390A in nearly mint condition. It has
>all
>>the original knobs, meters, filters, and black shields on all the tubes.
I
>>don't yet have a manual or other info on the model and would like any
>>detailed information anybody would care to E-mail me on this rig.
>>Appreciated would be a full description of all the controls and
connections
>>on the unit, what they do, and in case of the connectors what you would
>>connect to them. I am blind, so can not see to read any of the labels on
>>the unit, and some of them are not immediately obvious as to their
function
>>just by trying them out.
>>
>>I'd also like a good description of the unit, including its technical
>>specifications and capabilities. Any information on FAQ files, mod files,
>>and any other information on the net available in text-based, non-framed,
>>non-JAVA-driven websites would also be helpful.
>>
>>In case it might be helpful, here is the model and serial number from the
>>back pannel:
>>Collins R390A\URR
>>Serial number, 4563
>>order number, 8719-P-55
>>
>> Any info would be appreciated.
>>Thanks.
>>Reply to: jbr@randomc.com

>>Brent Reynolds, Atlanta, GA USA
>>
>>Murphy's Military Laws:15. Don't be conspicuous. In the combat zone,
>>it draws fire. Out of the combat zone, it draws sergeants.
>>
>>Net-Tamer V 1.11.2 - Registered
>
>

1349. Swan radio FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7g0afl$pob@journal.concentric.net>
Source record: 85428
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

FS
Swan 270B cabinet 6 and face plate a solid 9. Radio works but needs
electronic help. 80 thru 10 meters ssb/cw xcvr, built in power supply. Comes
with copy of manual.

Make offer plus shipping. May consider swap for working
2 meter HH.

Butch

1350. Need Drake 4-Line Xtal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Ron Manfredi <wa2eio@ibm.net>
Message-ID: <3723B007.CFA4DB3E@ibm.net>
Source record: 85429

I need a 32.1 Mc crystal for my R-4C, (21-21.5 Mc) so I can get it
back
on 15 Meters. Drake does not list this one! Anyone with a spare, or a
source? Thanks Ron WA2EIO

1351. wtb 600 ohm speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Dennis Kippa KW5G <d2kippas@tyler.net>
Message-ID: <925088300.385.83@news.remarQ.com>
Source record: 85430

anyone have a 600 ohm speaker they would like to sell?

Dennis kw5g

kw5g@yahoo.com

1352. Johnson Ranger Mods?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Doug Snowden <snowden@primeline.com>
Message-ID: <3723BD81.92A1A403@primeline.com>
Source record: 85431

I just traded for a Johnson Ranger I. Anyone got hints on restoring this transmitter - any mods for it?

Doug N4IJ

1353. FS: Heath DX 60 xmtr, HG 10 VFO, xtal microphone

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Wade, WB0OKA <Wade@newsguy.com>
Message-ID: <7g0bst$mio@drn.newsguy.com>
Source record: 85432

For Sale: 1) Heathkit DX 60 80-10 AM & CW xmtr with orig man. The xmtr puts out full power. Cosmettically, the face is very good; the top of the cabinet has a few paint chips. The knobs are complete and original. Overall, a nice looking and operating radio. $75.00 2) Heath HG 10 VFO 80-2 meters. Works and looks very nice. Original paint and knobs, no chips. Copy of manual. Face and dial glass perfect. $45.00. 3) Lafayette crystal microphone on desk stand. A few paint chips on the face, but otherwise in very good looking/working condition. $40.00 (sure to be of interest to the mic collector). Would sell all item together for $150.00. All items/package plus shipping. Wade, WB0OKA. E-mail: wsick@mddc.com

1354. Re: Johnson Ranger Mods?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Marvin Born <MBorn@wbns.com>
Message-ID: <3723C1AE.25A2EF9D@wbns.com>
Source record: 85433

do a search on the net for W3AM he has several links on his web
site

Doug Snowden wrote:
>
> I just traded for a Johnson Ranger I. Anyone got hints on
> restoring this transmitter - any mods for it?
>
> Doug N4IJ

1355. Re: Johnson Ranger Mods?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <zIPU2.3261$8j6.22309@newsfeed.slurp.net>
Source record: 85434

Doug Snowden <snowden@primeline.com> wrote in message
news:3723BD81.92A1A403@primeline.com...
> I just traded for a Johnson Ranger I. Anyone got hints on
> restoring this transmitter - any mods for it?
>
> Doug N4IJ

Doug you'll find it here:

The W3AM Johnson Viking Turbo Ranger!
http://ns1.qsl.net/w3am/ranger.html

Regards

Cary Fries

1356. U.S. Army A.C Voltmeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: ralph cameron <ralphc@igs.net>
Message-ID: <7g0m1t$8m6$1@news.igs.net>
Source record: 85435

Have a U.S.Army A.C. voltmeter, 25-2400 cycles, 0-150 volts, mirror scale
Model IS-185.

Excellent condition. Offers ? pls e-mail.

Ralph VE3BBM

1357. Drake 2C help...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: Dave <newsgroups@boatanchors.com>
Message-ID: <7g0ne1$9s4@dfw-ixnews11.ix.netcom.com>
Source record: 85436

Hello all,

Looking for a main tuning knob for a Drake 2C.
Email me if you have one to sell. State condition
and price.

Thanks,

See the receiver at http://www.boatanchors.com and click on '...new
stuff...' link at top
Just got it but it has a dented knob that looks pretty bad.

Dave WB7AWK
dave@boatanchors.com

1358. Re: RME Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: neil <neil@aade.com>
Message-ID: <372404F9.DEA3F0AF@aade.com>
Source record: 85437

One sold on ebay recently for $200
http://www.aade.com/hampedia/prices2.htm

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

1359. KB1H contest station website...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: "Mark A. Johnsen" <jammin@aol.com>
Message-ID: <01be8eb4$8d6645a0$6cd4d49b@default>
Source record: 85486
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.swap

Please stop by and say hello...Photos of ops. and antennas
along with contest story.

http://users.ids.net/~mjohnsen/kb1h/KB1H.htm

73' Mark, NB1U

1360. Re: Collins R390A, need info, please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-25 00:00:00 UTC
From: w4bar@aol.com
Message-ID: <19990424210119.02625.00001201@ng-fd1.aol.com>
Source record: 85487

>Go to www.qth.net and subscribe to the R-390 reflector.

Not only that, I signed up for several others.

Thanks for the tip!!!

Bob W4BAR

1361. Re: SW-3 Coils - any leads?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: mulligan@advinc.com
Message-ID: <7g0int$9v4$1@nnrp1.dejanews.com>
Source record: 85290

In article <7fvnrh$9gi$1@bgtnsc03.worldnet.att.net>,
"Joel Levine" <joelbmh@worldnet.att.net> wrote:
> Which version do you have. There are differences in the tickler coil
> depending on the version. If you do not know, tell me the tube list and I
> will look it up for you.
>
> Original coils are very hard to come by. There is someone selling coil
> forms. Since this is a unique pin configuration, your best bet (unless you
> get very lucky and get coils) will be to buy the coilforms and wind your
> own.
>
> If you send me an SASE, I will photocopy the coil winding chart for you
>
> 73
>
> Joel

Thank you - I have a list that shows turns for various coils. The
radio has 37s and a 36 audio tube. It's the 6vac version. I guess I
will give James Fred a call this week to see how much the repro forms
cost.

Jim

>
> mulligan@advinc.com wrote in message <7fva9v$8ba$1@nnrp1.dejanews.com>...
> >Just got a nice National sw3, and the only problem is it has only
> >one set of coils. I have done some quick searching around and these
> >seem to be pretty much unobtainium. (what happened, they kept the
> >radios and threw out the coils??)
> >
> >So if anyone has any leads on forms, complete coils, or any repros
> >I would be very grateful. Otherwise I will be reduced to machining
> >my own forms and they won't look half as nice as the originals.
> >
> >Thanks in advance for *any* leads on this.
> >
> >Jim
> >
> >-----------== Posted via Deja News, The Discussion Network ==----------
> >http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1362. PL259

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: G0GNF <gnfrykman@aol.com>
Message-ID: <jsPU2.4693$0p.127416@mors.clara.net>
Source record: 85291

Plug!

http://www.laughingpoliceman.com

Gervald G0GNF

1363. nec pager

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: John Stodart <gencomm@iinet.net.au>
Message-ID: <3723DFB5.7165@iinet.net.au>
Source record: 85292

I am looking for the circuit and test mode detailes relating to the nec radio pager, model number R3A4-10A.

Can anyone assist?

1364. Re: Need Drake 4-Line Xtal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37241ADC.2539@ix.netcom.com>
Source record: 85293

Ron Manfredi wrote:
>
> I need a 32.1 Mc crystal for my R-4C, (21-21.5 Mc) so I can get it
> back
> on 15 Meters. Drake does not list this one! Anyone with a spare, or a
> source? Thanks Ron WA2EIO
Hi Ron
I have one but I paid $20 for it. My R4C has other problems now so I
won't be using it for a while. I'll send it to you for the same price
if you really need it. 73 Chris

1365. Re: FS: Antique, Vintage, Rare Kitchen Sink

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: robert@news.bonomi.com
Message-ID: <7g1c64$pgi@enews3.newsguy.com>
Source record: 85294

In article <37225165.0@hiq.pc-intouch.com>,
The Warners <wb3kjx@pc-intouch.com> wrote:
>I don't think this model uses tubes, must be solid state.... the diagram
>shows a "drain" connection, must be an FET model.

it's _real_ vintage stuff. after all, it's got:
'variable taps' on the supply,
AIR GAP separation between taps, and drain.
porcelein insulation around drain
ceramic knobs
and a cast iron core!
>
>I usually hate to see all the stupid and commercial posts in these groups,
>but I got a good laugh out of this one !
>David wrote in message
>
>

1366. FS: GM Tubes for AN/PDR-27(*)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <372460A2.8A0159FB@hnvr.com>
Source record: 85295
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: Spare set of Geiger-Mueller tubes for the AN/PDR-27 series (1 ea. BS-1 and BS-2. I didn't copy down the commercial numbers). These are both checked and working and I know they were used at least through the "E" series.

If you are just interested in building a Geiger counter, the large tube has an end window for Alpha/Beta/Gamma and the small tube is Gamma only. Both are 900V tubes, and I have a chrome wand (not from PDR-27) for the large tube.

$35 shipped (US Mail) for all in the US.

-Ken
ken@hnvr.com
(work) 314-241-1188 x203

1367. FS: Microphones

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Sir Robin <nexus15@flash.net>
Message-ID: <372464E8.3248@flash.net>
Source record: 85296

For Sale Microphones (Classics)

I have the following microphones for sale:

Electrovoice 719 Desk communication microphone--Ceramic Hi-Z --$65
Similar to 619--Great for older Hi-Z input xmitters/xceivers

Electrovoice 926 'Slim Crystal'--beautiful chromed desk microphone--$50

Brush BA 106--Acousticel--$50

I pay shipping, domestic US. International extra.

Thanks...Rick in Houston

1368. PL259 Plug!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: G0GNF <gnfrykman@aol.com>
Message-ID: <k90V2.5342$0p.133503@mors.clara.net>
Source record: 85297
Cross-posted to: alt.pirate.radio,alt.radio.amateur,rec.radio.amateur.boatanchors,uk.radio.amateur

Yes it's a blatant plug for our web site, we need more articles and info
especially to improve coverage of UBR or pirate radio.

http://www.laughingpoliceman.com

73s Gervald G0GNF

1369. WTD: R-388 cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7g1994$3vj$1@news.mr.net>
Source record: 85298

Hello All,

Looking for a cabinet for a newly acquired R-388 . . .

--
Mike Warren
W5MAZ (in MN)

1370. Re: PL259 Plug!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: G8ASO <bajones@worcester.demon.co.uk>
Message-ID: <cs0V2.5348$0p.133605@mors.clara.net>
Source record: 85299
Cross-posted to: alt.pirate.radio,alt.radio.amateur,rec.radio.amateur.boatanchors,uk.radio.amateur

Greetings

I am surprised at a well respected member of the amateur community lowering himself to mention, let alone endorse, the activities of this despicable organisation. And you a novice instructor!

73s Brian G8ASO

G0GNF <gnfrykman@aol.com> wrote in message news:k90V2.5342$0p.133503@mors.clara.net...
> Yes it's a blatant plug for our web site, we need more articles and info
> especially to improve coverage of UBR or pirate radio.
>
> http://www.laughingpoliceman.com
>
> 73s Gervald G0GNF
>
>
>
>

1371. F.S. Swan

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: ke6hlw@aol.com
Message-ID: <19990426124611.24088.00001580@ng-ca1.aol.com>
Source record: 85300

MUST SELL Bought New Radio

FS SWAN 500C Includes: 117XC Power Supply/speaker;Cubic/Shure Mod. CM17L Mic; Mod. 405X Crystal controlled oscillator; WM-3000 SWR/PEP reading wattmeter; mod. FP-1 hybrid phone patch. All in very good to excellence condition. The 500C has 8950 finals and comes with a spare set. Has just been completely gone through-complete re-alignement-receiver and transmitter (by ex Swan tech).This is a very nice and complete Swan station. The 500C shows a little paint wear around the Band switch and the "Tune;CW etc." switch. Ware on paint is on the lower cover, not on the front cover which is in excellence condition. Have all manuals,execpt for the WM-3000. Also the mods to change back to the 6LQ6 finals.(12 back to 6 volt fills.) $350.00 O. B. O. U ship from 92104. Any Questions? Please E mail to: KE6HLW@aol.com

1372. WTB: PE-103 dynamotor power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: PEYK47A@prodigy.com
Message-ID: <7g25vn$2iie$1@newssvr03-int.news.prodigy.com>
Source record: 85301

WTB: PE-103 dynamotor power supply

1373. Re: F.S. Swan

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: G0GNF <gnfrykman@aol.com>
Message-ID: <Q_0V2.5356$0p.134261@mors.clara.net>
Source record: 85302

All swans in the United Kingdom are Crown property and therefore cannot be traded as they are technically the property of HM The Queen.

KE6HLW <ke6hlw@aol.com> wrote in message news:19990426124611.24088.00001580@ng-ca1.aol.com...
> MUST SELL Bought New Radio
>
> FS SWAN 500C Includes: 117XC Power Supply/speaker;Cubic/Shure Mod. CM17L Mic;
> Mod. 405X Crystal controlled oscillator; WM-3000 SWR/PEP reading wattmeter;
> mod. FP-1 hybrid phone patch. All in very good to excellence condition. The
> 500C has 8950 finals and comes with a spare set. Has just been completely gone
> through-complete re-alignement-receiver and transmitter (by ex Swan tech).This
> is a very nice and complete Swan station. The 500C shows a little paint wear
> around the Band switch and the "Tune;CW etc." switch. Ware on paint is on the
> lower cover, not on the front cover which is in excellence condition. Have all
> manuals,execpt for the WM-3000. Also the mods to change back to the 6LQ6
> finals.(12 back to 6 volt fills.) $350.00 O. B. O. U ship from 92104. Any
> Questions? Please E mail to: KE6HLW@aol.com
>

1374. Re: FS: GM Tubes for AN/PDR-27(*)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: "Alan R. Betz" <abetz@bc.sympatico.ca>
Message-ID: <3724971F.6146@bc.sympatico.ca>
Source record: 85303
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Kenneth M. Gianino wrote:
>
> For Sale: Spare set of Geiger-Mueller tubes for the AN/PDR-27 series (1
> ea. BS-1 and BS-2. I didn't copy down the commercial numbers). These
> are both checked and working and I know they were used at least through
> the "E" series.
>
> If you are just interested in building a Geiger counter, the large tube
> has an end window for Alpha/Beta/Gamma and the small tube is Gamma
> only. Both are 900V tubes, and I have a chrome wand (not from PDR-27)
> for the large tube.
>
> $35 shipped (US Mail) for all in the US.
>
> -Ken
> ken@hnvr.com
> (work) 314-241-1188 x203
The 5979/BS-1 mica window tube and 5980/BS-2 gamma tube, as used in
the AN/PDR27 series, are 700 volt tubes, not 900 volt. Additionally,
the mica window on the 5979/BS-1 tube is not thin enough to admit
naturally emitted alpha particles into the tube to be detected.
Alan.

1375. Heathkit & Hammarlund manual copies

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: c.lechner@worldnet.att.net
Message-ID: <3724AA1A.41866A5F@worldnet.att.net>
Source record: 85304

I have the following copies of manuals for sale:
Heathkit SB-220 Linear Amplifier $20
Heathkit HW-12 80-Meter SSB Transceiver $20
Hammarlund SP-600-JX & SP-600-J Communications Receiver $20

Please add $2. for shipping & handling for each manual. If interested,
please let me know.
Carol

1376. The Great Marconi Caper

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3724AB40.CA34BB10@ix.netcom.com>
Source record: 85305
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

With the help of Phil Mills, Steve Davidek and others
we recovered eight 6-foot-tall Canadian Marconi
ship-to-shore 5000 watt transmitters from a dark and
dirty old barn in central Texas. These RF units are
part of Marconi transmitter type TH41B. Tank tuning
caps bigger then a gallon milk jug. Some 807s drive
four 813s, driving a pair of Westinghouse external-anode
forced-air cooled tubes in P-P. The finals don't use sockets-
they have straps that are individually clamped to the tube pins.
Pretty cool.
I'm working on the story to put up on my website this summer.

Is there any chance whatever that someone out there has
any information on the Canadian Marconi TH41B maritime transmitters?

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

1377. Trimmer capacitor markings/values ??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: JGinNY <jgovost1@twcny.rr.com>
Message-ID: <3724AFC8.6C23C5FE@twcny.rr.com>
Source record: 85306

Do the black numbers on old ceramic trimmers give any indication of the
value in picofarads?
Got a whole bunch of them in the junkbox, but they all just have a
letter/number code printed on one edge of the cereamic pad.
I need to find one that is about 400 pf max.

Any info would be great. Thanks!

N1AEP
nr. Ithaca

1378. Drake equipment I WTB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <a43V2.444$lr6.2969@news1.online.no>
Source record: 85307

Hello all,

I'm looking for some Drake units for my Drake collection until I can say
that I have them all. You'll see my list below. Any help or info in finding
them will be most appreciated.
I'm coming over to the Dayton Hamvention this year, and pickup there will be
OK. But I also have long experience in buying used stuff from hams in USA,
Canada and Europe.
I hope to meet some of you at the Drake forum held on Saturday during the
Hamvention. I'm one of the speakers there, and I'm looking forward to show
you some slides of my collection and some of the really rare Drake units.

DRAKE EQUIPMENT WANTED, UPDATED APRIL 26, 1999

* 4-LF LOW FREQUENCY CONVERTER
* AN-5 ANTENNA KIT
* DC24 24 VOLT POWER SUPPLY FOR TR4
* DM2350 DIGITAL MULTIMETER
* HS-1 HEADSET
* IN-4 DC TO DC INVERTER (NOT THE IN-4B)
* LN-5 "INDUCTUBE" AC POWER LINE FILTER
* MMK-33 MOBILE MOUNTING KIT FOR TR-33C
* MODEL 587 AUDIO BAND PASS FILTER
* MR-3 MARINE RECEIVER
* MRT-55 MARINE VHF-TRANSCEIVER, SIMILAR UV-3
* MRT-55C MARINE VHF-TRANSCEIVER, SIMILAR UV-3
* MSR-1 MARINE RECEIVER, 19" wide
* SPEAKER, MATCHING SPEAKER FOR THE 1-A RECEIVER
* THETA 550 COMMUNICATION TERMINAL (RECEIVE ONLY)
* TR-V MARINE VHF-TRANSCEIVER
* TV-300-FMT BAND REJECTION FILTER 88-108MHz
* TV-300-10HW HALF-WAVE HARMONIC FILTER
* TV-300-15HW HALF-WAVE HARMONIC FILTER
* UHF-300-HP HIGH PASS FILTER

73,
Sindre, LA6OP
sindtorp@online.no

1379. Bendix PAT-40A Flightweight Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7g2fg8bte1@autumn.news.rcn.net>
Source record: 85308

Have found one which appears to be NOS, with orginal cables and coiled wire
for installation. Shows some wear on the case, but looks good inside. Can
some one send me a history of this
item? Thanks,
--
john@astory.com
http://www.astory.com

1380. (Wanted_ CW Keyer, Keys & Reader Etc. Etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7g2gp3dhp1@bgtnsc01.worldnet.att.net>
Source record: 85309
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

W5IDX@qsl.net
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1381. Wanted: HW-101 Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: w8ak@aol.com
Message-ID: <19990426162044.12164.00001999@ng-fy1.aol.com>
Source record: 85310

Hi all,
I'm looking for the lever knob for the HW 101. Any help is greatly
appreciated.

Thaks, Glenn

1382. COLLINS KWS-1 1kw Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: K9CSM <k9csm@pcisys.net>
Message-ID: <925158834.390.32@news.remarQ.com>
Source record: 85311

I am selling my very nice & clean KWS-1 complete for $2500. The front on
both units are especially nice. Please fel free to ask any questions of me.
k9csm@pcisys.net

1383. COLLINS 30L-1 WINGED FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990426165211.23576.00002007@ng127.aol.com>
Source record: 85312

HAVE A COLLINS 30L-1 WINGED THAT WORKS SUPER! CLEAN INSIDE FRONT PANEL IS EXCELLENT ....CABINET HAS SOME RUB MARKS NOT THAT MANY ....RATE THE AMP....A 9 OUT OF 10....HAS A SO-239 CONNECTOR INSTALLED ......HAVE A COPY OF MANUAL ....WILL SEND PICTURE IF INTRESTED ......$600.00 SHIPPED ..AND INSURED ..OR CALL
252-443-5023

1384. HW101 owners, please read this!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990426170432.10816.00001851@ng15.aol.com>
Source record: 85313

Hello. I was thinking I wished I had My old HW101 I built in 1983 back. Also had the HP23 ps and speaker. I recall I installed a muffin fan on the back, and my old call sign or name may be on the manuals, N5GHL. I know this is a shot in the dark, but what the heck, no harm in asking! Thanks!
WM5M
David Aldridge

1385. FS: pair of Johnson Viking II's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: John - WB5NUA <johnwunder@my-dejanews.com>
Message-ID: <7g2nq2$82l$1@nnrp1.dejanews.com>
Source record: 85314

I have two Johnson Viking II's, each of which is missing a few parts. The better of these has a fairly good face, all original knobs (very good) and meter (very good), but is missing the tuning air variable cap and the roller inductor. The other one has a repainted face (poor), and all knobs except one (fair) and meter (very good), but is missing a few tubes, the tuning air variable cap and a large choke. I think that you could make one good transmitter from these two units if you had the air variable cap and possibly a tube or two (if any are bad). I have the original operating manual as well. Pick up in the Dallas / Fort Worth Texas area for $60 (based on the parting out these units with manual).

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1386. Re: FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <3724d2d8.1349232@news1.telia.com>
Source record: 85315
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

On 26 Apr 1999 14:35:03 -0400, randy@ultra0.rdrc.rpi.edu (Randall Bradley) wrote:

> And the manufaturer of these Russian 6B4s is?
>
> Date?
>
> _-_-randy

I am not sure, all is written i cyrillic letters and I don't read that very well.. A sheet with techical data is enclosed with each valve, and the last line reads: 3 4587 03.79 THp 10 000
The 'H' in THp is not a real H, but looks a bit like H.
The valves has a rhombic logo with the number 54 inside and the letters OTK 71 on the glassbulb. In addition to this there is the coding 6C4C, probably a date code: 85 01 and another logo which looks like a circle with a 'C' inside and three short paralell lines one the left and right of the main circle.

The valves has two getters inside, looks like a saucer upside down.
The base is black, and pin 1, 4 and 6 is missing.

Regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets, transformers, caps, resistors and books about valves and valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

1387. F/S: Heath HM-15 and MFJ key

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990426172730.15057.00001839@ng66.aol.com>
Source record: 85316

I have a good looking HM-15 swr bridge forsale, $40 shipped. Case in very good shape, small blemish on lower front panel. Overall 8.5.

Also an MFJ -564 iambic paddle $35 shipped.

73's
Bob, W4RLC (formerly WA7OGU)

1388. FA Swan 270b

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7g2pga$rgs@journal.concentric.net>
Source record: 85317
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?viewitem&item=96334756

1389. FA Zenith H-500 Transoceanic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7g2pnc$rnm@journal.concentric.net>
Source record: 85318
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.shortwave

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?viewitem&item=96338494

1390. WTB COLLINS S LINE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990426191959.29299.00001982@ng-fa1.aol.com>
Source record: 85319

WILL PAY TOP DOLLAR FOR LATER MODEL S LINE TRANS AND REC. WANT RECEIVER TO BE
A S3 B OR C C0NTACT WD8CFS. JACK. 73S

1391. Re: HW101 owners, please read this!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7g2uvkckg1@nw003t.infi.net>
Source record: 85320

Boy that brings back memories....!
I built my 101 in 1972 or 1973....
When solid state rigs with digital readouts became "standard" stuff I *gave* away the 101 to my local radio club. I figured the 101 technology was obsolete! Boy, if I only knew then what would happen when e-bay opened up on some thing called the internet!!! Plus, I miss talking on a radio that glows in the dark! Oh well, at least the club lends out the radio to help new hams get on the air...I think it is still in use....
Tom, N2LDE

Rockjammer wrote in message <19990426170432.10816.00001851@ng15.aol.com>...
>Hello. I was thinking I wished I had My old HW101 I built in 1983 back. Also
>had the HP23 ps and speaker. I recall I installed a muffin fan on the back, and
>my old call sign or name may be on the manuals, N5GHL. I know this is a shot in
>the dark, but what the heck, no harm in asking! Thanks!
>WM5M
>David Aldridge

1392. HAM RADIO CLASSIFIED ADS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: K2BJ <webmaster@k2bj.com>
Message-ID: <7g2vo7$7o5@dfw-ixnews11.ix.netcom.com>
Source record: 85321

Upload images to attach to your ad...
http://www.k2bj.com

1393. WTB Gonset GSB-100 working or not

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <925173542.803.98@news.remarQ.com>
Source record: 85322
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

So far not luck with my search for GSB-100. Thought I had a bite. I really
want to get mine or yours on the air again. Let me know what you may have.
Thanks,
Mike/WB6VSE
e-mail me please.

1394. WTB: Manual For SB-200 AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <37250A6C.8399CC9F@yahoo.com>
Source record: 85323

Hi,
Looking for a manual for the SB-200 amp. Does not have to be pretty --
a photocopy is fine. Just something to help. Will pay photocopy cost.
Can't afford the "vintage manual" price.

thanks,
Joe

1395. R-390a R 388 & vhf rack mount on E-BAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <925178276.081.77@news.remarQ.com>
Source record: 85324

on e-bay r390 item #96054011,r388 item#96038148 vhf item number 96082075

1396. Re: FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: postmaster@triodeel.com
Message-ID: <pfbV2.1871$cq2.76582@newscene.newscene.com>
Source record: 85325
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.equipment

On, 26 Apr 1999 14:35:03 -0400 , In rec.audio.tubes Randall Bradley
<randy@ultra0.rdrc.rpi.edu> wrote:
> And the manufaturer of these Russian 6B4s is?

It'll have a "C" logo indicating it was made by the
Svetlana factory. Only place, AFAIk, that made that style
of 6B4-G in Russia, at least in latter years.

The Russians also made 2A3's, but I've never seen one.

--
Gold plated RCA jacks, binding posts, banana plugs etc, reasonable prices..
http://www.triodeel.com/parts.htm#connector

Ned Carlson Triode Electronics "where da tubes are!"
2225 W Roscoe Chicago, IL, 60618 USA http://www.triodeel.com
ph 773-871-7459 fax 773-871-7938
12:30 to 8 PM CT, (1830-0200 UTC) 12:30-5 Sat, Closed Wed & Sun

1397. FS: NC-300 NATIONAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: JB <jbgeer@swbell.net>
Message-ID: <37253EEA.6D0B@swbell.net>
Source record: 85326

The "DREAM RECEIVER" as written in Electric Radio Magazine. In great
shape with very recent calibration and alignment, plus professionally
re-painted cabinet, origional plug-in calibrator, and the "ER" product
detector mod for ssb. Ready to plug in and work the world.
$325 plus shipping from the Dallas area. Thanks.

1398. Re: FS:REALLY NICE DRAKE TR7 AND PS7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: James P Rybak <jrybak@mesa7.mesa.colorado.edu>
Message-ID: <Pine.OSF.4.10.9904262249100.24694-100000@mesa7.mesa.colorado.edu>
Source record: 85327

Evan,

The serial number of the TR7 is 3574.

73,

Jim W0KSD

On 27 Apr 1999, K9SQG wrote:

> Jim,
>
> What is serial number on TR-7?
>
> 73
>
> Evan
>

1399. Re: WTB Gonset GSB-100 working or not

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-26 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <925195494.680.27@news.remarQ.com>
Source record: 85328
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Thanks to all who took the time to respond. I found one close to me, and can drive out to pick it up. The next quest will be a Gonset GSB201. Not until I get moved to Arkansas though.
Mike/WB6VSE

1400. Re: HW101 owners, please read this!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <3725B90B.79268155@mitre.org>
Source record: 85239

> Plus, I miss talking on a radio that glows in the dark!

Right on! That's why I sold my solid-state gear (reliable but boring)
and bought vintage equipment, all the stuff I wanted as a kid in the
'60s and never got: a Viking Ranger transmitter and Drake 2B receiver I
use on 40 meter CW, and a Collins KWM-2 for SSB on 20. Add a chrome bug,
a beautiful chrome EV 664 mic, and I'm in Ham Heaven! Have a peek:

http://www.erols.com/mike.white/station.jpg

Some fun! 73...

Mike, N4PDY

1401. Re: Trimmer/padder markings?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <3725bb16@news1.us.ibm.net>
Source record: 85240

They relate, but I don't remember how. Find an old Arco/Elmenco catalog.
If they are 3 digit numbers starting in 2 or 4, they are part numbers. If
they are longer numbers, then they are probably equipment manufacturers part
numbers.
Good luck.
--
Crazy George

1402. Re: MASTER EXCUTIVE II RADIOS .. WHAT ARE THEY/VALUE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <3725bbf4@news1.us.ibm.net>
Source record: 85241

The high band and UHF ones used to be desirable as a one package conversion to a Ham repeater, but that was years ago. I don't know if anyone does that anymore or not. $10-25 with mike and speaker, $5 to$10 for the raw radio. Look at the ads in the back of Mobile Radio Technology for guidance. (divide by 10 for realistic as is prices)

--
Crazy George

1403. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990426220601.00947730@popd.ix.netcom.com>
Source record: 85242
Body handling: HTML body converted to readable text

```
--======================_635553==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX
austrade@ix.netcom.com
-

--======================_635553==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

austrade@ix.netcom.com

-

--======================_635553==_.ALT--
```

1404. FA; 1920 issues of QST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7g4hd4$314$1@ash.prod.itd.earthlink.net>
Source record: 85243

Vintage Issues of QST from the 20's on auction at;

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95237049
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95238511
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95239252
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95239808
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95241262
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95242726
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95243232
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95243722

1405. Re: F.S. Swan

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <925224406.100.7@news.remarQ.com>
Source record: 85244

Point of fact: All subjects and their property within the United Kingdom are in effect Crown property of the ruling monarch.

Which is why a few of us, just west of you, threw some rather high price tea into the harbor.

Here in the USA, all my Swans (270B, 300, 350, and a 400) belong to me and me alone.... However, should HRH care to operate them - she is most welcome - provided she has valid operators permit.

GBTQ - WD0HCO

1406. Re: HW101 owners, please read this!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Reed Park <reedpark@nbnet.nb.ca>
Message-ID: <3725D597.FBAFFD7@nbnet.nb.ca>
Source record: 85245

"Michael J. White" wrote:

> > Plus, I miss talking on a radio that glows in the dark!
>
> Right on! That's why I sold my solid-state gear (reliable but boring)
> and bought vintage equipment, all the stuff I wanted as a kid in the
> '60s and never got: a Viking Ranger transmitter and Drake 2B receiver I
> use on 40 meter CW, and a Collins KWM-2 for SSB on 20. Add a chrome bug,
> a beautiful chrome EV 664 mic, and I'm in Ham Heaven! Have a peek:
>
> http://www.erols.com/mike.white/station.jpg
>
> Some fun! 73...
>
> Mike, N4PDY

Right on Mike. Nice looking shack. I still have my HW-100
from the early 60's and I still use an old #19 set to take me back
to yesteryear.

7 3
Reed

--

ARROW Research (Avro CF-105)
Reed Park
252 Gauvin Road
Dieppe, New Brunswick
Canada E1A1M1

Amateur Radio VE1NU
WW II, # 19 SET user
I.C.Q. # 4138282

1407. FS:B&W 380 T-R switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: "David L. Jones" <k4dlj@bellsouth.net>
Message-ID: <3725DD93.3322B022@bellsouth.net>
Source record: 85246
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Hello all!
Have for sale a Barker & Williamson T-R switch model 380.
Unit is working a in decent physical condition. Comes with PL-259 "T".
Unit checks as no short between receiver and antenna. $25.00 shipped.
73 de Dave K4DLJ

1408. Re: FS:B&W 380 T-R switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990427124252.24652.00000072@ng-da1.aol.com>
Source record: 85247

Hi Dave,
I'd like to buy your switch. I can be reached at 800-905-0999 or, in the evening, 561-995-8292 or you can email me here. Thanks.

73,
Steve W2ZR

1409. FS: U2 plane emergency radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7g4ucd$6gq$1@nnrp1.dejanews.com>
Source record: 85248

For sale: RS-6 survival radio set used on the U-2 spy planes.
Includes: RT-6 transmitter, RR-6 receiver, RP-6 power
supply, RA-6 filter unit.Good unmodified condition.
$350. Please reply to vlad at: kb9olm@hotmail.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1410. F/T Hallicrafters SR-42

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: wb2sgp@ix.netcom.com
Message-ID: <3725ee04.105687@nntp.ix.netcom.com>
Source record: 85249

Have a Hallicrafter SR-42 2 Meter AM Transceiver with the HA-5 VFO and 4-xtals
Cabinet can use paint the rec, is working I dont know about the xmiter, I have
had it in storage for a number of years I do not have a mic. for it. If you have
something you would like to trade for it let me know.
Thanks
Bud.

1411. GE Transformer Info wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Harry Brown <hbrown@voicenet.com>
Message-ID: <4FmV2.66$5e4.6401@news2.voicenet.com>
Source record: 85250

Does anyone have specs on a GE Transformer catalog 90G501?

It was made in Schenectady and must weigh at least 60 to 75 pounds. Appears to be a HV transformer based on the insulation on one set of leads. Must be 20+ years old.

73, Harry, W3IIT
hbrown@voicenet.com

1412. Yes, FT101's can be converted for 6146's!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Edward Collins <lucille@indigo.ie>
Message-ID: <JHmV2.132$yr2.112@news.indigo.ie>
Source record: 85251

Re my recent request for info on the above, I have received a photocopy of the article in Radio ZS (by ZS1J) from SARL.

If you need a copy let me know. Please cover cost of photocopies and postage only.

73's de Ned/EI5DS

1413. WTB: Kenwood TS-520s VFO KNOB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Steven KB9HGI <kb9hgi@qsl.net>
Message-ID: <3725BEC3.7AF3820C@qsl.net>
Source record: 85252

Hello All,
Iam looking for a VFO KNOB for my Kenwood ts-520s (not 520) the 520s has

the spinner handel on it and the 520 has the hole in knob for your
finger. Anyway if
anyone has this vfo knob to sell please e-mail me direct. Thanks!

Steve KB9HGI
kb9hgi@qsl.net

1414. Re: F.S. Swan

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7g51b0$po9@journal.concentric.net>
Source record: 85253

Well put.......

1415. FS: Misc Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990427155156.23998.00000130@ng-fy1.aol.com>
Source record: 85254

FS: Tube and Non tube Radio Gear

I have the following Radio, and electronic equipment for sale. Will consider trades for Electronic or computer EQ. All working last time tested unless noted. Shipping is extra.
Thanks

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $250

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. Asis$50.

Swan Phone patch: with hook up cords. This unit looks real good, but is also untested. As is $35.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

1416. Re: Philo Farnsworth - tonight on PBS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Reid Simmons <reid.w.simmons@intel.com>
Message-ID: <37261405.971A9C60@intel.com>
Source record: 85255

Regardless, Sarnoff is still considered by most historians to be a "General Skuz-Bucket" and was of little worth to humanity. He even fast-talked the U.S. Governement into making him a General in the Army when he wasn't even fit physically or mentally to be a Private!

Reid, K7YX

"Michael J. White" wrote:

> > [Sarnoff] drove Armstrong out of his window.
>
> There's no doubt that Sarnoff badly abused Armstrong; Sarnoff was a bare
> knuckle brawler when it came to business and Armstrong took it badly.
> There was also the whole DeForest business, and his losing the patent
> battle to him. However, the proximate cause of Armstrong's suicide was
> his own fault. In a fit of rage over his situation, swinging a fireplace
> poker about the room, he struck his wife's arm and broke it, sending her
> fleeing in terror. It was remorse over this event that drove him over
> the edge.

1417. Re: Yes, FT101's can be converted for 6146's!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: jstroppe@uhl.uiowa.edu
Message-ID: <7g547mdec1@flood.weeg.uiowa.edu>
Source record: 85256

I think the article can be found in this months QST also.

john

--
John Stroppel | Internet: jstroppe@uhl.uiowa.edu
The University of Iowa - Hygienic Lab | Amateur Radio: WA0VYZ
Oakdale Research Campus, OH-M7A | Voice: (319) 335-4500
Iowa City, IA 52242 | Fax: (319) 335-4555

1418. xtals swap/buy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: jim seeber <kw3u@warwick.net>
Message-ID: <3726187A.6F72C4C8@warwick.net>
Source record: 85257

Hi, picked up a viking adventurer and have nice collection of 40m xtals
but nothing for 80m. If anyone has some 80m ft-243's and would like
some 40 xtals i'd like to swapsome or purchase a few. tnx and any
tips on the adventurer/stories appreciated also.
tnx jim kw3u..

1419. TM 11-2715, Installation of Radio Sets in Military Jeeps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Ben Azari <bijan@armyradio.com>
Message-ID: <925245190.20661.12.nnrp-03.9e98f6bb@news.demon.co.uk>
Source record: 85258

The Complete TM 11-2715, Technical Manual, Installation of Radio Sets in Military Jeeps.
http://www.armyradio.com/publish/TM_11-2715/TM_11-2715.htm

Articles on:
Model AQST East German 'HRO' Receiver.
Communication Equipment of The North Vietnamese Army and the Viet Cong.
Collection of Japanese W.W.II Military Radios.
Russian Military Radios.
The Iraqi Radios of Desert Storm.
http://www.armyradio.com/publish/Articles/Your_Articles.htm

Other useful information on Military Radios and Vehicles.
http://www.armyradio.com/publish/Information.htm

Army Radio Sales Co. Specialise in Military Communications Equipment.
website at www.armyradio.com

--

Ben Azari
Army Radio Sales Co.
HTTP: www.armyradio.com
HTTP: www.armyradio.co.uk
E-Mail: sales@armyradio.com

1420. Re: NC-300 NATIONAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <7g58tukat1@remarQ.com>
Source record: 85259

I'm interested in the NC-300...l'm in the Dallas area as well...

Has it been sold ? NO email or phone number to call you...

- Biz WD0HCO

JB wrote in message <37253EEA.6D0B@swbell.net>...
>The "DREAM RECEIVER" as written in Electric Radio Magazine. In great
>shape with very recent calibration and alignment, plus professionally
>re-painted cabinet, origional plug-in calibrator, and the "ER" product
>detector mod for ssb. Ready to plug in and work the world.
>$325 plus shipping from the Dallas area. Thanks.

1421. [Fwd: R-390 parts]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37262814.2D6273C1@ix.netcom.com>
Source record: 85260

This gentleman is working on an R-390 and on an R-392.
If anyone can help him out, pls contact him at:

mfaria@mail.utexas.edu

-------- Original Message --------

From: "Mary Faria" <mfaria@mail.utexas.edu>

Hi Dave Thanks for talking to me this evening. Well, here's my want
list.
I am looking for:

1. A complete RF deck for an R-390 non A.
2. A shop manual for a tv-2au that gives enough info so I can develope
tube
test settings for tubes not on the test scroll.
3. R-390 meters that r restoreable.
4. I would like to find a complete R-392 to restore. I have been told
the
radios r not very good but, I would like to do one anyway. I think they
r a
neat looking radio. In addition if I do find a R-392 I will need to
find
spare tubes. I use the radios I restore and have no spares for the
unique
tubes that radio uses.

Thank you

Dave Faria
(512)288-2017
Austin, Tx

1422. WTD: HRO-60 COILS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Skip Tyson <skipt1@ix.netcom.com>
Message-ID: <7g59dd$rer@dfw-ixnews7.ix.netcom.com>
Source record: 85261

I am looking for some HRO-60 coils: B,D,E and F. Please let me no what you have. TNX for the read.
Skip Tyson KE6YRZ

1423. WTB:HRO 60 AD coil

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990427174911.20899.00000280@ng02.aol.com>
Source record: 85262

Looking for the "AD" 6 meter coil for the HRO 50 or 60.
E-mail me direct
Jim, w9ud

1424. Re: HW101 owners, please read this!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Will Rogers <w4wlr@flinet.com>
Message-ID: <7g5fbp$bo1$1@news.flinet.com>
Source record: 85263

Hi!

Yep, does bring back memories.... Built an HW-16 with HG-10B VFO, then built an HW-101. Both those are long gone, but I have presently an SB-102. (Better LMO, IMHO).

Someday would like to find an HW-16, but the current prices are out of sight!

Have a couple of other glowbug rigs; love to work on them and use them.

73

Will

Rockjammer <rockjammer@aol.com> wrote in message news:19990426170432.10816.00001851@ng15.aol.com...
> Hello. I was thinking I wished I had My old HW101 I built in 1983 back. Also
> had the HP23 ps and speaker. I recall I installed a muffin fan on the back, and
> my old call sign or name may be on the manuals, N5GHL. I know this is a shot in
> the dark, but what the heck, no harm in asking! Thanks!
> WM5M
> David Aldridge

1425. FA National NC-101XA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Ed Carpenter <k4gj@citrus.infi.net>
Message-ID: <7g5ffa$vr4$1@nw001t.infi.net>
Source record: 85264

Rare 101XA ham band version of the NC-100XA listed on e-bay. Item #
96815688.

1426. Wanted Keyers & Keys & Morse Tutor (CW Items Needed)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7g5ma0$8a$1@bgtnsc02.worldnet.att.net>
Source record: 85265
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I Am Looking For The Following Items To Purchase Or Trade For.
I Don't Need All Of This.
These Are Some Of The Models I Will Be Interested In.
If You Have Anything Along These Lines Please E-Mail Me.
73's W5IDX Houston

AEA MM-3 MorseMatic Electronic Keyer

Or

MFJ 493 Menu Driven Memory Keyer
MFJ-1315,
MFJ-551,
MFJ-5409,
MFJ-5425,
MFJ-79,

MFJ462B Multi-Reader

MFJ 452 Morse Keyboard With LCD Display
Or
MFJ 451 Morse Keyboard

MFJ 414 Tutor & Keyer

Only Need One Of The Following

Bencher Or Vibroplex Iambic Paddles
BY-1, By-2 etc.
Also 1 Straight Key

I Have Many Items I Can Trade For Please Let Me Know What You Have & What
You Might Be Interested In.

--
W5IDX@worldnet.att.net
Gregg.E@worldnet.att.net

1427. FT 101 6JS6C Source? Alternatives?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Dean Fewkes <fewkes@pacifier.com>
Message-ID: <37269bcb.0@news.pacifier.com>
Source record: 85266

Does anybody make these anymore? I heard about the conversation to the 6146 but I understand it drops the output to about 100 watts. Are there any alternatives?

Thanks for you help, I hope to return the favor sometime!

Dean
KG7MZ

1428. HT-37 Transceiver info sought.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: BOB DUCKWORTH <bob@atl.org>
Message-ID: <37263615.64E8@atl.org>
Source record: 85267

It will take less effort to read this than to tell me I'm wrong :-)
So, if I get mail saying that it's a transmitter, not a transceiver I'm
gonna post it with full credits.

What I have is an HT-37 transceiver.

It appears to be either a factory prototype or an outstanding
Homebrew job. Uses same VFO, Same LO, and same filters as the
transmitter. Power supply was relocated to make room for
receiver components and I did not acquire PS with the radio.
From the front panel it's impossible to tell it's been modified
except for a couple of extra positions on the function switch
and some relabeling (that looks factory) of some controls.

Has anyone ever seen this, in print, as a kit, or perhaps as
a Hallicrafters employee, in the workshop???

-bob
wb4mnf
Atlanta

1429. FA: Sounder, Vintage Shure Mic, & Drake LPF

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: Mike Kennedy <gallop@mindsync.com>
Message-ID: <37268223.0@news.sac.bfp.net>
Source record: 85268

If interested please go to eBay (NO RESERVE) and see the following:

Drake Low Pass Filter 1KW
http://cgi.ebay.com/aw-cgi/ebayISAPI.dll?ViewItem&Item=95276268

Vintage Telegraph Sounder
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&Item=95529006

Vintage Shure 440SL Mic
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&Item=95553678

Thank you

Mike

1430. MASTER EXCUTIVE II RADIOS .. WHAT ARE THEY/VALUE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: AMFONE@CONCENTRIC.NET
Message-ID: <7g32kqhmq1@nnrp1.dejanews.com>
Source record: 85329

Hello..I have four working Master Executive II radios... just wonder
what they were used for.. and what value they may have...if any..
thanks
tim
wb8uhz

------------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1431. Re: Philo Farnsworth - tonight on PBS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: cbuttacavo@aol.com
Message-ID: <19990426222629.19278.00001912@ng36.aol.com>
Source record: 85330

I saw it and was enthralled for the whole hour.Made me hate Sarnoff all over again! Last time was watching empire of the air ,the one about radio when he drove Armstrong out of his window.
Charlie

1432. FA Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990427005602.25861.00002112@ng-fq1.aol.com>
Source record: 85331

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95173751

Check out this Vintage Collins Station

1433. Re: MASTER EXCUTIVE II RADIOS .. WHAT ARE THEY/VALUE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: n6kb@fix.net
Message-ID: <wAbV2.41$n07.6029@news.callamer.com>
Source record: 85332

AMFONE@CONCENTRIC.NET wrote:

> Hello..I have four working Master Executive II radios... just wonder
>what they were used for

What they were used for depends on a lot of things, mostly frequency.
Those radios have been used for all kinds of two way land mobile
service, police, ambulance, commercial, etc. etc... and what value
they may have...if any..

They probably aren't worth very much in terms of dollars as is,
because the channel elements for just one channel will cost as much as
a used synthesized radio that is frequency agile. The power supply and
the RF PA can easily be used to help out a low power handheld.
>thanks
>tim
>wb8uhz

>-----------== Posted via Deja News, The Discussion Network ==----------
>http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1434. WTB: DUD TUBES OF THE TL TYPE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990427071027.26424.00000013@ng64.aol.com>
Source record: 85333

hi want to buy any of the TL type tubes dud's are what i want must be under vacuum tho tnx del k9fcm

1435. Re: FS: pair of Johnson Viking II's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: John - WB5NUA <johnwunder@my-dejanews.com>
Message-ID: <7g49ptiuj1@nnrp1.dejanews.com>
Source record: 85334

SOLD!
In article <7g2nq2$82l$1@nnrp1.dejanews.com>,
John - WB5NUA <johnwunder@my-dejanews.com> wrote:
> I have two Johnson Viking II's, each of which is missing a few parts. The
> better of these has a fairly good face, all original knobs (very good) and
> meter (very good), but is missing the tuning air variable cap and the roller
> inductor. The other one has a repainted face (poor), and all knobs except
> one (fair) and meter (very good), but is missing a few tubes, the tuning air
> variable cap and a large choke. I think that you could make one good
> transmitter from these two units if you had the air variable cap and possibly
> a tube or two (if any are bad). I have the original operating manual as
> well. Pick up in the Dallas / Fort Worth Texas area for $60 (based on the
> parting out these units with manual).
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own
>

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1436. Trimmer/padder markings?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: JGinNY <jgovost1@twcny.rr.com>
Message-ID: <3725A973.5F16631E@twcny.rr.com>
Source record: 85335

Do the black numbers on old ceramic trimmers give any indication of the value in picofarads?
Got a whole bunch of them in the junkbox, but they all just have a letter/number code printed on one edge of the cereamic pad.
I need to find one (padder actually) that is about 400 pf max.

Any info would be great. Thanks!

N1AEP
nr. Ithaca

1437. Re: Trimmer/padder markings?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: troglodite@aol.com
Message-ID: <19990427082042.06331.00000014@ng-fe1.aol.com>
Source record: 85336

>
>Do the black numbers on old ceramic trimmers give any indication of the
>value in picofarads?
>Got a whole bunch of them in the junkbox, but they all just have a
>letter/number code printed on one edge of the cereamic pad.
>I need to find one (padder actually) that is about 400 pf max.
>
>Any info would be great. Thanks!

I have some similar parts, and I measured a few, but can't get the numbers to relate to the measurements. Looks like making a measurement would be your best bet.

Doug Moore

1438. Re: Philo Farnsworth - tonight on PBS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-27 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <3725B6E6.7148EF91@mitre.org>
Source record: 85337

> [Sarnoff] drove Armstrong out of his window.

There's no doubt that Sarnoff badly abused Armstrong; Sarnoff was a bare knuckle brawler when it came to business and Armstrong took it badly. There was also the whole DeForest business, and his losing the patent battle to him. However, the proximate cause of Armstrong's suicide was his own fault. In a fit of rage over his situation, swinging a fireplace poker about the room, he struck his wife's arm and broke it, sending her fleeing in terror. It was remorse over this event that drove him over the edge.

1439. Re: WTB: Harris RF590/A or Rockwell/Collins RF-2050 receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990427204622.19011.00000359@ng-fc1.aol.com>
Source record: 85269

Interested in a Harris RF-2305 in excellent condition?
Joe N3IBX
yardleyite@aol.com

1440. Need halli SX-110 knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726902B.3505@ix.netcom.com>
Source record: 85270
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Anyone have a parts sx-110 or sx-111 or s-108. I need the small light grey knobs, one of the big tuning knobs and 2 small metal ones.
Thank you Chris

1441. Tempo One with PS for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726B7C9.6730@ix.netcom.com>
Source record: 85271
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a Tempo One HF Tranceiver with the matching power supply/speaker.
Cabinets look like new. Tempo has some facial marks but has been
touched up. Everything works fine but will need output tubes, common
sweep tubes
6js6. $185+shipping. 73 Chris

1442. Galaxy III HF Transceiver for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726B983.3C36@ix.netcom.com>
Source record: 85272
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a very nice Galaxy III Tranceiver with the AC3 power supply and matching speaker. Comes mic and copy of the manual. This rig has full output about 200 watts. $265 + shipping. 73 Chris VE3NGW/W4 Florida

1443. Measurements Model 59 Grid Dip Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726BAD2.3484@ix.netcom.com>
Source record: 85273
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a beautiful condition Model 59 GD Meter with all the coils and all the serial numbers match. From 2MHz-430MHz. With a copy of the manual.
This is the best there is. $165+shipping. 73 Chris VE3NGW/W4 Florida

1444. Tube Tester Mil I-177 with the Socket adapter MX949AU

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726BC03.11EA@ix.netcom.com>
Source record: 85274
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have an I-177 in excellent condition with the seperate socket adapter box that allows you to check the newer minitures. I have the books with them. $130+shipping. 73 Chris VE3NGW/W4 Florida

1445. Heath HW-12 75 meter Transceiver and HP23A power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3726BE29.617A@ix.netcom.com>
Source record: 85275
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

This is the nicest HW-12 I have ever seen. Works perfect. 140 Watts
out.
Great little rig for 75 meters SSB only. All original and very clean.
Comes complete with mic and mobile bracket, also a copy of the manuals.
$200+shipping.
73 Chris VE3NGW/W4 Florida

1446. Re: Need Drake 4-Line Xtal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <372665F4.F16AF974@asu.uswest.net>
Source record: 85276

JAN Crystals or International, or any of a dozen or so other suppliers can provide what you need. Try a search for them, or one of the ham radio search engines/links databases like http://www.ac6v.com or http://www.mnsinc.com/bry/hamfiles.htm

Ron Manfredi wrote:
>
> I need a 32.1 Mc crystal for my R-4C, (21-21.5 Mc) so I can get it
> back
> on 15 Meters. Drake does not list this one! Anyone with a spare, or a
> source? Thanks Ron WA2EIO

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1447. HOW DO I CHECK THESE T-55 AND T-60 TAYLOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990428060742.00897.00000271@ng20.aol.com>
Source record: 85277

hi i have 3 taylor tube's T-55 AND T-60 and i have 3 tube checkers and none list this type of tube any idea's on checking other than ohm the fil and hope? thank's del k9fcm

1448. FA CR91A (Ar88upgrade)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3726F66E.5792@sympatico.ca>
Source record: 85278
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

CR91A for sale on Ebay - 2 days left - have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95107711>

1449. Eldico Ham Equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: wa4tdc@aol.com
Message-ID: <19990428082438.27353.00000275@ng-ft1.aol.com>
Source record: 85279

Any Eldico users out there? Contact wa4tdc@aol.com

1450. FS: NOS Eimac 4CX1500B for Collins, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <37270632.755971B1@hamradio.org>
Source record: 85280
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I just acquired an Eimac 8660/4CX1500B - NOS, but without box which had water damage. The tube has never been used until I put it in my Collins 30S-1 to check it out before offering it for sale. I will guarantee full output!

This is the perfect plug-in rugged upgrade from the fragile "glass grid" 4CX1000A. I will ship it to any of the lower 48 and Canada for $250.00.

Al - K8EUR

1451. HT-37 Hallicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Jim Allen <jim.allen@the-spa.com>
Message-ID: <37270B27.53D4@the-spa.com>
Source record: 85281
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Have for sale Hallicrafters HT-37 transmitter. Good to very good shape, a few minor surface blems. Working last time I had it out a few months ago. $100 you pay ship or I meet you at Hosstraders in May.

Thanks,

Jim

1452. Re: MIsc Stuff For Sale....let's deal or swap; or what have you.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: "Stephen S. Weber" <kb9svw@bytehead.com>
Message-ID: <37271D07.CF00B3F4@bytehead.com>
Source record: 85282
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

I'm just wondering how you can say the SWR meter is EXACTLY the same but black face, not white like the original?!?!?!?! Then ask yourself this.....can it REALLY be EXACTLY the same?

Cary Fries wrote:

> For Sale:
>
> A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B",
> but which was actually channel 24. The rig has recently been gone through
> to the tune of well over $150.00. The chassis looks a little gooey to me
> and could use some cleaning up.
> The channel knob is not the original, but it fits in very nicely with the
> scheme of things...you'd never know Otherwise. The S-Meter is a
> replacement, however it is EXACTLY the same size as the original except with
> a black face. The brushed aluminum face has a few minor flaws....nothing
> too terible. All the lettering is very good.
> Comes with original Mic; from what I can gather, it is an Astatic hand held
> contracted by B/K, Output is near 4 watts. Modulation is very nice with
> a Tug8-D104.....punchy yet mellow. It has built in switchable speech
> compression; Cobra calls it "Dyna-Boost". It has power cords for both 13.8
> VDC and 110 AC,
>
> Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a two
> tube preamp for use between the mic and mic input. I suspect that there
> is some collectablity factor here. It's missing the two tubes, and I'll be
> damned if I know what they are. I'm sure a Riders book could settle the
> score quickly. I can assure you this unit was working properly before I
> decided to salavage the tubes in all my pubescent pomposity. (duh) It'll
> need the proper amphenol mic connectors to be useable.
>
> Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic condition
> with with three preset NOAA freqs. It's operated from a 12 volt power
> adapter. It has an external antenna output Obviously, this is a
> primitive item, and might be good for the casual listener. I'll throw in
> the last two items if we can come to terms on a mutually satisfactory deal.
>
> For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll
> make you a great package deal. (I think it was 40.00 new!)
>
> Now for something completley different, any call for THESE odd balls? I
> have two mint woofers for the JBL Model 4401 Control Monitor speakers. They
> appear to be 51/2" from surround to surround, or 61/2" from

> one end of the brushed aluminum frame to the other. The speakers are mint
> with heavy magnets, rubber surrounds, and white cones. These origianlly
> served in radio monitor
> duty, but the moronic jocks insisted on driving the weasely amp just past
> the point of distortion and subsequently turned the tweets to toast. You
> can have them naked, or I can ship with the cabinets, your choice. The
> cabinets are in pretty fair shape.
>
> If you'd like to know more, Please email me cfries@ tic.bisman.com
>
> ----------
>
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> C oo impair chlordane resourceful Pericles propylene step antisemite
> (^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> ----------

1453. The Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <37271E22.750F7FB3@eclipse.net>
Source record: 85283

Please visit when you have the chance!
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Free classifieds with photo uploads, full search, and useful links
dedicated to Vintage Radio..
Thank you.

1454. Re: Eldico Ham Equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: "R. Sherry" <RSherry@metricom.com>
Message-ID: <372722A8.1E6A@metricom.com>
Source record: 85284

WA4TDC wrote:
>
> Any Eldico users out there? Contact wa4tdc@aol.com
I have an SSB-1000A
Russ

1455. Re: MIsc Stuff For Sale....let's deal or swap; or what have you.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Cary Fries <cfries@tic.bisman.com>
Message-ID: <DEFV2.1243$Sx.6039@newsfeed.slurp.net>
Source record: 85285
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.cb,rec.radio.swap

Good Morning, Mr. Steven S. Weber:

I suggest the following:

#1) Go back and read the original post. Did I say "SWR Meter", as you say, or did I say S-METER. In the event you didn't know, they are usually two different items.

2) Go back and read the original post again, dolt! I DID NOT say they were Identical.
I DID say however, that they were of identical SIZE. WHICH I STAND BEHIND!!!!

3) Ask yourself if there is something productive you could be doing, rather than picking your nose and picking apart IMAGINED discrepancies in other individual's posts.

4) Have a wonderful day, moron.

Stephen S. Weber <kb9svw@bytehead.com> wrote in message news:37271D07.CF00B3F4@bytehead.com...
> I'm just wondering how you can say the SWR meter is EXACTLY the same but black
> face, not white like the original?!?!?!?! Then ask yourself this.....can it
> REALLY be EXACTLY the same?
>
> Cary Fries wrote:
>
> > For Sale:
> >
> > A 1965 Cobra Cam88 CB, has the old channel which was referred to as "B",
> > but which was actually channel 24. The rig has recently been gone through
> > to the tune of well over $150.00. The chassis looks a little gooey to me
> > and could use some cleaning up.
> > The channel knob is not the original, but it fits in very nicely with the
> > scheme of things...you'd never know Otherwise. The S-Meter is a
> > replacement, however it is EXACTLY the same size as the original except with
> > a black face. The brushed aluminum face has a few minor

flaws....nothing
> > too terible. All the lettering is very good.
> > Comes with original Mic; from what I can gather, it is an Astatic hand
held
> > contracted by B/K, Output is near 4 watts. Modulation is very nice
with
> > a Tug8-D104.....punchy yet mellow. It has built in switchable speech
> > compression; Cobra calls it "Dyna-Boost". It has power cords for both
13.8
> > VDC and 110 AC,
> >
> > Also, I have a 1960 or 1961 Demco Power modulator. It's essentially a
two
> > tube preamp for use between the mic and mic input. I suspect that
there
> > is some collectablity factor here. It's missing the two tubes, and I'll
be
> > damned if I know what they are. I'm sure a Riders book could settle
the
> > score quickly. I can assure you this unit was working properly before
I
> > decided to salavage the tubes in all my pubescent pomposity. (duh)
It'll
> > need the proper amphenol mic connectors to be useable.
> >
> > Also, I have a Cobra SR 900 16 channel scanner in fair cosmetic
condition
> > with with three preset NOAA freqs. It's operated from a 12 volt power
> > adapter. It has an external antenna output Obviously, this is a
> > primitive item, and might be good for the casual listener. I'll throw
in
> > the last two items if we can come to terms on a mutually satisfactory
deal.
> >
> > For Sale: Uniden pro 500B 40 channel CB. This is a gimme too.....I'll
> > make you a great package deal. (I think it was 40.00 new!)
> >
> > Now for something completley different, any call for THESE odd balls? I
> > have two mint woofers for the JBL Model 4401 Control Monitor speakers.
They
> > appear to be 51/2" from surround to surround, or 61/2" from
> > one end of the brushed aluminum frame to the other. The speakers are
mint
> > with heavy magnets, rubber surrounds, and white cones. These
origianlly
> > served in radio monitor
> > duty, but the moronic jocks insisted on driving the weasely amp just
past
> > the point of distortion and subsequently turned the tweets to toast.
You

> > can have them naked, or I can ship with the cabinets, your choice. The
> > cabinets are in pretty fair shape.
> >
> > If you'd like to know more, Please email me cfries@ tic.bisman.com
> >
> > _____
> >
> > /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> > C oo impair chlordane resourceful Pericles propylene step antisemite
> > (^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> > _____
>
>
>
>
>

1456. FS: National NC-125 Gen. coverage receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: sts@ac.net
Message-ID: <37272705.1168310@news.ac.net>
Source record: 85286

Hello all -

I have a nice, working NC 125 for sale. The radio has been recapped and aligned. Works great! Covers .55 to 36 Mhz with 8 tubes. Receives AM and CW. Has built in Selecto -o - Jet.

the cabinet is clean and fair for its age but could use some TLC. Front panel is very good as is the dial. Chassis is clean but not spotless.

I will sell and ship(lower 48) for $90.00. Shipping will be by UPS insured.

Please respond to my email address: sts@ac.net

My newsgroups have been a bit unreliable lately. Thanks for looking.

Thanks, Larry, N4KVP

1457. Collins R-388 parts needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990428131535.05155.00000577@ng155.aol.com>
Source record: 85287

Trying to locate the front gearing assembly for Collins R-388 any 51-J
series 2,3,4 will work. the gears are damaged the rest of the set electrically
is perfect just need the gear panel that is a field replacable item. that
Collins hade available Signed Hal K6DPZ

1458. FS: Ham Eqpt.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <37274A2F.BD112EF6@atlantic.net>
Source record: 85288

Shack Clean Out:

Realistic PRO-2026 Scanner, Like New, with Power Supply & Antenna. $ 110.00

Hallicrafters SX-62, re-tubed, re-capped, aligned, cabinet re-painted With PM-23 Speaker (re-painted). Good condx. $ 350.00

Hallicrafters SX-110, Good Condx, Non-Original Tuning Knobs. $ 125.00

60ï¿½ Rohn 25G Tower, (5-straight, 1-top), Good Condx. With AS-25. $ 180.00

Icom IC-271A, Mint, with original carton, AC Supply, hand mike, Manual. $ 600.00

Icom IC-471A, Mint, with original carton, AC Supply, hand mike, Manual. $ 550.00

Heathkit SB-200 Linear Amplifier with Cetron 572B tubes, manual, in-rush

protection and set of spare (New) 572Bï¿½s; Excellent Condx. $ 400.00

Hammarlund HQ-110C with S-100 speaker, original manual, excellent condx. $ 225.00

No Shipping, Pickup in Central Florida Only!

Ron-N1RT; Ocala, Florida (352) 861-2690; e-mail = n1rt@atlantic.net

1459. Re: Drake 2C help...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Mark Keith <nm5k@wt.net>
Message-ID: <37274A85.7535@wt.net>
Source record: 85338

Dave wrote:
>
> Hello all,
>
> Looking for a main tuning knob for a Drake 2C.
> Email me if you have one to sell. State condition
> and price.
>
> Thanks,

It's quite possible you can get one from drake. Check their online
catalog of parts. MK
--
http://web.wt.net/~nm5k

1460. Re: wtb 600 ohm speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37274E48.113F7F75@erols.com>
Source record: 85339

Never heard of a 600 ohm speaker, per se. If your looking for a compatible speaker for an older radio or a military set, one can but any of the "LS" series military tactical speakers from Fair Radio, et al. Another old trick is to use any small filament transformer to bring the 600 ohms down to 8 ohms. Just hook up the 6.3v winding to the speaker and the 110 v winding to the 600 output.

Dennis Kippa KW5G wrote:

> anyone have a 600 ohm speaker they would like to sell?
>
> Dennis kw5g
>
> kw5g@yahoo.com

1461. Who does front panel refinishing for Hammarlund SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37274F8F.336E@ix.netcom.com>
Source record: 85340
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I need to have a front panel of an SP-600 redone. Does anyone know who does good work on paint and lettering? Thank you 73 Chris

1462. Re: FS:B&W 380 T-R switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990428145006.23699.00000508@ng-fv1.aol.com>
Source record: 85341

I'll buy your B&W TR swithc if still available.

W3DEF

1463. FS: Globe scout, Knight 6am rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: ka2ezn@bellsouth.net
Message-ID: <7g7nbq$mq1$1@nnrp1.dejanews.com>
Source record: 85342

For Sale: Globe Scout transmitter. Works, and clean. 75.00 plus
shipping. Knight TR106 6 meter am transceiver. excellent condition.
With original mic. 50.00 plus shipping. 73, John W4JPL

----- Posted via Deja.com, The People-Powered Information Exchange -----
------ http://www.deja.com/ Discussions * Ratings * Communities ------

1464. Re: Who does front panel refinishing for Hammarlund SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <925331001.843.42@news.remarQ.com>
Source record: 85343
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I had a Ranger II resilked from Lynn at n0alo@southwind.net. He did a very nice job. !!!

Russ -- W8RHJ

Chris <ck5@ix.netcom.com> wrote in message news:37274F8F.336E@ix.netcom.com...
> I need to have a front panel of an SP-600 redone. Does anyone know who
> does good work on paint and lettering? Thank you 73 Chris

1465. Re: wtb 600 ohm speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <zELV2.4138$aA1.432@news3.atl>
Source record: 85344

Radio shack makes a transformer that will work. use a 70 volt line
transformer, set the line tap to 10 watts, matches 600 ohms nicely.
Set the secondary tap to the impendance of the speaker you are going
to use it with. Dennis, I should have brought one along with me when we
traded. :-)

73

Tom KA4RKT

D. S. Platt <jeepp@erols.com> wrote in message
news:37274E48.113F7F75@erols.com...
> Never heard of a 600 ohm speaker, per se. If your looking for a
> compatible speaker for an older radio or a military set, one can but any
> of the "LS" series military tactical speakers from Fair Radio, et al.
> Another old trick is to use any small filament transformer to bring the
> 600 ohms down to 8 ohms. Just hook up the 6.3v winding to the speaker
> and the 110 v winding to the 600 output.
>
> Dennis Kippa KW5G wrote:
>
> > anyone have a 600 ohm speaker they would like to sell?
> >
> > Dennis kw5g
> >
> > kw5g@yahoo.com
>

1466. PS2-V PWR SUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7g83lklcq1@news1.alltel.net>
Source record: 85345

Still looking for a power supply for the Multie Elmac AF-67......working or not.....

dave
KG5XR

1467. FA: not on EBAY! SB-200 amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <37279DA7.CF84841C@yahoo.com>
Source record: 85346
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

come check out a new free auction site! and my SB-200 amp.

http://auctions.yahoo.com/auction/4328852

Low reserve, bidding starts at only a hundred bucks.

1468. FA: Heathkit CW Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7g8932$5tu$1@bgtnsc02.worldnet.att.net>
Source record: 85347

CW filter for HW and SB series.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97343302

1469. FS: Mackay Shipboard gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: "E. V. Sandy Blaize" <ebjr@worldnet.att.net>
Message-ID: <7g8atkeed2@bgtnsc02.worldnet.att.net>
Source record: 85348
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

A local non-ham has some Mackay Radio (NOS) transmitters for sale:

1.) Mackay 2020 HF CW transmitter, 2-24 Mhz., 500 watts output. Uses all tubes in the RF deck and has a companion synthesized solid state exciter unit that tunes in 100 Hz. steps. Will match a wide variety of antennas. In a 6' rack, but less 400v. and 2000 volt power supplies.

2.)Mackay 2012 MF CW transmitter, 400-515 Khz, 500 watts output. Same tube lineup as above. Less same common power supply as above.

3.) Mackay 2017 MF CW transmitter, all solid state, 40 watts output, requires 12 volt DC supply. With crystals for 410, 425, 454, 468 and 500 Khz.

I can send JPEG pictures of gear to interested parties. Reasonable bids/offers being accepted.

73,
Sandy W5TVW

1470. FS: HALLICRAFTERS S-40 "B"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7g85ae$d0e$1@holly.prod.itd.earthlink.net>
Source record: 85349
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: HALLICRAFTERS S-40 "B"

EXCELLENT CONDITION ! Nice addition to any collection!

$ 100 + SHIPPING

1471. FS: Hallicrafters S-51 AC-DC Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: rfsay@att.net
Message-ID: <rfsay-2804992134540001@64.newark-01-02rs.nj.dial-access.att.net>
Source record: 85350
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

FS: Hallicrafters S-51 AC-DC Operated Fixed frequency and Multi-Band Superhet Receiver. Pitch control knob is missing. All tubes are present but radio has loud hum. I would suggest recapping and changing of the line cord. Buyer pay cost and shipping from New Jersey.

Ranges are as follows:

Range A - 200-300kc Fixed
Range B - 2.0-3.0mc Fixed
Range C - 2.0-3.0mc Fixed

Range 1 - 132-405kc
Range 2 - 485-1530kc
Range 3 - 1450-4550kc
Range 4 - 4.2-13.0mc

Please make offer through email !

Thanks in advance,
Bob Sayers

1472. Re: FT 101 6JS6C Source? Alternatives?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: hwh <74361.2114@CompuServe.COM>
Message-ID: <u22XtPfk#GA.99@nih2naac.compuserve.com>
Source record: 85351

6JS6C's can still be found but at a price. Ebay often has them on
auction, for example. The May 99 QST has the 6146 conversion outlined
in the Hints & Kinks section. It reads like the 6JS6C's only do about
100W out for the FT-101 and the conclusion of the conversion states
that you should have in excess of 100W out on all bands.
Wayne Hall
WB4OGM

1473. Re: WTB Gonset GSB-100 working or not

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <925365334.684.38@news.remarQ.com>
Source record: 85352
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I found a great GSB-100. Thanks to all who responded with offers and help
73 de WB6VSE
Mike de Wey <sjsharks@saber.net> wrote in message
news:925173542.803.98@news.remarQ.com...
> So far not luck with my search for GSB-100. Thought I had a bite. I really
> want to get mine or yours on the air again. Let me know what you may have.
> Thanks,
> Mike/WB6VSE
> e-mail me please.
>
>

1474. Re: Transworld LSB Enable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <3728018D.913@ix.netcom.com>
Source record: 85353

Thomas Marcotte wrote:
>
> Anyone know how to enable LSB/AM on a Transworld RT-100 transceiver?
> The rig has these positions on the mode switch (disabled), and I'm told
> they can be enabled with either a keypad command or internal jumper.
>
> 73 Tom N5OFF

Try contacting "Datron" the new name for Transworld, and see
if they can provide the data on your set. Many of the
"Baby Bell" regional telephone companies also have the RT-100
for disaster communications. You probably need the higher-level
password to enable this function in the set.

Datron is at: <http://www.dtwc.com/Products/>

I seem to remember that Cubic also got rolled-up into the
Datron product line a few years back ..

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

1475. Re: HT-37 Transceiver info sought.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-28 00:00:00 UTC
From: BOB DUCKWORTH <bob@atl.org>
Message-ID: <3727556C.342B@atl.org>
Source record: 85354

This is not the HT-37 as described in Dachis....

Subject:
Re: HT-37 Transceiver info sought.

According to Dachis' new edition the HT-37 is a Transmitter/Exciter
that
went with the SX-11 Receiver. Bob

Smoke Signals
Robert W. Perry
rperry@stny.lrun.com

1476. Re: HT-37 Transceiver info sought.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9904291220180.27982-100000@Ocean.CAM.ORG>
Source record: 85189

On Thu, 29 Apr 1999, Floyd Sense wrote:

> Interesting. But... "filters" ? The HT-37 used a phasing SSB generator, no
> filters. Does your unit contain the sideband generator sub-assembly ?
> (left front corner of chassis, a separate removable enclosed chassis box)
> Did you get a schematic with this thing ? Does the receiver section appear
> to be for SSB only? (is there an adjustable BFO?).
>
> K8AC

We've been through this before, which is why he doesn't want to be told it's a transmitter. There was an article in an early issue of Ham Radio that described putting a crystal filter into the rig that does away with the phasing. I don't recall the date of the issue, but once before when this came up I posted about it and I think I did include the date of the article. A search of dejanews would probably turn it up.

But surely if it really is a transceiver, then somebody first converted it to a filter rig, and then added the receiver portion. If Hallicrafter did it as a prototype, then it can't really be considered an HT-37 since they would have changed to a crystal filter for reception purposes and so they didn't start with an HT-37 and add reception.

If someone did it by themself, then it makes sense that it comes from the article in Ham Radio, and I thought the last time the same filter was mentioned as used in the article.

One way to check to see if it's really a transceiver, and while there is that article about adding the crystal filter and at least one article about mods for the rig that mentions the filter article I've never seen anything about adding a receiver, is to post the tube lineup and someone with an HT-37 can look in theirs and see what's different.

Michael VE2BVW

>
> BOB DUCKWORTH <bob@atl.org> wrote in message news:37263615.64E8@atl.org...
> > It will take less effort to read this than to tell me I'm wrong :-)
> > So, if I get mail saying that it's a transmitter, not a transceiver I'm
> > gonna post it with full credits.
> >
> > What I have is an HT-37 transceiver.
> >
> > It appears to be either a factory prototype or an outstanding
> > Homebrew job. Uses same VFO, Same LO, and same filters as the
> > transmitter. Power supply was relocated to make room for

> > receiver components and I did not acquire PS with the radio.
> > From the front panel it's impossible to tell it's been modified
> > except for a couple of extra positions on the function switch
> > and some relabeling (that looks factory) of some controls.
> >
> > Has anyone ever seen this, in print, as a kit, or perhaps as
> > a Hallicrafters employee, in the workshop???
> >
> > -bob
> > wb4mnf
> > Atlanta
>
>
>
>
>

1477. Re: tubes on eBay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Gordy Gale <ggale@pacbell.net>
Message-ID: <37289819.9E93E47F@pacbell.net>
Source record: 85190

Go to the Site Map page and put it in the "search by item number" blank.
--
Gordy Gale

1478. Modulation transformer data needed: UTC Special Series S22

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: w6fm@qsl.net
Message-ID: <372898a0.8385669@news.slonet.org>
Source record: 85191
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Looking for technical specifications on the above transformer. Can anyone help?

Ron Patterson
W6FM

1479. Re: Wanted:R-4B & T-4XB manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: frohro@wwc.edu
Message-ID: <frohro-2904991055550001@csp-frohro.wwc>
Source record: 85192

In article <19990428201245.05112.00000085@ng93.aol.com>, kenn2sqw@aol.com (Ken N2SQW) wrote:

> I need a set of manuals for the Drake R-4B receiver and the T-4XB transmitter.
> I'm trying to bring these back to life, and it's pretty tough going without the
> manual! Will gladly pay photocopy costs, shipping, etc.
> 73,
> Ken
> KenN2SQW@aol.com

Hi Ken,

The R-4B and the T-4X and T-4XC are available free to download at http://bama.sbc.edu/drake.htm

73,

Rob, KL7NA/W7

1480. FS: MILITARY AN/PRC-68

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2904991250220001@murphy1.cts.com>
Source record: 85193
Cross-posted to:
rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,misc.survivalism,alt.military.collecting

RT-1113/PRC-68.

GOV. RE-COND. EXELLENT COND. TESTED

WITH LONG ANTENNA, BATTERY BOX, MANUAL.

$295 EA.

PICT AT:

http://209.239.34.153/murphyjunk/3_COMM_ITEMS

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

1481. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990429163424.24974.00000199@ng-fq1.aol.com>
Source record: 85194

Why the hell would anyone want to sell ANYTHING to the crooks at AES?
They will buy and bitch @ 10 cents a tube, and turn around and INFLATE the
cost WAY above market to sell to the next unassuming
poor sucker....
They have the highest tube prices around...
Regards, JOE

>>>
Dave wrote:

Larry:
I used to sell tubes to AES, but had somthing "funny"
happened with my last two shipments to them. NIB sweep tubes
and others that I had hand checked to make sure they were NOS
came back to me as used rejects with obvious emission burns, etc.

I'm certainly capable of making a mistake, but these were
REALLY obviously used tubes. On some the box and tube
brands didn't even match! I don't know how I could
have missed that. I made a special effort to check them closely.
And it wasn't just one tube-- it was several.

I talked to a young lady on the phone and told her:
"Look-- maybe I'm wrong.. Maybe I'm seeing things.
But someone who's testing these tubes only needs to
switch one or two per shipment to make himself some
extra cash each month. I'm not asking for more money.
I'm just asking that you to keep your eyes open and check."
She treated me like *I* was the crook, was very brusk
and rude and hung-up. I won't vend to them again.
Too bad since I get some nice lots in from time to time.
There are lots of other buyers who don't treat me that way.

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

Thank you,
Joe Pratt, Tubecntral@aol.com

1482. FS: service manual (copy) for Kenwood TS-820S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: acomarow@aol.com
Message-ID: <19990429194050.19927.00000281@ng-fw1.aol.com>
Source record: 85195

This is a very good, commercially done copy from Infotronix. $25 including shipping.

Best, Avery W4OGK

1483. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7gamns$3b3@chronicle.concentric.net>
Source record: 85196

Now Joe, Hold back your true feelings. :p

TUBECNTRAL wrote in message
<19990429163424.24974.00000199@ng-fq1.aol.com>...
>Why the hell would anyone want to sell ANYTHING to the crooks at AES?
> They will buy and bitch @ 10 cents a tube, and turn around and INFLATE the
>cost WAY above market to sell to the next unassuming
>poor sucker....
>They have the highest tube prices around...
> Regards, JOE
>
>>>>
> Dave wrote:
>
>Larry:
>I used to sell tubes to AES, but had somthing "funny"
>happened with my last two shipments to them. NIB sweep tubes
>and others that I had hand checked to make sure they were NOS
>came back to me as used rejects with obvious emission burns, etc.
>
>I'm certainly capable of making a mistake, but these were
>REALLY obviously used tubes. On some the box and tube
>brands didn't even match! I don't know how I could
>have missed that. I made a special effort to check them closely.
>And it wasn't just one tube-- it was several.
>
>I talked to a young lady on the phone and told her:
>"Look-- maybe I'm wrong.. Maybe I'm seeing things.
>But someone who's testing these tubes only needs to
>switch one or two per shipment to make himself some
>extra cash each month. I'm not asking for more money.
>I'm just asking that you to keep your eyes open and check."
>She treated me like *I* was the crook, was very brusk
>and rude and hung-up. I won't vend to them again.
>Too bad since I get some nice lots in from time to time.
>There are lots of other buyers who don't treat me that way.
>
>73 DE Dave Stinson AB5S
>arc5@ix.netcom.com
>
>
>
>
>

>
>
> Thank you,
> Joe Pratt, Tubecntral@aol.com
>

1484. Doyle Roberts: Good source for dial covers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990429171923.13127.00000416@ng-ch1.aol.com>
Source record: 85197

Hi all,
I just got a replacement dial cover for the National NC2-40-D from a vendor named Doyle Roberts. Excellent quality, good fit, quick turnaround. I would recommend him to all who need a replacement dial cover for that old, yellowed, cracked dial cover that you can't see to clearly through. He can be emailed at:
drob@artelco.com
rgds,
Mark S.

1485. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3728DE97.38AFA40B@ix.netcom.com>
Source record: 85198

TUBECNTRAL wrote:

> They have the highest tube prices around...

Except for some fellas I've seen at recent hamfests, Joe.
They have a pile of tubes. Ask them "How much for the 12XY7?"
and they whip-out the AES catalog and look up a price.
I walk away, of course, and they keep hauling the tubes
from fest to fest, wondering why they don't sell very much.
Think these guys will ever get the message, or will
you and I be buying them at 10 cents a bulb from their estates?

73 Dave AB5S

1486. Re: Selling Tubes to AES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <372925FF.87733718@earthlink.net>
Source record: 85199

Just sell them to the guys on this reflector . I mysekf have had several problems with them . I know that things have change since they have changed hands several years ago they are more expensive and the parts are damage when I get them and there response it to bad
. Just my 2 cents worth . I try not to deal with them unless i have to and that is not very offen .
Matt Parkinson KE6UOS

David Stinson wrote:

> Larry:
> I used to sell tubes to AES, but had somthing "funny"
> happened with my last two shipments to them. NIB sweep tubes
> and others that I had hand checked to make sure they were NOS
> came back to me as used rejects with obvious emission burns, etc.
>
> I'm certainly capable of making a mistake, but these were
> REALLY obviously used tubes. On some the box and tube
> brands didn't even match! I don't know how I could
> have missed that. I made a special effort to check them closely.
> And it wasn't just one tube-- it was several.
>
> I talked to a young lady on the phone and told her:
> "Look-- maybe I'm wrong.. Maybe I'm seeing things.
> But someone who's testing these tubes only needs to
> switch one or two per shipment to make himself some
> extra cash each month. I'm not asking for more money.
> I'm just asking that you to keep your eyes open and check."
> She treated me like *I* was the crook, was very brusk
> and rude and hung-up. I won't vend to them again.
> Too bad since I get some nice lots in from time to time.
> There are lots of other buyers who don't treat me that way.
>
> 73 DE Dave Stinson AB5S
> arc5@ix.netcom.com

1487. WTB: National NC-303 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7gb9lb$91t$1@oak.prod.itd.earthlink.net>
Source record: 85200
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Still looking for a nice National NC-303 receiver. Please email me with details, your location, price. Thanks.

K8AC
Floyd Sense in Angier, NC

1488. FA: Hammarlund HQ180AC & Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: David Ragsdale <dragsdal@calpoly.edu>
Message-ID: <372805BC.6E1EB967@calpoly.edu>
Source record: 85201
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For auction on ebay, very nice Hammarlund HQ180A with clock at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97313951

And matching speaker at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97302730

Thanks.

Dave

1489. Re: WTB: National NC-303 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <37293666.6868B84F@saber.net>
Source record: 85202
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Floyd,
Just bought another GSB-100. Going to go over to the valley to Tulare and pick it up on Wed. next week. That now gives me two of them. Now, there' popping up all over the group, especially since I subscribed to both the National and Gonset mail reflectors. I have helped 3 different folks find them. Tonight, I got another offer that is going to the Livermore swap meet on Sunday. I may have to go over there, as it's only about 45 min away. Good luck in your search..

73 de WB6VSE/Mike

PS, the house in on the market officially, and now just waiting for a buyer. Can get moved to Arkansas and devote more time to glow in the dark gear..

1490. FS/FT: Hallicrafters knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: k6sde@my-dejanews.com
Message-ID: <7g881d$60s$1@nnrp1.dejanews.com>
Source record: 85355

I have Hallicrafters SX-62 era knobs. All but one knob is a later style FLUTED KNOB and the other knob is a STRAIGHT SIDED main tuning knob with a silver center insert.

The knobs, of course, also are proper for many other pieces of Hallicrafters equipment.

The fluted knobs have only been given a cursory "bath" and need some cleaning up and polishing. The pictures below have been sharpened to better show you their condition and the head on view emphasizes pits and defects. Since the skirts have recessed lettering (engraved?) it should be possible to do a bit of surface polishing on the skirts to improve the looks and remove some of the aluminum corrosion and pitting without destroying the lettering.

One of the knobs with the 0 to 10 scale on it has had the skirt squashed in skipping due to poor packing when the receiver was sent to me and another one or two have knobs that have skirts that are a bit distorted but I think those can be fixed with minimum problem. Fortunately the squashed 0 to 10 skirts seem to be fairly common and the skirts are fastened on with screws so it should be possible to replace it if it can't be reformed.

Take a look and note the NUMBER of the knob you are interested in and view it in top and partial side view and drop me an e-mail and we can discuss your needs. I am NOT going necessarily to sell the knobs to the person who responds first but would like to give others who don't happen to be reading posts every few hours a chance to let me know what they're interested in.

TOP VIEW:

http://www.geocities.com/Heartland/Ridge/7463/halliknobs/sx62flutedtop.jpg

PARTIAL SIDE VIEW:

http://www.geocities.com/Heartland/Ridge/7463/halliknobs/sx62flutedside.jpg

Ian, K6SDE

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1491. Wanted:R-4B & T-4XB manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: kenn2sqw@aol.com
Message-ID: <19990428201245.05112.00000085@ng93.aol.com>
Source record: 85356

I need a set of manuals for the Drake R-4B receiver and the T-4XB transmitter.
I'm trying to bring these back to life, and it's pretty tough going without the
manual! Will gladly pay photocopy costs, shipping, etc.
73,
Ken
KenN2SQW@aol.com

1492. Transworld LSB Enable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <37275F0C.6487@iamerica.net>
Source record: 85357

Anyone know how to enable LSB/AM on a Transworld RT-100 transceiver?
The rig has these positions on the mode switch (disabled), and I'm told
they can be enabled with either a keypad command or internal jumper.

73 Tom N5OFF

1493. FA: Marconi Electra -- 3+ days left

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <f_NV2.12982$K46.22870@news.rdc1.ab.wave.home.com>
Source record: 85358
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

There are 3+ days left to bid on my Marconi Electra receiver. I have reduced the size of the pictures to speed downloading. I will be happy to email full-res pictures if you email me. Please give it a look at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95841647

Email any questions...thanks for for the bandwidth and for looking!

==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

1494. WTB: Hallicrafters SX-28 or SX-28A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: mbmcf@erols.com
Message-ID: <372eb3a6.9628845@news.erols.com>
Source record: 85359

Hello,

I am looking to find a Hallicrafters Sx-28, or SX-28A recevier. Unit must be in good cosmetic condition, but not necessarily working. I plan to add to my personal collection, and restore to original condition as closely as possible. Would also be looking for Service manual, manual, and matching speaker too (Not asking for too much am I).

Please email me with condition and price.
TIA

Bruce McFarland
Absolute Systems Inc.
630 Churchmans Rd, Suite 3
Newark, DE 19702
302-455-0700

1495. Need info re Zenith am/fm H725

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990428215415.16183.00000029@ng-cc1.aol.com>
Source record: 85360

Does anyone know the date of manufacture of this radio and the value of it?????
Thanks Mike.

1496. Ebay- Collins RE 75S-3B receiver/Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990428224038.27336.00000105@ng94.aol.com>
Source record: 85361

Hi Guys;
I put my Collins 75S-3B Round Emblem Receiver on EBAY.
You might want to check it out some!
Please, No Collins Price/Quality Police need respond!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96097150

500 cycle filter also>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96075248

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

1497. FS: Military Telegraph Keyer TG-34A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: keymaster@stlnet.com
Message-ID: <7g8m1p$hd0$1@nnrp1.dejanews.com>
Source record: 85362
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

Dear All,

I have a Signal Corps Telegraph Keyer TG-34A. I believe that this was used to play/transmit previously punched tape code messages. The label on the machine reads:

Signal Corps
Keyer TG-34-A
115/230 Volts 50/60 Cycles A.C.
15130-CZJ 21841-PHILA-43

I don't have the power cord for the keyer so I can't test it. Also I don't have any paper tapes to run it. However, the take-up reel that the tapes run on is included. Keyer looks like it's in nice shape and complete.

In the lid of the device is an assembly with a crank for rewinding the "already- played" tapes from the take-up reel to their original reel.

If you'd like to see a picture of it, please click on the following link:

http://home.stlnet.com/~keymaster/with.jpg

Price is $30.00 plus shipping.

Thank you for looking and have a great day!

Derek
Amateur Radio - WB0TUA
President - Morse Telegraph Club - Alton Chapter
President - Antique Radio Collectors & Historians

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1498. HAMMARLUND SP-200

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3727d172.5500437@nntp.cntfl.com>
Source record: 85363

SP-200 in good condition complete except for external power supply.
Front panel in very good condition.

BEST OFFER.....IT NEEDS A HOME.......I NEED THE SPACE

e-mail me direct

bobm@istal.com

1499. Ebay- Nice Turner 454X mike w/pj-068 plug CHEEP!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990428235055.07842.00000107@ng-fv1.aol.com>
Source record: 85364

Hi Guys;
I put on Ebay this real Nice Turner 454X Crystal Mike with PJ-068 plug.
Its only at $15.50 with only 23 hours left to go!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=94757871
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

1500. F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: mbmcf@erols.com
Message-ID: <3729d7f2.18920376@news.erols.com>
Source record: 85365

Hi Folks,

No, I'm not the seller. I was just amazed that anyone would have 500,000 (YES 500,000) tubes in any one place. I guess he wants to sell off and retire. The price is good. I wonder how many truckloads that would be ? If you are curious, the Ebay# is 97006703.

Now all I have to do is sell my house and all of my radios, and my car too ...

Bruce McFarland
Absolute Systems Inc.
630 Churchmans Rd, Suite 3
Newark, DE 19702
302-455-0700

1501. Central Electronics 20A and 458 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3727DDC0.7194@ix.netcom.com>
Source record: 85366
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have these two units in really nice shape. Front panels look very good. Cabinets need painting. $150+shipping

1502. GLOBE KING 500C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990429020240.15327.00000218@ng125.aol.com>
Source record: 85367

Shack cleaning special. Globe King model 500B transmitter, second owner upgraded to a model C. In a gorgeous rack mount, always covered, with RF deck, Modulator and VFO! 160-10 meters. Working condition with new 4-400 and Svetlana 811A's, other tubes. Copy of manual, well documented modifications, e.g., solid state rectifiers. $800 FIRM and I can meet you Sunday in Gaithersburg Maryland. Catch it before I am forced to put it on eBay (hiss). AMer's should not pass up this gorgeous transmitter.

Reply direct to n3xbu@aol.com

1503. Re: WTB: Hallicrafters SX-28 or SX-28A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990429020830.15327.00000219@ng125.aol.com>
Source record: 85368

Bruce,

I have a beautiful, working SX-28A. I am selling it with my AM transmitter; a rackmounted Globe King 500B with VFO, modulator, and RF deck. I am planning to go to the Gaithersburg Hamfest. I would prefer to sell both at once. If you are interested, the pair will go for $1,200. They make a pretty couple. Thought I'd email you on the chance you may want a transmitter too.

Brian

1504. National SW-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990429060318.18706.00000001@ng-ca1.aol.com>
Source record: 85369

I've got a basket case sw-3 that I want to restore. It's missing just about every part except the case/chasis, dial, tuning condenser,and sockets. I found a couple of coils for it. So thats where I am with it . Does anyone have any parts for this project ? Or know of any repro parts being made. Much tnx in advance
Terry N3GTE

1505. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37283079.61DB042C@asu.uswest.net>
Source record: 85370

This guy appears to be serious about this offer, and thus completely insane. What do you think he did, backed up a truck, lifted the AES building of its foundation, and drove off with it all? Craziest thing *yet* on eBay. . .

Seriously, why doesn't he offer the lot to AES? He'd have a shot at actually selling it, and at a better price, I'd think

M Bruce McFarland wrote:
>
> Hi Folks,
>
> No, I'm not the seller. I was just amazed that anyone would have
> 500,000 (YES 500,000) tubes in any one place. I guess he wants to
> sell off and retire. The price is good. I wonder how many truckloads
> that would be ? If you are curious, the Ebay# is 97006703.
>
> Now all I have to do is sell my house and all of my radios, and my car
> too ...
>
> Bruce McFarland
> Absolute Systems Inc.
> 630 Churchmans Rd, Suite 3
> Newark, DE 19702
> 302-455-0700

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1506. Re: Trade/FS: U-2 spy plane RS-6 radio set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: "Cestyll O. Dywod" <willi6@erols.com>
Message-ID: <37283B4C.5C3B@erols.com>
Source record: 85371

The following information is from Keith Melton, who has written several books and articles on the equipment of the OSS/CIA, and who was a primary resource for the Discovery Channel series "SPYTEK." His information appears to point to USAF/B-47 first, and then adaptation for the intel business:

= = = = = = = = = =
The RS-6 was designed originally as the survival radio for the B-47. Its capabilities were built upon the requirements of a downed bomber crew to communicate from inside the Soviet Union. Its compact design and power made it a natural for intelligence use; I have both the USAF manual, as well as the CIA manual. I believe this confirms your suspicions. [Keith Melton]
= = = = = = = = = =

Hope this is of some interest.

73, Dave K7HMP

Tiuk wrote:
>
> >Just where on the U-2 does this radio go?
> >(Flight suit pockets is the wrong guess!)
> >-bob
>
> My guess is that the RS-6 would've been placed somewhere on the "booby trapped"
> ejection seat.
>
> So Bob, are you confirming that the RS-6 was standard issue on U2 aircraft?
>
> I've heard that the RS-6 was a CIA rig or possibly a B-47 or U2 bailout rig.
>
> Inquiring RS-6 owners, like myself, would like to know.
>
> Regards, Roman, N2CDD

1507. tubes on eBay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990429074026.07801.00000015@ng-cs1.aol.com>
Source record: 85372

how do u search by auction number? I put that number (97006703) in the search box and nothing was found. Tnx.

Steve

1508. disregard previous msg abt tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990429074609.07805.00000027@ng-cs1.aol.com>
Source record: 85373

tnx, I've found it.

1509. Re: HT-37 Transceiver info sought.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7g9h9r$l0k$1@ash.prod.itd.earthlink.net>
Source record: 85374

Interesting. But... "filters" ? The HT-37 used a phasing SSB generator, no filters. Does your unit contain the sideband generator sub-assembly ? (left front corner of chassis, a separate removable enclosed chassis box) Did you get a schematic with this thing ? Does the receiver section appear to be for SSB only? (is there an adjustable BFO?).

K8AC

BOB DUCKWORTH <bob@atl.org> wrote in message news:37263615.64E8@atl.org...
> It will take less effort to read this than to tell me I'm wrong :-)
> So, if I get mail saying that it's a transmitter, not a transceiver I'm
> gonna post it with full credits.
>
> What I have is an HT-37 transceiver.
>
> It appears to be either a factory prototype or an outstanding
> Homebrew job. Uses same VFO, Same LO, and same filters as the
> transmitter. Power supply was relocated to make room for
> receiver components and I did not acquire PS with the radio.
> From the front panel it's impossible to tell it's been modified
> except for a couple of extra positions on the function switch
> and some relabeling (that looks factory) of some controls.
>
> Has anyone ever seen this, in print, as a kit, or perhaps as
> a Hallicrafters employee, in the workshop???
>
> -bob
> wb4mnf
> Atlanta

1510. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <s9YV2.6465$sH.1042@news2.atl>
Source record: 85375

Will White <wcw@asu.uswest.net> wrote --
> This guy appears to be serious about this offer, and thus completely
insane.
> What do you think he did, backed up a truck, lifted the AES building of
its
> foundation, and drove off with it all? Craziest thing *yet* on eBay. . .
>
> Seriously, why doesn't he offer the lot to AES? He'd have a shot at
actually
> selling it, and at a better price, I'd think

Probably most of them are series-string 60's vintage TV tubes that no one
buys?
Notice the "no audio tubes". But who knows. I wonder about folks like this
who
put that type of thing up and are actually serious....

Tom Norris KA4RKT

1511. FA: WWII RADIO NEWS AVIATION ISSUE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: wb9gkz@aol.com
Message-ID: <19990429082450.07164.00000036@ng-cl1.aol.com>
Source record: 85376

Lots of full-color pictures. RADIO NEWS 1943 special Aviation issue.

It's on eBay. View item 94953269.

Starts at 5-bucks.

Tnx........Pat

1512. FA Rare British KW-2000 HF transceiver (British Collins)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Jean Paul <ve3jpt@rac.ca>
Message-ID: <372853df@nemo.idirect.com>
Source record: 85377

Can be seen on Ebay item # 96619326

1513. FA- Collins ART-13

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Jean Paul <ve3jpt@rac.ca>
Message-ID: <3728540f@nemo.idirect.com>
Source record: 85378

Can be seen on Ebay Item # 96304284

1514. Re: F.Y.I. - 500,000 tubes on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: lrware@pipeline.com
Message-ID: <37285570.37851030@news.pipeline.com>
Source record: 85379

Will White <wcw@asu.uswest.net> cogitated then commented:

>Seriously, why doesn't he offer the lot to AES? He'd have a shot at actually
>selling it, and at a better price, I'd think

If you had ever tried to deal with AES as a seller, you would know
why. I once offered 5000+ NOS/NIB tubes to them, faxed them a complete
listing, etc. All the old series string TV types had already been
culled. These were mainly 6V and 12V general purpose and RF receiver
type parts. 6SK7, 12AT7, 6SN7, etc. etc.
They offered .10 each, and wanted to pick/choose at that price,
not take them all.
AES has huge stocks of some types, or at least tells you they do.

If the seller is serious about moving them, he will be faxing lists to
the buyers from the other tube dealers like mad about now.
They will have inquired, and if he responds quickly should get a
reasonable offer...

Tube wholesale is still mainly done by fax, with long term storage
anything that is still around by lunch.

-larry

#
Bigot, n. One who obstinately and zealously attached
to an opinion that you do not entertain.
-Ambrose Bierce
#

1515. FT-101 AM FILTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990429090626.07838.00000046@ng-cr1.aol.com>
Source record: 85380

This is the AM filter that will fit in the FT-101 series radio very scarce to find $275.00 plus $2.00 shipping

1516. FT 101 6JS6C Source? Alternatives?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: MLJS45A@prodigy.com
Message-ID: <7g9mf1$2jm6$1@newssvr03-int.news.prodigy.com>
Source record: 85381

If anyone is in need I have some new 6146B in stock for $19.75 ea.,
with a few nice used at $10.50.

6146W are $16.50, and plain 6146 are $14.00.

Shipping is free with a>$50 purchase (USA only), otherwise $3.50 for
Priority Mail.

Jim McShane
MLJS45A@prodigy.com

1517. Re: FS: Globe scout, Knight 6am rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990429094344.21678.00000086@ng-fp1.aol.com>
Source record: 85382

Like to know what Globe Scout you have.
Jim, w9ud

1518. Re: HT-37 Hallicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: Jim Allen <jim.allen@the-spa.com>
Message-ID: <37286354.547E@the-spa.com>
Source record: 85383
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

The rig has been sold. Thanks for those who expressed interest.

Jim

1519. mic help for Utica 650

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: n3soz@my-dejanews.com
Message-ID: <7g9tf3$j1r$1@nnrp1.dejanews.com>
Source record: 85384

Hello,

I recently bought a Utica 650, however it did not come with a mic. The mic connector is your basic phono jack. I don't have schematics on the rig so I don't know what type of mic wiring is required. Does anyone know how I might retrofit another microphone type to work with the phono plug connector? Or barring that, a source for a new mic with a phono plug? I do have a pair of professional vocal mics with phono plugs, but I'm not really willing to try those without some advice first. Please reply to my email. Thanks!

Matt N3SOZ

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1520. WTB HEATHKIT HW-19

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990429111134.18700.00000086@ng-ca1.aol.com>
Source record: 85385

the "Tenner", model HW-19

LOOKING FOR A NICE HW-19 LUNCHBOX
THANKS,WALT

1521. FA: T-195 Transmitter Package of 2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <37285b38.0@news3.buffnet.net>
Source record: 85386
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

On Ebay: Click here for more info -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97558259

T-195 Military Transmitters, Package of 2
Designed by Collins Radio, the T-195 is often found paired with the R392 receiver. An exceptionally heavy-duty transmitter, the T-195 is both waterproof and shockproof. By using two car batteries in series, the transmitter is perfect for vehicle use, or as a field day transmitter.

This package includes 2 of these transmitters. Both are in very good condition. As per most "de-milled" equipment, the meters have been removed. They have been replaced in one of the units. One unit makes full RF output; the other seems to have a problem with the Auto-Tune mech. I understand from Electric Radio that often these problems are a result of poor connections on the modules.

This heavy-duty transmitter covers 1.5-20MHz continuous. RF Power output is a solid 80-100W with nice sounding plate modulated AM. Emission modes are AM and CW.

Frequency coverage is in 4 bands using a Collins PTO. The unit features antenna Auto-Tuning, with two choices of antenna connections depending on feedpoint impedance.

Final tube uses a 4X150D, and 2-4X150D are used as modulators.

Dimensions are 11.5h X 22w X 14.25d. Weight is 135 lbs. Power requirement is 28VDC 42amps.

Due to the weight, the buyer must pick up in the Buffalo, NY area, or arrange pickup, crating and shipping at his/her cost.

Payment must be received in Postal Money Order, or Bank Check prior to shipping.

As always if you have any questions just email.

Tnx

73,

Bruce KG2IC

****
******
Bruce J. Howes KG2IC email: kg2ic@arrl.net

East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****
******

begin 666 Bruce J. Howes.vcf
<encoded_portion_removed>

1522. Selling Tubes to AES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-29 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37288B56.873E4444@ix.netcom.com>
Source record: 85387

Larry:
I used to sell tubes to AES, but had somthing "funny"
happened with my last two shipments to them. NIB sweep tubes
and others that I had hand checked to make sure they were NOS
came back to me as used rejects with obvious emission burns, etc.

I'm certainly capable of making a mistake, but these were
REALLY obviously used tubes. On some the box and tube
brands didn't even match! I don't know how I could
have missed that. I made a special effort to check them closely.
And it wasn't just one tube-- it was several.

I talked to a young lady on the phone and told her:
"Look-- maybe I'm wrong.. Maybe I'm seeing things.
But someone who's testing these tubes only needs to
switch one or two per shipment to make himself some
extra cash each month. I'm not asking for more money.
I'm just asking that you to keep your eyes open and check."
She treated me like *I* was the crook, was very brusk
and rude and hung-up. I won't vend to them again.
Too bad since I get some nice lots in from time to time.
There are lots of other buyers who don't treat me that way.

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

1523. Re: FT-101 AM FILTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01be92a0$8d3906e0$5bdefed0@jpwarner>
Source record: 85203

What radio comes with it? EX, EE, or E

K6DPZ HAL <k6dpzhal@aol.com> wrote in article
<19990429090626.07838.00000046@ng-cr1.aol.com>...
> This is the AM filter that will fit in the FT-101 series radio
very
> scarce to find $275.00 plus $2.00 shipping
>

1524. FS..Weston R.F. Ammeter(new)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <372cf84e.16357563@news.i-2000.com>
Source record: 85204

```
FS...Weston RF Ammeter 0-10 Amps New $30.00 + shp
Bob K2LGO...Pse remove the (ns) from my adr....
```

1525. Re: Ham-BoatAnchors Digest V99 #108

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: cobyh@home.COM
Message-ID: <004901be92a5$86c57820$ae1c0418@c38526-a.bdfrd1.tx.home.com>
Source record: 85205

I have a 388 parts rig that has most everything from the front panel back.
Send me the part no on what you need and I will be glad to check.
73, Jim K5MYL
-----Original Message-----
From: Ham-BoatAnchors Mailing List and Newsgroup <ham-boatanchors@ucsd.edu>
To: Ham-BoatAnchors@ucsd.edu <Ham-BoatAnchors@ucsd.edu>
Date: Thursday, April 29, 1999 4:24 PM
Subject: Ham-BoatAnchors Digest V99 #108

>
>Ham-BoatAnchors Digest Thu, 29 Apr 99 Volume 99 : Issue 108
>
>Today's Topics:
> [Fwd: R-390 parts]
> Central Electronics 20A and 458 VFO
> cmsg cancel <7g1rt4$18j2$1@news.gate.net>
> cmsg cancel <7g9hplcje22026@hfc.pacific.net.hk>
> Collins R-388 parts needed
> disregard previous msg abt tubes
> Ebay- Collins RE 75S-3B receiver/Filter
> Ebay- Nice Turner 454X mike w/pj-068 plug CHEEP!
> Eldico Ham Equipment
> F.S. Swan (3 msgs)
> F.Y.I. - 500,000 tubes on Ebay (5 msgs)
> F/T Hallicrafters SR-42
> FA- Collins ART-13
> FA: Excellent Kenwood PS-30 Power Supply
> FA: Heathkit CW Filter
> FA: Marconi Electra receiver
> FA: not on EBAY! SB-200 amp
> FA: Sounder, Vintage Shure Mic, & Drake LPF
> FA; 1920 issues of QST
> FA CR91A (Ar88upgrade)
> FA National NC-101XA
> FA Rare British KW-2000 HF transceiver (British Collins)
> FS/FT: Hallicrafters knobs
> FS:B&W 380 T-R switch (3 msgs)
> FS: Globe scout, Knight 6am rig (2 msgs)
> FS: Hallicrafters S-51 AC-DC Receiver
> FS: Hallicrafters SX-62A & R-46B
> FS: Ham Eqpt.
> FS: Military Telegraph Keyer TG-34A
> FS: Misc Radio Gear
> FS: National NC-125 Gen. coverage receiver

> FS: National NPW-O Dial
> FS: New CRT tubes for Icom IC781 or R9000
> FS: NOS Eimac 4CX1500B for Collins, etc.
> FS: pair of Johnson Viking II's
> FS: rf amp deck for s-band
> FS: U2 plane emergency radio
> FS Lafayette 6/mtr am
> FT 101 6JS6C Source? Alternatives? (4 msgs)
> Galaxy III HF Transceiver for sale
> GE Transformer Info wanted
> GLOBE KING 500C
> HAMMARLUND SP-200
> Heath HW-12 75 meter Transceiver and HP23A power supply
> HOW DO I CHECK THESE T-55 AND T-60 TAYLOR
> HT-37 Hallicrafters
> HT-37 Transceiver info sought. (4 msgs)
> HW101 owners, please read this!! (3 msgs)
> make your first $1 million
> MASTER EXCUTIVE II RADIOS .. WHAT ARE THEY/VALUE
> Measurements Model 59 Grid Dip Meter
> mic help for Utica 650
> National SW-3
> NC-300 NATIONAL
> Need Drake 4-Line Xtal
> Need halli SX-110 knobs
> Need info re Zenith am/fm H725
> Philo Farnsworth - tonight on PBS (2 msgs)
> PS2-V PWR SUP
> Selling Tubes to AES
> Tempo One with PS for sale
> The Boatanchor Classifieds
> TM 11-2715, Installation of Radio Sets in Military Jeeps
> Trade/FS: U-2 spy plane RS-6 radio set
> Transworld LSB Enable? (2 msgs)
> Trimmer/padder markings? (3 msgs)
> tubes on eBay
> Tube Tester Mil I-177 with the Socket adapter MX949AU
> Wanted:R-4B & T-4XB manuals
> Who does front panel refinishing for Hammarlund SP-600 (2 msgs)
> wtb 600 ohm speaker (2 msgs)
> WTB: DUD TUBES OF THE TL TYPE
> WTB: Hallicrafters SX-28 or SX-28A (2 msgs)
> WTB: Harris RF590/A or Rockwell/Collins RF-2050 receiver
> WTB: Homebrew, Tube CW TX and RX or XCVR
> WTB:HRO 60 AD coil
> WTB: Kenwood TS-520s VFO KNOB
> WTB: MILLEN 90801 EXCITER
> WTB HEATHKIT HW-19
> WTD: HRO-60 COILS
> xtals swap/buy

> Yes, FT101's can be converted for 6146's! (2 msgs)
>
>Send Replies or notes for publication to: <Ham-BoatAnchors@UCSD.Edu>
>Send subscription requests to: <Ham-BoatAnchors-REQUEST@UCSD.Edu>
>Problems you can't solve otherwise to brian@ucsd.edu.
>
>Archives of past issues of the Ham-BoatAnchors Digest are available
>(by FTP only) from ftp.UCSD.Edu in directory
"mailarchives/ham-boatanchors".
>
>We trust that readers are intelligent enough to realize that all text
>herein consists of personal comments and does not represent the official
>policies or positions of any party. Your mileage may vary. So there.
>Loop-Detect: Ham-BoatAnchors:99/108
>--
>
>Date: Tue, 27 Apr 1999 16:11:48 -0500
>From: David Stinson <arc5@ix.netcom.com>
>Subject: [Fwd: R-390 parts]
>
>This gentleman is working on an R-390 and on an R-392.
>If anyone can help him out, pls contact him at:
>
>mfaria@mail.utexas.edu
>
>-------- Original Message --------
>
>From: "Mary Faria" <mfaria@mail.utexas.edu>
>
>Hi Dave Thanks for talking to me this evening. Well, here's my want
>list.
>I am looking for:
>
>1. A complete RF deck for an R-390 non A.
>2. A shop manual for a tv-2au that gives enough info so I can develope
>tube
>test settings for tubes not on the test scroll.
>3. R-390 meters that r restoreable.
>4. I would like to find a complete R-392 to restore. I have been told
>the
>radios r not very good but, I would like to do one anyway. I think they
>r a
>neat looking radio. In addition if I do find a R-392 I will need to
>find
>spare tubes. I use the radios I restore and have no spares for the
>unique
>tubes that radio uses.
>
>Thank you
>

>Dave Faria
>(512)288-2017
>Austin, Tx
>.
>
>------------------------------
>
>Date: Thu, 29 Apr 1999 00:19:12 -0400
>From: Chris <ck5@ix.netcom.com>
>Subject: Central Electronics 20A and 458 VFO
>
>I have these two units in really nice shape. Front panels look very
>good. Cabinets need painting. $150+shipping
>.
>
>------------------------------
>
>Date: 26 Apr 1999 14:12:29 GMT
>From: Cosmo Roadkill <cosmo.roadkill%bofh.int@rauug.mil.wi.us>
>Subject: cmsg cancel <7g1rt4$18j2$1@news.gate.net>
>
>Article cancelled as EMP/ECP, exceeding a BI of 20.
>
> The "Current Usenet spam thresholds and guidelines" FAQ is available at
> http://www.uiuc.edu/ph/www/tskirvin/faqs/spam.html
>
>Please include the X-CosmoTraq header of this message in any correspondence
>specific to this spam.
>
>Sick-O-Spam, Spam-B-Gon!
>.
>
>------------------------------
>
>Date: 29 Apr 1999 12:38:02 GMT
>From: Cosmo Roadkill <cosmo.roadkill%bofh.int@rauug.mil.wi.us>
>Subject: cmsg cancel <7g9hplcje22026@hfc.pacific.net.hk>
>
>Article cancelled as EMP/ECP, exceeding a BI of 20.
>
> The "Current Usenet spam thresholds and guidelines" FAQ is available at
> http://www.uiuc.edu/ph/www/tskirvin/faqs/spam.html
>
>Please include the X-CosmoTraq header of this message in any correspondence
>specific to this spam.
>
>Sick-O-Spam, Spam-B-Gon!
>.
>
>------------------------------

>
>Date: 28 Apr 1999 17:15:35 GMT
>From: k6dpzhal@aol.com (K6DPZ HAL)
>Subject: Collins R-388 parts needed
>
> Trying to locate the front gearing assembly for Collins R-388 any
51-J
>series 2,3,4 will work. the gears are damaged the rest of the set
electrically
>is perfect just need the gear panel that is a field replacable item. that
>Collins hade available Signed Hal K6DPZ
>.
>
>------------------------------
>
>Date: 29 Apr 1999 11:46:09 GMT
>From: w2zr@aol.com (W2ZR)
>Subject: disregard previous msg abt tubes
>
>tnx, I've found it.
>.
>
>------------------------------
>
>Date: 29 Apr 1999 02:40:38 GMT
>From: rlucch2098@aol.com (RLucch2098)
>Subject: Ebay- Collins RE 75S-3B receiver/Filter
>
>Hi Guys;
>I put my Collins 75S-3B Round Emblem Receiver on EBAY.
>You might want to check it out some!
>Please, No Collins Price/Quality Police need respond!
>Heres the URL>>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96097150
>
>500 cycle filter also>>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96075248
>
>Thanks es 73....Rich WA2RQY (1961)
>WA2RQY's "confusion Radio" Web-Page
>Http://members.aol.com/rlucch2098/index.html
>RLUCCH2098@aol.com
>"Keep those heaters on"
>.
>
>------------------------------
>
>Date: 29 Apr 1999 03:50:55 GMT
>From: rlucch2098@aol.com (RLucch2098)
>Subject: Ebay- Nice Turner 454X mike w/pj-068 plug CHEEP!

>
>Hi Guys;
>I put on Ebay this real Nice Turner 454X Crystal Mike with PJ-068 plug.
>Its only at $15.50 with only 23 hours left to go!
>Heres the URL>>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=94757871
>Ciao for now!
>Regards......Rich WA2RQY
>Web-Page URL:
>http://members.aol.com/rlucch2098/index.html
>.
>
>------------------------------
>
>Date: Wed, 28 Apr 1999 08:00:56 -0700
>From: "R. Sherry" <RSherry@metricom.com>
>Subject: Eldico Ham Equipment
>
>WA4TDC wrote:
>>
>> Any Eldico users out there? Contact wa4tdc@aol.com
>I have an SSB-1000A
>Russ
>.
>
>------------------------------
>
>Date: Tue, 27 Apr 1999 09:46:46 -0500
>From: "Bis Wichy" <wichy@dallas.net>
>Subject: F.S. Swan
>
>Point of fact: All subjects and their property within the United Kingdom
are
>in effect Crown property of the ruling monarch.
>
>Which is why a few of us, just west of you, threw some rather high price
>tea into the harbor.
>
>Here in the USA, all my Swans (270B, 300, 350, and a 400) belong to me
and
>me alone.... However, should HRH care to operate them - she is most
>welcome - provided she has valid operators permit.
>
>GBTQ - WD0HCO
>
>
>.
>
>------------------------------
>

>Date: 27 Apr 1999 11:57:36 PDT
>From: "zenith #1" <peitsch@concentric.net>
>Subject: F.S. Swan
>
>Well put.......
>
>
>
>
>
>.
>
>------------------------------
>
>Date: Mon, 26 Apr 1999 17:02:40 GMT
>From: "G0GNF" <gnfrykman@aol.com>
>Subject: F.S. Swan
>
>All swans in the United Kingdom are Crown property and therefore cannot be
>traded as they are technically the property of HM The Queen.
>
>
>KE6HLW <ke6hlw@aol.com> wrote in message
>news:19990426124611.24088.00001580@ng-ca1.aol.com...
>> MUST SELL Bought New Radio
>>
>> FS SWAN 500C Includes: 117XC Power Supply/speaker;Cubic/Shure Mod. CM17L
>Mic;
>> Mod. 405X Crystal controlled oscillator; WM-3000 SWR/PEP reading
>wattmeter;
>> mod. FP-1 hybrid phone patch. All in very good to excellence condition.
>The
>> 500C has 8950 finals and comes with a spare set. Has just been
completely
>gone
>> through-complete re-alignement-receiver and transmitter (by ex Swan
>tech).This
>> is a very nice and complete Swan station. The 500C shows a little paint
>wear
>> around the Band switch and the "Tune;CW etc." switch. Ware on paint is
on
>the
>> lower cover, not on the front cover which is in excellence condition.
>Have all
>> manuals,execpt for the WM-3000. Also the mods to change back to the 6LQ6
>> finals.(12 back to 6 volt fills.) $350.00 O. B. O. U ship from 92104.
>Any
>> Questions? Please E mail to: KE6HLW@aol.com
>>
>

>
>.
>
>------------------------------
>
>Date: Thu, 29 Apr 1999 03:58:19 GMT
>From: mbmcf@erols.com (M Bruce McFarland)
>Subject: F.Y.I. - 500,000 tubes on Ebay
>
>Hi Folks,
>
>No, I'm not the seller. I was just amazed that anyone would have
>500,000 (YES 500,000) tubes in any one place. I guess he wants to
>sell off and retire. The price is good. I wonder how many truckloads
>that would be ? If you are curious, the Ebay# is 97006703.
>
>Now all I have to do is sell my house and all of my radios, and my car
>too ...
>
>
>
>Bruce McFarland
>Absolute Systems Inc.
>630 Churchmans Rd, Suite 3
>Newark, DE 19702
> 302-455-0700
>.
>
>------------------------------
>
>Date: Thu, 29 Apr 1999 07:21:39 -0500
>From: "Tom KA4RKT" <badger@telalink.net>
>Subject: F.Y.I. - 500,000 tubes on Ebay
>
>Will White <wcw@asu.uswest.net> wrote --
>> This guy appears to be serious about this offer, and thus completely
>insane.
>> What do you think he did, backed up a truck, lifted the AES building of
>its
>> foundation, and drove off with it all? Craziest thing *yet* on eBay. . .
>>
>> Seriously, why doesn't he offer the lot to AES? He'd have a shot at
>actually
>> selling it, and at a better price, I'd think
>
>Probably most of them are series-string 60's vintage TV tubes that no one
>buys?
>Notice the "no audio tubes". But who knows. I wonder about folks like this
>who
>put that type of thing up and are actually serious....

>
>Tom Norris KA4RKT
>
>
>
>.
>
>------------------------------
>
>Date: Thu, 29 Apr 1999 13:45:01 GMT
>From: temp@colo-dim.com (Bill, KD0HG)
>Subject: F.Y.I. - 500,000 tubes on Ebay
>
>Has anyone considered the pile may have been already offered to an outfit
like
>AES and it was turned down at the seller's desired price?
>I'd agree with the other posts here. I've seen batches of tubes in the 10
to
>100 K range and by and large they've all been cherry picked for tubes of
high
>value. The audio bottles like the 2A3s, 45, 50s all the way down to the
12AX7s
>and 6L6s likely have been sold and shipped to Hong Kong or Japan a long
time
>ago. Would you let tubes worth $10 to $200 or more each go in a batch that
>auctions for less than a dollar a bottle?
>I'm going to be curious what the pile goes for. I wouldn't pay more than a
>nickel a bottle for the whole batch with the assumption a few marketable
>communications tubes might be there. The rest are likely a pile of 18FY6s
or
>the like with zero value or use.
>
>-BK
>Denver
>.
>
>------------------------------
>
>Date: Thu, 29 Apr 1999 03:12:21 -0700
>From: Will White <wcw@asu.uswest.net>
>Subject: F.Y.I. - 500,000 tubes on Ebay
>
>This guy appears to be serious about this offer, and thus completely
insane.
>What do you think he did, backed up a truck, lifted the AES building of its
>foundation, and drove off with it all? Craziest thing *yet* on eBay. . .
>
>Seriously, why doesn't he offer the lot to AES? He'd have a shot at
actually
>selling it, and at a better price, I'd think

>
>M Bruce McFarland wrote:
>>
>> Hi Folks,
>>
>> No, I'm not the seller. I was just amazed that anyone would hav

1526. FA Variac

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <372927C9.586D@sympatico.ca>
Source record: 85206
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Need a variac?

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97911549>

1527. FS 3 rolls 1/2"x36yrds 3M double sticky tape $10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: jeepguy@bellsouth.net
Message-ID: <372c28db.7337827@news.atl.bellsouth.net>
Source record: 85207

FS 3 Rolls of 1/2" x 36 yrds of 3M double sticky foam tape.
$10 plus $5 priority mail.
http://personal.atl.bellsouth.net/atl/j/e/jeepguy/tape.JPG for picture
Tom KE4JKO

1528. FS Gonst GSB-101 # 3262 $150.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7gbbeemuv1@fir.prod.itd.earthlink.net>
Source record: 85208

I have a very nice looking Gonset GSB-101 model number 3262 amplifier. Cosmetically it looks great. I have turned it on and everything lights up, but untested. $150.00 pick up only, I live 2 miles from Los Angeles International Airport.

Thank You LEO KJ6HI Ph/Fax (310) 670-6969

1529. Re: KNOW code versus NO code (Was: No Coders Get Started Now)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Markj <markj@got.net>
Message-ID: <37295790.3CAD2B2A@got.net>
Source record: 85209
Cross-posted to: rec.radio.amateur.policy,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

W6RCecilA wrote:

> Dave Heil wrote:
> > The batter swings and misses. Yer out!
>
> How about simply explaining how a person can generate International
> Morse Code without any commercial spark-gap equipment. The argument
> was about this statement: "... the generation of a signal in times
> of dire circumstances requires no more than creating an arc and some
> type of antenna system." Nobody has convinced me that a copyable
> signal can be generated by shorting out a storage battery.
> --
> 73, Cecil, W6RCA http://www.bigfoot.com/~w6rca

Sorry...I just did it.
I took a car battery and hooked the +lead to the antenna.....
I then held the antenna in one hand and my code chart in the other....
My sister DID hear my screams and smelled my burning tounge...
She called my mom....
Mom called the police.

The doctor says I will be able to speak in about a month.

But seee...It worked...I got help.

1530. Wanted: Contact Info for San Diego Tube Bank

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: tube999@aol.com
Message-ID: <19990430041124.16672.00000371@ng-cj1.aol.com>
Source record: 85210

HI Hams
I don't usually browse this group so please reply by email. I need contact info on the San Diego Tube Bank. I may a large donation to make.
Thanks
David L Stewart

1531. FS: 811-A’s and 807’s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990430044530.14220.00000451@ng-ft1.aol.com>
Source record: 85211

I am selling a pair (2) type 811-A tubes. Both are RCA, in original boxes. One is date code 58-30, the other is date code 61-17. I am CERTAIN that the 61-17 is NOS, however the 58-30 has two small nicks on the base, so I canï¿½t say for certain that it is NOS. I WILL say that it looks ï¿½like newï¿½. I bought both of these from the same retail source, at the same time, and both test fine (tested within the past week). I have not PERSONALLY used these tubes...I purchased them for my repair parts stock. Theyï¿½ve been sitting around my shop for years, and itï¿½s time to find them a home somewhere.

$50 for the pair of 811-Aï¿½s
========

I am also selling an assortment of five (5) 807 type tubes. All have been tested recently, and they all test strong. All are NOS, in original boxes (5933 in original white box).

2 - 807 - RCA - brown base, date code 5-43
2 - GL807 - GE - brown base, date code 57-04
1 - CHS-5933/807W - Sylvania - brown base

$40 all for the 807ï¿½s
========

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

1532. Wanted: Good circuit for single 3-1000Z Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: "David W. Fleming" <davefleming@novagate.com>
Message-ID: <7gc4rd$oh6$0@205.138.138.3>
Source record: 85212

Wanted: Good circuit for single 3-1000Z Amplifier
Looking for ideas from other hams who have experienced the joy of constructing their own 160 - 10 meter 3-1000Z amplifer.
I have an old Plasma Therm RF generator and matching DC supply in excellent health, and would love to apply some ideas to it. Unit will be mounted in 15 Bay rack cabinet with castors.
Send your comments to: davefleming@novagate.com
Thanks, and 73
NS8S

1533. RS-6 Long post on origins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <37299961.A82@roanoke.infi.net>
Source record: 85213

The following is by Dennis Starks and was posted to the Military
colectors group this morning:

MILITARY COLLECTOR GROUP POST, Apr.30/99
Index:
MYSTERY RADIO; The RS-6, Part I, by Dennis Starks
MEMBERS WRITE;
Unimog,
URC-101,-110?
HUMOR;
****
MYSTERY RADIO; The RS-6, Part I, by Dennis Starks

I have for some time put off writing anything about the RS-6 due
to the great deal of controversy that has been associated with it. There
have been numerous heated debates going on about this radio set, it's
origins, and actual users, for many years. I'm sure too, that this
article will stir up a few more. But after years of intense research by
myself and others, these are the facts! I didn't even beleive them all
myself at first, but this evidence has been gained from many independant
sourse, and when combined leaves us with very little room for further
speculation. Here they are, be they as as they may.

Fact #1, The RS-6 was originally designed by, and intended for, the CIA.
With possible close support from SAC.
Fact #2, Completed sets had been introduce at least by late 1950 and a
finished product available by the end of 1951 at the latest.
Fact #3, The CIA had very little use for the RS-6 after it's completion
for various reasons. Though it would see service in their hands in a
limited capacity.
Fact #4, Shortly, immediately after, or at the same time, the RS-6
became
available to agents of the CIA, it was adopted by the Strategic Air
Command(SAC) for use in long range strategic bombers and their support
craft, as a long range survival radio. Like it or not, it is they who
would make the most extensive use of the RS-6. Not the CIA, and not any
other group.
Fact #5, Various Army Special Forces organizations would eventually have
at least a passing interest in the set, and would have in their
possession a fair sized quantity, that would later be sold via surplus
channels.
Fact #6, the RS-6 is not at all a "very rare" radio set, nor is it
immensely valuable, nor should it ever be referred to simply as a "Spy
Radio". The later does it, and history a grave injustice!

A brief description of the RS-6 is in order: This is a four piece miniature HF/CW set composed of a receiver, transmitter, and two power supplies that would allow it's operation from a very wide variety of AC, or DC power sources to include AC mains, batteries, hand-crank, or even gas powered generators. The basic set operated over the frequency range of 3-16.5mc with an RF power output of 10-15 watts.

Fact #1, The CIA Connection:
After the advent of the RS-1, who's history has been covered via this forum in great detail, there came a need to fill a niche in CIA inventory to replace the antiquated radio sets of WW-II/OSS origin which were still in widespread use. This for a miniature, ultra light weight radio station that could be easily smuggled through the front door of an ever-on-guard host country. A role that the current, very robust RS-1 was
sorrily unsuited to as it had been designed more with the insurgent, guerrilla, or para-military force in mind. With it, it was impossible to walk into a host county in the usual manner with it contained in a brief case, or diplomatic pouch. Inter the RS-6. This is the obvious reasoning for the development and production of the RS-6, but was there another, an
even more sly reason? We will investigate this possibility shortly.

In Documenting the origins of the RS-6, and dating it's first appearance, we've combined the physical evidence gained from surviving examples with the very limited information from printed materials, and eye witness accounts. Knowing the well documented history of the RS-1, the following comparison between it, and the RS-6 have been made by Pete McCollum, who'm even more so than myself, has expended a great deal of time(years) to every facet of their history. Though we have seldom agreed
on his findings and hardly ever on his conclusions, these are facts none the less.

Besides the obvious CIA designation of RS(Radio Station) here are some the design similarities between the RS-1 and RS-6:
The AC power cords/plugs are an interesting design, and are identical on both sets. Obviously the same design specification was used, and probably the same contractor.
Both power supplies feature a switch for selecting the AC input voltage, and a method for determining the correct setting (meter and neon lamp). There are several voltage selections, not just 115/230 volt settings.
Both receivers use a constantly-running BFO oscillator, which is rectified by a diode to provide grid bias. When the BFO is "off", the oscillator is running at a higher frequency, to make the beat note inaudible.
Both receivers control the gain via a pot and the negative bias from the BFO, to control the RF and IF gain - there is no gain control on the audio stage.
Both transmitters have one oscillator tube driving a 2E26. The designs of the two transmitters are extremely similar.

Both transmitters use two neon lamps for tuning, plus a #47 bulb as an antenna current indicator.

Fact #2, The Earliest Possible Date of Introduction:
The tubes used in the RS-6 were introduced 3/16/50 for the 5899 and, 8/16/48 for the 5718. We can easily assume that then, just as now, the CIA R & D teem working on the RS-6 would have used State-of-the-Art technology in the design of their brainchild. Given the trouble brewing in Korea at the time, we can also assume some felt ergency on their part.
The only official, dated, printed material that has survived is an addenda for the radio's manual, printed by SAC, and dated May 1953(the
RS-6's original manual is not dated, nor is there the slightest indication of it's origin). By this time apparently 2614 sets had been produced out of a possible 10,000 or more.
Given the time it would take to produce and field 2614 sets, the additional time it would take for design flaws to surface, and the time it would again take to recognize these flaws and produce a manual addenda. We can easily push this May 1953 starting date back to a very possible date of late 1950 for at least the introduction of the first completed prototypes. I stress the words "at least". So we can easily settle on a safe date of late 1951 for introduction of the RS-6 as a standard type radio set.

Fact #3, CIA/RS-6 Contempt:
From the beginning, the RS-6 had been designed with one thing in mind, maximum miniaturization. In reducing the size and weight of this set to their absolute minimum, the designers had produced a radio that for all practical purpose was desposable. Even if in compitant hands, the
RS-6 could not be serviced in the field. It's internal components were jamp-packed, and it's tubes, with their high likelyhood of failure, were soldered-in. This making replacement of any part, even under optimum conditions, difficult at best.
Combine this with the fact that the tubes used in the RS-6 were state-of-the-art, very specialized with limited applications, and not generally available. Not even after twenty years would they be a common item easy to obtained by even the best connected service facility.
For an agent to risk detection, and his life, smuggling a radio of such dubious, and limited life expectancy would not have been job to look forward to. So it can be readily seen, the RS-6 had a very specialized purpose. One of the most short term and dangerous type, with an item of equipment that might, or might not work, and if it didn't, nothing could be done about it.
Not to say that the CIA did not use the set, as eye witness testimony from more than one ex-CIA source has been given that at least suggest a familiarity with it. But it had a very specialized purpose, one
that mandated it's use in their hands in only the most dire of cases.

Fact #4, The SAC Connection:
For the reader to fully understand the combination CIA, and Strategic Air Command(SAC) connection, some history is in order. By late 1942 a fledgling OSS was struggling to prove it's worth to it's contemporaries, and gain a foothold in the various theaters of the war. In Europe, the British Secret Services who had nurtured the OSS in the beginning, now resented them sticking their noses into what had been their exclusive domain. Military Intelligence and the military hierarchy in general resented the presents of a basically civilian organization imposed on them by the president. The later to the point that the OSS would never gain even the slightest of a foothold in the Pacific theater where U.S. Naval Intelligence was the dominating agency. And only limited
influence in China would be gained, and then only by the guise that will be outlined, and by the unwilling appointment of very hostile Naval Intelligence Captain to the post of OSS Theater Chief. The utmost tact was required between the OSS and all it's rivals to obtain even the slightest of consideration when attempting to set up shop in an environment hostile to them both by the enemy and allies alike.
A common interest was needed to which they could not be denied a chance to help. One that was universal in concern, and importance to all those involved, and that would result in extreme embarrassment to any who
would object. This excuse for their participation was found, and it was universally used to gain an initial OSS foothold in every theater of WW-II in which they were involved. That of downed airman, and their rescue. Under this guise, the OSS would insist on being allowed access to
an area of influence and that their main purpose was to set up rescue, and escape routes with support from the indigenous people for downed Allied air-crewman. This they did to great effect, and much more!
This same tradition that began in WW-II by the OSS would later be
used by the CIA in Korea where General McCarther barely tolerated their existence. Attempts by the CIA to set up rescue teems, and escape routes for downed aircrew in North Korea were for the most part fruitless, but they did try. It would again be used at least in small part as an excuse for some operations later in both North and South Vietnam. So it can be easily seen that out of necessity and mutual benefit a tradition of cooperation might form, and with that a system for operations developed, between the U.S.Secret Services and what would become the Strategic Air Command. With this cooperation in tactics would be needed a set of compatible tools. Again, inter the RS-6.
Now that the purpose is understood, and how it came to be, the reason need be told. In the early years of the Cold War, long range strategic bombers lacked the range needed to fly to a distant country, hit it's target, then return home. This was known to both planers and aircrew alike. So a tactic was adopted that was first pioneered in WW-II by Dolittle in his early raids on the main Island of Japan. The B-24's used were fairied within range of Japan aboard Naval Aircraft Carriers. They would then in a very half-assed way, take off of these carriers and

head for Japan knowing all along that they could neither return to, nor land on the carrier that had delivered them. Nor did they have enough fuel to fly their mission then return to an Allied base. So they would fly on to mainland China where they would ditch their planes and seek rescue by friendly partisans. Inter the OSS! What a plan, but it worked, several times!
The postwar years and early strategic bombers were little different. Only minor increases in an aircraft's range were had after the advent of the B-29. But the distances both to a target country, and then on to a friendly one were greatly increased. And there was still no chance of hitting a target in say, Russia, with sufficient fuel to return home(given there was any home left to return to).
So Dolittle's tactic of WW-II was only slightly modified. A bomber would be assigned two targets, a primary, and secondary. After dropping it's load on one or the other, it would head for the closest, hopefully friendly territory at the highest possible speed. As it's fuel ran out, the aircraft would be ditched whether or not it had reached a safe area. A long range HF radio set would then be set up, every crew member had been trained in it's use, and a call for help sent out. As the CIA would probably not have any escape personnel in place, this call would be directed towards SAC though most likely would be relayed through a listening post manned by either Military Intelligence or the CIA. A specially outfitted C-47 transport plane(C-47S) that was basically no more than a flying fuel tank would then be dispatched to rescue the downed aircrew. In later years these C-47's would be outfitted with JATO packs to allow them to take off from very short un-improved runways. As outlandish as this all sounds, it is absolute fact and is supported by numerous personal accounts from aircrewman, pilots, survival and radio instructors, and industry. The long range radio was the RS-6, there can be no doubt! It was strapped to the underside of ejection seats in some craft, or stored in a survival sled affixed to the roof of the bomb bay in others.
There was only one flaw in this plan, one fully unknown to the aircrew in training. The C-47S had almost no room aboard them after the installation of their special fuel tanks. They could actually do little more than deliver supplies that would enable a crew to hold out, or effect further evasion of a hostile host. Among the other standard survival products issued to crewman before their departure was their "Blood Chits", a slip of paper that would introduce them to any native persons on the ground, and promised outlandish rewards for their safe return. They were issued gold coins for the purpose of barter, or bribery. The list of other ingenious devises is a lengthy one.
Given the instantaneous adoption of the RS-6 by SAC, and the long standing tradition of cooperation between strategic bombers and the OSS/CIA

We can even surmise that SAC might have been in on the development of the
RS-6 from the very beginning, and that this might well have been a joint SAC/CIA venture from the start. This is of course speculation, but there is some circumstantial evidence to support it.

Dennis Starks; Collector/Historian
Midwest Military Communications Museum
email: military-radio-guy@juno.com

1534. NEEDED - Parts for LTV G133F reciever

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <cfhW2.1291$5A1.398@news2.atl>
Source record: 85214
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur,rec.radio.amateur.swap

Need a couple items for this receiver - need an AF GAIN knob (the knob with the red insert) and need top and bottom covers.

Thanks in advace for any help.

Tom Norris KA4RKT
badger@telalink.net

(for those wrting to ask "what is a G133F??" is a modified Collins 51S1 for aircraft signals intercept use. Nifty radio, a "51S1 in a box" with a matte black backlit front and case that fints into no known type of rack mount.)

1535. wtb: Hallicrafter PS-2000 Transformer /parts unit

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Dan Vaught` <afarmer@roanoke.infi.net>
Message-ID: <3729A954.38A0B30B@roanoke.infi.net>
Source record: 85215
Cross-posted to: rec.radio.swap,rec.radio.amateur.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have need of a good power supply transformer for the Hallicrafters PS-2000
(for the SR-2000 Xcvr). If transformer good, will naturally consider
buying parts unit. If you have either, pls advise details/price/general
location/etc. Naturally, a direct/better substitute with
documentation/specs can be considered.
Thanks
dan

1536. National reflector?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7gccchiic1@birch.prod.itd.earthlink.net>
Source record: 85216

Anyone have the address of the National Radio mail reflector? Thanks

--
Floyd Sense in Angier, NC

1537. Help _ Kenwood TS-600 Sensitivity

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: ve6inm@telusplanet.net
Message-ID: <7gchabsjb1@nnrp1.dejanews.com>
Source record: 85217

First, I hope I'm not plugging up the wrong news group. Now here is my problem. I have an old TS-600 6mx all-mode that was not very well cared for. I have managed to repair enough of the radio to get it operating again - albeit not up to snuff. TX is fine for now, but the SSB-RX is way down in the mud. I replaced the 3SK41(M) MOSFET in the front end, as it was gone, and also got the 'S- meter' circuit to produce a reading. I had to use an NTE sub for the RF amp as I couldn't find an original. I went through the entire alignment procedure and now have some noise coming out and can see a signal on the meter. But try as I might, the levels are still way low. I still suspect the front end rather than IF but can't pinpoint a specific cause. Last nite I injected a low level signal (10uV) at the antenna and used the scope to 'see' what was hitting G2 of the MOSFET - about 8uV. But the drain on the MOSFET is only about 4uV, as the scope probe seems to load the whole thing down, including the level on G2 (also the S- meter drops from S7 to S3). Is it possible that the NTE222 substitute has different coupling in and out? The original is 10pf into G2 and the AGC fed to G1. That also brings up a question - can I disconnect the AGC voltage and allow the RF amp to run 'wide open' without damaging the first MOSFET or the 2nd & 3rd ones? Could the second or third RF amps (if bad) load down the preceding stages to this point of degradation? What about a bad RF transformer? There are tuned inputs to each of the three RF amps, although they do tune up as per the service manual.

The radio uses single conversion for SSB with an IF of 10.7mHz and LO is running fine, VFO is putting out good and the receiver actually works fine.... but in order to pin the S-meter, I gotta put some pretty heavy signal into it. Maybe I be checking levels going from audio backwards to the RF input, or should I be injecting at the antenna and moving toward the audio stage as i have been up to now.

Any and all help will be gratefully accepted - I'm not a real techno-whizzy guy, but do have a 20meg dual trace scope, 500meg counter, old Eico 324 sig gen, and the normal assortment of VOM's etc, to do the troubleshooting with. Thank you.
73 de VE6INM (Glenn)

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1538. Re: National reflector?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <3729BD9C.5212@ix.netcom.com>
Source record: 85218

Floyd Sense wrote:
>
> Anyone have the address of the National Radio mail reflector? Thanks
>
> --
> Floyd Sense in Angier, NC

Morning Floyd -- there is one at MAILING LISTS QTH.NET -- see URL:
http://www.qth.net/

For National Radio Boatanchor pages -- see URL:
http://www.ac6v.com/pagex.html#BA

Several to browse over.

Many more mail lists and reflectors at URL:
http://www.ac6v.com/pageae.html
--
73 From Rod In San Diego

AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 350,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

1539. wtb:hro 50rs & 50c

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990430103146.06309.00000348@ng-fk1.aol.com>
Source record: 85219

Looking for the HRO rack mounted speaker (50rs)
and the rack mounted coil storage unit (50c).
Both have a black crakle finnish.
Jim w9ud
pse e-mail direct

1540. Wanted: Tek 422/453/454/491 adaptor for C30/C31 cameras

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: dhcook@rev.net
Message-ID: <3729c128.79455187@news.rev.net>
Source record: 85220

I'm soon to be the proud owner of a Tek C30-B scope camera, but it is missing the mounting adaptor that fastens to the bezel of my Tek 453 scope. If any of you have a Tek 422, 453 or 454 scope or a 491 spectrum analyzer with a funny blue thing clamped to the bezel that's what I'd like to buy. The C30 and C31 series cameras used the same adaptor, and they weren't offered for other Tek cameras, so if you have an adaptor for one of those models it will fit my camera.

- Dale
C.E., WDRL-TV, Roanoke/Lynchburg VA

1541. For Sale!-NOS 6KD6 Sweep Tubes.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <925484798.308.17@news.remarQ.com>
Source record: 85221
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

<Four (4) pieces left! NOS/NIB>
Three (3) International ServiceMasters and One (1) GE.
The International ServiceMasters are the Green-Banded type, two of Korean and one of Japanese manufacture (Yaesu guys will know that these are the best for Vintage Yaesu) and the GE is of US manufacture. $60 for all four (4) shipped to U.S. address.

Steve

odin@webspan.net

1542. trade: Hw-101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: itzack@hotmail.com
Message-ID: <7gcmqn$1mj$1@nnrp1.dejanews.com>
Source record: 85222

I have a hw-101 with bad finals. All else is well with the radio. It has a hs-1661 speaker and the ps. I would like to trade for an hw-16 with vfo.
John
Kc4npd

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1543. Needed: a few tube shields

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7gcjta$6ru$1@ash.prod.itd.earthlink.net>
Source record: 85223

Years ago, when I thought I'd sold my last tube gear, I got rid of all the spare junk like tube shields, etc. So now, I have a new (old) receiver that's missing a few and hope that someone might have some spares lying around. Here's what I need:

Quantity (2) - for 7 pin short tube, like 6BE6
Quantity (1) - for 9 pin tall tube, like 12BY7

These are the type of shield with the spring in the top, and you push down and twist to secure in place.

K8AC
Floyd Sense in Angier, NC

1544. Re: Needed: a few tube shields

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: troglodite@aol.com
Message-ID: <19990430133130.26180.00000505@ng-fs1.aol.com>
Source record: 85224

>
>Quantity (2) - for 7 pin short tube, like 6BE6
>Quantity (1) - for 9 pin tall tube, like 12BY7
>
>These are the type of shield with the spring in the top, and you push down
>and twist to secure in place.

Floyd,

I've got a couple of the 7 pin variety, can't help you on the other. Send me an address and they're yours. A genuine freebie.

Doug Moore

1545. Re: Selling Tubes to AES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7gcq65$l851@eccws1.dearborn.ford.com>
Source record: 85225

In article <372925FF.87733718@earthlink.net>, mattradi@earthlink.net says...

>Just sell them to the guys on this reflector . I myself have had several
>problems with them . I know that things have change since they have
>changed hands several years ago they are more expensive and the parts
>are damage when I get them and there response it to bad. Just my 2 cents
>worth. I try not to deal with them unless i have to and that is not very
>offen.

Excuse me for butting into the conversation here, but is "AES" in this context referring to Antique Electronic Supply in Tempe, AZ?

Just wanted to make sure I knew which vendor you guys were referring to. I thought that there was also an "Amateur Electronic Supply" that also gets referred to as AES. I know that AES in Tempe buys tubes, though.

One disturbing trend that I've seen happen at Antique is that they are slowly moving their focus away from the more traditional customers they have supported in the past, and are devoting more and more resources to tube guitar/audio amplifiers. And there has never been any effort to contain costs in the musical instrument business. Obviously they see more $$$ potential here.

As far as prices go in general, the worst that I've ever seen are from Surplus Sales Of Nebraska...

C.K.

1546. FS Lafayette 6/mtr AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990430135228.18217.00000469@ng08.aol.com>
Source record: 85226

Model HE-45B with manual and power cord, no mic. $75 plus shipping.

1547. Re: Selling Tubes to AES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3729F422.CD51C231@asu.uswest.net>
Source record: 85227

Well, I must be among the luckiest of boatanchor/glowbug hams living, because AES is precisely 6/10 of a mile from my front door. Awfully convenient. I have noticed that Electron Tube Enterprises in Vermont has better prices on a lot of tubes (ex: 6JB6A @ $19, versus $24 through AES), and low shipping charges. How have others found ETE service, price, and quality compared to AES?

Matt Parkinson wrote:
>
> Just sell them to the guys on this reflector . I mysekf have had several
> problems with them . I know that things have change since they have
> changed hands several years ago they are more expensive and the parts
> are damage when I get them and there response it to bad
> . Just my 2 cents worth . I try not to deal with them unless i have to
> and that is not very offen .
> Matt Parkinson KE6UOS

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1548. FA Collins only 10 hours left!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990430142647.07671.00000493@ng-fe1.aol.com>
Source record: 85228

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=95173751

1549. Globe King 500 FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990430142847.07671.00000494@ng-fe1.aol.com>
Source record: 85229

Globe king 500, all documentation with RF deck, modulator, VFO in clean, clean, rack mount. Works great!

Hagerstown Md. this Sunday. $800 firm.

Brian

1550. WT:TRADE SCANNER FOR???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Steven KB9HGI <kb9hgi@qsl.net>
Message-ID: <3729B88F.89921188@qsl.net>
Source record: 85230

Hello,
I have a Scantastic sheet fed computer scanner. Includes 16 bit ISA card cd-rom with the drivers and all the software for scanning and editing pictures or what ever.
I would like to trade this for a TNC, MC50 MIC or ????? Email me with what you have to offer. Thanks!

Steve KB9HGI
-=Quincy,IL=-
pacman@bcl.net

1551. FT Greenlee Punches

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <372A1DF5.E115CFFC@erols.com>
Source record: 85231

I have several fine condition Greenlee's that I'd like to trade for the ones I'm missing. Most have been in my rollaround for a while, but never been used.

I need the following:
BNC panel jack "D" punch
Fuse Holder "D" punch

Could use the following:
11/16"
15/16"
1 3/8"

I have the following excess:

1/2" 5 each
7/8" 3 each
1" 1 each
1 1/4" 2 each
2 1/4" 1 each (used but A+ condition)

1552. FS: Drake noiseblankers !

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Sindre Torp <sindtorp@online.no>
Message-ID: <dfpW2.576$_57.2480@news1.online.no>
Source record: 85232

Hello!

I have for sale three different Drake noiseblankers:

4-NB for R-4C receiver
34-PNB for TR-4C series transceivers
NB-5 for TR-5 transceiver (NB-5 is new in box!)

Price is US $115 each, INCLUDED air mail postage to anywhere in the world.

73,
Sindre, LA6OP
sindtorp@online.no

1553. F.S. National NC57 parts...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990430173037.27965.00000088@ng-cg1.aol.com>
Source record: 85233

Hi All,
I have some more National NC57 parts for sale. I even have the bottom cover for one, if anyone needs it. Please email me directly with your needs.
rgds,
Mark S.

1554. Re: Selling Tubes to AES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Andy Williams <andywilliams@pobox.not>
Message-ID: <3004199916332306 34%andywilliams@pobox.not>
Source record: 85234

In article <3729F422.CD51C231@asu.uswest.net>, Will White
<wcw@asu.uswest.net> wrote:

> Well, I must be among the luckiest of boatanchor/glowbug hams living, because
> AES is precisely 6/10 of a mile from my front door. Awfully convenient. I have
> noticed that Electron Tube Enterprises in Vermont has better prices on a lot
> of tubes (ex: 6JB6A @ $19, versus $24 through AES), and low shipping charges.
> How have others found ETE service, price, and quality compared to AES?

ETE is the first place I call when I need a tube. AES is the last.

Andy

1555. Old Radio CATALOGS F.S.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372A26CF.A776FA38@ameritech.net>
Source record: 85235
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Have some old radio catalogs for sale. All are in generally good to very good condition. E-mail for any questions. Buyer pays Priority mail. Cashiers check or U.S. Postal Money Order for immediate shipment or personal check OK, but ships when it clears.

1955 Lafayette catalog $10.00

1968 Lafayette catalog $9.00

1950 Walter Ashe Ham catalog $10.00

1951 Newark Electronics catalog $7.00

1946 Allied catalog $12.00

1966 Allied catalog $8.00

1932 Wholesale Radio Service catalog -6th St, New York. Has radios, refrigerators, cameras, all kinds of radio and electrical parts. The state of the art for 1932! Complete, good condx, but cover is taped on. $20.00

Thanks for your interest,
73/Carter/K8VT

1556. Old ARRL Handbooks F.S.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372A28AB.97A62F70@ameritech.net>
Source record: 85236
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Have some old ARRL Amateur Radio Handbooks for sale. All are in
generally good to very
good condition (except as noted). E-mail for any questions. Buyer pays
Priority mail.
Cashiers check or U.S. Postal Money Order for immediate shipment or
personal check OK, but ships when it clears.

1944 (no cover) $5.00

1963 $12.00

1967 $12.00

1968 $12.00

1970 $9.00

1973 $9.00

Thanks for your interest,
73/Carter/K8VT

1557. Old TUBE MANUALS F.S. (various mfrs)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372A2AFF.7F05F52C@ameritech.net>
Source record: 85237
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Have some old tube manuals for sale. All are in generally good to very good condition. E-mail for any questions. Buyer pays Priority mail. Cashiers check or U.S. Postal Money Order for immediate shipment or personal check OK, but ships when it clears.

1940 RCA Tube Manual $10.00

1940/42 RCA Tube Manual $10.00

1954 RCA Tube Manual $10.00

50s(?) GE Tube Manual $10.00

(?) GE 2N107 Transistor Circuits for Experimenters and Amateurs $5.00

1950 Tung Sol Tube Manual $10.00

1937 Sylvania Tube Manual $12.00

1940/41 Sylvania Tube Manual $12.00

1946 Sylvania Tube Manual $12.00

Thanks for your interest,
73/Carter/K8VT

1558. Pre-Dayton Clearance

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-04-30 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7gddq0lra1@nnrp1.dejanews.com>
Source record: 85238
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipmen

IC-735, nice shape, works FB, late SN (36XXX), original box, mike, DC cord, original manual. $450 shipped CONUS

IC-765, great shape, 9.5 out of 10 cosmetically, factory stock, no mods, late SN (35XX), original box, original shipping box, AC cord, original manual, works just like it should. Have another one that is heavily modded for CW contesting, the main rig here, not as pretty as this one. Bought this from original owner about 6 months ago. $1125 shipped CONUS

Heathkit HX20, nice shape, works fine, knobs shiny chrome, front panel excellent, about a 8.5 out of 10 otherwise. With original manual and homebrew Comdel speech processor. $115 shipped CONUS

Small Wonder Labs GM-10 10 meter CW xcvr, unopened kit. No longer offered by SWL, great design. $85 shipped CONUS

INRAD SSB filter pair for the IC751A - INRAD 110 and INRAD 314, 2.1 kHz filters, like new, will work in the 765, etc. $150 shipped CONUS

Alan, N3BJ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1559. WTB: Homebrew tube TX and RX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7ges5f$p0q$1@nnrp1.dejanews.com>
Source record: 85139

Looking for an old project that may be sitting in your attic from years past. Especially interested in projects out of the magazines in years past for low power tube transmitters (xtal or VFO), receivers (superhet or regenerative FB) or ideally a tranceiver employing these technologies. Completed, not completed, working, non-working OK. Trying to help a older, local fellow's wish to put some rigs from this era on the air to keep him busy. Ran this ad before and did have some responses, 6L6 TX on the way and a Drake 2B project radio received, but would really like a two stage xtal/VFO controlled TX and regenerative RX to work on. Will pay shipping and whatever additional value we can agree on....

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1560. Amp Supply LK-500ZA $800 shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <372b353f@news1.us.ibm.net>
Source record: 85140
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Peter Dahl plate xmfr. 160 - 10 meters with a like new pair of Eiamc 3-500Zs. New transmitting type doorknobs in the tank for 160 meters. Full output. 13 to 1500 out with 80 watts of drive. New, precision, high voltage, plate current, and grid current meter multiplier resistors. 1n5408 3 amp 1 kv diodes in the bridge rectifier circuit. A true workhorse of an amp. Tuned input. Not QSK. Vernier tune and load controls. Amp and tubes will be shipped seperately and double boxed. UPS only on shipment. $800 includes shipping stateside. No personal checks.

73s

Lane Zeitler
Ku7i
San Diego 92139

1561. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <372B36BB.6B6F0D2A@jorsm.com>
Source record: 85141
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00
6146W 18.00 6LR6 25.00 6JG6 25.00 6KG6 15.00 8950 75.00
6AZ8 5.00 6LB6 20.00 6ME6 25.00 6DJ8
5.00 12BY7A 7.00 24LQ6 15.00 5753 7.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information or

Email me at n9tew@jorsm.com

1562. F.S.Hammarulund SP-600 JX-6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Robert DAmato <aa7lg@uswest.net>
Message-ID: <372B272E.42B20D48@uswest.net>
Source record: 85142

Hammarlund SP-600 JX-6 in original cabinet. Radio has been overhauled, new caps, alignment etc. Excellent condition elec & mech. $500 plus shipping. e-mail for details. Bob AA7LG
aa7lg@uswest.net

1563. Spy sets FT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <errBRLAI#GA.354@nih2naad.prod2.compuserve.com>
Source record: 85143

I have for trade:

Mk 123 spy set, complete

Mk 119 spy set tx unit

all working fine.

wanted: similar military items
hf (no vhf stuff), small, working.

Ben

106312.1035@compuserve.com

1564. WHAT IS THIS TUBE? 7199 AND THE USE TNX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990501153111.21099.00000808@ng17.aol.com>
Source record: 85144

hi i have 2 NOS RCA 7199 and want to know what they are used in or the applacation tnx del k9fcm

1565. 6JS6C Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: mike <mikeandjoy@i-link-2.net>
Message-ID: <372B5C54.B8DAF53C@i-link-2.net>
Source record: 85145

I am retubing My Yaesu FT-101 Radios, is it ok to use tubes of different
Brands ?
Like a GE and a Sylvania tube as Finals ?
How close do they need to match?
How critical is the voltage test ?
Inquiring Minds want to know !!
Thanks,
Mike

1566. Re: WHAT IS THIS TUBE? 7199 AND THE USE TNX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <372b5d79@news1.us.ibm.net>
Source record: 85146

All:
Just about at the end of the tube era, RCA came out with some sets of tubes for specific purposes. I don't have the full information at hand, but each was supposedly optimized for a specific application, i. e. minimum THD for an audio application, best noise figure for an RF front end, etc. The 7199 was the amplifier/phase splitter which was part of the hi fi amplifier set. The output was a pair of 6973s in the 10 watt version, etc. Many of these tubes showed up in the example circuits in the back of the RCA Receiving Tube Manuals.
--
Crazy George

1567. FS: E810F/7788

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <372b5e18.10923154@news1.telia.com>
Source record: 85147
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Hi,

E810F Siemens and some Mullard for sale. All NOS and NIB. The Siemens
are even in sealed boxes. Also E80CC, E80F, E83F, E182CC, E180F/6688,
E280F and E282F in stock. Also Telefunken EF 804 NOS, NIB.
Please e-mail me or visit my homepage for details.

Best regards,

Arnold Goksoyr

DEMOSTENES A. Goksoyr
N5850 Balestrand
NORWAY
Phone +47 5769 1340
Fax +47 5769 1267
e-mail arnoldg@sf.telia.no

More than 1800 different valves in stock. Plus: sockets,
transformers, caps, resistors and books about valves and
valve equipment. Many rare European valve types.
You will find it at my homepage: http://demostenes.vestdata.no

1568. FS: SAMS PHOTOFACTS near DAYTON,OHIO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7gfmun$2d6$1@holly.prod.itd.earthlink.net>
Source record: 85148
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: LARGE CACHE of Sam's Photofacts (from Estate)

Folders 1 - 430 (Antique radios, antique TV's, boatanchors, shortwave etc..)

If stacked up, would measure about 11' high! Guestimated weight about 250 lbs.!

All in excellent shape ! Not yellowed or dry rotted.

Will accept Highest Reasonable Offer.

NOTE:
MUST BE PICKED UP ONLY! I'm located near DAYTON, OHIO.

Thank You,

-ERIC

1569. FS: SX-42 HALLICRAFTERS RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7gfn24$2i1$1@holly.prod.itd.earthlink.net>
Source record: 85149
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: HALLICRAFTERS SX-42.

Good condition and all intact. Bezels, knobs, cabinet, chassis all in good shape. Tuning gear works great! All switches and knobs function good too.

Extra faceplate included. Original one was modified by previous owner. Could use aligned and some tubes replaced, but still receives OK.

$ 300 or Best Offer.

PREFER PICK UP (located near DAYTON, OHIO.)

Will hold for you if your coming to Dayton Hamfest.
Can deliver to DAYTON HAMFEST

Thank you,

-ERIC

1570. Re: WHAT IS THIS TUBE? 7199 AND THE USE TNX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <372B5EC0.DFF0C24@wenet.net>
Source record: 85150

Hi,
7199 is triode and pentode in one envelope like 6U8 used in ST-70 Dynaco stereo amplifier. It is getting quite expensive.
de K6hm

Fuse19 wrote:

> hi i have 2 NOS RCA 7199 and want to know what they are used in or the
> applacation tnx del k9fcm

1571. WANT: Icom 751-A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <372b611f@news1.us.ibm.net>
Source record: 85151
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

State condx, price, options, whether or not it has PBT, ur call, qth, and phone number. I am a serious buyer. This is for personal use at home. If interested I have an Amp Supply LK-500ZA that I would trade for the right one (loaded, with options, etc..).

73s

Lane Zeitler
Ku7i
San Diego 619-470-6528 but pls send e-mail rather than calling.

1572. Re: WHAT IS THIS TUBE? 7199 AND THE USE TNX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Nigle <evolx3@hotmail.com>
Message-ID: <7gfqo3$c6f$1@autumn.news.rcn.net>
Source record: 85152

.
> hi i have 2 NOS RCA 7199 and want to know what they are used in or the
> applacation tnx del k9fcm

Hey hey, I need them for a current project :)

They are worth from 25 bucks on up when you find someone who needs them.
What they were/are is a ...

" rca-7199 triode-pentode. 9 pin miniature type containing a medium
mu triode and a sharp cutoff high transconductance pentode, and having very
low hum, leakage noise, and microphonoism. Its specially designed and
controlled for use in high fidelity audio equipment in stages of operating
at signal levels in the order of 100 milivolts. It is particularly useful in
direct-coupled voltage-amplifier phase splitter circuits, and in tone
control circuits...."

(I copied this from a rca application page I found, I don't use such big
words without knowing what they mean....hihi)

You have two good tubes for the pre amp and vox audio operations in certain
boatanchors. My latest project uses two of em. I don't really need them
yet, as I have had to order new diodes for the power supply. Seems a ghost
put zeiner diodes in instead of rectifier diodes on the +750v taps rectifier
bridge....this makes the hobby fun, you would be amazed how much smoke you
can get out of a 1n3041!!

Hope this helps a bit, Regards

1573. WTB:6m AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <372b7cb0.0@wagner.n2.net>
Source record: 85153

>Want to buy a good working 6m amp. Cosmetics not important (within
>reason). Need 5w drive to at least 80w+ out. Solid state or tube.
>
>to reply please remove "X"s from address.
>
>Tnx for reading
>John <ac6ts@n2.net>
>
--

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

1574. Receivers For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <372B8299.6F973A37@dimensional.com>
Source record: 85154

I have a Drake R4B with MS4 and Hammarlund HQ110 for sale (the last of my boatanchors):

The R4B is in excellent physical shape and works very well. A previous owner moved the headphone jack from the side to the front panel, and while the mod looks professionally done it is a mod nonetheless. The MS4 is in good shape except for a 1" x 1/8" area on the face that needs repainting. Includes original manual. $125 plus shipping.

The Hammarlund HQ110 is in good physical shape and works well (might need alignment). It has a clock; the clock face is somewhat yellowed. The S-meter face looks relatively new. All original knobs. Don't have a manual for this one. $100 plus shipping.

73,

Marv
AB0IO

1575. Re: RS-6 Long post on origins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: tiuk@aol.com
Message-ID: <19990501193008.19593.00000879@ng-fx1.aol.com>
Source record: 85155

Hi Craig,

Thanks for posting the information by Dennis Starks.

Regards, Roman, N2CDD

1576. BC-610 crystals for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: jpevner@aol.com
Message-ID: <19990501195340.05264.00001110@ng33.aol.com>
Source record: 85156

I have four BC-610 crystals for sale.
They are in type FT-171-B holders
A) 3850
B) 3945
C) 3520
D) 3995

$10 each + shipping

de N1LIS (Jon)

1577. Re: WHAT IS THIS TUBE? 7199 AND THE USE TNX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Thomas C Sefranek <tcs@cmcorp.com>
Message-ID: <372B8C79.6D26335D@cmcorp.com>
Source record: 85157

Fuse19 wrote:

> hi i have 2 NOS RCA 7199 and want to know what they are used in or the
> applacation tnx del k9fcm

dual tube,

Medium Mu Triode
Sharp cutoff pentode

Audio gear,
Phase splitters,
Tone control amps,
High gain voltage amps

--
Thomas C. Sefranek WA1RHP
ARRL Instructor, Technical Specialist, VE Contact.
http://hamradio.cmcorp.com/41_Repeater/repeater.html
http://hamradio.cmcorp.com/inventory/Inventory.html

1578. Looking For Operating Manual for Kenwood TS-830S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: rick <kc8dmn@accinternet.com>
Message-ID: <8FOW2.31$aT4.11013@iagnews.iagnet.net>
Source record: 85158
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio

I am looking for a copy of an Operating Manual for Kenwood TS-830S .
If anyone can help me you can E-MAIL Me @ address below.

Thank You All,

Rick Ramzy de K8RMR

--
E-MAIL @ kc8dmn@accinternet.com
WEB PAGE @ www.accinternet.com/~kc8dmn

1579. FA: WRL GLOBE V10 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Steve Ellington N4LQ <n4lq@iglou.com>
Message-ID: <372bba29.0@news.iglou.com>
Source record: 85159

The ultimate VFO. Tube type. Covers 160-10m. Runs on 110vac, Spot switch on front, key input. Tested on 160, 80 and 40. Chirp free keying. High output level and quite stable. Cool colored band indicator lights. Original box. No scratches, dents, rust or mods.
See it now on Ebay. 73
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98610512

1580. FS: ETO Alpha 77Sx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7ggg49sl1@news.erinet.com>
Source record: 85160
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

http://users.erinet.com/30845/itemsfor.htm

1581. Looking for 866A rectifiers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Mike Cowart <cowart@rsn.hp.com>
Message-ID: <7ggk7qprl1@news.rsn.hp.com>
Source record: 85161

I am in need of a pair of 866A rectifiers for a restoration project.

I also need a pair of 816s.

Whatcha got?

73
Mike - WA5CMI

1582. Want: TS-830S for personal use

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <372bd9c9@news1.us.ibm.net>
Source record: 85162
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

While I am still looking for a Icom 751-A I also would like to replace my backup rig with another backup rig--the Knwd TS-830S. I thought I found a nice one a month ago but it turned out to be in rough shape. So once again, I am looking for a real nice TS-830S. PLEASE if you can when replying give me the serial number, any options, of course the price and your phone number so if I need to I can give you a call. Pls be patient as it may take a while to get through all of the replies.

Thank you for the read.

Lane Zeitler
Ku7i
San Diego

1583. Mil telephone/telegraph from WW-1. INfo??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <372BF1E2.3C73C4D9@blarg.net>
Source record: 85163

Hi. I have a US Army field telephone/telegraph that is a 1914 model. It was issued in 1917. I am looking for info on it. Anyone know where to look for such info? The craftsmanship is superb, what with leather this-and-that, etc. Tnx/73 de Jim, W7LS

1584. Eimac Application Bulletin - "Power Tetrodes"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Ron Ostman <w0nyq@minntaccdp.com>
Message-ID: <7gg9s6mur1@news3.spacestar.net>
Source record: 85164
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

For Sale:

Copies of Eimac Application Bulletin number eight - "The Care and Feeding of Power Tetrodes".
Dated 1953. 25 pages. Information on amplifier layout, circuit design, adjustment, choice of operating conditions, tube life, etc.

$15.00 Priority Mailed to U.S. addresses.

Ron, W0NYQ

1585. much tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <372B69C7.1A5E@sympatico.ca>
Source record: 85165

hello
may I offer 100.00 dollors for the tuner.
73
ve2amk

1586. FS: Collins 75A-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-01 00:00:00 UTC
From: Mike Kennedy <gallop@mindsync.com>
Message-ID: <372c7ecd.0@news.sac.bfp.net>
Source record: 85166

I have a Collins 75A-4, s/n 2500+, copy of manual, excellent operating condition and, has the 4:1 reduction tuning, and standard 3.1 filter. Front panel is excellent and the cabinet has a few minor wear and tear scratches, no dents. Price is $875.00 plus shipping. Or I will consider trades for other collins stuff.

Thanks,

Mike

1587. FA: Heathkit HN-31 "Cantenna" Original Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372C8907.B1A0688C@orwell.net>
Source record: 85089

Like new manual at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98199762

Thanks,

Bob

1588. FA: Heathkit GD-162A Tone Squelch Orig. Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372C894E.B114090E@orwell.net>
Source record: 85090

Very nice condition manual at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98203932

Thanks,

Bob

1589. FS: SAM'S PHOTOFACTS - DAYTON,OHIO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7gi23n$lk6$1@ash.prod.itd.earthlink.net>
Source record: 85091
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

Have Sam's PhotoFacts Folders 1 - 430+

All in great shape!

Looking for a reasonable offer.

Must be picked up. Located 15 miles North of Dayton,OHIO.

Will hold for you if you are coming to the Dayton Hamvention May 14-16.

Thank you!

-ERIC

1590. TNX FOR ALL THAT REPLYED TO MY 7199 QUESTION

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990502144155.20732.00001217@ng-cd1.aol.com>
Source record: 85092

tnx to all that replyed to the what is the 7199 got all the info i found another one now i have 3 tnx agn del k9fcm

1591. Re: Eimac Application Bulletin - "Power Tetrodes"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Gerhard Hoffmann <ghf@berlin.snafu.de>
Message-ID: <372CC71B.737D6CCD@berlin.snafu.de>
Source record: 85093
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Ron Ostman wrote:
>
> For Sale:
"The Care and Feeding of Power Tetrodes".
> Dated 1953. 25 pages. Information on amplifier layout, circuit design,
> adjustment, choice of operating conditions, tube life, etc.

http://www.eimac.com/cf.htm

73, Gerhard

--
on the air: DK4XP
in the air: D-8551

1592. FS Kenwood TS-820 orig.manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: "Ken Haydu ,Southport, NC" <darla@bcinet.net>
Message-ID: <7gi9vn$9ms$0@208.133.29.53>
Source record: 85094

Kenwood TS-820 manual for sale. Original. Good condition. 42 pages. The schematics are a photocopy (3 pages). $12 shipped.

--
Ken Haydu
Southport, NC

1593. INFO NEEDED HEATH µMATIC KEYER OR MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Arthur Moe <kb7ww@uswest.net>
Message-ID: <372CAE0B.E3D0B81A@uswest.net>
Source record: 85095
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,alt.ham-radio.vhf-uhf

Need to know what voltage goes in the back.

1594. FS D-104 MIC CHEEP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990502170841.09227.00001379@ng-cn1.aol.com>
Source record: 85096

HELLO, THIS ONE WORKS AND LOOKS NICE.
WELL SELL FOR ONLY 30.00 SHIPPED
THX,WALT

1595. New Leatherette and Embossed Papers now Available

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: cavisco@aol.com
Message-ID: <19990502171011.07169.00001503@ng-cl1.aol.com>
Source record: 85097

Subject: New Leatherette and Embossed Papers Available.
From: cavisco@aol.com (CAVISCO)
Date: Sun, May 2, 1999 4:04 PM
Message-id: <19990502170420.07167.00001346@ng-cl1.aol.com>

New Leatherette is now available in Black, Brown, Red, Blue, Green, Gray, Charcoal, two Tans, and Cream. Bonded leathers available in Black, Wine, Brown, and Ivory. Embossed papers available in Smoke, and Granite, perfect for under the H-500 Transoceanic Wavemagnet. Black Argent embossed paper, perfect replacement for T.O. 1000 front and rear doors or front of T.O. 3000. Send self addressed stamped envelope for samples or call for a consultation.

Scott McAuley
Cayce Vintage Sound Company
117 Sandy Lane
Cayce, S.C. 29033
(803) 791-0733

Scott McAuley
Cayce Vintage Sound Company
117 Sandy Lane
Cayce, S.C. 29033
(803) 791-0733

1596. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <372cc0a6@news1.us.ibm.net>
Source record: 85098
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Ah, yes, there's the rub! (or something like that) There are more than one type of AM stereo system, and none are cross-compatible. I don't know who is winning anymore, but the choice that appeared on many car radios is being beaten out by one of the other systems. Maybe someone with current information can fill us in here.
--
Crazy George

1597. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: normlehf@pacbell.net
Message-ID: <372cc57b.25641099@news.pacbell.net>
Source record: 85099
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Well, actually, the Motorola C-Quam system became the standard, largely because it was adopted by GM. I don't think any car radios were ever built that were not compatible with it.

A quick check of the San Francisco dial just now showed only the following stations broadcasting AM stereo:

KNEW 910
KABL 960
KJQI 1510 (This last one is suspicious because although it lights the stereo pilot indicator, it sounds now, and did in its previous classical incarnation completely mono.)

A couple of stations here have abandoned AM Stereo in the last few months.

To keep posted on the state of AM stereo in the U.S. and to find links to suppliers of receivers, etc. visit:

http://www3.ns.sympatico.ca/lettuce/home.htm

Norm Lehfeldt

<munsch@ibm.net> wrotf:

>Ah, yes, there's the rub! (or something like that) There are more than one
>type of AM stereo system, and none are cross-compatible. I don't know who
>is winning anymore, but the choice that appeared on many car radios is being
>beaten out by one of the other systems. Maybe someone with current
>information can fill us in here.
>--
>Crazy George
>
>

1598. Kenwood MC85 Desk Mic. For sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Marc Mallett <mmallettcat@mc.net>
Message-ID: <7gikur$ed5$1@netnews.mc.net>
Source record: 85100

Kenwood MC-85 desk miccophone with all 3 cables, manual, and one 8-pin to RJ45 adapter. Works with all Kenwood and Alinco as-is, you need to change some wires to use with ICOM or Yaesu rigs. Asking $150, this includes shipping to your QTH via UPS ground.
E-mail me at marcm2000@hotmail.com with offers and/or questions.
73 de Marc N9KHI

1599. FA: Globe Scout 65 AM/CW Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <372cdd4e.0@news3.buffnet.net>
Source record: 85101
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

On Ebay, click here for link -->
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98976812

Globe Scout 65 AM/CW Transmitter

Unit is in excellent condition. Complete with manual and other paperwork.
front panel excellent, inside very clean, and cabinet is like new.

Covers from 160 to 10 meters. Tubes have been checked/replaced as needed.
Have used unit on 75 and 40 CW, works fine, nice clean CW note. Runs off
110VAC with internal power supply.

Terms: Payment in Certified Funds or Postal Money Order before shipping.
Buyer is responsible for shipping. If you have any questions please email.

Tnx

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARMY MARS AAR2AJ
****

1600. Re: HENRY 2KD CLASSIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: lemwnash@aol.com
Message-ID: <19990502194739.17155.00001619@ng01.aol.com>
Source record: 85102

wanna buy some stock??

aloha., thought you sold it in flordia.

lem kh6lem

1601. Wanted - RFC for SB400 / SB401

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: ne7x@aol.com
Message-ID: <19990502195430.28927.00000508@ng38.aol.com>
Source record: 85103

I'm restoring a Heathkit SB-401 and need the 21 Mhz trap (part #40-479) which goes on the Mixer-Bandpass cricuit board. If you have a old junk SB-400 or SB-401 transmitter and if your willing to part with this, plase send me an email along with pricing.

Thanks, Tom NE7X

eMAIL: NE7X@aol.com

1602. WTB 5814A's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <372cec71@nemo.idirect.com>
Source record: 85104

Greetings.....
I am in need of two or three 5814A tubes, which are similar but not
identical to 12AX7's. New preferred.

densmore@idirect.com

Regards,
Keith, ve3gem

1603. WTB Yaesu FT-101E parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <372cee41@nemo.idirect.com>
Source record: 85105

Greetings.....Anyone who has a parts FT-101E floating around, please
give me a call
densmore@idirect.com

I am looking for
AC power cord
DC power cord
Modulator Board
RF Cage Cover

Thanks for the help,

Keith, ve3gem

1604. 50+ NOS tuning coils from WWII vintage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7gisvqhuh1@autumn.news.rcn.net>
Source record: 85106

Have a look at the photos

http://www.astory.com/myimages/tuning.jpg

http://www.astory.com/myimages/tuning2.jpg

All of these came out of a sealed box, and were individually wrapped in clear plastic bread wrappers. Some are still in the tissue paper wrapper from WWII. Different makes- Bud, Cardwell, Teleradio, GE, General Radio Company. I am listing them here before I put them on ebay. Price is $50.00 plus shipping for all of them. Shipping weight is about 20 lbs. Please email privately if you would like these.

--
john@astory.com
http://www.astory.com

1605. Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Dan Cornett <dcornett@cts.com>
Message-ID: <372CFA9F.3983@cts.com>
Source record: 85107

Hallicrafters SX-110 receiver for sale. I have a copy of manual too.
7-8 condition. 120.00 OBO
Dan

1606. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: jbyrns@enteract.com
Message-ID: <jbyrns-0205992145030001@207-229-149-210.d.enteract.com>
Source record: 85108
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

In article <wa2iseFB3B76.Fv1@netcom.com>, wa2ise@netcom.com (Robert Casey)
wrote:

> If you have a really good AM tuner it is possible to add an AM stereo decoder
> circuit like the ones Chris Cuff has.
> http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site (just
a happy
> customer, nothing more). The module is sensitive enough to only require the
> smallest connection to the tube tuner's IF strip. Namely just a picofarad's
> worth of capacetance or so. A piece of wire next to the IF transformer lead
> going to the detector will do it. Module runs off of about 12V, which you
> should be able to rectify and filter the heater supply to get. Or tap the
> cathode of the output stage.

Hi Robert,

What we really need to go with these nice old tube AM tuners, is an AM
stereo decoder circuit built out of tubes, not solid state. Compactrons
would be good though.

Regards,

John Byrns

1607. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9905022329320.14514-100000@Stratus.CAM.ORG>
Source record: 85109
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

On Sun, 2 May 1999, John Byrns wrote:

> In article <wa2iseFB3B76.Fv1@netcom.com>, wa2ise@netcom.com (Robert Casey)
> wrote:
>
> > If you have a really good AM tuner it is possible to add an AM stereo decoder
> > circuit like the ones Chris Cuff has.
> > http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site (just
> a happy
> > customer, nothing more). The module is sensitive enough to only require the
> > smallest connection to the tube tuner's IF strip. Namely just a picofarad's
> > worth of capacetance or so. A piece of wire next to the IF transformer lead
> > going to the detector will do it. Module runs off of about 12V, which you
> > should be able to rectify and filter the heater supply to get. Or tap the
> > cathode of the output stage.
>
> Hi Robert,
>
> What we really need to go with these nice old tube AM tuners, is an AM
> stereo decoder circuit built out of tubes, not solid state. Compactrons
> would be good though.
>
>
I thought that was what was being promoted, until I reread it and realized
that it said nothing about tubes. My assumption that the adapter was
tubed based must have come from the subject header, since anyone who wants
AM Stereo may be in a position to want to adapt an existing radio, and any
adaptor should work with either a tube or solid state radio. If the
adaptor's not made of tubes, there seemed no point in specifying tube
radio.

There were at least two articles published on building synchronous
detectors with tubes. Costas himself had an article in CQ magazine in
1957 or so, and a decade later there was one in 73.

Since the Motorola scheme for AM stereo has similarities to a synchronous
detector (I once wondered if one could adapt the Motorola AM Stereo
decoder IC to use as a synchronous detector, I don't see an AM stereo
decoder being too much more complicated than a synchronous detector. It
would be bulky, but it is doable.

Michael VE2BVW

1608. Re: HT-37 Transceiver info sought.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.4.02.9905022216430.25625-100000@usr08.primenet.com>
Source record: 85110

nope bob, i have never ever heard of that one before, you better hold on
to that one.

---
dana __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /
---
http://www.randomc.com/~dana

On Tue, 27 Apr 1999, BOB DUCKWORTH wrote:

> It will take less effort to read this than to tell me I'm wrong :-)
> So, if I get mail saying that it's a transmitter, not a transceiver I'm
> gonna post it with full credits.
>
> What I have is an HT-37 transceiver.
>
> It appears to be either a factory prototype or an outstanding
> Homebrew job. Uses same VFO, Same LO, and same filters as the
> transmitter. Power supply was relocated to make room for
> receiver components and I did not acquire PS with the radio.
> From the front panel it's impossible to tell it's been modified
> except for a couple of extra positions on the function switch
> and some relabeling (that looks factory) of some controls.
>
> Has anyone ever seen this, in print, as a kit, or perhaps as
> a Hallicrafters employee, in the workshop???
>
> -bob
> wb4mnf
> Atlanta
>
>

1609. looking for hallicrafters bfo coil?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: dana <danay@primenet.com>
Message-ID: <Pine.BSI.4.02.9905022220070.25625-100000@usr08.primenet.com>
Source record: 85111

does anyone out there have one for a hallicrafters s-40 models?
if so, e-mail back. looking for one for a friend.

---
dana __ __ ____ ___ ___ ____
danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
/ / \ / / / / /__ / \/ /___ /
---
http://www.randomc.com/~dana

1610. WTB: Manual for E-1500 Telefunken RCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <372CEB09.E3A03D73@wenet.net>
Source record: 85112

Hi,
I am looking for instruction and service manual for E-1500 Telefunken
general coverage shortwave receiver.Copy of the manual is O.K.
Thanks.
de K6hm
Young

1611. WTB: Gonset GSB 101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: jetfuel <wa1vqy@efortress.com>
Message-ID: <nRQW2.2260$fO5.69918@news14.ispnews.com>
Source record: 85167

Looking for a reasonably priced GSB 101 amp in the New England area. Will be at the Rochester flea market this week end. Please email me at WA1VQY@EFORTRESS.COM. Thanks and 73 Jeff

1612. AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFB3B76.Fv1@netcom.com>
Source record: 85168
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

If you have a really good AM tuner it is possible to add an AM stereo decoder circuit like the ones Chris Cuff has.
http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site (just a happy customer, nothing more). The module is sensitive enough to only require the smallest connection to the tube tuner's IF strip. Namely just a picofarad's worth of capacetance or so. A piece of wire next to the IF transformer lead going to the detector will do it. Module runs off of about 12V, which you should be able to rectify and filter the heater supply to get. Or tap the cathode of the output stage.

1613. FT-RME 6900 w/spkr !!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: mjzuccaro@aol.com
Message-ID: <19990502023551.07807.00001284@ng-cs1.aol.com>
Source record: 85169

Guys;
I have an excellent RME 6900,with the impossible-to-find speaker. I will consider trading it for a high end stereo tube power amplifer.It is not for sale at any price since I collect and restore recievers but if I could get a nice tube power amp I would be interested.Am looking for a Lafayette KT550,large Fisher or Scott,Marantz,Harman/Kardon,Acro, or similar-will consider a mono amp but prefer stereo.This is not going on Ebay,I dont need to or want to sell it-I use it weekly but have many other recievers and would like to see it go to someone else who would appreciate it as I do,hopefully a private party-it is untouched by "experts",totally unmodified and unmolested-it is in excellent cosmetic and electrical condition.I do have a copy of the manual.Please let me know if you are interested in trading,only.I may consider a trade for a Fisher 1000 tuner or Scott 4310 tuner in good condition,but amplifiers interest me more.
Thanks,
Mike Zuccaro

1614. Need Main tuning knob for HW101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990502030203.06313.00001113@ng-fk1.aol.com>
Source record: 85170

Hello. I need a main tuning knob for a Heathkit HW101. Please let me know if you can help.
WM5M
David

1615. Re: Marconi Electra -- 3+ days left

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: "F. Rodenburg" <hstech@cistron.nl>
Message-ID: <7gh3bc$p8e$1@enterprise.cistron.nl>
Source record: 85171
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

This link doesn't work ! We get an Ebay input error !!

1616. FA on EBAY: Drake TR-7 6000 Hz AM Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7gh6bf$1r6@dfw-ixnews7.ix.netcom.com>
Source record: 85172
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I placed a drake TR-7 6000 Hz AM filter for auction on EBAY. The URL is:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98654123

tnx es 73 Steve KU9C

1617. FA on ebay: Drake TR7 500 Hz CW filter (SL-500)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7gh6vv$32m@dfw-ixnews7.ix.netcom.com>
Source record: 85173
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I've placed a Drake TR7 500 Hz CW filter for auction on EBAY. The URL is:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98715508

tnx es 73 Steve KU9C

1618. FS: old tube stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: olds98@together.net
Message-ID: <7ghedfmra1@nnrp1.dejanews.com>
Source record: 85174

For Sale:

Trio Communications Receiver- model JR 60 original in v-good cond-
ition worked well when stored years ago, but as is due to age.
$70 plus shipping. All tube unit.

International Crystal Mfg Co. Model 750-H Audio Receiver same cond
as above. All tube unit
$50 plus shipping.

Denton model 80-10 AT Antennna Matching unit excellent condition
$30 plus shipping.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1619. HENRY 2KD CLASSIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990502082221.16137.00001032@ng-fa1.aol.com>
Source record: 85175

AMP WAS BUILT IN SEPT. OF 98. IS TO LARGE FOR MY OPERATING AREA. WOLD
CONSIDER TRADE FOR COLLINS EQUIP. AMP IS LIKE NEW AND IS NOT IN USE ALSO TAKE
OFFERS 73S JACK OHIO

1620. FA DY88/GRC9

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <372C46AD.5F85@swbell.net>
Source record: 85176

I have a nice DY88 Telefunken Dynamotor power-supply for a GRC9
on Ebay at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98330675

Thanks

Dan
W5VJ

1621. F S RARE millen R - 9 er

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: wbelsito@aol.com
Message-ID: <19990502084351.22975.00001356@ng139.aol.com>
Source record: 85177

serious inquireries only .

WALT

1622. TUBE FINALS: QUESTIONS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: grao@umbc.edu
Message-ID: <7ghks1rjl1@nnrp1.dejanews.com>
Source record: 85178

OK tube gurus:

1. Once the final output stage is tuned, plate current dipped and max output obtained per manual procedures, how do I QRP?

Do I just reduce the drive?

Will this screw up the finals/driver?

Why do I want to do this?

One reason is for QRP operation.

Second, I would like to use an autotuner like the AT-11 which requires that power in be 10 watts or so during tuning.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1623. FS: Motorola Mocom-70

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Drew Barth <bartha@wcc.net>
Message-ID: <372c4bcd.0@news.wcc.net>
Source record: 85179
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I have (2) Mocom-70 radios for sale. They are complete with 4 channel control heads, cables, mic, and speakers. They are in the 150 Mhz range. Asking $75.00 plus shipping.

Drew Barth - N5YDA
N5YDA@hotmail.com

1624. FS: Motorola Syntor XX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Drew Barth <bartha@wcc.net>
Message-ID: <372c4c47.0@news.wcc.net>
Source record: 85180
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.vhf-uhf,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.swap

I have a Syntor XX - 800 Mhz trunked radio for sale. Complete with control head, cables, mic, and speaker. Asking $50.00 and shipping.

Drew Barth - N5yda

N5YDA@hotmail.com

1625. TuBE Finals: Another question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: grao@umbc.edu
Message-ID: <7ghm5vshs1@nnrp1.dejanews.com>
Source record: 85181

If a Tx is properly tuned for one band, can one use the setup without tuning again after QRTing for a day or so? In other words, is it necessary to go through the enite tuneup procedure?

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1626. Drake 1548 adaptor WANTED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990502112840.07843.00001253@ng-cr1.aol.com>
Source record: 85182

Looking for a Drake 1548 adaptor that allows the TR-7, R-7, and RV-75 to operate together. Have one but need anohter to finish off my second 7 line station.

Hope you can make it to Hamvention 99.

73

Evan

1627. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Randy and Cara Randall <crrandal@seidata.com>
Message-ID: <372C70F4.10DE4AB3@seidata.com>
Source record: 85183
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Robert Casey wrote:

> If you have a really good AM tuner it is possible to add an AM stereo decoder
> circuit like the ones Chris Cuff has.
> http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site.....snip...

Is there anyone still in the USA broadcasting in AM stereo? I have a car radio that has a decoder built-in and tuning around at night, I haven't seen a station broadcasting in AM stereo in quite a while.

Randy.

--
This message comes to you from Milan, IN, USA. Home of no traffic lights, lots of fields, and clean air!

"I want to shout it out with all my power!
I want to scream it from the highest tower!
I want to celebrate our finest hour...NOW!"

Never forget that life is not a dress rehearsal...

1628. FA: Sony, Halli, RCA, Heathkit, Simpson "Spring Cleaning"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <uO_W2.2130$NC4.3770@news.rdc1.ab.wave.home.com>
Source record: 85184
Cross-posted to: alt.ham-radio.marketplace,rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.swap

In my continuing effort to make more room for the essentials in life (like furniture :)), I have posted the following on ebay:

Sony ESAKI Diode 11-transistor -- Beautiful!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98770971
Hallicrafters S-38 -- Very nice!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98769701
RCA BP61X "Lunchbox" Tube Portable Radio
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98768431
Heathkit Harmonic Distortion Meter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98765841
Simpson Genoscope Signal Generator and 'Scope
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98763327

Please email with any questions. Larger photos are available via email upon request.
Thanks for the bandwidth and for looking. This will be the only posting for these items.
==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

1629. Re: TuBE Finals: Another question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <372C796E.3A09CCB6@inebraska.com>
Source record: 85185

In theory, you shouldn't have to retune, but retuning is a good idea anyway just in case one of the tuning knobs got bumped. Usually, I don't bother with going through the complete retuning when staying on the same range in the same band, but I do dip and peak it once with an eye on my swr meter.

Wayne Faris, KEï¿½BZ

grao@umbc.edu wrote:

> If a Tx is properly tuned for one band, can one use the setup without tuning
> again after QRTing for a day or so? In other words, is it necessary to go
> through the enite tuneup procedure?
>
> -----------== Posted via Deja News, The Discussion Network ==----------
> http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1630. FS/FT: ETO Alpha 77Sx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7ghv6h$2d7$1@news.erinet.com>
Source record: 85186
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I might take other Alpha Amps 78,91B,89 as partial toward Alpha 77Sx

http://users.erinet.com/30845/itemsfor.htm

1631. FS 813 Tubes/Sockets/Caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <372B970F.4A8A@sympatico.ca>
Source record: 85187
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have 7 813s for sale, used, good filaments @$10.00 each. Also have 4 porcelain 813 sockets (used)@$5.00 each, and 3 Porcelain National white plate caps @$3.00 each. Have a pair of 866s used $2.00 each. Postage and packaging extra.

1632. FA: Heathkit AT-1 Original Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-02 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372C88B6.DF22FE1@orwell.net>
Source record: 85188

Well used but complete. Very rare find at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98206495

Thanks,

Bob

1633. AN/SRR-13A Receiver for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Dennis Polito <cloudhopper@earthlink.net>
Message-ID: <372DDB5A.A7FCA66B@earthlink.net>
Source record: 85039
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

One shipboard high frequency communications receiver model AN/SRR-13A for sale. This radio tunes from 2 to 32 MHZ in five bands. This receiver is designed for table top mounting. It is self contained in a gray enamel case metal case 17 1/4 inches wide, 8 3/4 inches high, 16 3/4 inches deep, an weighs approximately 69 pounds. All operating controls are mounted on the front panel.
Thr radio has a complement of 29 tubes.

The condition of the front panel, knobs, dial and all data plates is excellent. The case is scratched up on the on all sides with several chips, about what you would expect of a receiver of this vintage. Electrically the radio is dead on one or two bands, the top two as I recall. Operation on the remaining bands is normal, sensititivy and audio quality fine.

Included with the receiver is the full and original version of NAVELEX 0967-LP-115-2010 Technical manual for the entire series AN/SRR-11,-12, -13 and -13A receivers. This manual is approximately 2" thick with many fold outs.

No, I will not copy the manual for you, maybe the new buyer will.

I will take $140.00 plus shipping for the receiver. I can ship from a UPS depot rather than from a Mailbox etc. This will save on shipping. I will have the radio professionally boxed for you.

If you are serious and would like a jepeg image, I will send a couple your way.

73
Dennis

1634. Parts for sale!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <372ddaba.11646572@news.earthlink.net>
Source record: 85040
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.swap,rec.radio.amateur.boatanchors

For Sale:
(Add shipping costs to all prices unless stated)

= = = = =

Meters:

Weston Model 506 New in box. Round, black
For Tropical Climate / Navy use.
With scales:
0-200 mA P.A. Plate
P.A. Grid and Battery
Will sell for $5.00

Weston New in Box. Round, black
For Tropical Climate / Navy use.
0-1.5 mA DC
Will sell for $5.00

RCA / US Navy Classic 0-2.5 KV DC
Square front meter with rare 0.005 mF Faradon
bypass cap. 0-1 mA movement, with shunt information
for 2.5 kV operation. WIll sell for $4.00

Or take all three above meters for $12.00

= = = = =

Heavy Duty Footswitch, with AC power cord and H.D.
connectors. Rated 20 Amps. Clipper 632D. Will sell for $15.00

= = = = =

LOT # 8 of TUBES:
(Some new - others used, tested)

6V6GTA - National, New in box QTY 2 $8.00 each
6V6GTA - Mesa, New, no box $6.00
6V6GTA - No name, looks like new! $5.00
6V6GT - RCA, QTY 5 $4.00 each
6V6GT - Philco, used $3.00

Or take all of the above tubes for $40.00

= = = = =

LOT # 7 of TUBES:
(Used, tested)

6X4 RCA $1.00

12BY7 G.E. $4.00
12BY7 RCA QTY 2 $5.00 each
12BY7 Sylvania $4.00
12BY7A UNK $4.00
12BY7 UNK QTY 2 $3.00

25Z6 Silvertone $2.00
35EH5 IEC Japan QTY 3 $2.00 each

35W4 UNK $1.00

50C5 QTY 4 $3.00 each

6197 Sylvania $CALL
6197 UNK $CALL

= = = = =

Headphones with boom microphone.
Jensen Model JMP-41
Headset Response is 20 Hz - 20 kHz
6' Cord with mini stereo plug.
Microphone is Low-Z Condenser type with 2.2 k-ohm impedance.
Response 30 Hz - 16 kHz

Durable and comfortable design with padded ear-pieces, ideal for
communications applications.

Brand new in box. White color.
Great for mobile HF or VHF operating. Think SAFETY!
Also great for extended rag-chews, contesting etc.
No PTT, but has standard connectors - 1/8" mini-style.
Will also work well with computers. Normally $29.95
New in box $20.00 plus shipping

= = = = = = = = = = = = = = =

Excellent low impedance dynamic BALL microphone - 600 ohms.
Recoton DMK-200 pro series dynamic microphone, unidirectionalwith
ball/screen type
end. Black metal finish. 80 Hz - 10 kHz response - has 10 foot cord.
Ideal for Communications or Vocalists / Public Address etc.

New In Box.

Will sell for $16.00 plus shipping
5 at $10.00 each
10 at $8 each
plus shipping

= = = = = = = = = = = = = = =

Recoton Power Wave 110 AM/FM Amplified antenna
for use with stereo. Very fashionable looking

and low-profile. Brand new in box - will sell for $18.00
plus shipping

= = = = = = = = = = = = = = =

Recoton Power Wave TV400R VHF/UHF/AM/FM Amplified antenna
for use with TV and/or stereo system. Very fashionable looking
and low-profile. Brand new in box - will sell for $19.00
plus shipping

= = = = = = = = = = = = = = =

Recoton Power Wave TV500R VHF/UHF/AM/FM Amplified antenna
for use with TV and/or stereo system. Very fashionable looking
and low-profile. Brand new in box - will sell for $24.00
plus shipping

= = = = = = = = = = = = = = =

Recoton V900SXR Video Sender/Receiver system. Runs on 900 MHz
band and sends/receives perfect TV signals anywhere in your house
and maybe beyond. Wends video signal plus stereo sound.
Looks like a small flying saucer on a stand about 4" diameter.
Excellent quality and top of the line! Brand new in box - will
sell for $59.00 plus shipping

= = = = = = = = = = = = = = =

Capacitors - Lot #6

Transmitting caps:
0.027 uF at 600WV DC, 1200V pk, Sangamo type A2 with screw terminals
(qty 2) at $1.00 each

0.015 uF at 2500 WV DC, 5000V pk Sangamo type A2 with screw terminals
(qty 2) at $2.00 each

1000 pF at 5KV Doorknob capacitor (used) $2.00

820 pF postage stamp micas (used) QTY 4. WIll sell for 25c each.

Or take all of the above capacitors for only $8.00

= = = = = = = = = = = = = = =

TUBES LOT #5 (New and used-tested mix)

807 G.E. NOS, no box $8.00
807 Sylvania Used, no box (QTY 3) $ 5.00 each
807 RCA (newer logo) Used, no box (QTY 2) $4.00 each
807 RCA (older logo) Used, no box $3.00
807 Unmarked (Same style as older RCA), used, no box $3.00
5933/807W Ruggedized 807 New in box (QTY 4) $10.00 each

Or take all of the above tubes for $65 plus shipping

= = = = = = = = = = = = = = = =
TUBES LOT #4
4-125 Eimac Used No box $25.00
828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
ea.
12SN7GT Sylvania New in Box $2.00
6BG6B RCA Used, no box $1.00
25L6 G.E. Used in box $3.00
5Y3GT G.E. Used in box $4.00
6W4 Tung-sol used in box $2.00
6W4 Arcturus Used in box $2.00
6W4GT Mullard Used in box $3.00
6SN7GT CBS/Hytron New in box $5.00
6JZ6 Sylvania Used in box $8.00
6SN7GT Tung sol Used in box $2.00
6SN7GT Crosley Used in box $2.00
6SN7GT RCA Used in box QTY 6 $3.00 ea.
6SL7GT RCA Used in box $3.00
6AC7 RCA used in box $2.00
6AC7 G.E. used in box (QTY 2) $2.00 ea.
6H6 Ken-Rad used in box $1.00
6DE4 Philco Used in box $1.00
6H6 RCA used no box (QTY 2) $1.00 ea.
6X5 RCA used in box $0.50
37 RCA used in box $4.00
6AX4 Sylvania New in box $2.00
OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each
OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
OA3 / VR-75 Marshall Electronics in box $4.00
3AW2 Philco Used in G.E. box $0.50
Take all of the above tubes for only $90.00 plus shipping

= = = = = = = = = = = = = = = =

Bud Box, diecast, 4.5" X 3.5" X 2", new, no cover plate $4.00

Crystals (All FT-243):

6m & 2m AM and CW multipliers ($2.00 each except as noted)
5958.3
6000
6125
6210
6425 (QTY2)
6440 (QTY 2)
6529
6550
6650
6825
6900
6925 (QTY 2)

7800
8000
8002.6
8003.3
8240

Minimum order of $10 crystals
= = = = = = = = = = = = = = = =
CR-1/A case is 0.1" diameter pins 0.5" apart. Case is 1.1" wide and
1.25" tall
FT-241/A case is the same but with smaller diameter pins.

Antique and unusual Crystals:
1746 Kc. Bliley (signal corps) FT-171B $4.00
1.921 MC Philco FT-241/A $5.00
5684 kHz HI-POWER B-5 (Type LTCR) round $3.00
7010.47 CR-1/A $4.00
7011.9 kHz CR-1/A $4.00
7119.5 kHz M-9A (3-pin) holder McCoy $5.00
7270 kHz CR-1/A $4.00
8007.69 kHz CR-1/A (QTY 5) $2.00 each
8500 kHz CR-1/A $2.00
24.0 MC Channel 40 FT-241/A $1.00
24.3 MC Channel 43 FT-241/A $1.00
24.4 MC Channel 44 FT-241/A $1.00
27.3 MC Channel 73 FT-241/A $1.00
27.9 MC Channel 79 FT-241/A (QTY 2) $1.00 each
Unmarked FT-241/A (QTY 6) $0.50 each

Minimum order $10.00 of crystals
= = = = = = = = = = = = = = = =

Newer style metal can precision crystals - CR-18/U,
HC-17/U and HC-49/U etc.

1000 kc. CR-18/U = HC-6/U $5.00
1947.8 kHz. CR-18/U $5.00
1952.22 kHz. CR-18/U $5.00
3520.83 CR-18/U $4.00
3525 CR-18/U $4.00
3528.12 CR-18/U $4.00
3529.17 CR-18/U $4.00
3530.21 CR-18/U $4.00
3531.25 CR-18/u $4.00
3571 TCXO short leads $1.00
3579.545 CR-18/U (QTY 2) $1.00 each
3526 CR-18/U $4.00
3640 HC-17/U wire leads $4.00
3865.83 CR-18/U $3.00
3867.50 CR-18/U $3.00
8350 CR-18/U $2.00
8450 CR-18/U $2.00

29100 CR-18/U $5.00

4.194 MHz HC-49/U(?) mini w/ wire leads $2.00
7.15909 MHz HC-49/U(?) mini w/ wire leads (QTY 7) $1.00 each

Minimum order $10.00 of crystals
= = = = = = = = = = = = = = = =

Electrolytic Caps: (LOT #1)
(N. = New, U. = Used)

5800 uF / 40V Sprague Powerlytic Blue plastic cover
computergrade cap w/ radial screw terminals 3.125" X 1.5" U. $1.00

5500 uF / 40V Sprague Powerlytic Blue plastic cover
computergrade cap w/ radial screw terminals 4" X 1.5" N. (QTY 2)
$2.00 each

5500 uF / 25V Sprague Powerlytic Blue plastic cover
computergrade cap w/ radial screw terminals 3.125" X 1.5" N. $2.00

5500 uF / 40V Blue plastic cover Mallory computergrade cap
w/ radial screw terminals 4" X 1.5" U. $1.00

4700 uF / 35V Elna axial 2" X 7/8" N. $2.00

3000 uF / 30V Sprague axial 3.25" X 1" N. (QTY 3) $1.00 each

2500 uF / 15V G.E. radial 2" X 1.25" N. $1.00

2200 uF / 35V Nippon axial 1.5" X 3/4" U. (QTY 3) $0.50 each

2200 uF / 16V Ace axial 1.5" X 3/4" N. $0.75

1900 uF / 40V Sangamo axial 2.75" X 1" N. (QTY 4) $1.00 each

1700 uF / 30V Sangamo axial 2.75" X 1" N. (QTY 7) $1.00 each

1300 uF / 50V Sprague axial 3.125" X 7/8" N. $1.00

1390uF / 30V MEC radial 2.5" X 7/8" N. (QTY 2) $1.00 each

1275 uF / 20V MEC radial 1.5" X 1" N. (QTY 2) $1.00

1010 uF / 20V MEC radial 1.5" X 1" N. $1.00

1000 uF / 50V Rubicon axial 2" X 7/8" N. $0.50

1000 uF / 15V Sprague axial 2.25" X 7/8" N. QTY 2 $1.00 each

885 uF / 20V MEC radial 1.5" X 1" N. (QTY 2) $1.00

500 uF / 40V National Cap axial 1.5" X 5/8" U. (QTY 2) $0.50 each

40 uF / 450V Planet radial 2-7/8" X 1" U. $1.00

22 uF / 450V Xicon axial 1.25" X 5/8" QTY 2 N. $2.00 each

22 uF / 350V Nichicon axial 1.25" X 1/2" QTY 2 N. $2.00 each

20 uF / 450V Aerovox axial 2.25" X 1" U. $1.00

12 uF / 450V Beaver 1.75" X 0.75" QTY 2 U. $1.00 each

PAPER Capacitors: (Lot #1)
0.1 uF / 400V Sangamo Type 33, QTY 4, U. $0.50 each

Or take all capacitors in Lot #1 for $50.00

Electrolytic Capacitors (Lot #2)

8 + 8 uF / 475 V and 10 uF / 50V Philco Can 6" X 1-3/8" with bracket
U. $2.00

= = = = =

ARRL Handbooks:
1973, 1975, 1978 at $10.00 each
All in excellent shape

National TMK-50 Variable capacitor New In Box $15.00
(Best 50 pF transmitting or receiving variable you will find!)

Plate variable transmitting capacitors:
50 pF 800V Hammarlund 1.5" deep, 1/4" shaft, clean used $5.00

140 pF 1000V MC-140M 1.5" deep 1/4" shaft New, unused $8.00

50 pF 500V Variable capacitor assembly, with link-coupled
tank circuit. 12 turns on a ceramic 1/2" form. 6" Coax link to Type N
connector. Capacitor has 3/8" bushing or screw mounted on base.
Includes antique knob and small bakelite panel. $2.00

35pF panel mounted variable with 1/4" shaft. Type HF50 with
two plates removed. Mounted with 3/8" bushing and nut on nice little
right-angle aluminum panel 1.3" wide and 2.0" tall. New $3.00

Automatic Brand type C6T air variable capacitor. Mounts with two
screws.
30 pF at 200V. WIth screw slot adjust. Has silver-plated 3.5 turn coil
for
2m attached and porcelain standoff. $1.50

80 pF air variable trimmer capacitor, two screw panel mounting.
Screw-slot adjustment. Used $1.50

0-250 pF Hammarlund transmitter plate variable, 1200V
New in Box - $18.00

1635. F.S.HAMMARLUND SP-600 JX-14

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Robert DAmato <aa7lg@uswest.net>
Message-ID: <372DCBE0.FB2503AD@uswest.net>
Source record: 85041

F.S. Hammarlund SP-600 JX-14, original cabinet, overhauled, recapped.
excellent conditon. $525 plus shipping/ins e-mail for details. Bob AA7LG
aa7lg@uswest.net
(also have a JX-6 in same condition $500)

1636. Re: How to calculate TV7DU tube tester settings from tube manual data?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: matt7591@jps.net
Message-ID: <MPG.119791ab7f017ab8989722@news.jps.net>
Source record: 85042
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Robert Casey says...
> Lets say I have the tube manual data on a tube that doesn't show in the
> TV7DU tester listings. I know Gm, Rp, mu, cathode bias and such. How
> to figure out what the TV7DU settings should be to test the tube?
> I can figure out how to set the bottom row of switches to select
> plate, cathode, suppressor, grid, etc. What I need to figure out is
> where to set "bias" and what meter reading minimum I should expect.
> And range switch setting?

First, the latest copy of the tube settings (1962, if I recall) are
available at Antique Electronics. Many newer settings are available at
the TV-7 page at http://www.geocities.com/SiliconValley/6992/tv7.htm .

Consider that while most American testers(all that I've come across) give
settings based on a given grid voltage, then testing Gm, the AVO, a
British tester, suggests either doing this or by setting grid voltage to
a given plate current, then testing Gm. So there are two pathways to
take.

First, you have to know the Gm range the tube will be in. On All TV-7s,
the Gm
ranges are(in ℧hos):
B. 3000
C. 6000
D. 15000
E. 30000

The bonus range on the D is also 30000, if I recall. So if you have the
book value of Gm then set the range to the next highest.

As Mr. Douglas has pointed out, it's ideal to set the Gm range such that
the signal peak to peak value is less than or equal to the actual bias
voltage that will be used. Most power tubes are done this way, but low
bias tubes like 12AX7 are not, using default TV-7 settings. The signal
ranges on the -7 are(Vrms):

B. 5.0
C. 5.0
D. 1.0
E. .5
F. .5(consider that many "lab testers" have signal voltages in .100 to
.500 V range-much lower than conventional Gm testers)

To summarize, it's desirable to choose the Gm range above the typical Gm
given in a tube manual for the given tube and with a range with signal

voltage lower than the bias voltage. The grid voltage on the -7 should be about 40 with setting at 100. About 3V at 22 setting(these are with 1000 Ohms/V measurements with I believe a 100 V range).

Finally, of importance, some tube testers use a standard of 50% of "average" Gm value for a given tube type, some 65%, or in the case of Hickok(and the TV-7), 65% of average value for power tubes and 75% of average value for small signal tubes. Therefore, it's best to take a number of new tubes and average their Gm value, then multiply times .65 or .75 to get min.

Bear in mind that what settings one person derives will be different than another, but as long as you are consistent, the settings will be meaningful. Given all of this, there are several possible ways to derive a usable setting(all of these should be done with a number of new or known good tubes to provide significance to results)(all of these require you to set line voltage to line set mark after inserting tube with filament voltage applied):

A. Arbitrary without ability to test plate current: Set bias to 100. Set pinout and filament volts as appropriate. Set Gm range to range higher than expected Gm. Insert tube and let heat up for about 20 seconds. Hit Gm button. There will be little or no Gm reading due to high bias(low plate current). Rotate bias knob slowly until come to a meter reading of 60(mid scale). Record bias setting. Repeat for x tubes, then average values of bias. You can now test that tube type knowing that the average one will give a value of 60 at the given bias.

B. Arbitrary with ability to test plate current(see my Tube Tester page in sig to see some adapters that will allow measuremnt of plate current): You'll need to know from tube manual the typical plate current of the tube at tester settings, about Va=150, Vg2=130 minus absolute value of bias voltage, etc. Set bias to 100. Set pinout and filament volts as appropriate. Set Gm range to range higher than expected Gm. Insert tube and let heat up for about 20 seconds. Hit Gm button. There will be little or no Gm reading due to high bias(low plate current). Rotate bias knob until plate current is at the value given in manual(I never like to exceed 100 mA doing this). At that plate current, record bias setting and Gm reading on meter. Using conversion to Gm, should be in ballpark with tube manual. Won't be exact so don't expect it! Repeat for several tubes and average bias and Gm reading.

C. Set to known Gm for new tube: With conversion of TV-7 scales to Gm handy, determine from tube manual Gm for the given tube. Calculate the setting this would be on the TV-7 meter(eg, a reading of 60 on C range would be 3000 &#65533;Mhos). Set bias to 100. Set pinout and filament volts as appropriate. Set Gm range to range higher than expected Gm. Insert tube and let heat up for about 20 seconds. Hit Gm button. There will be little or no Gm reading due to high bias(low plate current). Slowly rotate bias knob until the meter reads the calculated target Gm. Record bias. Repeat and average for several tubes. I like to set range such

that typical reading will be in inner 2/3 of meter movement. Therefore,
if the Gm is 5800, I would set the scale to 15000 instead of 6000.

D. Set to bias voltage given in manual: You'll need to know from tube manual the typical plate current of the tube at tester settings, about Va=150, Vg2=130 minus absolute value of bias voltage, etc. Set pinout and filament volts as appropriate. Set bias to grid voltage given in manual for these plat/screen settings. To do this accurately, measure voltage from cathode pin to grid pin using 1000 Ohms/V meter on 100 V range(or use high impedance meter with shunt resistor to give about 100K resistance). Set Gm range to range higher than expected Gm. Insert tube and let heat up for about 20 seconds. Hit Gm button. Record Gm. Repeat and average.

On all of these, the idea is to generate an average of several tubes so that the given tube type can be tested in the future with the settings found.

Four ways of doing it! How did Uncle Sam do it? Who knows!
--

____
Matt Warren
http://www.jps.net/matt7591
Tube testers, tube identification and other tube related stuff!

1637. FA Zenith Transoceanic parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7gkrkd$jt6@chronicle.concentric.net>
Source record: 85043
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

http://cgi.ebay.com/eBayISAPI.dll?ViewItem&item=99278669

1638. Re: Eimac Application Bulletin - "Power Tetrodes"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Don W6JL <W6JL@ixpres.com>
Message-ID: <372DFA33.1307@ixpres.com>
Source record: 85044
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Ron Ostman wrote:
>
> For Sale:
>
> Copies of Eimac Application Bulletin number eight - "The Care and Feeding of
> Power Tetrodes".
> Dated 1953. 25 pages. Information on amplifier layout, circuit design,
> adjustment, choice of operating conditions, tube life, etc.
>
> $15.00 Priority Mailed to U.S. addresses.
>
> Ron, W0NYQ

Ron OM,

Last I heard, these are available free for the asking direct from
Eimac's web site. That is where I got mine.

73,
Don, W6JL

1639. Swapnet 99

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <372DFCE5.2353@swbell.net>
Source record: 85045
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

(check-in) Hi, I have a nice Kenwood TS-5 zillion I want to sell for $450.00. My phone number is 888-555-5555. Thanks!

(net-control) Thank you Moe, and I just want everyone to know that $450.00 for that little 5 zillion is a STEAL!! I was talking to my good friend Cosmo the other day and he said if he could have just one radio, it'd be that 5 Z. Let's see, It's coming up on Midnight, so it's time to give out Grady Hollongsheads number in Washington again. So, if any of you fellows know who's QRMing the net, turn them in! I don't care if they are close Family members, roll over on em! All this interference is cutting into the bottom-line. Check that, just kidding Grady.
Well, it's coming up on 1 AM. There don't seem to be any check-ins at this time, so I'll make an announcement. We've reached a agreement with the other swap-nets and starting next week, plan to have 24 hour a day, 7 day a week swap! No matter what your schedule, you're invited to buy and sell! Current plans are to use independent sideband with newer gear on lower, simulcast with vintage equipment on upper. Well, still no more check-ins. Does anybody know of any Hamfests coming up? Guess not. Moe, did we move that dog?

(Characters not patterned on actual people or events)

1640. FA: Drake UV-3 144/220/440 w/remote

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <372efd2b.75927687@news.earthlink.net>
Source record: 85046

Drake UV-3 Comes with the following bands: 144/220/440MHz
Even have the remote setup.
Going very reasonable on ebay.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98543799

1641. FS Tube manuals and substitution guides

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: olds98@together.net
Message-ID: <7gl4n1$n42$1@nnrp1.dejanews.com>
Source record: 85047

FOR SALE:

Trio model JR-60 communications receiver exc.condition but
stored for years, sold as is. $60 plus shipping

please email direct for info thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1642. FS Tube radio receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: olds98@together.net
Message-ID: <7gl4v8$n84$1@nnrp1.dejanews.com>
Source record: 85048

FOR SALE:

Trio model JR-60 communications receiver in exc.condition,
stored for years, sold as is. Quite a large unit and
well built. $60 plus shipping.

Dentron 80-10 AT antenna matching unit $30 plus ship.

please email direct for info thanks RHAnderson

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1643. WTB Drake MS-7 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7gl3p7$ssc@world1.bellatlantic.net>
Source record: 85049

Please state condition and price

Jeff Kelly
KT2K
jkelly@bellatlantic.net

1644. WTB Drake 7077 Desk Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7gl3qn$3h@world1.bellatlantic.net>
Source record: 85050

Please state condition and price

Jeff Kelly
KT2K
jkelly@bellatlantic.net

1645. WTB: Hammarlund SP600 JX17

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990503171757.08597.00001704@ng-fc1.aol.com>
Source record: 85051

I live in the Philadelphia area and I am looking for a nice SP600 JX-17 working with cabinet. Please E-Mail me direct

1646. FS Drake RV4C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7gl3v2$1ns@world1.bellatlantic.net>
Source record: 85052

FS Drake RV4C. Front panel is fine. Case has some scratches.
7.5 - 8.

Best Offer.

Jeff Kelly
KT2K
jkelly@bellatlantic.net

1647. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990503173126.18146.00001434@ng61.aol.com>
Source record: 85053

central eletronics 200v they're the finals

1648. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Phil Mills <plmills@ibm.net>
Message-ID: <372E1E7C.51A4D56F@ibm.net>
Source record: 85054

The Central Electronics CE-100V and CE-200V used 6550's. These
are fairly expensive tubes these days.

73, Phil
AB5TH

W9zr wrote:

> I have a Tung Sol tube box that says "Matched pair of 6550's". What rig were
> these used in?
>
> Thanks.

1649. FS: 1000's of Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: "m.pasternack" <m.pasternack@cwix.com>
Message-ID: <01be95bb$a8ff9e20$879c3ea6@pavilion>
Source record: 85055
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

e-mail to "m.pasternack@cwix.com" to receive 10 page list. Murray, W6KRC

1650. Heath SSB/CW transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990503.182954.-386005.14.NFMK@juno.com>
Source record: 85056

Collectors or Heath fans: offering to lists first:

Factory built Heathkit HW-101 for sale: 5 band SSB/CW transceiver,
80 - 10 meters, from estate. No power supply or manual. Physical
condition 10; unit does not show any signs of use. Cosmetics
absolutely perfect. Has silent key's callsign inscribed on chasis.
First prepaid $250.00 plus shipping & insurance has it. If unit does
not sell, look for it on E-Bay.

73, Doug -=NFMK=-
zip- 70806

1651. Ebay- CPI WM1000 Watt/Mod/SWR Meter!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990503193351.14224.00001508@ng-ft1.aol.com>
Source record: 85057

Hi All;
There is a CPI Meter Model WM-1000 on Ebay.
Very Rare and desirable. Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98633238

1652. Ebay- Real Nice SBE-34 w/mike!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990503193852.14224.00001511@ng-ft1.aol.com>
Source record: 85058

Hi All;
Please check out this excellent SBE-34 Transceiver at URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99170187

1653. Re: Eimac Application Bulletin - "Power Tetrodes"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: kf8od@aol.com
Message-ID: <19990503195250.13850.00000146@ng-ci1.aol.com>
Source record: 85059

All free at www.eimac.com
Long live QRO!

1654. Re: WTB Yaesu FT-101E parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Wayne Faris <wfaris@inebraska.com>
Message-ID: <372E3E5D.32176AF1@inebraska.com>
Source record: 85060

I have a new plug, still sealed in the plastic bag, that you can use for making your own power cord. I'll mail it to you for $5.00. Let me know if interested.

Wayne Faris, KEï¿½BZ

Keith wrote:

> Greetings.....Anyone who has a parts FT-101E floating around, please
> give me a call
> densmore@idirect.com
>
> I am looking for
> AC power cord
> DC power cord
> Modulator Board
> RF Cage Cover
>
> Thanks for the help,
>
> Keith, ve3gem

1655. Hallicrafters S-20 for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Nate <apollo@cnjweb.com>
Message-ID: <372E4F0F.76471D9A@cnjweb.com>
Source record: 85061
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

S-20 Sky Champion, 8 of 10 cosmetically, 10 of 10 functionally. Plays excellent, could use a new power cord. (not frayed, just starting to crack.) looks alltogether great. I do not have the manual. $125 + shipping. My family has owned this radio for a while, and it has been used regularily. However, it also recieved regular service, and was well cared for. (it was the only media my grandparents would partake in....) TIA,

Nate Gingras. kb9lsx@yahoo.comORapollo@cnjweb.comORnate@clmail.com obviously remove the OR's and seperate the addresses.

1656. Hallicrafters Metal Knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: The Bell Family <bell@fwi.com>
Message-ID: <925782208.776.42@news.remarQ.com>
Source record: 85062

Hello --

I'm currently restoring a Hallicrafters SX-111 and HT-37. Coming along nicely except I'm having trouble removing the small metal knobs off the units (such as the ant trim and cal knobs on the SX-111). The set screws that hold the knobs on are not a standard allen or torque pattern, but looks to be a combination of the two. Is there a special tool available to remove these knobs? If so, where can I obtain it? I've successfully removed some of them using a flat blade or phillips screw driver, but only if I'm not forcing anything. I'm concerned about breaking off some of the "teeth" inside the set screws.

Thanks & 73 de Mark NV9B
Columbia City IN.

1657. Re: 50+ NOS tuning coils from WWII vintage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <372E5C84.1EF5@ix.netcom.com>
Source record: 85063

These look like variable capacitors.. NOT coils ..
:-)
Trish

JOHN SEIDTS wrote:
>
> Have a look at the photos
>
> http://www.astory.com/myimages/tuning.jpg
>
> http://www.astory.com/myimages/tuning2.jpg
>
> All of these came out of a sealed box, and were individually wrapped in
> clear plastic bread wrappers. Some are still in the tissue paper wrapper
> from WWII. Different makes- Bud, Cardwell, Teleradio, GE, General Radio
> Company. I am listing them here before I put them on ebay. Price is $50.00
> plus shipping for all of them. Shipping weight is about 20 lbs. Please
> email privately if you would like these.
>
> --
> john@astory.com
> http://www.astory.com

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

1658. Re: FS R 390A (at Hoss Traders)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <372E614B.100E4FC5@earthlink.net>
Source record: 85064

IF this is not gone I will take it Matt Parkinson KE6UOS

ns wrote:

> FS Collins R390A..(EAC mfg) This is a very nice unit..Its one of the
> many projects I never got to...It has the meters, and the both covers,
> and comes with an exttra AF Deck (good for audio mods, but one of the
> transformers is shot), and an extra IF Deck (missing some tubes) I
> also have two extra plug in caps ..This unit has the Collins PTO..I
> will also include a beautiful copy of the manual TM11-856A.
> When I got the radio about two years ago it was working , but the
> 4-9-21 mhz bands we're troublesome..the rectifiers tubes have been
> replaced with diodes(easily reversable), the reg tube on the IF board
> is missing(it fell while I was working on it), and its missing the
> dial lock dial...I am not going to actually sell at the meet, but if
> someone wanted the radio, I will bring it with me...Will answer any
> and all questions, of seriously interested parties...$300.00
> Bob......Pse remove the (ns) from my adr....Thanks...

1659. Re: AN/SRR-13A Receiver for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <372E6229.89C80E24@earthlink.net>
Source record: 85065
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I will take it Dennis if not to late
Matt Parkinson KE6UOS

Dennis Polito wrote:

> One shipboard high frequency communications receiver model AN/SRR-13A
> for sale. This radio tunes from 2 to 32 MHZ in five bands. This receiver
> is designed for table top mounting. It is self contained in a gray
> enamel case metal case 17 1/4 inches wide, 8 3/4 inches high, 16 3/4
> inches deep, an weighs approximately 69 pounds. All operating controls
> are mounted on the front panel.
> Thr radio has a complement of 29 tubes.
>
> The condition of the front panel, knobs, dial and all data plates is
> excellent. The case is scratched up on the on all sides with several
> chips, about what you would expect of a receiver of this vintage.
> Electrically the radio is dead on one or two bands, the top two as I
> recall. Operation on the remaining bands is normal, sensititivy and
> audio quality fine.
>
> Included with the receiver is the full and original version of NAVELEX
> 0967-LP-115-2010 Technical manual for the entire series AN/SRR-11,-12,
> -13 and -13A receivers. This manual is approximately 2" thick with many
> fold outs.
>
> No, I will not copy the manual for you, maybe the new buyer will.
>
> I will take $140.00 plus shipping for the receiver. I can ship from a
> UPS depot rather than from a Mailbox etc. This will save on shipping. I
> will have the radio professionally boxed for you.
>
> If you are serious and would like a jepeg image, I will send a couple
> your way.
>
> 73
> Dennis

1660. Need to Identify Hammarlund Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <7glphqsel1@nusku.cts.com>
Source record: 85066

I just picked up an extremely nice condx Hammarlund Receiver.

It is a model type RSX. There serial number on the case matches the number on the chassis.

It looks somewhat like a Super Pro.

Does anyone have any info on this receiver?

Thanks -- Ben -- WB8HUR

1661. Re: WANT: Icom 751-A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Peter Fournia <glide@frontiernet.net>
Message-ID: <372E2924.A9A2A978@frontiernet.net>
Source record: 85067
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

FS, my IC 751. Has PBT, narrow cw filter, SSB filter, internal ICOM AC power supply, AT-150 automatic antenna tuner and cable, HM-12 hand mike, IC-SP3 speaker and cable. Plug it in and talk to the world on a dangling wire. In excellent condition with manuals and original boxes. Asking $795 for all.

Peter Fournia, W2SKY
Penfield, NY (716) 377-0535

zeitler@ibm.net wrote:

> State condx, price, options, whether or not it has PBT, ur call, qth, and
> phone number. I am a serious buyer. This is for personal use at home. If
> interested I have an Amp Supply LK-500ZA that I would trade for the right
> one (loaded, with options, etc..).
>
> 73s
>
> Lane Zeitler
> Ku7i
> San Diego 619-470-6528 but pls send e-mail rather than calling.

1662. WTB Clegg Zeus and Inteceptor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Walt <wb4lds@azstarnet.com>
Message-ID: <925790587.796.100@news.remarQ.com>
Source record: 85068

Hello:

I am looking for the Clegg ZEUS Transmitter and the INTERCEPTOR Receiver. If you have both or just one that you would like to sell or trade for Please email me..

Thanks Walt WB4LDS

1663. WTB: Dentron Clip L amp w/o tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <372e72cd@news1.us.ibm.net>
Source record: 85069
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Looking for a working Dentron Cliperton L amplifier without tubes. Must be working condx or close to it (Please, no bad power xmfrs). Will be for personal use. State condx and shipped price to San Diego 92139.

I can throw in an excellent pair of Eimac 4-400As, a Ten Tec 20 amp supply model 262M, and a homebrew roller inductor tuner that is a pseudo-copy of the Ten Tec 234 L network.

73s

Lane
Ku7i
San Diego

1664. WTB R-4C FILTERS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <372E745F.359FDBE@earthlink.net>
Source record: 85070

I am looking for some good filters for my R-4C receiver. Please drop me
a line with particulars. Lee Bahr w0vt

1665. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <372DBEC8.3BED738@wenet.net>
Source record: 85071

Hi,
It is used in many audio equipment like Mcintosh series but for Ham radio equipment, Central Electronics Model 100V and 200V have pair of them for finals.
It should be valued more than $50 a pc!!!
Good luck.
de K6hm

W9zr wrote:

> I have a Tung Sol tube box that says "Matched pair of 6550's". What rig were
> these used in?
>
> Thanks.

1666. FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: cosmic@nowhere.com
Message-ID: <37356469.2311113@enews.newsguy.com>
Source record: 85113

FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Kenwood TS-440S-AT
+PowerSupply
+Speaker
+ 2 Filters

~ Mint Condition
~ Single Owner
~ Low Use

Package includes the following:

TS-440S-AT - With Built-In Antenna Tuner
PS-50 - Kenwood Power Supply
SP-430 - Kenwood Matching Speaker
YK-88SN - Kenwood 1.8KHZ SSB Filter
YK-88C - Kenwood 500 HRZ CW Filter
SM-TS-440S - Kenwood Service Manual
OM-TS-440S - Kenwood Operating Manual
Receipts - All HRO original purchase receipts encluded.

This rig is in factory new condition. It
is complete as listed above and includes
all original Kenwood equipment boxes.
Soon after the purchase of the above rig,
It was replaced with a Kenwood TS-950D
resulting in very low usage.

If you are seriously interested in purchasing
a top quality rig, this is it. $850 + shipping

Email to: rf@atomicpage.com
Subject: Kenwood TS-440S-AT

Dick Fults - K6SX
1211 Maple Street
San Mateo, CA 94402

650-372-0716

73's

1667. National Radio parts wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990502212016.06304.00001362@ng-fk1.aol.com>
Source record: 85114

I would like to buy or trade for a S-101 impedance coupler in any condition and XC-5 & XC-6 isolantite tube sockets. These parts are for a SW-3 restoreration. Also if anyone knows of sources of reproduction parts like knobs, coil forms,& binding posts I would love to hear from you . Much tnx in advance.
Terry N3GTE

1668. Wanted - Schematic for ACL SR-209 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: bg998@FreeNet.Carleton.CA
Message-ID: <7gisnt$fu2@freenet-news.carleton.ca>
Source record: 85115

Looking for a schematic (or better yet, a manual!) for the ACL SR-209/AFC and ACL SR-219 series of VHF/UHF receivers. Will pay all reasonable photocopying and postage charges. Thanks!

73
... Martin VE3OAT

ve3oat@freenet.carleton.ca

1669. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFB4wA6.AyL@netcom.com>
Source record: 85116
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

In article <372cc0a6@news1.us.ibm.net> <munsch@ibm.net> writes:
>Ah, yes, there's the rub! (or something like that) There are more than one
>type of AM stereo system, and none are cross-compatible. I don't know who
>is winning anymore, but the choice that appeared on many car radios is being
>beaten out by one of the other systems. Maybe someone with current
>information can fill us in here.
>--
The Funny Cookie Corporation finally chose Motorola's CQUAM system.
Whoever thought the "marketplace" could force a selection was nuts.
The BTSC TV stereo standard was done by the industry, who then presented
the FCC with one choice. And the FCC said okay.... Else another
marketplace choice disaster.

1670. How to calculate TV7DU tube tester settings from tube manual data?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFB4x3n.Du0@netcom.com>
Source record: 85117
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Lets say I have the tube manual data on a tube that doesn't show in the
TV7DU tester listings. I know Gm, Rp, mu, cathode bias and such. How
to figure out what the TV7DU settings should be to test the tube?
I can figure out how to set the bottom row of switches to select
plate, cathode, suppressor, grid, etc. What I need to figure out is
where to set "bias" and what meter reading minimum I should expect.
And range switch setting?

1671. WTB: NBFM UNIT AND SELECTOJET FOR NC-183D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990502223237.18135.00001344@ng23.aol.com>
Source record: 85118

PLEASE CONTACT ME IF YOU HAVE THESE ITEMS FOR SALE.
THANKS DE MIKE, K6STU.

1672. Re: HENRY 2KD CLASSIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990502223252.29938.00001621@ng06.aol.com>
Source record: 85119

HOWDY LEM, THE GUY NEVER FOLLOWED UP . SO I STILL HAVE IT. DO YOU TRADE FOR HULA SKIRTS? WHAT SAY WE CHIP IN AND CHARTER A BARGE. I'LL SHIP IT OVER AND YOU SEND ME SOMETHING BACK..73S INKY JACK

1673. WTB CABINETS FOR R390A AND hAMMARLUND SP600-JX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990502223500.18135.00001345@ng23.aol.com>
Source record: 85120

Would like to buy cabinets for receivers.
Also would like to buy two sets of top and bottom covers and both meters for a R390A receiver.
Thanks de Mike, K6STU.

1674. Need info on correct colors and paint type RCA CR91

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: k2112@ntplx.net
Message-ID: <ay8X2.218$p_.16192@news.ntplx.net>
Source record: 85121

I am in the process of restoring a RCA CR-91 and need to know the correct color or colors and type (wrinkle etc.) Your help would be appreciated.

Kurt Keller for Dave Rawley N4XO

1675. Ebay-220Mhz Xtal Mobile Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990503002251.18704.00002194@ng-ca1.aol.com>
Source record: 85122

Hi Guys;
Anyone need a 220 mhz crystal rig?
Please Check this out, At $60 now with 2 days left!
URL>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=97013670
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1676. British Aircraft ADF Bearing Indicators Type 1311 &. or Type 1272

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: John Mackesy <mack@melbpc.org.au>
Message-ID: <7gj93p$54m$1@possum.melbpc.org.au>
Source record: 85123

From: John Mackesy <mack@melbpc.org.au>
To: <rec.radio.amateur.boatanchors>
Subject: WTB: British Aircraft ADF Bearing Indicators Type 1311 & 1272
Date: Sunday, 2 May 1999 22:08

> Wanted: either or both of these instruments for use with Marconi AD7092D
> (aircraft) Automatic Direction Finder restoration project. Type 1311 is 5
> 1/4" diameter and is calibrated in 1 degree intervals. Type 1272 (or 1272A
> through E) is 3 1/8" dia and contains 2 separate movements providing both
> relative bearing and tuning indication.
>
> Any leads most appreciated.
>
> John Mackesy VK3XAO
> Melbourne, Victoria, Australia
>
>

1677. Estate Sale Listing

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Greg Englert <englertgl@pad-uky.campuscwix.net>
Message-ID: <7gjf9n$4g4$1@news.campuscwix.net>
Source record: 85124

I am trying to help out the widow of a local ham. Pretty extensive listing of boatanchor/military equipment. Except for the specialty items like Hammarlund, Heathkit, etc., I would like to get offers on groups of equipment for pickup in Paducah, Ky. Too much equipment to ship piece by piece.

Please reply by e-mail to englertgl@pad-uky.campuscwix.net

Thanks for reading the post.

73, Greg KY4A

Militar Manufacturer: Model Number:
Description: Condition
Quantity

No Barker and Williamson 725 Balun,
4/1 Broadband, 1 KW 8 Untested
1
No Central Electronics Sideband Slicer Sideband
Slicer S/N 7675 7 Untested
1

No Cornell Dublier AR-22 Rotor and
Control 8 Untested
1
No Cornell Dublier TR-44 Rotor and
Control 8 Untested
1
No Gonset Super 6 Shortwave
Converter 5 Untested
1

No Hammarlund Four-11 Modulator
7 Untested 1
No Hammarlund Four-20
Transmitter 5 Untested
1
No Hammarlund HQ-129-X Receiver
7 Working 1

No Hammarlund SP-600 Receiver
4 Untested 1
No Hammarlund SP-600 Receiver
9 Working 1
No Heathkit A-7 Audio
Amplifier 7 Untested

1

No Heathkit AM-1 Antenna
Impedance Meter 8 Untested
1
No Heathkit CA-1 Conelrad
Alarm 7 Untested
1
No Heathkit HW-30 2 Meter AM
Transceiver "Twoer LunchBox" 7 Untested
1

No Heathkit IT-12 Signal
Tracer S/N 6618 7 Untested
1
No Hewlett Packard 524B Frequency
Counter 8 Working
1
No Homebrew None HF
Amplifier Deck (Partial) Incomplete
1

No Industrial Instruments DA-1 Attenuator
600 Ohm T-Network 9 Untested
1
No Knight KG-650 RF Signal
Generator 7 Working
1
No National HRO-M Receiver
7 Untested 1

No Northern Radio Company Model 1 Variable
Master Oscillator 7 Untested
1
No Simpson 215 Ohmeter
with Roll Case 8 Untested
1
No Simpson 380 Wavemeter
8 Untested 1

No Supreme Instruments Corp. 542 Volt
Ohmeter 8 Untested
1
No Unknown Unknown Variable
Capacitors Large Box 7
1
No Weston 689 Ohmeter
9 Untested 1

No Weston Unknown Portable
Galvanometer Antique 6 Untested
1

Yes Adler Electronics TS497B/URR Signal
Generator Set 6 Untested
1
Yes Carter Unknown Dynamotor
12VDC/350VDC 8 Untested
1

Yes Collins O-91/FRT-5 RF
Oscillator 9 Untested
1
Yes Colonial Radio BC-457A
Transmitter 4-5.3 MHz 4 Untested
1
Yes Colonial Radio BC453B Receiver
180-550 KHz 3 Untested
1

Yes Delco BC-1335
Receiver/Transmitter 9 Untested
1
Yes Delco BC1335
Receiver/Transmitter 8 Untested
2
Yes Electrocraft AN/PRM-10 Test
Oscillator 10 New Untested
1

Yes GE PE-101-C Dynamotor
12VDC/400/800VDC 5 Untested
1
Yes GE TU-10-B
Transmitter Tuning Unit 10-12.5 MHz 6 Untested
1
Yes GE TU-9-B
Transmitter Tuning Unit 7
1

Yes Graybar BD-AL-83 PS225 Dynamotor
12VDC/350VDC (1939) 6 Untested
1
Yes Motorola R-390/URR Receiver
6 Working 1
Yes Northeastern Engineering R-584/MRC-20 Receiver
6 Untested 1

Yes Philco BC906D Frequency
Meter (In Crate) 9 Untested
1
Yes TaffetElectronics Inc. ZM-4B/U Resistance
Bridge 8 Untested
1

Militar Manufacturer: Model Number:
Description: Condition
Quantity

Yes Trad Electronics AN/URM26B RF Signal
Generator 8 Untested
1
Yes Unknonw T18/ARC5
Transmitter 2.1-3 MHz 8 Untested
1

Yes Unknown 150A Dynamotor
12VDC/400V 6 Untested
1
Yes Unknown AN/PRM-10 Test Set
10 Unopened Untested 1
Yes Unknown AN/TSM-16 Frequency
Meter 9 Working
1

Yes Unknown AN/USM32
Oscilloscope 7 Untested
1
Yes Unknown BC-221 Frequency
Meter with Spare Parts 8 Untested
1
Yes Unknown BC-696-A
Transmitter 5 Untested
1

Yes Unknown BC946B Receiver
.52-1.5 MHz Parts
1
Yes Unknown CBY 52232 Aircraft
Radio Transmitter 6 Untested
1
Yes Unknown CS-137 Crystals
in Storage Case 9
2

Yes Unknown CZC-46209 Spare
Parts Kit for Receiver Model RCH CZC-46209 9 New Untested
1
Yes Unknown J37 Code Key
on base with cord 6
1
Yes Unknown R-26/ARC5 Receiver
3-6 MHz 3 Untested
1

Yes Unknown SSC1-503 Antenna
Control SAAMA Rotor 7 Untested
1

Yes Unknown T-26 Microphone
Chest Army 10 New Untested
1
Yes Unknown T19-ARC5
Transmitter 3-4 MHz 4 Untested
1

Yes Unknown T20/ARC5
Transmitter 4-5.3 MHz 5 Untested
1
Yes Unknown T21/ARC5
Transmitter 5.3-7 MHz 3 Untested
1
Yes Unknown TBX-5 Kit Spare
Parts Kit for TBX-5 9
1

Yes Unknown TU-47 Tuning
Unit (New In Box) 2.0-2.5 MHz 10 New Unopened
3
Yes Unknown TU-48 Tuning
Unit (New in Box) 2.5-3.2 MHz 10 New Unopened
2
Yes Unknown Unknown Tuning
Unit (Just Parts) Incomplete
1

Yes Unknown Unknown Microphone
Army 6 Untested
1
Yes Western Electric BC-453B Receiver
190-550 KHz 3 Untested
1
Yes Western Electric BC-457A
Transmitter 4-5.3 MHz 4 Untested
1

Yes Western Electric BC-457A
Transmitter 4-5.3 MHz Not Complete
1
Yes Western Electric BC-458A
Transmitter 3.5-7 MHz 5 Untested
1
Yes Western Electric BC-458A
Transmitter 5.3-7 MHz 4 Untested
1

Yes Western Electric BC-459A
Transmitter 7-9.1 MHz 4 Untested
1
Yes Western Electric BC455B Receiver
6-9.1 MHz 3 Untested

1
Yes Western Electric T19-ARC5
Transmitter 3-4 MHz 4 Untested
1

1678. WTB: Command Sets, Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: MICHAEL NEIDICH <neidich@worldnet.att.net>
Message-ID: <7gk2te$48q$1@bgtnsc03.worldnet.att.net>
Source record: 85125

Helping restore the radio shack of a B-17 with authentic accessories. What have you?
Mike

1679. Re: Looking For Operating Manual for Kenwood TS-830S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: "Leo B." <leob@erols.com>
Message-ID: <372D9B53.3CE9@erols.com>
Source record: 85126
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio

rick wrote:
>
> I am looking for a copy of an Operating Manual for Kenwood TS-830S .
> If anyone can help me you can E-MAIL Me @ address below.
>
> Thank You All,
>
> Rick Ramzy de K8RMR
>
> --
> E-MAIL @ kc8dmn@accinternet.com
> WEB PAGE @ www.accinternet.com/~kc8dmn

Try the following source.
73 - Leo - W3LEO

Vintage Manuals
http://www.sarrio.com/sarrio/rsman2.html

"...All US orders are shipped by airmail, the cost for shipping one
manual is $4.00. Each additional manual adds $1.00 to the cost of
shipping..."

Kenwood (OPR) TS-830-S Transceiver $18
Kenwood (Maint) TS-830-S Transceiver $22

1680. Re: TUBE FINALS: QUESTIONS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990503093012.19591.00001634@ng-fx1.aol.com>
Source record: 85127

If you want to use less power, it seems to me you can just loosen up on the loading and dip the final again until you reach the power level you desire. For example, if maximum power is achieved at 300ma, but you want only half power, loosen the loading until the dip in plate current reaches 150ma.

W3DEF

1681. Johnson,Johnson and Johnson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: John Haberkern <jhabs@worldnet.att.net>
Message-ID: <372DAA36.DD327ADF@worldnet.att.net>
Source record: 85128

I have forsale 3 pieces of Johnson equipment;

Johnson Pacemaker, this radio is untested, chassis is in beautiful condition and originally was a kit. Most of the original knobs are gone save but the vfo and bandswitch.meter and escutcheon are in good shape but cabinet needs some paint. I have a copy of the manual. With a little paint and some time to locate the knobs this would be a very desirable unit. Asking $300
Johnson Valiant, this radio was on the air but got reports of a hum on the audio. Puts out 100 watts. This is a nice unit but also could use some paint on the cabinet. Meter and escutcheon are in good shape and the unit has all the original knobs but missing white inserts. Also a little time invested and this would be a very desirable unit. This was also a kit but chassis in excellent shape. Also have copy of manual. Asking $250
Johnson Matchbox, this is the 275 watt model without the meter. Unit is in good condition except for a fist sized spot on top of cabinet where paint is missing, but with a little time and a can of black crinkle paint this unit would look almost New. Have copy of manual and would ship in U.S. for $125

The transmitters are pick up only in Phila. They are just a little too big and heavy to try to box and ship.

1682. What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990503104337.06300.00001558@ng-fk1.aol.com>
Source record: 85129

I have a Tung Sol tube box that says "Matched pair of 6550's". What rig were these used in?

Thanks.

1683. XR-2P Heathkit Portable Radio Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: blewis@WashingtonStateResident.oz.net
Message-ID: <372dba66.4275014@news2.oz.net>
Source record: 85130

I am in need of a manual, or at least a schematic, for a Heath model XR-2P (or the XR-2L) portable transistor radio. Anyone have one, or can make a copy?

Thank you, Ben

1684. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990503102812.0094fc40@popd.ix.netcom.com>
Source record: 85131
Body handling: HTML body converted to readable text

--=====================_87388309==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX
austrade@ix.netcom.com
-

--=====================_87388309==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

austrade@ix.netcom.com

-

--=====================_87388309==_.ALT--

1685. Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <372DBFFF.4ACAAC63@ix.netcom.com>
Source record: 85132

I've spent a small amount of time over the last couple of years
researching the communications in early US space vehicles.
I got my first semi-close look at a Project Mercury spacecraft
this weekend (Faith 7). The only piece of the several comm.
systems I could see was a small section of (I think) the backup
UHF communications system, which ran .5 watt. It looked very much
like period Aircraft Radio Corp. ARC-type-12 equipment, with what
appeared to be a UHF connector and gray, wrinkle paint finish.

Transistors were still a fairly "new" technology in 1961.
NASA was very concerned with using safe, reliable systems.
I believe that, if I ever get access to detailed technical
material, I will find that many of these systems were
based on solder-in tubes.

Therein lies the rub;
The folks at the Smithsonian have been most kind and helpful
to send me a broad overview of the systems involved,
but I can't seem to get them to understand
the concept of a "schematic" or "technical manual."
I've talked to them since they sent me the "block diagram" type
material and they are no closer to understanding what I need.
I can't afford to fly up there and draw them a picture.

Can anyone suggest another approach to obtaining this data?

TNX ES 73 DE Dave Stinson AB5S
arc5@ix.netcom.com

p.s. An interesting bit of data from the Mercury fights:
The spacecraft was equipped with both UHF and HF voice systems.
The UHF voice systems were useful for communications
104% of the time the spacecraft was in line-of-sight
of its tracking stations. The 5-watt HF system? 113%! HA!

1686. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7gkgo9$ea2$1@nntp2.atl.mindspring.net>
Source record: 85133

In article <19990503104337.06300.00001558@ng-fk1.aol.com>, w9zr@aol.com says...
>
>I have a Tung Sol tube box that says "Matched pair of 6550's". What rig were
>these used in?
>
>Thanks.
>
>

The Central Electronics 100V and 200V uses a pair of 6550s. However, most
matched pairs of 6550s were used in audio equipment.

Allen Cutts
N4OZI

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

1687. WTB CEI 702 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Craig Harrison <craigjv3@earthlink.net>
Message-ID: <7gkh09$e4k$1@holly.prod.itd.earthlink.net>
Source record: 85134

Looking for manual for CEI (Communications Electronics Inc.) Model 702 VHF-UHF Receiver.
Thanks, KE6U0W

1688. Need Schematic for Heath HM-102

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Spencer Ritchie <sfritchie@worldnet.att.net>
Message-ID: <7gki2dmlt1@bgtnsc03.worldnet.att.net>
Source record: 85135

I need a schematic for a Heathkit HM-102 swr meter. Any help would be
appreciated.
Thanks,
Spencer KC2TX

1689. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: troglodite@aol.com
Message-ID: <19990503121934.26182.00001892@ng-fs1.aol.com>
Source record: 85136

>
>Therein lies the rub;
>The folks at the Smithsonian have been most kind and helpful
>to send me a broad overview of the systems involved,
>but I can't seem to get them to understand
>the concept of a "schematic" or "technical manual."
>I've talked to them since they sent me the "block diagram" type
>material and they are no closer to understanding what I need.
>I can't afford to fly up there and draw them a picture.
>
>Can anyone suggest another approach to obtaining this data?

Did you try contacting the Space Center in Huntsville? (The old Redstone site.)
I visited there some years ago and there were a lot of knowlegeable people
around, including some old-timers who knew all the history down to the little
details. Maybe someone there would know - they seem more into the technical
stuff than the Smithsonian.

Doug Moore

1690. Re: Need Schematic for Heath HM-102

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: Martin Meserve <meserve@my-dejanews.com>
Message-ID: <372DD244.167EB0E7@my-dejanews.com>
Source record: 85137

Spencer Ritchie wrote:
>
> I need a schematic for a Heathkit HM-102 swr meter. Any help would be
> appreciated.
> Thanks,
> Spencer KC2TX

The schematic for the Heathkit HM-102 swr meter is available, in
GIF format from:

KB9JJA Heathkit Ham Radio Page
http://members.accessus.net/~dwentz/kb9jja/heathkit

If you can't get it yourself, let me know and I'll email it to you.

Martin

--
Martin E. Meserve KB7EQS martin.e.meserve
Engineer, Program/Project Specialist AT
Lockheed Martin M&DS - Reconnaissance Systems lmco.com

I respond to news groups and E-Mail on my own time and therefore my
responses may not be as timely as you, or I, would like them to be. If
I seem to be ignoring you, send me another E-Mail to jog my memory.
Opinions are my own and do not reflect the opinions of my employer.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1691. Drake T-4X technical question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-03 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <372DCCEA.4795@iglou.com>
Source record: 85138

Hi gang, I have a tech question about my T-4X transmitter.
Very occasionally, the vox tx circuit will activate by itself putting my
tranmitter in the transmit mode and muting my receiver, and it stays
that way until I power it down. Reducing the gain does nothing.
Disconnecting the mike and key does nothing. I have replaced my
VOX/relay amp tube and the mic amp tube and checked other components but
can find nothing wrong. It is very difficult to figure out as it only
happens once in a blue moon and if I turn it off and go back to it the
next day, it works perfectly. It may take up to 4 or 5 months to do it
again. Any help is appreciated. Thanks......W4UDX

1692. wtb:broken radios

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <i6CX2.648$G4.2645@news1.iquest.net>
Source record: 84989

im looking for a few broken radios to tinker with.tube or solid state
let me know what you have
thanks
monte k9dzd@iquest.net

1693. HQ-180A FS Pick up at Hoss Traders Only..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <372eebf0.9946462@news.i-2000.com>
Source record: 84990

FS HQ-180A I've finally decided that heavy receivers & xmtrs are
not in my future, as just lifting them is a hassle...This is a vy fine
radio..I am the second owner, and I knew the first owner, a long gone
SK ....I have been using it for the past month, and it works FB...The
cabinet is in prime condition, with some scratches on the trim
ring..It has the clock...There are some stains above the meter, on the
panel, that with a little effort might come out, but there no big
deal, and I only mention it so as to describe this unit accurately..
It comes with a photocopy of the manual...This is PICK-UP at Hoss
Traders, or I will try to make arrangements to meet interested parties
at a mutual point, from my home on L.I. Price ..$500.00
Bob....Pse remove the (ns) from my adr....
....

1694. Vintage Gear Moving Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: robert stohlman <rstohlman@centuryinter.net>
Message-ID: <01be962e$eccef240$6c998ed1@uymfdlvk>
Source record: 84991

Uncle Sam says time to move (again). Following items won't fit in new house/shack..must go ASAP!

1. National NC-300 Rcvr/Knight T-60 AM Station. Currently on-air. Nice Condx. Rcvr has matching speaker. Also includes RCA mike, Dow-Key TR switch, a SPARE PARTS NC-300, spare 4H4C tubes and manuals...my DX-60 Net rig: $275.00 pick-up only.

2. Hammarlund HQ-110A Rcvr, with clock, manual, works nice, cabinet has worn paint in spots..but very clean: $125.00

3. Johnson 250W Matchbox with meter/directional coupler. Main knobs not original. Nice condx, in use with my 40M Zepp: $85.00

4. 5 foot aluminum slope front rack: Free...has Collins UHF R-278 rcvr installed.

5. Mod 15 TTY: free

6. Dentron wire tuner...dirty: $25.00

7. As I clean out the shack, I will also have other odds/ends to give away/sell cheap (i.e. antenna supplies, parts, maybe QSTs, etc)

All gear located in Vermilion, OH..approx 45 minutes west of Cleveland.

Bob Stohlman
WB5QVN
440-967-3703

1695. FS National HRO-500 Manual(Mint)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <372ff1c3.11437918@news.i-2000.com>
Source record: 84992

FS National HRO-500 Manual ...Not a copy..mint
$25.00+shp...Bob...Pse remove the (ns) fromn my adr...
Bob

1696. Re: Hallicrafters Metal Knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7gmubk$6s7$1@holly.prod.itd.earthlink.net>
Source record: 84993

I'm not sure of the correct name of the wrench pattern, but I'd describe it as a four-sided Bristol wrench. At least that's what's in the two small knobs on my HT-37. I've had an assortment of these wrenches in the toolbox for 35 years and haven't noticed any for sale anywhere lately. You might check some of the specialty tool companies. Definitely not an automotive design like the torx wrenches.

K8AC

The Bell Family <bell@fwi.com> wrote in message
news:925782208.776.42@news.remarQ.com...
> Hello --
>
> I'm currently restoring a Hallicrafters SX-111 and HT-37. Coming along
> nicely except I'm having trouble removing the small metal knobs off the
> units (such as the ant trim and cal knobs on the SX-111). The set screws
> that hold the knobs on are not a standard allen or torque pattern, but
looks
> to be a combination of the two. Is there a special tool available to
remove
> these knobs? If so, where can I obtain it? I've successfully removed
some
> of them using a flat blade or phillips screw driver, but only if I'm not
> forcing anything. I'm concerned about breaking off some of the "teeth"
> inside the set screws.
>
> Thanks & 73 de Mark NV9B
> Columbia City IN.
>
>
>

1697. Re: Vintage Gear Moving Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <372F09D9.9074D212@stratos.net>
Source record: 84994

Hi Bob,

I'll be down to pick up your 5' rack and R-278 rcvr at approx.
1330 today. Do you have the power cord, or manual, for the R-278?

Do you have any old catalogs, manuals, sales literature, or knobs,
that you want to get rid of?

73,

Bruce Sugarberg, WA8TNC
Akron, OH
---
robert stohlman wrote:
>
> Uncle Sam says time to move (again). Following items won't fit in new
> house/shack..must go ASAP!
>
> 4. 5 foot aluminum slope front rack: Free...has Collins UHF R-278 rcvr
> installed.
>
> All gear located in Vermilion, OH..approx 45 minutes west of Cleveland.
>
> Bob Stohlman
> WB5QVN
> 440-967-3703

1698. Collins Mech. Filter ???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <372F15B2.568F@ameritech.net>
Source record: 84995

Hello,

I have a Collins mech filter part number 526 9365 00
also says F455 Z5 4S2 on it. Wonder what it was used in ?
I found a reference on the net that says its a LSB filter but
no spec on the bandwidth.

TIA

Dan Harlan N8ETQ Cleveland, Oh.

1699. WTB: Heathkit HX-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: PEYK47A@prodigy.com
Message-ID: <7gn6f3$14kk$1@newssvr03-int.news.prodigy.com>
Source record: 84996

Want to buy Heathkit HX-11

John

K7VGF

1700. Re: Looking For Operating Manual for Kenwood TS-830S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Steve Forcht <stevef@interlog.com>
Message-ID: <372F2675.A8979428@interlog.com>
Source record: 84997
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio

Send me your address and I will phocopy the TS830s manual for you

Steve VA3SF

Walt Davidson wrote:

> On Mon, 03 May 1999 08:49:23 -0400, "Leo B." <leob@erols.com> wrote:
>
> >73 - Leo - W3LEO
>
> Is this what is meant by "a little Leo"?
>
> ;-)
> 73 de G3NYY
>
> --
> Walt Davidson Email: walt@ surf-zone.co.uk

1701. Yaesu FT-901 DM and other Yaesu items FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <TGFX2.1181$9d4.67865@monger.newsread.com>
Source record: 84998

For sale:

Yaesu FT-901 DM transceiver. 160 through 10 meter,
includes CW filter. AM, FM, CW and SSB. 6146 finals.
Keyer built in, along with just about every other option
a person could think of. This one is in good shape,both
electrically and cosmetically. Manual included for $ 500

Yaesu MH 18 A2b speaker mic. This is the small speaker
mic that fits many, many HTs, both Yaesu and others. $ 25

Yaesu FT-101 crystal for 160 meter coverage. Adds 160 m
to many of the rigs of the FT-101 era that did not include it
originally. $ 10

Prices do not include shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

1702. FS: DATRON/TRANSWORLD MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0405991051400001@murphy1.cts.com>
Source record: 84999
Cross-posted to: rec.radio.swap,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

LIST OF DATRON/TRANSWORLD MANUALS AVALABLE AT:

http://209.239.34.153/murphyjunk/DATRON_TRANSWORLD_MANUALS

PRICED FROM $12 TO $125.

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

1703. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: jrobmills@aol.comnospam
Message-ID: <19990504141219.07261.00002449@ng-ck1.aol.com>
Source record: 85000

>The manual says 66 lbs for the rack version and 87.5 lbs for the table
>model.

It's been a long time since I sold mine but doubt these figures would include the original power supply which probably weighed as much as the receiver. One could sure get a hernia hauling it around.

J Rob

1704. WTD: Info. on field strength meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: "E. V. Sandy Blaize" <ebjr@worldnet.att.net>
Message-ID: <7gnegr$9gu$1@bgtnsc02.worldnet.att.net>
Source record: 85001
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Looking for a book or a copy of same on a Sadelco Field Strength meter
model 720. This one is also branded Jerrold as well, so it might be the
Jerrold 720 is the same instrument.
Any info out there?
73,
Sandy W5TVW

1705. Needed Heathkit HP-13 schematic for power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: datapro1626@my-dejanews.com
Message-ID: <7gnimk$q99$1@nnrp1.dejanews.com>
Source record: 85002

I have just purchased an old HW-22 with the HP-13 DC power supply. I am looking for a schematic for this unit, particularly the power cable. I need to make a new one as the original was not there.

Any help would be greatly appreciated.

Don Peterson
Don@D8aPro.com

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1706. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990504150706.10953.00002129@ng-cm1.aol.com>
Source record: 85003

>Anyone know how much that boatanchor weighs in at?

If you have to ask, you can't lift it!

(A VARIATION OF: IF YOU HAVE TO ASK HOW MUCH IT COSTS, YOU CAN'T AFFFORD IT)

1707. Re: FS Tube radio receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990504150938.10953.00002132@ng-cm1.aol.com>
Source record: 85004

>Trio model JR-60 communications receiver in exc.condition,
> stored for years, sold as is. Quite a large unit and
> well built. $60 plus shipping.
>
>
>
>
SOLD YET?
I'M INTERESTED.
73S
MATT

1708. Re: FS Tube radio receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990504151126.10953.00002135@ng-cm1.aol.com>
Source record: 85005

>FOR SALE:
>
> Trio model JR-60 communications receiver in exc.condition,
> stored for years, sold as is. Quite a large unit and well
built. $60 +

Sold yet?
Interested
Matt

1709. Re: Filter Caps and Safety

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: kf8od@aol.com
Message-ID: <19990504152627.19595.00002377@ng-fx1.aol.com>
Source record: 85006

screw driver works fine.
Long live QRO!

1710. HELP with Heathkit Scanalyzer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: radioboy_ny@my-dejanews.com
Message-ID: <7gnlom$t66$1@nnrp1.dejanews.com>
Source record: 85007

I purchased a Heathkit SB-620 at a hamfest a couple weeks ago. The seller didn't have the manual with him, but promised he would mail it. In fact, I paid a premium price, because he said he had an original manual. So far, the manual has not been forthcoming. I trust it will arrive someday (yeah, right!), but I'd like to use this instrument now.

The scope has a nice trace, but I'm at a loss as to how to hook it up to my Hallicrafters sx-42.

I found that with a Signal Generator on the input, I got a peak shown at around 465kHz which is close to the SX-42's IF of 455kHz.

What does the Ham Scan/Spectrum Analyzer switch on the rear apron do?

What level do you put in on the RF Input phono jack? Is that for the spectrum analyzer function?

Many thanks to all the kind 'anchorlifters' out there ... any help would be welcome.

I'm posting this via dejanews because because my ISP appears to have a receive- only connection to usenet.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1711. FA: Three Very Rare Drake Noise Blankers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <372F55F1.7F1DE4E6@cfu.net>
Source record: 85008

Till Sunday, 5/9---

4-NB Noise Blanker for the Drake R-4C. SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99109739

34-PNB Noise Blanker for the Drake TR- Series Transceivers. SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99123218

5-NB Noise Blanker for the Drake SPR-4 Receiver. SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99130836

Tks es 73!

1712. Radio (?) on MASH (tv show). What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Marco Ciocca <marco@pa.uky.edu>
Message-ID: <372F5D2C.9C55CC24@pa.uky.edu>
Source record: 85009

Folks:

Don't yell at me, I am fairly new at this...
I have been bitten by the boatanchors bug in the last year or so, so my education is just starting.
I have a question .
Every now and then, with the kids finally in bed, I like to watch some Mash re-runs on my local Tv station.
In Colonel Potters' (sp.?) office there is what looks like a nice boatanchor with knobs and dials and switches and what've you!
To my not-so-expert eyes, the knobs look like Hammarlund's (SP 600, I would say). The shot rarely stays long enough on the darn thing to see much. Does anybody have any idea? Check your local listings...
Thanks a lot!
Marco KF4URS

1713. Mystery Transmitter: RCA AVT-23

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <372F601E.154BA6FC@ix.netcom.com>
Source record: 85010

Just received a real jewel from a kind gentleman.

Wondering if any of you know anything about the
RCA AVT-23 Aircraft transmitter. Appears to be Navy from
WW-II or just prior. Details and photographs at

http://www.arc5.com/rca/avt23.htm

Anyone have connector details, pin-outs, manual, history, anything?

TNX ES 73 DE Dave Stinson AB5S
arc5@ix.netcom.com

1714. Re: Filter Caps and Safety

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <372f61e9@news1.us.ibm.net>
Source record: 85011

Ten to one hundred ohm resistor with clipleads. Two, 3, 5, or ten watt, not critical. Wouldn't use smaller than that though. Might put two in parallel for safety in case one fails.

--
Crazy George

1715. Shure Model 55 microphone F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F6308.4278918F@ameritech.net>
Source record: 85012
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Shure model 55 at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99810249

73/Carter/K8VT

1716. Rare Triplett 625-N VOM F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F677C.5DE46428@ameritech.net>
Source record: 85013
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Unusual Triplett VOM...see at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99818948

73/Carter/K8VT

1717. Attn Millen collectors: Millen SWR bridge F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F6BB5.790A0619@ameritech.net>
Source record: 85014
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Millen 90671 SWR bridge F.A. at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99825384

73/Carter/K8VT

1718. Re: Filter Caps and Safety

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Denis Kuwahara <denis_kuwahara@foxinternet.net>
Message-ID: <372F649F.8BA5C30A@foxinternet.net>
Source record: 85015

The current level of a direct short can be hard on both the capacitor and the screw driver. The supply should have a bleeder resistor in place across the capacitor to draw a few milliamps. One trick I recall was to make a voltmeter using a 1 mill movement, thus providing visual proof that the bleeder was functioning and to indicate the voltage level. A concern is not to exceed the voltage and power rating of each resistor, that makes up the bleeder.

Atter your convinced that the charge has been disipated, then apply the screw driver to make sure that the capacitor is discharged.

Never trust interlocks or bleeders, verify before sticking fingers into HV circuits.

Kf8od wrote:
>
> screw driver works fine.
> Long live QRO!

1719. cabinet restoration question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990504181146.24950.00003941@ng-fi1.aol.com>
Source record: 85016

Hi All,
I would like to know where I would go to have some metal cabinets sandblasted in order to prepare them for restoration. I have no idea where I would start to look for this service on a group of small item such as these. The pile of cabinets is getting larger all the time and I would like to start getting to work on them, but need to have the old re-painting removed. Please respond to me at: nc183d@aol.com
rgds,
Mark S.

1720. FA: Rare Heath AT-1 orig manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372F7080.A964E0A@orwell.net>
Source record: 85017
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Well used manual at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98206495

Thanks,

Bob

1721. FA: Heathkit HN-31 orig manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372F70CD.C820E26A@orwell.net>
Source record: 85018
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Very nice manual at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98199762

Thanks,

Bob

1722. FA: Heath GD-162A Tone Squelch orig manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Bob Straley <kb8gnf@orwell.net>
Message-ID: <372F7115.9A38D220@orwell.net>
Source record: 85019
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Very nice manual at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98203932

Thanks,

Bob

1723. Collins Microwave Slide Rule F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F71B1.891E3BE3@ameritech.net>
Source record: 85020
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

This is a Collins Radio/ Pickett slide rule used to design microwave radio routes. Has pouch on case that holds Collins instructions; Collins logo and copyright on slide rule. Good condition. Not directly ham radio, but of possible interest to the Collins collector. See at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99835733

73/Carter/K8VT

1724. National PW-D dial NIB F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F7AB3.C5DD8C2E@ameritech.net>
Source record: 85021
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

National PW-D (HRO type) dial new in box with instruction sheet. See at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99853883

73/Carter/K8VT

1725. National HRO type dial and gear box F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F7DC8.9665CA86@ameritech.net>
Source record: 85022
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Used National HRO type dial and gear box with two output shafts. See at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99859824

73/Carter/K8VT

1726. heathkit cw filter FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: "Walter S. Delesandri" <walt@jove.acs.unt.edu>
Message-ID: <7gnvcf$rej@hermes.acs.unt.edu>
Source record: 85023
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

heathkit cw filter, 3395 if, hw-sb-series, 400hz
(the normal one)

$49 shipped conus

1727. Re: WTB manual IT-17 Heath tube checker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <372F81B8.6AF5B476@saber.net>
Source record: 85024
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Found a manual Livermore swap meet.
Thanks to all who took the time to respond..
73 de WB6VSE

1728. 1935 ARRL Log Book F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F8198.771CC0C8@ameritech.net>
Source record: 85025
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Take a rare trip back to the early days of ham radio. This is the first log of a ham that was 16 years old in 1935 and is an interesting look back at how ham radio was. Log is about 3/4 full. It starts Oct 29, 1935 and runs until March 27, 1937. It contains notes, graphs and schematics in addition to logged QSOs. See it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99867523

73/Carter/K8VT

1729. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <smLX2.5978$NC4.7359@news.rdc1.ab.wave.home.com>
Source record: 85026

The SP-600 has an internal PS...those figures sound correct.

Jrobmills wrote in message <19990504141219.07261.00002449@ng-ck1.aol.com>...
>>The manual says 66 lbs for the rack version and 87.5 lbs for the table
>>model.
>
>It's been a long time since I sold mine but doubt these figures would
include
>the original power supply which probably weighed as much as the receiver.
One
>could sure get a hernia hauling it around.
>
>J Rob

1730. For Sale: Heath SSB/CW transceivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990504.182833.-386005.17.NFMK@juno.com>
Source record: 85027

I have two transceivers now for sale by Heathkit. Both were bought as factory built units and are from estates:

Factory built Heathkit HW-101: 5 band SSB/CW transceiver, 80 - 10 meters, from estate. No power supply or manual in sale. Physical condition is as a 10; unit does not show any signs of use. Cosmetics absolutely perfect although it does have silent key's callsign engraved on chasis. This transceiver and a nice Heath amplifier (one as new SB-200 is available) will give you the perfect single user Heath station of the times. $250 plus shipping.

Factory built Heathkit SB-104: 5 band SSB/CW transceiver, 80 - 10 meters, from estate. No power supply or manual in sale; Physical condition is 9.5 if not a 10. On dummy load all bands load and output fine; currently on air on 75 MARS SSB and 40 meters CW using a trap doublet. AMTOR/Packet friendly; stable as a rock; Cosmetics are also absolutely wonderful. My call sign in window, you would need to change. Used this side by side with a Drake TR7 and you could not prefer one over the other. Great performer as is the HW-101.
$350 plus shipping.

73, Doug -=NFMK=-
zip- 70806

1731. Murch tuner 2000A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <372F80FA.171B@sympatico.ca>
Source record: 85028

HELLO
Iam looking for a murch Ttuner 2000A in good shape I ready to pay 100.00
73
VE2AMK

1732. Original National HRO-50 manual F.A.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Carter Grabarczyk <k8vt@ameritech.net>
Message-ID: <372F8476.91EDBDD0@ameritech.net>
Source record: 85029
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Original and mint HRO-50 Instruction Manual. No tears, folds, writing.
Like the day it came off the printing press. See at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99874824

73/Carter/K8VT

1733. Re: HELP with Heathkit Scanalyzer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Wayne Hertel <whertel@fn.net>
Message-ID: <372F9562.8FADB410@fn.net>
Source record: 85030

Place the black switch down to "SPECTRUM ANALYZER" and connect the 455 kc IF output from your receiver to the "IF INPUT" jack. I use mine with a couple of R-390As. Works really well, considering where I got the IF signal from. Good luck on getting the manual. If you don't get the manual, let me know and I can photocopy, actually XEROX, as that is our copier, pertinent parts of it for you. As far as input level, I have the red switch up for 20dB Attenuation and need only a few millivolts for full-screen display.

Good luck with it.

Wayne
whertel@fn.net

radioboy_ny@my-dejanews.com wrote:
>
> I purchased a Heathkit SB-620 at a hamfest a couple weeks ago. The seller
>

1734. Re: FS National HRO-500 Manual(Mint)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Marvin Born <mborn@wbns.com>
Message-ID: <7go7nuur1@malgudi.oar.net>
Source record: 85031

I would like to purchase the HRO-500 manual.. I have a 500 but not a
manual.
could not reply via e-mail so had to use the reflector.
73, KF8XU

ns i-2000.com wrote in message <372ff1c3.11437918@news.i-2000.com>...
> FS National HRO-500 Manual ...Not a copy..mint
> $25.00+shp...Bob...Pse remove the (ns) fromn my adr...
> Bob

1735. Re: Heath HS-1661 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Steve Ellington N4LQ <n4lq@iglou.com>
Message-ID: <372f91e9.0@news.iglou.com>
Source record: 85032

I believe this speaker matches the HW-16 and a few other newer Heath rigs. I've got 2 of them and personally, I think they are one of the best sounding communication speakers I've ever heard. 5"X7" cone and a very thick aluminum cabinet.

Joe wrote in message <7gm0ns$8mo$1@nntp6.atl.mindspring.net>...
>Speaker is clean except for some scratches on the top it matches the HW-101
>and some other radios
>$35
>
>

1736. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: swldd@proaxis.com
Message-ID: <372FC5AB.53D8@proaxis.com>
Source record: 85033

Jrobmills wrote:
>
> >The manual says 66 lbs for the rack version and 87.5 lbs for the table
> >model.
>
> It's been a long time since I sold mine but doubt these figures would include
> the original power supply which probably weighed as much as the receiver. One
> could sure get a hernia hauling it around.
>
> J Rob

Power supply is built in!

1737. Re: Tech Manual for R390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7goiip$8ig@sjx-ixn9.ix.netcom.com>
Source record: 85034

Barry,

You can download a scanned copy of this manual using ftp for free from:

fernblatt.dynip.com
account: boatanchors
password: tubes

The quality is excellent. You can download a page at a time or the whole 43 MB (be patient). Format is Adobe Acrobat. Reader can be downloaded for free from www.adobe.com

Rob
N4BUQ <n4buq@aol.com> wrote in message
news:19990505001857.24975.00002339@ng-fq1.aol.com...
> Looking for a technical manual for the R390A. I think it is TM 11-856A.
> Anyone have one I can buy or borrow?
>
> Thanks and 73,
> Barry - N4BUQ

1738. Re: Collins Mech. Filter ???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <372FB916.27B9D774@wenet.net>
Source record: 85035

Hi,
The center frequency of this Z series filter is not 455 KHZ, it is rather
453.65 KHZ for LSB and 456.35 KHZ for USB. Therefore, it cannot be used for
S line or KWM2 etc. which uses 455 KHZ for center frequency.
de K6hm

Crabtreejr wrote:

> Dan Harlan <dharlan@ameritech.net> on Tue, May 4, 1999 11:43 EDT wrote:
>
> > I have a Collins mech filter part number 526 9365 00
> > also says F455 Z5 4S2 on it. Wonder what it was used in ?
> > I found a reference on the net that says its a LSB filter but
> > no spec on the bandwidth.
>
> The nominal bandwidth is 2.7kHz @ -3dB
>
> 73's
> John Crabtree

1739. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990503205818.10943.00001858@ng-fy1.aol.com>
Source record: 85072

The 6550 tube was used in the Central Electronics transmitter 100V and also in the 200V. There were two of those tubes in each. Glad to help another Zipper Ripper.

73 de Steve W2ZR

1740. FS R 390A (at Hoss Traders)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37304b19.52623749@news.i-2000.com>
Source record: 85073

FS Collins R390A..(EAC mfg) This is a very nice unit..Its one of the
many projects I never got to...It has the meters, and the both covers,
and comes with an exttra AF Deck (good for audio mods, but one of the
transformers is shot), and an extra IF Deck (missing some tubes) I
also have two extra plug in caps ..This unit has the Collins PTO..I
will also include a beautiful copy of the manual TM11-856A.
When I got the radio about two years ago it was working , but the
4-9-21 mhz bands we're troublesome..the rectifiers tubes have been
replaced with diodes(easily reversable), the reg tube on the IF board
is missing(it fell while I was working on it), and its missing the
dial lock dial...I am not going to actually sell at the meet, but if
someone wanted the radio, I will bring it with me...Will answer any
and all questions, of seriously interested parties...$300.00
Bob......Pse remove the (ns) from my adr....Thanks...

1741. Want: Tymeter 24 hour clock

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990503212522.04253.00000924@ng15.aol.com>
Source record: 85074

I am looking for the 24 hour Numechron Tymeter clock that was popular in the 60's and 70's. It is mechanically digital readout, not electronic. Case condition is not important.

1742. HT 37 (pick-up at Hoss Traders) FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37324bb5.52780280@news.i-2000.com>
Source record: 85075

FS HT37 Hallicrafters....Great rig for restoration..nice radio, jus t
been sitting around the basement for too long...$100.00 pick up at
Hoss Traders..Bob Pse remove the (ns) from my adr....

1743. 4 SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Elmer Colon <ecolon@mail.mia.bellsouth.net>
Message-ID: <372E5C59.F8C@mail.mia.bellsouth.net>
Source record: 85076

ECHOMAX 2000, POWER SUPPLY ASTRON RS20A, DOSY TEST CENTER TC-4000-SW,
BASE STATION RANGER 2990 (10 METER), ALL $500.00
EMAIL- ecolon@bellsouth.net
FAX (305)253-2083
SHIPPING FROM MIAMI, FL.
KF4WEO

1744. FS: Crystals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <372e6195.17107258@news.earthlink.net>
Source record: 85077
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

MORE CRYSTALS FOR SALE!

All are New and unused
CR-18/U Holder = HC-6/U

5945 kHz NIB QTY 6 at $1.00 each

3726.83 kHz NIB QTY 4 at $4.00 each

1000 kHz New QTY 17 available at $4.00 each

Or take all 27 of the above crystals for $70.00
Add shipping to all orders please

73

1745. Re: Drake T-4X technical question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7glrn7ult1@nntp6.atl.mindspring.net>
Source record: 85078

Try re tensioning the VOX related tube sockets with a safety pin........Make
sure you discharge any caps first
W4UDX wrote in message <372DCCEA.4795@iglou.com>...
>Hi gang, I have a tech question about my T-4X transmitter.
>Very occasionally, the vox tx circuit will activate by itself putting my
>tranmitter in the transmit mode and muting my receiver, and it stays
>that way until I power it down. Reducing the gain does nothing.
>Disconnecting the mike and key does nothing. I have replaced my
>VOX/relay amp tube and the mic amp tube and checked other components but
>can find nothing wrong. It is very difficult to figure out as it only
>happens once in a blue moon and if I turn it off and go back to it the
>next day, it works perfectly. It may take up to 4 or 5 months to do it
>again. Any help is appreciated. Thanks......W4UDX

1746. 8950 Sylvania's FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990504004742.18446.00001813@ng-fd1.aol.com>
Source record: 85079

Hello, I have four of these, all have very light use, full output, shiny new-looking getters. price 70.00 for a pair, 130.00 for all four, includes shipping.

All are fully tested, be happy or return same condition immediately on arrival for refund, less shipping costs.
Thank you,
Joe Pratt, Tubecntral@aol.com

1747. FS: Heath HS-1661 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7gm0ns$8mo$1@nntp6.atl.mindspring.net>
Source record: 85080

Speaker is clean except for some scratches on the top it matches the HW-101
and some other radios
$35

1748. PE1MGRs Homepage updated

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Erwin Cremers <ecremers@knoware.nl>
Message-ID: <372EA1E2.68DDE4BE@knoware.nl>
Source record: 85081

FYI,

I've updated my homepage. Its still very much unther construction.
Please take a look around and let me know what you think.

The new lokation is:
http://come.to/TheTubeBug or via my old page
http://www.geocities.com/capecanaveral/4312

Looking forward to receive your comments.

Kindly greeting you from Holland,

PE1MGR
Erwin Cremers

1749. Filter Caps and Safety

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <372EBC05.340E3602@asu.uswest.net>
Source record: 85082

What is the proper method to safely discharge filter caps in a HV power
supply, such as the Drake AC-3?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1750. How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <372ef8eb.67744714@news.erols.com>
Source record: 85083

I need to know, but I don't want to risk breaking my bathroom scale!
Anyone know how much that boatanchor weighs in at?
Thanks, 73 Bill N2CQR

1751. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Gordon & Lois Duff <glduff@mail.rdu.bellsouth.net>
Message-ID: <372ED4C4.5A863EF4@mail.rdu.bellsouth.net>
Source record: 85084

The manual says 66 lbs for the rack version and 87.5 lbs for the table model.

1752. WTB: Collins 51S-1 & 55G-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: shawkin@hotmail.com
Message-ID: <7gmp19$2be$1@nnrp1.dejanews.com>
Source record: 85085

Very good condition or better preferred.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1753. Pacemaker,Valiant,and matchbox

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: John Haberkern <jhabs@worldnet.att.net>
Message-ID: <372EE3E0.90962B86@worldnet.att.net>
Source record: 85086
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have forsale 3 pieces of Johnson equipment;

Johnson Pacemaker, this radio is untested, chassis is in beautiful condition and originally was a kit. Most of the original knobs are gone save but the vfo and bandswitch.meter and escutcheon are in good shape but cabinet needs some paint. I have a copy of the manual. With a little paint and some time to locate the knobs this would be a very desirable unit. Asking $300
Johnson Valiant, this radio was on the air but got reports of a hum on the audio. Puts out 100 watts. This is a nice unit but also could use some paint on the cabinet. Meter and escutcheon are in good shape and the unit has all the original knobs but missing white inserts. Also a little time invested and this would be a very desirable unit. This was also a kit but chassis in excellent shape. Also have copy of manual. Asking $250
Johnson Matchbox, this is the 275 watt model without the meter. Unit is in good condition except for a fist sized spot on top of cabinet where paint is missing, but with a little time and a can of black crinkle paint this unit would look almost New. Have copy of manual and would ship in U.S. for $125

The transmitters are pick up only in Phila. They are just a little too big and heavy to try to box and ship.

1754. FS: Solar Pannal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: Wayne Wicks <wicks@gte.net>
Message-ID: <372EE818.44883DD3@gte.net>
Source record: 85087

14 volts, .6 amps short circuit
approx. 12" X 16"
$75 shipped

--
Wayne Wicks
7581 Lost Ranger Peak
Littleton, CO 80127
wicks@gte.net

1755. QST Mags 1929/eBay/ends 5-10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-04 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990504084444.07801.00001932@ng-cs1.aol.com>
Source record: 85088

See them at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99481996

also click on "view seller's other auction" to see list

1756. Re: R390 identity

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7gr6vh$8km@dfw-ixnews7.ix.netcom.com>
Source record: 84889

I thought that all R-390's were designed and built by Collins between 1951 and 1953 vice the R-390A's which while designed by Collins as a lower cost alternative to the R-390 was actually manufactured by several manufactures over the years 1951 to 1968 (not counting the few made in 84). Turns out I was wrong. Motorola built them as well. You can go to http://www.telalink.net/~badger/millist/m11.html#a2108 where there is an excellent summary of the military HF receiver boatanchors including all known contract numbers. If you can find the contract number you can back it out to the manufactur using this web page.

The R-390A's that I have seen show the manufactur along with the contract number on the tag just above the frequency display. My first R-390A (a dream of mine to own since being the son of an AF comm sqdrn commander in the early 70's) is on it's way. It's built by Stewart-Warner.

Rob

Bill Tyner <styner@budget.net> wrote in message news:01be9776$a94ec740$921b98d0@default...
> I use a military surplus R390 rack mount rcvr and I was wondering if there
> is someplace on the rig that discloses the manufacturer.
> Bill
> WX7U

1757. FS: Various items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3731310F.3144BE70@value.net>
Source record: 84890

Help! I need room. Thinning collection. I have the following:

-Hammarlund 4-20 transmitter and matching modulator. Ideal match for the HQ-129. I only have the 80 meter tank coil. Chip on the front panel. Sanitary wire mod done on the back. Full power out from 807 (about 15 watts). Works great. With copy of manuals. $75 you ship.

-BC-1031A 455 kc Spectrum Analyzer. With original military manual. Works. Add it to your receiver for ham scan capability. $100. You ship.

-Vintage looking hospital/ship/ambulance pa speaker. All round. With stand off mount. In excellent shape. Looks like it has adjustable tapped xfmr inside. Looks like a huge button with perforations (doesn't look like a horn at all). Dark Navy gray color. $30 you ship.

-Atwater Kent speaker/reproducer. Needs restoration but very restorable. Set up your antique station with this. $25. Again you ship.

-HRO-50T manual copy by Hi Manuals. Don't need it. I sold my HRO's a long time ago. $15.

Contact me (Cal) at my address: n6kyr@value.net

1758. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7gqj1i$ao@journal.concentric.net>
Source record: 84891
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

AMEN!

Dave Heil wrote in message <3730A46E.1054@cats-net.com>...
>Clifton T. Sharp Jr. wrote:
>>
>> Pinky & The Brain wrote:
>> > Please excuse this intrusion but it IS necessary as Bob Headrick is not
man
>> > enough to accept responses via E-mail to his rantings!! Bob felt it
>> > necessary to advise me as follows regarding my recent post of tubes for
>> > sale:
>> >
>> > <Please do not spam. most of the groups you posted to are not sale
groups.>
>> >
>> > Hey Bob,
>> > Every list I posted to has got items listed for sale,
items
>> > of legitimate interest to the Amateur community! If you needed these
tubes
>> > to get that favorite old piece back on line you would have nothing to
say
>> > regarding the use of the Group would you? I am not a dealer and
therefore
>> > cannot be accused of "Spamming" as you have stated. If you are the
owner of
>> > one of these lists and wish me not to "partake" then take whatever
steps you
>> > deem necessary however if you are just acting as a self appointed NG
Cop
>> > then let me suggest that you "Get a Life!!"
>> >
>> > Go Bother Someone Else!!
>> > Steve
>>
>> I suppose you go into churches on Sunday during services and interrupt
>> with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"
>>
>> Some sociopaths will never learn about appropriate places for actions.
>
>That's your opinion. If I see an ad and don't have need for the item, I
>cruise right by it. Why not read the items of interest to you and
>ignore the rest?

>
>This isn't Sunday, isn't church, his post wasn't loud and you aren't in
>charge.
>
>Dave K8MN

1759. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Mark Waldron <bogart@nationwide.net>
Message-ID: <37310B75.3B64783E@nationwide.net>
Source record: 84892
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

I like it!

I'm gonna get all likkered up, not bathe, smell funny, wear parachute pants,
and do this!

>
> > I suppose you go into churches on Sunday during services and interrupt
> > with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"

1760. WTB: Central Electronics MM-2 Monitor Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: w4fms@aol.com
Message-ID: <19990504231054.24143.00001897@ng-fu1.aol.com>
Source record: 84939

I am looking for a very nice CE MM-2 monitor scope that is in great cosmetic shape..not repainted to complete my CE 20A station. Thanks.

Frank, W4FMS

1761. WTB: Tech Manual for R390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990505001857.24975.00002339@ng-fq1.aol.com>
Source record: 84940

Looking for a technical manual for the R390A. I think it is TM 11-856A.
Anyone have one I can buy or borrow?

Thanks and 73,
Barry - N4BUQ

1762. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990505002048.07370.00002442@ng140.aol.com>
Source record: 84941

Hi Guys; I have a lot of 6550's, JAN: TUNG-SOL
email me for prices.
Brian K3VR

1763. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: fifty6k@aol.comnospam
Message-ID: <19990505002810.21683.00002762@ng-fp1.aol.com>
Source record: 84942

>The SP-600 has an internal PS...those figures sound correct.

I don't know how many versions of the SP600 were made but the one I had did not have a built in PS and had a huge (very heavy) seperate PS. It's probably been 25 years since I sold it but think it was a JX model.

J. Rob

1764. FS Tempo One HF rig with PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <372FC819.5B16@ix.netcom.com>
Source record: 84943
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a Tempo One HF Tranceiver with the matching power supply/speaker.
This is a Yaesu FT-200 but marketed as a Tempo One and sold by Henry
radio. Cabinets look like new. Tempo has some facial marks but has been
touched up. Everything works fine but may need output tubes, common
sweep 6JS6 tubes. It comes with a copy of the manual
6js6. $160+shipping. 73 Chris

1765. F.S.eimac sk-300a tube sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: dijaseedat@aol.com
Message-ID: <19990505012915.29266.00002387@ng67.aol.com>
Source record: 84944

I have some, these are large tube sockets good for broadcast stations, this paticular one fits a 4cv35,000A tube, I pulled it off a junked aircarft shacker
power amp. finger tabs good, so is silver plate. They look like the same sockets for a 4cx5000 tube.I've seen these sell for $500 a piece used, these are used
but I'm not greedy.

DIJASEEDAT@aol.com

1766. Need HRO 500 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990505014251.16136.00002348@ng-fa1.aol.com>
Source record: 84945

Have a non-working National HRO-500 with no schematic. Please help. Will gladly pay for copy(plus postage)...

Thanks,
Ed KA6DBY

1767. Johnson Viking Courier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <002301be96d1$25c43720$23d0c6c2@ToreSandstrm>
Source record: 84946
Body handling: HTML body converted to readable text

```
This is a multi-part message in MIME format.

------=_NextPart_000_0020_01BE96E1.E92B7560

charset="iso-8859-1"

I got an old dusty amplifier...Viking Courier!
No cord, gloomy tubes but interesting!?
Does anyone out there have an manual? Copy?
Has anyone done interesting experience of it?
Modifications? 2x572B:s instead of 811A:s?
Or take away even the 866-tubes and have space 4X572B:s?
Of course nned other transformers?
The rollersolution seem interesting.
By the way....what value would it have?

Tore Sandstrom / SM7CBS=20

------=_NextPart_000_0020_01BE96E1.E92B7560

charset="iso-8859-1"

I got an old dusty amplifier...Viking =
Courier!

No cord, gloomy tubes but =
interesting!?

Does anyone out there have an manual? =
Copy?

Has anyone done interesting experience of=20
it?

Modifications? 2x572B:s instead of =
811A:s?

Or take away even the 866-tubes and have space=20
4X572B:s?

Of course nned other transformers?

The rollersolution seem interesting.

By the way....what value would it have?

Tore Sandstrom / =
SM7CBS
```

------=_NextPart_000_0020_01BE96E1.E92B7560--

1768. Re: How much does an SP-600 weigh?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <37304228.151979672@news.erols.com>
Source record: 84947

You guys have convinced me. It weighs too darn much, but not too much
for UPS. Soon to be featured on ebay! Thanks for the info. 73 Bill
N2CQR

On 4 May 1999 19:07:06 GMT, radiomatt@aol.com (Radiomatt) wrote:

>>Anyone know how much that boatanchor weighs in at?
>
>If you have to ask, you can't lift it!
>
>(A VARIATION OF: IF YOU HAVE TO ASK HOW MUCH IT COSTS, YOU CAN'T AFFFORD IT)

1769. FA: Heath GP11 Vibrator Supply (for Lunchboxes)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <37304a0d.153952468@news.erols.com>
Source record: 84948

Fire up that '62 Chevy and run your Benton Harbor Lunchbox with a genuine vibrator supply like a real ham!

Heath GP-11 Vibrator Power Supply. Starts at $25

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100120047

73 Bill N2CQR

1770. Siltronics 1011C Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Paul Bischoff <pbischoff@chesco.com>
Message-ID: <atVX2.1503$9d4.81278@monger.newsread.com>
Source record: 84949

I have a SIltronics 1011C 10 meter voice / 11 meter transceiver. It needs some work. Does anyone have a schematic for this rig..... Paul N3RBN

1771. Re: Siltronics 1011C Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7gpae4$501$1@ostrich.cybercomm.net>
Source record: 84950

That is a CB. Try the CB reflectors
...Dave
Paul Bischoff wrote in message ...
>I have a SIltronics 1011C 10 meter voice / 11 meter transceiver. It
needs
>some work. Does anyone have a schematic for this rig..... Paul N3RBN
>
>

1772. FS: Various Accessories and parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37302958.949914@news.earthlink.net>
Source record: 84951
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

For Sale:

(Add shipping costs to all prices unless stated)
= = = = =

Hallicrafters T.O. Keyer - Mint Condition
Includes original manual. Perfectfor keying any
tube transmitter. Will sell for $85.00

= = = = =

Meters:

Weston Model 506 New in box. Round, black
For Tropical Climate / Navy use.
With scales:
0-200 mA P.A. Plate
P.A. Grid and Battery
Will sell for $4.00

Weston New in Box. Round, black
For Tropical Climate / Navy use.
0-1.5 mA DC
Will sell for $3.00

RCA / US Navy Classic 0-2.5 KV DC
Square front meter with rare 0.005 mF Faradon
bypass cap. 0-1 mA movement, with shunt information
for 2.5 kV operation. WIll sell for $4.00

Or take all three above meters for $9.00

= = = = =

Pair of transformers for a 15-20 watt modulator
Driver and modulator transformer from SCR-522 transmitter
for use with Push-pull 6V6 tubes! Ideal for small
homebrew AM transmitter or as replacements.
Will sell the pair for $15.00

= = = = =

Heavy Duty Footswitch, with AC power cord and H.D.
connectors. Rated 20 Amps. Clipper 632D. Very good condition.
Will sell for $15.00

Smaller footswitch with cord. Flat style, very comfortable to use
for keying up amateur transmitter. Excellent conmdition.
Will sell for $10.00

= = = = =

LOT # 8 of TUBES:
(Some new - others used, tested)

6V6GTA - National, New in box QTY 2 $8.00 each
6V6GTA - Mesa, New, no box $6.00
6V6GTA - No name, looks like new! $5.00
6V6GT - RCA, QTY 5 $4.00 each
6V6GT - Philco, used $3.00

Or take all of the above tubes for $40.00

= = = = =

LOT # 7 of TUBES:
(Used, tested)

6X4 RCA $1.00
12BY7 G.E. $4.00
12BY7 RCA QTY 2 $5.00 each
12BY7 Sylvania $4.00
12BY7A Bulk $4.00
12BY7 Bulk QTY 2 $3.00
25Z6 Silvertone $2.00
35EH5 IEC Japan QTY 3 $2.00 each
35W4 Bulk $1.00
50C5 QTY 4 $3.00 each
6197 Sylvania $2.00
6197 Bulk $2.00

Or take all of the above tubes for $40.00

= = = = =

Neat little chassis - with tubes & transformers!
Looks professionally constructed - size 6" X 4" X 2"
It's clearly, well, a what's-it! Includes 12AT7, 12AX7, 6AL5, with
shields. Allen -Bradley potentiometer, UTC HQA13 potted Inductor,
a 1 uF / 600V DC Sangamo capacitor etc. Two really nice input
transformers, UTC type 89562A Will sell for $5.00

= = = = =

Headphones with boom microphone.
Jensen Model JMP-41
Headset Response is 20 Hz - 20 kHz
6' Cord with mini stereo plug.
Microphone is Low-Z Condenser type with 2.2 k-ohm impedance.
Response 30 Hz - 16 kHz

Durable and comfortable design with padded ear-pieces, ideal for
communications applications.

Brand new in box. White color.
Great for mobile HF or VHF operating. Think SAFETY!
Also great for extended rag-chews, contesting etc.
No PTT, but has standard connectors - 1/8" mini-style.
Will also work well with computers. Normally $29.95
New in box $20.00 plus shipping

E-mail for details or to make arrangements.

73

1773. Re: FS R 390A (at Hoss Traders)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <37302f67.4159175@news.i-2000.com>
Source record: 84952

napoli@(ns)i-2000.com wrote:

>FS Collins R390A..(EAC mfg) This is a very nice unit..Its one of the
>many projects I never got to...It has the meters, and the both covers,
>and comes with an exttra AF Deck (good for audio mods, but one of the
>transformers is shot), and an extra IF Deck (missing some tubes) I
>also have two extra plug in caps ..This unit has the Collins PTO..I
>will also include a beautiful copy of the manual TM11-856A.
>When I got the radio about two years ago it was working , but the
>4-9-21 mhz bands we're troublesome..the rectifiers tubes have been
>replaced with diodes(easily reversable), the reg tube on the IF board
>is missing(it fell while I was working on it), and its missing the
>dial lock dial...I am not going to actually sell at the meet, but if
>someone wanted the radio, I will bring it with me...Will answer any
>and all questions, of seriously interested parties...$300.00
> Bob......Pse remove the (ns) from my adr....Thanks...

Re: the above there seems to be a lot of confusion, in that I do
not intend to ship this, and intend to sell it to someone who will be
at the Hoss Traders meet this weekend in Rochester N.H....with that in
mind it might still be available, as I havn't received an actual
commitment yet....Bob

1774. FA: Nice Collins S Line.,.,..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37373742.54857877@news.earthlink.net>
Source record: 84953

Nice Looking Collins S Line 32S3/75S3B/516 in cabinet/D104/Spare
Tubes/Manuals/Cables. This came from the original owner in
original collins boxes. As I mentioned,I have all the spare tubes for
the 516 and Collins S Line,which go
with it.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98538630

1775. Re: How much does an SP-600 weigh? (more than a duck?)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <1jXX2.1613$r44.431@news3.atl>
Source record: 84954

The Super Pro came in several variants, the latest being the SP-600 model.
The SP-200 family which came out in the late 30's had external power
supplies.
The SP-400 family did as well if I recall. Can't say for sure about the
mid-30's
SP-150 though as I have never seen one.

The SP-600 has a internal power supply. It was one of the big selling points
seen in the ads for the radio. Also have one setting right next to me, an
older
one even, and it has an internal power supply - have not seen the SP-600 any
other way.

All the above had "Super Pro" embossed or printed on the front panel, all
were
somewhat similar in appearance without actually looking alike. (That makes
sense,
doesn't it???) The SP-200 and 210 series were usually black wrinkle finish,
the
SP-400 and 600's were grey. The SP-600 has the meter on the left side of the
panel,
the rest have it in the center between the two dials. The SP-600 has two
large knobs,
one used as band change one as tuning. The older Super Pros used a seperate
band
select control, with the two knobs being tuning and bandspread.

But if you want to see pics, take a look at Robert's page at
http://www.qsl.net/hammarlund/

He has some nice photos of various Hammarlund gear as well as scans of
ads, copies of the specs, etc.

73 all

Tom Norris KA4RKT

Fifty6K <fifty6k@aol.comnospam> wrote in message >
> I don't know how many versions of the SP600 were made but the one I had
did not
> have a built in PS and had a huge (very heavy) seperate PS. It's probably
been
> 25 years since I sold it but think it was a JX model.
>
> J. Rob

1776. Re: Bob Headrick

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7gpg43$4o$1@remarQ.com>
Source record: 84955
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Please excuse this intrusion but it IS necessary as Bob Headrick is not man enough to accept responses via E-mail to his rantings!! Bob felt it necessary to advise me as follows regarding my post of tubes for sale:

<Please do not spam. most of the groups you posted to are not sale groups.>

Hey Bob,
Every list I posted to has got items listed for sale, items of legitimate interest to the Amateur community! I am not a dealer and therefore cannot be accused of "Spamming" as you have stated. If you are the owner of one of these lists and wish me not to "partake" then say so however if you are just acting as a self appointed NG Cop then let me suggest that you "Get a Life!!"

Cordially (sic)

Steve

1777. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: dsjkallen@aol.com
Message-ID: <19990505090654.18448.00002591@ng-fd1.aol.com>
Source record: 84956

Two rigs used 6550's or KT-88's both from the same Chicago manufacturer -- the Central Electronics 100V and 200V transmitters. I am sure others did as well, but these are the only two I can remember.

73,
Don Allen W9CW
Urbana, IL

1778. Re: Needed Heathkit HP-13 schematic for power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Martin Meserve <meserve@my-dejanews.com>
Message-ID: <37304204.59E2B600@my-dejanews.com>
Source record: 84957

datapro1626@my-dejanews.com wrote:
>
> I have just purchased an old HW-22 with the HP-13 DC power supply.
> I am looking for a schematic for this unit, particularly the power
> cable. I need to make a new one as the original was not there.
>
> Any help would be greatly appreciated.
>

Well, there is suppose to be a schematic for the HP-13 on:

KB9JJA Heathkit Ham Radio Page
http://members.accessus.net/~dwentz/kb9jja/heathkit/

But, I just checked it and it looks like the link is broken.
There is a E-Mail link, at the bottom of the page, so maybe
you can E-Mail them and have them fix it.

Martin

--
Martin E. Meserve KB7EQS martin.e.meserve
Engineer, Program/Project Specialist AT
Lockheed Martin M&DS - Reconnaissance Systems lmco.com

I respond to news groups and E-Mail on my own time and therefore my
responses may not be as timely as you, or I, would like them to be. If
I seem to be ignoring you, send me another E-Mail to jog my memory.
Opinions are my own and do not reflect the opinions of my employer.

-----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1779. Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <37304548.5D4341B9@eclipse.net>
Source record: 84958

Free ads dedicated to vintage radio!
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Thank you..

1780. FS: Drake 2-NT CW Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7gpgvg$i1v$1@user2.teleport.com>
Source record: 84959

FS: Drake 2-NT CW Transmitter - 80 thru 10 Meter bands. $100 plus UPS.
Larry
larryj@teleport.com

1781. News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7gphsf$eq0$1@remarQ.com>
Source record: 84960
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Please excuse this intrusion but it IS necessary as Bob Headrick is not man enough to accept responses via E-mail to his rantings!! Bob felt it necessary to advise me as follows regarding my recent post of tubes for sale:

<Please do not spam. most of the groups you posted to are not sale groups.>

Hey Bob,
Every list I posted to has got items listed for sale, items of legitimate interest to the Amateur community! If you needed these tubes to get that favorite old piece back on line you would have nothing to say regarding the use of the Group would you? I am not a dealer and therefore cannot be accused of "Spamming" as you have stated. If you are the owner of one of these lists and wish me not to "partake" then take whatever steps you deem necessary however if you are just acting as a self appointed NG Cop then let me suggest that you "Get a Life!!"

Go Bother Someone Else!!
Steve

1782. WTD NC-270-NTS SPEAKER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37304AB4.83C@sympatico.ca>
Source record: 84961

HELLO
WANTED rcvr NC-270 and speaker in good shape.
73
ve2amk

1783. NEED CASE FOR HAMMURLUND HQ-180

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990505105651.17135.00002352@ng18.aol.com>
Source record: 84962

IF any has a case frome a HQ-170 or a HQ-180 need one so radio can be restored Call Hal at Land Air Communications at 718-8473090

1784. S-LINE 6. KC FILTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990505110114.17135.00002355@ng18.aol.com>
Source record: 84963

Will fit 75S-3B or C $350.00 very Scarce F455FC60 Plug in type will also fit Hammurlund HQ-215. Contact Hal at 718-8473090

1785. Re: INFO NEEDED HEATH ﷺMATIC KEYER OR MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Fred Ruckser <nospam@somewhere.com>
Message-ID: <7gpq1blmh1@mail.pl.unisys.com>
Source record: 84964
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,alt.ham-radio.vhf-uhf

According to the manual it is a 11 To 16VDC, 200mA source. 73 WB6IIQ
Arthur Moe wrote in message <372CAE0B.E3D0B81A@uswest.net>...
>Need to know what voltage goes in the back.
>

1786. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <373073B1.4F64A48F@megsinet.net>
Source record: 84965
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Pinky & The Brain wrote:
> Please excuse this intrusion but it IS necessary as Bob Headrick is not man
> enough to accept responses via E-mail to his rantings!! Bob felt it
> necessary to advise me as follows regarding my recent post of tubes for
> sale:
>
> <Please do not spam. most of the groups you posted to are not sale groups.>
>
> Hey Bob,
> Every list I posted to has got items listed for sale, items
> of legitimate interest to the Amateur community! If you needed these tubes
> to get that favorite old piece back on line you would have nothing to say
> regarding the use of the Group would you? I am not a dealer and therefore
> cannot be accused of "Spamming" as you have stated. If you are the owner of
> one of these lists and wish me not to "partake" then take whatever steps you
> deem necessary however if you are just acting as a self appointed NG Cop
> then let me suggest that you "Get a Life!!"
>
> Go Bother Someone Else!!
> Steve

I suppose you go into churches on Sunday during services and interrupt
with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"

Some sociopaths will never learn about appropriate places for actions.

--
+-+
| Cliff Sharp | "Speech isn't free when it comes postage-due." |
| WA9PDM | -- Jim Nitchals, founder, FREE |
+-+-+-+-+-+-+-+-+- http://www.spamfree.org/ +-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+

1787. Re: Siltronics 1011C Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9905051346200.367-100000@Ocean.CAM.ORG>
Source record: 84966

On Wed, 5 May 1999, WB2TBB wrote:

> That is a CB. Try the CB reflectors
> ...Dave
> Paul Bischoff wrote in message ...
> >I have a SIltronics 1011C 10 meter voice / 11 meter transceiver. It
> needs
> >some work. Does anyone have a schematic for this rig..... Paul N3RBN
> >
> >
>
But sadly, it started out as a Swan rig. I've always assumed that it would be similar to one of the Swan rigs at the time (about 1970), except it's a one band (or slightly more truthful, a two band) rig. If the assumptions correct, and you can determine which rig it is a variation of, it might be easier to find a schematic for the other rig than the gray rig.

Michael VE2BVW

1788. WTB:Quality HF Tranceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Malcolm McIntosh <mmcintosh@intertrek.com>
Message-ID: <37308afa@news.pacificcoast.net>
Source record: 84967

Hi

Just got my license.
Require HF Transceiver, Recent Model, Mint Condition.

Would also be interested in any accessories.

Also interestded in 2meter hand held.

Mac VE7XMM

1789. HS-1661 speaker SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7gq6qu$s65$1@nntp9.atl.mindspring.net>
Source record: 84968

Thanks to everyone who responded for the speaker I received 40+ emails on
this.
It was sold instantly
Joe wrote in message <7gm0ns$8mo$1@nntp6.atl.mindspring.net>...
>Speaker is clean except for some scratches on the top it matches the HW-101
>and some other radios
>$35
>
>

1790. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Dave Heil <K8MN@cats-net.com>
Message-ID: <3730A46E.1054@cats-net.com>
Source record: 84969
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Clifton T. Sharp Jr. wrote:
>
> Pinky & The Brain wrote:
> > Please excuse this intrusion but it IS necessary as Bob Headrick is not man
> > enough to accept responses via E-mail to his rantings!! Bob felt it
> > necessary to advise me as follows regarding my recent post of tubes for
> > sale:
> >
> > <Please do not spam. most of the groups you posted to are not sale groups.>
> >
> > Hey Bob,
> > Every list I posted to has got items listed for sale, items
> > of legitimate interest to the Amateur community! If you needed these tubes
> > to get that favorite old piece back on line you would have nothing to say
> > regarding the use of the Group would you? I am not a dealer and therefore
> > cannot be accused of "Spamming" as you have stated. If you are the owner of
> > one of these lists and wish me not to "partake" then take whatever steps you
> > deem necessary however if you are just acting as a self appointed NG Cop
> > then let me suggest that you "Get a Life!!"
> >
> > Go Bother Someone Else!!
> > Steve
>
> I suppose you go into churches on Sunday during services and interrupt
> with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"
>
> Some sociopaths will never learn about appropriate places for actions.

That's your opinion. If I see an ad and don't have need for the item, I cruise right by it. Why not read the items of interest to you and ignore the rest?

This isn't Sunday, isn't church, his post wasn't loud and you aren't in charge.

Dave K8MN

1791. Re: Siltronics 1011C Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7gqg4r$d5a$1@nnrp1.deja.com>
Source record: 84970

In article <atVX2.1503$9d4.81278@monger.newsread.com>,
"Paul Bischoff" <pbischoff@chesco.com> wrote:
> I have a SIltronics 1011C 10 meter voice / 11 meter transceiver. It needs
> some work. Does anyone have a schematic for this rig..... Paul N3RBN

Somewhere in the archives I think I have the schematic for a 1011D, which
might help you narrow down the problem.

Email me at jstrohm@texas.net if you can't turn anything up. It'll be a while
before I can search the box I think it's in, and you might need to bug
me a little for it.

Jim N6OTQ

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1792. WTB: HRO 60T@ coils

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: JB <jbgeer@swbell.net>
Message-ID: <3730BAAF.6822@swbell.net>
Source record: 84971

Will pay fair price. Prefer Texas area.

1793. Re: HQ-180A FS Pick up at Hoss Traders Only..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <3730c27f.876622@news.i-2000.com>
Source record: 84972

napoli@(ns)i-2000.com wrote:

>FS HQ-180A I've finally decided that heavy receivers & xmtrs are
>not in my future, as just lifting them is a hassle...This is a vy fine
>radio..I am the second owner, and I knew the first owner, a long gone
>SK ....I have been using it for the past month, and it works FB...The
>cabinet is in prime condition, with some scratches on the trim
>ring..It has the clock...There are some stains above the meter, on the
>panel, that with a little effort might come out, but there no big
>deal, and I only mention it so as to describe this unit accurately..
>It comes with a photocopy of the manual...This is PICK-UP at Hoss
>Traders, or I will try to make arrangements to meet interested parties
>at a mutual point, from my home on L.I. Price ..$500.00
> Bob....Pse remove the (ns) from my adr....
>
This radio is still available, and although it seems pricy, its a
fine unit, and if you check e-bay, you will see one going for over
$500..and you have to pay shipping etc...plus you never get to see the
radio until its too late...with my deal there's no shipping, and you
touch before you buy....Bob

1794. Re: HQ-180A FS Pick up at Hoss Traders Only..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <3731c349.1078959@news.i-2000.com>
Source record: 84973

napoli@(ns)i-2000.com wrote:

>napoli@(ns)i-2000.com wrote:
>
>>FS HQ-180A I've finally decided that heavy receivers & xmtrs are
>>not in my future, as just lifting them is a hassle...This is a vy fine
>>radio..I am the second owner, and I knew the first owner, a long gone
>>SK ....I have been using it for the past month, and it works FB...The
>>cabinet is in prime condition, with some scratches on the trim
>>ring..It has the clock...There are some stains above the meter, on the
>>panel, that with a little effort might come out, but there no big
>>deal, and I only mention it so as to describe this unit accurately..
>>It comes with a photocopy of the manual...This is PICK-UP at Hoss
>>Traders, or I will try to make arrangements to meet interested parties
>>at a mutual point, from my home on L.I. Price ..$500.00
>> Bob....Pse remove the (ns) from my adr....
>>
> This radio is still available, and although it seems pricy, its a
>fine unit, and if you check e-bay, you will see one going for over
>$500..and you have to pay shipping etc...plus you never get to see the
>radio until its too late...with my deal there's no shipping, and you
>touch before you buy....Bob
> Pse remove the (ns) from my adr...Thanks....Bob

1795. Re: WTB:Quality HF Tranceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: freqpolice@aol.com
Message-ID: <19990505184738.28928.00001747@ng38.aol.com>
Source record: 84974

>Just got my license.
>Require HF Transceiver, Recent Model, Mint Condition.

You might give HRO or AES a call- they have a ton of mint condition, recent model equipment!

1796. FS: EF JOHNSON VIKING RANGER!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7gqkpa$fa5$1@news.itis.com>
Source record: 84975

This xmtr could be on the air again with some patience! The front panel is excellant except for a 1/4 " hole drilled down between the coupling and audio controls. a mic jack has been put there. The final tube socket has been removed and a plate made to support 2 6146 tubes. I don't know what the guy was thinking but that is the way it is. It has PTT and a builtin antenna relay with an additional coax conn on the back for a receiver antenna connection. That part the guy did ok. The power supply has a couple leads that need to go back and a good checkover I think it will go! All knobs are excellant and the meter is perfect. Cabinet should be repainted, but no extra holes or dents. NO MANUAL.

The price is $200 + shipping and if no sale I will part it out.

Shipping from Madison, WI

1797. Vibroplex "Original" FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990505193509.03982.00002703@ng121.aol.com>
Source record: 84976

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100302278

Nice key with two original weights. Dates from 1956. Check it out.

1798. Hallicrafters Knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: k5rb@worldnet.ATt.NET
Message-ID: <01be9751$38cc2280$LocalHost@default>
Source record: 84977

```
This is a multi-part message in MIME format.

------=_NextPart_000_0085_01BE9727.4FF61A80
Content-Type: text/plain;
charset="utf-7"
Content-Transfer-Encoding: quoted-printable

Any info on knobs for sx-23. Dick,k5rb.

------=_NextPart_000_0085_01BE9727.4FF61A80
Content-Type: text/html;
charset="utf-7"
Content-Transfer-Encoding: quoted-printable

+ADwAIQ-DOCTYPE HTML PUBLIC +ACI-//W3C//DTD W3 HTML//EN+ACIAPg-
+ADw-HTML+AD4-
+ADw-HEAD+AD4-

+ADw-META content+AD0AIg-text/html+ADs- charset+AD0-utf-7+ACI- =
http-equiv+AD0-Content-Type+AD4-
+ADw-META content+AD0-'+ACI-MSHTML 4.71.1712.3+ACI-' =
name+AD0-GENERATOR+AD4-
+ADw-/HEAD+AD4-
+ADw-BODY bgColor+AD0AIw-ffffff+AD4-
+ADw-DIV+AD4APA-FONT color+AD0AIw-000000 size+AD0-2+AD4-Any info on =
knobs for sx-23.+ACY-nbsp+ADsAJg-nbsp+ADsAJg-nbsp+ADs-=20
Dick,k5rb.+ADw-/FONT+AD4APA-/DIV+AD4APA-/BODY+AD4APA-/HTML+AD4-

------=_NextPart_000_0085_01BE9727.4FF61A80--
```

1799. ANYONE HAVE A HAMMARLUND JUNKER?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Rick Williams <williams@brunnet.net>
Message-ID: <7gql32$6rm$1@phobos.brunnet.net>
Source record: 84978

I'm in need of a main power transformer for my Hammarlund HQ-140X. I understand that a transformer from a 145 or 170 may be identical, but I'm not positive. Anyone have a parts unit? Rick, VE9HF.

1800. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990505175205.00942530@popd.ix.netcom.com>
Source record: 84979
Body handling: HTML body converted to readable text

```
--======================_202480010==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX
austrade@ix.netcom.com
-

--======================_202480010==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

austrade@ix.netcom.com

-

--======================_202480010==_.ALT--
```

1801. Re: Radio (?) on MASH (tv show). What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3730E933.4A113996@erols.com>
Source record: 84980

Looks like a gray colored HRO.

Marco Ciocca wrote:

> Folks:
>
> Don't yell at me, I am fairly new at this...
> I have been bitten by the boatanchors bug in the last year or so, so my
> education is just starting.
> I have a question .
> Every now and then, with the kids finally in bed, I like to watch some
> Mash re-runs on my local Tv station.
> In Colonel Potters' (sp.?) office there is what looks like a nice
> boatanchor with knobs and dials and switches and what've you!
> To my not-so-expert eyes, the knobs look like Hammarlund's (SP 600, I
> would say). The shot rarely stays long enough on the darn thing to see
> much. Does anybody have any idea? Check your local listings...
> Thanks a lot!
> Marco KF4URS

1802. FS: Village Radios 2A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: jgrow <jgrow@dsuper.net>
Message-ID: <01be975c$96214220$4a738bcf@default>
Source record: 84981

Vietnam era, never field issued, dual band 30 to 50 Mhz FM and 110 to 135 Mhz AM. photocopy of manual. no crystals. I have two units, in very very good condition. $ 100.00 each. Thanks John

1803. Kenwood Touch-up Paint

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Steve Collins <scollins@tcia.net>
Message-ID: <hA7Y2.3774$fO5.150190@news14.ispnews.com>
Source record: 84982

I'm looking for touch-up paint for a Kenwood TS-430 & TR-9130. Spray or tube would be ok. Any and all help appreciated.
Steve
N4TC
scollins@tcia.net

1804. FS Galaxy III HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37310B06.911@ix.netcom.com>
Source record: 84983
Cross-posted to: rec.radio.amateur.boatanchors,radio.amateur.swap

I have a very nice Galaxy III Tranceiver with the AC3 power supply and matching speaker. Comes mic and copy of the manual. This rig has full output about 200 watts. $235 + shipping. 73 Chris VE3NGW/W4 Florida

1805. S-38C Back and Bottom

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Jim Campbell <JCampbell@3n.net>
Message-ID: <37310C9E.283D3C8A@3n.net>
Source record: 84984

I have an S-38C that looks good and works good but when a previous owner replaced the filter cap they lost the back, bottom and one foot. Do you know anyone that has parted out one and might have these pieces?

Thanks,

Jim - K4YM

1806. Re: Refinishing Johnson Front Panels??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: "Paul N. Katz" <w5ntq@pdq.net>
Message-ID: <373112CC.D398D63@pdq.net>
Source record: 84985

Call Ron Eisenbrey at 281-491-7823 (home), he used to do the Johnson
equipment and may know who can do it now. 73, Paul

Jim Moci wrote:
>
> Does anyone know of anyone reputable that silkscreens Johnson Radios? I have a
> Johnson Valiant and Johnson 500 I would like to get done. Thanks for any info.
> Jim W3ATV

1807. FA: Ultimate BA VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Steve Ellington N4LQ <n4lq@iglou.com>
Message-ID: <37310736.0@news.iglou.com>
Source record: 84986

Globe Tube type VFO covers 160 thru 6 meters. Runs directly from 110vac.
Model V10. See it now:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98610512

1808. Re: Bob Headrick

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <925964981.624.17@news.remarQ.com>
Source record: 84987
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Pinky & The Brain <odin@webspan.net> wrote in message
news:7gpg43$4o$1@remarQ.com...
> Please excuse this intrusion but it IS necessary as Bob Headrick is not
man
> enough to accept responses via E-mail to his rantings!! Bob felt it

I received no email from you. Please check your settings.

> necessary to advise me as follows regarding my post of tubes for sale:
> <Please do not spam. most of the groups you posted to are not sale
groups.>

I stand by my statement. You are spamming, and 60% of the groups are not
sale groups.

>
> Hey Bob,
> Every list I posted to has got items listed for sale,
items
> of legitimate interest to the Amateur community! I am not a dealer and
> therefore cannot be accused of "Spamming" as you have stated. If you are
the

You don't understand what spamming is.

> owner of one of these lists and wish me not to "partake" then say so
however
> if you are just acting as a self appointed NG Cop then let me suggest that
> you "Get a Life!!"

Get a clue.

>
> Cordially (sic)
>
> Steve

Steve -

I sent you a rather polite note suggesting that you should not spam the
rec.radio.* groups. Of the groups this was sent to only
alt.ham-radio.marketplace and rec.radio.swap are appropriate for sale
postings. While the others are becoming overrun with spammers like you that
does not make it right. REc.radio.amateur.equipment in particular has become
nearly useless for its intended purpose, the *discussion* of radio
equipment. Crossposting sale stuff to multiple inappropriate newsgroups is

spamming. Please see the charters for the groups, or see the "Guide to the rec.radio usenet groups" or some similar posted monthly by Jeffrey Herman on about the 15'th of the month. If you can't wait do a lookup at dejanews.

In the meantime, please use the groups for thier intended uses. In particular rec.radio.amateur.homebrew is a discussion group, as are most of the others you are posting to.

- 73 Bob W7OV

1809. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <925966003.794.45@news.remarQ.com>
Source record: 84988
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Dave Heil <K8MN@cats-net.com> wrote in message
news:3730A46E.1054@cats-net.com...
> Clifton T. Sharp Jr. wrote:
> >
> > Pinky & The Brain wrote:
> > > Please excuse this intrusion but it IS necessary as Bob Headrick is
not man
> > > enough to accept responses via E-mail to his rantings!! Bob felt it
> > > necessary to advise me as follows regarding my recent post of tubes
for
> > > sale:
> > >
> > > <Please do not spam. most of the groups you posted to are not sale
groups.>
> > >
> > > Hey Bob,
> > > Every list I posted to has got items listed for sale,
items
> > > of legitimate interest to the Amateur community! If you needed these
tubes
> > > to get that favorite old piece back on line you would have nothing to
say
> > > regarding the use of the Group would you? I am not a dealer and
therefore
> > > cannot be accused of "Spamming" as you have stated. If you are the
owner of
> > > one of these lists and wish me not to "partake" then take whatever
steps you
> > > deem necessary however if you are just acting as a self appointed NG
Cop
> > > then let me suggest that you "Get a Life!!"
> > >
> > > Go Bother Someone Else!!
> > > Steve
> >
> > I suppose you go into churches on Sunday during services and interrupt
> > with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"
> >
> > Some sociopaths will never learn about appropriate places for actions.

Bravo - usually use the analogy of calling CQ in CW on teh SSTV frequency,
but I like your's better.

> That's your opinion. If I see an ad and don't have need for the item, I
> cruise right by it. Why not read the items of interest to you and
> ignore the rest?
>
> This isn't Sunday, isn't church, his post wasn't loud and you aren't in
> charge.
>
> Dave K8MN

Maybe so, but the charters for these groups was set by a democratic process that involves a call for discussion, a discussion period, and then a vote, where there must be 100 more votes in favor than against, as well as a certain number of votes total to create a charter for the group. If you wish to change the charter feel free to go through the formal process to get things changed. Subscribe to news.groups if you would like to understand how the usenet groups are created.

The forsale folks filling up the rec.radio.* groups seem to fall into three general groups:

(50%) those who didn't know that rec.radio.swap is the place for sale items, who are happy to post to the right group when they are informed.

(25%) those who do know, but feel that whatever they are selling is such a good deal, or so interesting that it should be shouted in all the groups and

(25%) jerks who don't care about anything but peddling their stuff.

I'll leave it as an exercise for the reader to place "pink" in the proper bucket.

As for just skipping over the sale ads, this doesn't work. When the sale ads are 3x the discussions that the groups are designed for the discussors stop reading and discussing, because there is too much clutter to wade through. Rec.radio.equipment is an example; it is hard to find any discussion left there, but there are plenty of duplicates of rec.radio.swap postings.

Let's work together to keep the newsgroups litter free.

- 73 Bob W7OV

1810. Re: cabinet restoration question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <372FC27D.8EA3C6C7@home.com>
Source record: 85036

Pick up a copy of Hemmings Motor News - it's usually at Borders or Barnes and Noble. There are a lot of operations that do job lot sandblasting for auto repair afficiandos.

Nc183d wrote:

> Hi All,
> I would like to know where I would go to have some metal cabinets sandblasted
> in order to prepare them for restoration. I have no idea where I would start to
> look for this service on a group of small item such as these. The pile of
> cabinets is getting larger all the time and I would like to start getting to
> work on them, but need to have the old re-painting removed. Please respond to
> me at: nc183d@aol.com
> rgds,
> Mark S.

1811. WTD;Pacemaker Johnson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <372F9752.3D9E@sympatico.ca>
Source record: 85037

I am looking for a nice and in good shape Pacemaker Johnson.
73
ve2amk

1812. Re: Collins Mech. Filter ???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-05 00:00:00 UTC
From: crabtreejr@aol.com
Message-ID: <19990504211924.02504.00002594@ng27.aol.com>
Source record: 85038

Dan Harlan <dharlan@ameritech.net> on Tue, May 4, 1999 11:43 EDT wrote:

> I have a Collins mech filter part number 526 9365 00
> also says F455 Z5 4S2 on it. Wonder what it was used in ?
> I found a reference on the net that says its a LSB filter but
> no spec on the bandwidth.

The nominal bandwidth is 2.7kHz @ -3dB

73's
John Crabtree

1813. FS: parting out SB401

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <373237E1.5BF71771@wenet.net>
Source record: 84839

Hi,
I do not have knobs nor 21 MHZ trap coil but have all the crystals and
LMO and final tank parts and cabinet, Meter and dial.
de K6hm

1814. FA: Hallicrafters S-19 THE RARE ONE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Mark <nospam@nospam.net>
Message-ID: <3732622E.83CD7B34@nospam.net>
Source record: 84840

There is a S-19 on e-bay at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99100139

The S-19R is very common, the S-19 is very rare according to the Dachis Hallicrafters book.

1815. FS/FT: ETO Alpha 77Sx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7gtkcdfbq1@news.erinet.com>
Source record: 84841
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I might take other Alpha Amps 78,91B,89 as partial toward Alpha 77Sx

http://users.erinet.com/30845/itemsfor.htm

1816. FS/FT::: ETO Alpha 77Sx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7gtkgg$fd8$1@news.erinet.com>
Source record: 84842
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I might take other Alpha Amps 78,91B,89 as partial toward Alpha 77Sx

http://users.erinet.com/30845/itemsfor.htm

1817. Heathkit gear and other items going to Dayton (UPDATE)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <7gtlbs$e50@newsops.execpc.com>
Source record: 84843
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

Many people have been asking how much I am going to be asking for the items,
I have updated the list with a few more items and prices. The link is
below.
Thanks,
Matt

Check out the link below. It is a list of Heathkit items we will be taking
to the Dayton Hamfest next week. It is not yet complete, so check back
often.
Thanks,
Matt

http://www-personal.umich.edu/~robbinsm/heathkit.htm

1818. WTB R392

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Vaclav <vaclav@premier1.net>
Message-ID: <GutY2.109$0q.15191@news.premier1.net>
Source record: 84844

Looking for R392 receiver. Nonworking but complete (knobs, meter) prefered.
73 Vaclav AA7EJ

1819. To Good Home: WWII-era Radar Chassis (Rough!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Mick the Cat <mick@thecat.com>
Message-ID: <3732695F.1C0A6B03@thecat.com>
Source record: 84845

Hello
I need to get rid of this thing... I know someone out there collects this kind of stuff. This apparently is some sort of radar chassis, but it's in poor condition from being left outside and most of the tubes are gone. Underneath you can see waveguides and what I think are 'lighthouse' tubes, and some other stuff I have no idea what it is. I can't find any ID numbers, unfortunately.

Check it out at:
http://home.att.net/~rodger.e/radar1.jpg
http://home.att.net/~rodger.e/radar2.jpg
http://home.att.net/~rodger.e/radar3.jpg

Free, but the catch is you have to pick it up. The item is located in El Monte, CA, which is just east of Los Angeles. If no one claims it by May 15, it's going to be junked.

If interested please email me at:

rodger.e@worldnet.att.net

Thanks
Roger E.

1820. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Bob Headrick <bobh@proaxis.com>
Message-ID: <926053641.474.13@news.remarQ.com>
Source record: 84846
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Glenn <glenn.hansen@usa.net> wrote in message
news:BUnY2.34$0K1.6096@news.uswest.net...
> Nice USENET police work Bob. My hat is off to you and the job you do.
> Uh....your complaints are actually off topic Bob. Write yourself a
Internet
> Infraction Ticket. You need to leave a valid E-mail address so you can
> receive your electronic summons for your appearance at the Judicial Chat
> Room to receive your trail date.

My email address is valid, and I have plenty of spam to prove it.

> Why not start a crusade against wasted bandwidth discussing what radio
group
> a radio item for sale should be posted in. You have caused more clutter
> with your complaints than a single amateur item posted for sale in the
wrong
> radio group ever did.

It wouldn't be a problem if there were only "a single amateur item posted in
the wrong radio group". Rec.radio.amateur.equipment has become completely
(> 70%?) overrun, and I see the spam spreading to the rest of the groups.
What would be so hard about using the groups for thier intended purpose?

- Bob Headrick W7OV

1821. Re: WTB Gonset GSB-100 working or not

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: candoandys@aol.com
Message-ID: <19990505203300.08299.00002726@ng-cb1.aol.com>
Source record: 84893

I got one. Must pick up in fresno, ca. Andy, K6RYN

1822. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: k1xv@nac.net
Message-ID: <37321dcf.7928612@news.gte.net>
Source record: 84894

On 3 May 1999 14:43:37 GMT, w9zr@aol.com (W9zr) wrote:

>I have a Tung Sol tube box that says "Matched pair of 6550's". What rig were
>these used in?
>
The Central Electronics 100V and 200V. I recently got hold of a 100V.
Its real nice.

Ray K1XV

1823. Refinishing Johnson Front Panels??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990505215142.28926.00001983@ng38.aol.com>
Source record: 84895

Does anyone know of anyone reputable that silkscreens Johnson Radios? I have a Johnson Valiant and Johnson 500 I would like to get done. Thanks for any info.
Jim W3ATV

1824. Re: HQ-180A FS Pick up at Hoss Traders w/speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <3731f68e.202955@news.i-2000.com>
Source record: 84896

napoli@(ns)i-2000.com wrote:

>napoli@(ns)i-2000.com wrote:
>
>>napoli@(ns)i-2000.com wrote:
>>
>>>FS HQ-180A I've finally decided that heavy receivers & xmtrs are
>>>not in my future, as just lifting them is a hassle...This is a vy fine
>>>radio..I am the second owner, and I knew the first owner, a long gone
>>>SK ....I have been using it for the past month, and it works FB...The
>>>cabinet is in prime condition, with some scratches on the trim
>>>ring..It has the clock...There are some stains above the meter, on the
>>>panel, that with a little effort might come out, but there no big
>>>deal, and I only mention it so as to describe this unit accurately..
>>>It comes with a photocopy of the manual...This is PICK-UP at Hoss
>>>Traders, or I will try to make arrangements to meet interested parties
>>>at a mutual point, from my home on L.I. Price ..$500.00
>>> Bob....Pse remove the (ns) from my adr....
>>>
>> This radio is still available, and although it seems pricy, its a
>>fine unit, and if you check e-bay, you will see one going for over
>>$500..and you have to pay shipping etc...plus you never get to see the
>>radio until its too late...with my deal there's no shipping, and you
>>touch before you buy....Bob
>> Pse remove the (ns) from my adr...Thanks....Bob
> Yep I'll throw the speaker in to, to sweeten the deal....

1825. Re: Tech Manual for R390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990505224053.01331.00002613@ng122.aol.com>
Source record: 84897

Rob,
Thanks for the reply. I tried that route, but it never gave me a chance to enter a password. It just told me the password was invalid. I really wasn't sure I wanted to download 43Mb on a 31200 connection anyway. I found the manuals at Fair Radio (reproductions) for $15 plus shipping so I ordered one today.

Thanks again for the reply,
Barry

1826. Ebay- Rare CPI WM1000 Watt/Swr/Mod Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990505223026.17619.00000028@ng-ca1.aol.com>
Source record: 84898

Hi All;
There is a Professional grade (non better)CPI Meter Model WM-1000 on Ebay.
Only two days left and only at about $44 so far, its gonna go cheep!
Very Rare and desirable. Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98633238

Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

1827. Ebay- ERIE HV DoorKnob Caps 500mfd@30KV-Dutch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990505231247.17619.00000056@ng-ca1.aol.com>
Source record: 84899

Hi Guys;
Interested in Two ERIE DoorKnob HV Caps, 500mfd @ 30KV?
Their on a Dutch Auction of three(3) pair.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100038319
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1828. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBAJHC.D6n@netcom.com>
Source record: 84900

In article <372DBFFF.4ACAAC63@ix.netcom.com> David Stinson <arc5@ix.netcom.com> writes:
>Therein lies the rub;
>The folks at the Smithsonian have been most kind and helpful
>to send me a broad overview of the systems involved,
>but I can't seem to get them to understand
>the concept of a "schematic" or "technical manual."
>I've talked to them since they sent me the "block diagram" type
>material and they are no closer to understanding what I need.
>I can't afford to fly up there and draw them a picture.
>
>Can anyone suggest another approach to obtaining this data?
>
Try posting in sci.space.history
Someone may be able to help there.

1829. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <vb8Y2.606$pq1.30171@dfiatx1-snr1.gtei.net>
Source record: 84901
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Dave Heil wrote in message
>This isn't Sunday, isn't church, his post wasn't loud and you aren't
in
>charge.
>
>Dave K8MN

BRAVO!

Gary - KJ6Q

1830. R390 identity

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Bill Tyner <styner@budget.net>
Message-ID: <01be9776$a94ec740$921b98d0@default>
Source record: 84902

I use a military surplus R390 rack mount rcvr and I was wondering if there is someplace on the rig that discloses the manufacturer.
Bill
WX7U

1831. Re: Bob Headrick

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: tech <tech@dp.net>
Message-ID: <Pine.BSI.3.95.990506012158.27062A-100000@home.dp.net>
Source record: 84903
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

A whole lot of stuff snipped:

Bob and anyone else who reads this.... While I may agree with you for the most part, I must question something here.

USUALLY (95% or better) when I advertize something, I try to stick to Rec. Radio Swap. I'll admit, I may have screwed up a couple times and posted elsewhere, especially early on when I first started to advertize and feel my way around. BUT my point is, is that I seem to recall a time or two, when I posted on ONE news group and it automatically appeared on a couple others. I know this because, I'm too lazy to type it in twice. And too dumb to know how to reproduce it to more than one news group at a time. A computer whiz I'm NOT! I know enough to get by.

So, IF that is true (automatic crossposting), then I was not able to control that. Except not to have posted in the first place. IF that DOES happen, then how can one prevent a post from being cross posted to an unintended target?

I don't agree with a lot of what appears on on the news groups, out of context either, but I've seen MANY arguments about it, when folks tried to curb it. So, I just shoot by the ones I don't care to read, and move on to those I do. It's like trying to put out a forest fire with your urine. If no one is going to listen, why bother? It's like anything else, SELF CONTROL! There's very little of that anymore. Be it the ham bands, cb, computer, highways, etc.

Whatever the case, I STILL enjoy the newsgroups very much, and the chance to talk with you folks whether we whole heartedly agree or disagree.

Thanks in advance for any clarification you can give to my question regarding cross posting.

Lou/tech@dp.net

*NOT affiliated with DP.NET except by subscription.

> I stand by my statement. You are spamming, and 60% of the groups are not
> sale groups.
>
> I sent you a rather polite note suggesting that you should not spam the
> rec.radio.* groups. Of the groups this was sent to only
> alt.ham-radio.marketplace and rec.radio.swap are appropriate for sale

> equipment. Crossposting sale stuff to multiple inappropriate
newsgroups is

> spamming. Please see the charters for the groups, or see the "Guide to the

>
> In the meantime, please use the groups for thier intended uses. In
> particular rec.radio.amateur.homebrew is a discussion group, as
> are most of the others you are posting to.
>
> - 73 Bob W7OV

1832. Re: HOW DO I CHECK THESE T-55 AND T-60 TAYLOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7grl06$244$0@198.69.29.144>
Source record: 84904

If you have the tube specs you can see if they draw the rated
current
using dc of the proper voltage. Might want to stick to 800 vdc or
less
for starters. Any glow to the plate means you should back off the
grid drive.
Use small ac transformer on a variac for the grid drive.

These are triodes- how hard can this be??

Cheers,
Bill N2KQA

On Wed, 28 Apr 1999 10:07:42, fuse19@aol.com (Fuse19) wrote:

> hi i have 3 taylor tube's T-55 AND T-60 and i have 3 tube checkers and none
> list this type of tube any idea's on checking other than ohm the fil and
> hope? thank's del k9fcm

1833. Re: Ebay- Collins RE 75S-3B receiver/Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7grlhe$334$0@198.69.29.144>
Source record: 84905

'hears signals with a 6 foot piece of wire . . '

Omigosh, Collins Inc setting incredibly high standards once again!
There's just no
stopping these guys.

Vacuo

On Thu, 29 Apr 1999 02:40:38, rlucch2098@aol.com (RLucch2098) wrote:

> Hi Guys;
> I put my Collins 75S-3B Round Emblem Receiver on EBAY.
> You might want to check it out some!
> Please, No Collins Price/Quality Police need respond!
> Heres the URL>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96097150
>
> 500 cycle filter also>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=96075248
>
> Thanks es 73....Rich WA2RQY (1961)
> WA2RQY's "confusion Radio" Web-Page
> Http://members.aol.com/rlucch2098/index.html
> RLUCCH2098@aol.com
> "Keep those heaters on"

1834. Need heath knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: DontDoIt@ImNotHere.com
Message-ID: <3731675a.1024241@news.aspi.net>
Source record: 84906

Does anyone have any of the small heath knobs (you know the dark green ones with flutes) that they'd be willing to sell?

All responses please to NeilR@innermedia.com, or you can call (603) 465-2788.

Thanks in advance.

Neil

1835. FS: Collins KWS-1 transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7grp7d$9ba$0@198.69.29.144>
Source record: 84907

Collins KWS-1 transmitter in GC, but signal dies in 6CL6 stage. In
dry storage for 10 years.
Can deliver to northeast hamfests. Offers. This is the early model.
Located in Saratoga, NY
/Bennington, Vt area.

Bill N2KQA wwd@netheaven.com

1836. Re: Subject: cabinet restoration question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <3731911E.4E34@nbnet.nb.ca>
Source record: 84908

I agree wholeheartedly with Doug re the sandblasting/ballooning of the metal.....glassbeading if done right will give excellent results...for you home restorers (like me)...I still use paint stripper and lots of elbow grease...wash with hot soapy water and rinse well after. I get good results this way prior to painting....light sand with 250 grit if you need to touch up.....stay away from emery paper if you plan to just blow it off / tack cloth prior to priming though...the emery has oil in it which may (not always) cause paint to not stick in spots.

73 - Keep on Tinkering.....THAT....is REAL HAM RADIO

Gord - VE1AJF

1837. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Steve Robertson <robertsons@zzzsaic.com>
Message-ID: <373187A6.ADB69BE@zzzsaic.com>
Source record: 84909

Why not mail or fax them some examples?

73 de Steve, KE4OH

Troglodite wrote:

> >
> >Therein lies the rub;
> >The folks at the Smithsonian have been most kind and helpful
> >to send me a broad overview of the systems involved,
> >but I can't seem to get them to understand
> >the concept of a "schematic" or "technical manual."
> >I've talked to them since they sent me the "block diagram" type
> >material and they are no closer to understanding what I need.
> >I can't afford to fly up there and draw them a picture.
> >
> >Can anyone suggest another approach to obtaining this data?
>
> Did you try contacting the Space Center in Huntsville? (The old Redstone site.)
> I visited there some years ago and there were a lot of knowlegeable people
> around, including some old-timers who knew all the history down to the little
> details. Maybe someone there would know - they seem more into the technical
> stuff than the Smithsonian.
>
> Doug Moore

1838. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: bsoomann@aol.com
Message-ID: <19990506085058.00340.00000011@ng140.aol.com>
Source record: 84910

I had an HH SCOTT LK150 audio amp that used a matched pair of 6550s in push pull for out put in each chanel. I'm not aware of an rf aplication. 73 Bill

1839. WTB: TRC-77 HF CW tranceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <01be97b9$7b696040$15d0c610@utovandongen2.uto.dec.com>
Source record: 84911

I'm looking for a TRC-77. It is a small HF manpack set, crystal controlled.
TX is CW only, RX is CW and AM.

73's

Nico PA3ESA

Email: nico.vandongen@compaq.com

1840. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37319E2F.C28A1184@ix.netcom.com>
Source record: 84912

Thanks for all the suggestions!
I'll be following up to see if I can get further.

73 Dave AB5S

1841. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7gs9cu$9r9$0@198.69.29.144>
Source record: 84913

On Thu, 6 May 1999 04:48:48, "Bob Headrick" <bobh@proaxis.com> wrote:

<<<< snippage >>>>>

>....the charters for these groups was set by a democratic process
> that involves a call for discussion, a discussion period, and then a vote,
> where there must be 100 more votes in favor than against, as well as a
> certain number of votes total to create a charter for the group. If you
> wish to change the charter feel free to go through the formal process to
> get things changed. Subscribe to news.groups if you would like to understand
> how the usenet groups are created.
>
> The forsale folks filling up the rec.radio.* groups seem to fall into three
> general groups:
>
> (50%) those who didn't know that rec.radio.swap is the place for sale items,
> who are happy to post to the right group when they are informed.
>
> (25%) those who do know, but feel that whatever they are selling is such a
> good deal, or so interesting that it should be shouted in all the groups and
>
> (25%) jerks who don't care about anything but peddling their stuff.
>
> I'll leave it as an exercise for the reader to place "pink" in the proper
> bucket.
>
> As for just skipping over the sale ads, this doesn't work. When the sale
> ads are 3x the discussions that the groups are designed for the discussors
> stop reading and discussing, because there is too much clutter to wade
> through. Rec.radio.equipment is an example; it is hard to find any
> discussion left there, but there are plenty of duplicates of rec.radio.swap
> postings.
>
> Let's work together to keep the newsgroups litter free.
>
> - 73 Bob W7OV
>
>
>

Bob,

You will note the particular name of this group: 'boatanchors'. This
connotes
something of a certain size and weight sufficient to, well, anchor a

boat.
Also it implies something older than today's state-of-the-art.
Something with
hollow-state devices like tubes. So to force a tube dealer off the
boatanchors
n.g. and over to the 'swap' n.g. where he has to fit in amongst all
the ads for
specifically solid-state devices and equipment IS ABSURD.

If it has to do with boatanchors, it BELONGS HERE. ! ! !

Cheers,
Bill N2KQA

1842. MilSpec Connectors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: kyrrin@my-dejanews.com
Message-ID: <3731a881.333778898@news.jps.net>
Source record: 84914

NOTE: DO NOT use the DejaNews addy to reply. IT IS A SPAM TRAP, and will not get read. Use the addy in my signature block instead. Thanks!

(this is a copy of the message I already sent to the mil surplus mailing list at qth.net).

I've been into ham radio since 1977, and into electronics even longer than that. One of my few frustrations about military surplus gear was finding the frickin' connectors to match what was already installed. I greatly prefer to match existing equipment rather than kludge it with a non-mil connector.

I would imagine that others feel the same way, but may have had trouble finding a source for connectors that was (a), reasonably priced, and (b), was willing to sell in singles or small quantities.

So... consider me to be such a source! ;-) I've set up my side business (Blue Feather Technologies) as a reseller for mil-spec connectors of all kinds, and I'm fairly certain I can beat the prices from most of the larger places (Arrow, Wyle, Hamilton-Hallmark, etc.)

Over this next week, I plan to install a 'Connectors' section in my web site that will contain as comprehensive a guide as I can create on identifying the little buggers. It should be up by Sunday at the latest.

I charge shipping at cost -- no mark-up on it at least -- and most of the connectors are small enough that they can be shipped pretty cheaply via US SnailMail. Whether you need one or a hundred, drop me a line and let's talk.

If you do happen to get a quote from me, please let me know how close or far I am from the 'Big Boys' you might have talked to. I'm trying to balance doing a favor for the ham and hobbyist communities and keeping Blue Feather in the black.

Thanks in advance.

-=-=-=-=-=-=-=-=-
Bruce Lane, Owner and head honcho,
Blue Feather Technologies -- kyrrin (at) bluefeathertech [dot] com
Web: http://www.bluefeathertech.com
"...No matter how we may wish otherwise, our science can only describe an object, event, or living thing in our own human terms. It cannot possibly define any of them..."

1843. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7gsa12$b5e$0@198.69.29.144>
Source record: 84915

ARC made a bunch of VHF equipment. I've seen them at hamfests and
maybe in publications too. What is the mystery here? Are you
expecting
the Smithsonian to be a source of mil tech manuals because they have
some of the equipment on display? Have you tried the traditional
military
manual suppliers?

Bill N2KQA

On Mon, 3 May 1999 15:25:51, David Stinson <arc5@ix.netcom.com> wrote:

> I've spent a small amount of time over the last couple of years
> researching the communications in early US space vehicles.
> I got my first semi-close look at a Project Mercury spacecraft
> this weekend (Faith 7). The only piece of the several comm.
> systems I could see was a small section of (I think) the backup
> UHF communications system, which ran .5 watt. It looked very much
> like period Aircraft Radio Corp. ARC-type-12 equipment, with what
> appeared to be a UHF connector and gray, wrinkle paint finish.
>
> Transistors were still a fairly "new" technology in 1961.
> NASA was very concerned with using safe, reliable systems.
> I believe that, if I ever get access to detailed technical
> material, I will find that many of these systems were
> based on solder-in tubes.
>
> Therein lies the rub;
> The folks at the Smithsonian have been most kind and helpful
> to send me a broad overview of the systems involved,
> but I can't seem to get them to understand
> the concept of a "schematic" or "technical manual."
> I've talked to them since they sent me the "block diagram" type
> material and they are no closer to understanding what I need.
> I can't afford to fly up there and draw them a picture.
>
> Can anyone suggest another approach to obtaining this data?
>
> TNX ES 73 DE Dave Stinson AB5S
> arc5@ix.netcom.com
>
> p.s. An interesting bit of data from the Mercury fights:
> The spacecraft was equipped with both UHF and HF voice systems.
> The UHF voice systems were useful for communications
> 104% of the time the spacecraft was in line-of-sight

> of its tracking stations. The 5-watt HF system? 113%! HA!

1844. Re: looking for hallicrafters bfo coil?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7gsafkbtu0@198.69.29.144>
Source record: 84916

There should be nothing critical about a bfo coil. If you have the
original
and it has burned out or become discontinuous simply unwind it and
solder the break and rewind it using hot beeswax.

If the original coil is completely missing you should be able to use
almost any
generic coil of proper physical size to achieve resonance at the
i.f.frequency.

It is not in the signal path, so it is not especially critical.

Bill N2KQA

On Mon, 3 May 1999 02:21:17, dana <danay@primenet.com> wrote:

> does anyone out there have one for a hallicrafters s-40 models?
> if so, e-mail back. looking for one for a friend.
>
> ---
> dana __ __ ____ ___ ___ ____
> danay@primenet.com /__)/__) / / / / /_ /\ / /_ /
> / / \ / / / / /__ / \/ /___ /
> ---
> http://www.randomc.com/~dana
>

1845. Help for a GE MA/E-33W

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: "Jason P. Hafer" <jphafer@mtu.edu>
Message-ID: <3731ACB5.43DA@mtu.edu>
Source record: 84917

I have recently acquired a General Electric MA/E-33W mobile radio. I am not sure exactly what I have but thought it would be an intersting project.

If anyone has any information on this rig (ie schematic, stats, etc.) I would greatly appreciate it.

Thanx

Hafe
KC8JXS

1846. Need Gonset knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: cbkent <cbkent@ix.netcom.com>
Message-ID: <01be97ae$fd911500$dcecdfcf@cbkent.ix.netcom.com>
Source record: 84918

I need a set of knobs for a Gonset G-76.

Christopher Kent
KG2NP

cbkent@ix.netcom.com

1847. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7gsbmu$e7j$0@198.69.29.144>
Source record: 84919
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

On Sun, 2 May 1999 15:36:20, Randy and Cara Randall
<crrandal@seidata.com> wrote:

> Robert Casey wrote:
>
> > If you have a really good AM tuner it is possible to add an AM stereo decoder
> > circuit like the ones Chris Cuff has.
> > http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site.....snip...
>
> Is there anyone still in the USA broadcasting in AM stereo? I have a car radio
> that has a decoder built-in and tuning around at night, I haven't seen a station
> broadcasting in AM stereo in quite a while.
>
> Randy.
>

The Delco radio in my '88 Chevy Corsica was tuned to WQEW (AM) which
was
playing their usual 50's jazz/pop/schmaltz off of newly cleaned-up
CD re-issues.
They jumped right to an ad featuring a screeching car sound effect
panning from
left to right followed by the inevitable crash. It was louder than
the program had
been and it almost freaked me out being in full stereo on a quite
decent car
sound system. I actually looked out of the car for the accident.
Quite an introduction
to AM stereo! Unless the signal is quite strong you do not get the
effect, at least
I hadn't noticed it until then. But none of that 35db signal loss
crap as in FM
stereo.

Check out ballgames in AM stereo. Especially with 2 announcers and
crowd
noise. Try earphones too.

Alas, WQEW has been bought out by Disney, who dish out pure crap all
day
and ALL NIGHT (!?) to a possibly non-existent pre-teen/teen
listenership.

Bill N2KQA

>
>
> --
> This message comes to you from Milan, IN, USA. Home of no traffic lights, lots of
> fields, and clean air!
>
> "I want to shout it out with all my power!
> I want to scream it from the highest tower!
> I want to celebrate our finest hour...NOW!"
>
>
>
> Never forget that life is not a dress rehearsal...
>
>

1848. NU6AM QSL Card Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Jim Allen <jim_allen@hp.com>
Message-ID: <3731B945.3229@hp.com>
Source record: 84920

I'd like to get an orignial QSL card from Don Wallace, NU6AM. Don had this call in the late 20's. Can anyone assist?

Thanks,

Jim

NU6AM

1849. FS or Trade Cubic Astro 102 + lots of spares

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Doug Snowden <dsnowden@ncdc.noaa.gov>
Message-ID: <3731BC58.C78C1201@ncdc.noaa.gov>
Source record: 84921
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

If you are not familiar with the Swan Cubic Astro radios, you
probably don't want to bother with this:

Several months ago I bought a Cubic Astro 102, not working.
Later I bought an Astro 103, also not working. My idea was to get one
or the
other working using parts from the other. Well have the Astro 102
working - not completely aligned yet, but nearly so. The cabinet is in
pretty good shape, with only minor scratches. Front panel very good.
The freq counter/display board has a SN74LS192 IC bad.
I have that IC on order. That should put it in good operation.
Actually I don't have all of the test equipment to do it properly (no
freq counter, etc).
It works fine on cw, full break-in on all bands, 160m-10m I've worked
several with it and good reports. The main reason I bought it is because
I mainly work cw, and this radio is excellent for cw full break-in. I
have tested it on SSB
but not made any contacts to verify audio quality etc. Since it is the
'102,
it doesn't have the WARC bands. I did use the exciter board from the
'103
so this radio has the optional cw filter that the '103 had.
I do have all of the boards from either the '103 or '102 as spares.
I have robbed one transformer from the L.O. board, because the slug had

cracked in the other one. I have one spare PTO. Also all of the chassis
mounted
stuff, like bandswitches, controls, etc. I can leave them on the '103
chassis or
remove them for you. I have the manual for the 102 plus the manual for
the
part of the 103 that shows what the additions are to make the 102 a
103 if desired. All of the spare boards are stored in plastic "baggies".

The reason I want to get rid of it is because of my lack of test
equipment to do it right, and lack of time to do it right. I'll take
best
offer over $250. If I tell you I got a better offer
I promise to tell you who offered it so you wont think I'm trying to
drive
the price up. We can haggle on shipping from 28751 zip code.
USPS preferred, since UPS is a hassle for me. Would consider trading
for something else, maybe a mint Drake R4C, or something that I don't
need any brains to fix (over 40 and lost them all). Collins 75S1 in good

shape?
Whatever. I might take this to the Greenville Hamfest this Saturday, so
if you
are interested better hurry.

Doug N4IJ
dsnowden@ncdc.noaa.gov
Home telephone after 6pm EST 828-926-5307 (leave msg if no answer)

1850. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: jlandry8055@my-dejanews.com
Message-ID: <7gsk1u$8pp$1@nnrp1.deja.com>
Source record: 84922
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

It would be possible to build a C-QUAM detector/converter from tubes...
All you need is a quadrature decoder.

The easiest AM stereo system to decode was Kahn...just take two radios,
tune one up slightly and one down slightly.

Motorola had lots of money but Leonard Kahn had a very hard head...so we all
lost out. AM stereo still survives, Most of the former Westinghouse stations
still transmit the pilot (WBZ and WINS at least) and might still air the
commercials in Stereo...but the rest is News in magnificent mono.

In article <Pine.SOL.4.10.9905022329320.14514-100000@Stratus.CAM.ORG>,
Michael Black <blackm00@CAM.ORG> wrote:
>
>
> On Sun, 2 May 1999, John Byrns wrote:
>
> > In article <wa2iseFB3B76.Fv1@netcom.com>, wa2ise@netcom.com (Robert Casey)
> > wrote:
> >
> > > If you have a really good AM tuner it is possible to add an AM stereo
decoder
> > > circuit like the ones Chris Cuff has.
> > > http://www3.ns.sympatico.ca/lettuce/amstrads.htm is his web site (just
> > a happy
> > > customer, nothing more). The module is sensitive enough to only require
the
> > > smallest connection to the tube tuner's IF strip. Namely just a
picofarad's
> > > worth of capacetance or so. A piece of wire next to the IF transformer
lead
> > > going to the detector will do it. Module runs off of about 12V, which
you
> > > should be able to rectify and filter the heater supply to get. Or tap the
> > > cathode of the output stage.
> >
> > Hi Robert,
> >
> > What we really need to go with these nice old tube AM tuners, is an AM
> > stereo decoder circuit built out of tubes, not solid state. Compactrons
> > would be good though.
> >
> >
> I thought that was what was being promoted, until I reread it and realized

> that it said nothing about tubes. My assumption that the adapter was
> tubed based must have come from the subject header, since anyone who wants
> AM Stereo may be in a position to want to adapt an existing radio, and any
> adaptor should work with either a tube or solid state radio. If the
> adaptor's not made of tubes, there seemed no point in specifying tube
> radio.
>
> There were at least two articles published on building synchronous
> detectors with tubes. Costas himself had an article in CQ magazine in
> 1957 or so, and a decade later there was one in 73.
>
> Since the Motorola scheme for AM stereo has similarities to a synchronous
> detector (I once wondered if one could adapt the Motorola AM Stereo
> decoder IC to use as a synchronous detector, I don't see an AM stereo
> decoder being too much more complicated than a synchronous detector. It
> would be bulky, but it is doable.
>
> Michael VE2BVW
>
>

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1851. F.S. Hammarlund SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Robert DAmato <rpdamato@uswest.net>
Message-ID: <3731D1DE.9EBF9807@uswest.net>
Source record: 84923

F.S. Hammarlund SP-600 JX-6 & JX-14. Both in original cabinets. Radios have been overhauled, recapped and aligned. Excellent condtion. IERC tube shields. $500 & 525. e-mail for details.
Bob AA7LG rpdamato@uswest.net

1852. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3731EDD1.706682@ix.netcom.com>
Source record: 84924

I guess it has to be said over and over again...

If you don't want to see ads, set your filters.

Other people want to see them. You don't have the
right to deny other people's desires simply to increase
your comfort, especially when you have a simple means
to eliminate the source of your discomfort.
So set your filters. If you don't know how,
read your "help" files.

regards,
Dave AB5S

1853. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <37320444.B0A38B67@atlantic.net>
Source record: 84925

FYI:

The first HAM radio in space was a modified Motorola MX300; built and
supplied by The Motorola Amateur Radio Club at Plantation, Florida. (Now
= W4MOT; Old Call= WA4LZR).
The radio was operated by Owen Garrott (W5LFL).

]Ron-N1RT

Vacuo wrote:

> ARC made a bunch of VHF equipment. I've seen them at hamfests and
> maybe in publications too. What is the mystery here? Are you
> expecting
> the Smithsonian to be a source of mil tech manuals because they have
> some of the equipment on display? Have you tried the traditional
> military
> manual suppliers?
>
> Bill N2KQA
>
> On Mon, 3 May 1999 15:25:51, David Stinson <arc5@ix.netcom.com> wrote:
>
> > I've spent a small amount of time over the last couple of years
> > researching the communications in early US space vehicles.
> > I got my first semi-close look at a Project Mercury spacecraft
> > this weekend (Faith 7). The only piece of the several comm.
> > systems I could see was a small section of (I think) the backup
> > UHF communications system, which ran .5 watt. It looked very much
> > like period Aircraft Radio Corp. ARC-type-12 equipment, with what
> > appeared to be a UHF connector and gray, wrinkle paint finish.
> >
> > Transistors were still a fairly "new" technology in 1961.
> > NASA was very concerned with using safe, reliable systems.
> > I believe that, if I ever get access to detailed technical
> > material, I will find that many of these systems were
> > based on solder-in tubes.
> >
> > Therein lies the rub;
> > The folks at the Smithsonian have been most kind and helpful
> > to send me a broad overview of the systems involved,
> > but I can't seem to get them to understand
> > the concept of a "schematic" or "technical manual."
> > I've talked to them since they sent me the "block diagram" type
> > material and they are no closer to understanding what I need.

> > I can't afford to fly up there and draw them a picture.
> >
> > Can anyone suggest another approach to obtaining this data?
> >
> > TNX ES 73 DE Dave Stinson AB5S
> > arc5@ix.netcom.com
> >
> > p.s. An interesting bit of data from the Mercury fights:
> > The spacecraft was equipped with both UHF and HF voice systems.
> > The UHF voice systems were useful for communications
> > 104% of the time the spacecraft was in line-of-sight
> > of its tracking stations. The 5-watt HF system? 113%! HA!

1854. Re: Bob Headrick

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Glenn <glenn.hansen@usa.net>
Message-ID: <BUnY2.34$0K1.6096@news.uswest.net>
Source record: 84926
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Nice USENET police work Bob. My hat is off to you and the job you do.
Uh....your complaints are actually off topic Bob. Write yourself a Internet
Infraction Ticket. You need to leave a valid E-mail address so you can
receive your electronic summons for your appearance at the Judicial Chat
Room to receive your trail date.

Why not start a crusade against wasted bandwidth discussing what radio group
a radio item for sale should be posted in. You have caused more clutter
with your complaints than a single amateur item posted for sale in the wrong
radio group ever did.

rec.radio.swap is such a dirt whole of dealers, auctions and spam it is easy
to understand the temptation of an individual party to post in some of the
other NGs.

IMHO.....

Bob Headrick <bobh@proaxis.com> wrote in message
news:925964981.624.17@news.remarQ.com...
>
> Pinky & The Brain <odin@webspan.net> wrote in message
> news:7gpg43$4o$1@remarQ.com...
> > Please excuse this intrusion but it IS necessary as Bob Headrick is not
> man
> > enough to accept responses via E-mail to his rantings!! Bob felt it
>
> I received no email from you. Please check your settings.
>
> > necessary to advise me as follows regarding my post of tubes for sale:
> > <Please do not spam. most of the groups you posted to are not sale
> groups.>
>
> I stand by my statement. You are spamming, and 60% of the groups are not
> sale groups.
>
> >
> > Hey Bob,
> > Every list I posted to has got items listed for sale,
> items
> > of legitimate interest to the Amateur community! I am not a dealer and
> > therefore cannot be accused of "Spamming" as you have stated. If you are
> the
>
> You don't understand what spamming is.

>
> > owner of one of these lists and wish me not to "partake" then say so
> however
> > if you are just acting as a self appointed NG Cop then let me suggest
that
> > you "Get a Life!!"
>
> Get a clue.
>
> >
> > Cordially (sic)
> >
> > Steve
>
> Steve -
>
> I sent you a rather polite note suggesting that you should not spam the
> rec.radio.* groups. Of the groups this was sent to only
> alt.ham-radio.marketplace and rec.radio.swap are appropriate for sale
> postings. While the others are becoming overrun with spammers like you
that
> does not make it right. REc.radio.amateur.equipment in particular has
become
> nearly useless for its intended purpose, the *discussion* of radio
> equipment. Crossposting sale stuff to multiple inappropriate newsgroups
is
> spamming. Please see the charters for the groups, or see the "Guide to
the
> rec.radio usenet groups" or some similar posted monthly by Jeffrey Herman
on
> about the 15'th of the month. If you can't wait do a lookup at dejanews.
>
> In the meantime, please use the groups for thier intended uses. In
> particular rec.radio.amateur.homebrew is a discussion group, as
> are most of the others you are posting to.
>
> - 73 Bob W7OV
>
>
>

1855. Heathkit and other gear for sale at dayton hamfest

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <7gt21d$7gt@newsops.execpc.com>
Source record: 84927

Check out the link below. It is a list of Heathkit items we will be taking to the Dayton Hamfest next week. It is not yet complete, so check back often.
Thanks,
Matt

http://www-personal.umich.edu/~robbinsm/heathkit.htm

1856. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <37320109.18E8@no.net>
Source record: 84928

Vacuo wrote:

>
> If it has to do with boatanchors, it BELONGS HERE. ! ! !
>
> Cheers,
> Bill N2KQA

Not if it is a for sale or for auction ad and if the charter does not allow such ads. I haven't seen the charter for this goup, does it allow fs and fa ads?

1857. Re: Refinishing Johnson Front Panels??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37321337.C9D0E4FA@erols.com>
Source record: 84929

If it pans out, let us know! I have a Valiant, too!!

Jim Moci wrote:

> Does anyone know of anyone reputable that silkscreens Johnson Radios? I have a
> Johnson Valiant and Johnson 500 I would like to get done. Thanks for any info.
> Jim W3ATV

1858. Re: Refinishing Johnson Front Panels??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: aa5qt@aol.com
Message-ID: <19990506181439.06083.00000114@ng-fh1.aol.com>
Source record: 84930

Ron does not do them anymore.

73, Gary K5QT

1859. Re: FS: Various items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: johnmbXX@mindspring.com
Message-ID: <373414d9.1277876@news.mindspring.com>
Source record: 84931

Cal, is the 4-20 still available please?
Thanks!
John

Cal Eustaquio <n6kyr@value.net> wrote:

>Help! I need room. Thinning collection. I have the following:
>
>-Hammarlund 4-20 transmitter and matching modulator. Ideal match for the
>HQ-129. I only have the 80 meter tank coil. Chip on the front panel.
>Sanitary wire mod done on the back. Full power out from 807 (about 15
>watts). Works great. With copy of manuals. $75 you ship.
>
>-BC-1031A 455 kc Spectrum Analyzer. With original military manual.
>Works. Add it to your receiver for ham scan capability. $100. You ship.
>
>-Vintage looking hospital/ship/ambulance pa speaker. All round. With
>stand off mount. In excellent shape. Looks like it has adjustable tapped
>xfmr inside. Looks like a huge button with perforations (doesn't look
>like a horn at all). Dark Navy gray color. $30 you ship.
>
>-Atwater Kent speaker/reproducer. Needs restoration but very restorable.
>Set up your antique station with this. $25. Again you ship.
>
>-HRO-50T manual copy by Hi Manuals. Don't need it. I sold my HRO's a
>long time ago. $15.
>
>Contact me (Cal) at my address: n6kyr@value.net
>
>
>
>

1860. Re: F.S. Hammarlund SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: jonweiner@aol.com
Message-ID: <19990506190216.10094.00000194@ng-fy1.aol.com>
Source record: 84932

Going to Dayton? If not where are you?

Jon, K1VVC

1861. F.S. Hallicrafters S-38-C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: KØIMJ <docky@earthlink.net>
Message-ID: <37323085.12EE@earthlink.net>
Source record: 84933

For sale Hallicrafters S-38C general coverage receiver see at
http://home.earthlink.net/~docky under For Sale tnx Gary

1862. FS: Yaesu FT101EE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <37323653.EEA87094@wenet.net>
Source record: 84934

Hi,
I have FT101EE for sale, works good, full output. Front panel plastic is still attached and clean but there is a small hair line crack on the plastic piece which covers the dial area but cannot be seen easily and cabinet is about 7.5, may need rework. Inside is clean and power supply is recapped. Has all the crystals for 80,40,20,15,11,10 meter band.
Asking $250 plus shipping.
de K6hm

1863. FS: DC to DC P/S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: Boyd <boyd@humboldt1.com>
Message-ID: <V4qY2.2702$D06.60709@news2.randori.com>
Source record: 84935

Hi All,
I have a DC/DC Power Supply for sale.

Linear Systems INC.,
Advanced Communications
Los Gatos, CA.

Model "Century"
12 DC IN
Size 6" X 7" X 3 1/2"
7 LB
Output Voltages
High Voltage 850 @ 400ma
750 @ 450ma
650 @ 500ma
Bias Voltage -0 to -120 Neg @ 20ma
Medium Voltage 255 VDC @ 200ma
285 VDC @ 200ma
250 VDC @ 200ma
Service Rating
400 Watts SSB
300 Watts AM

$50.00 +shipping

Reply to: boyd@humboldt1.com

Thank You,
Boyd W6DSB

1864. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <373231DF.CABC2CA3@ix.netcom.com>
Source record: 84936

Vacuos wrote:
> ARC made a bunch of VHF equipment. I've seen them at hamfests and
> maybe in publications too. What is the mystery here? Are you
> expecting
> the Smithsonian to be a source of (blah blah blah...)

I wish people would *read*.....
I didn't say they were ARC-type-12; Only that they
had that look. They were, in fact, custom-built Collins.
The Smithsonian supplied a system block diagram.
It's perfectly reasonable to ask them if they have the
original technical manual on file.

Dave AB5S

1865. FS: Kenwood TS700A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <37323765.4CA80DB1@wenet.net>
Source record: 84937

Hi,
Good working unit, front panel is beautiful, but cabinet is 7.5,
scratches some rust but no dent. All the knobs shiny and works very
good. Has some fixed frequency crystals, 147 MHZ band crystal which was
an option is not included but 144,145,146 all included.
AM,CW,LSB,USB,FM 10W multi mode.
asking $200 for it.
de K6hm

1866. PARTING OUT JOHNSON VIKING RANGER I

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-06 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7gtdhk$3e8$1@news.itis.com>
Source record: 84938

I AM PARTING OUT AN E F JOHNSON VIKING RANGER I.

SEND ME AN E-MAIL WITH PARTS DESIRED AND I WILL RESPOND WITH A PRICE.

ALL PRICING WILL INCLUDE SHIPPING.

ALL PAYMENT WILL BE CASHIER'S CHECK OR MONEY ORDER.

FRONT PANEL GOES WITH CABINET.

ALL KNOBS GO AS A SET, NOT INDIVIDUAL

METER IS PERFECT AND COMES WITH SHIELD

VFO WILL GO AS A COMPLETE UNIT.

1867. Re: Boatanchor scalping attempt made

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <#DL#8NQm#GA.256@cpmsnbbsa03>
Source record: 84789

Send him back an email billing him for your consulting time. Remember that
for small jobs the hourly charge must be somewhat higher than for larger or
contracted work. Under an hour, $500 - 1000 /hr is not unreasonable.

Joe wrote in message <7gv93mrkv1@nntp4.atl.mindspring.net>...
>A certain radio antique dealer in Tucson AZ had a beat up Turner mic for
>sale at $25
>and enquired me how to test it.
>Needing refinishing my main concern was the cartridge being intact, (I can
>not repair that).
> I allowed Dan to pick my brain about simple very basic test regarding the
>Turner mic and other mic's with a scope.
>All I really cared about was the element being intact
>After my assistance he now has E mailed me back asking $45 for testing it.
>Nice F**nk guy Ah.....
>
>
>

1868. Re: To Good Home: WWII-era Radar Chassis (Rough!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <e8CL$TQm#GA.160@cpmsnbbsa03>
Source record: 84790

It reminds me of a modulator (for a magnetron) that I once cannibalized.
(No, I don't want it)

Mick the Cat wrote in message <3732695F.1C0A6B03@thecat.com>...
>Hello
>I need to get rid of this thing...

1869. Re: Murch tuner 2000A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: bobm@istal.com
Message-ID: <37323277.24165686@nntp.cntfl.com>
Source record: 84847

OM,

I have a mint condition Murch 2000A. This unit has been sitting on my shelf in plastic wrap. I will ship to Canada prepaid and insured for $165.00.

Bob, W4WSZ

bobm@istal.com

On Tue, 04 May 1999 23:30:42 GMT, Claude Bouchard <claude.bouchard8@sympatico.ca> wrote:

>HELLO
>Iam looking for a murch Ttuner 2000A in good shape I ready to pay 100.00
>73
>VE2AMK

1870. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990506215453.8572D-100000@cluster2>
Source record: 84848

i would rather post forsale adds in here, because we get tired of reading
the new adds in rec.radio.swap, and the people that like older radios will
be looking here instead of rec.radio.swap. that's my point of view
on the subject.

On Thu, 6 May 1999, David Stinson wrote:

> Date: Thu, 06 May 1999 14:30:25 -0500
> From: David Stinson <arc5@ix.netcom.com>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: Re: THIS IS NOT A SALE GROUP
>
> I guess it has to be said over and over again...
>
> If you don't want to see ads, set your filters.
>
> Other people want to see them. You don't have the
> right to deny other people's desires simply to increase
> your comfort, especially when you have a simple means
> to eliminate the source of your discomfort.
> So set your filters. If you don't know how,
> read your "help" files.
>
> regards,
> Dave AB5S
>
>

1871. Re: PARTING OUT JOHNSON VIKING RANGER I

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: k1yjk@aol.com
Message-ID: <19990506225441.27479.00000429@ng-fs1.aol.com>
Source record: 84849

I would be interested in the set of knobs. What are you asking for them?

Bob/K1YJK

1872. FA RCA CR91

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37325E8A.50AB@sympatico.ca>
Source record: 84850
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono,rec.ham-radio.swap

RCA CR91A - First cousin to the AR88LF - has S meter - 1 day left

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98232586>

1873. FS - 12BY7A's and 1620's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990506235958.18762.00000360@ng30.aol.com>
Source record: 84851

I am selling five (5) 1620 RCA tubes, NOS in original boxes; $25 all

Also selling (5) 12BY7A tubes. Three (3) are RCA NOS in original boxes. One (1) is Sylvania, and one (1) is CBS (GE markings), and these two are used, but test like new, in white boxes; $25 all

Buy all 10 tubes for $50, and Ii¿½ll pay the shipping (US 48 only).

Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

1874. Re: AM stereo mod for AM tube tuners

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBCJv4.7C1@netcom.com>
Source record: 84852
Cross-posted to: rec.audio.tubes,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

In article <7gsk1u$8pp$1@nnrp1.deja.com> jlandry8055@my-dejanews.com writes:
>It would be possible to build a C-QUAM detector/converter from tubes...
>All you need is a quadrature decoder.
>
Wonder if the "quadature detectors" used for TV sound demodulation in tube TVs would be usable. Tubes like 6BN6s. Or 6HZ6.

Maybe build a "psudeo-synchronous" detector (in phase and quad). Amplify and hard limit (clip) the AM IF carrier, and then use this and a 90 degree delayed signal to feed a pair of dual control pentodes. A zero-beat scheme. The AM and quad modulation gets "hetrodyned" down to baseband (audio frequencies).

1875. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: "H. Adam Stevens" <alien@jump.net>
Message-ID: <37327996.3CB1BAAA@jump.net>
Source record: 84853
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Marconi vs Sarnoff

Bob Headrick wrote:
snip-

> My email address is valid, and I have plenty of spam to prove it.

oh I know that tune.......

> It wouldn't be a problem if there were only "a single amateur item posted in
> the wrong radio group". Rec.radio.amateur.equipment has become completely
> (> 70%?) overrun, and I see the spam spreading to the rest of the groups.
> What would be so hard about using the groups for thier intended purpose?
>
> - Bob Headrick W7OV

1876. Re: Bob Headrick

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <373289C4.1C5F59E3@megsinet.net>
Source record: 84854
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Glenn wrote:
> Nice USENET police work Bob. My hat is off to you and the job you do.
> Uh....your complaints are actually off topic Bob. Write yourself a Internet
> Infraction Ticket. You need to leave a valid E-mail address so you can
> receive your electronic summons for your appearance at the Judicial Chat
> Room to receive your trail date.

Metadiscussion of the type Bob is doing is on topic in any newsgroup whose
charter does not prohibit it specifically. You really need to spend some
time in news.newusers.

> rec.radio.swap is such a dirt whole of dealers, auctions and spam it is easy
> to understand the temptation of an individual party to post in some of the
> other NGs.

...so that he can help make them the same kind of dirtholes.

--
+-+
| Cliff Sharp | "Speech isn't free when it comes postage-due." |
| WA9PDM | -- Jim Nitchals, founder, FREE |
+-+-+-+-+-+-+-+-+- http://www.spamfree.org/ +-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+

1877. FS: Power Triodes, more...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990507034030.21076.00000421@ng-ca1.aol.com>
Source record: 84855

I just updated my "online garage sale" website. I lowered a few of my asking prices, and added a few "new" items...like;

A quad of Mullard EL84's (NOS)

and

A sleeve (5) ECC81 (NOS)

There are also some power transmitting triodes. Please stop by my site and see what I'm liquidating (there's a LOT of stuff posted). I'm NOT a professional tube seller. I'm just trying to thin out my excess stuff. Feel free to haggle! I just want to get some cash so I can go buy MORE junk at the next TRW Hamfest (don't tell my wife).

Regards,
Tom Mitchell
website - http://members.aol.com/Reactor001

1878. Europe : For sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Ragnar Otterstad <danmec@inet.uni2.dk>
Message-ID: <3732b6fb.0@news.euroconnect.dk>
Source record: 84856

R390A rack version. Nice looking. Good working condition 500 USD + shipping

SABRE Pilot survival radio 40 USD + shipping

Collins 51J4 in original table cabinet. 3 mechancial filters. Nice condition. 500 USD + shipping.

Collectors item : Nazi Germany WW2 military trcvr Torn Fu.d2. with lid. Not modified - absolutely original condition.

73 Rag OZ8RO in Copenhagen

1879. WTB: HAL ST6000 or HAL ARQ1000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: ZL1MT <tedm@xtra.co.nz>
Message-ID: <7gue7a$1r844$1@titan.xtra.co.nz>
Source record: 84857

I am looking to buy a HAL ST6000 modem for RTTY or a HAL ARQ1000 for AMTOR SITOR....
quite happy to pay shipping to New Zealand
Many thanks
73 de Ted ZL1MT

1880. Drake SW4A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: WD4FFN <doverta@cetlink.net>
Message-ID: <nYzY2.2$j71.18070@news.cetlink.net>
Source record: 84858

I am looking for a copy of the sw4a manual preferably pdf or gif by email
Anyone out the can help
Thanks Tom WD4FFN

1881. Want: R390A Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990507073058.25123.00000482@ng-fp1.aol.com>
Source record: 84859

i am looking for a manual for the R390A receiver

1882. FA: Sony, Halli, RCA, Heathkit, Simpson -- Nice Stuff!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <GiBY2.1938$1D5.6426@news.rdc1.ab.wave.home.com>
Source record: 84860
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

Sorry for the repost...traffic has been very light :(.

In my continuing effort to make more room for the essentials in life (like furniture :)), I have posted the following on ebay:

Sony ESAKI Diode 11-transistor -- Beautiful!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98770971
Hallicrafters S-38 -- Very nice!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98769701
RCA BP61X "Lunchbox" Tube Portable Radio
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98768431
Heathkit Harmonic Distortion Meter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98765841
Simpson Genoscope Signal Generator and 'Scope
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98763327

Please email with any questions. Larger photos are available via email upon request.
Thanks for the bandwidth and for looking.
==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

1883. Re: Refinishing Johnson Front Panels??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <926084085.749.91@news.remarQ.com>
Source record: 84861

Lynne at n0alo@southwind.net did my Ranger II and did a fine job at a reasonable price !!

Russ W8RHJ

Jim Moci <jimmoci@aol.com> wrote in message news:19990505215142.28926.00001983@ng38.aol.com...
> Does anyone know of anyone reputable that silkscreens Johnson Radios? I have a
> Johnson Valiant and Johnson 500 I would like to get done. Thanks for any info.
> Jim W3ATV

1884. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3732ECD8.936C6613@ix.netcom.com>
Source record: 84862
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

"Marconi vs Sarnoff"
You said it perfectly in those few words, Adam.

Fluid pricing via networked auction is the wave of the future
in many, many areas- not just in radio stuff.
Hams are into it early because (contrary to cynical popular myth)
most hams are progressive people.

The charge of "clogging up the newsgroups" is nonsense.
Those who wish to participate in the new market can do so.
Those who do not can set the filters on their browsers
and they will never even see the deals go by,
leaving them with the "pure" version they claim to desire.

Bandwidth charges are equally nonsense. The binary groups
distributing graphic files and programs take up
thousands of times the bandwidth of the ham groups
with lots to spare, thank you. If we tripled the
number of radio ads here, we'd still not be a speck
on the bandwidth map.

It is useless and senseless to protest against this new market,
especially when every modern browser is capable of
deleting messages some people claim they don't want to
see before they ever see them.
You don't read every word in a newspaper, either.
I don't see anyone calling their newspaper and
complaining "you print some things I don't want to read!"
That would be silly. It's equally silly to protest
against newsgroup articles they don't want to read
when they have the means to simply *not see them*
right at their fingertips.

People need to stop claiming they are somehow being harmed
by the sale posts. It just isn't true.
They're harming themselves by not setting filters
that were put there for that purpose.
Same as someone who refuses to wear a seat belt-
he has no one to blame for his bruised forehead but himself.

Steam engine makers and tube manufacturers protested, too.
And the future --just-- --kept-- --coming.
You can stay behind if you wish.
But don't damn those who choose to progress,
especially since they are not harming you in any way.

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

1885. RCA HF Command Set Radio- Time Frame

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3732F7EC.771F4CCD@ix.netcom.com>
Source record: 84863

I'm trying to date this Navy RCA AVT-23 transmitter,
since several have shown-up lately.
A kind gentleman who found the RCA manual says
there is no date in it anywhere.

The AVT-23 is a 4-channel aircraft HF command radio.
With an 815 in the output, it hasn't the power
to have been a liason radio. It would have been
a peer to the ATA, ATB, ARC-5 and ARC-2 Navy HF command radios.

To the best of my knowledge, no new HF command radio systems
were ordered by any US air arm after WWII. HF was and
still is in use for liason service, but they'd pretty
much settled on VHF for command radios. There were
plenty of HF systems already in stock to handle spares for
the existing aircraft. Moreover, the AVT-23 is built with
similar parts and construction techniques to the
AVT-111, AVT-15 and AVT-112 transmitters first built
in the mid to late 1930s, with the exception of its
autotune feature. Autotune dates before WW-II.
Therefore, I deduce that this transmitter
is probably mid to late WW-II production.

Does anyone else have another insight?

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

p.s. I found a source for connectors, guys.

1886. Re: cabinet restoration question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <3732FB8B.4594@ameritech.net>
Source record: 84864

Nc183d wrote:
>
> Hi All,
> I would like to know where I would go to have some metal cabinets sandblasted
> in order to prepare them for restoration. I have no idea where I would start to
> look for this service on a group of small item such as these. The pile of
> cabinets is getting larger all the time and I would like to start getting to
> work on them, but need to have the old re-painting removed. Please respond to
> me at: nc183d@aol.com
> rgds,
> Mark S.

Hey Mark,

You may want to ask a your local Radiator shop. They should
have an enclosed one that recirculates the material (sand or beads)
and the guys are used to dealing with delicate metals. I had the
"boy's"
at MACO do an RBG cabnet for me a few years ago for $20 including a
quick coat of zinc chromate (or whatever the ecologiclly correct stuff
is now) but the last ime I went there with a TCS power supply chassis
and cover they wanted $75. The radiator guys did it in 5 minutes and
I gave him ten bucks.

GL Dan Harlan N8ETQ Cleveland, Oh.

1887. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Bill Clarke <bc@avlist.com>
Message-ID: <7guuj4pop1@birch.prod.itd.earthlink.net>
Source record: 84865

Can't say I am interested in some charter. What interests me is results. This group carries information important to boatanchor users - INCLUDING FS, FA, WTT, and WTB. When I wish to look for newer equipment I will go to rec.radio.swap, but for boatanchors - this is where I look.

Why does there always seem to be a frequency police type lurking around to fix what doesn't need fixing?

Like was mentioned in one of the posts - use your filters if there is something you wish not to see. Frankly, I don't wish to see your whimpering and will filter you out!
--
Bill Clarke W2BLC

1888. Boatanchors Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7gv3c8$l4q$1@nntp9.atl.mindspring.net>
Source record: 84866

A certain radio antique dealer in Tucson AZ had a Turner mic for sale at $25 and enquired how to test it.

After I accommodated Dan on how to test the Turner Mic and others with a scope he now has the ball's to ask me for $45.
Glad I didn't leave my credit card

1889. TRADE: HEATHKIT CATALOGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <373310BF.524B8DCB@ix.netcom.com>
Source record: 84867

Want to Trade:

Have good condition Heathkit catalogs from the 1950s and 1960s.
A few later dates. Intact covers and pages.
A few have some minor paper chipping.

Would like to trade for equally good condition
Allied or Lafayette catalogs from the 50s and 60s.

Please write for list if interested.

Thanks,
Dave Stinson AB5S
arc5@ix.netcom.com

1890. FA: Drake TR-7 AM (6000 hz) and CW (500 Hz) filters (last day!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7gv4n9$pf8@dfw-ixnews10.ix.netcom.com>
Source record: 84868
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have placed for auction on ebay two Drake Filters for the TR-7 and other radios:

6000 Hz AM filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98654123

500 Hz CW filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98715508

tnx es 73
Steve KU9C

1891. Boatanchor scalping attempt made

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7gv93mrkv1@nntp4.atl.mindspring.net>
Source record: 84869

A certain radio antique dealer in Tucson AZ had a beat up Turner mic for
sale at $25
and enquired me how to test it.
Needing refinishing my main concern was the cartridge being intact, (I can
not repair that).
I allowed Dan to pick my brain about simple very basic test regarding the
Turner mic and other mic's with a scope.
All I really cared about was the element being intact
After my assistance he now has E mailed me back asking $45 for testing it.
Nice F**nk guy Ah.....

1892. FS:Yaesu FT-101ZD station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990507140820.25859.00000257@ng-ci1.aol.com>
Source record: 84870

Offering for sale a complete FT-101ZD station in immaculate condition. Transceiver is the last 101ZD model made, with WARC bands. I use it daily, it puts out great power, and I always get great audio reports with the stock desk mike. Works well on SSB and CW on 160-10(I'm on all bands on any given day). About 6 months on new 6146's. Station includes the transceiver, the desk mike, the FV-101Z remote VFO, the FC-901 antenna tuner, and the SP-901P speaker/patch. All match and all look and work like new. I'm second owner.

I'm asking $800 firm. I'll buy the shipping materials and do a great packing job and you pay shipping. Tim Brown, al0f. 520-398-9543 tbal0f@aol.com

1893. FS:===<Winged>=== Collins S3 line -- complete.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Joe K7JOE <k7joe@yahoo.com>
Message-ID: <37332B59.1C43168A@yahoo.com>
Source record: 84871
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For sale. Collins Winged Emblem S3 line up.
All items CCA excellent. Package includes:

32S-3 Collins Transmitter w/original manual
75S-3 Collins Receiver with 200 CPS Collins mechanical CW filter w/
original manual
516F-2 Collins Station power supply w/original manual
312B-4 Collins Station console watt meter, speaker, phone patch w/
original manual
SM-2 Collins Station desk microphone
CP-1 Collins Crystal pack for general coverage utilization (missing 7
xtals)
All cables to interconnect the station

Price: $2000 + shipping or pickup in Portland OREGON or what HF Ham
Gear do you have to trade?
thanks,
Joe K7JOE

1894. FS: MFJ 989C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990507141135.25859.00000259@ng-ci1.aol.com>
Source record: 84872

For Sale: MFJ 989C Antenna Tuner. Excellent condition, new roller inductor. Used daily and works great. $200 + shipping. Tim Brown, al0f. 520-398-9543 or tbal0f@aol.com

1895. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7gv8na$cp0$1@altair.cs.unc.edu>
Source record: 84873

The rec.radio.amateur.boatanchors Frequently Asked Questions web site
is at http://www.cs.unc.edu/~nick/rrab.faq.htm

In addition to tons of info about where to find manuals, parts,
equipment, etc. it also says:

++
Who is welcome on the rec.radio.amateur.boatanchors newsgroup?

ANYONE interested in Boatanchors.
Hams, Non-hams, SWLs, military surplus fans, etc.
Newcomers, old-timers, thrill-seekers.
Women, Men, Boys, and Girls of all ages.
Commercial posters sticking to boatanchor topics
++
What is the rec.radio.amateur.boatanchors newsgroup for?

The polite discussion of boatanchor related topics:

Restoration
Repair
Operation
Collecting
Parts sources
Historical info
Legends and Lore
Vintage operations,
Vintage station accessories (keys, mikes, etc.)
Boatanchor ONLY buy/sell/swap
[please put FS (for sale) or FA (for auction) in the header]

++
What is rec.radio.amateur.boatanchors newsgroup NOT for ?

Pictures (attachments) - it is against netiquette, lots of people
can't read them, and it chokes many news readers
(post them on alt.binaries.pictures.radio, put them up on a web
page, or send via private e-mail)
Newer equipment (use rec.radio.amateur.equipment)
Vintage broadcast and phono gear (use rec.antiques.radio+phono)
Vintage audio gear (use rec.audio.tubes)
Vintage solid-state gear
(try the VSS list - Send e-mail to listserv@listserv.tempe.gov. Put
"subscribe VSS" in the message body)
Homebrewing with modern technology (use rec.radio.amateur.homebrew)
Non-boatanchor buy/sell/swap posts (use rec.radio.swap)

Antennas (use rec.radio.amateur.antennas)
General ham info (use rec.radio.amateur.misc)
Code vs No-Code (use rec.radio.amateur.policy)
Flames (use alt.flame)
++

This is what we agreed on when the newsgroup was created.

73 & Have Fun,
Nick KD4CPL
http://www.cs.unc.edu/~nick/hobbies.html
--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

1896. Dayton Flea Spaces: 2615, 2616, 2617

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Paul Washa <w0tok@email.msn.com>
Message-ID: <#CaSYWLm#GA.279@cpmsnbbsa05>
Source record: 84874

Paul Washa books W0TOK will be at the above spaces with the
full load of books, new , old, etc. Paul Washa

1897. Presentation of the Madras motoryacht

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: "Tecnomar S.r.l." <infotec@tecnomar.com>
Message-ID: <7gvfs1$62h$7@fe1.cs.interbusiness.it>
Source record: 84875

We invite you all with pleasure to the presentation of our new motoryacht "Madras".

29th and 30th of May,
platform in front of the port authorities Fontvieille - Principality of Monaco

http://www.tecnomar.com/English/new.htm

Regards

Tecnomar S.r.l.

1898. Re: GPR-90 orig manual FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37334966.4FE6@sympatico.ca>
Source record: 84876

D. S. Platt wrote:
>
> Hey Cal, did you ever got your cabinet project off the ground? I was
> interested in a couple of them. 73 Jeep - K3HVG Round.....Over!
>
> Cal Eustaquio wrote:
>
> > GPR-90 manual for sale. Good condition. Covers laminated. Everything
> > else is original. Asking $25 shipped. Cal. N6KYR.
Hello Om
is your GPR-90 for sale because I am looking for that kind of receiver
hi..hi..
73
VE2AMK QUEBEC CITY

1899. FA: Drake TR-7 filters (last Day)....500 HZ cw and 6000 Hz AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7gvi30$57b@dfw-ixnews10.ix.netcom.com>
Source record: 84877

I have placed for auction on ebay two Drake Filters for the TR-7 and other radios:

6000 Hz AM filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98654123

500 Hz CW filter

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98715508

tnx es 73
Steve KU9C

1900. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37335EE9.DE1D1280@jorsm.com>
Source record: 84878
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
EL 34/6CA7 RUSSIAN 22.00 a matched pair

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6ME6 25.00 12BY7A 7.00

Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information ,
Email me at n9tew@jorsm.com or see me at dayton hamfest space 1310
outside!!

1901. Collins FRT-5/KY-45

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990507.180524.-3895281.8.NFMK@juno.com>
Source record: 84879

Looking for information on what the complete AN/FRT-5 was. Does
anyone know whether the exciter fed another stage or whether there
was an amplifier or antenna tuner involved? Open to buying an
original manual or any documents that anyone might have related
to this unit. Also want to buy the keyer power supply and any other
FRT5 modules or components you might have for sale.

Please advise what you have from this unit and what your requirements
are. I am zip 70806 and willing to travel to pick up
if the module or unit you have is heavy.

73, Doug

_____
You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

1902. FA: S-19 Hallicrafters The Rare One

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Mark <nospam@nospam.net>
Message-ID: <3733A30F.E24E9C9@nospam.net>
Source record: 84880

There is a S-19 on e-bay at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99100139

The S-19R is very common, the S-19 is very rare according to the Dachis Hallicrafters book.

1903. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <3733921D.7A80BC3D@megsinet.net>
Source record: 84881
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

David Stinson wrote:
> The charge of "clogging up the newsgroups" is nonsense.
> Those who wish to participate in the new market can do so.
> Those who do not can set the filters on their browsers
> and they will never even see the deals go by,
> leaving them with the "pure" version they claim to desire.

Only a spammer would call spamming "the new market".

> Bandwidth charges are equally nonsense. The binary groups
> distributing graphic files and programs take up
> thousands of times the bandwidth of the ham groups
> with lots to spare, thank you. If we tripled the
> number of radio ads here, we'd still not be a speck
> on the bandwidth map.

You're wrong, and it's been explained before.

> It is useless and senseless to protest against this new market,

There is no market here. Go away.

> especially when every modern browser is capable of
> deleting messages some people claim they don't want to
> see before they ever see them.

It is not our job to delete them. It is the job of newsgroup participants
not to post them where charter forbids them.

> You don't read every word in a newspaper, either.
> I don't see anyone calling their newspaper and
> complaining "you print some things I don't want to read!"

As a matter of fact, newspaper switchboards are overloaded with such calls.

> That would be silly. It's equally silly to protest
> against newsgroup articles they don't want to read
> when they have the means to simply *not see them*
> right at their fingertips.

If you can't play nice with others, go somewhere else.

> People need to stop claiming they are somehow being harmed
> by the sale posts. It just isn't true.

Flat statement without substantiation. Typical spammer tactic.

> They're harming themselves by not setting filters
> that were put there for that purpose.

But we do. They usually take the form "Provider, please stifle your spammer."

> Same as someone who refuses to wear a seat belt-
> he has no one to blame for his bruised forehead but himself.

A completely inappropriate analogy.

> Steam engine makers and tube manufacturers protested, too.
> And the future --just-- --kept-- --coming.
> You can stay behind if you wish.
> But don't damn those who choose to progress,
> especially since they are not harming you in any way.

You'll pardon us if we keep fighting to keep things the way they're meant
to be, and work to get spammers off the 'net. Or you won't pardon us, but
we'll keep doing it anyway.

--
+-+
| Cliff Sharp | "Speech isn't free when it comes postage-due." |
| WA9PDM | -- Jim Nitchals, founder, FREE |
+-+-+-+-+-+-+-+-+-+- http://www.spamfree.org/ +-+

1904. Heathkits and other Items for sale at Dayton (Final Update)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Matt Robbins <robbinsm@umich.edu>
Message-ID: <7h03vd$1ur@newsops.execpc.com>
Source record: 84882
Cross-posted to:
rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have finished with my final update on the items we will be taking to Dayton. Please be sure to read the info at the top of the page if you are interested in purchasing an item(s). If you emailed me about and item and I have not replied, it may be because I accidently deleted the message because of the large amount of replies or because the item is sold. I have marked all items that have been sold on the site. Hope to see everyone at the hamfest. Once again, the site address is:

http://www-personal.umich.edu/~robbinsm/heathkit.htm

Thanks,
Matt

1905. WTB: Altair 680 or IMSAI 8080

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Alan <alan.diaz@snet.net>
Message-ID: <7h03bu$sg2@news1.snet.net>
Source record: 84883
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

I would like to buy an Altair 680, IMSAI 8080, or other Altair/IMSAI from that era. I want to add one of these units to my collection of items from this era. You may contact me directly at chipsndips@snet.net.

Alan

1906. Karr Engineering Co. KE23A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: adam@panix.com
Message-ID: <7h07hmeng1@panix7.panix.com>
Source record: 84884
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.radio.shortwave

A friend recently came across a Karr Engineering Co. KE23A. It looks like an HF/SWL receiver. Anybody familiar with this radio or know if it has any antique or collectable value?

-Thanx
-Adam

1907. Need Hammarlund HQ-180 Parts/Information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7h08l1$oii@sjx-ixn1.ix.netcom.com>
Source record: 84885

Hi All,

I am working on a HQ-180X project radio that was less functional than represented by the seller. One of the missing items are the covers for the main and bandspread variable capacitors. If anybody has these covers from a parts radio I would be interested in buying them. I would guess that these are the same covers as used in an HQ-170. I am also looking for one of the square nuts, the nut-holder that goes in the square hole on the back of the chassis, and the screw all of which together secure the cabinet.

The top of the chassis of this radio was painted with silver paint if you can believe it! This included the tops of the transformer cans, tube shields and potentiometers, etc. I guess this was done to cover up corrosion that has obviously been cleaned up with a wire brush of some sort. The covers for the variable capacitors must have been in place then because they were thankfully spared. The good news is that the radio sort of functions in some of the bands and the bottom of the chassis is pristine so I have some hope of getting it up and running.

The radio has an International Rectifier Corp ST-14 solid state replacement for the rectifier tube. Anybody know of any problems using these vice the specified tube?

Finally, I know that R&R Designs carries the paint for the case but does anyone know as source that reproduces the sticker on the back that shows the tube layout and who offers a service to refinish the front panel?

Thanks!

Rob

1908. Re: Europe : For sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3733A8E9.7004A545@earthlink.net>
Source record: 84886

How much would it cost me to get it here in the USA I live in the city of
Orange California 90630

Ragnar Otterstad wrote:

> R390A rack version. Nice looking. Good working condition 500 USD +
> shipping
>
> SABRE Pilot survival radio 40 USD + shipping
>
> Collins 51J4 in original table cabinet. 3 mechancial filters. Nice
> condition. 500 USD + shipping.
>
> Collectors item : Nazi Germany WW2 military trcvr Torn Fu.d2. with lid.
> Not modified - absolutely original condition.
>
> 73 Rag OZ8RO in Copenhagen

1909. HP 8046b

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3733AA59.9FFDA63B@earthlink.net>
Source record: 84887

I have one more 8046b for sale 350.00 . working very nice this it a miltary version with option 323 or you could call it AN/UM 323 . This is the last one for now .
Matt Parkinson KE6UOS

1910. Re: News Group Cops!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-07 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <OQVCjRQm#GA.244@cpmsnbbsa03>
Source record: 84888
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.swap

Please, please do it in my town!

Mark Waldron wrote in message <37310B75.3B64783E@nationwide.net>...
>I like it!
>
>I'm gonna get all likkered up, not bathe, smell funny, wear parachute
pants,
>and do this!
>
>
>>
>> > I suppose you go into churches on Sunday during services and interrupt
>> > with a loud "TUUUUUUUUUUUUUUUUUUUUUUUUUUBES FOR SALE!"
>

1911. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990508172159.29321.00001622@ng-cg1.aol.com>
Source record: 84739

Hi All,
I wasn't aware of the fact that there was a rule against selling on this newsgroup. I realize that ignorance is not an excuse, but I have had nothing but positive experiences on this newsgroup. I have purchased several items here and also sold svereal items here.In addition, I have offered items here free of charge due to the fact that I have had such good experiences here. I have not been spammed, but I have been flamed when expressing an opinion. When scrolling down through the ads, if I find an ad that's inappropriate for me, I simply ignore it. If there were no for sale ads allowed here and the rule were adhered to, I would be without many of the fine sets that I now own. In addition, I have been to rec.radio.swap and I find that it is primarily geared to newer soild-state type equipment.
I will continue to come here, looking for good values from the fine folks who post them. There is no response necessary to this posting as it is just an opinion.
Thanks for your time.
rgds,
Mark S.

1912. Re: FS: Swan 250 6-meter SSB, AM, CW transceiver on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: "Marjin Overra"@murkey.research
Message-ID: <3736aadb.38334116@news.infoave.net>
Source record: 84740
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

you really should list this as "FA" instead of "FS"

>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101553177
>
>Thank you for taking the time to view this message.
>73
>Joe KB8QLR
>

1913. TS830S w/InRad- Fox Tango filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3734c16a@news1.us.ibm.net>
Source record: 84741
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Some time ago before International Radio was sold to its new owners up in oregon the company was offering a "transmit bypass switch kit". This allowed the InRad 2.1 khz filters to be bypassed on xmit in the TS-830s with the original 2.7 khz filters being utilized in xmit. It also turned the 'display hold' switch on the 830 into a '2.1/2.7' select switch on rcv for both cw and ssb. The user could then select either the 2.1 khz or the knwd 2.7 khz filters to used in rcv.

I would like to either but this kit from someone that no longer needs it or would at least like a copy of the schematic and instructions so I can copy it and use it with my 830S. I have the InRad 2.1 khz filters but I want the flexibility of being able to select them or the stock 2.7s on rcv.

Any help appreciated.

Lane Zeitler
ku7i
San Diego

1914. Re: R390 identity

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Bill Fairbanks <BILLFAIRBANKS@worldnet.att.net>
Message-ID: <01be99ac$c6f4a8e0$a710460c@default>
Source record: 84742

Bill

The R390 was manufactured by Collins and then by Motorola before it was replace by the R-390A The individual modules could have been swapped out at repair centers over the years and may not be original to the set. Even the front plate may not be original !

Your radio could be an "A" model. One easy way to tell the difference is that the Antenna Trim knob is located in the middle of the front panel above the freq readout and the data plate. On the R390 it is located on the right hand side of the panel.

You should be able to find manufacturer and contract numbers on the various modules. It is kind of a judgement thing. Each R-390A manufacturer had a different method for identifying their radios besides the data plate. The whole thing is complicated by the fact that overhaul centers would receive boat loads of these things, break down the components and basically remanufacture them including new paint!! At the end of the line, a data plate would be re-attached (not to the original radio either) and shipped back out to the field. So, if your radio is an "A" model there is a good chance it is a mongrel.

Hey, whatever the pedigree, be proud that your an owner of one of the finest radios ever made!!

Bill Tyner <styner@budget.net> wrote in article
<01be9776$a94ec740$921b98d0@default>...
> I use a military surplus R390 rack mount rcvr and I was wondering if
there
> is someplace on the rig that discloses the manufacturer.
> Bill
> WX7U
>

1915. Re: Boatanchor scalping attempt made

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7h2js0ofs1@nntp8.atl.mindspring.net>
Source record: 84743

http://www.dantiques.com/radio.htm is the character.

tcrpe wrote in message ...
>Antique dealer?
>
>You sure he isn't a lawyer?
>
>Send him a bill for your consulting work -- say $45.
>
>TR
>
>
>Joe wrote in message <7gv93mrkv1@nntp4.atl.mindspring.net>...
>>A certain radio antique dealer in Tucson AZ had a beat up Turner mic for
>>sale at $25
>>and enquired me how to test it.
>>Needing refinishing my main concern was the cartridge being intact, (I can
>>not repair that).
>> I allowed Dan to pick my brain about simple very basic test regarding
the
>>Turner mic and other mic's with a scope.
>>All I really cared about was the element being intact
>>After my assistance he now has E mailed me back asking $45 for testing it.
>>Nice F**nk guy Ah.....
>>
>>
>>
>
>

1916. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3734DB56.5BD7360@ix.netcom.com>
Source record: 84744

Nc183d wrote:
> I wasn't aware... that there was a rule against selling
> on this newsgroup.
There isn't a rule against it, Mark.
It is *specifically mentioned and allowed by the charter of the group.*

Several people who wish they were in charge here would like to
fool you into thinking it's against the rules, but it's not.

Kind Regards,
David Stinson
arc5@ix.netcom.com

1917. JOHNSON RANGER 1 MYSTERY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Jan Lindstrom <LINDDEC@CAM.ORG>
Message-ID: <7h2met$7lg@tandem.CAM.ORG>
Source record: 84745

Well folks
Today I picked up a RANGER 1 which seems to still be new. No box, but the case exhibited some small scratches on the exterior , but my surprise came when I opened the case. The inside of the case has no heat marks or signs of use and their was that typical 1950's type of paper packaging material with old pieces of green tape holding it in place over most of the topside, also a thick piece fo packaging in the coil. The transformers look new.

The tubes were in little tightly wrapped paper packages or wrapped in corrugated cardboard and soft paper.The tubes show no sign of being used. One of the packages contained a new JT-30 microphone head , and another had the unused plug for the rear plug socket and a crystal socket. The underside of the chassis seems to be untouched . On the inside chassis the JOHNSON DECAL part number shows no -1 designation and I assume that means factory wired. This unit may have been purchased by a CANADIAN government agency originally as it is proported to have been collected by a non-ham who stored it in a basement for many decades.
My questions are for those oldtimers who new these rigs in the 50's. Have you any knowledge of any CANADIAN GOVERNMENT AGENCY ever using hem(perhaps on the DEW line) and does my description sound like anything you can remember about these rigs when they were new??

73
JAN
VE2OL

1918. Johnson Pacemaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: John Haberkern <jhabs@worldnet.att.net>
Message-ID: <3735007F.6048AE56@worldnet.att.net>
Source record: 84746

I have forsale a Johnson Pacemaker transmitter.the unit is in nice condition but untested by me.I have a copy of the manual.radio is missing 10 out of 14 of the original knobs,but I am in process of purchasing a set of knobs from a ranger to put on the pacemaker,that should leave the radio 3 shy of being all original. asking $300 as is. I have taken the case off and the chassis is perfect with all parts in great shape.When I get the knobs I will put radio on bench and fire it up.would like radio to be picked up in Phila.

1919. Johnson 275w matcbox

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: John Haberkern <jhabs@worldnet.att.net>
Message-ID: <373500F4.ACB4DB5B@worldnet.att.net>
Source record: 84747

I have forsale a Johnson matchbox in nice condition with copy of manual.asking $110 shipped in u.s.

1920. Re: Need Info: Heath TT-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: matt7591@jps.net
Message-ID: <MPG.119ea3434ed87588989725@news.jps.net>
Source record: 84748
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

jeff wiel says...
> I have a Heathkit model TT-1 tube tester.
> It seems to be complete and working, but I'm missing the manual.
> Anyone know where I can get a manual or other usful information?
>
>

I've got a manual. Send me your snail mail and a copy is yours. It wasn't in the stars for me to have a TT-1 that worked, but the specs seem cool, like 225 V plate voltage, unlike most Hickoks which are only at 150. With an adapter to test plate current, it seems like a great unit for audio tubes(talkin' from a tube hifi perspective). The calibration procedure has been described as a joke, but like with any other tester, as long as you test tubes all the same(eg similar warmup time) with line adjust set properly, readings can be useful.

Any Heathkit is ultracool, so kudos for the score!

Be sure to visit the Heathkit Virtual Museum at http://www.heathkit-museum.com .
--
_____
Matt Warren
http://www.jps.net/matt7591
Tube testers, tube identification and other tube related stuff!

1921. For sale Racal RA17 RX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Philip Lawrence <hitriode@iinet.net.au>
Message-ID: <3733607B.A9458D0B@iinet.net.au>
Source record: 84791

Racal RA17 Tube rx for sale. 30Bands BC-30Megs
Australia.

1922. Tubes for sale:7027A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Philip Lawrence <hitriode@iinet.net.au>
Message-ID: <37336003.8FF85FA6@iinet.net.au>
Source record: 84792

Sylvania: 7027A $US25-00
Siemens EF86 NOS $US20-00

RUSSIAN: EL84/6BQ5.
1x EL84 =$US4-00.
10 x EL84 =$US 3.75.
20 x EL84 =$US 2.50.
Russian Svetlana: EL34
1x El34= $US10-00
10X El34 = $us9-00
Russian 5881/6L6WGC
X 5881 +$US8-00
10X5881 +$US 9-00
Can supply matched.
AUSTRALIA

1923. Wanted: Heath HW-18-3 2 channel SSB mobile xcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990507.194038.-3895281.9.NFMK@juno.com>
Source record: 84793

Wanted: Heath HW-18-3 2 channel SSB mobile xcvr. Please
advise condition and requirements. Have many Heath available
to trade for excellent/mint condition unit.

73, Doug

1924. Re: Johnson Viking Courier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990507204157.08343.00000424@ngol02.aol.com>
Source record: 84794

In article <002301be96d1$25c43720$23d0c6c2@ToreSandstrm>,
tore.sandstrom@comtech-data.SE (=?iso-8859-1?Q?Tore_Sandstr=F6m?=) writes:

>I got an old dusty amplifier...Viking Courier!

A nice unit - 500 watt self contained desktop amplifier, mid-late '50s vintage

>No cord, gloomy tubes but interesting!?

Never met a "gloomy tube".

>Does anyone out there have an manual? Copy?

I don't , but it's a pretty straightforward design.

>Has anyone done interesting experience of it?
>Modifications? 2x572B:s instead of 811A:s?
>Or take away even the 866-tubes and have space 4X572B:s?

You don't want to do that. It was meant for 450-500 watts - the power supply
and output network are set up for that level, and won't handle more power very
well. Plus you ruin a fine old amp.

>Of course nned other transformers?

By the time you do all the changes, you could just build a whole new amplifier.

>The rollersolution seem interesting.

Yep, Johnson used the geared rollerinductor/capacitor arrangement on the Viking
I and Viking II, the Courier and Thunderbolt amplifiers, and the Desk Kilowatt.

>By the way....what value would it have?

I don't know, but a lot depends on condition and whether it's been modified.

73 de jim, N2EY

1925. FS: J-38 Military Key (no missing parts)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: keymaster@stlnet.com
Message-ID: <7h04o2dpo1@nnrp1.deja.com>
Source record: 84795
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

Dear All,

I have a J-38 for sale. It's in excellent condition with no missing parts. Usually, you see the "eyelet", extra terminals, etc. missing. This is complete and original. Brass is tarnished but key is otherwise in fine shape. I've put a picture of it on the web:

http://home.stlnet.com/~keymaster/j38.jpg

Price is $25.00 plus actual shipping costs. If interested, please send your complete address when you respond so that I may calculate shipping for you.

If you have any questions, please e-mail me at keymaster@stlnet.com

Thanks for the read & 73

Derek
WB0TUA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1926. FS: Telegraph Key (Explosion Proof)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: keymaster@stlnet.com
Message-ID: <7h05cp$e8n$1@nnrp1.deja.com>
Source record: 84796
Cross-posted to: rec.radio.swap,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

Dear All,

I have a U.S. Navy Explosion Proof Key for sale. Some people call these flameproof keys. It has a black crackle finish
and I believe is the Cxx-26003A type of key. This particular one has no model number on it (first one I've seen without a model number).

Key has a slight problem...the lever sticks when operating it. I've tried lubricating it but it didn't improve much. Key works just fine but the sticking lever can be distracting. As such, I only want $15.00 for it (plus actual shipping costs).

Here's a picture of it:

http://home.stlnet.com/~keymaster/explosion.jpg

If you have any questions, please e-mail me at: keymaster@stlnet.com

Thanks for the read!

Derek
WB0TUA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1927. Re: Johnson Viking Courier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: johnmbXX@mindspring.com
Message-ID: <37339a35.4400800@news.mindspring.com>
Source record: 84797

I'm still looking for one if there's any around...willing to drive
(but not to Sweden!)
:-)
/John
Clayton NC

n2ey@aol.com (N2EY) wrote:

>In article <002301be96d1$25c43720$23d0c6c2@ToreSandstrm>,
>tore.sandstrom@comtech-data.SE (=?iso-8859-1?Q?Tore_Sandstr=F6m?=) writes:
>
>>I got an old dusty amplifier...Viking Courier!
>
>A nice unit - 500 watt self contained desktop amplifier, mid-late '50s vintage
>
>>No cord, gloomy tubes but interesting!?
>
>Never met a "gloomy tube".
>
>>Does anyone out there have an manual? Copy?
>
>I don't , but it's a pretty straightforward design.
>
>>Has anyone done interesting experience of it?
>>Modifications? 2x572B:s instead of 811A:s?
>>Or take away even the 866-tubes and have space 4X572B:s?
>
>You don't want to do that. It was meant for 450-500 watts - the power supply
>and output network are set up for that level, and won't handle more power very
>well. Plus you ruin a fine old amp.
>
>>Of course nned other transformers?
>
>By the time you do all the changes, you could just build a whole new amplifier.
>
>>The rollersolution seem interesting.
>
>Yep, Johnson used the geared rollerinductor/capacitor arrangement on the Viking
>I and Viking II, the Courier and Thunderbolt amplifiers, and the Desk Kilowatt.
>
>
>>By the way....what value would it have?
>
>I don't know, but a lot depends on condition and whether it's been modified.
>

>73 de jim, N2EY
>

1928. Ebay- Kenwood TS-520 @$177, 1+day left

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990507235926.12730.00000130@ng-ci1.aol.com>
Source record: 84798

Hi Guys;
Can you believe this?
Theres a Kenwood TS-520 on ebay and its only at $177 with less then 2 days left. Please check it out...!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99181298
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

1929. Ebay- SBE-34, Exc.Condx $132 1+day left

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990508000126.12730.00000131@ng-ci1.aol.com>
Source record: 84799

Hi All;
Extra nice SBE-34 on Ebay, Check it out, Very Worthwhile.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99170187
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1930. Ebay- Regency MX-5000 Scanner by AOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990508000543.12730.00000138@ng-ci1.aol.com>
Source record: 84800

Hi Guys;
Only a few days to go on this great older scanner. I think you will agree,
please check it out!
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99193271
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

1931. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3733C635.BC4C761E@ix.netcom.com>
Source record: 84801
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

"Clifton T. Sharp Jr." wrote:
> Only a spammer would call spamming "the new market".
Funny how the definition of "spammer" seems to change
with the control freak and self-appointed net cop
who's throwing it around.

> You're wrong, and it's been explained before.
You sound like a child on the school ground.
"You're wrong! So there! Naaa!"
Please enlighten me, oh wise one.
Correct my poor ignorance.
On second thought, don't. I hear enough BS on CSPAN.

> There is no market here. Go away.
No.

> It is not our job to delete them.
Translation:
"It's your fault that I'm too lazy to set my filters!"
I'll bet you blame the bank when you bounce a check
and yell at your kids when you drop the milk.

>It is the job of newsgroup participants
> not to post them where charter forbids them.
Please quote the passage in the charter of this group
that forbids sale postings.
(silence)....... uh, huh... That's what I figured.

> As a matter of fact, newspaper switchboards
>are overloaded with such calls.
Childish horse manure.
Kindly cite your sources for this ridiculous spluttering.

> If you can't play nice with others, go somewhere else.
If you can't curb your egoist urges to be net-cop-in-charge,
you should perhaps go back to grade school where manners were
supposed to have been taught to you.
I'll meet you there and perhaps we'll both learn something!

>> People need to stop claiming they are somehow being harmed
>> by the sale posts. It just isn't true.
> Flat statement without substantiation.
Word game providing a phoney retort when a real one is not possible.
Please define "flat statement" and the process by which
one substantiates same.

>Typical spammer tactic.
Since the definition of "spammer" appears to depend on who's
using it to manipulate, bully and insult others,
I propose that there is no "typical" spammer.

> > They're harming themselves by not setting filters
> > that were put there for that purpose.
> But we do. They usually take the form
>"Provider, please stifle your spammer."
Gosh--- I wonder why those providers don't run all those "spammer"
for-sale posters off? Could it be that the people
whining about the ads are (*GASP!*)
FULL OF CRAP??? hmmmmmm!

> > Same as someone who refuses to wear a seat belt-
> > he has no one to blame for his bruised forehead but himself.
>
> A completely inappropriate analogy.
Talk about your unsubstantiated "flat statements."
I'll pass my blue ribbon to you.
You clearly surpass me in this area.
Congrats, Champ!

> You'll pardon us if we keep fighting to keep things
> the way they're meant to be, and work to get spammers off the 'net.
I fully expect that anal-retentive control freaks will continue
to blame others for their moronitudes*, attempt to bully people
and demand that things go "their way."

I also expect they will continue to FAIL.... heh heh heh....

72 1/2,
Dave Stinson AB5S

*moronitudes: n, moronic attitudes. Attitudes taken or
opinions expressed without forethought or out of childish pique.

1932. So-Called "anti-spam" Net Bullys.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3733CE7C.C8259DA7@ix.netcom.com>
Source record: 84802
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

When you post a simple FS or FA notice to a newgroup in which
the charter permits such postings, and are then abused,
harrassed and called "spammer" by one of these self-appointed
net-cops, you should take it seriously. When you call them on it,
they have a nasty habit of writing to your provider en mass
in an attempt to get your access limited.
They are not usually successful,
but why should you be defamed and slandered to your provider?

You don't have to put up with that sort of net terrorist bullying.
Two can play their nasty little game.
Simply write to "abuse," "postmaster" and/or "support"
at *his* provider, detailing his harrassment and attempt to
force you to conform to his wishes. After a few complaints,
the bullier becomes the bullied, and he'll think twice before
harrassing anyone else.

A letter something like this works well:

TO: postmaster@megsinet.net, abuse@megsinet.net, support@megsinet.net
abuse@berkeley.edu, postmaster@berkeley.edu, support@berkeley.edu

SUBJECT: ABUSIVE USER

Please look into one of your users:

Path: ix.netcom.com!nntp.primenet.com!newsfeed.berkeley.edu!
news.he.net!news.megsinet.net!not-for-mail
Message-ID:
<37xxxxxx.7Axxxxxx@megsinet.net>
From:
"Shifton T. Carp " <carper@megsinet.net>

He is involved in some outfit using the domain

www.we'reincharge.org

that is going around harassing people on Usenet, demanding
that they conform to their personal definition of conduct.
They call people "spammer" who are posting legitimate FS
posts on groups which have provisions for sale posts in their charters.
When ever anyone calls them on it, they write email as a group
to that person's provider, demanding that the person's access be denied.

I'm sure you do not wish to tolerate these "net terrorist"
attitudes and actions by your users.

Kind Regards,
David Stinson
arc5@ix.netcom.com

1933. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: lrware@pipeline.com
Message-ID: <3736d57a.81944286@news.pipeline.com>
Source record: 84803

JJ <jj@no.net> cogitated then commented:

>Vacuo wrote:
>
>>
>> If it has to do with boatanchors, it BELONGS HERE. ! ! !
>>
>> Cheers,
>> Bill N2KQA
>
>Not if it is a for sale or for auction ad and if the charter does not
>allow such ads. I haven't seen the charter for this goup, does it allow
>fs and fa ads?

Yes it does.
Your the first person who has even bothered to ask...

#
Bigot, n. One who obstinately and zealously attached
to an opinion that you do not entertain.
-Ambrose Bierce
#

1934. WTB: Hallicrafters SR-34

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: "R. Fraser" <rfraser@ix.netcom.com>
Message-ID: <3733E3F9.6258@ix.netcom.com>
Source record: 84804

Need Hallicrafters SR-34 (6 & 2 Meter Transceiver) or a good lead on
where to find one. Thanks!

1935. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: lrware@pipeline.com
Message-ID: <3737d66e.82187876@news.pipeline.com>
Source record: 84805

<group listing trimmed and followups set to r.r.a.b>

"Clifton T. Sharp Jr." <clifto@megsinet.net> whilst standing on his
soapbox said in Message-ID: <3733921D.7A80BC3D@megsinet.net>:

>Only a spammer would call spamming "the new market".
You sir both know what a spammer is and is not.
Considering the way you have been pushing your opinion
through mulitple threads and continue crossposting to at least
one group where it is clear you either are ignoring the groups charter
or have never read it: pot-kettle-black.

>> Bandwidth charges are equally nonsense.
<snip>
>You're wrong, and it's been explained before.
Again you choose to ignore reasoned thought in favor of pushing
a personal agenda without supporting your opinion.
Many people call this "trolling."

>There is no market here. Go away.
Once again, read the r.r.a.b charter.
For sale postings concerning boatanchor radios and related items are
specificly on-topic for this group. However flames and trolling are
not.

>It is not our job to delete them. It is the job of newsgroup participants
>not to post them where charter forbids them.
Cliff, you *do* know better, either you are too busy trolling to read
the r.r.a.b charter, or your determined to continue trolling anyway.
<sigh> I would expect better from a nanae regular.

>If you can't play nice with others, go somewhere else.
I agree 100%, consider taking your own advice.

>Flat statement without substantiation. Typical spammer tactic.
Typical troller tactic also. pot-kettle-black.

>You'll pardon us if we keep fighting to keep things the way they're meant
>to be, and work to get spammers off the 'net. Or you won't pardon us, but
>we'll keep doing it anyway.
You'll pardon us if we expect you to actully *read* the r.r.a.b. group
charter before wasting bandwidth.

Go away troll.

#
Bigot, n. One who obstinately and zealously attached

```
# to an opinion that you do not entertain.
# -Ambrose Bierce
#
```

1936. checking transformers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3733FC45.B50956D4@asu.uswest.net>
Source record: 84806
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I picked up 5 power transformers at a hamfest a month ago. Only one is marked at all (has leads tagged '110,' '290,' and 'Fil'), the others I don't know a thing about (but I got them very cheap). I need to know how to check unknown transformers for voltages, polarity, which side is primary, and of course, whether they are good (not open or shorted) to begin with. How do I determine each of these parameters (and current rating, if possible), safely and accurately?

All I have in the way of test gear is a good RMS DMM, a cheap analog VOM, a 7.5A variac, and a couple of non-variable, non-metered 13.8 VDC power supplies.

In addition to the info above, can someone tell me how, if possible, to check transformers at hamfests with a DMM or other handheld instrument, at least to see that they are good?

Thanks for all replies.
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1937. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3733FF88.6071AF44@asu.uswest.net>
Source record: 84807

I hate to do this, but "me too!" I do occasionally see ads for tubes and other BA and glowbug components, even a few whole radios, in r.r.swap, but the ratio is at *least* 50:1, solid/hollow. Talk about wading through! I value the ads in r.r.a.b not just for what I might like to buy, but to get a sense of price and availability, and for the links to pictures of rigs I am unfamiliar with (I've only been at the BA part of the hobby for about a year).

It is such a simple matter in Netscape, Outlook, Newswatcher, and almost *all* recent versions of newsreaders to just *not* load articles containing "FS, FA, For Sale," and the like. Takes all of about 2 minutes, then your done, for life!

If its against the group's charter, I would like to see that changed.

Bill Clarke wrote:
>
> Can't say I am interested in some charter. What interests me is results.
> This group carries information important to boatanchor users - INCLUDING FS,
> FA, WTT, and WTB. When I wish to look for newer equipment I will go to
> rec.radio.swap, but for boatanchors - this is where I look.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1938. Advertising and r.r.a.b. charter (was Re: Bob Headrick)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <373401A3.E94AE2B9@asu.uswest.net>
Source record: 84808

In fact, boatanchor related ads *are* explicitly permitted on
r.r.a.boatanchors. I just visited the web page housing the charter, and you
can too:

http://www.cs.unc.edu/~nick/rrab.faq.htm

Bob Headrick wrote:

Of the groups this was sent to only
> alt.ham-radio.marketplace and rec.radio.swap are appropriate for sale
> postings.
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1939. Re: Boatanchor scalping attempt made

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37340B60.11692125@asu.uswest.net>
Source record: 84809

He wants to charge *you* for having tested it? Ridiculous, I say. And I would point out to him that anyway his test results might be pretty unreliable, since
he was clueless how to check it to begin with!

Joe wrote:
>
> A certain radio antique dealer in Tucson AZ had a beat up Turner mic for
> sale at $25
> and enquired me how to test it.
> Needing refinishing my main concern was the cartridge being intact, (I can
> not repair that).
> I allowed Dan to pick my brain about simple very basic test regarding the
> Turner mic and other mic's with a scope.
> All I really cared about was the element being intact
> After my assistance he now has E mailed me back asking $45 for testing it.
> Nice F**nk guy Ah.....

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1940. Cost/source of D-104 crystal cartidges?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37340BCE.5D06316F@asu.uswest.net>
Source record: 84810

I am looking for a replacement cartridge for an old D-104, mine has a dented membrane. Anywhere in the metro Phoenix area?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

1941. 3-500 Z Tube NOS F.S. or TRADE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990508071720.07984.00000692@ng-cl1.aol.com>
Source record: 84811

Hi, I have one of these in the original box, including anode cap.
Price is 95.00 shipped free in lower 48 states.
OR, I will trade you for some interesting NOS (or very interesting used)
tubes.
Guaranteed satisfaction on arrival or pay only return shipping cost for full
refund, in same condition.....
Thank you,
Joe Pratt, Tubecntral@aol.com

1942. FA: SP-600 with Custom-made Cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <3734602b.2281639@news.erols.com>
Source record: 84812

Check it out. Bidding starts at $149.00

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101413457

73 Bill N2CQR

1943. Re: checking transformers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <37345072.6B5C@nbnet.nb.ca>
Source record: 84813
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Howdy Will....I know there's all kinds of sophistocated ways to check transformers (you know...proper!)....but I to have the sort of gear that you have and this is how I do 'em. First of all, at the fleamarket table, if you wanted to just do a rough test with a VOM/DMM...Keep in mind that the MOST likely combinations of windings are:

1. 2 lead windings - both primary and secondary
2. 3 lead center tapped windings ....secondary (power xfmrs or primary
on say interstage audio etc.
3. Multiple tapped windings....usually with some taps placed close to
one end of the winding in question....primary (power xfmrs) or
secondary on special units such as used for tube testers and other
test gear.

Of course the above is not exhaustive but represents the majority of units....Now...for power xfmrs (your lot)....there may be a single primary winding or possibly 2 (the 2 are used in series for 240 vac operation and only 1 will be used for 120 vac typically). Look for any commonality as to color coding of wires and tracers for example GREEN, GREEN/YELLOW, GREEN which might indicate that this winding has a center tap at the GREEN/YELLOW wire. Use the wire guage as a clue as to commonality..especially if you can see the stub of the actual winding. Simple DC continuity test with your VOM/DMM will prove continuity and your DMM, if good resolution on low ohms, can give you a rough idea of relative size of the winding (for example...low reading and heavy wire its NOT LIKELY to be HV). Next check continuity from any wires to the core...looking for shorts to the core. From there its lug-it-home time and onto your test bench. (Don't forget to use your smell and a good visual of the XFMR at the fleamarket as a guide also!!!).

Home in your shack.....Get that VARIAC out....experience will help as you go along (you'll either know or suspect that its a power transformer for example). Dial down your variac to a low voltage level...say 3 or 6 volts....and begin by seperating and marking all windings as common that you determined with your VOM/DMM......apply voltage to each winding in turn and note the resulting voltage on the other windings....this will give you a clue as to the AC transformation ratio.....from there, with experience and armed with your other clues (wire size and color) you'll begin to get a picture of what you have. If the VA rating is marked on the case you can then get an idea of the current capability of the

unit...roughly for example if say its marked as 60va then assuming a 120vac primary that tells us that the primary (or any winding) can only handle 60va (volts * amps) which would be .5 amps. Now extrapolate that to the secondary windings.....if you see a 10:1 ratio between what you've determined to be a possible primary and a secondary, you'd see that the secondary would be able to handle no more than 5 amps and 1/10th the voltage of the primary....12 vac at 5 amps....You can confirm usuability at 5 amperes by placing a resistance across the secondary and AC ammeter in series to verify that this will meet your needs at the current.

Testing for multiple tapped windings takes a bit of experience but you can get a rough idea from your DC ohmmeter testing (if low ohms resolution is good) AND by applying very low AC voltage to the various combinations of 2 leads in that multi-tap winding.....and measuring the resulting volage across THE REMAINDER OF THE SAME WINDING's leads. These multi-tap primarys are used, of course, to make minor adjustments to compensate for high line (primary) voltage or low line (primary) voltages which might exist in different parts of a country.

All the above is not exhaustive and there are some pitfalls..... Remember the "apply low AC voltage" thing.....if you apply 120vac for example to a 12 vac secondary, there will not be enough TURNS PER VOLT to allow the winding to safely run even unloaded and you'll get a huge bang and either trip your cct breaker or ruin a winding. WATCH OUT FOR HIGH VOLTAGE even when testing with low AC voltage applied.....remember that you are determining turns ratio's and might be applying 6 volts to a 5 volt secondary winding on a XFMR which might have a 240 vac or higher primary.....could be a lot of voltage now appearing across the primary!!!! (I know!).

Check older copies of the Radio Amateur's Handbook and other publications for typical transformer wire color codes which, while not conclusive, may give you a clue as to useage......for example BLACK wires are often (but not always) primary's.....GREEN wires might be low voltage secondary's......Yellow might be low voltage 5 volt secondaries.....RED was often high voltage....(several hundred).... For all these examples there are a hundred contradictions so be CAREFUL, RESPECT OPEN TWISTED CONNECTIONS but HAVE FUN!

73 - Keep on Tinkering......THAT....is REAL HAM RADIO.

Gord - VE1AJF

1944. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: sb@zip.com.au
Message-ID: <3734279c.18068457@news.zip.com.au>
Source record: 84814

Hi

To me boatanchor interest means collecting and collecting means
acquiring (or selling when you have bought or been given too many), so
I would expect to look here for items FS (and even FA for interest,
but Ebay sellers are usually too remote from this country to be
worthwhile shipping large BAs).

Just a comment from downunder.

Simon

PS If you want a little FS list with some BA stuff, see the "wars" URL
in my signature where there is an FS and wanted page.

On Fri, 7 May 1999 10:51:17 -0400, "Bill Clarke" <bc@avlist.com>
wrote:

>Can't say I am interested in some charter. What interests me is results.
>This group carries information important to boatanchor users - INCLUDING FS,
>FA, WTT, and WTB. When I wish to look for newer equipment I will go to
>rec.radio.swap, but for boatanchors - this is where I look.
>
>Why does there always seem to be a frequency police type lurking around to
>fix what doesn't need fixing?
>
>Like was mentioned in one of the posts - use your filters if there is
>something you wish not to see. Frankly, I don't wish to see your whimpering
>and will filter you out!
>--
>Bill Clarke W2BLC
>
>
>

// VK2UA : Simon BUXTON, Sydney, Australia \\
// Email : sb@zip.com.au \\
// simon.buxton@workcover.nsw.gov.au \\
// Web Sites: <http://www.zip.com.au/~sb/w_hobby.htm> \\
// <http://www.zip.com.au/~sb/hec4.htm> \\
// <http://www.zip.com.au/~sb/wars> \\
// <http://www.zip.com.au/~sb/anars> \\

1945. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Bill Clarke <bc@avlist.com>
Message-ID: <7h1dbfhvi1@birch.prod.itd.earthlink.net>
Source record: 84815

According to the charter info posted above - COLLECTING is one of the purposes of this newsgroup. Guess that answers it! You collect by buying, selling, trading, etc.

--
Bill Clarke W2BLC

1946. Re: Need Hammarlund HQ-180 Parts/Information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-dejanews.com>
Message-ID: <7h1iiuheb1@nnrp1.deja.com>
Source record: 84816

In article <7h08l1$oii@sjx-ixn1.ix.netcom.com>,
"Robert M. Dunn" <dunnr@ix.netcom.com> wrote:
> Hi All,
>
> I am working on a HQ-180X project radio that was less functional than
> represented by the seller. One of the missing items are the covers for the
> main and bandspread variable capacitors. If anybody has these covers from a
> parts radio I would be interested in buying them.

If the capacitor covers were sprayed with silver paint, they would have seriously detuned the receiver and that's probably why they were discarded by the original owner. Those original plastic covers were quite lossy even without paint. Hammarlund quit using them on the later HQ-180A models. Your receiver will actually work better without them. An interesting test for any HQ-180 owner is to tune in WWV at 15 MHz with the tuning capacitor covers on, and then remove the covers. Now retune to find WWV again. Amazing how far it moved!

>
> The radio has an International Rectifier Corp ST-14 solid state replacement
> for the rectifier tube. Anybody know of any problems using these vice the
> specified tube?
>
In my experience, those solid state rectifiers produce much higher B+ than the tube they replace. Also, the B+ comes on quickly before the tubes warm up and take up the load. Try to find a good 5U4 or 5R4 rectifier tube. Otherwise, check the B+ and reduce if necessary using a dropping resistor. The preferred situation is a 5U4 in the socket.

--
Best Regards,

Ed

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

1947. WTB:Johnson Valiant Case & front

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: w3atv@aol.com
Message-ID: <19990508095430.18651.00000814@ng-fg1.aol.com>
Source record: 84817

I am looking for the case and front panel for a Johnsaon Valiant. I do not care about the condition of the finish or if there are a few extra holes in it because it will just be used for a mock up on a project I am doing and I do not want to mess up my originals.
E-mail me price and condition.
Tnx,
Jim

1948. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <3734414c.8662449@genenews.acay.com.au>
Source record: 84818
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

David Stinson <arc5@ix.netcom.com> wrote:

:"Marconi vs Sarnoff"
:You said it perfectly in those few words, Adam.
:
:Fluid pricing via networked auction is the wave of the future
:in many, many areas- not just in radio stuff.
:Hams are into it early because (contrary to cynical popular myth)
:most hams are progressive people.
:
:The charge of "clogging up the newsgroups" is nonsense.
:Those who wish to participate in the new market can do so.
:Those who do not can set the filters on their browsers
:and they will never even see the deals go by,
:leaving them with the "pure" version they claim to desire.
:
:Bandwidth charges are equally nonsense. The binary groups
:distributing graphic files and programs take up
:thousands of times the bandwidth of the ham groups
:with lots to spare, thank you. If we tripled the
:number of radio ads here, we'd still not be a speck
:on the bandwidth map.
:
:It is useless and senseless to protest against this new market,
:especially when every modern browser is capable of
:deleting messages some people claim they don't want to
:see before they ever see them.
:You don't read every word in a newspaper, either.
:I don't see anyone calling their newspaper and
:complaining "you print some things I don't want to read!"
:That would be silly. It's equally silly to protest
:against newsgroup articles they don't want to read
:when they have the means to simply *not see them*
:right at their fingertips.
:
:People need to stop claiming they are somehow being harmed
:by the sale posts. It just isn't true.
:They're harming themselves by not setting filters
:that were put there for that purpose.
:Same as someone who refuses to wear a seat belt-
:he has no one to blame for his bruised forehead but himself.
:
:Steam engine makers and tube manufacturers protested, too.

:And the future --just-- --kept-- --coming.
:You can stay behind if you wish.
:But don't damn those who choose to progress,
:especially since they are not harming you in any way.

In the future there will be just one newsgroup, alt.everything,
and there will be no charges of off topic or crossposting.
Each of us will set our filters so that we see only what we are
interested in. Of course by then the net will be so clogged with
spam and commercial postings that nothing of interest will get
through. Then people will abandon usenet and the spammers will
have no one to spam. They will give up and the newsgroup will
be empty, which will encourage the real users to return. The
cycle will then repeat itself, unless we can get some sense
into the system before then.

10-4 good buddy.

Barry
==========
Please send me an email copy if you reply to this post.
Web page: http://www.acay.com.au/~barryo

1949. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: barryo@fastlink.com.au
Message-ID: <373442f5.9087558@genenews.acay.com.au>
Source record: 84819
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

David Stinson <arc5@ix.netcom.com> wrote:

:
:"Clifton T. Sharp Jr." wrote:

:> You'll pardon us if we keep fighting to keep things
:> the way they're meant to be, and work to get spammers off the 'net.
:I fully expect that anal-retentive control freaks will continue
:to blame others for their moronitudes*, attempt to bully people
:and demand that things go "their way."
:
:I also expect they will continue to FAIL.... heh heh heh....

Do you expect to get a loyal following by posting where you are
not wanted and by insulting potential customers?

Barry
==========
Please send me an email copy if you reply to this post.
Web page: http://www.acay.com.au/~barryo

1950. FA: National PW Dial and Drive

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37344FB2.770657B7@ix.netcom.com>
Source record: 84820
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Nice PW dial and associated drive:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101152427

Thanks for looking.

1951. SSB weather/cruising net freq's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Jonathan Trunz <jt@wilmington.net>
Message-ID: <37345538.0@news.wilmington.net>
Source record: 84821

Hi, sorry if this is inappropriate (sp?) Where can I find freq's to listen to marine wx and cruising nets. Thanks! Jon

1952. FS: APS-104 radar modulators

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: wadley@showhill.com
Message-ID: <373412A9.66DD@showhill.com>
Source record: 84822

I have 3 or 4 mil surplus modulator units from APS-104 search radar (likely from B-52 bomber - 1950s/60s vintage). These were used to fire a large pulse magnetron (in another unit). Contains a 4C35 thyratron, four 3B29 HV rectifiers and a few smaller tubes, oil caps, relays,transformers and other parts all in airtight aluminum canister. Also have copy of service manual (extra). Unused, still in original box, collector's item, $60 (pick up only - exceeds UPS size limit) from southeast Alabama. 36330 zip. Call 334-347-5281.

1953. WTB: MILLEN 90801 EXCITER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: austrade@ix.NETcom.COM
Message-ID: <4.1.19990508102504.0092a3f0@popd.ix.netcom.com>
Source record: 84823
Body handling: HTML body converted to readable text

```
--======================_431341280==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX
austrade@ix.netcom.com

--======================_431341280==_.ALT

Will pay top dollar for a Millen Model 90801 Exciter in good condx..

Please email price, condx. and contact information.

Frank 'Jamie' Jamison W5YSM/VK2AIX

austrade@ix.netcom.com

--======================_431341280==_.ALT--
```

1954. Wanted: EV664 desk stand

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9905089261.AA926178745@ccmail.ghs.int>
Source record: 84824

Looking for the grey cast iron desk stand for the EV664.
If anyone has one for sale or trade, please to get in touch.
Any condition, priced accordingly will do. Have the rare
oval base Shure stand for trade.

73, Doug

1955. Connector page up

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: kyrrin@my-dejanews.com
Message-ID: <373667a9.513786395@news.jps.net>
Source record: 84825

NOTE: If you want to reply with E-mail, DON'T use the DejaNews addy.
It is only a spam-trap, and does not get read. Use the addy in my
signature block or on my web site instead.

Ok... I've gone and updated my web page by adding a mil-spec connector
section. It may now be found at www.bluefeathertech.com/connectors.html
and I hope it will at least help with identifying what others may need.

Also, I need to clarify something from my original FS ad that I
posted. I don't usually have used connectors on hand, but am a reseller of
new parts. I apologize to anyone I've given a quote to already that I may
have startled with a price higher than they might have been expecting.

For my part, I've found that several plugs I've bought to restore my
own equipment are not as expensive as I thought they'd be. Then again,
I've found that the truly rare or old ones (such as the power or audio
connectors for the R-392 receiver) are hideously high (around $120 or so
per).

73, de WD6EOS...

-=-=-=-=-=-=-=-=-
Bruce Lane, Owner and head honcho,
Blue Feather Technologies -- kyrrin (at) bluefeathertech [dot] com
Web: http://www.bluefeathertech.com
"...No matter how we may wish otherwise, our science can only describe an object,
event, or living thing in our own human terms. It cannot possibly define any of them..."

1956. Phase-Locking a Boatanchor Oscillator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37346B14.369B3403@ix.netcom.com>
Source record: 84826

We all know that some older MOPA boatanchor oscillators
can suffer from drift. Most of us don't want to
hack-up vintage gear to correct it.
I have an idea and would like to know
if you can find any "holes" in it.

Why not phase-lock the oscillator with a satellite chassis?
You could run shielded, decoupled leads inside to a "tacked-in"
board that would provide coupling to some varactors, which are
controlled by the rest of the loop that's on the
outboard shielded chassis. You can sample the RF output
to provide feedback to the loop. You're not destroying
historic gear because the internal board requires
no hole-drilling or other hacks to install or remove it.
Frequency stablility without hacking-up vintage gear.
Anyone see any problem with this?

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

1957. FS: JOHNSON RANGER 1 PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7h1sjaljs1@news.itis.com>
Source record: 84827

PARTING OUT RANGER 1.

I HAVE THE FOLLOWING LEFT: ALL PRICES LISTED ARE INCLUDING SHIPPING

T1 POWER TRANSFORMER $50.00

LP1 10 HENRY HV CHOKE $40.00

T3 AUDIO DRIVER TRANSFORMER $25.00

METER & SHIELD & INSUL WASHERS $35.00

BAND SWITCH & HDWE $15.00

AUX COUPLING SW $10.00

SMALLER COMPONENT PARTS ALSO AVAILABLE. TELL ME WHAT YOU NEED IN THAT LINE.
ALL OTHER LARGER COMPONENTS AND ALL OUTSIDE PARTS ARE GONE.

MONEY ORDER OR CASHIERS CHECKS ONLY. FIRST COME FIRST SERVED BY E-MAIL TIME
& DATE.

1958. ATTN Drake buyers!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <373473B5.FB6FC866@iglou.com>
Source record: 84828

For Sale: Only until Dayton!

Drake T-4X transmitter, R-4B receiver, AC-4 power supply, MS-4 speaker. Includes interconnecting cables, owners manuals, extra crystals to cover 160, 10 and WARC bands. Dukane desk mike included (looks like a Turner +2).

Descriptions:

T-4X is later model that has VFO dial that matches R-4B. Also has beveled calibrated VFO skirt and TR-7 style VFO spinner knobs (new). New blue filters installed. Has full output with finals which are about a year and a half old. The front panel is in mint condition. All original knobs (except VFO knob). Cabinet is in really nice shape with only a few scuff marks.

R-4B is in like shape. It has extra crystals for WARC bands and to cover 160 and 10 meters. It receives great. Also has TR-7 style VFO spinner knob bought new from Drake just recently. Has new VFO dial background and blue filters installed. Front panel is mint. Cabinet is really good with only a few scuffs. All original knobs except VFO knob. (I have them also).

AC-4 is in really nice shape and works fine.
MS-4 speaker is really nice. Has new 5x7 full range speaker. Front panel is excellent. Cabinet is really nice with no dents, just some scuff marks.

Dukane desk mike is just like a Turner +2 but non-amplified. It is brushed steel and looks super. Has a high impeadence crystal element.

All for $400 plus shipping Postal money order only before Dayton.

Thanks......email: W4UDX@juno.com

1959. Re: Phase-Locking a Boatanchor Oscillator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: cmtsmiley@aol.com
Message-ID: <19990508150410.29562.00000857@ng42.aol.com>
Source record: 84829

Dave,
Most people listen to BoatAnchor Xmtrs
with BoatAnchor Receivers!
The wide passband solves the short-time
stability problem.
If you happen to have a freq counter available, then you can solve the
long-term stability (drift) problem with a touch of the k-nob.
If it ain't really broke, don't fix it.....
Besides, don't you just love to hear the FM'ing just as they heard it over
Britian
from the B-24's almost 60 years ago.

Regards,
Bobby T, NU2B
Yes,...you are right..... I certainly do have some old ARC-5's down here in
the basement.
and will get around to them ...someday!

1960. Re: checking transformers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Harry Brown <hbrown@voicenet.com>
Message-ID: <fF0Z2.193$vR5.28282@news3.voicenet.com>
Source record: 84830
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

A long time ago, I obtained a Marx model railroad transformer. I set it's output at 11.5 volts and use it as a source for testing transformers. It's internal impedance is so high that it will only get a little warm even with the output shorted. It's maximum voltage output is not more than 20 volts or so in any case. The toy train transformer that I use is around 5 inches by 3 inches by 2 inches. The output contriol is a lever. Modern toy transformers may have a lot more capacity so check your's out first

You find which leads are connected together using an ohmmeter and you can usually figure out the primary even when there is no color coding on the transformer leads. From there, it's a matter of connecting the model train transformer to what you think is the primary and setting the output to 11.5 volts. Check the other leads to find out what there output voltage is and multiple the results by 10 to get the real voltages with 115 VAC in.

Good luck, Harry, W3IIT

Will White wrote in message <3733FC45.B50956D4@asu.uswest.net>...
>I picked up 5 power transformers at a hamfest a month ago. Only one is marked
>at all (has leads tagged '110,' '290,' and 'Fil'), the others I don't know a
>thing about (but I got them very cheap). I need to know how to check unknown
>transformers for voltages, polarity, which side is primary, and of course,
>whether they are good (not open or shorted) to begin with. How do I determine
>each of these parameters (and current rating, if possible), safely and accurately?
>
>All I have in the way of test gear is a good RMS DMM, a cheap analog VOM, a
>7.5A variac, and a couple of non-variable, non-metered 13.8 VDC power supplies.
>
>In addition to the info above, can someone tell me how, if possible, to check
>transformers at hamfests with a DMM or other handheld instrument, at least to
>see that they are good?
>
>Thanks for all replies.
>--
>Will White, KD7BFX
>

>to reply, please click this link mailto:wcw@asu.uswest.net

1961. 6336B tube question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7h254boee1@nntp2.atl.mindspring.net>
Source record: 84831

Folks,

I just received a half dozen 6336B tubes in a batch of tubes that I got today.
Does anyone have any idea as to what they are used for or what they go in?

thanks in advance,

Allen Cutts
N4OZI
--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

1962. Collector Quality Measurements Corp. Model 50

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Ron Wicker <ronwick@flash.net>
Message-ID: <dW0Z2.824$oq.348@news.flash.net>
Source record: 84832

I have a collector quality Measurements Corp. Model 59 Megacycle Meter.
This appears to be NOS in a Black instrument case with maroon felt lining.
The equipment is then covered with a maroon felt pillow on top. It comes
with original manual, purchase receipt, coils in wood holder and case.
Exellent shape, like new. I will consider reasonable trades or will sell
for $250.00.

281-291-9226

1963. Re: WTB:Johnson Valiant Case & front

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3734B19E.3EE952DD@value.net>
Source record: 84833

Hi:
I do happen to have a spare cabinet for a Valiant. It is great shape but it has been powdercoated dark grey. In fact, if you want to, you can overspray it with maroon to get a super good looking cabinet. Asking $45. You ship. Cal.

W3ATV wrote:

> I am looking for the case and front panel for a Johnsaon Valiant. I do not care
> about the condition of the finish or if there are a few extra holes in it
> because it will just be used for a mock up on a project I am doing and I do not
> want to mess up my originals.
> E-mail me price and condition.
> Tnx,
> Jim

1964. Re: Boatanchor scalping attempt made

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <OA1Z2.4610$Xs1.867416@news1.giganews.com>
Source record: 84834

Antique dealer?

You sure he isn't a lawyer?

Send him a bill for your consulting work -- say $45.

TR

Joe wrote in message <7gv93mrkv1@nntp4.atl.mindspring.net>...
>A certain radio antique dealer in Tucson AZ had a beat up Turner mic for
>sale at $25
>and enquired me how to test it.
>Needing refinishing my main concern was the cartridge being intact, (I can
>not repair that).
> I allowed Dan to pick my brain about simple very basic test regarding the
>Turner mic and other mic's with a scope.
>All I really cared about was the element being intact
>After my assistance he now has E mailed me back asking $45 for testing it.
>Nice F**nk guy Ah.....
>
>
>

1965. FS: Swan 250 6-meter SSB, AM, CW transceiver on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: bigjoe@spamsux.bright.net
Message-ID: <7h27p7$4og$1@cletus.bright.net>
Source record: 84835
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101553177

Thank you for taking the time to view this message.
73
Joe KB8QLR

1966. WTB Drake C-line stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <3734A475.B9530D68@earthlink.net>
Source record: 84836

I am looking for Drake R-4C filters and crystals for my Drake R-4C. Specifiaclly 14.1 Mhz, 15.1 Mhz, 17.6 Mhz, 20.8 Mhz, 26.1 Mhz, 29.1 Mhz, and 35.6 Mhz for the crystals and a narrow CW filter plus an AM filter. I am also looking for a metal cover that fits over the mica trimmers on the front left side of my T-4XC transmitter. Does anyone have a junker T4-XC that could supply me this cover? I'm also looking for a T-4XC manual,not a photo copy as I have a photo copy now. All this stuff is for my own rig as I am using this equipment. Any help would be greatly appreciated. Lee Bahr w0vt Houston, Texas

1967. WTB: EF JOHNSON VALIANT PART!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7h29lesbp1@news.itis.com>
Source record: 84837

I AM LOOKING FOR THE AUX COUPLING CERAMIC SWITCH. IT IS MOUNTED UNDER THE CHASSIS TO THE RIGHT OF THE BAND SWITCH AT THE END OF A LONG SHAFT. IF YOU HAVE ONE AND WANT TO PART WITH IT PLEASE CONTACT ME. JUST CUT OFF THE LEADS AND I WILL CLEAN UP THE TERMINALS MYSELF. THANKS

1968. WTB Collins SM-1,2,3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-08 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7h295tfdk2@ash.prod.itd.earthlink.net>
Source record: 84838

Wanted Collins Microphones SM-1,2,3 , SM-280,281

Leo Ph/fax (310) 670-6969

1969. WTB Drake 1548 adaptor for TR-7, R7, RV75

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990509134235.10097.00001225@ng-fy1.aol.com>
Source record: 84639

Have one adaptor but would like another. Allows simultaneous use of TR-7, R-7, and RV-75.

73

Evan

1970. Re: Johnson Pacemaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3735CE8C.90D@sympatico.ca>
Source record: 84640

John Haberkern wrote:
>
> I have forsale a Johnson Pacemaker transmitter.the unit is in nice
> condition but untested by me.I have a copy of the manual.radio is
> missing 10 out of 14 of the original knobs,but I am in process of
> purchasing a set of knobs from a ranger to put on the pacemaker,that
> should leave the radio 3 shy of being all original. asking $300 as is. I
> have taken the case off and the chassis is perfect with all parts in
> great shape.When I get the knobs I will put radio on bench and fire it
> up.would like radio to be picked up in Phila.
Hello om
Iam looking actually for a pacemaker in good shape, opï¿½ration and
cabinetpaint hi.. tell me when your knob will be installed and we will
start discussion on it hi..
73
VE2AMK

1971. Drakes For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <3735C1E5.482B8DE3@iglou.com>
Source record: 84641

For Sale: Only until Dayton!

Drake T-4X transmitter, R-4B receiver, AC-4 power supply, MS-4 speaker. Includes interconnecting cables, owners manuals, extra crystals to cover 160, 10 and WARC bands. Dukane desk mike included (looks like a Turner +2).

Descriptions:

T-4X is later model that has VFO dial that matches R-4B. Also has beveled calibrated VFO skirt and TR-7 style VFO spinner knobs (new). New blue filters installed. Has full output with finals which are about a year and a half old. The front panel is in mint condition. All original knobs (except VFO knob). Cabinet is in really nice shape with only a few scuff marks.

R-4B is in like shape. It has extra crystals for WARC bands and to cover 160 and 10 meters. It receives great. Also has TR-7 style VFO spinner knob bought new from Drake just recently. Has new VFO dial background and blue filters installed. Front panel is mint. Cabinet is really good with only a few scuffs. All original knobs except VFO knob. (I have them also).

AC-4 is in really nice shape and works fine.
MS-4 speaker is really nice. Has new 5x7 full range speaker. Front panel is excellent. Cabinet is really nice with no dents, just some scuff marks.

Dukane desk mike is just like a Turner +2 but non-amplified. It is brushed steel and looks super. Has a high impeadence crystal element.

All for $400 plus shipping Postal money order only before Dayton.

Thanks......email: W4UDX@juno.com

1972. Drakes For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: W4UDX <crslex@iglou.com>
Message-ID: <3735C3B7.968B8987@iglou.com>
Source record: 84642

For Sale: Only until Dayton!

Drake T-4X transmitter, R-4B receiver, AC-4 power supply, MS-4 speaker. Includes interconnecting cables, owners manuals, extra crystals to cover 160, 10 and WARC bands. Dukane desk mike included (looks like a Turner +2).

Descriptions:

T-4X is later model that has VFO dial that matches R-4B. Also has beveled calibrated VFO skirt and TR-7 style VFO spinner knobs (new). New blue filters installed. Has full output with finals which are about a year and a half old. The front panel is in mint condition. All original knobs (except VFO knob). Cabinet is in really nice shape with only a few scuff marks.

R-4B is in like shape. It has extra crystals for WARC bands and to cover 160 and 10 meters. It receives great. Also has TR-7 style VFO spinner knob bought new from Drake just recently. Has new VFO dial background and blue filters installed. Front panel is mint. Cabinet is really good with only a few scuffs. All original knobs except VFO knob. (I have them also).

AC-4 is in really nice shape and works fine.
MS-4 speaker is really nice. Has new 5x7 full range speaker. Front panel is excellent. Cabinet is really nice with no dents, just some scuff marks.

Dukane desk mike is just like a Turner +2 but non-amplified. It is brushed steel and looks super. Has a high impeadence crystal element.

All for $400 plus shipping Postal money order only before Dayton.

Thanks......email: W4UDX@juno.com

1973. FA: RT-778/PRC-71 manpack portable FAC radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <3735d268.16267274@news.willapabay.org>
Source record: 84643

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101713283

1974. FA: J-22B/ARC-5 Command Set Junction Box & Mounting plate

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <3735d2c1.16356123@news.willapabay.org>
Source record: 84644

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101688964

1975. FA: MIL-HDBK-162B U.S. RADAR handbook

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <3735d2ff.16418238@news.willapabay.org>
Source record: 84645

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101670625

1976. FS Drake Twins R4b, TX4b

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Carl Heintz <cpa@kcnet.com>
Message-ID: <3735D1C2.E6D376E@kcnet.com>
Source record: 84646
Cross-posted to: rec.radio.amateur.boatanchors,cpa@kcnet.com

OK folks, I bought a rig over the Net, thinking it was a whole lot better than what I got. I don't have the time to make it what it could be... so my bad luck can be someone's good luck. This set needs a little TLC, mostly just clean-up.

Drake R4b - Receiver with the standard crystals. In semi good shape. All original knobs, case needs repainting, runs OK, no corrosion, but a bit of dust. One modification: has a Upper/Lower sideband switch installed in front pannel. Not obtrusive, works kinda nice, but not original. Front pannel is OK other than that. No scratches or other marks on front pannel. With non-Drake Motorola speaker

Drake TX4 - matching transmitter. Has a homebrew separate power supply, in a case that belongs on the floor. No apparent modifications. All original knobs. Seems to fire up OK. With mike and interconnecting cables. Case is OK, probably needs clean-up and possible repainting of cabinet. Chassis is good, front pannel is good.

This set was sold to me as a 7.5. I guess I would call it a 5..maybe a 6... being honest. I paid $265 for it. Will sell for what it is really worth: $200 + shipping.

1977. Re: CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Ron Hague <ronald.hague@diamond.co.uk>
Message-ID: <7h4p0tkdn1@nclient3-gui.server.ntli.net>
Source record: 84647
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

Hi Robin

I have an old RAF key with a looks like ebony base and a bakelite lid. Its about 10 iuncehs long 5 inches wide and about 4 inches high. The key itself looks brass and appears to be very little used.

I'm told by fellow members of the gqrp club that its worth about £100 if i sell it and its unusual because the bakelite case is in very good condition.

I was in two minds to take it to the Drayton Manor show today and decided not to.
If you're interested email me I live in the Nottingham area.

Regards Ron G4XOU

Robin Birch wrote in message ...
>Dear All,
>Whilst trogging round the Drayton Rally today, on my endless hunt for an
>HRO in need of repair, love etc, I failed to find one but did buy an old
>Key. Now I do not collect keys, this was bought cos I needed a key and
>it felt nice and substantial with a good movement. I can now return
>G4AJA's old RAF one, one day I'll return his TCVR as well but lets not
>get carried away.
>
>This key is, I think, an old admiralty one. Its a type 365A and is
>mounted on a grey painted brass base with a clip on removable lid. The
>whole thing is about 6 inches deep, 4 inches wide and 2.5 inches tall.
>Inside there are 6 terminal blocks and an earth terminal. The terminal
>blocks are marked AC, AC, BL, BR, TL, TR. Ac and AC go to the contacts
>on the arm. BL and BR go to two pillars either side of the arm behind
>the bearings and TL and TR go to the back where there are signs of some
>bits not being there.
>
>I have cleaned the thing up , lubricated the bearings etc. and it looks
>like it'll be a good key. Now, the point of this EMail. What do the
>BR, BL, TR and TL contacts do and what is missing from the base plate?.
>IF anyone has got any of these bits going spare then I would like to
>return the key to its original state as although I don't collect these
>things I do like them to be complete.
>
>The guys selling this threw in two RAF keys for the 1154 together with a
>buzzer. One of the keys, the one with the buzzer, appears to be mounted
>on a purpose built bit of plywood with an Air Ministry plate underneath
>that says BUZZER I.C.W. Ref 10A/9707 Which I take to mean buzzer
>Instructional C.W. Yes or No?. The buzzer is a BUZZER POLARISED Ref

>10A/9708 and is wired to the key and then a terminal on the base which
>is marked MIC -. One of the key screw down contacts is not connected.
>Next Questions - Is this what I think it is (see above)?. What volts
>does it run off?. Do I just connect power to it or does it need an
>external loudspeaker as well?.
>
>This key is missing its knob (the one you hold) Has anyone got a scrap
>one floating about that they could let me have?.
>
>The second 1154 key is screwed to a base but looks clean and complete.
>In both of them the rubber diaphragms have perished but I can always
>make something up for that.
>
>So, can anyone shed any light on the first two items and has anyone got
>any spares?.
>
>Regards
>
>Robin
>____
>Robin Birch robin@falstaf.demon.co.uk
>
>M1ASU/2E0ARJ Old computers and radios always welcome

1978. FS: Yaesu FT-102, FV-102DM, FC-102 Exc!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <K2mZ2.1919$AL5.2829@ndnws01.ne.mediaone.net>
Source record: 84648
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Complete Yaesu set up in excellent condition, consisting of:

FT-102 160 to 10 meter Transceiver with AM-FM board, new plug in relays, new finals. Looks new.

FC-102 1.2 KW Antenna tuner, average and peak reading wattmeter, multiple antenna switch, covers 160 to 10 meters also. Excellent

FV-102DM Digital memory VFO, matches the FT-102 and FC-102, looks new.

With original manuals, microphone. This setup is outstanding cosmetically and works perfectly.

Price for all is $795 plus shipping, OBO

regards,
Chuck...K1KW

1979. Re: CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Robin Birch <robin@falstaf.demon.co.uk>
Message-ID: <uLTMZFAsueN3EwpC@falstaf.demon.co.uk>
Source record: 84649
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

In article <7h4p0tkdn1@nclient3-gui.server.ntli.net>, Ron Hague
<ronald.hague@diamond.co.uk> writes
>Hi Robin
>
>I have an old RAF key with a looks like ebony base and a bakelite lid. Its
>about 10 iuncehs long 5 inches wide and about 4 inches high. The key
>itself looks brass and appears to be very little used.
>
That sounds nice.

>I'm told by fellow members of the gqrp club that its worth about ï¿½100 if i
>sell it and its unusual because the bakelite case is in very good condition.
>
>I was in two minds to take it to the Drayton Manor show today and decided
>not to.
>If you're interested email me I live in the Nottingham area.
>

It sounds a nice key but I'm not into collecting them unfortunately.
All I want is the knob so that I can repair the old boat type key that I
got with the navy one.

I must admit that if I did have a key as you describe then I wouldn't
sell it. I don't tend to look at things in the light of "its worth x"
but I tend to say, that is a nice example, I'm not going to get one of
those again and its a nice thing to have so I'll hang on to it. Also, I
don't have ukp 100 (sob). But thanks for the offer.

Cheers

Robin

--
Robin Birch robin@falstaf.demon.co.uk

M1ASU/2E0ARJ Old computers and radios always welcome

1980. FS: National FB-7XA with plug in coils and PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <LcmZ2.1920$AL5.2790@ndnws01.ne.mediaone.net>
Source record: 84650
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

National FB-7XA in excellent condition, the black wrinkle paint is perfect,
no scratches, dents, or corrosion inside or out. This has the crystal
filter
and comes with the FB-7 doghouse supply and the following OSC and
DET coils: 80M, 40M, 20M, 10M, Bands "A" and "C" . The matching
power supply is also in excellent shape. The only imperfection is a hole
drilled
on the right hand side of the cabinet near the bottom.
$495 plus shipping.
regards,
Chuck...K1KW

1981. WTD;Zmatch Harvey-wells

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3735F05A.7AD9@sympatico.ca>
Source record: 84651

Iam looking for a Zmatch Harvey-wells tuner in good shape.
73
ve2amk

1982. [FA] Drake TR-3 and AC-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: martyt@pobox.com
Message-ID: <3736f390.1533831@news.supernews.net>
Source record: 84652
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

on Ebay:

A very nice Drake TR-3 SSB/CW/AM transceiver with matching AC-3 power
supply. From an estate; in excellent cosmetic and electrical condition
-- 120+ watts output on all bands 80-10m.

To view pictures and see the full description, visit:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99965860

Auction ends Tuesday 5/11/99 at 6:49PM Pacific time.

Thanks & 73,

-Marty KI0LO
martyt@pobox.com

1983. Re: Going to Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <sZmZ2.96$sq5.18349@news.cwix.com>
Source record: 84653

John Goller, K9UWA <k9uwa@cris.com> wrote in message
news:7h42ai$r6d@chronicle.concentric.net...
> Flea SPaces 2843,2844,2845 C U there!!
>
> Test Equipment:
>
>

<snipped a lot of good stuff>

Jesus, John, you getting out of the hobby or what???

73 and CU there, John

1984. JOHNSON VALIANT 4sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: w3atv@aol.com
Message-ID: <19990509172823.08497.00001288@ng-ba1.aol.com>
Source record: 84654

For Sale-
Johnson Valiant
Condition 9 out of 10
New PS caps, New 866 solid state plug in rectifiers.
Audio Clipper mod performed but stock otherwise.
Cabinet professionally repainted and the front is very good except a few minor scratches. Unit is clean inside and out. The only reason I am getting rid of it is because I FINALLY got a Johnson 500! This is pick up only near Philly and you can inspect it inside and out, and see it work.
Thanks,
Jim

1985. Price on Valiant

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: w3atv@aol.com
Message-ID: <19990509172946.08497.00001289@ng-ba1.aol.com>
Source record: 84655

Sorry, forgot to put price on Valiant- $395
Tnx,
Jim

1986. Re: F.S. Hammarlund SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Manfred Kannacher <m_kannacher@deltacity.net>
Message-ID: <37360353.EE7C2BF8@deltacity.net>
Source record: 84656

Hallo Robert,

plaese send me details.
Should be a bit cheaper - isn't it?

Have a nice time - Manfred Kannacher

Robert DAmato wrote:

> F.S. Hammarlund SP-600 JX-6 & JX-14. Both in original cabinets. Radios
> have been overhauled, recapped and aligned. Excellent condtion. IERC
> tube shields. $500 & 525. e-mail for details.
> Bob AA7LG rpdamato@uswest.net

1987. Dentron MT-2000/3000 tuner WANTED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37360ed6@news1.us.ibm.net>
Source record: 84657
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Still no leads on this want for the Dentron MT-2000/3000 tuner. If you have
one that is in excess of your needs let's talk,
I am in San diego zip 92139.

73s

Lane Zeitler
Ku7i

1988. FS: Boonton manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <9eoZ2.1931$AL5.2797@ndnws01.ne.mediaone.net>
Source record: 84658
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

```
Boonton "Q" meter, model 260-A excellent manual copy - $10 mailed
Boonton sweep generator, model 240-A original manual - $10 mailed
Boonton UHF Q meter, model 280-A original manual - $10 mailed
regards,
Chuck...K1KW
```

1989. 160 meter xtal wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: cnord@snet.NET
Message-ID: <01c001be9a77$1597acc0$26233ccc@default>
Source record: 84659

Looked at Hosstraders to no avail. I would like one or two 160 meter xtals.
Freq. not important, but if I had a choice it would be 1.890 +/- or 1.945.
However I will accept any freq. as I just want to use it for testing
different xmtrs.
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

1990. WTB johnson ranger 1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jan Lindstrom <LINDDEC@CAM.ORG>
Message-ID: <7h570o$ppk@tandem.CAM.ORG>
Source record: 84660

WANTED to buy!!!
An original or clear copy of the manual and schematics for a johnson RANGER 1.
I know where to buy them from the manual dealers but I just thought someone may have one sitting gathering dust on a shelf and would be willing to sell it at about half the manual dealers price (17+5/2 =11 USD mailed to me in Canada .
73
JAN VE2OL

1991. Re: FS: Boonton manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: ralph <crlane@erols.com>
Message-ID: <3736375B.75A92E6E@erols.com>
Source record: 84661
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

I will take all three manuals if still avaiable
Ralph
crlane@erols.com

Chuck O'Neal wrote:

> Boonton "Q" meter, model 260-A excellent manual copy - $10 mailed
> Boonton sweep generator, model 240-A original manual - $10 mailed
> Boonton UHF Q meter, model 280-A original manual - $10 mailed
> regards,
> Chuck...K1KW

1992. HRO 500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: lou de beer <lou.de.beer@general.com>
Message-ID: <3735C5B8.489E@general.com>
Source record: 84662

Iam looking for the schematics figures 50 and 51 for the receiver and synthesizer they are missing in my manual....Lou...ND6W..

1993. Re: Cost/source of D-104 crystal cartidges?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7h5dip$81e$1@nntp8.atl.mindspring.net>
Source record: 84663

Bill's radio in CA. http://www.garlic.com/bills2way/index.html

Will White wrote in message <37340BCE.5D06316F@asu.uswest.net>...
>I am looking for a replacement cartridge for an old D-104, mine has a
dented
>membrane. Anywhere in the metro Phoenix area?
>--
>Will White, KD7BFX
>
>to reply, please click this link mailto:wcw@asu.uswest.net

1994. Filters Needed for FRDX-400 & FLDX-400

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7h5e6sinc1@news2.bit-net.com>
Source record: 84664
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

My friend JimC wrote me the following:

> Need a Yaesu filter for the FL-DX-400, their number
> MF455 10AZ28. Have a 10AZ27 in the FR-DX -
> wonder if they are about the same..... but doubt it's
> integrity also. Matter of fact, four (4) filters in the
> FR-DX and think they are all defective. The mechanical
> 'disks' are imbedded in a polyfoam compound which has
> completely broken down and turned into 'dust'. Can they
> be repaired? Would a ceramic filter perform about as well?

Please reply directly to Jim at: majimc@axs.net

Thanks! & 73,
~~~

\ ~ / .... DavidC K1YP@qsl.net or 603-894-1174
~~~

1995. Re: Want: R390A Manual -- Free Online Source

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7h5f36$iv2$1@news2.bit-net.com>
Source record: 84665

> >Claude Bouchard W9zr wrote:
> > i am looking for a manual for the R390A receiver

Try:
ftp://boatanchors:tubes@fernblatt.dynip.com/PDF_Manual_Project/R390A/

It is there and is free ... but a huge download 42 megs!

There are many military gear manuals there ...

K1YP

1996. FS: National NCX-3 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7h5frm$b3j$1@user2.teleport.com>
Source record: 84666
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Original National NCX-3 SSB HF Transceiver Instruction Manual. The cover is separating at the spline (edge) and it has been 3-hole punched, but really it is overall in good condition. A few notes have been applied with a yellow hi-liter.
This manual has the operating instructions, schematics, alignmment info, voltage charts, waveforms, parts list, pictorials, etc.for this transceiver. $20 shipped.

Larry
larryj@teleport.com

1997. FA: Very Rare Collins 312B-5 VFO Console for KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3736486A.5CD6EA19@cfu.net>
Source record: 84667

Until Sun. 5/16. SEE--

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=102200602

Tks es 73!

1998. FA: Collector's Drake L-7 Linear Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <373648BF.4424D320@cfu.net>
Source record: 84668

Until Sun. 5/16. SEE--

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=102190583

Tks es 73!

1999. FA: Very Fine Kenwood PS-30 Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37364909.A09FE8BB@cfu.net>
Source record: 84669

Until Sun. 5/16. SEE--

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=102183239

Tks es 73!

2000. Re: Going to Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7h5j3m$t5q@journal.concentric.net>
Source record: 84670

In article <sZmZ2.96$sq5.18349@news.cwix.com>, wb0poz@cwix.com says...
>
>
>John Goller, K9UWA <k9uwa@cris.com> wrote in message
>news:7h42ai$r6d@chronicle.concentric.net...
>> Flea SPaces 2843,2844,2845 C U there!!
>>
>> Test Equipment:
>>
>>
>
><snipped a lot of good stuff>
>
>Jesus, John, you getting out of the hobby or what???
>
>73 and CU there, John

Nope...just lightening up some of the "Excess"...would hate to think of
whats left after this batch is gone....and hate even more to
think about the new stuff thats coming...."The Boss" says that
the 3 car garage without a car in it....especially hers....has to
change!.......still have around 350 radios left!
John K9UWA

2001. need p/s for Heath SB-101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jeff <djep@ix.netcom.com>
Message-ID: <37366777.5D74CC13@ix.netcom.com>
Source record: 84671

I am trying to find a power supply for a Heathkit SB-101. Please reply to <djep@ix.netcom.com> Thank you... Jeff W8FBF/6

2002. WTB: GRC-109 manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <37367AE4.CDD8E9AE@blarg.net>
Source record: 84672
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

A friend wants to locate the manuals to the GRC-109 transmitter,
receiver, and the GRA-71 code box. Please let me know if you have them.
Tnx/73 de Jim, W7LS

2003. Glowbug Tranceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: n3bj@hotmail.com
Message-ID: <7h2jdl$b90$1@nnrp1.deja.com>
Source record: 84749

Would really like to build a Glowbug xcvr in a single box, like the KD6CC 1S4/3A5 rig, but maybe a high performance regen RX and a TX that could be VFO controlled, even if it meant an external box. Problem here is the metal work, not good at it and don't have the tools to do it right. If anyone has any ideas on this, a rig they have put together that is now surplus or some projects from the past I could use as building blocks, please let me know. I've had lots of the current QRP rigs, but would really like to put a Glowbug xcvr together.

Thanks,

Alan, N3BJ
Bent Mountain, VA

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

2004. Re: FT 101 6JS6C Source? Alternatives?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990508202144.26123.00001110@ng123.aol.com>
Source record: 84750

Hi . Stew here .
The mod is in a recent QST mag article . Yes it is probably a good thing for several reasons .

If you are after more power , you simply add an amplifier . Besides , the few extra watts that those sweep tubes may develop are very intermittant duty . The 6146 will contiue to put out that 100 - 125 watts all day and night .

They get about $40.00 to $60.00 for a good matched pair of 6JS6C tubes . 6146 I have sold tested for as low as $10.00 each ! I get a few dollars more for 6146W and 6146B versions .

Enjoy , Stew ...
rec.radio.swap

2005. Re: What rig used 6550 tubes?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990508202834.26123.00001117@ng123.aol.com>
Source record: 84751

Try to find a Central Electronics schematic . I think you'll find your answer
.

Stew ...
rec.radio.swap

2006. Re: HELP with Heathkit Scanalyzer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990508204356.26123.00001129@ng123.aol.com>
Source record: 84752

Hi . Stew here .

Sorry to hear that the fella was not very honest about sending the manual to you . I can provide a good photo copy of the manual for just $15.00 . It is NOT the original but a Good copy I assure you .
There is quite a bit to it . You have several different IF possibilities and the manual discusses them all .

sjheys@aol.com for more details .

Wish you luck , Stew ...
Enjoy , Stew ...
rec.radio.swap

2007. Re: 6336B tube question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990508210939.07031.00000525@ng-co1.aol.com>
Source record: 84753

Hello, the 6336 B tubes are double-triodes, similar to two 6080 tubes in
parallel.
30 watts per side, heater 6 volts @ 4 3/4 amps.
6336 "A" is raised to 5.0 amp rating.

These are used in audio applications, etc.

there are some that used graphite plates, you can tell by looking at them,
they appear dark grey and grainy.
Enjoy, nice tubes
Regards, Joe Pratt, Tubecntral@aol.com

Alan Cutts wrote:

>
>Folks,
>
>I just received a half dozen 6336B tubes in a batch of tubes that I got
>today.
>Does anyone have any idea as to what they are used for or what they go in?
>
>thanks in advance,
>
>Allen Cutts
>N4OZI
>--
>~~~~~~
> Allen Cutts - cacutts@mindspring.com
> Email address needs to be changed when replying, I've had
> enough Spam to last me awhile, thank you.
> Home page: http://www.mindspring.com/~cacutts/radio/radio.html
>~~~~~~
>
>
>
>
>
>
>

Thank you,
Joe Pratt, Tubecntral@aol.com

2008. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990508211643.07031.00000528@ng-co1.aol.com>
Source record: 84754

Thank goodness there are cooler heads here regarding sale items. There are a couple of real JERKS on the home-brew and other ham-related N.G.'s that think they should tell others what to do and where.
I sell tubes, and I TRY TO KEEP them here, and on OTHER N.G.'s available at decent prices, INSTEAD of on EBAY where I could amass a small fortune in a short time.
But my patience has been running thin, I actually had one idiot emailing me three times a day telling me where to place my ad or how to write it.
Nevertheless, I will continue to sell my stuff on the N.G.'s for as long as I can take whatever aggravation goes with it, then if the waters get too muddy, I will take my whole collection to Ebay, where everyone will pay TOP DOLLAR.

Thank you,
Joe Pratt, Tubecntral@aol.com

2009. Re: So-Called "anti-spam" Net Bullys.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990508211815.07031.00000529@ng-co1.aol.com>
Source record: 84755

BRAVO DAVE, well said...
Thank you,
Joe Pratt, Tubecntral@aol.com

2010. Re: FS Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990508212152.19860.00000761@ng-cd1.aol.com>
Source record: 84756

Hello Carol.
I am interested in 3 of your manuals.
Collins KWM2A,HeathKit Hp-23A, and Hammarlund SP600.
Please advise of cost of each manual and total shipping charge for all 3 sent at one time.
Thanks de Mike, K6STU

2011. Re: WTB:Johnson Valiant Case & front

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: edkb2nsp@aol.com
Message-ID: <19990508215037.13038.00001227@ng-fv1.aol.com>
Source record: 84757

I've got two Valiant Front panels. Niether is in great shape, but they're not dinged or bent up at all.

Ed K.
Ed KB2NSP @ AOL

2012. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <3734DBCA.1AE9@no.net>
Source record: 84758

Bill Clarke wrote:
>
> Can't say I am interested in some charter. What interests me is results.
> This group carries information important to boatanchor users - INCLUDING FS,
> FA, WTT, and WTB. When I wish to look for newer equipment I will go to
> rec.radio.swap, but for boatanchors - this is where I look.
>
> Why does there always seem to be a frequency police type lurking around to
> fix what doesn't need fixing?
>
> Like was mentioned in one of the posts - use your filters if there is
> something you wish not to see. Frankly, I don't wish to see your whimpering
> and will filter you out!
> --
> Bill Clarke W2BLC

Stating that you are not interested in some charter puts you in the
group that dosen't care what any rules are or what anyone else thinks,
you just want to do as you wish with disregard to courtesy to others.
This is the attitude that people have who abuse newgroups. Using filters
to filter out ads is not acceptable in a newsgroup that is not chartered
for ads. If the group is not chartered to allow ads then ads should not
be posted and the users of the group should not have to filter them out.
As far as people policing such groups, if that isn't done, the ads tend
to take over and the discussion aspect of the group is lost and that
needs fixing.
However the discussion of FS, FS, WTT, and WTB being appropriate for
this group is moot, as the charter states that such ads are permitted.

2013. Re: checking transformers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Bill <billharx@flash.net>
Message-ID: <3734DE06.2026@flash.net>
Source record: 84759
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

```
Don't browse here often but noticed Will White wrote:
>
> I picked up 5 power transformers at a hamfest a month ago. Only one is marked
> at all (has leads tagged '110,' '290,' and 'Fil'), the others I don't know a
> thing about (but I got them very cheap). I need to know how to check unknown
> transformers for voltages, polarity, which side is primary, and of course,
> whether they are good (not open or shorted) to begin with. How do I determine
> each of these parameters (and current rating, if possible), safely and accurately?
>
> All I have in the way of test gear is a good RMS DMM, a cheap analog VOM, a
> 7.5A variac, and a couple of non-variable, non-metered 13.8 VDC power supplies.
>
> In addition to the info above, can someone tell me how, if possible, to check
> transformers at hamfests with a DMM or other handheld instrument, at least to
> see that they are good?
>
> Thanks for all replies.
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net

You can find information on checking power transformers at:

http://www.flash.net/~billhar/tips.htm

Scroll down and click on Identifying Power Transformer Windings
--
**************************************************
* Bill Harris - Bill's Antique Radio Emporium *
* http://www.flash.net/~billhar *
* to email, remove the x in the id of the address *
**************************************************
```

2014. Need Info: Heath TT-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: jwiel@world.std.com
Message-ID: <FBG1Jn.6FE@world.std.com>
Source record: 84760
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

I have a Heathkit model TT-1 tube tester.
It seems to be complete and working, but I'm missing the manual.
Anyone know where I can get a manual or other usful information?

2015. Need RK 20 tube for 1935 Harevy Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: cnord@snet.NET
Message-ID: <002d01be99c3$c105ae40$26233ccc@default>
Source record: 84761

Picked up a 1935 Harvey CT-60 at Hosstraders this weekend.-- See page 73 of Moores book.

I also need a RK-20 tube ? Anyone have or know where I can get one ?

Can anyone tell me anything about the rig other than is in Moores book ? Or point me to a schematic?

Thanks and 73
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

2016. FA: 1924 Qst's Complete set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7h2s03$h1s$1@holly.prod.itd.earthlink.net>
Source record: 84762

Thanks for looking;

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101458225

2017. Re: For sale Racal RA17 RX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3734FD46.5E95@sympatico.ca>
Source record: 84763

Philip Lawrence wrote:
>
> Racal RA17 Tube rx for sale. 30Bands BC-30Megs
> Australia.
Hello phil
it is usually a fine piece of equipment. what price do you want hi..
73
VE2AMK Quebec city in CANADA

2018. Re: Want: R390A Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3734FE64.1490@sympatico.ca>
Source record: 84764

W9zr wrote:
>
> i am looking for a manual for the R390A receiver
you can find this kind of manual in W7FG it is military type and cost
almost 37,00. hi. Lknow that because I have a R390a also with is manual
a lot of pages. hi..
73
VE2AMK

2019. Re: Murch tuner 2000A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3734FF7F.60F9@sympatico.ca>
Source record: 84765

bobm wrote:
>
> OM,
>
> I have a mint condition Murch 2000A. This unit has been sitting on my
> shelf in plastic wrap. I will ship to Canada prepaid and insured for
> $165.00.
>
> Bob, W4WSZ
>
> bobm@istal.com
>
> On Tue, 04 May 1999 23:30:42 GMT, Claude Bouchard
> <claude.bouchard8@sympatico.ca> wrote:
>
> >HELLO
> >Iam looking for a murch Ttuner 2000A in good shape I ready to pay 100.00
> >73
> >VE2AMK
hello om
THIS IS VE2AMK i GOT ONE TO DAY I AM NOT SURE IT IS IN GOOD APPEARANCE
THAN YOUR I TAKE A CHANCE HI.. I CAN PAINT MYSELF THE CABINET I MADE IT
SEVERAL TIMES FOR OTHER UNITS.
73
VE2AMK

2020. Ebay- Vintage 50's CDE Ham-m Control Box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990508233625.10237.00001019@ng-cn1.aol.com>
Source record: 84766

Hi All;
You gotta need this Vintage CDE Ham-M Control box for the 50's station. Its only at $15 with less then 1 day left!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=99137650
Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

2021. Need RK 20 tube for 1935 Harevy Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: cnord@snet.net
Message-ID: <3734fc71.13871741@news.snet.net>
Source record: 84767

Picked up a 1935 Harvey CT-60 at Hosstraders this weekend.-- See page
73 of Moores book.

I need a RK-20 tube ? Anyone have or know where I can get one ?

Can anyone tell me anything about the rig other than is in Moores
book ? Or point me to a schematic?
73, Carl

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

2022. Collins FRT-5/KY-45

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990508.225929.-3895281.100.NFMK@juno.com>
Source record: 84768

Subject: Collins FRT-5/KY-45

Good evening to the list,

I am starting with a nice FSK exciter which was part of what was
called the AN/FRT-5.

So, I'm looking for information on what the complete AN/FRT-5 was.
Does anyone know whether the exciter was fsk only or whether there
was a voice or cw option? I understand it was a beefy unit. Are
we talking about watts or kilowatts? According to the mil-list on the
web, this was a 60cy, 220 volt unit.

Open to buying an original manual or any documents that anyone
might have related to this unit as well as the keyer power supply
and any other FRT5 modules or components you might have for sale.

Please advise what you have from this unit and what your requirements
are. I am zip 70806 and willing to travel to pick up if the module or
unit
you have is within driving distance of New Orleans.

73, Doug

2023. WTB:Dial lock assy.SX-73/R-274

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37357059.95AED2F7@erols.com>
Source record: 84769

I'm looking for a dial-lock assy for the Hallicrafters SX-73/R-274, as well as the knob. Its the same one they used on the BC-669 and other Hallicrafters MIL sets.
Fat chance? Yeah....probably! Thanks.

2024. Yaesu FT101BS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: sts@ac.net
Message-ID: <373580f8.2055825@news.ac.net>
Source record: 84770

Hello to all:

I am trying to figure out the above radio. It is a FT101BS that's BS on the suffix. I know the ES was a low power 10 watt radio but can find nothing on the BS. Anyone out there have any info on this model?

Yaesu seems to think(but is not too sure) that the BS was also a low power version but it does have the usual 2 ea 6JS6 finals.

Any help will be appreciated.

thanks,

Larry, N4KVP

2025. FS: Going to Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7h42ai$r6d@chronicle.concentric.net>
Source record: 84771

Flea SPaces 2843,2844,2845 C U there!!

Test Equipment:

Bird 63-A UHF Wattmeter/Dummy Load

Boonton FM/AM Sig Gen. 54-216 Mhz model HOI-202H

Boonton 260-A Q-Meter 50kc-50mhz

Boonton 160A Q-Meter 50kc-75 mhz

Collins KWM-2A's Three of them with Two power supplies

Eico Sig. Tracer

Eico Bar Generator

Heath electronic switch

Heath Sig. Gen IG-82 NO/Handle

Heath Sig. Generator

Heath Cap-Tester

Heath Audio-Analyzer AA-1

Heath Harmonic Distortion Meter

Heath Lab Sig Gen. IG-42

Heathkit scope IO-21 case avg- scope works fine

Heath primer scope VC-129-P1 3" tube....works

Heath digital design center ET-3200A

Heath Multi-Meter IM-5284

Heath deviation meter IM-4180

Heath ALC Bridge IB-5281

Heath Sig Tracer IT-5283

Hickox 209A VTVM

HP-6080 vhf Sig.Gen. 10-420 Mhz

HP-330B Distortion Analyzer

Lampkin type 107a Digital Freq Mtr includes Deviation metering
10Khz-500Mhz

Military BC-221-J 125kc-20 mhz Zenith mfg. no batteries for it. Not
tested

Military BC-221-A 125kc-20mhz Not working

Military LM-12 Xtal calibrated Freq Gen 125kc-20 Mhz

Rohde & Schwarz Leistungs-Mess-Sender Sig. Gen.

Seco crystal aligned meter

Simpson 260

Simpson 303

Simpson 318-SR Electronic Switch

Transmitters/Receivers/Equipment----------

BC-342-N 1.5-18mhz rcvr-Farnsworth w/shock mount

BC-348-J original working condition

BC-610 coils B&W $5 each
51C711 C-448-B 11.0-14.0mhz (2 of these)
2357 #05690 7.3-11 mhz
1738 C-390-C
3C280-387 2.0-3.4 mhz
17?? 51-C-?08 C-387-D 2.0-3.5 mhz
C-390 5.7-8.0 Mhz
51-865 15 mtrs or 10 meters??

BC-610 tuning units TU-50, TU-52, TU-54 plug-in coils

Brown Bros paddles

Central ELectronic 20A works with QT-1 & Manual

Echophone Commercial Excellent restored

Halli sky buddy S-19R excellent restored

Halli sky buddy S-19R fair condition playing in original cond.

Halli S-20R good cosmetics restored electircally

Halli S-20R faiur cosmetice restored electrically

Halli 5T Early Sky Buddy nice restored

Halli S-41G good cosmetis Top fair radio original working

Halli S-41G fair cosmetics Restored radio

Halli S-120 fair condition

Halli S-27 VHF receiver 28-150 mhz Very Nice with cabinet.

Halli TO Keyer good

Halli HT-17 transmitter nice working

Halli SX-100 Mint....Nice Restored

Heath SB-600 spkr/power supply

Heath HW-5400 tranceiver/Power Supply/Manual rcv works
transmitter needs filter intstalled....it is in the box....

Heath HW-101 plus all the extras remote HW VFO Speech processor
RTTY interface Manual Spare tubes and parts

Icom IC-765

Icom IC-745

Kenwood HT TR-2500 + dropin charger manual and 12 volt charger

Kenwood TR-7400 2 meter radio + AWE 7400 scanner

Knightkit T-60 transmitter working

Knightkit TR-106 SIX Meter Transceiver

Lear 6R16-M2A single channel aircraft rcvr

MFJ 1278 TNC

MFJ 1278 TNC

Military TG-34A signal corps keyer w/manual 25 Oct 1943 dating

Multi-Elmac AF-68A 80-6 mtr transmitter w/manual NO powersupply

RME VHF-152

RME VHF-152

RME 10-20 Converter

TV Sony camera plus setup for Ham TV

Utica 650 + VFO Six Meter AM Transciever

Yaesu FT-990 MINT!!
FIF computer Interface for FT-990 NIB
Yaesu Mike

Wood Consumer Radios----------

8 Consoles Zeniths/Philco/RCA/Truetone

30 Wood Table radios/Cathedrals/Tombstones
Philco/Zenith/RCA/GE/Truetone/many others

2026. Vibroplex FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990509094550.26120.00001260@ng123.aol.com>
Source record: 84772

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100302278

Nice key with two original weights. Dates from 1956. Check it out.

2027. wtb junker Cheyenne MT-1, or just band cylinder

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Mike & Coreen Smith <ve9aa@nbnet.nb.ca>
Message-ID: <3735CAD5.C9772FD6@nbnet.nb.ca>
Source record: 84773
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For a ~1959 vintage Heathkit mobile xmmtr, The Cheyenne MT-1:
Looking for what I've been calling the band "tumbler"-
which is likely the wrong term, but it's the plasticky
cylindrical piece that has the various frequencies
marked on it, that rotates as you move from band to band.
Mine is smashed (during a trip in the postal system-sigh)
so need a new one as I don't have enough glue to fix this one!

--
ve9aa Michael Smith
271 Smith Road
Waterville Sunbury Co,
New Brunswick Canada E2V 3V6
<ve9aa@nbnet.nb.ca>

2028. South Florida DX club forming

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Bill Fairbanks <BILLFAIRBANKS@worldnet.att.net>
Message-ID: <01be9a27$75e81a60$fe04460c@default>
Source record: 84774

If you are into SWL'ing, Mediumwave DX'ing, FM or TV DX'ing or any other kind of monitoring and would like to help organize a South Florida Club then email me with some contact information. The idea is to form a club that would meet once a month (maybe at a restaurant with a meeting room) to share equipment ideas and tips, do demo's, share operating tips and schedules, etc.. Maybe do a DX'pedition once a year, a community service project, etc. The club would be open to anyone living in the Dade, Broward or Palm Beach county area. The club would most likely affiliate with NASWA, Radio Club of America and other parent organizations.

Interested? Let's get a list of interested people together and schedule an organizing meeting.

Thanks

Bill Fairbanks

2029. Want: Dentron MT-2000/3000 ant tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3735a02e@news1.us.ibm.net>
Source record: 84775
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Must be working 100% (or close to it, if not then what is wrong with it?).
Cosmetics not REAL important as long as no dents and the front panel looks
excellent or better.

Please state an accurate description including cosmetic and electrical
condx, SHIPPED price to San Diego, and a number that I can reach you at.

73s

Lane Zeitler
Ku7i
San Diego

2030. CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Robin Birch <robin@falstaf.demon.co.uk>
Message-ID: <TKCJFLA5NaN3EwOv@falstaf.demon.co.uk>
Source record: 84776
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

Dear All,
Whilst trogging round the Drayton Rally today, on my endless hunt for an HRO in need of repair, love etc, I failed to find one but did buy an old Key. Now I do not collect keys, this was bought cos I needed a key and it felt nice and substantial with a good movement. I can now return G4AJA's old RAF one, one day I'll return his TCVR as well but lets not get carried away.

This key is, I think, an old admiralty one. Its a type 365A and is mounted on a grey painted brass base with a clip on removable lid. The whole thing is about 6 inches deep, 4 inches wide and 2.5 inches tall. Inside there are 6 terminal blocks and an earth terminal. The terminal blocks are marked AC, AC, BL, BR, TL, TR. Ac and AC go to the contacts on the arm. BL and BR go to two pillars either side of the arm behind the bearings and TL and TR go to the back where there are signs of some bits not being there.

I have cleaned the thing up , lubricated the bearings etc. and it looks like it'll be a good key. Now, the point of this EMail. What do the BR, BL, TR and TL contacts do and what is missing from the base plate?. IF anyone has got any of these bits going spare then I would like to return the key to its original state as although I don't collect these things I do like them to be complete.

The guys selling this threw in two RAF keys for the 1154 together with a buzzer. One of the keys, the one with the buzzer, appears to be mounted on a purpose built bit of plywood with an Air Ministry plate underneath that says BUZZER I.C.W. Ref 10A/9707 Which I take to mean buzzer Instructional C.W. Yes or No?. The buzzer is a BUZZER POLARISED Ref 10A/9708 and is wired to the key and then a terminal on the base which is marked MIC -. One of the key screw down contacts is not connected. Next Questions - Is this what I think it is (see above)?. What volts does it run off?. Do I just connect power to it or does it need an external loudspeaker as well?.

This key is missing its knob (the one you hold) Has anyone got a scrap one floating about that they could let me have?.

The second 1154 key is screwed to a base but looks clean and complete. In both of them the rubber diaphragms have perished but I can always make something up for that.

So, can anyone shed any light on the first two items and has anyone got any spares?.

Regards

Robin

Robin Birch robin@falstaf.demon.co.uk

M1ASU/2E0ARJ Old computers and radios always welcome

2031. Lookin' For Links (in all the right places...)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: bshort@speedchoice.com
Message-ID: <MPG.119fba0d64640b8e98974f@news.speedchoice.com>
Source record: 84777

Lookin' For Links (in all the right places...)

Please add your links to our collection:
http://www.qex.net/links/links.htm

Thanks, Brian

PS: We had disabled execution of the perl scripts
in the CGI for this and all other CGI on the
server due to abuse.
--
mailto:k7on@arrl.net
--

2032. FA: Collins KWM-2A (RE)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7h4arfnth1@news.erinet.com>
Source record: 84778
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101884643

2033. WTD: Case for Collins 30L1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: rlmobley@aol.com
Message-ID: <19990509115103.06080.00000961@ng-fh1.aol.com>
Source record: 84779

The case on my unit is in very sad shape and in need of replacement. Send me an email with description of what you have along with price including shipping to 72227.

Thanks
Rick WB5FDP
(ex WN5FDP)

2034. FS - Heath AR3 Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3735AF62.7EE@sympatico.ca>
Source record: 84780
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,

Parting Heathkit AR3 receiver. Sorry no cabinet, front panel or plexiglass. Everything else is there including a full set of knobs. The chassis is working, but the filter caps are gone. Let me know what parts you need, or if you want to buy the whole radio make me a reasonable offer.

2035. WTB Drake WV-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7h4bbm$11b$4@fir.prod.itd.earthlink.net>
Source record: 84781

Wanted Drake WV-4

Leo Ph/fax (310) 670-6969

2036. Re: THIS IS NOT A SALE GROUP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7h4c6p$1tt@journal.concentric.net>
Source record: 84782

Hey Joe, keep on doing what your doing. You are helping everyone.
FWIW
Regards
Butch

TUBECNTRAL wrote in message
<19990508211643.07031.00000528@ng-co1.aol.com>...
>Thank goodness there are cooler heads here regarding sale items. There are
a
>couple of real JERKS on the home-brew and other ham-related N.G.'s that
think
>they should tell others what to do and where.
> I sell tubes, and I TRY TO KEEP them here, and on OTHER N.G.'s available
at
>decent prices, INSTEAD of on EBAY where I could amass a small fortune in a
>short time.
> But my patience has been running thin, I actually had one idiot emailing
me
>three times a day telling me where to place my ad or how to write it.
>Nevertheless, I will continue to sell my stuff on the N.G.'s for as long as
I
>can take whatever aggravation goes with it, then if the waters get too
muddy, I
>will take my whole collection to Ebay, where everyone will pay TOP DOLLAR.
>
> Thank you,
> Joe Pratt, Tubecntral@aol.com
>

2037. FA: "Rare" Harvey Wells R9 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080000905991613230001@news.neta.com>
Source record: 84783

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101047366

2038. FS/FT modems for SWL/HAM stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7h4d10$2he@journal.concentric.net>
Source record: 84784
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors

Any interest in computer modems. I have a 33.6 external data/fax/voice and a
19.2 PCMCIA data/fax/cell. Will swap for SWL/HAM related items or sell.
Both work and look good. Both come with software . Any takers?

Butch

2039. WTB: Hallicrafters HA-26 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Dennis Ingebretsen <pai@san.rr.com>
Message-ID: <3735BC33.E4B00906@san.rr.com>
Source record: 84785

I am looking for the matching VFO for the SR-42 / SR-46 series
Hallicrafters AM transceivers. Please reply with condition & price.

Regards, Dennis N6TUQ

2040. WTB:Whippany Labs "Li'l Lulu" Rx & TX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: Dennis Ingebretsen <pai@san.rr.com>
Message-ID: <3735C01A.76639F73@san.rr.com>
Source record: 84786

I am interested in buying the Li'l Lulu matched receiver and transmitter for 6 meters which was produced in the late 50's by Whippany Laboratories. Any info would be appreciated.

Regards, Dennis N6TUQ

2041. 4-1000A FS GOOD PULL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990509132452.24916.00001451@ng-fq1.aol.com>
Source record: 84787

```
GOOD PULL: 4-1000A tube $110 shipped conus; bought a new amp.
```

2042. WTB: PE-103 dynamotor power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-09 00:00:00 UTC
From: PEYK47A@prodigy.com
Message-ID: <7h4gan$32d6$1@newssvr03-int.news.prodigy.com>
Source record: 84788

Want to buy: PE-103 dynamotor power supply

John

K7VGF

2043. PA Band switch wafer - for National NCX-500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <37362DCD.1024D3A@bellsouth.net>
Source record: 84673

My National NCX-500 "project" set took a bad turn this weekend. Just found the PA band switch (load and tune) wafer has at least two contacts that are essentially gone. The wafer is S1-A,B. National part number is A-51523. At least it is on the tailend of the band switch and wasn't too hard to get out (after making a good "idiot diagram") Any suggestions? Ever hear of a switch rebuilding service? Anyone have a parts set? Wonder if the NCX-5 used same switch wafer configuration? Have cruised several of the usual sites without any luck. Open to any and all suggestions. This anchor is dead in the water and drifting - Thanks - Bruce Brackin

2044. Miscellaneous Parts FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: gharmon@idworld.net
Message-ID: <37362ff0.140430114@news.idworld.net>
Source record: 84674

The following parts are available for sale. If you have an interest
or further questions please contact Ed directly at

Ed Kotkiewicz
ekotkie@ezl.com
1325 Carribean Dr.
Edwardsville, IL 62025-5146
618-656-6358

Regards,
gary

++++++++++++++++++++++++++++++++++
Military Surplus (new unless otherwise indicated)

UG-528/U 53ohm unbal. to 53ohm unbal Test adapter BNC(F)/N(M)
1

UG-201A/U N(M)/BNC(F) Adapter 12

UG-564/U C(F)/N(M) Adapter 1

UG-274A/U BNC(F-M-F) T Adapter 3

UG-309/U BNC(F)/HN(M) Adapter 6

UG-273/U BNC(F)/PL-259 Adapter 2

UG-306/A BNC(F)BNC(M) Right Angle 2

UG-914/ BNC(F)/BNC(F) Adapter, straight 1

UG-349/(2 A, 1B BNC(M)/N(F) Adapter, straight 3

UG-88 BNC(M) Connector 16

CW-159 BNC Cap with chain 5

UG-1095/A N(F) Bulkhead connector 6

UG-1185B/U N(M) Connector 11

UG-212C/U N(M)(F) Right angle 2

Amphenol 82-856 N(M) Right angle connector 1

Fuseholder, chassis mount, fsn 5920-642-7554, pn 387001, qty. 5 per
box, --
4 boxes

Circuit breaker, aircraft, 20amp, fsn 5929-811-2973, pn MS-24506-20 -4 in
wrap, 1 loose.

Circuit breaker, aircraft, 50amp, pn MS-25017-50 - 2 loose

Shock mount, equipment, 18-40 lbs, pn 7002-W, Met-L-Flex -4 loose

Shunt motor, 27.5vdc, 4.17 amp, 1/10hp, 10,000 rpm, dual shaft - 2

Motor, on small platform, 24vdc, Globe pn B3A722, fsn 6105-500-4676, single
shaft w/gear - 1

Motor, 27.5vdc, 1.3amp,fsn 6105-248-5188, Globe pn 110A131, single
shaft - 1

Relay, 30vdc, 2a, fsn 5945-578-3735, pn 520M-31 - 4 packaged, 2 loose

Relay, 26.5vdc, 2a, fsn 5945-578-4527, pn mhx-6104 -- 1 packaged, 2
loose

Relay, fsn 5945-230-2176, pn 5888-1 -- 1 packaged, 2 loose

Relay, fsn 5945-234-6370, pn g55370 -- 1 packaged, 1 loose

Relay, fsn 5945-230-2176, pn 5788-1 - 1 packaged

Relay, fsn 5945-502-8234, pn Collins 972-1202-009 - 1 packaged

Relay, fsn 5945-810-7330, pn Potter-Brumfield MH90164-1 - 1 packaged

Relay, 26.5vdc, 2a, fsn 5945-578-3735, pn Struthers Dunn FC-6-178B - 3
loose

Relay, 27.5vdc, 525 ohms, fsn 5945-254-2309, pn Aemco 40-1142 - 4
loose

Relay, 27.5vdc, fsn 5945-539-2958, pn Aemco 95-2519 (micro) - 3
packaged

Relay, pn p26C1P6AS-5, Filtors CHS 588622 (micro) - 1 packaged

Relay, 29vdc, 2a, fsn 5945-578-9084, pn Allied Control mhx-2135 - 2
packaged, 5 loose

Relay, pn ES-Portland R400-2-f-11K(2) - 1 loose

Relay, thermal time delay, 7 pin tube socket, 90 sec/6.3v, pn GV
Controls
GT-3037 - 1 loose

Switch, (appear to be thermal) spst,115ac,400cps,1a,pn Heinemann
Electric
SM3 - 2 loose

Meter movement, 1.75" square, 100microamp, fsn 6625-585-6002, pn
Phaostron

Inst. 100-05369 - 1loose

Capacitor, tuning, small, 11rotor/10 stator, pn E.F.Johnson 160-110 -
1
boxed

Switch, 3 micros ganged to a pushbutton, pn Micro 3PB11 - 1 loose

Connector set, D-shell 50 pin male/female - 2 loose

2045. Re: 160 meter xtal wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: wa6bob@yahoo.COM
Message-ID: <19990510012159.22052.rocketmail@web129.yahoomail.com>
Source record: 84675

Try this crystal swap/trade. URL

http://pluto.beseen.com/boardroom/b/21532

John WA6BOB.
http://www.csun.edu/~vfeen0br/wa6bob.html

--- "Carl H. Nord" <cnord@snet.net> wrote:
> Looked at Hosstraders to no avail. I would like one
> or two 160 meter xtals.
> Freq. not important, but if I had a choice it would
> be 1.890 +/- or 1.945.
> However I will accept any freq. as I just want to
> use it for testing
> different xmtrs.
> Carl Nord
> WA1KPD
> http://pages.cthome.net/nord/wa1kpd.html
>
>

_____
Do You Yahoo!?
Get your free @yahoo.com address at http://mail.yahoo.com

2046. Re: 160 meter xtal wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: jeffreyh@hawaii.EDU
Message-ID: <Pine.GSO.4.05.9905091612540.21821-100000@uhunix5>
Source record: 84676

Me too! I'd like one for the low end of 160 CW.

73, Jeff KH6O

2047. Re: NU6AM QSL Card Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: kb6ojs@gte.net
Message-ID: <MPG.119ff41f435d24eb9897a3@news.gte.net>
Source record: 84677

In article <3731B945.3229@hp.com>, jim_allen@hp.com says...
> I'd like to get an orignial QSL card from Don Wallace, NU6AM. Don had
> this call in the late 20's. Can anyone assist?

Might try contacting the W6AM museum....

--

-- //Steve//

Steve Silverwood, KB6OJS
Email: kb6ojs@gte.net
Home Page: http://home1.gte.net/kb6ojs
AOL IM: "MSF Steve"

2048. Re: NU6AM QSL Card Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: kb6ojs@gte.net
Message-ID: <MPG.119ff5cc111debb49897a4@news.gte.net>
Source record: 84678

In article <3731B945.3229@hp.com>, jim_allen@hp.com says...
> I'd like to get an orignial QSL card from Don Wallace, NU6AM. Don had
> this call in the late 20's. Can anyone assist?

Found a couple out there courtesy of the AltaVista search engine. Sent the
JPGs to you via email.
--

-- //Steve//

Steve Silverwood, KB6OJS
Email: kb6ojs@gte.net
Home Page: http://home1.gte.net/kb6ojs
AOL IM: "MSF Steve"

2049. HELP: TS520 INTERNAL Digital display

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: "Paul A. Elliott" <n7ijb@gte.net>
Message-ID: <RytZ2.5802$ax4.340582@dfiatx1-snr1.gtei.net>
Source record: 84679

I recently bought a TS-520 that has an internal digital display !!

I need a circuit diagram for the display board's.

(I know they didn't make such a critter) however this one has the display and the Henry Radio receipt that was in the manual and is dated 12/11/75 says (1) Kenwood TS520 DIGITAL. the receipt also says in the margin, Note: customer to return radio for modification after Jan 1, 1976 so I am assuming that Henry Radio provided this mod.

The additional circuit board's are definitely not home grown.

I have also emailed Henry Radio but after almost 25 years I figure most of the Henry employees would be gone and it is more likely that there is a ham out there that has info on this mod. Covering all the bases!

The radio works fine but the display which has (4) led's is on but does not change reading while tuning.

Any information would be appreciated.
Thanks

Paul N7IJB n7ijb@gte.net

2050. FS: Sorted parts, equipment, junk

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: stefan@*emeraldnet.net
Message-ID: <37368cf6.548404561@news.emeraldnet.net>
Source record: 84680
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Another round of uh, "good stuff", err.... for sale. All prices plus shipping, please include address when replying to expidite calculations.

-B&K 1076 Television Analyst. Tubes light up, that is all I know. $15.

-AN-URT-27 emergency transmitter, 243 mc. Used in Nam-era pilots survival vests. Issued/good condition, missing flexible antenna though. Solid-state. $30.

-National tuning dial, 2 3/4 x 4". Black wrinkel finish, has 3 tuning charts marked J475-4. Has a nice knob, and Velvet Vernier reduction drive on the back. NOS, but no box. $12

-Velvet vernier reduction drive, $8

-Aft camera controller, part of AN/AVC-1282. Dated 12 AUG 1969. $50

-Argonne vernier dial, model 99-6031. 1 1/2". 6:1 reduction. Panel mount, attaches to 1/4" shaft. Like what you would use on a percision pot. $6, NIB.

-4kv, 4uf filter cap, oil-filled. $7

-HV energy storage caps, 2200v, 100uf. Metal can 2"D x 5.5"H. I hav five of these. Great filter caps. $8/ea

-Standard Horizon MAXI marine VHF set, model C862S. Rec works, but no mic so transmitter in untested. $20

-BC-475-A, missing cover, eye tube. Modified, but exc. condition. $25

-Dosimeter Corp model 3700A geiger counter. Works intermittantly, no GM tube. Solid state, modern unit, runs on 2-d and 1-9v batteries. Reads 0-500 mR/h and 0-300k CPM. Was $678 from Vallen Saftey in '96. $50

-BC-357-C air beacon reciever, fair condition. Missing the 12C8. $12

-Fluke 821-AR differential voltmeter, rack mount. Also server as 0-500V power supply. Includes manual, $25.

-Variac, 0-240v, 9a. Missing dial plate, knob, shaft, brush. Excellent condition, $25.

-Various neon sign transformers, inquire.

Feel free to make offers, I need more space!

Stefan Bishay - KC7SJC
Seattle, WA
ICQ 2141646
stefan@*emeraldnet.net
Remove * to email

2051. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: "Clifton T. Sharp Jr." <clifto@megsinet.net>
Message-ID: <373693E2.F23B5A6@megsinet.net>
Source record: 84681
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

David Stinson wrote:
> "Clifton T. Sharp Jr." wrote:
> > Only a spammer would call spamming "the new market".
> Funny how the definition of "spammer" seems to change
> with the control freak and self-appointed net cop
> who's throwing it around.

No change here. Spammers are sociopaths who steal the resources of others to carry out their own agenda.

> > You're wrong, and it's been explained before.
> You sound like a child on the school ground.
> "You're wrong! So there! Naaa!"
> Please enlighten me, oh wise one.
> Correct my poor ignorance.
> On second thought, don't. I hear enough BS on CSPAN.

Goodness knows you're spreading enough of it. In any event, you don't want your ignorance corrected, all you want is to rationalize your sociopathic actions.

> > It is not our job to delete them.
> Translation:
> "It's your fault that I'm too lazy to set my filters!"
> I'll bet you blame the bank when you bounce a check
> and yell at your kids when you drop the milk.

When people litter my yard, I stifle the litterers.

> >It is the job of newsgroup participants
> > not to post them where charter forbids them.
> Please quote the passage in the charter of this group
> that forbids sale postings.
> (silence)....... uh, huh... That's what I figured.

You really do need a visit to news.newusers.*. Sale postings are forbidden in all Usenet newsgroups outside biz.* unless the charter specifically allows them.

But you're not talking about an innocent sale posting or two. You're talking about some "new market", as if our computers are your personal advertising space.

> > As a matter of fact, newspaper switchboards
> >are overloaded with such calls.
> Childish horse manure.

> Kindly cite your sources for this ridiculous spluttering.

Friends who've worked at newspaper switchboards.

> > If you can't play nice with others, go somewhere else.
> If you can't curb your egoist urges to be net-cop-in-charge,
> you should perhaps go back to grade school where manners were
> supposed to have been taught to you.
> I'll meet you there and perhaps we'll both learn something!

You want not to learn. You want to do what you want to do, and you're either too stupid to know or too nasty to care what effect your actions have on others.

> >> People need to stop claiming they are somehow being harmed
> >> by the sale posts. It just isn't true.
> > Flat statement without substantiation.
> Word game providing a phoney retort when a real one is not possible.
> Please define "flat statement" and the process by which
> one substantiates same.

See your own posting for copious examples. As for your lame game, define "define".

> >Typical spammer tactic.
> Since the definition of "spammer" appears to depend on who's
> using it to manipulate, bully and insult others,
> I propose that there is no "typical" spammer.

Yeah, you're special.

> > > They're harming themselves by not setting filters
> > > that were put there for that purpose.
> > But we do. They usually take the form
> >"Provider, please stifle your spammer."
> Gosh--- I wonder why those providers don't run all those "spammer"
> for-sale posters off? Could it be that the people
> whining about the ads are (*GASP!*)
> FULL OF CRAP??? hmmmmmm!

It's because all too many people tolerate it because they think they can't do anything to stop it. I know better. I stop spammers.

> > > Same as someone who refuses to wear a seat belt-
> > > he has no one to blame for his bruised forehead but himself.
> >
> > A completely inappropriate analogy.
> Talk about your unsubstantiated "flat statements."
> I'll pass my blue ribbon to you.
> You clearly surpass me in this area.
> Congrats, Champ!

You're not very good at this, are you?

> > You'll pardon us if we keep fighting to keep things
> > the way they're meant to be, and work to get spammers off the 'net.
> I fully expect that anal-retentive control freaks will continue
> to blame others for their moronitudes*, attempt to bully people
> and demand that things go "their way."
>
> I also expect they will continue to FAIL.... heh heh heh....

I have an impressive record of stopping spammers. I will continue to stop
them at every turn.

--
+-+
| Cliff Sharp | "Speech isn't free when it comes postage-due." |
| WA9PDM | -- Jim Nitchals, founder, FREE |
+-+-+-+-+-+-+-+-+-+- http://www.spamfree.org/ +-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+-+

2052. FS: Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990510050413.11199.00000079@ng-cs1.aol.com>
Source record: 84682

I have the following Radio, and electronic equipment for sale. Will consider trades for Electronic or computer EQ. All working last time tested unless noted. Shipping is extra.
Thanks

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $200

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. Asis$50.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

2053. Re: CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Derek Thom <Derek@g3nks.demon.co.uk>
Message-ID: <hmbKvPAdcoN3EwKf@g3nks.demon.co.uk>
Source record: 84683
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

In article <7h4p0tkdn1@nclient3-gui.server.ntli.net>, Ron Hague
<ronald.hague@diamond.co.uk> writes

>I have an old RAF key with a looks like ebony base and a bakelite lid. Its
>about 10 iuncehs long 5 inches wide and about 4 inches high. The key
>itself looks brass and appears to be very little used.

Sounds like one of the ex-Air Ministry "Key, Morse Type D". Ref
10F/7373 (!). I have one here, but the lid is broken, as is often the
case. It was my first decent Morse key, given to me by one of my elmers
soon after I acquired my licence.
>
>I'm told by fellow members of the gqrp club that its worth about ï¿½100 if i
>sell it and its unusual because the bakelite case is in very good condition.
>

I'm surprised at the sum mentioned - it's certainly worth something
above the norm, but that sounds a bit much. If you wish to haggle,
please mail me!

--
Derek Thom G3NKS
Cheltenham IO81XU
QRV 160m to 70cm

The above views are my own and are not necessarily those of any organisation
of which I am a member.

2054. FS Turner +2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Ragnar Otterstad <danmec@inet.uni2.dk>
Message-ID: <3736c6d3.0@news.euroconnect.dk>
Source record: 84684

Microphone with plug for Collins S-line. 60 dollars shipped

73 Rag oz8ro

2055. Old Transformer & Choke value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: John Skapiak <jskapia1@twcny.rr.com>
Message-ID: <xzzZ2.10256$8m5.18935@newsr1.twcny.rr.com>
Source record: 84685
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

I have the following old transformers, chokes, and coils and I'd like to get an idea of what they might be worth.

UTC - S-58,S-60,R-107,F-7071,FT-4,R-19,R-20,H-24, and HQA-200 with box and spec. sheet.

Thordardson - T-21FO5, T-55180 B-7489102, and a T87C49 or T67C49 (difficult to read first letter)

Any information or assistance would be appreciated.

Thanks,

John K2SY

2056. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3736E2CA.CE7C09F1@ix.netcom.com>
Source record: 84686
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Mr. Sharp:
I think you've made
your demands and expectations of we other users very clear.
I have made my position concerning your problems clear as well.

If you wish to continue a sand-kicking contest,
please do so in private email.

71 3/4,
Dave Stinson AB5S
arc5@ix.netcom.com

2057. Re: FA: Very Rare Collins 312B-5 VFO Console for KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: harrisw@airmail.net
Message-ID: <1A9985FEC19534C8.E8D36F8B21EFCDC2.36E8CC87E5610F8C@library-proxy.airnews.net>
Source record: 84687

No couldn't be that he didn't say it was beautiful.
I guess If it was the cross could he say it was mint?

On 1999-05-10 tempo@dimensional.com(Bill,KD0HG) said:
>Newsgroups: rec.radio.amateur.boatanchors
>Jan N0JR <swanman@cfu.net> wrote on ebay:
>Here, from the estate of a long-time Collins collector from Cedar
>Rapids, Iowa, home of Collins Radio, is the rarest of the rare, a
>Collins 312B-5 combination VFO/wattmeter/phone patch, [snip]
>Are you sure you don't have this item confused with a piece of the
>Original Cross brought back by the Crusaders from the Holy Land? :-)

2058. Re: FA: Very Rare Collins 312B-5 VFO Console for KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <3736E8A3.34C8@no.net>
Source record: 84688

Bill, KD0HG wrote:
>
> Jan N0JR <swanman@cfu.net> wrote on ebay:
>
> Here, from the estate of a long-time Collins collector from Cedar Rapids,
> Iowa, home of Collins Radio, is the rarest of the rare, a Collins 312B-5
> combination VFO/wattmeter/phone patch, [snip]
>
> Are you sure you don't have this item confused with a piece of the Original
> Cross brought back by the Crusaders from the Holy Land? :-)

Rare on ebay means "I haven't seen one of these at K-Mart in at least
two weeks."

2059. Re: Filters Needed for FRDX-400 & FLDX-400

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3736FAC1.9BCAB65A@wenet.net>
Source record: 84689
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hi,
These filters are made by Kokusai International, Co. in Japan and can be replaced with Collins mechanical filters as long as you terminate with correct capacitors which is 130pf in most of the later version. But Collins filter is so expensive!
It is a common thing that Kokusai filter gone bad. Ceramic filter impedance is very low, meaning you need to match the impedance.
Good luck.
de K6hm
Young

DavidC wrote:

> My friend JimC wrote me the following:
>
> > Need a Yaesu filter for the FL-DX-400, their number
> > MF455 10AZ28. Have a 10AZ27 in the FR-DX -
> > wonder if they are about the same..... but doubt it's
> > integrity also. Matter of fact, four (4) filters in the
> > FR-DX and think they are all defective. The mechanical
> > 'disks' are imbedded in a polyfoam compound which has
> > completely broken down and turned into 'dust'. Can they
> > be repaired? Would a ceramic filter perform about as well?
>
> Please reply directly to Jim at: majimc@axs.net
>
> Thanks! & 73,
> ~~~
> ï¿½ï¿½ï¿½
> \ ~ / .... DavidC K1YP@qsl.net or 603-894-1174

2060. rip off

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: kevin-0@webtv.net
Message-ID: <23015-3736F5CC-5@newsd-221.iap.bryant.webtv.net>
Source record: 84690

ripoff; john thurman
3346 stauss ave
oroville,calif 95966----------this likes to make deals and not send them
out. so beware!

2061. FS:HAL PCI-4000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <3737025B.EB3064B5@worldnet.att.net>
Source record: 84691
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.packet,rec.radio.amateur.boatanchors

I have for sale a HAL PCI-4000.This is a high quality HF radio DSP multimode modem for RTTY,AMTOR,PACTOR and CLOVER.The unit is in perfect working order and comes with the modem,manual,software and cable.The orignal cost was $999.00 abt 2 years ago.Asking $275.00 shipped to lower 48.Please reply via. e-mail.
Regards
Bob Stamper

2062. FS: Hammarlund Super Pro parts & radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7h750a$8c6@journal.concentric.net>
Source record: 84692

I have a very rusty....junker.....hammarlund super pro...
Anyone need IF cans Dials seem to move and work...coils switches
etc....any parts you need for one of these??...
E-Mail your needs.
John K9UWA

2063. Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9905109263.AA926359198@ccmail.ghs.int>
Source record: 84693

Wanted: Collins AM transmitter, prefer with 160 meters. Any condition. Please email with description, location, and requirements. Thanks, Doug

2064. FS:HAL PCI-4000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <373723E1.911F8D10@worldnet.att.net>
Source record: 84694

I have for sale a HAL PCI-4000.This is a high quality HF radio DSP multimode modem for RTTY,AMTOR,PACTOR and CLOVER.The unit is in perfect working order and comes with the modem,manual,software and cable.The orignal cost was $999.00 abt 2 years ago.Asking $275.00 shipped to lower 48.Please reply via. e-mail.
Regards
Bob Stamper

2065. F.S. Heathkit u-ambic keyer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: KØIMJ <docky@earthlink.net>
Message-ID: <37373416.4C82@earthlink.net>
Source record: 84695

for sale a Heathkit u-Ambic keyer SA-5010 with a Vibro-plex paddle see at http://home.earthlink.net/~docky look under for sale I have about 80 Heathkit and Hakkicrafters, etc items for sale both Ham gear and test equipment. thanks KØIMJ

2066. FS: BIRD 6154 DUMMYLOAD/WATTMETERS $195 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-1005991248350001@murphy1.cts.com>
Source record: 84696
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.radio.amateur.antenna

BIRD 6154 DUMMYLOAD/WATTMETER

25-1000 MHZ.

50 OHM

5/15/50/150 WATTS RANGE.

LIKE NEW COND, WITH MANUAL.. $195 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/6_ANTENNA_COUPLERS_LOADS_MIS

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

2067. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: jsheetz <jsheetz@home.com>
Message-ID: <37373A3B.2750EE43@home.com>
Source record: 84697

Doug, would you be interested in an ART-13 and as I recall I do have
the 160 conversion stuff. And where are you located (its heavy!),
I'm in New Jersey.

John Sheetz, K2AGI jsheetz@home.com

Doug_Hensley@generalhealth.ORG wrote:
>
> Wanted: Collins AM transmitter, prefer with 160 meters. Any condition. Please
> email with description, location, and requirements. Thanks, Doug

2068. Re: checking transformers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7h7hr2jrr1@nnrp1.deja.com>
Source record: 84698
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

A couple of things to remember for testing transformers at hamfests --

It's a lot easier if you have clip leads (not probes) on your
pocket VOM, so you can get a better contact on old grungy wires.

You want a fairly sensitive VOM -- at least 20K ohms/volt -- so you can
tell if you're seeing a true open, a true short, or your own skin
resistance. Make sure it has a good battery.

In general, winding resistance is inversely proportional to voltage.
A 1 K-ohm winding is going to be a high voltage winding, a 0.5 ohm
winding is going to be a low-voltage winding. That, along with color
coding, will get you in the ballpark to guess what you've got.

You want NOT to use a continuity light for testing transformers. Why?
Consider what you have when you hook up a 3 volt light to a 5 volt
secondary on an old TV transformer. A circuit, right? Yeah, and
when you disconnect the light, you break the circuit and you release
the charge in the transformer. If you're touching the high-voltage
secondaries, I guarantee you'll know it. You would probably rather
go a few rounds with the ol' wouff hong.

When you bench-test a transformer, it's a good idea to put a 100-watt
light bulb in series with the primary. If you have a problem, the
light will come on. This will work through a variac, too -- problem
for some of us is that we don't have a variac.

You can use old car headlights in series/parallel to test low-voltage
windings for current. Add in more headlights to draw more current.
Junkyard headlights are typically 60 watt units, so if you're testing
a 12-volt winding, expect to see about 5 amps per headlight filament.
You'll have your max current rating when the output voltage starts to
sag.

73 N6OTQ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2069. Atlanta ham fest,

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: John Fearon <john@peach.negia.net>
Message-ID: <Pine.SOL.3.95.990510160604.8784D-100000@peach.negia.net>
Source record: 84699
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet,rec.radio

Please don't forget the Atlanta ham fest on June 5 and 6. It will be held at Miller Park, in Marietta, Ga. There will be room for seven thousand cars. There will be an active flee market. We have 180 commercial tables and many of them are already gone. If you are interested in commercial tables at $20.00 each then contact Ben Dasher, ke4yzx at bdasher@mindspring.com and if you are interested in flee market spaces at $10.00 each, contact Gars, P. O. box 88 Lilburn, Ga. 30048-0088. For other information, contact John Fearon w4wkp at john@negia.net. We hope that this ham fest will prove to be one of the best and most enjoyable fest we have had in recent years. By the way, the admission will be $5.00 each. There will be food on site. Come one come all. 73 John Fearon, w4wkp

2070. FS:COLLINS, ALPHA ect.@DAYTON

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7h7gng$283$1@news.erinet.com>
Source record: 84700
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Spaces #1714 & #1715 @ Dayton

1. Collins KWM-2A (RE)
2. Collins 312B-5 (RE)
3. Collins S-Line 32S-3/75S-3C/516F-2 (RE)
4. Collins 312B-4 (RE)
5. Collins misc. Stuff.......
6. ETO Alpha 77Sx

Stop by & visit I'll have all kinds of goodie
73's Randy KB8III

2071. Re: WTB: PE-103 dynamotor power supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: jsheetz <jsheetz@home.com>
Message-ID: <373746F3.36EC2AC4@home.com>
Source record: 84701

John, I have a couple of PE-103's, one still sealed in original packing
inside a wooden crate. They are HEAVY! Where are you?
I'm in New Jersey. John Sheetz, K2AGI, ftmk71a@prodigy.com or
jsheetz@home.com (just in the process of dumping Prodigy!)

John Ritter wrote:
>
> Want to buy: PE-103 dynamotor power supply
>
> John
>
> K7VGF

2072. ** FLEA at MIT ** Sunday May 16th Cambridge MA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: w1gsl@mit.edu
Message-ID: <7h7lga$gio@senator-bedfellow.MIT.EDU>
Source record: 84702
Cross-posted to: rec.radio.swap,rec.radio.amateur.misc,rec.radio.info,sci.electronics.misc,ne.forsale,ne.general,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Subject: ** FLEA at MIT ** Sunday May 16th Cambridge MA
Summary: Buy Sell SWAP Ham Radio Electronics Computers 9AM - 2PM

This coming Sunday....

Sellers Season Passes will be still be sold however, NOW is the
time to send in your season pass applications if you want to be
in the prepaid line, which will be admitted first.

*** !!!! In our Traditional GARAGE and lot !!!! ****
so come rain or shine or super heat the Flea is on !!!

********* $1 buyers discount with hardcopy of this notice ********

COMPUTERS - ELECTRONICS - HAM RADIO - COMPUTERS - ELECTRONICS - HAM RADIO

FLEA all SUMMER at MIT
Sunday May 16th 1999
9AM-2PM

Come to the city for a great flea - plenty of free parking.

MIT's electronics and ham radio flea will take
place on the third Sunday of each month this summer,
April thru October.

There is tailgate space for over 600 sellers and
free, off-street parking for >2000 cars!

Buyers admission is $4 (you get $1 off if
you're lucky enough to have a copy of our ad)
and sellers spaces are $10.00-each at the gate.

The flea will be held at the corner of Albany and
Main streets in Cambridge; right in the Kendall
Square area from 9AM to 2PM, with sellers set-up
time starting at 7AM.

*** Attention Sellers ***
Prepaid vendors.. Season Pass or monthly,
will be admitted FIRST.
Separate lines will form prior to gate opening
for prepaid and nonprepaid vendors

!! RAIN or SHINE !! Have no fear of rain, a covered
well illuminated tailgate area is available for all

sellers (6'8" clearance).

Talk-in: 146.52 and W1XM/R-449.725/444.725 (PL 114.8/2A).

Sponsors: MIT Electronics Research Society
MIT UHF Repeater Association (W1XM)
MIT Radio Society (W1MX)
Harvard Wireless Club (W1AF)

For more info / advanced reservations 617 253 3776

********** $1 buyers discount with hard copy of this notice ************

<<<<<<<<<<<<<<<<<<<<<<< cut here >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>

1999 SELLERS ADVANCED DISCOUNT REGISTRATION if Mailed by the 5th

Name..... Call.....

Address..... Phone.....

City..... State..... Zip.....

E-Mail .....

Spaces Required ___ Season @ $50 / space = $ ..... CK # .....

___ April ____ May ___ June ____ July

___ Aug ____ Sept ___ Oct

Total Monthly spaces @ $9/ Space = $ ..... CK # .....

Make checks payable to The MIT Radio Society

Mail to PO Box 397082 MIT Branch Cambridge MA 02139-7082

rcvd by..... Stamp

.....
Flea at MIT 1999
RECEIPT fill in only your name ->

Received $ from .....

For .....

By ..... Stamp

Enclose SASE for return by mail.

****
Steve Finberg W1GSL w1gsl@mit.edu
PO Box 82 MIT Br Cambridge MA 02139-7082 617 258 3754
****

2073. Re: CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Neal McEwen <nmcewen@metronet.com>
Message-ID: <3737897C.ADC8A21@metronet.com>
Source record: 84703
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

For information on old keys, bugs, etc., see the URL shown below.
Recently updated with new photos and a section on the Titanic's wireless
room.
--
73 de K5RW, Neal McEwen, at "The Telegraph Office", nmcewen@metronet.com
A WWW Page for Telegraph Key Collectors and Historians
http://www.metronet.com/~nmcewen/tel_off.html

2074. Re: FS: Hammarlund Super Pro parts & radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <37378B53.74A74F8E@earthlink.net>
Source record: 84704

Hi John I have 2 super pros that I am currently restoring I don't know what I need at this point how much for all of it if for sale at all Thanks Matt Parkinson KE6UOS

"John Goller, K9UWA" wrote:

> I have a very rusty....junker.....hammarlund super pro...
> Anyone need IF cans Dials seem to move and work...coils switches
> etc....any parts you need for one of these??...
> E-Mail your needs.
> John K9UWA

2075. fs: 28VDC/50 Amp P/S and Mon Scope Modules

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: Bob Miller <bmiller@calweb.com>
Message-ID: <373797A0.1E7BBDB7@calweb.com>
Source record: 84705
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: Military PP4763A/GRC power supply. 28VDC at 50 Amps continuous load. 115 and 220 VAC primary, metered for DC volts and DC amps. Part of GRC-142 Ratt Vans (GRC-106A) radio. Will handle most military loads be they dynamotor or whatever. Like new condition with full set of schematics. Weighs about 145 lbs versapacked ups. I will split both ups ground fee and versapack fee conus (versapack and box about 20 dollars). $175 and shipping as noted from 95827.
tnx for the read
Bob Miller, KE6F

For Sale: 2 inch scope modules from GRC-142 Ratt Van TTY demods. Like new condition. Has built in HVPS, and identical audio bandwidth vertical and horizontal amps. Mu Metal shield and cast aluminum housing on unit. Connections via standard DB-9 connector. runs on nominal 20-22 vdc at a couple hundred ma. With complete set of prints and hookup data. Great tty monitor scope or a modulation monitor scope with some work on the unit's vertical amp section. Also has signal operated beam squelch to keep from burning CRT 2BP1. Like new from depot overhaul.

$75 post paid conus

tnx again for the read
Bob, KE6f

2076. FS:.Dentron MLA 2500\3CX800 ...FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <373799FB.1C3F7F33@iglobal.net>
Source record: 84706
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Little hot dog here!!! Nicely converted to 3CX800 full 1250 output , ducted fan with remote fan for noise reduction ...clean and just a rock solid perfomer..especially for the size...Anyone can work on it to, not to worry....all documentation...$800 and quite a buy at that!!! Thanks Murray Murray's Radio Ranch: Buy Sell Trade Swap Amateur Radio (Ham Radio) Equipment

2077. WTB YJ-3395C filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7h888i$fq0$1@ostrich.cybercomm.net>
Source record: 84707
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Anyone out there got one of these kicking around.
I accidently bought a YG-3395C, and I don't think it
can be substituted. OOPS!
TNX....Dave

2078. FS: TUBES 8068 GE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-10 00:00:00 UTC
From: gataibo@webtv.net
Message-ID: <24938-3737BDFF-80@newsd-123.bryant.webtv.net>
Source record: 84708

8068 GE NIB $25 each 6pcs

8068 Good Used $15 each 3pcs

Include $4 shipping with order.
E-mail or call (323)851-8844

2079. WTB Collins Cabinet for 51S1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <373872F6.1882@swbell.net>
Source record: 84589

I recently purchased a rack-mount 51S1. I need a S-line cabinet that will fit it. It doesn't have to come with a trim-ring. Please advise type, condition, original or repaint, and asking price, by e-mail.

Thanks for the read!

Dan
W5VJ
Tulsa

2080. Re: FS: Boom mic headphones

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37386e2a.943885@news.earthlink.net>
Source record: 84590
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Headphones with boom microphone. Jensen Model JMP-41
Headset Response is 20 Hz - 20 kHz
6' Cord with mini stereo plug.
Microphone is Low-Z Condenser type with 2.2 k-ohm impedance.
Response 30 Hz - 16 kHz

Durable and comfortable design with padded ear-pieces, ideal for
communications applications.

Brand new in box. White color.
Great for mobile HF or VHF operating. Think SAFETY!
Also great for extended rag-chews, contesting etc.
No PTT, but has standard connectors - 1/8" mini-style.
Will also work well with computers. Normally $29.95
New in box $20.00 plus shipping

2081. FS Heathkit tube Xmtr,rcvr pair

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: cosmotronics@my-dejanews.com
Message-ID: <7ha0fd$gh8$1@nnrp1.deja.com>
Source record: 84591

FOR SALE

Heathkit SB-300 and SB-400 pair- Receiver and Transmitter
excellent original condition, worked well, stored for a
number of years. Sold as is due to age. Sold together only.
$200 for both plus shipping and insurance.

Please email direct for info thanks RHAnderson

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2082. R 1051 lamps FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7h9sr5$4r$1@alexander.INS.CWRU.Edu>
Source record: 84592

I have 10 packs of the type 387 28v 40ma lamps for the R1051, they are NOS.
$25 postpaid. 73 George

2083. HELP!!! Police Motorcycle Radio Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Mark Masa <mark@kelltech.com>
Message-ID: <3738A089.CE73B358@kelltech.com>
Source record: 84593

I'm restoring a 1952 Harley Davidson police motorcycle and the only thing that I'm missing is the radio setup. I am interested in ANY pre 1970 police motorcycle radio since I can use it as trading material with the few other people in the country who are into this sort of thing. Specifically, I think what is correct for my bike is a Motorola FM TRU41. It is two boxes about 18" long x 10" wide x 10" high. (these dimensions are approximate) The receiver was in one box and the transmitter was in the other. The power supply was in one of the boxes also, but I'm not sure which one. There are interconnecting cables between the two boxes as well as a cable that went up to the control head mounted on the handlebars. The mic came from one of the boxes and was mounted on the tank. It is a tube radio. This is the one I need for my bike but am interested in ANY ANY ANY ANY pre 1970 motorcycle radio, especially if it has tubes. I hope somebody can help me.
Regards
Mark

2084. Re: Cost/source of D-104 crystal cartidges?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990511165726.03404.00000376@ng-ci1.aol.com>
Source record: 84594

Suggest you contact the manufacturer, the Astatic Corp., Conneaut, Ohio. They still manufacture the D-104, as well as supply parts and repair them.

W3DF

2085. Boatanchors at Dayton: Spaces 2009/2010

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <I%0_2.642$LY5.13396@news.cwix.com>
Source record: 84595

I'm bringing the following boatanchors to Dayton, spaces 2009 and 2010. All of these rigs are in outstanding condition physically and electrically, and priced accordingly.

Hallicrafters R-649/UR (general coverage Coast Guard receiver - ever see one??)
2 Hallicrafters SX-32s (similar to SX-28)
National RCK (like NC-100), re-capped
National HRO-50C (rack, coil cabinet, and speaker, very rare and beautiful)
National HRO DC power supply (brand new, still has some paper wrap)
Collins crystal pack
Collins PM-2
Collins 12VDC supply for KWM-2
Technical Materiel Co. GPR-90XP (GPR-90 with 10 fixed xtal controlled channels)
Drake T-4X (no ps)
Drake TR-7 (gen coverage xmit, CW filter, still has Drake tag attached, no PS)
2 Trans-World TW-100 2-30 MHz synthesized HF transceivers (1 w/AC supply built-in)

Also a ton of miscellaneous parts, National coils and coil forms, vacuum variables, tubes (7094, 4-400, 813, etc) and much more! See you there...

2086. Ebay- ERIE DoorKnob Caps 500mfd@30kv Dutch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511174407.15827.00000851@ng-fv1.aol.com>
Source record: 84596

Hi Guys;
Theres another three pairs of these ERIE "doorKnob" Caps, rated 500mfd @ 30 KV.
Only at $10 a pair and Closes tonight.
Such a STEAL, you know it. Easily worth $30 a pair..!
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100038319

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

2087. Ebay- Ameco PT Pre-Amp 1.8 to 54 Mhz For XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511175650.15827.00000861@ng-fv1.aol.com>
Source record: 84597

Hi Guys;
This was the Ameco PT model for use with Transceivers or just receivers.
You gotta check it out, only 2 days left and at only $12, And they say
everything goes for a GA-Zillion bucks on Ebay.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=100898198

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

2088. WTB Drake TX4C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7hag2m$4ld@world1.bellatlantic.net>
Source record: 84598

WTB Drake TX4C
Please only VG/Excellent working condition.

Jeff Kelly
jkelly@bellatlantic.net

2089. Collins 312B5 Trade

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: "Jeffrey J. May" <jeffreymay@worldnet.att.net>
Message-ID: <7hag80pdo1@bgtnsc01.worldnet.att.net>
Source record: 84599

Trade my excellent WE 312B5 plus cash for your excellent Re 312B5...Jeff
W0XV

2090. Re: FS:COLLINS, ALPHA ect.@DAYTON

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: CM <cm@viscomnet.com>
Message-ID: <3738DBD4.22F6A02F@viscomnet.com>
Source record: 84600
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Hello Randy

Can you tell me how much you looking each equipment..

Im interest for KWM2A and the 312B5 and the 516F2...

You considered trade !

73 Carlos N2EFN

"Randy B." wrote:

> Spaces #1714 & #1715 @ Dayton
>
> 1. Collins KWM-2A (RE)
> 2. Collins 312B-5 (RE)
> 3. Collins S-Line 32S-3/75S-3C/516F-2 (RE)
> 4. Collins 312B-4 (RE)
> 5. Collins misc. Stuff.......
> 6. ETO Alpha 77Sx
>
> Stop by & visit I'll have all kinds of goodie
> 73's Randy KB8III

2091. Re: Boatanchors at Dayton: Spaces 2009/2010

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3738DEB2.84E91CFA@earthlink.net>
Source record: 84601

RE how much for these Ideims the national rack like the 100 and the Hro 50 rack maybe I can get a friend to get it for me his mname is Wayne Springs he is well known. Matt Parkinson KE6UOS I would like to have it shipped .

wb0poz wrote:

> I'm bringing the following boatanchors to Dayton, spaces 2009 and 2010. All
> of these rigs are in outstanding condition physically and electrically, and
> priced accordingly.
>
> Hallicrafters R-649/UR (general coverage Coast Guard receiver - ever see
> one??)
> 2 Hallicrafters SX-32s (similar to SX-28)
> National RCK (like NC-100), re-capped
> National HRO-50C (rack, coil cabinet, and speaker, very rare and beautiful)
> National HRO DC power supply (brand new, still has some paper wrap)
> Collins crystal pack
> Collins PM-2
> Collins 12VDC supply for KWM-2
> Technical Materiel Co. GPR-90XP (GPR-90 with 10 fixed xtal controlled
> channels)
> Drake T-4X (no ps)
> Drake TR-7 (gen coverage xmit, CW filter, still has Drake tag attached, no
> PS)
> 2 Trans-World TW-100 2-30 MHz synthesized HF transceivers (1 w/AC supply
> built-in)
>
> Also a ton of miscellaneous parts, National coils and coil forms, vacuum
> variables, tubes (7094, 4-400, 813, etc) and much more! See you there...

2092. Re: Military Telegraph Keyer TG-34A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Chris McMullan <chrismcm@geocities.com>
Message-ID: <3738e27a@nemo.idirect.com>
Source record: 84602
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

I may be interested in it. Is there a way I could produce my own tape to run in it, and record on? If so, it might be either a useful addition to my shack, or a nice showpiece in between my fire bottle transceivers from 1923 - 1972.

VA3CMJ Chris McMullan 73

chrismcm@geocities.com

http://www.geocities.com/SiliconValley/Circuit/8199

2093. Re: FS :Europe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3738E0D4.41F7C1A0@earthlink.net>
Source record: 84603

how much for the 51J4 radio
Matt Parkinson How much for shipping from there to here?????

Ragnar Otterstad wrote:

> Collins 51J4 with 3 mechanical filters. desk cabinet. Nice and working.
>
> Nazi Germany army RX : Torn Eb
>
> _ " _ portable tx/rx : Feld.Fu.c
>
> OZ8RO in Copenhagen

2094. Re: HELP: TS520 INTERNAL Digital display

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Fred Ruckser <nospam@somewhere.com>
Message-ID: <7h7pcg$77l$1@mail.pl.unisys.com>
Source record: 84709

Paul the TS-520 did have an option to add an external digital display,
however the TS-520 D had an inbuilt digital display. So it looks like you
have a TS-520 D.
I have the TS-520 manual but not the TS-520 D.

73, Fred wb6iiq

Paul A. Elliott wrote in message ...
>I recently bought a TS-520 that has an internal digital display !!
>
>I need a circuit diagram for the display board's.
>
>(I know they didn't make such a critter) however this one has the display
>and the Henry Radio receipt that was in the manual and is dated 12/11/75
>says (1) Kenwood TS520 DIGITAL. the receipt also says in the margin, Note:
>customer to return radio for modification after Jan 1, 1976 so I am
assuming
>that Henry Radio provided this mod.
>
>The additional circuit board's are definitely not home grown.
>
>I have also emailed Henry Radio but after almost 25 years I figure most of
>the Henry employees would be gone and it is more likely that there is a ham
>out there that has info on this mod. Covering all the bases!
>
>The radio works fine but the display which has (4) led's is on but does not
>change reading while tuning.
>
>Any information would be appreciated.
>Thanks
>
>Paul N7IJB n7ijb@gte.net
>
>
>
>
>

2095. Nameplates, Collins 51J3/J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <37374045.5248@iamerica.net>
Source record: 84710

I have for sale reproduction commercial nameplates for the 51J-3 and 51J-4. These are reproduced with the permission of the Rockwell patents and trademarks office in Cedar Rapids. They are made of etched aluminum with rig type and serial numbers stamped. Serial numbers start at 12000 to avoid duplication with originals.

These are $12 shipped with screws, two for $20. Add postage for outside of the US.

Also have R-390A generic plates FS, $9 shipped with screws.

73 Tom N5OFF

TF Marcotte
242 Chestnut Oak
Mandeville, LA 70448

2096. Re: rip off

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: wwheco1@aol.com
Message-ID: <19990510223945.14000.00000360@ng-cf1.aol.com>
Source record: 84711

kevin-0@webtv.net (kevin smith) wrote:

>ripoff; john thurman
>3346 stauss ave
>oroville,calif 95966----------this likes to make deals and not send them
>out. so beware!

Hey! Yer shift key is broken!

--Bill

--
Bill Wilkinson
email: wxwilki@aol.com
Heathkit Page: http://members.aol.com/wwheco1/index.htm

2097. Need 160 xtal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: cnord@snet.net
Message-ID: <37361ee7.88240656@news.snet.net>
Source record: 84712

Looked at Hosstraders to no avail. I would like one or two 160 meter
xtals.
Freq. not important, but if I had a choice it would be 1.890 +/- or
1.945.
However I will accept any freq. as I just want to use it for testing
different xmtrs.
Carl Nord

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

2098. WTB: Schematic for Knight T-150

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: THOMAS PLICHTA <tomplichta@home.com>
Message-ID: <3737A611.65406D5B@home.com>
Source record: 84713

Need schematic/manual for Knight T-150

TNX de K9OHI

2099. WTD;MFJ-900 TUNER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3737A536.930@sympatico.ca>
Source record: 84714

Wanted MFJ-900tuner in good shape it is a T network.
73
VE2AMK

2100. Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: w9gyc@my-dejanews.com
Message-ID: <7h8c9a$8mm$1@nnrp1.deja.com>
Source record: 84715

Looking for hotel room for next Thursday and Friday
Contact me at w9gycAyahoo.com Thank mike

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2101. HW101 Final Question..Which ones?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990511001344.05016.00001940@ng-fa1.aol.com>
Source record: 84716

Hello. Which Final does the HW101 take? The manual says 6146...Been told use 6146A's. Which is recommended? Thanks for your help.
WM5M
David

2102. Another HW101 question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990511002317.06478.00000419@ng-fa1.aol.com>
Source record: 84717

Hello again. Heres the story..I obtained this radio after the finals were fried by the key being accidentally shorted and left. I have repaired the resistor damage. The reciever works fine on all bands except 10 mtrs..28-28.5 range. Can not adjust the het osc coil to get it going, BUT when I hook a freq counter up to the crystal the circuit starts to osc correctly and can be aligned. When the counter is removed, dead again. Is this a faulty half active crystal?
Next problem..Installed new finals..6146A's. Can not adjust idling current...sits about 300ma...bias pot no effect {this pot is good}. 6146A's correct tube? Not sure about the difference between 6146 and the A's. Help!
Thanks.
WM5M
David

2103. Re: Need 160 xtal

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9905110141170.27426-100000@Ocean.CAM.ORG>
Source record: 84718

One idea might be to use an 80meter crystal. Build an external oscillator and divide by 2 stage, and feed it into the crystal socket. The crystal oscillator in the rig may need a bit of reworking, depending on it's circuitry, in the same way it would be needed if it was being fed from a VFO.

Of course, if you start adding an external circuit, it might be worth going to a VFO. Building a VFO for 1.8MHz would be easier than a higher frequency oscillator. Or you could take an existing 80meter VFO and add a divide by 2 circuit as with the crystal oscillator.

Another scheme you'd see from time to time years ago was a "passive vfo". This was an LC circuit that would plug into the crystal socket of an existing rig. It's the same thing as a VFO, except the tuned circuit is external to the rig.

Michael VE2BVW

On Tue, 11 May 1999 cnord@snet.net wrote:

> Looked at Hosstraders to no avail. I would like one or two 160 meter
> xtals.
> Freq. not important, but if I had a choice it would be 1.890 +/- or
> 1.945.
> However I will accept any freq. as I just want to use it for testing
> different xmtrs.
> Carl Nord
>
>
> Carl Nord
> WA1KPD
> http://pages.cthome.net/nord/wa1kpd.html
>
>

2104. RCA info please.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Glen Ross <ross@zetnet.co.uk>
Message-ID: <19990511084552802 94@zetnet.co.uk>
Source record: 84719

Can anyone out there give me any information on an RCA AR-80 Rx??

I know the 77 and 88 stuff but the 80 I have never come across before.

Solidly built bit of gear with Tuning dial and band-spread dial
similar to the BC342 348 series. It also sports external dial
lights in the same way as the 348.

Glen G8MWR

2105. GPR-90RX (R-840/URR)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <009001be9b9a$9034c980$23d0c6c2@ToreSandstrm>
Source record: 84720
Body handling: HTML body converted to readable text

```
This is a multi-part message in MIME format.

------=_NextPart_000_008D_01BE9BAB.530E1FA0

charset="iso-8859-1"

Hello all!
Ther is a GPR-90RX for sale here in Sweden. It is missing the switches =
and holders for the ten crysals at the top front. Someone having those =
as spareparts in the boxes? What is the value and performance of that =
receiver. It looks like the Hammarlund SP600 radios!
Regards
Tore Sandstrom SM7CBS

------=_NextPart_000_008D_01BE9BAB.530E1FA0

charset="iso-8859-1"

Hello all!

Ther is a GPR-90RX for sale here in =
Sweden. It is=20
missing the switches and holders for the ten crysals at the top =
front.=20
Someone having those as spareparts in the boxes? What is the value and=20
performance of that receiver. It looks like the Hammarlund SP600=20
radios!

Regards

Tore Sandstrom SM7CBS

------=_NextPart_000_008D_01BE9BAB.530E1FA0--
```

2106. Re: Another HW101 question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <37382EA1.7335@nbnet.nb.ca>
Source record: 84721

Howdy Dave.....I've never had a HW101 but have worked quite a bit on the SB400 TX and my own SB101 XCVR.....wonder if you were able to actually adjust the slugs ok on 28 - 28.5 ....Over the years I've found a pile of stuck slugs in these rigs...broken....unravelled coils due to stuck slugs etc.....just wondering. Where are you hooking up your counter...I'll see if it corresponds to my SB101 here. 6146, A, B, W will all work just fine. 300mA "idling" current might still be the original problem....check your grid bias voltage to see that its not positive and that its not positive with respect to cathode at idle. Confirm screen and plate while your at it. (Assume you have a manual?) When I have a screen or grid voltage or a cathode circuit problem I often pull the finals and check like that (of course do some dynamic checks with them in at first). Sounds like either, the finals are actually being turned on heavily OR that there's a short/partial in the B+ somewhere. See what's hot and what's not.....check voltage DROP across any resistors that are hot and calc the current....check the circuit to see what is expected and you'll find your answer. Just a note also re pulling the tubes....if you lose your 300mA idling current at this point you'll know it was because the tubes were indeed conducting heavily.

73 - Keep on Tinkering.....THAT......is REAL HAM RADIO

Gord - VE1AJF

2107. Re: Another HW101 question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: f10plt@aol.com
Message-ID: <19990511065514.12935.00000474@ng-fe1.aol.com>
Source record: 84722

Check for a cold solder joint around the crystal. Also if you can't get any
Bias on the finals the tubes most likely are bad. Larry WA2PZI

2108. Re: 6336B tube question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Steve Robertson <robertsons@zzzsaic.com>
Message-ID: <37382004.2A060260@zzzsaic.com>
Source record: 84723

I don't know what they were originally used for (power supply regulator pass tubes maybe?), but they are used today by audio enthusiests, most often for OTL (output transformerless) hi-fi power tubes. Try posting to rec.audio.tubes if you want more info or to find someone to buy them.

73 de Steve, KE4OH

Allen Cutts wrote:

> Folks,
>
> I just received a half dozen 6336B tubes in a batch of tubes that I got today.
> Does anyone have any idea as to what they are used for or what they go in?
>
> thanks in advance,
>
> Allen Cutts
> N4OZI
> --
> ~~~~~~
> Allen Cutts - cacutts@mindspring.com
> Email address needs to be changed when replying, I've had
> enough Spam to last me awhile, thank you.
> Home page: http://www.mindspring.com/~cacutts/radio/radio.html
> ~~~~~~

2109. FS :Europe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Ragnar Otterstad <danmec@inet.uni2.dk>
Message-ID: <373832d9.0@news.euroconnect.dk>
Source record: 84724

Collins 51J4 with 3 mechanical filters. desk cabinet. Nice and working.

Nazi Germany army RX : Torn Eb

_ " _ portable tx/rx : Feld.Fu.c

OZ8RO in Copenhagen

2110. Re: GPR-90RX (R-840/URR)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: wjoew@aol.com
Message-ID: <19990511094052.25380.00000982@ng-ch1.aol.com>
Source record: 84725

The GPR-90 is a very good radio. I have one and also have the SP-600. I would say they are similar in performance. The audio is better on the SP-600 but the GPR-90 is a very good radio. It is one of my favorites for SW broadcast listening.

Joe
W5WBR

2111. FS: Sams Photofact CB Radio Series

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: egriffin@ctc.net
Message-ID: <37453473.10119592@news.infoave.net>
Source record: 84726

FS: Sams Photofact CB Radio Series
I have volumes 6 through 28 . I will sell all for $15 plus shipping
or will deliver to Dayton if you let me know you wnat them today
(Tuesday). Otherwise, shipping will cost book rate.

KMA Antennas will be at spaces 2828 -2831 with our new model 6 meter
antennas. See our web site for specs and pictures.

73
Ed
KMA Antennas
VHF - UHF - HF log periodics & yagis
http://www.qsl.net/w4kma

Dayton fleamarket spaces
2828 - 2831

2112. FS: Sams Photofact Auto Radio Series

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: egriffin@ctc.net
Message-ID: <374934ea.10239537@news.infoave.net>
Source record: 84727

FS: Sams Photofact Auto Radio Series
I have volumes 19 through 139 ..... (with the exception of 42, 56, 69, 129) I will sell all for $60 plus shipping or will deliver to Dayton if you let me know you wnat them today (Tuesday). Otherwise, shipping will cost book rate.

KMA Antennas will be at spaces 2828 -2831 with our new model 6 meter antennas. See our web site for specs and pictures.

73
Ed
KMA Antennas
VHF - UHF - HF log periodics & yagis
http://www.qsl.net/w4kma

Dayton fleamarket spaces
2828 - 2831

2113. Hammarlund HQ-110 Mods

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Bruce E Stock <stockb@accessone.com>
Message-ID: <37384B0F.3F3E@accessone.com>
Source record: 84728

I have put up a web page concerning some modifications I've made to improve the performance of my Hammarlund HQ-110 receiver.

If you have an HQ-110 that is gathering dust, take a look and see if this doesn't perk up your interest:

http://www.accessone.com/~stockb/radios/HQ110/hammarlu.htm

73, Bruce AB7YD

2114. Want: R390A Meters... Can pick up at Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990511112806.22402.00001731@ng-fu1.aol.com>
Source record: 84729

I am in need of the 2 meters for the R390A receiver. I can pick them up at Dayton or arrange for shipping.

2115. Tubes at the auction including 6550A's UNRESERVED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Buckaroo <buckaroo@freenet.edmonton.ab.ca>
Message-ID: <37385B58.85F27332@freenet.edmonton.ab.ca>
Source record: 84730
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.amateur.boatanchors,rec.amateur.homebrew,alt.ham-radio.marketplace,rec.radio.amateur.equipment,rec.audio.tubes

All tubes are unreserved and auctions end May 23rd

4 NOS GE 6550A power tubes
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102135486

5 NOS GE 6Z7G Twin Power triodes- high mu,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102133728

5 NOS Philips 0A4G Gas triodes,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102129278

5 NOS RCA 5963 Twin Triode high mu,
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102132018

2116. WTD: Manual for Raytheon Maritime D/F receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: lreynolds@cyberportal.net
Message-ID: <MPG.11a21d811003329598968a@news.giganews.com>
Source record: 84731

Hi all.

As a prophylactic measure* at the hamfest this past weekend, I purchased a Raytheon maritime D/F receiver. There seem to be a lot of the around.

(* - buying it kept me from bringing home an R390 or something....)

The beastie is dark green, has glowing thingies inside, has a slide rule type dial, tunes 200kHz to 3.2 MHz, does am/cw and has a calibrated (compass type) rotatable ferrite rod antenna on top. It's quite compact at about 10"w x 7"h x 7"d or so with a carrying handle on one end, internal speaker in the other.

It's in excellent cosmetic and mechanical condition but the state of the caps obviously leaves something to be desired (hum, etc.)

Would anyone happen to be able to guess what model this is and possibly have a manual and/or schematic I could purchase? It'd be kind of nice to fix it up and have something warm for kitty to lean against in the shack......

Thanks in advance,

Lee

2117. Re: WTB johnson ranger 1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <23463-373853E0-29@newsd-233.iap.bryant.webtv.net>
Source record: 84732

You can down load manuals from
ftb;//bama.sbc.edu/boatanchor/downloads

2118. Re: Need Hammarlund HQ-180 Parts/Information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7h9lb4$hu23@eccws1.dearborn.ford.com>
Source record: 84733

In article <7h1iiuheb1@nnrp1.deja.com>, ed_engelken@my-dejanews.com says...

>If the capacitor covers were sprayed with silver paint, they would have
>seriously detuned the receiver and that's probably why they were discarded by
>the original owner. Those original plastic covers were quite lossy even
>without paint. Hammarlund quit using them on the later HQ-180A models. Your
>receiver will actually work better without them. An interesting test for any
>HQ-180 owner is to tune in WWV at 15 MHz with the tuning capacitor covers on,
>and then remove the covers. Now retune to find WWV again. Amazing how far
>it moved!

I think I'll try this out -- thanks for bringing this interesting point
up. I figured that the covers weren't really doing anyone any harm by
being there, and have just left them in place all these years... :^)

I must have been one of the fortunate ones, though. Mine is darn near
mint and doesn't have a speck of corrosion on it anywhere (wish that I
could say the same for my HRO-50!). Would this be a consequence of
living close to either of the coasts -- does the proximity of salt water
have an aggravating effect here...?

C.K.

2119. Re: CW Keys

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: olympus@SPAMLESSjimdee.prestel.co.uk
Message-ID: <37371c2c.3863671@news.prestel.co.uk>
Source record: 84734
Cross-posted to: uk.radio.amateur,rec.radio.amateur.boatanchors

On Sun, 9 May 1999 20:57:56 +0100, "Ron Hague" <ronald.hague@diamond.co.uk>
wrote:

>Hi Robin
>
>I have an old RAF key with a looks like ebony base and a bakelite lid. Its
>about 10 iuncehs long 5 inches wide and about 4 inches high. The key
>itself looks brass and appears to be very little used.

Type D.

>I'm told by fellow members of the gqrp club that its worth about £100 if i
>sell it and its unusual because the bakelite case is in very good condition.

Didn't know it was worth that much...I gave one away in
February...! :(

--
- 73 de Jim, g(m)4rga | Hier stehe ich. Ich kann nicht
olympus%jimdee.prestel.co.uk | anders. Gott helfe mir.
dynastic%cwcom.net | Amen.
marula%zdnetmail.com |
nordland%lineone.net | - Martin Luther. 1483-1546.
g4rga@gb7tjf.#45.gbr.eu |
Pgp key: pgpkeys.mit.edu:11371

2120. J-38 CW key FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <eDZZ2.95$nZ4.4236@monger.newsread.com>
Source record: 84735

I found a J-38 CW key hiding in a corner. Looks like it has been
hiding for a while, and could stand some cleaning up, brass polishing,
etc. Includes the shorting bar.

$ 20 plus shipping from Florida

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@fdt.net
Voice Phone (352) 732-8400

2121. McElroy Bug FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Ken Simpson <W8EK@usa.net>
Message-ID: <kLZZ2.97$nZ4.4307@monger.newsread.com>
Source record: 84736

The same spot that produced the J-38 key also produced
a McElroy bug. It could stand some polishing, and the finger pieces
are not in good shape. It could really look nice, with a bit chrome
polishing on the tear drop shaped base.

$ 75 plus shipping from Florida.

Thanks.

73,

Ken, W8EK

Ken Simpson
E-Mail to W8EK@fdt.net
http://www.gnv.fdt.net/~kenmar
Voice Phone (352) 732-8400

2122. WIRELESS SET 22

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: yvan thomas <sde@skynet.be>
Message-ID: <7h9qg6gpa1@news0.skynet.be>
Source record: 84737

I am desperately seeking a wireless set nbr 22. Who can help me?
73's.

2123. Re: WTB YJ-3395C filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-11 00:00:00 UTC
From: Mike Souhrada <wb9iog@revealed.net>
Message-ID: <3738645D.7D1E@revealed.net>
Source record: 84738
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

WB2TBB wrote:
>
> Anyone out there got one of these kicking around.
> I accidently bought a YG-3395C, and I don't think it
> can be substituted. OOPS!
> TNX....Dave
Dave
What's the YJ fit? Never heard of it. If you still have the YG do
you want to dispose of it?
Should fit the TS520 series.
Mike

2124. EBAY- APACHE TX-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <926554879.119.46@news.remarQ.com>
Source record: 84539

E BAY #101228549 CHECK IT OUT

2125. E-BAY HOMEBREW AMP 10--80 METERS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <926554948.644.41@news.remarQ.com>
Source record: 84540

E BAY #101741100 CHECK IT OUT.

2126. KNIGHT R-100A RECEIVER ON E BAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <926555048.562.70@news.remarQ.com>
Source record: 84541

ITEM #102588875 CHECK IT OUT.

2127. BENDIX TRANSMITTER 6 METER? ON EBAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <926555129.955.42@news.remarQ.com>
Source record: 84542

E BAY #102600297 CHECK IT OUT.

2128. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <373A2607.F6F9A10@erols.com>
Source record: 84543
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or Antique Electronics Supply). You should replace the electrolytics, too! AR has some of the can types, but they're quite expensive. One can always wire in the new smaller electrolytics under the chassis and leave the can in place as a static display. Trimmers, etc? Leave 'em alone unless you can confirm they're genuinely bad!

emanuele_girlando@my-dejanews.com wrote:

> I have just started a restoration project for an Hallicrafters SX-28
> 1941 version (no 'A', no 'MIL').
> I am about to recap it almost interely. Questions:
>
> wich "modern" capacitors have to be used to replace old tubulars? I am
> now able to find vertical mount caps a mere speck and with the same
> electrical charateristics.... Is it ok to use them?
> what about mica caps? What about trimmers caps? And what about
> electrolytics (again, I can get same charateristics on very very small
> caps..)
>
> Thank you very much
>
> ciao
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2129. FS: Heathkit Rare GRS-65A Handi Talkie

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: jgrow <jgrow@dsuper.net>
Message-ID: <01be9cdf$004ae160$18aa8bcf@default>
Source record: 84544

hello to all,
I have a good conditon, single channel, 11 m 2 watt Heathkit handi talkie for sale. This is so rare, Chuck Penson does not even have it in his book. Non Smoker, in working condition, no manual. $ 65.00 each plus $ 5.00 shipping. Thanks, John

2130. FS: Trio VFO old tube model

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: jgrow <jgrow@dsuper.net>
Message-ID: <01be9cdf$7f4019e0$18aa8bcf@default>
Source record: 84545

As above, complete, no scratches, dents, or marks, covers from 3.5 to 30 Mhz continuous. This is the matching VFO for the 9r Trio receiver and transmitter series. No manual. Blusish grey crinkle finsh. Good condition. Its available for $ 50.00 plus $ 5.00 shipping CONUS. John

2131. FS: Shure Mic Model 51S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: jgrow <jgrow@dsuper.net>
Message-ID: <01be9cdf$bcd57b60$18aa8bcf@default>
Source record: 84546

Shure model 51S mic, no stand, 3 pin female connector. Working, nice condition. $ 40.00 plus $ 5.00 shipping CONUS.

2132. WANTED MFJ-1278 software

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: mrfixit@oncon.com
Message-ID: <Pwr_2.5507$me.2305938@WReNphoon4>
Source record: 84547

I am searing for software so I can use this mfj-1278. I got it from an
estate sale, no manuals, software
or power cube. Anyone with software or anything else, any help would be
appriciated. TNX 73 JP

-**** Posted from RemarQ, http://www.remarq.com/?a ****-
Search and Read Usenet Discussions in your Browser - FREE -

2133. Military Radios for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: tvcomlguy@aol.com
Message-ID: <19990511200427.10232.00001775@ng-cn1.aol.com>
Source record: 84604

Military Radios

COMMAND SETS

3-4 mc Command Transmitter, unmodified.
Front plastic on inductance window melted $
55.00

3-6 mc BC 454 Receiver
50.00

Receiver Dynomotors
15.00

Parting out command set transmittersï¿½tell me what you need!!

MT-7/ARR-2 Command set single receiver rack with shock
mount and connectorsï¿½EXCELLENT condition 60.00

FT-234-A Single transmitter rack with shock mount and
connectorsï¿½..like new
60.00

3 receiver command set rack missing back cover and
internal wiring
20.00

Type E-16 rack
20.00

Type E-13B rack with shock mount
30.00

BC 442-A tuning unit
35.00

Original tuning knobs for receivers
10.00 ea.

OTHER MILITARY

BC 348 Receivers ï¿½."as is"
50.00/ea.

BC 611 "Basket case" disassembled, case has been stripped 100.00

BC 1206-CN Setchell Carlson Beacon Receiver 20.00

AN/USM-3A Test Set, missing tube manual and hand tools 100.00

Page Two

RT-30 Receiver with AM65/GRC amplifier 75.00

Technical Material FFR Receiver with 2-4mc drawer 75.00

CV-278/GR Frequency Shift Converter 50.00

Cover for GRC109 Receiver or Transmitter
10.00

ID-292A/PRC-6 Channel Alignment Indicator,
new in box with manual
30.00

****Shipping costs are additional****

Ron,
TVComlGuy@aol.com

2134. WTD: Autek QF-1A Documentation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: allied@cts.com
Message-ID: <3738ce1d.25887015@news3.cts.com>
Source record: 84605

I'm looking for documentation for an Autek QF-1A Audio Filter. I'd be more than happy to reimburse you for the cost of the copy, shipping charges and I'd be pleased to throw in some extra for your time and trouble.

Thanks & 73s,

Doug - WB6AJX

2135. Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990511.195756.-160445.3.NFMK@juno.com>
Source record: 84606

Wanted: Collins AM transmitter. Would like to find something
covering 160 (KWS-1 or commercial). Will consider any condition
unit and can travel within traveling distance of Gulf Coast Area.
Examples of possible rigs are the 32V3, KWS-1, KW-1, or any
of the 1950 - 1970 era military surplus transmitters (preference
given to gray Navy models).

Also looking for AN/FRT-5.

Thanks in advance for any information,

Doug

2136. Ebay bid

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <3738D70A.559951E5@bellsouth.net>
Source record: 84607

Woody - Go for it! Nice looking set. If you get it, I have a SAMS on it and you would be welcomed to it. I bet the circuit is close to the S-40/B and 77 given the look of it. Also have some of the tubes. Good luck and I'll be watching

Bruce

2137. Microphone bases needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990511.214157.-160445.12.NFMK@juno.com>
Source record: 84608

```
Wanted: Microphone base for the EV-664. Have Heath
gear to trade. 73, Doug
```

2138. Ebay- HeathKit SB-610 Monitor Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511225044.10234.00002062@ng-cn1.aol.com>
Source record: 84609

Hi Guys;
Heres a nice condition scope on Ebay w/picture, at only $30.99 so far.
Heres the URL>> for interested parties only.
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102218584
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2139. Ebay- Mint Kenwood VFO-820 in box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511225448.10234.00002065@ng-cn1.aol.com>
Source record: 84610

Hi Guys;
Any one interested in an almost mint Kenwood VFO-820?
Here the URL w/Pic>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102209663
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

2140. Ebay- Rare SONORA "Coronet" CATALIN AM radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511230346.10234.00002069@ng-cn1.aol.com>
Source record: 84611

Hi Guys;
re:SONORA "Coronet" Catalin AM radio.
All you Catalin AM Table radio collectors should not let this one get away too easy. There are only a few guys bidding and the radio is still at half book value.
Heres the URL, many pictures>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102248776
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2141. Ebay- Johnson Electroniic TR SWITCH, EXC.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990511235739.10234.00002082@ng-cn1.aol.com>
Source record: 84612

Hi Guys;
Need an Almost mint Johnson Viking Electronic TR Antenna Switch for that Early
Set-up??
This one is Collectable Condition with picture es Original Papers.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102197772
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

2142. WTB- S-38C back and bottom

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Jim Campbell <JCampbell@3n.net>
Message-ID: <37390401.AEC24FC1@3n.net>
Source record: 84613

I have a nice looking and working S-38C but someone has taken the back and bottom off and they are now missing. Anyone parting one out or have a junker??

Thanks,
Jim,
K4YM

2143. WTB- S-38C back and bottom

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Jim Campbell <JCampbell@3n.net>
Message-ID: <37390433.B1943B34@3n.net>
Source record: 84614

I have a nice looking and working S-38C but someone has taken the back and bottom off and they are now missing. Anyone parting one out or have a junker??

Thanks,
Jim,
K4YM

2144. WTB**6386 Tubes**

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: moonshot22@aol.com
Message-ID: <19990512013255.22410.00002043@ng-fu1.aol.com>
Source record: 84615

looking for new old stock 6386 tubes. email me with quantity and price.
thanks----Ron

2145. WTB**6072 Tubes**********

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: moonshot22@aol.com
Message-ID: <19990512013350.22410.00002044@ng-fu1.aol.com>
Source record: 84616

want New old stock 6072 tubes. email me with quantity and price thanks---Ron

2146. Re: Another HW101 question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990512071600.07408.00002506@ng-cr1.aol.com>
Source record: 84617

probly when you hook up the leed to the grid or the tie point you are adding cap to the circut you mite see if you can get it to start osc just by adjusting the slug with out the freq counter hooked up do you have a grid dipper that would be handy to have now tube's will draw heavey current with grid drive on them del

2147. Re: Want: R390A Meters... Can pick up at Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <926522210.441.27@news.remarQ.com>
Source record: 84618

I believe I saw them advertised by Surplus Sales of Nebraska. Little costly though, but supposed to be exact replacements..

WB6VSE

2148. FS: BC348S...Can Deliver to Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990512121929.27509.00000955@ng39.aol.com>
Source record: 84619

I have a BC 348S that I could bring to Dayton. Physically it looks excellent...It has been in storage since 1950. Electrically it is an unknown so selling as is.

Will sell for best offer of cash or interesting trade.

2149. Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <3739ABFA.57F522B@eclipse.net>
Source record: 84620

Free ads with photo uploading directly from your hard drive..
The Boatanchor Classifieds-dedicated to vintage radio.
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Thank you.

2150. FS Heathkit tube Ham pair

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: cosmotronics@my-dejanews.com
Message-ID: <7hcdrc$f5g$1@nnrp1.deja.com>
Source record: 84621

Fos Sale:

Heathkit Tube Ham - SB-300 recvr and SB-400 Transmitter
excellent original condition, look
very nice, worked when stored 20
yrs ago, all original tubes incl
plus some spae tubes.
$200 for both plus shipping

Please email olds98@together.net for more info
thanks RHAnderson

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2151. COLLINS 30L-1 WINGED 4-SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990512131330.29004.00002221@ng-fc1.aol.com>
Source record: 84622

HAVE A COLLINS 30L-1 WINGED 4-SALE FRONT PANEL IS EXCELLENT CABINET IS A 8 OUT OF 10 ..WILL SHIP FOR $495.00

2152. Re: Another HW101 question...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990512141405.08550.00000889@ng-cr1.aol.com>
Source record: 84623

with NO grid current on them

2153. Free- Genuine UPI Teletype paper

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: tempo@dimensional.com
Message-ID: <XOj_2.244$i3.171102720@news.frii.net>
Source record: 84624

FLASH!
I've got two cases (twelve rolls per case) of yellow/gray teletype
paper available for the shipping from Denver. Note the stuff is heavy,
about 40# per case. As shipped by UPI to radio stations in the 50s and
60s.
Rolls have been stored indoors and are in excellent condition.
Don't hit "reply" to answer,
Reply to: klerosb <at> frii <dot> com.

NNN
-30-

2154. Re: R 1051 lamps FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: tempo@dimensional.com
Message-ID: <DWj_2.245$i3.188504576@news.frii.net>
Source record: 84625

gcr2@po.CWRU.Edu (George C. Rybicki) wrote:
>I have 10 packs of the type 387 28v 40ma lamps for the R1051, they are NOS.
>$25 postpaid. 73 George

Newark Electronics has packs of Sylvania type 387 lamps available for
$5.83, 24 bulbs per pack. Catalog # 96F6654

2155. WTB/trade: Collins desktop AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7hbd1e$28a$1@news.mr.net>
Source record: 84626

Hi All,

Since acquiring a nice Collins R-388, I've got the bug to find a matching AM transmitter to pair it with. Something along the 32V series should do the trick! Would
even consider including my nice working Johnson Valiant in the deal.

Anybody got something they can live without?

Mike Warren
W5MAZ (in MN)

2156. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990512170024.12337.00000836@ng35.aol.com>
Source record: 84627

Model HE-45B with manual and power cord. $65 plus shipping.

2157. what the SX-28 documentation consists of?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hcvg9$v0h$1@nnrp1.deja.com>
Source record: 84628
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.phono+radio

I have just started a restoration project for an Hallicrafters SX-28
(no 'A', no 'MIL').

I have found on http://bama.sbc.edu/ the following manuals:
"Operating Alignment and servicing instructions for the 1941 super
skyrider model sx-28" under the sx-28 link and "Instruction book for
Model SX-28 super skyrider receiver" under the sx-28mil link.
The question is: is this the only documentation available? Does anybody
know if other manuals exist? And where?

Thank you very much

ciao

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2158. wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hcvog$v6i$1@nnrp1.deja.com>
Source record: 84629
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

I have just started a restoration project for an Hallicrafters SX-28
1941 version (no 'A', no 'MIL').
I am about to recap it almost interely. Questions:

wich "modern" capacitors have to be used to replace old tubulars? I am
now able to find vertical mount caps a mere speck and with the same
electrical charateristics.... Is it ok to use them?
what about mica caps? What about trimmers caps? And what about
electrolytics (again, I can get same charateristics on very very small
caps..)

Thank you very much

ciao

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2159. mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hd079vmk1@nnrp1.deja.com>
Source record: 84630
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I have just started a restoration project for an Hallicrafters SX-28
(no 'A', no 'MIL').

In the bill of material of my SX-28 I have found 6 trimmer caps with
the following description:
"XXXX mmfd.(nominal) variable mica compression" where XXXX is a number.
The alignment procedure clearly states not to adjust them! I have also
found them in the chassis: they look like very robust trimmer caps...
Question:
How can I check those items (2962nF nominal!!!)? What probability I
have got that they are leaky?
What about if somebodyelse has already turned them someway?
What is a cap with +-1nF tollerance useful for in a circuit where ALL
other components are at best +-10% in tollerance?

Thank you very much

ciao

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2160. SX-28 output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hd0dl$vr8$1@nnrp1.deja.com>
Source record: 84631
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I have just started a restoration project for an Hallicrafters SX-28
(no 'A', no 'MIL').

Unfortunately the output transformer is not original. The rig has been
handled by many people and I am trying to get rid of all the mods
introduced...

Any suggestion on how to replace it (other than getting a new one from
the various BA sources)?
Can I find a way to convert the radio to work with an 8 ohms
loudspeaker? (this is in contrast with my objective to restore the
radio as it was,... but no money is left for an original 5000 ohms
speaker :=))

Thank you very much

ciao

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2161. Info Wanted: LRR-6 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7hcta7$7ji@canyon.sr.hp.com>
Source record: 84632

Does anyone have any information on the LRR-6 receiver? This was my first 'inhaler' some 45 years ago. I think it was some sort of shipboard equipment with pushpull-parallel 6L6 output AF stage. All I can remember about it was coverage 0.5-18 MHz (Mc in those days) and was AM/CW.

I recall it was a real gutbuster to move around. I've checked the NJ7P military database with no results.

73 Don K6LTS
donrm@sr.hp.com

2162. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7hd1cn$8fs$1@autumn.news.rcn.net>
Source record: 84633
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

They MAY look like trimmers, but chances are they are fixed-value
mica capacitors, used as padders to compensate low-frequency tracking
ranges for the tuned RF stages in the receiver. Check for leakage using
a good VOM. Chances are they are fine.

Pete

emanuele_girlando@my-dejanews.com wrote in message
<7hd079vmk1@nnrp1.deja.com>...
>I have just started a restoration project for an Hallicrafters SX-28
>(no 'A', no 'MIL').
>
>In the bill of material of my SX-28 I have found 6 trimmer caps with
>the following description:
>"XXXX mmfd.(nominal) variable mica compression" where XXXX is a number.
>The alignment procedure clearly states not to adjust them! I have also
>found them in the chassis: they look like very robust trimmer caps...
>Question:
>How can I check those items (2962nF nominal!!!)? What probability I
>have got that they are leaky?
>What about if somebodyelse has already turned them someway?
>What is a cap with +-1nF tollerance useful for in a circuit where ALL
>other components are at best +-10% in tollerance?
>
>Thank you very much
>
>ciao
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---

2163. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7hd1hv$9fn$1@autumn.news.rcn.net>
Source record: 84634
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Use any modern plastic capacitor (mylar, etc.) to replace
the older wax capacitors. Mica caps are probably okay.
Leave the trimmer caps alone, they should be okay. Replace
electrolytics with newer axial lead caps (mount under chassis).

emanuele_girlando@my-dejanews.com wrote in message
<7hcvog$v6i$1@nnrp1.deja.com>...
>I have just started a restoration project for an Hallicrafters SX-28
>1941 version (no 'A', no 'MIL').
>I am about to recap it almost interely. Questions:
>
>wich "modern" capacitors have to be used to replace old tubulars? I am
>now able to find vertical mount caps a mere speck and with the same
>electrical charateristics.... Is it ok to use them?
>what about mica caps? What about trimmers caps? And what about
>electrolytics (again, I can get same charateristics on very very small
>caps..)
>
>Thank you very much
>
>ciao
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---

2164. Re: SX-28 output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: wjoew@aol.com
Message-ID: <19990512192034.25227.00002030@ng-ch1.aol.com>
Source record: 84635

If your current output transformer is for 600 ohms, you can use a standard public address 70v transformer with an 8 ohm secondary.. It turns out that an 8 watt winding is almost a perfect match. Just hook the 70v winding to the 600 ohm output and the 8 ohm winding to an 8 ohm speaker.

You might be able to bum one of these from someone in the commercial sound business. Or, you can buy one for about $5 from many of the discount houses.

Joe
W5WBR

2165. Need Kenwood TK 320 and 340's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: "Donald E. Smith" <desmith@innercite.com>
Message-ID: <373A0DF4.744DBEE7@innercite.com>
Source record: 84636
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.boatanchors

I am trying to locate a small quantity of Kenwood TK-340 or 320 UHF
walkie talkies in the 450 frequency range. Also can use a couple of
rapid chargers and some as-is radios for parts.
Please respond by email. Thanks Don KB6GQA

2166. HT-2 Hallicrafters Village Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <373A1149.9A2E03F4@blarg.net>
Source record: 84637

Selling a mint Hallicrafters HT-2 Village Radio. It is a handi-talkie style rig for 27-50 MHz. Built in whip (huge). Unissued. Sparkling clean, inside and out.
$75 plus UPS. Jim W7LS

2167. Test Equipment For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-12 00:00:00 UTC
From: "W.J. Ford Surplus Enterprises" <testequipment@falls.igs.net>
Message-ID: <7hd3ue$h20$1@news.igs.net>
Source record: 84638
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

We have just updated our lists (long overdue...). We have a wide variety of test equipment, electronics, laboratory and scientific items.You can browse our on-line listings at:

http://www.falls.igs.net/~testequipment

Thanks & regards,
Ron Ford
W.J. Ford Surplus Enterprises
testequipment@falls.igs.net

2168. Re: Want: R390A Meters... Can pick up at Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <373A2514.58F6@sympatico.ca>
Source record: 84548

Mike de Wey wrote:
>
> I believe I saw them advertised by Surplus Sales of Nebraska. Little costly
> though, but supposed to be exact replacements..
>
> WB6VSE
hello
it is supposed to be the eact replacement hi... this is I have on my
r390A. hi..
73
ve2amk

2169. Re: GPR-90RX (R-840/URR)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <373A25DB.29FC@sympatico.ca>
Source record: 84549

WJoeW wrote:
>
> The GPR-90 is a very good radio. I have one and also have the SP-600. I would
> say they are similar in performance. The audio is better on the SP-600 but the
> GPR-90 is a very good radio. It is one of my favorites for SW broadcast
> listening.
>
> Joe
> W5WBR
HELLO
is it for sale if yes tell me the price because I am looking for that
kind of rcvr in u.s.
73
VE2AMK

2170. FS:Cushcraft Tribander and Heath HR 1680

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Jim Allen N1RUT <jim.allen@the-spa.com>
Message-ID: <u6q_2.837$nZ4.27453@monger.newsread.com>
Source record: 84550
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Am posting this for a friend, please post replies directly to him:

For sale:

Cushcraft Tribander (assembled) ATB34 4 element in good to excellent condition. All paperwork. Pickup in Western Mass.
$120.00

Heathkit Receiver HR1680 10-80 in excellent condition. $100.00 plus shipping.

Contact George Bergeron N1JRS at 413-593-6516 or 413-593-1027. Or n1jrs@javanet.com

2171. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Robert Hancock <hancockr@nospamhome.com>
Message-ID: <ghq_2.11030$1D5.21708@news.rdc1.ab.wave.home.com>
Source record: 84551
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Yes, the newer caps of the same specs are much smaller than the old ones.
Technology marches on, huh? :-)

--
Robert Hancock Saskatoon, SK, Canada
To email, remove "nospam" from hancockr@nospamhome.com
Home Page: http://members.home.net/hancockr

CommQuart <commquart@erols.com> wrote in message
news:7hd1hv$9fn$1@autumn.news.rcn.net...
> Use any modern plastic capacitor (mylar, etc.) to replace
> the older wax capacitors. Mica caps are probably okay.
> Leave the trimmer caps alone, they should be okay. Replace
> electrolytics with newer axial lead caps (mount under chassis).
>
> emanuele_girlando@my-dejanews.com wrote in message
> <7hcvog$v6i$1@nnrp1.deja.com>...
> >I have just started a restoration project for an Hallicrafters SX-28
> >1941 version (no 'A', no 'MIL').
> >I am about to recap it almost interely. Questions:
> >
> >wich "modern" capacitors have to be used to replace old tubulars? I am
> >now able to find vertical mount caps a mere speck and with the same
> >electrical charateristics.... Is it ok to use them?
> >what about mica caps? What about trimmers caps? And what about
> >electrolytics (again, I can get same charateristics on very very small
> >caps..)
> >
> >Thank you very much
> >
> >ciao
> >
> >
> >--== Sent via Deja.com http://www.deja.com/ ==--
> >---Share what you know. Learn what you don't.---
>
>

2172. fs- Kenwood TS-930S, Mint..!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990512222140.13047.00002994@ng-fv1.aol.com>
Source record: 84552

Hi Fellas;
I have for SALE:
Kenwood TS-930S in the original shipping carton, manual and a Uniden hand-mike to get you started.
Condition is Better than excellent but just shy of mint(I hate using the word Mint).
It is S/N 8110015 and has the built in tuner, no other options!
Price is $700 plus UPS from 11758
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2173. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Jim Spencer <jimsp@yahoo.com>
Message-ID: <7hdhr6$f27$1@nnrp1.deja.com>
Source record: 84553
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

In article <373A2607.F6F9A10@erols.com>,
"D. S. Platt" <jeepp@erols.com> wrote:
> For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or
> Antique Electronics Supply). You should replace the electrolytics,
too!
>snip

I'm not sure who "we" is/are but I guess I'm not part of that "we"
because I use the metalized polyester caps and they work just fine(also
cost a lot less). Considering what's being replaced the orange drops
seem to be a bit of an overkill.

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2174. Ebay- Need an 'ol Knife Switch, Real 'ol..!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990512230637.13047.00003036@ng-fv1.aol.com>
Source record: 84554

Hey guys;
Try this for an old antique KnifeSwitch.
URL w/pic>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=103095906

Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

2175. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7he1rrqpv1@nnrp1.deja.com>
Source record: 84555
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Great, I was a little afraid about them.
Sorry for ignorance: what is a VOM?

ciao

In article <7hd1cn$8fs$1@autumn.news.rcn.net>,
"CommQuart" <commquart@erols.com> wrote:
> They MAY look like trimmers, but chances are they are fixed-value
> mica capacitors, used as padders to compensate low-frequency tracking
> ranges for the tuned RF stages in the receiver. Check for leakage
using
> a good VOM. Chances are they are fine.
>
> Pete
>
> emanuele_girlando@my-dejanews.com wrote in message
> <7hd079vmk1@nnrp1.deja.com>...
> >I have just started a restoration project for an Hallicrafters SX-28
> >(no 'A', no 'MIL').
> >
> >In the bill of material of my SX-28 I have found 6 trimmer caps with
> >the following description:
> >"XXXX mmfd.(nominal) variable mica compression" where XXXX is a
number.
> >The alignment procedure clearly states not to adjust them! I have
also
> >found them in the chassis: they look like very robust trimmer caps...
> >Question:
> >How can I check those items (2962nF nominal!!!)? What probability I
> >have got that they are leaky?
> >What about if somebodyelse has already turned them someway?
> >What is a cap with +-1nF tollerance useful for in a circuit where ALL
> >other components are at best +-10% in tollerance?
> >
> >Thank you very much
> >
> >ciao
> >
> >
> >--== Sent via Deja.com http://www.deja.com/ ==--
> >---Share what you know. Learn what you don't.---
>
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2176. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <373A8D72.83A9C239@asu.uswest.net>
Source record: 84556

How many times must it be pointed out that the r.r.a.b. charter *does* allow
for sale/trade posts? These 10 page rambling point-by-point tit-for-tat posts
are more obnoxious than 100 spams could ever be.

Clifton T. Sharp Jr. wrote:
>
>
> You really do need a visit to news.newusers.*. Sale postings are forbidden
> in all Usenet newsgroups outside biz.* unless the charter specifically
> allows them.-+

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2177. Re: rip off

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <373A8F4C.FAB7A1E5@asu.uswest.net>
Source record: 84557

If you make a public claim that someone is a thief, it is *your
responsibility* to provide complete, clear details (what agreements were made,
what happened/failed to happen that ought to have, and what you have done in
attempting to resolve the problem), so that others may judge the validity of
your accusations.

Otherwise, you are dragging someone's good name through the mud unfairly.

kevin smith wrote:
>
> ripoff; <deleted>
> 3436 xxxxx ave
> oroville,calif 95996----------this likes to make deals and not send them
> out. so beware!

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2178. Re: FS: Hammarlund Super Pro parts & radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <373A8F9D.7222786E@asu.uswest.net>
Source record: 84558

600? 400? 210? 110? Which one(s)?

John Goller, K9UWA wrote:
>
> I have a very rusty....junker.....hammarlund super pro...
> Anyone need IF cans Dials seem to move and work...coils switches
> etc....any parts you need for one of these??...
> E-Mail your needs.
> John K9UWA

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2179. Russian RX info? R250M2 / R309

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Filippone <filippone@my-dejanews.com>
Message-ID: <7he6aftee1@nnrp1.deja.com>
Source record: 84559

Hi everyone!

Where do I look for info abt. these Soviet HF receivers?
Ideally, I'd also like to get a copy of their manuals.
No problem reading technical Russian.

TIA+BR!!

--
Filippo N1JPR/I2

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2180. Re: Inappropriate Postings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990513044713.21070.00001305@ng-cq1.aol.com>
Source record: 84560

Amen, Will...these are just a couple of snobbish losers who have nothing else
better to do than to start trouble.
Ignore them, they get the hint...

>How many times must it be pointed out that the r.r.a.b. charter *does* allow
>for sale/trade posts? These 10 page rambling point-by-point tit-for-tat posts
>are more obnoxious than 100 spams could ever be.
>
>Clifton T. Sharp Jr. wrote:
>>
>>
>> You really do need a visit to news.newusers.*. Sale postings are forbidden
>> in all Usenet newsgroups outside biz.* unless the charter specifically
>> allows them.-+
>
>--
>Will White, KD7BFX
>

Thank you,
Joe Pratt, Tubecntral@aol.com

2181. FA: SP-600 JX-17 $160.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <373ad25f.39341733@news.erols.com>
Source record: 84561

Two days left.Bid is at $160.00 Check it out:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101413457

2182. Drake SW-4 Manual needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: WD4FFN <doverta@cetlink.net>
Message-ID: <wUx_2.1$ZT2.20525@news.cetlink.net>
Source record: 84562

Anyone out there that can scan and Email a copy? Thanks in advance
Tom WD4FFN

2183. R-390A meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990513070500.23697.00000011@ng-ci1.aol.com>
Source record: 84563

I have for sale a pair of meters for a R-390A receiver
$90 shipped conus
Terry tbs50a@aol.com

2184. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: "Garry W. Woods" <KB8SGO@email.msn.com>
Message-ID: <ORuy3ATn#GA.138@cpmsnbbsa03>
Source record: 84564
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Kiwa Electronics' "Tips for Improving Receiver Performance"
http://www.kiwa.com/rxtips.html

Jim Spencer <jimsp@yahoo.com> wrote in message
news:7hdhr6$f27$1@nnrp1.deja.com...
> In article <373A2607.F6F9A10@erols.com>,
> "D. S. Platt" <jeepp@erols.com> wrote:
> > For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or
> > Antique Electronics Supply). You should replace the electrolytics,
> too!
> >snip
>
> I'm not sure who "we" is/are but I guess I'm not part of that "we"
> because I use the metalized polyester caps and they work just fine(also
> cost a lot less). Considering what's being replaced the orange drops
> seem to be a bit of an overkill.
>
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2185. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7hec2u$3h@chronicle.concentric.net>
Source record: 84565
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

>
>I'm not sure who "we" is/are but I guess I'm not part of that "we"
>because I use the metalized polyester caps and they work just fine(also
>cost a lot less). Considering what's being replaced the orange drops
>seem to be a bit of an overkill.
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---
Yes and the little Poly ones are much smaller which makes it easier
to get them into tight places..leaves more room to work on the
other items in the radio...an SX-28 is a real bear to do anyway!!
John K9UWA

2186. Re: FS: Hammarlund Super Pro parts & radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7hec73$3h@chronicle.concentric.net>
Source record: 84566

In article <373A8F9D.7222786E@asu.uswest.net>, wcw@asu.uswest.net
says...
>
>600? 400? 210? 110? Which one(s)?
>
>John Goller, K9UWA wrote:
>>
>> I have a very rusty....junker.....hammarlund super pro...
>> Anyone need IF cans Dials seem to move and work...coils switches
>> etc....any parts you need for one of these??...
>> E-Mail your needs.
>> John K9UWA
>
>--
>Will White, KD7BFX
>
>to reply, please click this link mailto:wcw@asu.uswest.net
Sorry Will and others it is spoken for....it was one of the
very early ones....probably the 110....
John K9UWA

2187. Dayton Weather UpDate!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7hecmj$3h@chronicle.concentric.net>
Source record: 84567

Great URL to get Dayton Weather from....looks like 3 nice
days....only Rain in forcast is Thursday and Thursday nite
Fri,Sat,Sun NO RAIN....I hope thier right!!
http://www.wunderground.com/US/OH/Dayton.html
As Of 4 AM THursday

Today
Showers likely and
thunderstorms possible.
Cooler with a high in the mid
60s. Northeast wind 10 to 15
mph. Chance of rain 70 percent.

Tonight
Cloudy with scattered
showers...mainly early. Low
near 50. Northeast wind
around 10 mph. Chance of rain
40 percent.

Friday
Becoming partly cloudy. High
near 70. Friday Night
Partly cloudy. Low 45 to 50.

Saturday
Fair. High around 70.

Sunday and Monday
Fair. Lows 50 to 55 and highs
75 to 80.

C U guys there!!
Flea Spaces 2843,2844,2845
John K9UWA

2188. RCA AR80

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Glen Ross <ross@zetnet.co.uk>
Message-ID: <19990513123439802 94@zetnet.co.uk>
Source record: 84568

Have I really floored everyone with my request for info on the RCA
AR80 [NOT 88] Rx??

Is the thing so rare that no-one has knowledge of it??

Glen G8MWR

2189. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: MRF <cnastaga@buffnet.net>
Message-ID: <373ac7ab.0@news3.buffnet.net>
Source record: 84569
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

I've always been under the understanding to only replace interstage coupling caps, and bypass caps. I'd leave anything in tuned circuits, etc. alone unless I really had reason to suspect a defect there. A good schematic helps in determining which ones to replace.

Regards,
Bill Murphy

emanuele_girlando@my-dejanews.com wrote in message
<7hcvog$v6i$1@nnrp1.deja.com>...
>I have just started a restoration project for an Hallicrafters SX-28
>1941 version (no 'A', no 'MIL').
>I am about to recap it almost interely. Questions:
>
>wich "modern" capacitors have to be used to replace old tubulars? I am
>now able to find vertical mount caps a mere speck and with the same
>electrical charateristics.... Is it ok to use them?
>what about mica caps? What about trimmers caps? And what about
>electrolytics (again, I can get same charateristics on very very small
>caps..)
>
>Thank you very much
>
>ciao
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---

2190. Re: WIRELESS SET 22

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <373ac50e.12915722@news.earthlink.net>
Source record: 84570

There's a guy in Canada who sells 19 sets and 22 sets plus
accessories.

He even has a catalog.

Electronic Enterprises (705) 746-1376 / 746-7377
Frank Delucca
131 Gibson Street FAX: (705) 746-1570
Parry Sound, ONT Military Surplus Catalog - GREAT STUFF!
CANADA P2A 1X8 He has 19 sets, accessories, parts etc.

I found this at:
http://home.earthlink.net/~af4k/mega/boatanch.htm

On Tue, 11 May 1999 19:46:34 +0200, "yvan thomas" <sde@skynet.be>
wrote:

>I am desperately seeking a wireless set nbr 22. Who can help me?
>73's.

2191. WTB: IC-211 and IC-228 parts rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: "JOSE V. GAVILA (EB5AGV/EC5AAU)" <eb5agv@ctv.es>
Message-ID: <373AC8FB.5DDBFA9C@ctv.es>
Source record: 84571
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,uk.radio.amateur

Hello!

Title says it all!. Please, state condition and price.

Thanks!
---
73 EB5AGV / EC5AAU
JOSE V. GAVILA
Benetusser - VALENCIA (SPAIN)

** VISIT MY VINTAGE RADIO SITE - updated 2-May-1999 ***
http://www.geocities.com/SiliconValley/6992/

EuroBA eGroup: http://www.eGroups.com/list/euro_ba_swap

2192. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Martin Ackroyd <martin.ackroyd@virgin.net>
Message-ID: <373ABA78.4362161A@virgin.net>
Source record: 84572
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

emanuele_girlando@my-dejanews.com wrote:
>
> Great, I was a little afraid about them.
> Sorry for ignorance: what is a VOM?

I think he means a multimeter.

Martin

2193. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Martin Ackroyd <martin.ackroyd@virgin.net>
Message-ID: <373ABA7C.742A67D7@virgin.net>
Source record: 84573
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

emanuele_girlando@my-dejanews.com wrote:
>
> Great, I was a little afraid about them.
> Sorry for ignorance: what is a VOM?

I think he means a multimeter.

Martin

2194. Re: FS: Globe scout, Knight 6am rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <373AD9F1.7CC4@sympatico.ca>
Source record: 84574

ka2ezn@bellsouth.net wrote:
>
> For Sale: Globe Scout transmitter. Works, and clean. 75.00 plus
> shipping. Knight TR106 6 meter am transceiver. excellent condition.
> With original mic. 50.00 plus shipping. 73, John W4JPL
>
> ----- Posted via Deja.com, The People-Powered Information Exchange -----
> ------ http://www.deja.com/ Discussions * Ratings * Communities ------
HELLO
do you have two xtr for sale hi.. globe scout that i know and another
one hi..
73
ve2amk

2195. Re: RCA AR80

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990513102540.18356.00000048@ng-cb1.aol.com>
Source record: 84575

i look in all my book's that i have and no AR80 all 88's if you have one it is a good one to have del

2196. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990513102714.18356.00000049@ng-cb1.aol.com>
Source record: 84576

how is he going to fix this radio if he doesn't know what a vom stand's for i guess the next question is what is a solder iron or gun? what is it used for oh well got to start some where ?? del

2197. Carrier control on FTDX-560

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <926608573.131.87@news.remarQ.com>
Source record: 84577

Hi All,
Looking for a bit of help on a Vintage FTDX-560. In CW/Tune mode the rig still puts out a 60 watt carrier even with the Carrier control fully counter-clockwise (off). Any ideas where to look???

TNX in Advance!!

Steve

2198. Re: SX-28 output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <926613645.800.26@news.remarQ.com>
Source record: 84578
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

You can use a small transformer to match the output to an 8-ohm speaker. I found one at Radio Shack that works great with my SX-42.

Cheers.

Phil
philnelson@antiqueradio.org

2199. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <373B1126.5B528EAA@erols.com>
Source record: 84579
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Depends what kind of quality and longevity one expects. If price is the driving issue, by all means, look for the cheapest.

Jim Spencer wrote:

> In article <373A2607.F6F9A10@erols.com>,
> "D. S. Platt" <jeepp@erols.com> wrote:
> > For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or
> > Antique Electronics Supply). You should replace the electrolytics,
> too!
> >snip
>
> I'm not sure who "we" is/are but I guess I'm not part of that "we"
> because I use the metalized polyester caps and they work just fine(also
> cost a lot less). Considering what's being replaced the orange drops
> seem to be a bit of an overkill.
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2200. Re: Carrier control on FTDX-560

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Mike Tatum <mike.tatum@btinternet.com>
Message-ID: <7hf7h3sah1@plutonium.btinternet.com>
Source record: 84580

Hi!

I've got an FTDX401, lower O/P version of the same radio, has the same
problem!
WOuld be interested to hear why!

Good luck!

MikeT
M0AWS

Pinky & The Brain wrote in message <926608573.131.87@news.remarQ.com>...
>Hi All,
> Looking for a bit of help on a Vintage FTDX-560. In CW/Tune mode
the
>rig still puts out a 60 watt carrier even with the Carrier control fully
>counter-clockwise (off). Any ideas where to look???
>
>TNX in Advance!!
>
>Steve
>
>

2201. Propagation statistics in real time !

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Fabio <cq.fabio@iol.it>
Message-ID: <7hf6nppso2@hermes.iol.it>
Source record: 84581

Hi to all
In my site I've insert a page withe a little statistic (on-line and resault
in real time), about the propagation level in oll the continents,
If you have time, you can see it and contribute to this statistic.
Thank you : http://users.iol.it/cq.fabio/

2202. Re: MAKES LOTS OF MONEY..please read on

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <926625246.705.87@news.remarQ.com>
Source record: 84582
Cross-posted to: rec.pyrotechnics,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.

Waaay too complicated! Life should be simple...

Just send $1 to:

SignalOne purchase fund
c/o WD0HCO
5129 Pruitt St.
The Colony, TX 75056

and make someone very happy.

Remember, a ham is a terrible thing to waste...

2203. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7hfggn$24m$1@autumn.news.rcn.net>
Source record: 84583
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Personally, I would expect the same longevity from the inexpensive
Panasonic capacitors I use versus the more costly Orange Drops
in these applications. In any event, I doubt either will fail during my
lifetime.

Pete

D. S. Platt wrote in message <373B1126.5B528EAA@erols.com>...
>Depends what kind of quality and longevity one expects. If price is the
>driving issue, by all means, look for the cheapest.
>
>Jim Spencer wrote:
>
>> In article <373A2607.F6F9A10@erols.com>,
>> "D. S. Platt" <jeepp@erols.com> wrote:
>> > For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or
>> > Antique Electronics Supply). You should replace the electrolytics,
>> too!
>> >snip
>>
>> I'm not sure who "we" is/are but I guess I'm not part of that "we"
>> because I use the metalized polyester caps and they work just fine(also
>> cost a lot less). Considering what's being replaced the orange drops
>> seem to be a bit of an overkill.
>>
>> --== Sent via Deja.com http://www.deja.com/ ==--
>> ---Share what you know. Learn what you don't.---
>

2204. Re: R-390A meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-13 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <373B9C0D.9169721A@earthlink.net>
Source record: 84584

do you still have the meters I will take them if you have them Matt
Parkinson KE6UOS

Tbs50A wrote:

> I have for sale a pair of meters for a R-390A receiver
> $90 shipped conus
> Terry tbs50a@aol.com

2205. FS Collins Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <373B9345.4A9F5B89@gte.net>
Source record: 84489

> >
>
> > Anyone interested in a F-455-N-20, CPN 526 9163 00?
> > Center Freq is 455khz. Bandwidth is 2.1khz at 6db attenuation and
> > 5.3khz at 60 db. de Fred. Price is $60 shipped.
>
> >
>
> >
>

2206. FS: RARE - Yaesu FT-501 & PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <373B9E10.7242@sympatico.ca>
Source record: 84490
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale...

I have a RARE, MINT condition, NON SMOKER,

Yaesu FT-501 transeiver, digital readout with matching FP-501
speaker/power supply.

The ouput on tx is low, so not being familiar with tube rigs,

I can assume that it needs new tube finals? otherwise the rig and PS
work fine.

I checked the net to try and figure out what the rigs worth with no
luck!

So, Im taking offers for the rig and PS and any helpful input in
regards to price!

Of course, offers in US dollars, shipping extra...

73 Mike

--
* *
Michael Kassay - VE3MKX
Barrie, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

2207. WTD: Heathkit DX100B or Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990514002023.17396.00000329@ng-fe1.aol.com>
Source record: 84491

I am looking for a CLEAN Heathkit DX100B Transmitter or a Johnson VikingII with
122 VFO.
I'm located in SO. Cal Area and will pay cash or have I many
Item available for trade.
73's
Mike N6KYD

2208. WTD: Argone A57 Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990514002140.17396.00000331@ng-fe1.aol.com>
Source record: 84492

I'm looking for a Argone A57 Broadcast Mic. Or the Similar mic made by Aiwa
Thanks
Mike N6KYD

2209. Last Day FA, 1924 complete QST set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: "Roger A. McCarty" <rmccarty@earthlink.net>
Message-ID: <7hg82brag1@ash.prod.itd.earthlink.net>
Source record: 84493

On E-Bay at;

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=101458225

2210. Anyone try subbing 6BS7 for 6AS7 converter tube, twice conversion gain

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBpL2w.IGA@netcom.com>
Source record: 84494
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I have an old Zenith 2 FM band plus 1 AM band radio that uses a 6SB7 converter tube. Looked to see if a 6SA7 is similar, found the SB' has twice the conversion transconductance and similar plate resistance. Which would make for about twice the gain in a radio. Tried a 6SA7 in the above radio, and the front end was not detuned in frequency. Less gain. AFAIK, there are no 12SB7's made, can't find it in any tube manual or list.

This should be an easy and painless tube substitution, as the two tubes have the same pinout. An easy way to soup up a radio. And easy to reverse.

2211. Re: Anyone try subbing 6BS7 for 6AS7 converter tube, twice conversion gain

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <373BEF1F.58B0004E@erols.com>
Source record: 84495
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

The old MIL tube substitution handbook says the SB can sub for the SA, but the reverse is not recommended. I know from experience that they will "work", but as the original poster points out, there's a may be loss involved. We found 6SB7's at the local fests in the DC area, so I guess the supply hasn't gone completely dry.

Robert Casey wrote:

> I have an old Zenith 2 FM band plus 1 AM band radio that uses a 6SB7 converter
> tube. Looked to see if a 6SA7 is similar, found the SB' has twice the
> conversion transconductance and similar plate resistance. Which would make
> for about twice the gain in a radio. Tried a 6SA7 in the above radio, and
> the front end was not detuned in frequency. Less gain. AFAIK, there are
> no 12SB7's made, can't find it in any tube manual or list.
>
> This should be an easy and painless tube substitution, as the two tubes have
> the same pinout. An easy way to soup up a radio. And easy to reverse.

2212. 6N075 delay-relay tube(s), needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990514070606.05231.00000517@ng-fs1.aol.com>
Source record: 84496

Hello, a fellow I know is looking for the following NOS or used delay relay(s), number: 6NO75 T ...please email him directly, his name is Jerry at:

Economy EL@aol.com

Thank you,
Joe Pratt, Tubecntral@aol.com

2213. WANTED: meter bezel for Heath IM-11 VTVM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990514071711.05231.00000520@ng-fs1.aol.com>
Source record: 84497

Hi, I'm looking for a decent, intact clear plastic meter bezel for a Heath
IM-11 VTVM, please respond if you have one at a decent price....
Thank you,
Joe Pratt, Tubecntral@aol.com

2214. FS: Heath / Yaesu

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <373C21EF.33DD@sympatico.ca>
Source record: 84498
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale..
Heath IT-27 transistor checker $13 US

Heath HM-102 SWR meter $20 US (modified)

Heath HM-9 QRP SWR meter $40 US

Heath HW-99 CW HF rig $150 US

Heath HM-1418 audio filter $40 US

Heath RF-1 rf sig gen $20 US

Yaesu FT-501 HF rig Mint! with FP-501 matching speaker/ pwr supply MINT
!
Best offer for package

For further info, pls send me an Email.

73 Mike
--
* *
Michael Kassay - VE3MKX
Barrie, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

2215. FA Rare Collins 75S-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: chashugg@earthlink.NET
Message-ID: <373C4ABC.A6E9FBB6@earthlink.net>
Source record: 84499

Check out this rare Collins 75S-2 receiver on e-Bay. Auction near end.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102017066

2216. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hhe4e$8md$1@nnrp1.deja.com>
Source record: 84500

In article <19990513102714.18356.00000049@ng-cb1.aol.com>,
fuse19@aol.com (Fuse19) wrote:
> how is he going to fix this radio if he doesn't know what a vom
stand's for i
> guess the next question is what is a solder iron or gun? what is it
used for
> oh well got to start some where ?? del
>
It is just a matter of not being familiar with "american jergon &
acronyms".
I supposed it is a multimeter but I wanted confirmation...
Thank you for your contribution
Emanuele

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2217. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hhg74$a6e$1@nnrp1.deja.com>
Source record: 84501
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

Assume:
- longevity is not an issue
- quality may be an issue
- price is not so important (the total difference is in the order of 30 $)
Question:
If I use a very small cheap modern cap, what can be the technical impact I have? resonances? lekeages? distortion? ...

ciao

In article <373B1126.5B528EAA@erols.com>,
"D. S. Platt" <jeepp@erols.com> wrote:
> Depends what kind of quality and longevity one expects. If price is the
> driving issue, by all means, look for the cheapest.
>
> Jim Spencer wrote:
>
> > In article <373A2607.F6F9A10@erols.com>,
> > "D. S. Platt" <jeepp@erols.com> wrote:
> > > For the paper tubulars, "we" all use Sprague Orange Drops. (Mouser or
> > > Antique Electronics Supply). You should replace the electrolytics,
> > > too!
> > >snip
> >
> > I'm not sure who "we" is/are but I guess I'm not part of that "we"
> > because I use the metalized polyester caps and they work just fine (also
> > cost a lot less). Considering what's being replaced the orange drops
> > seem to be a bit of an overkill.
> >
> > --== Sent via Deja.com http://www.deja.com/ ==--
> > ---Share what you know. Learn what you don't.---
>
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2218. FS Swan Cubic Astro 102 xcvr, $275 shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Doug Snowden <dsnowden@ncdc.noaa.gov>
Message-ID: <373C3609.59EEE32E@ncdc.noaa.gov>
Source record: 84502

I have a Cubic Astro 102 transceiver. Works on all bands 160-10m. I use it for cw 99% of the time. Excellent qsk. The front panel is excellent. It needs PLL/VCO alignment. I just fixed the digital display. If you don't know about or like to work on old radios, skip this ad. I bought this radio several months ago as a non-working radio and now have it working. It has the '103 built in cw filter installed. No power supply. Service manual included. The Cubic Astro has a very nicely done service manual. I DO NOT GUARANTEE THIS RADIO, but as it sits on my desk it works fine, except for PLL/VCO alignment needs. Could need a capacitor replacement in PLL loop filter area. Have run out of time to play with it. Not included in this deal, but available, are spare boards for virtually all boards in the Astro 102/103. Also a '103 chassis with chassis mounted switches and components is available. With some effort, a person could have an Astro 103 with the parts I have for the '103. $275 for the Astro 102 shipped.
Doug N4IJ 828-926-5307,
Maggie Valley, NC

2219. FS Cubic Astro 103 chassis & spare boards

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Doug Snowden <dsnowden@ncdc.noaa.gov>
Message-ID: <373C393F.6D41921@ncdc.noaa.gov>
Source record: 84503

I have a chassis (including excellent front panel) that has all of the mounted switches, pots, etc for a Cubic Astro 103. No covers for the chassis. I also have one PTO,
and all of the other boards for the '102/'103. The RF exciter board is from a
'102, since it does not have the "non piggy back" cw filter. The PLL/VCO board has one missing transformer for the 20m position. The PA module seems to be complete but needs very major work. It is cruddy, but has xsistors in it. All else, complete. This is 95% of the components for an Astro 103. No guarantee as to functionality, but I think I have had most of these boards in my '102 radio to check them out. Also have the manuals that relate to conversion of a Astro 102 to an Astro 103. Give me an offer on this. I have a separate post with a Astro 102 for sale.
Doug N4IJ
dsnowden@ncdc.noaa.gov

2220. Re: FA Rare Collins 75S-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7hhi55$bq3$1@nnrp1.deja.com>
Source record: 84504

In article <373C4ABC.A6E9FBB6@earthlink.net>,
chashugg@earthlink.NET (Charles Hugg) wrote:
> Check out this rare Collins 75S-2 receiver

Anybody ever notice how EVERYTHING people list on an online auction
is described as "rare"?

I guess that means that the last time this particular radio caught
fire, it didn't get charred too much.

Of course, "rare" is different from "mint" -- do you suppose
that a "rare mint" condition occurs when a small fire occurs
in the men's lavatory?

N6OTQ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2221. Re: Carrier control on FTDX-560

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <7hhiqp$8ob$1@remarQ.com>
Source record: 84505

Problem solved!!! In a nutshell, Balanced Modulator adjustment!!! Anyone with similar trouble please feel free to write!!

TNX

Steve

2222. Re: Anyone try subbing 6BS7 for 6AS7 converter tube, twice conversion gain

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-dejanews.com>
Message-ID: <7hhp5iibp1@nnrp1.deja.com>
Source record: 84506
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

In article <wa2iseFBpL2w.IGA@netcom.com>,
wa2ise@netcom.com (Robert Casey) wrote:
> I have an old Zenith 2 FM band plus 1 AM band radio that uses a 6SB7
converter
> tube. Looked to see if a 6SA7 is similar, found the SB' has twice the
> conversion transconductance and similar plate resistance. Which would
make
> for about twice the gain in a radio. Tried a 6SA7 in the above radio,
and
> the front end was not detuned in frequency. Less gain. AFAIK, there
are
> no 12SB7's made, can't find it in any tube manual or list.
>
> This should be an easy and painless tube substitution, as the two
tubes have
> the same pinout. An easy way to soup up a radio. And easy to
reverse.
>

The 6SB7 was brought out in 1946 as a "hot" version of the 6SA7 for use
in AM/FM sets. The 6SA7 was found lacking at the higher frequencies.
The 6SB7 has about double the conversion transconductance of the 6SA7
and was used in several of the late 40's early 50's National Radio
receivers like the NC-57 and NC-125. The 6SB7 should be able to
"hop-up" some of those early Hallicrafter receivers that use the 6SA7.

--
Best Regards,

Ed

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2223. Re: wich caps use when recapping

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7hhvpk$6k9$1@autumn.news.rcn.net>
Source record: 84507
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,sci.electronics.repair

I use 630 volt Panasonic mylars from DigiKey. You can also get
decent, good capacitors from Bob's Antique Radios and Electronics--
telephone 708 352-0648. Most values up to .047 mfd are 30 cents
or less, better prices at 25 lot quantities.

You won't notice the difference.

Pete

emanuele_girlando@my-dejanews.com wrote in message
<7hhg74$a6e$1@nnrp1.deja.com>...
>Assume:
>- longevity is not an issue
>- quality may be an issue
>- price is not so important (the total difference is in the order of 30
>$)
>Question:
>If I use a very small cheap modern cap, what can be the technical
>impact I have? resonances? lekeages? distortion? ...
>
>

2224. WTB: Central Electronics MM-2 Monitor Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: w4fms@aol.com
Message-ID: <19990514164430.16485.00000498@ng-cn1.aol.com>
Source record: 84508

Looking for the CE MM-2 scope for my 20A station. Thanks.

Frank, W4FMS

2225. Re: FA Rare Collins 75S-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Heinz und Hannelore Breuer <hbreuer@debitel.net>
Message-ID: <373C724F.6CF3@debitel.net>
Source record: 84509

I agree that "rare" is used quite often but here it is justified.
The 75S-2 is indeed very rare and the current price is too good
to be true.
73
Heinz - KF6FNC

jstrohm@texas.net wrote:
>
> In article <373C4ABC.A6E9FBB6@earthlink.net>,
> chashugg@earthlink.NET (Charles Hugg) wrote:
> > Check out this rare Collins 75S-2 receiver
>
> Anybody ever notice how EVERYTHING people list on an online auction
> is described as "rare"?
>
> I guess that means that the last time this particular radio caught
> fire, it didn't get charred too much.
>
> Of course, "rare" is different from "mint" -- do you suppose
> that a "rare mint" condition occurs when a small fire occurs
> in the men's lavatory?
>
> N6OTQ
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2226. Re: FS: Heath / Yaesu

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <373C9DDC.7F0E@sympatico.ca>
Source record: 84510
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale..
> Heath IT-27 transistor checker $13 US
>
> Heath HM-102 SWR meter $20 US (modified)
>
> Heath HM-9 QRP SWR meter $40 US
>
> Heath HW-99 CW HF rig $150 US
>
> Heath HM-1418 audio filter $40 US
>
> Heath RF-1 rf sig gen $20 US

>
> Yaesu FT-501 HF rig Mint! with FP-501 matching speaker/ pwr supply MINT
Best offer
>
> For further info, pls send me an Email.

Hi All... there was a little confusion... The "best offer for package"
was only for the Yeasu rig and PS ,,all of the other items, if still
available are priced as above mentioned.

Thanks agn

73 Mike
--
* *
Michael Kassay - VE3MKX
Barrie, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

2227. HR1680 rx and Cushcraft Tribander

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Jim Allen WB1Z <jim.allen@the-spa.com>
Message-ID: <BN1%2.1702$nZ4.53183@monger.newsread.com>
Source record: 84511

Thanks for reading....

>Am posting this for a friend, please post replies directly to him:
>
>For sale:
>
>Cushcraft Tribander (assembled) ATB34 4 element in good to excellent
>condition. All paperwork. Pickup in Western Mass.
>$120.00
>
>Heathkit Receiver HR1680 10-80 in excellent condition. $100.00 plus
>shipping.
>
>Contact George Bergeron N1JRS at 413-593-6516 or 413-593-1027. Or
>n1jrs@javanet.com
>
>

2228. WTB: LARGE TUBE GLASS DUD'S LIKE 450TL ECT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990514185732.04642.00000498@ng24.aol.com>
Source record: 84512

want large tubes duds must be under vaccum like the 450TL type 100TL and that style thank's del k9fcm

2229. Re: WTB: LARGE TUBE GLASS DUD'S LIKE 450TL ECT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: will Herzog <herzog@frontiernet.net>
Message-ID: <373CD370.1D47@frontiernet.net>
Source record: 84513

I have a wl 6426, Westinghouse
It is about 15 inches long, big enuf?

Fuse19 wrote:
>
> want large tubes duds must be under vaccum like the 450TL type 100TL and that
> style thank's del k9fcm

--
Will; Amateur Radio call K 2 L B ; Rochester, New York, USA
e-mail <herzog@frontiernet.net>

2230. Re: JOHNSON VALIANT 4sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <373CBF57.6F66@ix.netcom.com>
Source record: 84514

W3ATV wrote:
>
> For Sale-
> Johnson Valiant
> Condition 9 out of 10
> New PS caps, New 866 solid state plug in rectifiers.
> Audio Clipper mod performed but stock otherwise.
> Cabinet professionally repainted and the front is very good except a few minor
> scratches. Unit is clean inside and out. The only reason I am getting rid of it
> is because I FINALLY got a Johnson 500! This is pick up only near Philly and
> you can inspect it inside and out, and see it work.
> Thanks,
> Jim
Valiant is sold to me Thank you

2231. WTB 7077 tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Craig Harrison <craigjv3@earthlink.net>
Message-ID: <7hibsr$an1$1@fir.prod.itd.earthlink.net>
Source record: 84515

Looking for a couple of NOS 7077 ceramic UHF triodes.
email info to: craigjv3@earthlink.net

2232. Collins 32v-2&75A1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: marty <martyg@mindspring.com>
Message-ID: <373CEE9C.4EA1@mindspring.com>
Source record: 84516

what are these 2 worth in cca fair shape?thanx marty

2233. Re: 100+ projects described

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <373D1433.281C7B@asu.uswest.net>
Source record: 84517

Yep. I am building the 2KW spark set. ï¿½Brrrrzzzzapppp!

> Harry wrote in message <01be9869$63e9d750$8534d693@e0060b0eb282a>...
> >Hello again all,
> >
> >Recent news from HHH at:
> >
> >http://sm0vpo.8m.com/ Main page
> >http://www.geocities.com/SiliconValley/3569/ Mirror in the USA
> >http://hem2.passagen.se/sm0vpo Mirror in Europe
> >http://members.xoom.com/sm0vpo Mirror in Far-East
> >
>
> Had a look the other day. Some very interesting projects on your site. :-)

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2234. Re: TUBE FINALS: QUESTIONS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990513201204.10855.00001910@ngol04.aol.com>
Source record: 84585

In article <19990503093012.19591.00001634@ng-fx1.aol.com>, mccrk@aol.com (MCCRK) writes:

>If you want to use less power, it seems to me you can just loosen up on the >loading and dip the final again until you reach the power level you desire. >For >example, if maximum power is achieved at 300ma, but you want only half power, >loosen the loading until the dip in plate current reaches 150ma.

Hello,

For some rigs you can do this. But for many rigs that use sweep tubes as Class AB amplifiers (Swans, Drakes, other avian rigs), this can cause real trouble. Insufficient loading results in excessive screen current and excessive screen dissipation - leading to tube failure.

73 de Jim, N2EY

2235. Re: TUBE FINALS: QUESTIONS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990513201205.10855.00001911@ngol04.aol.com>
Source record: 84586

In article <7ghks1rjl1@nnrp1.dejanews.com>, grao@umbc.edu writes:

>OK tube gurus:

Why, thank you!
>
>1. Once the final output stage is tuned, plate current dipped and max output
>obtained per manual procedures, how do I QRP?

It depends on the rig and the mode of operation of the final amplifier. What
rig are you using, and in what mode?
>
>Do I just reduce the drive?

If the final operates in a linear mode, (AB1, AB2, etc.) that's all you have to
do. But if the final is Class C, and depends on gridleak bias, it can cause
real trouble.

Drive reduction, if used, should not be done by detuning.
>
>Will this screw up the finals/driver?

If the plate current doesn't drop off, the answer is YES.
>
>Why do I want to do this?
>
>One reason is for QRP operation.
>
>Second, I would like to use an autotuner like the AT-11 which requires that
>power in be 10 watts or so during tuning.
>
Both good reasons. Main thing is to find out the class of operation of the
final amp. Please post the rig involved, and maybe I can give you a more direct
answer.

73 de Jim, N2EY

2236. Re: SX-28 output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Denis Kuwahara <denis_kuwahara@foxinternet.net>
Message-ID: <373B7042.1F071585@foxinternet.net>
Source record: 84587
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

The output transformer shown for an SX-28-A is 10K CT, 5000, tapped at
500, and 100 ohms. part no 55B009

emanuele_girlando@my-dejanews.com wrote:
>
> I have just started a restoration project for an Hallicrafters SX-28
> (no 'A', no 'MIL').
>
> Unfortunately the output transformer is not original. The rig has been
> handled by many people and I am trying to get rid of all the mods
> introduced...
>
> Any suggestion on how to replace it (other than getting a new one from
> the various BA sources)?
> Can I find a way to convert the radio to work with an 8 ohms
> loudspeaker? (this is in contrast with my objective to restore the
> radio as it was,... but no money is left for an original 5000 ohms
> speaker :=))
>
> Thank you very much
>
> ciao
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2237. FA Rare Marconi CSR5 & Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-14 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <373B8937.45E7@sympatico.ca>
Source record: 84588
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.antiques.marketplace,rec.collecti
n,rec.ham-radio.swap

Rare WW2 Marconi Shortwave CSR5 Receiver, Matching Transmitter and
Antenna Tuner CM11 System on EBay.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=103994594>

2238. Antique Stewart-Warner Portable Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: forfudge@aol.com
Message-ID: <19990515171006.10951.00000862@ng31.aol.com>
Source record: 84439

Take a look at this antique Stewart-Warner portable radio, model #9007-G, made about 1946, on eBay, item number 104295061.

2239. e-Bay and illegal CB amplifiers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990515172219.09303.00000940@ng-ck1.aol.com>
Source record: 84440

Has anyone else noticed that the "Ham" section of e-Bay electronics is full of illegal CB amplifiers? Typically hidden by false descriptions, like "40-10 meter amp,(illegal on CB)..."

Click on the picture, and this multiband amp has no Band Switch. Or, as one Ham Amp on today, it has a Mode switch that shows only LSB(!), and AM. Go figure.

I have found e-Bay to be minorly responsive when approached via the customer service address, available on the e-Bay site. If you are as annoyed as I am by this charade, please join me in a daily listing to Customer Service of the illegal amplifiers.

Currently offered for auction are the following illegal amps:101342927, 103643399, 103708463, 104203202,and 104474587.

Now it occurs to me that if Hollingsworth was inclined to more even handed inforcement, he could arrange to help us return 10m as a Ham Band. A good place to start would be to stem the flow of "export" cb-sets that cover the 10m band, get real about blocking the sale of illegal amps, and ask for the cooperation of the Latin American govts in getting some compliance. Sorry, but I am offended by the request of the Cuban amatuers to FCC for relief from jammers on 40m, when 28.0- thru 28.35 MHz is virtually unusable when conditions are good to Latin America.

2240. WTB: NC-303, 200V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7hkoguleu1@birch.prod.itd.earthlink.net>
Source record: 84441

Pay well for nice units. Pickup possible.

K8AC
Floyd Sense in Angier, NC

2241. Re: Mosley Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <OEm%2.3439$mj.97050@dfiatx1-snr1.gtei.net>
Source record: 84442

Ron Toller wrote in message <373DC1B0.D6146AD9@atlantic.net>...
>Need Clamping Blocks. 4 Part # 43 & 2 Part # 40.
>For a Mosley TA-33 Beam.
>
>
>Tnx,
>Ron-N1RT

Why not get them direct from Mosley?

www.mosley.com

Gary - KJ6Q

2242. silver micas-how long are they good?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: alkrol@MCS.COM
Message-ID: <7hktqe$2e7g$1@Venus.mcs.net>
Source record: 84443

I have a load of NOS silver micas from the early to mid 60's and
was going to use them in a stereo amp rebuild,the values are on the money
but does anything go wrong with them over time?
they are all dark cherry red 1 and 5%

2243. AC supply for KWM-2A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: "news.darientel.net" <esserman@darientel.net>
Message-ID: <LXm%2.103$RH.7038@eagle.america.net>
Source record: 84444

Looking for AC supply (either model) for the Collins KWM-2A. Anybody out there got one?

2244. Re: e-Bay and illegal CB amplifiers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Jerry Franks <w4rf@worldnet.att.net>
Message-ID: <7hku6j$k6d$1@bgtnsc02.worldnet.att.net>
Source record: 84445

I have one of those "illegal" amps listed on eBay and it's perfectly legal
to use it like I did, driving it with a modified CB on 10 M AM.
Who really cares what CB'ers use if they keep it on 11M?

2245. WTB Collins Cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <373E0A3D.6E86@swbell.net>
Source record: 84446
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I recently purchased a rack-mount 51S1. I need a S-line cabinet that will fit it. It doesn't have to come with a trim-ring. Please advise type, condition, original or repaint, and asking price, by e-mail.

Thanks for the read!

Dan
W5VJ
Tulsa

2246. WTB: Tube VFO for Eico 753

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Nigle <evolx3@hotmail.com>
Message-ID: <7hl2b5cdv1@autumn.news.rcn.net>
Source record: 84447

Greetings, my latest project is starting to come back to life. I have a Eico 753 that is being rebuilt. I just got the power supply finished and I am now going into the radio itself. It has the solid state VFO installed in it. This is fine. I have been inspired lately to find the illusive vacuum tube VFO that fits in this rig.

The rig was first designed with a tube VFO. Eico then went and offered a upgraded VFO that was a solid state version. So what I am looking for is either:

A "junked" or nonjunker Eico 753 with the VACUUM TUBE vfo that would like a good home with
a radio tech that will appreciate it.

Or the module or tin box that is the Vacuum tube vfo. Maybe there is one in the attic you put there after
the upgrade on the rig to solid state was made?? Wouldn't hurt to look, but I bet its buried under a
pile of solid state rigs.....if you get the time and find one, let me know, Ill give you a lot more for it
than the trash man will.

I know Eico made external VFO's that were pretty good, I am looking for the specific circuit board and
circuitry that actually fit right behind the tuning dial inside the 753.

At any rate, hope all your projects are going well, best regards.....
N3RIK

2247. Re: silver micas-how long are they good?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Thomas C Sefranek <tcs@cmcorp.com>
Message-ID: <373E0BA9.76102935@cmcorp.com>
Source record: 84448

"alkrol@mcs.com" wrote:

> I have a load of NOS silver micas from the early to mid 60's and
> was going to use them in a stereo amp rebuild,the values are on the money
> but does anything go wrong with them over time?
> they are all dark cherry red 1 and 5%

They don't deterioriate very much over time, RF power can do them some harm.

--
Thomas C. Sefranek WA1RHP
ARRL Instructor, Technical Specialist, VE Contact.
http://hamradio.cmcorp.com/41_Repeater/repeater.html
http://hamradio.cmcorp.com/inventory/Inventory.html

2248. FS: Collins 75S3C-RE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: JerryL <jlockett@lightspeed.net>
Message-ID: <Rhp%2.236$GX6.54827@news1.giganews.com>
Source record: 84449
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

Excellent looking/working Collins 75S3C-RE for sale. Has the T-9 transformer and filter cover. Date code on 100khz xtal is 1968 so a fairly late unit. $1395 shipped anywhere in lower 48.. More if out of the country...!

de Jerry -w7wpx-

--
jlockett@lightspeed.net
661-589-7534

2249. WTB:Manuals Yaesu FT 101E

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Malcolm McIntosh <mmcintosh@intertrek.com>
Message-ID: <373e30b3@news.pacificcoast.net>
Source record: 84450

Hi
Wish to purchase instruction and service manual for Yaesu FT 101E
Greatly appreciate any comment or advice on this unit.
Has not been used for 15 years, switches need cleaning etc., suggestions
Many Tnx
Mac VE7XMM

2250. May newsletter now on line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Jabba <vk4wss@NOSPAMqsl.net>
Message-ID: <373c591a@grissom.powerup.com.au>
Source record: 84518
Cross-posted to: aus.radio.amateur.digital,aus.radio.amateur.misc,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi all and thanks for reading this.

The May newsletter for the Southside Amateur Radio Society Inc is now available for download at http://www.qsl.net/vk4wss

Articles in this issue include: -

Feature Article - Your First H.F. Transceiver
Golden Antenna Award
Trivia - Why Radio Amateurs Are Called "Hams"
The Double Windom
Funnies
CB to Six - Part 3 of a 4 Part Series
Travel Host Scheme
Club News
Odds and Sods
Schematics - A simple Power Supply

Back issues are available.

Other items include on line AOCP and NAOCP exams, a linear amplifier project, CW tips, Callbooks, Software and more. Why not drop by and have a look?

2251. May Newsletter now on line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Jabba <vk4wss@NOSPAMqsl.net>
Message-ID: <373c5987@grissom.powerup.com.au>
Source record: 84519
Cross-posted to: aus.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Hi all and thanks for reading this.

The May newsletter for the Southside Amateur Radio Society Inc is now available for download at http://www.qsl.net/vk4wss

Articles in this issue include: -

Feature Article - Your First H.F. Transceiver
Golden Antenna Award
Trivia - Why Radio Amateurs Are Called "Hams"
The Double Windom
Funnies
CB to Six - Part 3 of a 4 Part Series
Travel Host Scheme
Club News
Odds and Sods
Schematics - A simple Power Supply

Back issues are available.

Other items include on line AOCP and NAOCP exams, a linear amplifier project, CW tips, Callbooks, Software and more. Why not drop by and have a look?

2252. globe chief Deluxe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990514212417.02120.00000792@ng-ca1.aol.com>
Source record: 84520

looking for a screen modulator for a globe chief Deluxe
model number UM-1 working or none working.. please
call or e-mail Walt Ryan 818 883 8282

2253. Help in locating bulb for G450 rotor box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990514220424.03867.00000714@ng-cr1.aol.com>
Source record: 84521

I hope someone out there can help me locate a bulb for my dial on the G 450
yeasu rotor box. What is the number and where can I find one?
Thanks
Mike

2254. Re: globe chief Deluxe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990514233443.18362.00000914@ng-cb1.aol.com>
Source record: 84522

Hello Walt.
the UM-1 is the plate modulator. The SM-1 is the Screen Modulator.
Mike.

2255. Re: FS: National NPW-O Dial

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990515010528.05086.00002024@ngol03.aol.com>
Source record: 84523

The NPW-O dial is sold.

73 de Jim, N2EY

2256. HomePage updated, new images

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <373D3400.9EFE63BE@teleweb.at>
Source record: 84524

Hello to all readers!

I want to inform ,that my HomePage is updated with new
images of my Collins 75S-2, Eddystone 1830/ and 2 Hallicrafters.

http://members.teleweb.at/kurt.brandstetter

Greetings from Vienna!
Kurt. OE1002419
--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Looking for a Drake R2A or R2B
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

2257. Re: mica compression trim caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: neal hudson <neal.hudson@gte.net>
Message-ID: <Hza%2.2037$mj.65514@dfiatx1-snr1.gtei.net>
Source record: 84525
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Volt Ohm Meter....generally 20K Ohms/Volt and all that was available in
1960's

emanuele_girlando@my-dejanews.com wrote in message
<7he1rrqpv1@nnrp1.deja.com>...
>Great, I was a little afraid about them.
>Sorry for ignorance: what is a VOM?
>
>ciao
>
>In article <7hd1cn$8fs$1@autumn.news.rcn.net>,
> "CommQuart" <commquart@erols.com> wrote:
>> They MAY look like trimmers, but chances are they are fixed-value
>> mica capacitors, used as padders to compensate low-frequency tracking
>> ranges for the tuned RF stages in the receiver. Check for leakage
>using
>> a good VOM. Chances are they are fine.
>>
>> Pete
>>
>> emanuele_girlando@my-dejanews.com wrote in message
>> <7hd079vmk1@nnrp1.deja.com>...
>> >I have just started a restoration project for an Hallicrafters SX-28
>> >(no 'A', no 'MIL').
>> >
>> >In the bill of material of my SX-28 I have found 6 trimmer caps with
>> >the following description:
>> >"XXXX mmfd.(nominal) variable mica compression" where XXXX is a
>number.
>> >The alignment procedure clearly states not to adjust them! I have
>also
>> >found them in the chassis: they look like very robust trimmer caps...
>> >Question:
>> >How can I check those items (2962nF nominal!!!)? What probability I
>> >have got that they are leaky?
>> >What about if somebodyelse has already turned them someway?
>> >What is a cap with +-1nF tollerance useful for in a circuit where ALL
>> >other components are at best +-10% in tollerance?
>> >
>> >Thank you very much
>> >
>> >ciao
>> >

>> >
>> >-== Sent via Deja.com http://www.deja.com/ ==--
>> >---Share what you know. Learn what you don't.---
>>
>>
>
>
>-== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---

2258. RAF and Astro nav FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <eZGATMsn#GA.348@nih2naae.prod2.compuserve.com>
Source record: 84526

Having a clearout I found the following navigation and
flight info books.

Astro Navigation tables, volumes D-H 15 - 39 deg Lat
J-M 40 - 59 deg Lat

South African Airways timetable, 1978

RAF Low/High Flight Info maps: 411 North Sea
412N/S UK, North/South
415 Low Countries
418 Med
421 India
52K East Med

RAF En Route Suppliment (these have airfield data, location,
nav aids, runways etc, very informative)

UK/N Atlantic
Africa/ S E Asia
Med

If anything is of interest do let me know.
Ben G4BXD
Ben G4BXD

2259. Vintage-Radio e-mail reflector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Mike <mike1@nospam.net>
Message-ID: <pOf%2.441$Uz6.579@news.megsinet.net>
Source record: 84527

This list will prove beneficial to anyone who is interested in the collection, restoration, and operation of vintage radio equipment. While this list will deal mainly with American-made amateur radio receivers and transmitters,
other makes are welcome so long as they fit the category of "vintage". To qualify for vintage status a set must be 25 years old and preferably contain some vacuum tubes. This category can include military, home broadcast sets, commercial equipment and homebrew equipment. Any homebrew equipment using vacuum tubes and operating CW or AM will be considered "vintage" equipment no matter what the age. Accessories such as keys, antenna tuners, wattmeters, test equipment, etc. is also considered a part of the Vintage hobby and will be welcome if it is at least 25 years old.

I sincerely hope that you will join our group of vintage enthusiasts. With your help we can make this a great List.

Please do NOT subscribe using a forwarding e-mail account (e.g. qsl.net; arrl.net). Please use your actual, non-forwarding address only.

To subscribe, visit http://www.qth.net and select vintage-radio or send e-mail as follows:

TO: majordomo@qth.net
SUBJECT:
BODY: subscribe vintage-radio

2260. collins crystals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: brent lemons <n5tml@starcomm.net>
Message-ID: <7hk4uc$5vc$1@remarQ.com>
Source record: 84528

looking for crystals for kwm-2 need a 13977.500
and a 10577.500 reply to n5tml@texhoma.net thanks brent

2261. Tubes Offered for Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: KA7WOC <bern@whidbey.com>
Message-ID: <7hk8gs$169$1@remarQ.com>
Source record: 84529

Posting for a friend. If you have any questions, please respond back by private email with a phone number. He prefers to sell in complete lots.

Qty 144 5814WA NOS JAN Mfg GE 1960
Qty 100 5963 NOS JAN Mfg RCA 1958
Qty 50 6AC7 NOS JAN Mfg RCA 1942
Qty 30 6SJ7 NOS JAN Mfg Ken-Rad 1945
Qty 50 7C6 NOS JAN Mfg Sylvania

--
de Bob
KA7WOC

2262. FS:HAL PCI-4000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <373DABAB.1AC8CDC4@worldnet.att.net>
Source record: 84530
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.packet,rec.radio.amateur.boatanchors

I have for sale a HAL PCI-4000.This is a high quality HF radio DSP multimode modem for RTTY,AMTOR,PACTOR and CLOVER.The unit is in perfect working order and comes with the modem,manual,software and cable.The orignal cost was $999.00 abt 2 years ago.Asking $275.00 shipped to lower 48.Please reply via. e-mail.
Regards
Bob Stamper

2263. Propagation statistic in real time

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Fabio <cq.fabio@iol.it>
Message-ID: <7hkc5i$li9$1@hermes.iol.it>
Source record: 84531

Hi to all
For first, I want to thank all the friends that they have contributed to my propagation statistic on-line.
Please every time (when you want). go again on my home page, for to give again our contribute, in this mode, the propagation statistic, is always update !
Thank you again to all !!!
Fabio URL: http://users.iol.it/cq.fabio/

2264. WTB: Mosley Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <373DC1B0.D6146AD9@atlantic.net>
Source record: 84532

Need Clamping Blocks. 4 Part # 43 & 2 Part # 40.
For a Mosley TA-33 Beam.

Tnx,
Ron-N1RT

2265. WTB: Mosley Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <373DC182.9A667840@atlantic.net>
Source record: 84533

Need Clamping Blocks. 4 Part # 43 & 2 Part # 40.
For a Mosley TA-33 Beam.

Tnx,
Ron-N1RT

2266. Re: FA Rare Collins 75S-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <373DC4EA.1BCFB619@teleweb.at>
Source record: 84534

Thats true, no comment !

Grüße aus Wien an Euch, Heinz und Hannelore, dachte schon Du bist in
Dayton.

Kurt. OE1002419

Heinz und Hannelore Breuer schrieb:
>
> I agree that "rare" is used quite often but here it is justified.
> The 75S-2 is indeed very rare and the current price is too good
> to be true.
> 73
> Heinz - KF6FNC
>
>
> jstrohm@texas.net wrote:
> >
> > In article <373C4ABC.A6E9FBB6@earthlink.net>,
> > chashugg@earthlink.NET (Charles Hugg) wrote:
> > > Check out this rare Collins 75S-2 receiver
> >
> > Anybody ever notice how EVERYTHING people list on an online auction
> > is described as "rare"?
> >
> > I guess that means that the last time this particular radio caught
> > fire, it didn't get charred too much.
> >
> > Of course, "rare" is different from "mint" -- do you suppose
> > that a "rare mint" condition occurs when a small fire occurs
> > in the men's lavatory?
> >
> > N6OTQ
> >
> > --== Sent via Deja.com http://www.deja.com/ ==--
> > ---Share what you know. Learn what you don't.---

--
end

73's de OE 1002419
Kurt from Vienna Austria

Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/

Please visit my page!

2267. Dayton Specials (for those that didnt go!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: bmarx@bellsouth.NET
Message-ID: <01d701be9f0d$33311b00$a0d04dd8@billmarx>
Source record: 84535

Here are some repeats of those items that weren't sold or buyer hasn't come through ...Plus some new(old?) things...

Master Mobile ALL-BANDER Adjustable Antenna Coil $15

Ameco SquelchANLimiter -Model SNL $10

WILCOX 96D Transmitter Front Panel in good condx. With 3 counters intact $25

Autek QF1A Audio Filter w/manual (copy) . Excellent for SSB, RTTY ,& CW $35

Heathkit 10-21 Oscilloscope Lights up with sharp trace w/manual $50

Heathkit Hybrid Phone Patch Clean very good condition w/manual $20

Kantronics Original "The Interface" TNC for RTTY/Amtor NIB $25

J W Miller Low Pass Filter $15

Drake Low Pass Filter (copper plating is tarnished on one side) $20

Packet Modem For Commodore -64 $10

Astatic Silver Eagle D-104 Microphone - some pitting on surface but intact with
connector wired for four pin (Kenwood ?) $30

Astatic G-Stand for D-104 & others. w on/off toggle switch fair condx $15

Fastrak Series 2001 Voltage Regulator Board with documentation for constructing a regulated supply $8

Surplus 600 Ohm Headset w/PJ-054B Jack, by AudioSears Corp part no.1413 $7

US Army Signal Corps BC-442-AM Antenna Relay Unit $10

Military Surplus Beam Rotator Motor(G303AY2) (used for gun turrets also) $10

Small tube checker (shorts only) from Video Designs. 3 5/8 x 4 7/8.
Clear plastic front. AC powered . It says Yonkers NY on it $8.00

New In the box Potter & Brumfield plug-in relays for sale $7.00 each:
(2) #749 KUP14 A15 3 Form C 10A 120VAC
(1) # 751 KUP 14D15 3 form C 10A 6VDC
(2) # 753 KUP14D15 3 Form C 10a 24VDC
(2) #2011-A R10 E1-X2 V700 DPDT 24 VDC

Elenco Electronics Solder Practice Kit SP-1A New.(great for novice) $4

Archer Coax Switch 6 Pos. (end plate missing) $5.

Winston - Portable AM/FM/Shortwave/VHF Receiver 1.6 to 12 MC, also 108 to 174 receiver AC?DC $25

Books -
The VHF Amateur by Robert Brown k2ZSQ/W9HBF 1968 $5.00
Your Gateway to PACKET RADIO by Stan Horzepa WA1LOU $5.00
1990 Callbook International Listings $5

All Plus Postage:

Bill Marx W2CQ
2451 East Las Olas Blvd.
Ft Lauderdale, Fl., 33301

2268. FS: Heathkit SB-102 & HP-23 AC Pwr Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: byoumans@neo.REMOVE.lrun.com
Message-ID: <373dd99c.86449850@news-server>
Source record: 84536

Heathkit SB-102 with AC power supply inside SB-600 speaker. Good cosmetic and operating condition. Has new 6146B's with 100+ watts on 80 thru 15 and 90 on 10 meters. The only modification was the replacement of the RCA antenna connection with a SO-239 connector.

Works well on all bands, new electrolytic caps in radio and power supply, and just aligned. I can e-mail jpg picture file if desired.

Price $250, buyer pays for shipping.

2269. FS: Heahkit SA-2060 Antenna Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: byoumans@neo.REMOVE.lrun.com
Message-ID: <373edba8.86973770@news-server>
Source record: 84537

Very nice Heathkit SA-2060 2KW tuner. Very good condition inside and out. Works well, meters and directional coupler in good calibration.

Two tone Heath gray color scheme. Can e-mail jpg picture file if desired.

Price $150 buyer pays shipping.

Barry KI8BS

2270. WTB Switch for T4XB

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-15 00:00:00 UTC
From: George T Folse III <kb5wwo@bellsouth.net>
Message-ID: <373DDFA9.5CC2@bellsouth.net>
Source record: 84538

All,
I am looking for a off and on switch for a Drake T4XB.
George

2271. Parts Wanted for Hammarlund HQ-145

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <373F743B.4849@viaduct.custom.net>
Source record: 84389

I need the rear most bandswitch wafer (antenna section) and the
coil associated with the notch filter (L3, the one mounted near
the slot freq. control on the front panel) for a Hammarlund HQ-145.
Any help locating these will be greatly appreciated. Thanks much!

73, Joe KF9EU

2272. Re: hallicrafters sx-99 power cord? (dayton find)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <xVL%2.30633$ny.2031978@typhoon-sf.snfc21.pbi.net>
Source record: 84390

It is a "standard" TV cheater cord that was very common in the 50's-70's.
You'll have to root around in old wire boxes to find one, but it shouldn't
be impossible. They were once very plentiful. AES may still sell them.

Jerry Jensen <jensenj@stiusa.com> wrote in message
news:373f6e35.51156898@news.dnaco.net...
> Well I picked up an sx-99 "don't know if it works" set at the
> hamvention. Problem is I don't have a power cord for it. It has two
> prongs sticking out in the back for a female type power cord. I tried
> one from a cheapo am/fm portable set but the holes were too small.
> Anyone have the secret part # for a modern cord?
>
> Jerry jensen
> dayton ohio

2273. Re: FS Collins R-388/URR receiver...works

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990515212328.03992.00000922@ng18.aol.com>
Source record: 84451

I see your messsage to the newsgroup about an R-388 for sale, but there is no content. Please state condition and price and where you are located.
Thank you
M Manning
Federal Tech. Delaware Air National Guard
302-323-3476

2274. Ebay- Heath SB-610 Scope @$71 w/1 day left!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990515215247.23508.00000922@ng62.aol.com>
Source record: 84452

Hi Guys;
My Heathkit SB-610 Monitor Scope is on Ebay and only at $70.99 with less then one(1)day left.
Who says Ebay stuff is overpriced?
Here is the URL for interested parties w/picture, others need not reply or view.>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102218584
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2275. Ebay- Sonora Catalin AM table Radio, RARE!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990515220113.23508.00000931@ng62.aol.com>
Source record: 84453

Hi All;
This 1941 Sonora Catalin AM table Radio is very rare and only at $511 with one(1) day left. Book value is over $800..!
Who says Ebay stuff is way over priced?
Heres the URL wit many pictures>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102248776
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2276. Ebay- Brand new BELL PTT CARBON MIKE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990515220406.23508.00000932@ng62.aol.com>
Source record: 84454

Hi Guys;
ONLY 1 DAY LEFT..!
Brand new Bell ptt carbon mike in box, no bid and at only $4.99.
Someone here has gotta need it, you would think? At least take a "gander".
Heres the URL with Picture>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=102156968
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2277. FA- Antique ASTATIC D-104 w/ B-1 Stand

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990515221036.23508.00000933@ng62.aol.com>
Source record: 84455

For Auction;
Antique astatic desk mike with D-104 head (rivited label)
And Rare B-1 Astatic Base.
Ebay @>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104004840
73.......Rick

2278. For sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990515.220354.-162069.5.NFMK@juno.com>
Source record: 84456

For sale:

Heath SB-104 Station:

Immaculate SB-104, both modes load fine on all bands, 9.75/10
(has both filters, noise blanker,very little use)
Like new SB-614
Like new SB-604
Very good SB-634
Like new 20 amp Heath SB-104 power supply
Like new HD-1410 keyer

$750 plus shipping because of condition;
manuals separate. Missed Dayton? Here's your chance.

2279. For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990515.220354.-162069.6.NFMK@juno.com>
Source record: 84457

For Sale:

Heathkit HW-101.

5 band, 80 - 10 meter SSB/CW transceiver. 4:1 reduction across 50 khz. Transceiver is like new inside and out with no signs of any use. Switches and detents are just as new stiff. Use deoxit/silicone to lubricate.

Has both filters (SSB/CW)

Uses any HP-23A power supply.

$300. plus shipping. Why $300? Original cost was $459 in kit form and transceiver is as NOS. If you want a beat up, burned out unit, you can find them for much less.

2280. Re: Help in locating bulb for G450 rotor box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990515235345.18365.00001357@ng-cb1.aol.com>
Source record: 84458

Hello Mike.
I guess that you could always call Yaesu America on the phone or look it up in the internet yaesuamerica.com or you could access hamradio outle web paget and link over to yaesu If that doesn't work for you I could always call them from work and ask them what it is and how much they would charge you to ship them one. I would have to know where you are located and what your zip code is.
Mike.

2281. Re: silver micas-how long are they good?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBt5Dp.KAH@netcom.com>
Source record: 84459

In article <7hktqe$2e7g$1@Venus.mcs.net> alkrol@MCS.COM (alkrol@mcs.com) writes:
>
>I have a load of NOS silver micas from the early to mid 60's and
>was going to use them in a stereo amp rebuild,the values are on the money
>but does anything go wrong with them over time?
>they are all dark cherry red 1 and 5%

AFAIK, these kinds of caps don't usually go bad. They should be fine.

2282. Many tubes for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: MK <blusky@internetcds.com>
Message-ID: <01be9f5d$268e7dc0$66881ad0@blusky>
Source record: 84460

NOS 6LF6,6JE6,6LB6,6ME6 US- $29 ea.
Used 6LF6,6JE6, 6LB6 US-$15ea
NOS 811 JAN- $12 ea
NOS 866,3B28- $10 ea
NOS 809- $10
lotsa other stuff too, let me know what you need
-Marc

2283. Guide to the rec.radio Newsgroups

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7hlspb$1gq@news.Hawaii.Edu>
Source record: 84461
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna

Archive-name: radio/personal-intro

This message describes the rec.radio.amateur.*, rec.radio.cb, rec.radio.info, and rec.radio.swap newsgroups, as well as their Internet mailing list counterparts and complements. It is intended to serve as a guide for the new reader on what to find where. Questions and comments may be directed to Jeffrey Herman, KH6O, (jeffreyh@hawaii.edu), or Paul Schleck, K3FU, pschleck@novia.net.

This message was last changed on 14 March, 1998.

History
=======

Way back when, before there was a Usenet, the Internet hosted a mailing list for hams, called (appropriately enough) INFO-HAMS. Ham radio discussions were held on the mailing list, and sent to the mailboxes of those who had signed up for it. When the Usenet software was created, and net news as we now know it was developed, a newsgroup was created for hams: net.ham-radio. The mailing list and the newsgroup were gatewayed together, eventually.

Over the years, as the net grew, the volume of discussion became progressively higher. First one by one, and then as part of two reorganizations, what was once one group became many. In the process, developments elsewhere on the net were reflected in the groups as they were created, most notably the change to place all of the ham radio groups in one hierarchy.

The collection of newsgroups continues to grow as more people join the net, and as more topics of discussion gain volume, I expect to see more groups be created as well. This follows what is happening on the rest of the net.

Nearly all of the radio newsgroups have corresponding mailing lists, the notable exception being rec.radio.swap. There are also a few mailing lists that don't have newsgroups.

The Current Groups
==================

It's important to post messages to the group that's appropriate for them, and not to the groups that aren't. The whole idea of having different newsgroups is so that folks who aren't interested in, say, homebrewing, don't have to wade through messages about homebrewing on the way to read about Field Day. Posting appropriately is just good etiquette.

The rec.radio.amateur.misc group is the catchall. It is what rec.ham-radio was renamed to during the first major reorganization. Any message that's not more appropriate in one of the other groups belongs here, from contesting to DX to ragchewing on VHF to information on becoming a ham.

The group rec.radio.amateur.digital.misc is for discussions related to (surprise!) digital amateur radio. This doesn't have to be the common two-meter AX.25 variety of packet radio, either; some of the most knowledgeable folks in radio digital communications can be found here, and anything in the general area is welcome. The name was changed to emphasize this, and to encourage discussion not only of other text-based digital modes, such as AMTOR, RTTY, and Clover, but things like digital voice and video as well. The former group, rec.radio.amateur.packet, was removed on September 21st, 1993. It is obsolete, and you should use .digital.misc instead (or the appropriate new mailing list, mentioned below). The group has .misc as part of the name to allow further specialization if the users wish it, such as .digital.tcp-ip.

The swap group is rec.radio.swap. This recognizes a fact that became evident shortly after the original group was formed: Hams don't just swap ham radio gear, and other folks besides hams swap ham equipment. If you have radio equipment, or test gear, or computer stuff that hams would be interested in, here's the place. Equipment wanted postings belong here too. Discussions about the equipment generally don't; if you wish to discuss a particular posting with the buyer, email is a much better way to do it, and the other groups, especially .equipment and .homebrew, are the place for public discussions. There is now a regular posting with information on how to go about buying and selling items in rec.radio.swap; please refer to it before you post there. To answer a frequently asked question: No, there is no mailing list that goes along with this group. If you can't read Usenet news directly, you're out of luck.

The group rec.radio.amateur.policy was created as a place for all the discussions that seem to drag on interminably about the many rules, regulations, legalities, and policies that surround amateur radio, both existing and proposed. Recent changes to the Amateur Radio Rules (FCC Part 97) have finally laid to rest the Great Usenet Pizza Autopatch Debate - it's now legal to order a pizza on the autopatch, if you're not in the pizza business - as well as complaints about now-preempted local scanner laws hostile to amateurs, but plenty of discussion about what a bunch of rotten no-goodniks the local frequency coordinating body is, as well as the neverending no-code debate, may still be found here.

The group rec.radio.cb is the place for all discussion about the Citizens' Band radio service. Such discussions have been very inflammatory in rec.ham-radio in the past; please do not cross-post to both rec.radio.cb and rec.radio.amateur.* unless the topic is genuinely of interest to both hams and CBers - and very few topics are.

The rec.radio.info group is just what its name implies: it's the place where informational messages from across rec.radio.* may be found, regardless of where else they're posted. As of this writing, information posted to the group includes Cary Oler's daily solar progagation bulletins, ARRL

bulletins, the Frequently Asked Questions files for the various groups, and radio modification instructions. This group is moderated, so you cannot post to it directly; if you try, even if your message is crossposted to one of the other groups, your message will be mailed to the moderator, who is currently David Dodell, WB7TPY. The email address for submissions to the group is rec.radio.info-moderator@primenet.com. Inquires and other adminis-trivia should be directed to rec.radio.info-request@primenet.com. For more information about rec.radio.info, consult the introduction and posting guidelines that are regularly posted to that newsgroup.

The groups r.r.amateur.antenna, .boatanchors, .dx, .equipment, .homebrew, and .space are for more specialized areas of ham radio: discussions about antennas, the older tube based amateur, military, and commercial gear, commercially-made equipment, homebrewing, and amateur radio space operations. The .equipment group is not the place for buying or selling equipment; that's what rec.radio.swap is for. Similarly, the .space group is specifically about amateur radio in space, such as the OSCAR program and SAREX, the Shuttle Amateur Radio EXperiment; other groups cover other aspects of satellites and space. Homebrewing isn't about making your own alcoholic beverages at home (that's rec.crafts.brewing), but rather construction of radio and electronic equipment by the amateur experimenter. The .dx group is devoted to long distance amateur communications. Each of these subgroups has its own charter and FAQ; please refer to the archives to find these documents.

Except for rec.radio.swap and rec.radio.cb, all of these newsgroups are available by Internet electronic mail in digest format; send a mail message containing "help" on a line by itself to listserv@ucsd.edu for instructions on how to use the mail server.

All of the groups can be posted to by electronic mail, though, by using a gateway at the University of Texas at Austin. To post a message this way, change the name of the group you wish to post to by replacing all of the '.'s with '-'s - for example, rec.radio.swap becomes rec-radio-swap - and send to that name@cs.utexas.edu (rec-radio-swap@cs.utexas.edu, for example). You may crosspost by including multiple addresses as Cc: entries (but see below). This gateway's continued availability is at the pleasure of the admins at UT-Austin, and is subject to going away at any time - and especially if forgeries and other net.abuses become a problem. You have been warned.

Mailing Lists

In addition to the mailing lists that mirror the Usenet newsgroups, there also are a few that stand alone. These cover specific areas of ham radio, and discussion is focused on just those areas.

The cq-contest mailing list is for discussions of contesting in ham radio. To join, send email with the word "subscribe" on a line by itself to cq-contest-request@tgv.com.

The DX mailing list covers the finer points of DXing. This one is also joined by mailing "subscribe" on a line by itself, this time to

dx-request@unbc.edu.

There's also a VHF mailing list, for VHF operators of the weak signal persuasion. You can join this one be sending "subscribe vhf" on a line by itself to vhf-request@w6yx.stanford.edu.

The QRP-L list is devoted to building and operating gear at low-power outputs. To subscribe, send an email to listproc@lehigh.edu and only write: subscribe qrp-l Your Name.

The TopBand e-list is devoted to all areas of operation on 160m. To subscribe, send an email to majordomo@contesting.com and only write: subscribe topband and follow the instructions you'll be sent.
This site, contesting.com, also hosts a couple dozen other ham-related e-lists. Use the above address, and only write: lists to get the entire index.

The Boatanchors e-list is devoted to the older tube-based ham, military, and commercial communications gear. To subscribe, send an email to: listserv@listserv.tempe.gov and only write: subscribe boatanchors

For homebuilding transmitters and receivers using tube technology, there is the Glowbugs e-list; send an email to:
majordomo@piobaire.mines.uidaho.edu and only write:
subscribe glowbugs <your@address.here>

The VHF DX discussion list can be accessed by sending an email to: majordomo@blacksheep.org and only writing: subscribe VHF-DX-discuss.

We now have a list devoted to amateur radio history. To subscribe, send an email to: ham-radio-history-subscribe@egroups.com - leave the body of the message blank.

Qth.net hosts over 100 ham-related e-lists, including lists devoted to each state, manufacturer, mode, band - too many to state here. Send an email to majordomo@qth.net and only write: lists to get the complete index.

For one of the most complete indexes of email lists, see the excellent web site http://pw2.netcom.com/~ac6v/pageae.html

Please do NOT send subscription requests to the mailing lists themselves; that doesn't work very often, and is very annoying to those on the list. Also, please keep your electronic mail address current with any mailing lists you subscribe to, as dealing with returned email is a nuisance for the person maintaining the mailing list.

A Few Words on Crossposting
==========

Please do not crosspost messages to two or more groups unless there is genuine interest in both groups in the topic being discussed, and when you do, please include a header line of the form "Followup-To: group.name" in your article's headers (before the first blank line). This will cause followups to your

article to go to the group listed in the Followup-To: line. If you wish to have replies to go to you by email, rather than be posted, use the word "poster" instead of the name of a group. Such a line appears in the headers of this article.

One of the few examples of productive cross-posting is with the rec.radio.info newsgroup. To provide a filtered presentation of information articles, while still maintaining visibility in their home newsgroups, the moderator strongly encourages cross-posting. All information articles should be submitted to the rec.radio.info moderator so that he may simultaneously cross-post your information to the appropriate newsgroups. Most newsreaders will only present the article once, and network bandwidth is conserved since only one article is propagated. If you make regular informational postings, and have made arrangements with the moderator to post directly to the group, please cross-post as appropriate.

--
Jeffrey Herman, KH6O, rec.radio.amateur working-group
jeffreyh@hawaii.edu

2284. FA: E.F. Johnson Telegraph Key and Sounder

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: radaze@aol.com
Message-ID: <19990516044612.03529.00001116@ng-fb1.aol.com>
Source record: 84462

Interesting E.F. Johnson piece up for auction

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104481858

2285. FA: BC-348,BC-375 and SCR211 Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: radaze@aol.com
Message-ID: <19990516045052.03529.00001117@ng-fb1.aol.com>
Source record: 84463

Original manuals for these items up for aauction as below

BC-348 Receiver
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104484520

BC-375 Transmitter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104484595

TM11-300 For SCR-211 Frequency Counter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104484420

2286. Russian radio receivers???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Filippone <filippone@my-dejanews.com>
Message-ID: <7hmjk2$o5u$1@nnrp1.deja.com>
Source record: 84464

Hi everyone!

Where do I look for info abtout Soviet HF receivers?

I am intrerested in high end '60s-'80s base and naval general purpose +
intercept receivers.

I read something (too little) abt. the R309 and R250M2 models.

Ideally, I'd like to get my hands on their user & tech manuals.
No problem reading technical Russian.

TIA+BR!!

Filippo N1JPR/I2

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2287. Please help me find this speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: ke3ok@aol.com
Message-ID: <373ed23d.2897211@news.netins.net>
Source record: 84465

Hi gang,

Sorry to post this subject again but here is my sob story...

Yesterday I picked up the Hallicrafters book by Dachis and found that a R-12 is not the same as a R-12-T. I'm _really_ looking for a R-12-T table top speaker. If you have one that you want to part with please give me a call collect at 515-243-5293. If I don't get right to the phone please leave a message and I'll call right back. Of course email is OK too. Thanks and 73,

Al
KE3OK@aol.com

2288. WTB: HX-50A Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: W3BV <W3BV@arrl.net>
Message-ID: <373ECE47.A2417155@arrl.net>
Source record: 84466

Want to Buy: Manual for a Hammarlund HX-50A transmitter.

Alan, W3BV

2289. Re: Help in locating bulb for G450 rotor box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990516122020.04873.00001036@ng19.aol.com>
Source record: 84467

Thanks, I was hoping to avoid calling them and finding one local. I have heard so many stories of bad customer service that I though I would seek info on the net. Thanks for your offer, I will call them tomorrow..
Mike

2290. Re: e-Bay and illegal CB amplifiers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7hmutu$9bc$1@autumn.news.rcn.net>
Source record: 84468

Most of the "CB" grade amplifiers have severe linearity problems,
and lack any harmonic filtering--hence the lack of a bandswitch.
I've tested a few that had stability problems, and problems with
parasitic oscillations. Using one on the ham bands without access
to a spectrum analyzer, and using an appropriate harmonic filter
is at best spectulative.

Peter K1ZJH
Communications Quarterly Magazine

Jerry Franks wrote in message <7hku6j$k6d$1@bgtnsc02.worldnet.att.net>...
>I have one of those "illegal" amps listed on eBay and it's perfectly legal
>to use it like I did, driving it with a modified CB on 10 M AM.
>Who really cares what CB'ers use if they keep it on 11M?
>

2291. 500w tx FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <#ioWoO8n#GA.274@nih2naad.prod2.compuserve.com>
Source record: 84469

I have a Mk 214 Embassy Transmitter, driver and pa assembly.

xtal controlled, cw, fsk, or am (with external modulator)
500w o/p, continuos rating, 1.5 to 26 MHz, driver has its
own ac psu, pa needs 2kv. PA uses plug in coils, full set
supplied,
driver valved, pa excludes 2 x 813

150.00 Pound sterling

Ben.
106312.1035@compuserve.com

2292. FT-101B FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <#$iEhP8n#GA.274@nih2naad.prod2.compuserve.com>
Source record: 84470

FT-101B, 80 Pound.

Ben

106312.1035@compuserve.com

2293. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <373F09A8.B807ED3B@jorsm.com>
Source record: 84471
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A or GE 6146W tubes and a 12BY7A driver
36.00 (18.00 each) (SYLVANIA 40.00 m/p)
Centron 811 (usa) 22.00 each (matched pair or quads)

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6ME6 25.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information ,
Email me at n9tew@jorsm.com

2294. Contest Log Book on-line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Fabio <cq.fabio@iol.it>
Message-ID: <7hmuvn$tc7$1@hermes.iol.it>
Source record: 84472

If you need to publish your Contest Log Book on-line, but you have not a personal web site for to do it, try on this site:
http://users.iol.it/cq.fabio/logbook.htm

2295. FS:Drake 2C/2CQ/2NT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <373F1FCD.53525A9A@value.net>
Source record: 84473

Good condx (rx in excellent condition). The 2NT and 2CQ have had there cabinets repainted. Looks fine but for more descriminating Drake enthusiasts, a better repaint might be in order. Some spare parts and accessories included with deal. Only the 2C has a manual (factory). Askingt $350 plus shipping. Cal. N6KYR.

2296. RCA Logos

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Keith <densmore@idirect.com>
Message-ID: <myE%2.847$u3.385518080@momma.bigmomma.com>
Source record: 84474

Greetings....
I wonder if anyone has the small (less than an inch in diameter) red RCA logos they used on the military gear in the 40's and 50's. Specifically, I am looking for one for an AR-88 and one for a SRR-13.
Thanks for your help.....
Keith, ve3gem
densmore@idirect.com

2297. Need SP600jx17 info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990516154256.16494.00001258@ng-cn1.aol.com>
Source record: 84475

Just picked up an old SP600jx17 and am a bit perplexed as to the goes intas and goes outas. Three coax connectors on the back, two labeled IF, one labled BFO. Two more inside, one on xtal oscillator box and a second that looks like a VFO input. Which is the antenna input? or is it in the wierd mil-style multipin connector on the back? And what needs to be jumpered on the terminal strips? And does any one know of a web site with SP600 info and/or schematic? Thanks alot for any help. Scott

2298. Wanted: Unbuilt, Unassembled Heathkits

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: robcap@aol.com
Message-ID: <19990516155451.29549.00001390@ng-fg1.aol.com>
Source record: 84476

Premium prices paid for new Heathkits in unbuilt condition. Please write to w3dx@aol.com, or call Rob at (804) 971-6812.

73,

Rob, W3DX

2299. Wanted: Dead Heathkit ID-5001 Weather Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: robcap@aol.com
Message-ID: <19990516155610.29549.00001391@ng-fg1.aol.com>
Source record: 84477

Wanted: Dead heathkit ID-5001 weather station for parts. I don't need outdoor instruments, just the weather computer. Please write to w3dx@aol.com, or call Rob at (804) 971-6812.

73,

Rob, W3DX

2300. TV-2 Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: wa5kbq@hotmail.com
Message-ID: <373f2360.18385108@news.flash.net>
Source record: 84478

Does anyone know of a place where I can find more info on a TV-2 tube tester? I'm looking for the tech manual, service manual, etc.

Also need info on the Hickok adapter Model 1704. If someone has one to sell, I'd be very interested.

Larry

2301. To good home: WWII Surplus Antenna Tuner (Rough!)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Mick the Cat <mick@thecat.com>
Message-ID: <373F24B1.6892C800@thecat.com>
Source record: 84479

Hello
Here's yet another antiquated piece of you-know-what that I need to get rid of!
Check it out at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=98878610

It's free but you have to pay for shipping, of course. If you like I can just send the 'innards' to save a few dollars in shipping costs. If no one claims it by the 21'st of this month it's going to be junked.
If interested please email me at:
rodger.e@worldnet.att.net
Thanks
Roger E.

2302. Re: TV-2 Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: bdigel@aol.comnospam
Message-ID: <19990516165021.11088.00001324@ng-fr1.aol.com>
Source record: 84480

Check out this site: http://www2.gdi.net/~padgett/hictube.htm

It may get you started toward what you need. Good luck!
Bill Digel

2303. HV PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: techni@netcom.com
Message-ID: <techniFBuGIx.JJ9@netcom.com>
Source record: 84481

WTB: High voltage power supply (either commercial or neatly home-built)
with following specs:
115VAC input,full-wave and filtered
450-550 VDC @200 ma. output
12.6VAC @ 3 A.

Harold S.Meltzer

2304. Manual Copy Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Spencer Petri <spetri@e-tex.com>
Message-ID: <yFG%2.762$5L4.427@news.flash.net>
Source record: 84482

Greetings,

Does anyone have a manual for a BECO Model 250-C1 Impedance Bridge? Made by Brown Electro-Measurement Corp., Portland, Oregon.

Thanks,

Pete WA5JCI

2305. Re: TV-2 Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990516180553.25676.00001263@ng-fc1.aol.com>
Source record: 84483

http://www.geocities.com/SiliconValley/6992/tv7_2.htm go to this site it is only tv7 checkers del

2306. FS: Millen 92200 Transmatch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <373f4104.2038963@news.tiac.net>
Source record: 84484

This is the KW version with built-in Reflected Power Meter. $125 plus
UPS from 02421.
73, Dick, W1KSZ

2307. FS: Collins 75A(2-3) SSB Detector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <373f417c.2159373@news.tiac.net>
Source record: 84485

Plugs into the NBFM Adapter Socket. Looks like Collins made
but not sure, uses 6C4. With schematic. $25 shipped CONUS.
73, Dick, W1KSZ

2308. Re: TV-2 Tube Tester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990516182252.16179.00001176@ng-fy1.aol.com>
Source record: 84486

http://www.geocities.com/SiliconValley/6992/tv7.htm this is the tube checker home page del

2309. FS: D104/D10/UG stand

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <373F6857.F4995399@value.net>
Source record: 84487

Hi:
I have an Astatic D104 and D10 and UG stand fs. Needs bottom plate. D104 head needs new element (available from AES). $50. I ship. Cal.

2310. Datyon finds ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-16 00:00:00 UTC
From: Garry <gtidler@netusa1.net>
Message-ID: <7hnn0q$g6d$1@news.netusa1.net>
Source record: 84488

Any great finds , boatanchrors ,at Dayton Ham fest ?

--
Garry W Tidler
KC9BL
Member:
ARRL
Tipton County Amateur Radio Club
Morse Telegraph Club
Indiana Historical Radio Society

2311. PI4ZLD website

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Henk Remijn <hremijn@nospam.zeelandnet.nl>
Message-ID: <373f4adb$0$22827@news2.zeelandnet.nl>
Source record: 84391
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc
,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

PI4ZLD info.

See http://pi4zld.8m.com/info-eng.html (us mirror)
or for europeans: http://www.hzeeland.nl/~eddy/ham/rdb/info-eng.html
or dutch: http://www.hzeeland.nl/~eddy/ham/rdb/info-ned.html

2312. Info: Silver panel SX-28?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: JOSEPH FROUNJIAN <josfro@becnet.com>
Message-ID: <01be9fe3$dfcd0320$2bcaaacc@default>
Source record: 84392

Any one have any information on a Hallicrafters SX-28 that has a silverish gray front panel with red lettering. This looks original and has been in storage for some time.
thank you,
--
Joseph Frounjian
KA3OYJ

2313. WTB: Johnson Courier Amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: johnmbXX@mindspring.com
Message-ID: <374662b1.19799616@news.mindspring.com>
Source record: 84393
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Surely someone brought back several extra Courier amps
from Dayton, that they now need to get rid of. :-)

Please contact me if you have one, or know where one might be
hiding...
73
/John wb5oau./4
johnmb@REMOVETHESECAPSmindspring.com

2314. WTB: Final, Driver, etc., tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: lewplum@webtv.NET
Message-ID: <602-373F6BC8-403@postoffice-122.bryant.webtv.net>
Source record: 84394

Need the following tubes; 2 of 2E26, 2 of 9006, a 7868, and a 7984. NOS
or in very good condition. Bill.

2315. hallicrafters sx-99 power cord? (dayton find)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: jensenj@stiusa.com
Message-ID: <373f6e35.51156898@news.dnaco.net>
Source record: 84395

Well I picked up an sx-99 "don't know if it works" set at the
hamvention. Problem is I don't have a power cord for it. It has two
prongs sticking out in the back for a female type power cord. I tried
one from a cheapo am/fm portable set but the holes were too small.
Anyone have the secret part # for a modern cord?

Jerry jensen
dayton ohio

2316. WTB MANUAL FOR CENTRAL ELECTRONICS 600L

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Bill Edwards <k4bwc@bellsouth.net>
Message-ID: <373F74AE.9BA22343@bellsouth.net>
Source record: 84396

I am in need of a manual for the Central Electronics 600L amplifier.

Please state price.

Thanks,

Bill
k4bwc@bellsouth.net
919-231-2829

2317. Re: WTB MANUAL FOR CENTRAL ELECTRONICS 600L

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7hnujd$7qc$1@nntp4.atl.mindspring.net>
Source record: 84397

In article <373F74AE.9BA22343@bellsouth.net>, k4bwc@bellsouth.net says...
>
>I am in need of a manual for the Central Electronics 600L amplifier.
>
>Please state price.
>
>Thanks,
>
>Bill
>k4bwc@bellsouth.net
>919-231-2829
>

Bill,

Don't get your hopes up that the manual is going to be a wealth information for the 600L. It is only 4 pages plus a 8.5" by 17" schematic. When the 600L was being made by CE they had not yet gotten the patents for the broadband couplers, so they were giving out very little information. If you like, I can make you a copy of what I got and send it to you.

Allen Cutts
N4OZI
--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

2318. Re: WTB: Mosley Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990516234856.06677.00001379@ng155.aol.com>
Source record: 84398

Hi Ron.
Mosley is still in business. Call them and order your parts.
Mike.

2319. FA: BC603

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Chris Terwilliger <aa7wd@mediaone.net>
Message-ID: <373F9415.654EC9CB@mediaone.net>
Source record: 84399

BC603 on EBay:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104051319

tnx
Chris, AA7WD
aa7wd@mediaone.net

2320. FS Sideband Engineers (SBE) linear amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <37400492.7F9D@smartt.com>
Source record: 84400

For Sale

Sideband Engineers (SBE) linear amplifier.

Model SB2-LA.

Covers 80 to 15 meters and uses six 6LQ6 / 6JE6 sweep tubes.

Very good cosmetic and electrical condition in full working order.

The tubes are all strong and the amp produces full output.

Original manual included.

$190 US plus shipping.

Please reply to csc@smartt.com if interested.

2321. Updated my sub-mini tube data page, with new links to other pages too

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBv6u9.60C@netcom.com>
Source record: 84401
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I updated my ascii based sub-miniature tube data list, located at:
http://www.netcom.com/~wa2ise/radios/penciltubes.html

Added some more tubes, also added a few links to other web pages that have sub-mini tube data. Down at the bottom.

2322. Re: Need SP600jx17 info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Xjshillw6ivw@earthlink.net
Message-ID: <373fb5ca.7127491@news.earthlink.net>
Source record: 84402

On 16 May 1999 19:42:56 GMT, ka9p@aol.com (Ka9p) wrote:

>Just picked up an old SP600jx17 and am a bit perplexed as to the goes intas and
>goes outas. Three coax connectors on the back, two labeled IF, one labled BFO.
> Two more inside, one on xtal oscillator box and a second that looks like a VFO
>input. Which is the antenna input? or is it in the wierd mil-style multipin
>connector on the back? And what needs to be jumpered on the terminal strips?
>And does any one know of a web site with SP600 info and/or schematic? Thanks
>alot for any help. Scott

Scott:
There's a good reflector that covers all Hammarlund radios, with
plenty of SP-600 posts. Lots of technical data. Here's one approach
to subscribe:
Open http://www.ac6v.com/pageas.html
Click Antique Radios
Click Mail List Reflectors
Click MAILING LISTS AND REFLECTORS AT QTH.NET

a quicker method is to open www.qth.net, but thought you might be
interested in others interesting sites.

Click Select List, scan down to Hammarlund, and click subscribe.

There's another reflector that covers boatanchors in general,
including SP-600's called Boatanchors.
To subscribe, send an e-mail to listproc@ThePorch.com with
subscribe in the body of the message. No subject is required.

Both are moderated, especially Boatanchors. Anticipate a fair amount
of e-mail from these reflectors, again especially Boatanchors. You can
always unsubscribe. They will tell you how.
73's Jim jshillw6ivw@earthlink.net

Delete the X before using my e-mail address.
The X was added to stop spam.

2323. sx-28 coils identification

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7hojao$20f$1@nnrp1.deja.com>
Source record: 84403
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

dear list,
I am restoring a 1941 sx-28 (no 'A', no 'MIL').

I have some trouble in identifying coils in the chassis as they are
listed a Txx on the eletric diagram and as Sxx in the component locator
picture on the manual.
Can somebody help in translating those Sxx IDs back into Txx?
Thanks

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2324. Cirrus Logic pulls plug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7hohs9$j7g$1@nntp2.atl.mindspring.net>
Source record: 84404

This is just a warning......Cirrus Logic has washed it hands of the modem business
there are lots of these modems being dumped in Sundays paper under many generic names.
Most of the V:90 version flashed in these modem's was just a conversion from X2
from last year and repackaged (look for stickers)........ performance is highly unstable.
Most Common model's and numbers are SK, SKV, Wincomm,Jaton and Desktalk,

Cirrus had washed its hands and will not supply any firmware, tools or flash updates to manufacturers.

2325. Re: Russian radio receivers???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Al Klase <skywaves@bw.webex.net>
Message-ID: <7hpb4rhhq1@nnrp1.deja.com>
Source record: 84405

> Where do I look for info abtout Soviet HF receivers?
>
Probably not quite whatyou're looking for, but check the Volna-K on my
website: http://www.webex.net/~skywaves/commrx/Volna/Volna.html

73,
Al
--
Al Klase - N3FRQ
skywaves@bw.webex.net
Web Page: http://www.webex.net/~skywaves/home.htm

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2326. Central Electronics Model 200-V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: "Mark J. Croney" <mcroney@bellsouth.net>
Message-ID: <37402576.5A66E9B@bellsouth.net>
Source record: 84406

I have just acquired this transmitter and hopefully will have it on the air soon. In the past I have seen a few websites with information on this transmitter, but I can not remember where they are. Can anyone help me with any references to places on the web where I can find more information about Central Electronics and the 200-V?

Thanks,
Mark
W4ZF

2327. FS Collins Original Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Ed Carpenter <k4gj@citrus.infi.net>
Message-ID: <7hp3e2$dd0$1@nw003t.infi.net>
Source record: 84407
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have the following Manuals available for Collins. All are original and in very good condition.
136B2 $30 PP
MP-1 $15 PP
62S-1 $ 50 PP
30L-1 $ 20 PP
30S-1 $ 25 PP
75S-3B/C $25 PP
DL-1 $ 10 PP PP = shipped prepaid Priorty
Mail k4gj@citrus.infi.net

2328. FA: Collector's Perfect Collins 30L-1 Linear Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37402004.4E8B0943@cfu.net>
Source record: 84408

Includes four extra NEW 811A's. SEE--

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=105264143

Until Sun., 5/23. Tks es 73!

2329. Going price for complete S1 line ??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: w4la@aol.com
Message-ID: <19990517105651.08844.00002542@ng-ch1.aol.com>
Source record: 84409

I have a complete, original paint, manuals, no dents or dings. S line. 32-S!, 75S-1, Power supply w/speaker Center console. all cables and original manuals. What is the going price? All works excellent and is in physical condition over all a 9 on 1-10 scale.
Regards,

Todd Salyards
w4la@aol.com
Newton, NC 28658

2330. FS: Collins 312B-5 Collector Quality

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: "Jeffrey J. May" <jeffreymay@worldnet.att.net>
Message-ID: <7hpd4l$42b$1@bgtnsc01.worldnet.att.net>
Source record: 84410

beautiful unit..$800..consider trade on 75S3B..75A2/75A3/32V3..Johnson
Valiant 2 in excellent condx...Jeff..W0XV

2331. Re: Central Electronics Model 200-V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7hpi05$d51$1@nntp1.atl.mindspring.net>
Source record: 84411

In article <37402576.5A66E9B@bellsouth.net>, mcroney@bellsouth.net says...
>
>I have just acquired this transmitter and hopefully will have it on the
>air soon. In the past I have seen a few websites with information on
>this transmitter, but I can not remember where they are. Can anyone
>help me with any references to places on the web where I can find more
>information about Central Electronics and the 200-V?
>
>Thanks,
>Mark
>W4ZF
>
>

Mark,

The best source of information on CE stuff would be Nick Tusa's web page at:

http://www.tusaconsulting.com/

Nick has overhauled my 200V and is in the process of overhauling my 100V and 600L. The 200V had some major problems including needing a new 20 meter broadband coupler and a screen overcurrent relay. I have gotten the 200V back and it works great and looks good.

Nick also has the old parts stock from CE when they closed. This was great because he replaced my relay with an orginal.

Allen Cutts
N4OZI
--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

2332. WTB DRAKE FILTERS & XTLS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <37405380.4BD6DA9F@earthlink.net>
Source record: 84412

I have a DRAKE C-line and would like to buy the following:

FILTERS:
250 Hz CW filter
1500 Hz RTTY filter
6 Khz AM filter

Crystals:
14.6 Mhz
18.1
20.6
22.6
23.1
24.6
26.1
26.6
28.6

Thanks for your time.
Lee Bahr w0vt Houston, Texas

2333. Wanted:Police Motorcycle Radios

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Mark Masa <mark@kelltech.com>
Message-ID: <374066CD.671E74BA@kelltech.com>
Source record: 84413

I'm restoring a 1952 Harley Davidson police motorcycle and the only thing that I'm missing is the radio setup. I am interested in ANY pre 1970 police motorcycle radio since I can use it as trading material with the few other people in the country who are into this sort of thing. Specifically, I think what is correct for my bike is a Motorola FM TRU41. It is two boxes about 18" long x 10" wide x 10" high. (these dimensions are approximate) The receiver was in one box and the transmitter was in the other. The power supply was in one of the boxes also, but I'm not sure which one. There are interconnecting cables between the two boxes as well as a cable that went up to the control head mounted on the handlebars. The mic came from one of the boxes and was mounted on the tank. It is a tube radio. This is the one I need for my bike but am interested in ANY ANY ANY ANY pre 1970 motorcycle radio, especially if it has tubes. I hope somebody can help me.
Regards
Mark

2334. Hallicrafters S-20 (not S-20R) for Sale!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Nate <apollo@cnjweb.com>
Message-ID: <37406A29.FD919BD9@cnjweb.com>
Source record: 84414
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap

Great condition, works quite well. (5 foot wire brings in all the big'ns and quite a bit of small'ns as well. The AVC still works, and the BFO is nice & clean.)

This radio is quite collectable, very cool looking, esp. at night when dial scale is lit up. Both dials are still in good shape. The silkscreen dial scale is in good condition, and is surprisingly accurate when calibrated to WWV.

Will sell for $125 and I will split the shipping, which in the CONUS should be around $20-30. (hence the term 'boatanchors'.)

e-mail for further info.

Nate Gingras, KB9LSX

2335. RCA AR88/CR88/CR91--Help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: jlogin@mindspring.com
Message-ID: <3740834e.32015961@news.mindspring.com>
Source record: 84415

Hi Fellow BAer's--Obtained AR88 and CR(not sure of model) without manuals or documentation. Wud love to obtain..copies OK. Very willing to pay for ur trouble.. Also any advice wud be welcome. Radios are in poor to fair shape but complete and need tlc...73 Bob, AA8A

2336. Re: Datyon finds ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7hpulk$66a5@eccws1.dearborn.ford.com>
Source record: 84416

In article <7hnn0q$g6d$1@news.netusa1.net>, gtidler@netusa1.net says...

> Any great finds , boatanchrors ,at Dayton Ham fest ?

Mine was five Commodore 64 computers, for $1.00 each. Every one of them worked perfectly when I got home -- I had only planned to salvage whatever parts (which are hard to find now, and quite expensive when you do) I could from them. I did a lot better than I could have ever dreamt. (off topic here, sorry...)

I didn't see as many really nice-looking receivers as I have in years past. I wonder if eBay et al has anything to do with that. There were receivers around, but a lot of them were either parts units or otherwise in really bad shape, rusty cabinets and missing knobs and all that.

C.K.

2337. FS: HP 3312A Function generator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: adam@onramp.net
Message-ID: <MPG.11aa51d1273c496d9896ab@news.onramp.net>
Source record: 84417
Cross-posted to:
dfw.forsale,misc.industry.electronics.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap,sci.electronics.equipment

I have a Hewlett Packard HP 3312A function generator for sale.
Frequency range is 0.1 Hz to 13 mHz, 50 ohm impedance. Generates sine,
square and triangular waves, modulation modes AM, FM and external input.
Works perfectly, not recently calibrated. Manual included.
$350 (shipping included), or trade for HP 8640B, Wavetek 3000 or
similar.

Adam Adkins
adam@onramp.net

2338. Rotors Who makes them now

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7hq9t7$9cl$1@news.eclipse.net>
Source record: 84418
Cross-posted to:
alabama.birmingham.radio.amateur,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Im looking for a new rotor along the lines of a Ham IV
It seems the only ones being sold are Yeasu and the meg buck M2
are there any others if so where can I get one.
Doug

2339. TMC MSR-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-17 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <3740F502.D8CBEEC@earthlink.net>
Source record: 84419

I am looking for a manual for this SSB adapter I have one for the CV
591 this doesn't help to much . I will gladly pay for a good copy.
Thanks Matt Parkinson KE6UOS

2340. FS : Johnson Tube Sockets (new)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990517213934.22575.00002051@ng121.aol.com>
Source record: 84339

For Sale : Have 5 Brand New , Johnson # 275 Tube sockets . Asking $25.00 ea.

Take 4 or more , I pay shipping lower 48 States .
Contact : Stew at sjheys@aol.com for more info
rec.radio.swap

2341. FS : Galaxy Calibrator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990517215432.22575.00002059@ng121.aol.com>
Source record: 84340

For Sale :

Galaxy Crystal Calibrator . This one marked . Used in GT - 550 . May work in others as well .

First $30.00 will get it shipped to you Lower 48 States .

Let the Race begin !
rec.radio.swap

2342. WTD; pacemaker manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3740E31B.3694@sympatico.ca>
Source record: 84341

HELLO
Iam looking for a PACEMAKER MANUAL ORIGINAL
73
ve2amk

2343. Swan Mark II linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Alfred Carlson <wa7uhr@gte.net>
Message-ID: <3740ED49.76783482@gte.net>
Source record: 84342

Swan Mark II linear amplifier with input tuning installed. Conservative

2000 watts PEP. 10 through 80 meters including MARS and some
WARC. Built like a battleship with quality components and uses
two 3-500z tubes. In excellent condition, no dents, scratches etc..
Will require three boxes; one for RF deck, one for Power Supply and
one for the tubes. Shipping is extra and the price is $525. de Fred.

2344. Wanted: Heathkit 3395 Khz IF coil

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: ne7x@aol.com
Message-ID: <19990518012258.24163.00002430@ng33.aol.com>
Source record: 84343

I picked up a SB-620 analyzer scope at the Dayton HamVention this past week and its set for an IF of 1680 KHz. I would like to use it with my SB-301 receiver which has an IF of 3395 Khz. To convert the IF I need to locate a different IF 3395 KHz coil, Heathkit part # 40-776.

If you have one for sale, or would like to trade for the 1680 KHz coil, please send me an email

Thanks, Tom NE7X...

2345. Wanted: Heathkit SB VFO knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: ne7x@aol.com
Message-ID: <19990518012530.24163.00002435@ng33.aol.com>
Source record: 84344

I'm in the need to find a main VFO tuning knob for my SB-301 receiver. The one I have is all scratched and dinged up. The main tuning VFO knob is the same for all SB radios, 300, 301, 400, 401, 303, 101, 102, etc.

If you have one in excellent to mint condition that you are willing to part with, please send me an email with pricing and payment address info.

Thanks, Tom NE7X...

2346. Re: Rotors Who makes them now

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: William Lee <n5wrx@mindspring.nospam.com>
Message-ID: <7hrfl5dro1@nntp8.atl.mindspring.net>
Source record: 84345
Cross-posted to:
alabama.birmingham.radio.amateur,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Try a Hamfest. There are uasually a few used ones for sale.

mirage wrote in message <7hq9t7$9cl$1@news.eclipse.net>...
>Im looking for a new rotor along the lines of a Ham IV
>It seems the only ones being sold are Yeasu and the meg buck M2
>are there any others if so where can I get one.
>Doug
>
>

2347. Re: RCA AR88/CR88/CR91--Help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990518065459.03991.00001672@ng18.aol.com>
Source record: 84346

check with vintage manual's 1-800-807-6146 del

2348. WTB: 651S1 junker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Francesco Ledda <fledda@airmail.net>
Message-ID: <F07CA9047E6C879A.99A2194995D7C37C.50285CF05296286B@library-proxy.airnews.net>
Source record: 84347

Francesco Ledda

Texas, USA

2349. FA Marconi Set Rare

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37415464.7C4D@sympatico.ca>
Source record: 84348
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.marketplace,rec.radio.shortwave

2 days left on this rare set of 3 Marconi CM11 pieces. CSR5 Receiver, matching transmitter and antenna tuner. A real WW2 classic set. on Ebay. Have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=103994594>

2350. Re: Ham-BoatAnchors Digest V99 #125

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: bgittere@juno.COM
Message-ID: <19990518.085835.9262.1.BGittere@juno.com>
Source record: 84349
Body handling: HTML body converted to readable text

Hi Mark,
I too have a 200-V and would like to know the answer to your question.
Please forward any info you get. It will be awhile before I can start
working on mine but I will be glad to work with you if you have
problems.
Bill Gittere K2LNU

On Tue, 18 May 99 04:30:23 PDT Ham-BoatAnchors Mailing List and Newsgroup
writes:
>
>Ham-BoatAnchors Digest Tue, 18 May 99 Volume 99 : Issue
>125
>
>Today's Topics:
> Central Electronics Model 200-V (2 msgs)
> Cirrus Logic pulls plug
> Datyon finds ?
> FA: BC603
> FA: Collector's Perfect Collins 30L-1 Linear Amplifier
> FS: Collins 312B-5 Collector Quality
> FS Collins Original Manuals
> FS Sideband Engineers (SBE) linear amplifier
> Going price for complete S1 line ??
> Hallicrafters S-20 (not S-20R) for Sale!
> INFORMATIONS
> Need SP600jx17 info (2 msgs)
> RCA AR88/CR88/CR91--Help please!
> Russian radio receivers???
> sx-28 coils identification
>Updated my sub-mini tube data page, with new links to other pages too
> Wanted:Police Motorcycle Radios
> WTB: Mosley Parts
> WTD; pacemaker manual
>
>Send Replies or notes for publication to:
>Send subscription requests to:
>Problems you can't solve otherwise to brian@ucsd.edu.
>
>Archives of past issues of the Ham-BoatAnchors Digest are available
>(by FTP only) from ftp.UCSD.Edu in directory
>"mailarchives/ham-boatanchors".
>
>We trust that readers are intelligent enough to realize that all text

>herein consists of personal comments and does not represent the
>official
>policies or positions of any party. Your mileage may vary. So there.
>Loop-Detect: Ham-BoatAnchors:99/125
>--
>
>Date: Mon, 17 May 1999 07:19:34 -0700
>From: "Mark J. Croney"
>Subject: Central Electronics Model 200-V
>
>I have just acquired this transmitter and hopefully will have it on
>the
>air soon. In the past I have seen a few websites with information on
>this transmitter, but I can not remember where they are. Can anyone
>help me with any references to places on the web where I can find more
>information about Central Electronics and the 200-V?
>
>Thanks,
>Mark
>W4ZF
>
>
>.
>
>------------------------------
>
>Date: 17 May 1999 17:00:53 GMT
>From: cccacutts@mindspring.com (Allen Cutts)
>Subject: Central Electronics Model 200-V
>
>In article <37402576.5A66E9B@bellsouth.net>, mcroney@bellsouth.net
>says...
>>
>>I have just acquired this transmitter and hopefully will have it on
>the
>>air soon. In the past I have seen a few websites with information on
>>this transmitter, but I can not remember where they are. Can anyone
>>help me with any references to places on the web where I can find
>more
>>information about Central Electronics and the 200-V?
>>
>>Thanks,
>>Mark
>>W4ZF
>>
>>
>
>Mark,
>
>The best source of information on CE stuff would be Nick Tusa's web

>page at:
>
>http://www.tusaconsulting.com/
>
>Nick has overhauled my 200V and is in the process of overhauling my
>100V and
>600L. The 200V had some major problems including needing a new 20
>meter
>broadband coupler and a screen overcurrent relay. I have gotten the
>200V back
>and it works great and looks good.
>
>Nick also has the old parts stock from CE when they closed. This was
>great
>because he replaced my relay with an orginal.
>
>Allen Cutts
>N4OZI
>--
>~~~~~~
> Allen Cutts - cacutts@mindspring.com
> Email address needs to be changed when replying, I've had
> enough Spam to last me awhile, thank you.
> Home page: http://www.mindspring.com/~cacutts/radio/radio.html
>~~~~~~
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 03:55:39 -0400
>From: "Joe"
>Subject: Cirrus Logic pulls plug
>
>This is just a warning......Cirrus Logic has washed it hands of the
>modem
>business
>there are lots of these modems being dumped in Sundays paper under
>many
>generic names.
>Most of the V:90 version flashed in these modem's was just a
>conversion from
>X2
>from last year and repackaged (look for stickers)..... performance
>is
>highly unstable.
>Most Common model's and numbers are SK, SKV, Wincomm,Jaton and
>Desktalk,
>
>Cirrus had washed its hands and will not supply any firmware, tools or

>flash
>updates to manufacturers.
>
>
>.
>
>------------------------------
>
>Date: 17 May 1999 20:37:08 GMT
>From: cking4@ford.com (Christopher A. King)
>Subject: Datyon finds ?
>
>In article <7hnn0q$g6d$1@news.netusa1.net>, gtidler@netusa1.net
>says...
>
>> Any great finds , boatanchrors ,at Dayton Ham fest ?
>
>Mine was five Commodore 64 computers, for $1.00 each. Every one of
>them worked perfectly when I got home -- I had only planned to salvage
>whatever parts (which are hard to find now, and quite expensive when
>you do) I could from them. I did a lot better than I could have ever
>dreamt. (off topic here, sorry...)
>
>I didn't see as many really nice-looking receivers as I have in years
>past. I wonder if eBay et al has anything to do with that. There
>were receivers around, but a lot of them were either parts units or
>otherwise in really bad shape, rusty cabinets and missing knobs and
>all
>that.
>
>C.K.
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 04:00:42 GMT
>From: Chris Terwilliger
>Subject: FA: BC603
>
>BC603 on EBay:
>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104051319
>
>tnx
>Chris, AA7WD
>aa7wd@mediaone.net
>.
>
>------------------------------

>
>Date: Mon, 17 May 1999 08:56:20 -0500
>From: Jan N0JR
>Subject: FA: Collector's Perfect Collins 30L-1 Linear Amplifier
>
>Includes four extra NEW 811A's. SEE--
>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=105264143
>
>Until Sun., 5/23. Tks es 73!
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 10:37:14 -0500
>From: "Jeffrey J. May"
>Subject: FS: Collins 312B-5 Collector Quality
>
>beautiful unit..$800..consider trade on 75S3B..75A2/75A3/32V3..Johnson
>Valiant 2 in excellent condx...Jeff..W0XV
>
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 08:51:03 -0400
>From: "Ed Carpenter"
>Subject: FS Collins Original Manuals
>
>I have the following Manuals available for Collins. All are original
>and in
>very good condition.
>136B2 $30 PP
> MP-1 $15 PP
> 62S-1 $ 50 PP
> 30L-1 $ 20 PP
> 30S-1 $ 25 PP
> 75S-3B/C $25 PP
> DL-1 $ 10 PP PP = shipped prepaid
>Priorty
>Mail k4gj@citrus.infi.net
>
>
>
>.
>
>------------------------------
>

>Date: Mon, 17 May 1999 04:59:14 -0700
>From: "csc@smartt.com"
>Subject: FS Sideband Engineers (SBE) linear amplifier
>
>For Sale
>
>Sideband Engineers (SBE) linear amplifier.
>
>Model SB2-LA.
>
>Covers 80 to 15 meters and uses six 6LQ6 / 6JE6 sweep tubes.
>
>Very good cosmetic and electrical condition in full working order.
>
>The tubes are all strong and the amp produces full output.
>
>Original manual included.
>
>$190 US plus shipping.
>
>Please reply to csc@smartt.com if interested.
>
>
>.
>
>------------------------------
>
>Date: 17 May 1999 14:56:51 GMT
>From: w4la@aol.com (W4LA)
>Subject: Going price for complete S1 line ??
>
>I have a complete, original paint, manuals, no dents or dings. S line.
> 32-S!,
>75S-1, Power supply w/speaker Center console. all cables and original
>manuals.
>What is the going price? All works excellent and is in physical
>condition over
>all a 9 on 1-10 scale.
>Regards,
>
>Todd Salyards
>w4la@aol.com
>Newton, NC 28658
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 14:12:41 -0500
>From: Nate
>Subject: Hallicrafters S-20 (not S-20R) for Sale!

>
>Great condition, works quite well. (5 foot wire brings in all the
>big'ns
>and quite a bit of small'ns as well. The AVC still works, and the BFO
>is
>nice & clean.)
>
>This radio is quite collectable, very cool looking, esp. at night when
>dial scale is lit up. Both dials are still in good shape. The
>silkscreen
>dial scale is in good condition, and is surprisingly accurate when
>calibrated to WWV.
>
>Will sell for $125 and I will split the shipping, which in the CONUS
>should be around $20-30. (hence the term 'boatanchors'.)
>
>e-mail for further info.
>
>
>Nate Gingras, KB9LSX
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 18:29:59 +0200
>From: "Fabio"
>Subject: INFORMATIONS
>
>This is a multi-part message in MIME format.
>
>------=_NextPart_000_0074_01BEA093.45120C80
>Content-Type: text/plain;
> charset="Windows-1252"
>Content-Transfer-Encoding: quoted-printable
>
>Hi to all!
>
>On: http://space.tin.it/scienza/rancona/, there's a OM/SWL/CB Web Site
>=
>with many LINKS, DXCC Country List, IIA List (Italian Islands Award =
>List), INFO and...
>Here you can also SUBSCRIBE to DRCP Forum!
>Try it!!
>
>Best 73 de Fabio.
>Web: http://space.tin.it/scienza/rancona/
>
>------=_NextPart_000_0074_01BEA093.45120C80
>Content-Type: text/html;

> charset="Windows-1252"
>Content-Transfer-Encoding: quoted-printable
>
>
>
>
>

>
Hi to all!

>

>
On: href=3D"http://space.tin.it/scienza/rancona/">http://space.tin.it/scienza=
>/rancona/,=20
>there's a OM/SWL/CB Web Site with many LINKS, DXCC Country List, IIA =
>List=20
>(Italian Islands Award List), INFO and...

>
Here you can also SUBSCRIBE to DRCP Forum!

>
Try it!!

>

>
Best 73 de Fabio.

>
Web: href=3D"http://space.tin.it/scienza/rancona/">http://space.tin.it/scienza=
>/rancona/

>
>------=_NextPart_000_0074_01BEA093.45120C80--
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 06:46:41 GMT
>From: Xjshillw6ivw@earthlink.net (Jim Hill)
>Subject: Need SP600jx17 info
>
>On 16 May 1999 19:42:56 GMT, ka9p@aol.com (Ka9p) wrote:
>
>>Just picked up an old SP600jx17 and am a bit perplexed as to the goes
>intas and
>>goes outas. Three coax connectors on the back, two labeled IF, one
>labled BFO.
>> Two more inside, one on xtal oscillator box and a second that looks

>like a VFO
>>input. Which is the antenna input? or is it in the wierd mil-style
>multipin
>>connector on the back? And what needs to be jumpered on the terminal
>strips?
>>And does any one know of a web site with SP600 info and/or schematic?
> Thanks
>>alot for any help. Scott
>
>Scott:
>There's a good reflector that covers all Hammarlund radios, with
>plenty of SP-600 posts. Lots of technical data. Here's one approach
>to subscribe:
>Open http://www.ac6v.com/pageas.html
>Click Antique Radios
>Click Mail List Reflectors
>Click MAILING LISTS AND REFLECTORS AT QTH.NET
>
>a quicker method is to open www.qth.net, but thought you might be
>interested in others interesting sites.
>
>Click Select List, scan down to Hammarlund, and click subscribe.
>
>There's another reflector that covers boatanchors in general,
>including SP-600's called Boatanchors.
>To subscribe, send an e-mail to listproc@ThePorch.com with
>subscribe in the body of the message. No subject is required.
>
>Both are moderated, especially Boatanchors. Anticipate a fair amount
>of e-mail from these reflectors, again especially Boatanchors. You can
>always unsubscribe. They will tell you how.
>73's Jim jshillw6ivw@earthlink.net
>
>
>
>Delete the X before using my e-mail address.
>The X was added to stop spam.
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 13:17:42 GMT
>From: tempo@dimensional.com (Bill, KD0HG)
>Subject: Need SP600jx17 info
>
>On 16 May 1999 19:42:56 GMT, ka9p@aol.com (Ka9p) wrote:
>
>The JX-17 was designed to accept internal/external VFO and LO inputs
>so it

>could be synchronized with other like receivers.
>The antenna connector you're looking for is inside the receiver. It's
>an
>SO-239 on top of the center turret assembly, right next to the 6BA6
>1st RF
>amplifier tube towards the rear of the set.
>The SO-239 on the real panel should be labeled IF output. You don't
>need to
>use it.
>There will be two terminal strips with 4 screws each on the real
>panel.
>Counting left to right, #1 and #2 on the TOP terminal strip should be
>jumpered
>together.
>Counting left to right, #2 and #3 on the BOTTOM terminal strip should
>be
>jumpered together. Your speaker should conect to #1 and #4 on this
>bottom
>terminal strip.
>If the receiver is OK, this should get you going.
>Call W7fg Vintage manuals for a book.
>1-800-807-6146 or www.w7fg.com
>Enjoy.
>
>-BK
>
>
>
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 21:04:27 GMT
>From: jlogin@mindspring.com (Bob Login)
>Subject: RCA AR88/CR88/CR91--Help please!
>
>Hi Fellow BAer's--Obtained AR88 and CR(not sure of model) without
>manuals or documentation. Wud love to obtain..copies OK. Very willing
>to pay for ur trouble.. Also any advice wud be welcome. Radios are in
>poor to fair shape but complete and need tlc...73 Bob, AA8A
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 15:03:57 GMT
>From: Al Klase
>Subject: Russian radio receivers???
>
>> Where do I look for info abtout Soviet HF receivers?
>>

>Probably not quite whatyou're looking for, but check the Volna-K on my
>website: http://www.webex.net/~skywaves/commrx/Volna/Volna.html
>
>73,
>Al
>--
>Al Klase - N3FRQ
>skywaves@bw.webex.net
>Web Page: http://www.webex.net/~skywaves/home.htm
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 08:17:29 GMT
>From: emanuele_girlando@my-dejanews.com
>Subject: sx-28 coils identification
>
>dear list,
>I am restoring a 1941 sx-28 (no 'A', no 'MIL').
>
>I have some trouble in identifying coils in the chassis as they are
>listed a Txx on the eletric diagram and as Sxx in the component
>locator
>picture on the manual.
>Can somebody help in translating those Sxx IDs back into Txx?
>Thanks
>
>
>--== Sent via Deja.com http://www.deja.com/ ==--
>---Share what you know. Learn what you don't.---
>.
>
>------------------------------
>
>Date: Mon, 17 May 1999 06:46:57 GMT
>From: wa2ise@netcom.com (Robert Casey)
>Subject: Updated my sub-mini tube data page, with new links to other
>pages too
>
>I updated my ascii based sub-miniature tube data list, located at:
>http://www.netcom.com/~wa2ise/radios/penciltubes.html
>
>Added some more tubes, also added a few links to other web pages that
>have sub-
>mini tube data. Down at the bottom.
>.

>
>------------------------------
>
>Date: Mon, 17 May 1999 13:58:21 -0500
>From: Mark Masa
>Subject: Wanted:Police Motorcycle Radios
>
>I'm restoring a 1952 Harley Davidson police motorcycle and the only
>thing that I'm missing is the radio setup. I am interested in ANY pre
>1970 police motorcycle radio since I can use it as trading material
>with
>the few other people in the country who are into this sort of thing.
>Specifically, I think what is correct for my bike is a Motorola FM
>TRU41. It is two boxes about 18" long x 10" wide x 10" high. (these
>dimensions are approximate) The receiver was in one box and the
>transmitter was in the other. The power supply was in one of the
>boxes
>also, but I'm not sure which one. There are interconnecting cables
>between the two boxes as well as a cable that went up to the control
>head mounted on the handlebars. The mic came from one of the boxes
>and
>was mounted on the tank. It is a tube radio. This is the one I need
>for my bike but am interested in ANY ANY ANY ANY pre 1970 motorcycle
>radio, especially if it has tubes. I hope somebody can help me.
>Regards
>Mark
>
>
>.
>
>------------------------------
>
>Date: 17 May 1999 03:48:56 GMT
>From: k6stu@aol.com (K6STU)
>Subject: WTB: Mosley Parts
>
>Hi Ron.
>Mosley is still in business. Call them and order your parts.
>Mike.
>.
>
>------------------------------
>
>Date: Tue, 18 May 1999 03:57:02 GMT
>From: Claude Bouchard
>Subject: WTD; pacemaker manual
>
>HELLO
>Iam looking for a PACEMAKER MANUAL ORIGINAL
>73

>ve2amk
>.
>
>------------------------------
>
>End of Ham-BoatAnchors Digest V99 #125
>******************************

____
You don't need to buy Internet access to use free Internet e-mail.
Get completely free e-mail from Juno at http://www.juno.com/getjuno.html
or call Juno at (800) 654-JUNO [654-5866]

2351. Wanted: FT-620b parts rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: egriffin@ctc.net
Message-ID: <374165a6.34803343@news.infoave.net>
Source record: 84350

KMA Antennas
VHF - UHF - HF log periodics & yagis
http://www.qsl.net/w4kma

Dayton fleamarket spaces
2828 - 2831

2352. Trade 12AX7 tubes for 7360 and 6883B TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: CanfieldB@astronaut.BRevard.k12.fl.US
Message-ID: <0F2E7544D529D2119295006008A69D5A0159A9@ASTRONAUT-NT>
Source record: 84351

Hello all;

Have several 12AX7 tubes NIB I'd like to trade for 2 tubes in need of.
12AX7's are running around 10-11 dollars each. May have other tubes you
need.
Willing to work deal to make trade.
Thanks
Bill, KF4PGU
canfield@scci.net

Also have a Kenwood 2 meter FM rig for sale. email for details if
interested.

2353. SONORA CHIMES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990518101244.20832.00002184@ng-cf1.aol.com>
Source record: 84352

ANYONE INTERESTED OR KNOW ANYTHING ABOUT SONORA CHIMES
IN CABINET AND HAS 4 CHIMES WOULD APPRECIATE ANY INFO ON
THIS ITEM JOHNYK78@AOL.COM

2354. Re: Rotors Who makes them now

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: k1xv@nac.net
Message-ID: <3741a88d.787000@news.gte.net>
Source record: 84353
Cross-posted to:
alabama.birmingham.radio.amateur,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

On Mon, 17 May 1999 19:43:17 -0400, "mirage" <mirage@eclipse.net>
wrote:

>Im looking for a new rotor along the lines of a Ham IV
>It seems the only ones being sold are Yeasu and the meg buck M2
>are there any others if so where can I get one.
>Doug
>
I have an Emoto and it works fine.

Check out http://elecdist.com/emoto.html

Ray K1XV

2355. Re: TMC MSR-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <37424F0E.95B1E51D@earthlink.net>
Source record: 84354

Bill that would be great . i will take good care of it and send it back. No problem on the cost . Just send it i will enclose the amount when i send it back to you and maybe a little extra for your troubles.
Matt Parkinson KE6UOS

bill hoffman wrote:

> Matt Parkinson wrote:
> >
> > I am looking for a manual for this SSB adapter I have one for the CV
> > 591 this doesn't help to much . I will gladly pay for a good copy.
> > Thanks Matt Parkinson KE6UOS
> Matt,
>
> I have a book on the TMC MSR-4 which includes the MSR-5.
> I do not have the where-with-all to copy the book. I will loan you the
> book with the condition that you return it to me in good condition after
> you copy it and you pay the postage both ways. If this is agreeable to
> you e-mail me your sddress and how you want it mailed.
> 73's
> Bill Hoffman, W5VGV

2356. Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: hitim@aol.com
Message-ID: <19990518122521.08835.00003447@ng-ch1.aol.com>
Source record: 84355

Anyone have a clue where I could get these? Tim
hitim@mindspring.com

2357. BIRD ANT SWITCH ETC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990518125527.22835.00002388@ng-fv1.aol.com>
Source record: 84356

BIRDE 6 POSITION ANT SW WITH N CONNECTORS COMPLETE WITH ORIGINAL KNOB AND ID PLATE $85

DOWKEY ANTENNA RELAY NEW DK60-G2C IN ORIG BOX,,,,$48 W2FNT
JOHNYK78@AOL.COM

2358. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: rickfiske@aol.com
Message-ID: <19990518130411.02121.00002627@ng-ca1.aol.com>
Source record: 84357

>Bristol Wrenches for Collins

Electronic Supply in Kansas City, Mo

(816) 931-0250
(816) 753-2595 fax

Xcelite Part Nos. 99-61 through 99-69
These require a Xcelite handle or ratcheting handle. 3 months ago they still had at least one 99MPX kit that included 2 handles, allen, bristol, nut drivers, phillips, slotted, etc.

2359. Ranger Mods: Timed Seq Keying, &

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Don Huff <w6jl@ixpres.com>
Message-ID: <374243BD.98272826@ixpres.com>
Source record: 84358

Hi OMs,
I am looking for info on the later versions of the Ranger which had timed sequence grid block keying. Mine is an early model with cathode keying. Can anyone help or direct me to a source for the schematic or info for the timed sequence keying circuit?

Also, my Ranger has an add-on flat-plate chassis mounted above the speech amp, containing a 12AU7 and a 6AL5. The tube sockets are riveted on, and the wiring is neatly done, suggesting to me that this might be a factory mod or add-on. Any help on this?

TNX and 73,
Don, W6JL Fallbrook, Calif.
W6JL@ixpres.com

2360. FT/FS: Old telegraphy & radio books

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7hqqfq$j62$1@nnrp1.deja.com>
Source record: 84420

The following books are for trade for any German WWII or earlier
military radio equipment. Also looking for RAL-7 Navy receiver in
original unmodified condition with power supply.
Will sell if no trades.

1. RCA Radiotron Designer's Handbook, Fourth edition, 1498 pages,
good condition.

2. A Treatise on Telegraphy, vol. II, published in 1901 by The Colliery
Engineer Co., Scranton PA.
Hard cover, very good condition, about 1000 pages. Same size as
previous book. I do not have vol. I, but it looks like vol. II has most
(if not all) subjects:
Section 1: Telegraph codes & telegraph apparatus (instruments,
batteries, circuits, sending, receiving).
Section 2: Electric telegraphy (short history, Morse closed circuit
system, Morse open circuit system), Telegraph codes (Morse,
Continental, Bain, Philips). Telegraph instruments. Telegraph
electromagnets. Primary cells. Circuit accessories. Switches at
Intermediate office. Main office switchboards.
Section 3: Theory of electric circuits. Theory of telegraph lines.
Dynamo electric machines. Storage batteries.
Section 4: Pole-line construction. Telegraph cables.
Section 5: Telegraph repeaters. Double current system. Multiplex
telegraphy. Quadruplex telegraphy.
Section 6: Combination of repeaters and multiplex sets.
Branch office signaling device. Simultaneous telegraphy and telephony.
Edison phonoplex. Submarine telegraphy. High speed telegraphy.
Section 7: Chemical telegraphy. Printing telegraphy. Automatic
facsimile telegraphs. American district telegraph service.
Testing. Wireless telegraphy. Utilizing electric railway current for
telegraph circuits.

3. Set of six books published by International
Textbook Co., Scranton PA.
Hard covers, very good to perfect condition.
Each book has 110 to 190 pages.
* Telegraph codes and operating telegraph currents and
electromagnets, 1928.
* Telephone station equipment, 1926, 1927
* Telephony and carrier currents, 1916, 1928
* Amplifiers, oscillators and detectors, 1937.
* Radio tubes, 1935.
* Industrial electronics (theory of industrial electronic
tubes and electronic tubes in industry), 1937

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2361. Re: Russian radio receivers???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Filippone <filippone@my-dejanews.com>
Message-ID: <7hrfgq$14d$1@nnrp1.deja.com>
Source record: 84421

Thanks for the quick reply, Al!

Very interesting!

You must have swooped down on the unit like a bald eagle on a helpless salmon... Does it work?

How thick is the manual?
I'd love to get a photocopy!

Best Regards from rainy northern Italy

Filippo N1JPR/I2

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2362. FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: cosmic@nowhere.com
Message-ID: <3745a36b.5287655@enews.newsguy.com>
Source record: 84422

FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Kenwood TS-440S-AT
+PowerSupply
+Speaker
+ 2 Filters

~ Mint Condition
~ Single Owner
~ Low Use

Package includes the following:

TS-440S-AT - With Built-In Antenna Tuner
PS-50 - Kenwood Power Supply
SP-430 - Kenwood Matching Speaker
YK-88SN - Kenwood 1.8KHZ SSB Filter
YK-88C - Kenwood 500 HRZ CW Filter
SM-TS-440S - Kenwood Service Manual
OM-TS-440S - Kenwood Operating Manual
Receipts - All HRO original purchase receipts encluded.

This rig is in factory new condition. It
is complete as listed above and includes
all original Kenwood equipment boxes.
Soon after the purchase of the above rig,
It was replaced with a Kenwood TS-950D
resulting in very low usage.

If you are seriously interested in purchasing
a top quality rig, this is it. $850.

Includes ground UPS shipping in USA.

Email to: rf@atomicpage.com
Subject: Kenwood TS-440S-AT

Dick Fults - K6SX
1211 Maple Street
San Mateo, CA 94402

650-372-0716

73's

2363. WTB: Radar book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7hsp05smi1@nnrp1.deja.com>
Source record: 84423

Want to buy out of print radar book:
"Germany's Pioneering Achievement 1904-45"
by David Pritchard ref: ISBN 1-85260-246-5.
Please reply to Vlad at: kb9olm@hotmail.com

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2364. collins r390urr sell/swap

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7hspd9$t23$1@nnrp1.deja.com>
Source record: 84424

collins r390urr made by motorola for collins. radio comes with rack.
this rig worked until a person that was not familiar with tube gear
cycled the power switch a few times wondering why it wouldnt come on and
managed to blew the fuse. it has sat since and has been indoors ever
since i have owned it. will sell for $200 or swap for rackmount audio
amps, mcintosh audio gear, or high end speakers. this radio is a marvel
of mechanical engineering with one of the most intricate tuning
mechanisms ever made. RADIO MUST BE PICKED UP IN MIAMI FL OR ARRANGE TO
MEET IN SOUTH FL. due to its size, it is too much trouble to pack.
thanks
robert
ke4mcl

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2365. Re: FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Scott McArdle <mcardle@flash.net>
Message-ID: <3741E885.A0AE3BD1@flash.net>
Source record: 84425

Did someone drop a boatanchor on your head? This is the "boatanchors"
newsgroup.
KC0OW.

2366. WTB Eldico TR-1 ytansmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: thompson@mindspring.com
Message-ID: <7hshov$55f$1@nntp8.atl.mindspring.net>
Source record: 84426

Wanted Eldico TR-1 Transmitter any version. Will buy or have Clegg Elmac as trade material. e-mail please with info.

73 Dave K4JRB
thompson@mindspring.com

2367. Looking for info on RMCA AR-8506B Marine Radio Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: User Na4g Boatanchor Bob <na4g@weedcon1.cropsci.ncsu.edu>
Message-ID: <7hskin$k3v$1@uni00nw.unity.ncsu.edu>
Source record: 84427

I am looking for a copy of documentation on the old RMCA AR-8506B
Marine Radio Receiver. Anyone got a copy of that around in the bilges?

Thanks

Bob Keys/NA4G

2368. Re: Radar book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <#0#AG$Xo#GA.205@cpmsnbbsa03>
Source record: 84428

Did you try Amazon.com? They will try to locate out of print books
at used bookstores for you. There is no charge if they can't. So far
they have had remarkable success with my requests.

It's worth a shot..

<kb9olm@hotmail.com> wrote in message news:7hsp05smi1@nnrp1.deja.com...
> Want to buy out of print radar book:
> "Germany's Pioneering Achievement 1904-45"
> by David Pritchard ref: ISBN 1-85260-246-5.
> Please reply to Vlad at: kb9olm@hotmail.com
>
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2369. WTB: Sunair AN/URC-92 Handles

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <3741F214.D94E903@hnvr.com>
Source record: 84429

Looking for a pair of front panel handles for a Sunair GSB-900DX
(AN/URC-92) HF transceiver. I imagine anything from the Sunair 900
series will work. Also interested in a photocopy of the service manual.

Ken - WB0QNA
ken@hnvr.com
(work) 314-241-1188 x203

2370. Re: collins r390urr sell/swap

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <37421B49.BE7BE1EB@earthlink.net>
Source record: 84430

Robert I will take it for 200.00 Matt Parkinson KE6UOS

dcat4955@bellsouth.net wrote:

> collins r390urr made by motorola for collins. radio comes with rack.
> this rig worked until a person that was not familiar with tube gear
> cycled the power switch a few times wondering why it wouldnt come on and
> managed to blew the fuse. it has sat since and has been indoors ever
> since i have owned it. will sell for $200 or swap for rackmount audio
> amps, mcintosh audio gear, or high end speakers. this radio is a marvel
> of mechanical engineering with one of the most intricate tuning
> mechanisms ever made. RADIO MUST BE PICKED UP IN MIAMI FL OR ARRANGE TO
> MEET IN SOUTH FL. due to its size, it is too much trouble to pack.
> thanks
> robert
> ke4mcl
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2371. ****** WANTED ******** Motorola STX Model 821 or MTS 2000 Flashport Series Radios ****** Wanted ******

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: Todd Hargis <hargis@mail.org>
Message-ID: <927081324.349.74@news.remarQ.com>
Source record: 84431
Cross-posted to: in.ham-radio,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.spac

I'm looking for: Motorola STX model 821 or MTS 2000 Flashport series radios. They must be 800mhz and Smartnet ii capable. These are for a small dept. here in the Indy area that is looking for a way to get around paying the enormous price of new ones from the local radio authority. If they have extra batteries or chargers or public safety mics that would be great also but not needed. Anybody that has these in good to fair condition can e-mail me at paramike@indy.net with prices and terms, I will forward the info to the chief of the dept. inquiring about the radios. Thanks for your help, Mike

2372. FS: Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7hta34$rt2$1@news.erinet.com>
Source record: 84432
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

http://users.erinet.com/30845/itemsfor.htm

2373. FS: Johnson Viking HF Transmitters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7htb40nug1@user2.teleport.com>
Source record: 84433
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Some rather beatup Johnson Viking Transmitters:

1) Johnson Viking Adventurer - original knobs and meter, extra holes have been drilled, back cover has had a section removed and covered with aluminum sheet, no AC cord. Should be a good parts rig - $35 plus shipping.

2) Johnson Viking Pacemaker - has all the original knobs, some extra holes/switches, no AC cord, insides look pretty good, non-original meter (hole appears to have been enlarged). Looks like a good parts rig also. $50 plus shipping.

Larry
larryj@teleport.com

2374. FS: HP-693B sweep generator (model HO1-693B)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <37422E36.852@northwest.com>
Source record: 84434
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,sci.electronics.equipment

```
Sweeper covers 4-8gcs. Works. Includes manual. Asking $200 + shipping
from 97124 (portland, or)
(it's heavy)

Reply to larryc@northwest.com
```

2375. Re: silver micas-how long are they good?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <3740B784.571270EF@home.com>
Source record: 84435

Are silver micas the right ones for audio applications? I would think that
you would want some other dielectric.

alkrol@mcs.com wrote:

> I have a load of NOS silver micas from the early to mid 60's and
> was going to use them in a stereo amp rebuild,the values are on the money
> but does anything go wrong with them over time?
> they are all dark cherry red 1 and 5%

2376. Re: WTB: Tube VFO for Eico 753

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <3740B7E1.19FC74D4@home.com>
Source record: 84436

Did you find the 753 Manual useful?

Some guy has a 753 fs on EBay - doesn't say which VFO.

Nigle wrote:

> Greetings, my latest project is starting to come back to life. I have a
> Eico 753 that is being rebuilt. I just got the power supply finished and I
> am now going into the radio itself. It has the solid state VFO installed in
> it. This is fine. I have been inspired lately to find the illusive vacuum
> tube VFO that fits in this rig.
>
> The rig was first designed with a tube VFO. Eico then went and offered a
> upgraded VFO that was a solid state version. So what I am looking for is
> either:
>
> A "junked" or nonjunker Eico 753 with the VACUUM TUBE vfo that
> would like a good home with
> a radio tech that will appreciate it.
>
> Or the module or tin box that is the Vacuum tube vfo. Maybe there
> is one in the attic you put there after
> the upgrade on the rig to solid state was made?? Wouldn't
> hurt to look, but I bet its buried under a
> pile of solid state rigs.....if you get the time and find
> one, let me know, Ill give you a lot more for it
> than the trash man will.
>
> I know Eico made external VFO's that were pretty good, I am
> looking for the specific circuit board and
> circuitry that actually fit right behind the tuning dial
> inside the 753.
>
> At any rate, hope all your projects are going well, best regards.....
> N3RIK

2377. FOR SALE : Tubes , Valves ...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990517212630.22575.00002043@ng121.aol.com>
Source record: 84437

For Sale many different types of tubes . Some new New In Box . Some Not in the Box . Some even used . All prices fair . Quantity purchases a Big plus . Dealers welcomed . "late spring cleaning" .

Example : Take 100 or more Tubes /Valves . Many CV # tubes in this lot . You can have them as low as $2.00 each !

If I have to look for your specific tubes I can . Prices will be higher . Most reciever Tubes and some Transmitter Tubes can be properly tested for $1.00 extra .

Matched Tube sets for $3.00 extra . Not Bad , eh ? Contact : Stew .

sjheys@aol.com or (310) 547-5652
rec.radio.swap

2378. Power resistor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-18 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990517214003.03529.00001805@ng-fb1.aol.com>
Source record: 84438

I'm looking for a 12,000 0hn 50w resistor with a slider, 4inchs long and 1/2 inch dia. If any you guys have 1 in your junk box I'd like to get it for a restoration project. Tnx in advance

Terry

2379. Re: RCA AR88/CR88/CR91--Help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7hv60d$il5$1@nnrp1.deja.com>
Source record: 84289

In article <3740834e.32015961@news.mindspring.com>,
jlogin@mindspring.com wrote:
> Hi Fellow BAer's--Obtained AR88 and CR(not sure of model) without
> manuals or documentation. Wud love to obtain..copies OK. Very willing
> to pay for ur trouble.. Also any advice wud be welcome. Radios are in
> poor to fair shape but complete and need tlc...73 Bob, AA8A
>
I do have a manual.
Send me your address and I will send you a copy.
Vlad, kb9olm

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2380. 8950 TUBES F.S.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990519150829.17400.00002349@ng-fe1.aol.com>
Source record: 84290

Hello, I have FOUR Sylvania 8950's, very lightly used, full shiny getters and test excellent. All tested close to each other on Heath TT-1A .
Priced 70.00 for a pair, plus 3.50 shipping, or take all four at 130.00, including shipping via tracked Priority mail, in continental USA.
Terms are be happy on arrival, or return immediately in same condition for refund, less shipping charges. It is none of my business what you intend to use these for, and you do so at your own risk.
NO COD's or UPS.

Thanks, JOE
Tubecntral@aol.com

2381. WTB: Heathkit HP-23 or HP-13A Power Supply for SB 101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: "Gary B. Larson" <gary.b.larson@lmco.com>
Message-ID: <37430E62.6B9E@lmco.com>
Source record: 84291

Looking for a reasonably priced HP-23 or HP-13A Power Supply for a Heathkit SB101.

Also, looking for a reasonably priced accessory 400hz CW filter for a Heathkit SB101

Gary
gary.b.larson@lmco.com
(work) (602) 925-7035

2382. Re: Price for Tubetester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <927145924.651.19@news.remarQ.com>
Source record: 84292

Last year I bought one of those in fine cosmetic and working order for $35, and felt that was a fair price. It's cute, but for everday work I use a newer tester that handles more tubes.

Phil

2383. Re: WTB Eldico TR-1 ytansmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990519163549.15920.00000366@ng68.aol.com>
Source record: 84293

Hello,
Name here is Joe and I have avery clean Eldico SSB-100F w/built in
scope for trade. If interested please let me know.
73 de Joe N3IBX

2384. Re: FS Collins R-388/URR receiver...works

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990519163912.15920.00000370@ng68.aol.com>
Source record: 84294

Dear Sir,
How much are you asking for your R388 and what condition is it
in?
Joe N3IBX

2385. Re: Viking II front panel restoration?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <927146576.732.31@news.remarQ.com>
Source record: 84295

Hi ,

Please contact Lynne n0alo@southwind.net. He did a very nice job at a reasonable price on my RANGER II.

Russ - W8RHJ

2386. Re: hallicrafters sx-99 power cord? (dayton find)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: bmiller@neosoft.com
Message-ID: <37432323.22651736@fullnews.neosoft.com>
Source record: 84296

jensenj@stiusa.com (Jerry Jensen) wrote:

>Well I picked up an sx-99 "don't know if it works" set at the
>hamvention. Problem is I don't have a power cord for it. It has two
>prongs sticking out in the back for a female type power cord. I tried
>one from a cheapo am/fm portable set but the holes were too small.
>Anyone have the secret part # for a modern cord?

Look at the hardware store for all of the different "appliance" type
cords they have. Look at Radio Shack to see what they have. Check the
computer-geek stores for the pc cords they have...

(The fact that it's an ungrounded 2-prong cords may be a problem, in
this modern "ground everything" age...)

Bob
>
>Jerry jensen
>dayton ohio

2387. Re: Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <HwF03.13692$5e2.289285@news2.giganews.com>
Source record: 84297

I have seen one (and only) reference in the R-390A manual to "Bristo". I always thought it was a misprint (typo). Also, I once borrowed a set in a little pouch that had Bristol Tool Company emblazoned on the front.

Who knows?

TR

Dallas Lankford wrote in message <3743043F.9C0C941E@bayou.com>...
>What is the basis for your belief that the name is Bristo and not
>Bristol?
>
>Vacuo wrote:
>
>> I know that nobody really cares about this fact anymore (even the
>> current manufacturers, apparently), but the name is 'BRISTO' without
>> the 'L'. Perhaps the originators had in mind some sort of promotional
>> jingle, but I digress . . .
>>
>> N2KQA
>>
>> On Tue, 18 May 1999 16:25:21, hitim@aol.com (HITIM) wrote:
>>
>> > Anyone have a clue where I could get these? Tim
>> > hitim@mindspring.com
>

2388. Re: Price for Tubetester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Fred Ruckser <nospam@somewhere.com>
Message-ID: <7hv8a3jhl1@mail.pl.unisys.com>
Source record: 84298

Thanks Phil

Phil Nelson wrote in message <927145924.651.19@news.remarQ.com>...
>Last year I bought one of those in fine cosmetic and working order for $35,
>and felt that was a fair price. It's cute, but for everday work I use a
>newer tester that handles more tubes.
>
>Phil
>
>
>

2389. Re: Viking II front panel restoration?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: maxstvs@aol.com
Message-ID: <19990519165728.17093.00002499@ng-cl1.aol.com>
Source record: 84299

Thanks for the tip, I'll check it out..Thanks!
Brian

2390. FA: GE CG-60AB0 radar wavemeter on ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Richard Sharisky <we@ma.ultranet.com>
Message-ID: <7hvah6$q63$1@ligarius.ultra.net>
Source record: 84300

General Electric CG-60AB0 radar wavemeter, mint condition, in walnut case.

Auction ends: 05/22/99, 16:32:56 PDT
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=104690960

2391. WTB: Sherwood CF600/6 or INRAD GUF-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: N3BJ@hotmail.com
Message-ID: <7hvgs5$qm5$1@nnrp1.deja.com>
Source record: 84301
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Wanted: Sherwood 600 Hz filter for R4C front end or INRAD GUF-1. Pleas
let me know if you have one that is surplus to your needs.

Alan, N3BJ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2392. Re: Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: David Dyer <dyerd@csi.com>
Message-ID: <ecUFmmko#GA.356@nih2naab.prod2.compuserve.com>
Source record: 84302

I remember seeing the name spelled both ways in various USAF tech orders...

Dallas Lankford <dallas@bayou.com> wrote in message
news:3743043F.9C0C941E@bayou.com...
> What is the basis for your belief that the name is Bristo and not
> Bristol?
>
> Vacuo wrote:
>
> > I know that nobody really cares about this fact anymore (even the
> > current manufacturers, apparently), but the name is 'BRISTO' without
> > the 'L'. Perhaps the originators had in mind some sort of promotional
> > jingle, but I digress . . .
> >
> > N2KQA
> >
> > On Tue, 18 May 1999 16:25:21, hitim@aol.com (HITIM) wrote:
> >
> > > Anyone have a clue where I could get these? Tim
> > > hitim@mindspring.com
>

2393. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Dallas Lankford <dallas@bayou.com>
Message-ID: <37434439.48DE4CD3@bayou.com>
Source record: 84303

Snap-On used to carry at least the small L shaped fluted multiple spline (Bristol) wrenches down to (I think) #2 which have been used to linearize some Cosmos PTOs.

"jstrohm@texas.net" wrote:

> In article <37422BBB.4ED74BBE@flash.net>,
> sratzlaf@flash.net wrote:
> > Jensen Tools Inc. http://www.jensentools.com
> > Catalog 99D, p.206,207. 11pc. spline blade set, #3-110 (9blades)
> $42.00
> >
> > or #3-699 .096-6 spline blade (specific R390A blade) $4.35 ea.
>
> Additionally, Snap-On tools may have a spline key set for a little
> less than the Xcelite kit.
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2394. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990519194759.09486.00000348@ng-fz1.aol.com>
Source record: 84304

Model HE-45B comes with power cord and manual, no mic. $60 plus shipping.

2395. FA: Collins (RE) KWM-2A & PM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7hviri$g8a$1@news.erinet.com>
Source record: 84305
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Here is a real nice Collins (RE) KWM-2A & PM-2
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106535209

2396. Heath mailing list still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Marty <marty-k2@snet.net>
Message-ID: <37435116.5C520552@snet.net>
Source record: 84306
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna,rec.radio.swap

Does anyone know if the Heath mailing list is still in operation?

I've tried several times recently to subscribe according to the instructions given when I was previously on the list, but never seem to get a confirmation or see any messages. A couple of notes to the fellow in charge of the list have gone unanswered.

Marty K1FHR

2397. Re: Heath mailing list still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7hvoakjl1@bgtnsc01.worldnet.att.net>
Source record: 84307
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna,rec.radio.swap

It Still Works For Me At This Address : heathkit@qth.net

2398. SP 600 JX web site??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: munsch@ibm.net
Message-ID: <37436a36@news1.us.ibm.net>
Source record: 84308

BA lovers:
I have seen a large number of suffix numbers for this fine Hammarlund product. Is there a location where all these are listed and the differences enumerated? I seem to remember there were some other suffix letters besides JX also. I know some have LF bands, and other features, but I can never keep the references straight.
Thanks, Crazy George

2399. Re: SP 600 JX web site??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7hvq8n$jrc@dfw-ixnews8.ix.netcom.com>
Source record: 84309

http://www.qsl.net/hammarlund/index.html

Above is Hammarlund Historian Web page. Follow the SP-600 links and you
will find a list of all the various contracts.

Rob
<munsch@ibm.net> wrote in message news:37436a36@news1.us.ibm.net...
> BA lovers:
> I have seen a large number of suffix numbers for this fine Hammarlund
> product. Is there a location where all these are listed and the
differences
> enumerated? I seem to remember there were some other suffix letters
besides
> JX also. I know some have LF bands, and other features, but I can never
> keep the references straight.
> Thanks, Crazy George
>
>

2400. FS: HALLICRAFTERS S-40 B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7hvpg1$82$1@fir.prod.itd.earthlink.net>
Source record: 84310
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

FS: HALLICRAFTERS S-40 B. Very nice condition! Easy 8.5 of 10. Very clean radio!

$ 80 + shipping.

Thank you,

-ERIC

2401. Re: Advise on a vintage AM Ham station needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7hueb6$mj5$1@news1.alltel.net>
Source record: 84311

back in 1964 i run a johnson ranger with a Hammerlund HQ-110C rcvr. that combo made an excellent rig.....

dave
KG5XR

RadioDoc37 <radiodoc37@aol.com> wrote in message news:19990519001740.14553.00002340@ng-co1.aol.com...
> I am currently building a vintage AM HAM Station. I recently got a Johnson
> Viking Mdl I transmitter operational and am looking for advise on a good
> receiver to match up with it for use on 40 meter AM etc. Something in the $300
> price range.
> Halicrafters SX series? Hamarlund HQ series? Suggestions from AM operators
> utilizing a similar set up is appreciated.
>
> I am considering using the Fentone 500C dual Crystal element mic head or the
> standard D104 crystal head on a TUG 8 base for a Microphone. A friend has a
> Argone A57 broadcast mic I may try if it is high impedence. going to use a
> Heathkit SB201 running a pair of 572b's for the amplifier until I upgrade to a
> 4-1000 or pair of 3-500Z type amplifier. Antenna is a G5RV up 70 Ft. in a pine
> tree in a inverted V configuration.
>
> Please Email me with your input instead of posting since I don't check this
> newsgroup frequently
> Once again your input is appreciated
> 73's
> Mike N6KYD Simi Valley Ca.

2402. Help needed with BC-312M

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: aa5qt@aol.com
Message-ID: <19990518201343.02110.00002789@ng-ca1.aol.com>
Source record: 84359

I recently received a nice looking one of these, but it's far from perfect. I need a clean schematic and a manual would be nice. I'll certainly pay whatever is fair. It came with an outboard power supply that looks like it was wired by my dog- I don't trust it, and will have to build a new one. There was one ps inside, but it's been ripped out. Any help would be much appreciated.

73, Gary K5QT

2403. For sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990518.193704.-162069.30.NFMK@juno.com>
Source record: 84360

For sale:

The last of my Heathkit transceivers. Heath SB-104 (I think it is an A model) Transceiver, 5 band solid-state SSB/CW plus 15 mhz. Includes not only the stock SSB filter but also the desirable crystal CW filter and the rare SB-104-1 noise blanker. Has only one change: an SO-239 in place of the RCA audio jack for the output. Nicely done. Unit was ordered from Heath in March of 1975. Has silent keys drivers licence on chasis for theft prevention.

9.5 out of 10, very little use. Transceiver is beautiful and collector quality. Lettering bright white. Knobs are perfect. Unit is a little dusty. Cabinet is very pretty. Front panel is superb.

Performance is very nice. If you've been on an expensive modern transceiver, you'll only appreciate the quality of Heath engineering with this rig. Excellent output on all bands, especially with low SWR conditions or by using an antenna tuner matching into 50 ohm load. Has been run along side the TR7A and the TS-830S and it receives as well or better than either. Noise blanker works as well; a little better on wood=pecker type. Frequency accuracy is right on; you won't find a nicer SB-104.

$350 plus shipping because of condition. Missed Dayton? Here's your chance to pick up a beautiful classic Heathkit rig which will only go up in value if you take care of it. For sale to licensed amateur only.

Power supply, speaker, and manuals are separate.

73 DE NFMK AR
< 70806 >

2404. Re: TMC MSR-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: bill hoffman <bilboard@flash.net>
Message-ID: <37423BB6.2CD1@flash.net>
Source record: 84361

Matt Parkinson wrote:
>
> I am looking for a manual for this SSB adapter I have one for the CV
> 591 this doesn't help to much . I will gladly pay for a good copy.
> Thanks Matt Parkinson KE6UOS
Matt,

I have a book on the TMC MSR-4 which includes the MSR-5.
I do not have the where-with-all to copy the book. I will loan you the
book with the condition that you return it to me in good condition after
you copy it and you pay the postage both ways. If this is agreeable to
you e-mail me your sddress and how you want it mailed.
73's
Bill Hoffman, W5VGV

2405. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990518230349.17407.00002175@ng-fe1.aol.com>
Source record: 84362

http://www.jensentools.com

They are the 99-series splined wrenches made by Xcelite.

2406. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Steve Ratzlaff <sratzlaf@flash.net>
Message-ID: <37422BBB.4ED74BBE@flash.net>
Source record: 84363

Jensen Tools Inc. http://www.jensentools.com
Catalog 99D, p.206,207. 11pc. spline blade set, #3-110 (9blades) $42.00

or #3-699 .096-6 spline blade (specific R390A blade) $4.35 ea.

2407. Added more tubes to my subminiature data list

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFBynFn.5oM@netcom.com>
Source record: 84364
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Added some more tubes to my data list. Several in the range of CK5xx.

http://pweb.netcom.com/~wa2ise/radios/penciltubes.html

2408. Advise on a vintage AM Ham station needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990519001740.14553.00002340@ng-co1.aol.com>
Source record: 84365

I am currently building a vintage AM HAM Station. I recently got a Johnson Viking Mdl I transmitter operational and am looking for advise on a good receiver to match up with it for use on 40 meter AM etc. Something in the $300 price range.
Halicrafters SX series? Hamarlund HQ series? Suggestions from AM operators utilizing a similar set up is appreciated.

I am considering using the Fentone 500C dual Crystal element mic head or the standard D104 crystal head on a TUG 8 base for a Microphone. A friend has a Argone A57 broadcast mic I may try if it is high impedence. going to use a Heathkit SB201 running a pair of 572b's for the amplifier until I upgrade to a 4-1000 or pair of 3-500Z type amplifier. Antenna is a G5RV up 70 Ft. in a pine tree in a inverted V configuration.

Please Email me with your input instead of posting since I don't check this newsgroup frequently
Once again your input is appreciated
73's
Mike N6KYD Simi Valley Ca.

2409. WTD: VFO for Johnson Viking Mdl I

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990519014055.05230.00002045@ng-fs1.aol.com>
Source record: 84366

I am looking for a VFO for the Johnson Viking Mdl I
I think it is the Johnson Mdl 122 or other VFO with a 40 meter output
If you have one for sale or trade, please Email me
Thanks
Mike N6KYD

2410. Re: Cost/source of D-104 crystal cartidges?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7htr95$29t$0@198.69.29.144>
Source record: 84367

Or just call AES, Milwaukee, WI and they'll send you one probably
quicker & cheaper.

N2KQA

On Tue, 11 May 1999 20:57:26, mccrk@aol.com (MCCRK) wrote:

> Suggest you contact the manufacturer, the Astatic Corp., Conneaut, Ohio. They
> still manufacture the D-104, as well as supply parts and repair them.
>
> W3DF

2411. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7hts12$3eu$0@198.69.29.144>
Source record: 84368

KWS-1 <> 160m ?????

'Collins is just a name'

N2KQA

On Wed, 12 May 1999 00:57:55, nfmk@juno.COM wrote:

> Wanted: Collins AM transmitter. Would like to find something
> covering 160 (KWS-1 or commercial). Will consider any condition
> unit and can travel within traveling distance of Gulf Coast Area.
> Examples of possible rigs are the 32V3, KWS-1, KW-1, or any
> of the 1950 - 1970 era military surplus transmitters (preference
> given to gray Navy models).
>
> Also looking for AN/FRT-5.
>
> Thanks in advance for any information,
>
> Doug

2412. EE-8, 8A and 8B differences?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: "Clotworthy, Chris (EXCHANGE:IRE07:GF10)" <clotwort@nortel.co.uk>
Message-ID: <37428769.55CF3A53@nortel.co.uk>
Source record: 84369

I don't have a manual for these, so would like to know the differences between the three models of these, if someone could summarize them.

Thanks in advance!

Chris Clotworthy
GI7TEU
Belfast,UK

2413. Viking Navigator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Ralph Smith <ralph203@powersupply.net>
Message-ID: <3741ec02@news.glasscity.net>
Source record: 84370

The plug on the Navigator has two line fuses. The ordinary fuse (1.5 amp) will blow when turning off and on at times. This is the fuse that is called for. Does anyone know if this a slow blow or what? All of the components in the radio check satisfactory. If you leave it on and the fuse does not blow, the radio will stay on indefinitely.

Thanks,
Ralph

2414. Re: Viking Navigator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <3742B052.2C9DEEB7@home.com>
Source record: 84371

Ralph:

Going back about 25 years via memory, it seems to me that should be a
slow blow. Remember, that's memory not from the manual.

73
Alan
W1HYV

Ralph Smith wrote:
>
> The plug on the Navigator has two line fuses. The ordinary fuse (1.5 amp)
> will blow when turning off and on at times. This is the fuse that is called
> for. Does anyone know if this a slow blow or what? All of the components
> in the radio check satisfactory. If you leave it on and the fuse does not
> blow, the radio will stay on indefinitely.
>
> Thanks,
> Ralph

2415. Re: Viking Navigator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990519083946.05441.00001986@ng65.aol.com>
Source record: 84372

I don't know what the book calls for but 1.5 amps seems real light, especially for a fast blow fuse. I am guessing that a 2 amp slow blow would be about right.

brokebob

2416. NEW 6146 A's or B's Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990519091420.16179.00001981@ng-fy1.aol.com>
Source record: 84373

Would anyone out there have a set of 2 6146 A's or B's they would care to part with. New In Box preferred. Please state brand, price, and shipping. Also 1 ea. 6CL6 tube needed.
Thank You for reading this message.Please reply directly to my email address.
73 de Joe N3IBX
n3ibx@arrl.net

2417. Lakeshore Phasemaster II-B Information Requested:

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990519091847.16179.00001982@ng-fy1.aol.com>
Source record: 84374

Greetings,
Name here is Joe (N3IBX) and I've recently acquired a Lakeshore Phasemaster II-B Transmitter. I have the manual to it. I plugged it in and tuned for maximum smoke - hi and could not get the TX relay to energize. Anyone out there have any ideas why? Also, how good were these transmitters? Any hints on tuning them? Any information will be appreciated since I don't know of anyone who has ever owned a Lakeshore.
Thank You for reading this message.
73 de Joe N3IBX

2418. FS: Some neat tube type transmitter kits!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3742bdd7.13223523@news.earthlink.net>
Source record: 84375
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap,rac.antiques.radio+phono

```
For Sale:

Some neat tube type transmitter kits!

See:

http://home.earthlink.net/~af4k/vintage.htm
```

2419. QRP AM and CW transmitters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3742bfdf.13743877@news.earthlink.net>
Source record: 84376
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

QRP AM and CW transmitters for the homebrewers!!!

http://home.earthlink.net/~af4k/ham/ecl80.htm

Fee: Plans on-line 4 U!

2420. SUB-Miniature tubes FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990519105230.14553.00002462@ng-co1.aol.com>
Source record: 84377

SUBMINIATURE NOS TUBES: ALL ARE RAYTHEON UNLESS NOTED:

2E32 /CK-553AY, If you trim down to size the lead wires you get
a 2E31 /CK553AX,
ONE @4.00

2E35 /CK 502AX, Again, trim the leads and get a 2E36 /CK 502AY,one @6.00

2E36 /CK502AY, one @ 6.00

2E41 /CK551AX, trim to get 2E42 /CK551AY,..two@ 6.00 ea.

2G21 /CK555AX, trim to get 2G22 /CK555AY, one @ 7.00

CK 533AX, two @ 4.00 ea.

CK 512AX, two@ 5.00 ea.

CK 5829, one @ 7.00

CK 5886, eight @ 19.00 ea. { A.E.S. gets 69.60 for these}

5642 Sylvania, one @ 5.00

5642 RCA, two @ 5.00 ea.

5841 Victoreen, two @ 4.00 ea.

6112 Sylvania, one @ 5.00

6147 Raytheon, 1 @ 4.00

Shipping included on order above 20.00 on these, or add 3.50.

Thank you,
Joe Pratt, Tubecntral@aol.com

2421. For Sale! Yaesu FTDX-560 XCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <927126090.740.30@news.remarQ.com>
Source record: 84378
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

Classic FTDX-560 80-10Meter "Boatanchor" class XCVR. 560 watt PEP input. Excellent plus operating & cosmetic condition (9 out of 10), clean in & out, NO mods, new Japanese 6KD6 finals, supplied with original manual (minus cover page) and W7FG Vintage Manuals spiral bound copy. And now the catch...! Rig needs a "10B" crystal as the existing one is DOA!! Available from JAN or ICM for about $15.00. $250.00 plus shipping.

Steve

2422. Re: FS: Collins 75A(2-3) SSB Detector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7hujj9ind0@198.69.29.144>
Source record: 84379

If Collins made it you can be 'sure' it'd have a mechanical filter in
it.
BTW, dooes it work??

Can you scan schematic and post a jpeg? It would be of interest.

N2KQA

On Sun, 16 May 1999 22:08:29, w1ksz@tiac.net wrote:

> Plugs into the NBFM Adapter Socket. Looks like Collins made
> but not sure, uses 6C4. With schematic. $25 shipped CONUS.
> 73, Dick, W1KSZ

2423. Re: RCA AR88/CR88/CR91--Help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7hukf2kfb0@198.69.29.144>
Source record: 84380

First off, don't plug em in!! Do a thorough checkup of power supply
and
especially the audio section. Replace all electrolytics with fresh.

Mine ran for a couple hours before the caps went. Luckily did not
take
out any transformers.

N2KQA

On Mon, 17 May 1999 21:04:27, jlogin@mindspring.com (Bob Login) wrote:

> Hi Fellow BAer's--Obtained AR88 and CR(not sure of model) without
> manuals or documentation. Wud love to obtain..copies OK. Very willing
> to pay for ur trouble.. Also any advice wud be welcome. Radios are in
> poor to fair shape but complete and need tlc...73 Bob, AA8A

2424. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: steeltoe@kickass.com
Message-ID: <7huksh$l6g$0@198.69.29.144>
Source record: 84381

I know that nobody really cares about this fact anymore (even the current manufacturers, apparently), but the name is 'BRISTO' without the 'L'. Perhaps the originators had in mind some sort of promotional jingle, but I digress . . .

N2KQA

On Tue, 18 May 1999 16:25:21, hitim@aol.com (HITIM) wrote:

> Anyone have a clue where I could get these? Tim
> hitim@mindspring.com

2425. Price for Tubetester

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Fred Ruckser <nospam@somewhere.com>
Message-ID: <7hul5h$s5v$1@mail.pl.unisys.com>
Source record: 84382

What would be a realistic price for a PRECISION APPARATUS model 10-12 tube tester?

Thanks

2426. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7huofb$8g1$1@nnrp1.deja.com>
Source record: 84383

In article <37422BBB.4ED74BBE@flash.net>,
sratzlaf@flash.net wrote:
> Jensen Tools Inc. http://www.jensentools.com
> Catalog 99D, p.206,207. 11pc. spline blade set, #3-110 (9blades)
$42.00
>
> or #3-699 .096-6 spline blade (specific R390A blade) $4.35 ea.

Additionally, Snap-On tools may have a spline key set for a little
less than the Xcelite kit.

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2427. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: W3BV <W3BV@arrl.net>
Message-ID: <3742CF9C.92C8BABB@arrl.net>
Source record: 84384

And a very good name at that <grin>

2428. Re: EE-8, 8A and 8B differences?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Wammes Witkop <wwitkop@cable.a2000.nl>
Message-ID: <3742DE17.2781F18B@cable.a2000.nl>
Source record: 84385

Hi Chris,

Summarized: none. Very small difference in dimensions, the B has a sheet steel chassis versus the other two aluminium alloy, different generator, some changes in design and use of capacitors, that's it. Funtionally the same, as well in appearances.

Clotworthy, Chris (EXCHANGE:IRE07:GF10) wrote:
>
> I don't have a manual for these, so would like to know the differences
> between the three models of these, if someone could summarize them.
>
> Thanks in advance!
>
> Chris Clotworthy
> GI7TEU
> Belfast,UK

2429. Re: RCA AR88/CR88/CR91--Help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Robin Birch <robin@falstaf.demon.co.uk>
Message-ID: <eLdA5CAjfuQ3EwnG@falstaf.demon.co.uk>
Source record: 84386

In article <7hukf2kfb0@198.69.29.144>, Vacuo <steeltoe@kickass.com>
writes
>First off, don't plug em in!! Do a thorough checkup of power supply
>and
>especially the audio section. Replace all electrolytics with fresh.
>
>Mine ran for a couple hours before the caps went. Luckily did not
>take
>out any transformers.
>
>N2KQA
>
Secondly, do not run these sets without either phones or a loudspeaker plugged in as the output transformer is a bit fragile. Depending on the type of capacitor you have it may be oil filled. If things around it are getting a bit greasy and furry then you will have a cap that is in the way out.

Secondly, when aligning the set you will need a wobbulator for the IFs.

Thirdly, I am told (hearsay only) that that the IFs are slightly hydroscopic and gently drying them out, especially if the set has been out of use for a while, will improve the IF no end.

Forthly, there was an article (The Short Wave Magazine July 1974) which went through refurbishing the set.
>
>On Mon, 17 May 1999 21:04:27, jlogin@mindspring.com (Bob Login) wrote:
>
>> Hi Fellow BAer's--Obtained AR88 and CR(not sure of model) without
>> manuals or documentation. Wud love to obtain..copies OK. Very willing
>> to pay for ur trouble.. Also any advice wud be welcome. Radios are in
>> poor to fair shape but complete and need tlc...73 Bob, AA8A
>
>

Robin Birch robin@falstaf.demon.co.uk

M1ASU/2E0ARJ Old computers and radios always welcome

2430. Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: Dallas Lankford <dallas@bayou.com>
Message-ID: <3743043F.9C0C941E@bayou.com>
Source record: 84387

What is the basis for your belief that the name is Bristo and not
Bristol?

Vacuo wrote:

> I know that nobody really cares about this fact anymore (even the
> current manufacturers, apparently), but the name is 'BRISTO' without
> the 'L'. Perhaps the originators had in mind some sort of promotional
> jingle, but I digress . . .
>
> N2KQA
>
> On Tue, 18 May 1999 16:25:21, hitim@aol.com (HITIM) wrote:
>
> > Anyone have a clue where I could get these? Tim
> > hitim@mindspring.com

2431. Viking II front panel restoration?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-19 00:00:00 UTC
From: maxstvs@aol.com
Message-ID: <19990519151228.17082.00002497@ng-cl1.aol.com>
Source record: 84388

Hi,

I recently aquired a Johnson Viking II transmitter and I'm interested in having the front panel repainted and silkscreened...Does anyone know who does this sort of thing, and does a good job?

Thanks for the help

Brian

2432. Wanted Knight T-150A information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Bill Cohn <cohns@enteract.com>
Message-ID: <37443AA9.190B73F9@enteract.com>
Source record: 84239
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Hi,

I have a Knight T-150A I picked up to go with my R100A. The transmitter was built rather poorly so I would like to strip it down and rebuild it like the kit was supposed to be constructed. I need a copy of the original instruction pictorials to do this. I already have the manual with out the diagrams, so I do no need the total manual.

I would be happy to pay for copying and postage if someone has the illustration book as it was known.

Please do not send me e-mails about the manual suppliers as I have already purchased what they had and the illustration book was not included.

I have many Heathkit manuals and other Knight Kit manuals that I would be willing to copy in trade if someone was interested.

Thanks,

Bill Cohn
N9MHT
185 Grovenor Dr.
Schaumburg, IL 60193

2433. Re: SP 600 JX web site??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-dejanews.com>
Message-ID: <7i1hae$8is$1@nnrp1.deja.com>
Source record: 84240

In article <37436a36@news1.us.ibm.net>,
<munsch@ibm.net> wrote:
> BA lovers:
> I have seen a large number of suffix numbers for this fine Hammarlund
> product. Is there a location where all these are listed and the
differences
> enumerated? I seem to remember there were some other suffix letters
besides
> JX also. I know some have LF bands, and other features, but I can
never
> keep the references straight.
> Thanks, Crazy George
>
George:

If you need a Tech Manual for this beast you can download a copy from
the BAMA web site at <http://bama.sbc.edu>.

--
Best Regards,

Ed

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2434. Re: Heath mailing list still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: stallon@sailfish.exis.net
Message-ID: <374442b3@grouper.exis.net>
Source record: 84241
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna,rec.radio.swap

Don't know if this is what you are looking for, but how about:
http://www.heathkit.com/

Cheers!

Gary V. Deutschmann, Sr. (raiar@slacc.com.nospam) wrote:
: Hi Marty

: Don't know about on-line messages, but I still get their mail order
: course catalogs via snail mail.

: TTUL
: Gary

2435. EZ Marine 7 To 13+ Fish Lifs EZer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Louis <Louis@ezmarine.com>
Message-ID: <cyX03.90290$A6.44504619@news1.teleport.com>
Source record: 84242

Anchorig tip and how to catch BIG fish
Video on fishing and hunting tip
Make your life EZer
@ www.ezmarine.com

2436. FA Ebay: Rare Hammarlund HQ-215 (item # 106860971)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Marco Ciocca <marco@pa.uky.edu>
Message-ID: <37445D13.4029383A@pa.uky.edu>
Source record: 84243
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio.swap

I have again put on auction on ebay a receiver seldom seen: a "very
scarce" (as
Fred Osterman puts it)Hammarlund HQ-215. This 80-10 Ham band only
receiver can
be "expanded" by plugging in crystal in 13 available sockets.
At the moment, with the unit, several optional crystals are furnished to
cover the WARC bands.
I had to relist because the highest bidder, w0ogm, paid with a "rubber"
check. Here's the link:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106860971
Thank you very much for the bandwidth!
--
Marco KF4URS

2437. FS: Collins Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <37444baa.22587850@cnews.newsguy.com>
Source record: 84244

Collins DL-1 dummy load- very good condx. - $150
637T-2 Collins dipole antenna - like new $200
TD-1 Dipole antenna made by Hy-Gain - very nice condx. - $150
MM-1 microphone -round emblem- excellent condx.- $150
CC-3 Collins carrying case - $50
CC-2 Collins Carrying case- $50
62S1 Original Collins manual - very nice condx. - $50
TM-11-5820-554-12 (1976) operators and organizational maintence
manual for AN/FRC-93- includes KWM2,516f2, pm2, 30L1, 312B4/5
180S1,CP-1 and more. new- $50
312B4/5 original collins manual very good condx. $25
KWM2/2A manual original very good condx. $40
75A4 4:1 spinner knob - $75
Shipping extra on all items .
Tnx, Ron- K5GIT ronfol@hilconet.com

2438. Re: Heath VF-1 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7i1oio$22j$1@birch.prod.itd.earthlink.net>
Source record: 84245

I recall buying and building a VF-1 in 1959. On a good day, it had a rough note- especially on 15 as you mention. In the very best state of repair, this was a very bad VFO. However, one must remember that the original price was $19.95 or so. After some time, I replaced it with an Eico VFO- think it was a 722?- which had a very pure note and was pretty stable over time. Of all the old gear I've owned over the years, I think the VF-1 is probably the only thing that I'd not buy again out of nostalgia! If you didn't notice the raspy note in the '60s, it's probably because you didn't know as much then as you do now!

Daniel Metzger <dmetzger@monroe.lib.mi.us> wrote in message news:3743C599.564B@monroe.lib.mi.us...
> I recently brought my Heath DX-35 and VF-1 down from a 32-year QRT in
> the attic. After chasing out the spiders and applying some contact
> cleaner, I was on 40 cw, but noticed the note had some ac on it. On 15
> meters (after tripling) it was really bad, so I assume it was frequency
> modulation.
>
> I changed the osc tube, bridged the filter caps with new ones (even put
> a 'scope on the B+ and found only a volt or two of ripple; none after
> the VR tube in the VFO.) Finally, on a hunch, I took the 6.3 V ac
> filament supply off and powered the filament with a 6-V battery.
> Instant pure note!
>
> I measured the filament-to-cathode capacitance of the 6AU6; it's 4 pF.
> The cathode isn't grounded; it has 500 pF to ground. So I should expect
> about 60 mV p-p ac on the cathode - not a good design.
>
> So, I've put in a solid-state rectifier and some 4700 uF filters to
> power the 6AU6 filament, and things are doing fine ... but ... I used
> this VFO for years in the 60s; on 15 meters; even drove a home-brew SSB
> rig with it. Why didn't I notice the rasping note then? Does the VF-1
> in its original state have a pure note? Is there something in there
> that still needs servicing?
>
> e-mail reply appreciated; My work schedule prevents me from browsing
> this group regularyl.
>
> Dan, K8JWR

2439. Re: FS Collins R-388/URR receiver...works

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <37447FF5.6FBCE7F@stratos.net>
Source record: 84246

Hello,

I'll take your R-388 for $100.00.
Where do I send the payment?

Thank you,

Bruce Sugarberg, WA8TNC

Phylo Kvetch wrote:
>
> On 19 May 1999 20:39:12 GMT, yardleyite@aol.com (Yardleyite) wrote:
>
> >Dear Sir,
> > How much are you asking for your R388 and what condition is it
> >in?
> > Joe N3IBX
> 100.00..... it is in good condition.
>
>

2440. Re: FS Collins R-388/URR receiver...works

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <3744806D.162D2058@stratos.net>
Source record: 84247

Hello,

I'll take your R-388 for $100.00.
Where do I send the payment?

Thank you,

Bruce Sugarberg, WA8TNC

Phylo Kvetch wrote:
>
> On 19 May 1999 20:39:12 GMT, yardleyite@aol.com (Yardleyite) wrote:
>
> >Dear Sir,
> > How much are you asking for your R388 and what condition is it
> >in?
> > Joe N3IBX
> 100.00..... it is in good condition.
>
>

2441. Re: Wanted Knight T-150A information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Bill Smith <billsmith@jps.net>
Message-ID: <vr%03.34949$ny.2496801@typhoon-sf.snfc21.pbi.net>
Source record: 84248
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Hi, Bill.

I don't have the manual you are asking for, but remember the transmitter well as one I built as a novice. You might look around for modifications. From what I have heard second, third or fourth hand, is the designer of the transmitter found himself mad at Allied, and threw a monkey wrench or two in either the drive or the final bias and/or screen circuits. I don't have the remedy, but I do recall difficulties running the transmitter as it was constructed from the manual. I understand the set's operation can be corrected with a few component changes.

Good luck. The R-100 and T-150 are two sets I have no interest in revisiting. I can still remember the disappointment when a friend came over to look at the two new radios. After a brief session, he sat back and said, "Well, at least they look pretty." So much for 3+ years working as a paper boy and a 16-year-old novice's attempt at putting a station on the air.

Bill Cohn <cohns@enteract.com> wrote in message
news:37443AA9.190B73F9@enteract.com...
> Hi,
>
> I have a Knight T-150A I picked up to go with my R100A. The transmitter
> was built rather poorly so I would like to strip it down and rebuild it
> like the kit was supposed to be constructed. I need a copy of the
> original instruction pictorials to do this. I already have the manual
> with out the diagrams, so I do no need the total manual.
>
> I would be happy to pay for copying and postage if someone has the
> illustration book as it was known.
>
> Please do not send me e-mails about the manual suppliers as I have
> already purchased what they had and the illustration book was not
> included.
>
> I have many Heathkit manuals and other Knight Kit manuals that I would
> be willing to copy in trade if someone was interested.
>
> Thanks,
>
> Bill Cohn
> N9MHT
> 185 Grovenor Dr.
> Schaumburg, IL 60193
>

2442. FS: Drake "C" line - R-4C, T-X4C, AC-4, MS-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Doug Person <w4dxv@ibm.net>
Message-ID: <7i22j0$1jck$1@rtpnews.raleigh.ibm.com>
Source record: 84249

I have a Drake "C" line for sale. General condition is very good. Some cabinet wear, a few scratches. R-4C is 18nnn serial, has 500Hz CW filter, 1.8, 18 and 24.5, and 28 Mhz crystals, Solid-State Audio Amp mod. Sounds lovely. T-X4C has new RCA finals for full output, 1.8, 18 MHz crystals. MS-4 is a bit worn, but sounds fine. AC-4 has been recapped. This is a fine "C" line. Perhaps not pristine as some like, but functionally perfect and physically in very good condition. This setup works perfectly. I put new RF and IF amp tubes in the receiver and a new 12BY7 driver and 2 new RCA 6JB6As in the Transmitter. I will include the interconnect cables I've made up out of good quality RG-174/U. This "C" line should be going for $600 for so. Make me an honest offer.

Doug -- W4DXV

W4DXV@ibm.net

2443. FS:Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: your name here <Jarc@pacbell.net>
Message-ID: <3744D25C.873C088C@pacbell.net>
Source record: 84250

Collins 32S-3, 75S-3, 516F-2 (WE) Very good condition. Best offer.Also have a (RE) KWM2-A (VGC) and (RE) 30L-1 with new tubes.Amp is a 9+..Best offer Reply via email

2444. Need Info: Alpha sells front panel for 76Pa and 77DX amp?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3744D300.2D1D950C@wenet.net>
Source record: 84251

Hi,
Anybody knows whether Alpha still sells front panels for 76PA and 77DX?
Or anybody has new panels for sale?
Thanks for info in advance.
de K6hm
Young

2445. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3744D4D1.AAD25DB4@wenet.net>
Source record: 84252

Hi,
32V3 =160 meters?????
de K6hm

Vacuo wrote:

> KWS-1 <> 160m ?????
>
> 'Collins is just a name'
>
> N2KQA
>
> On Wed, 12 May 1999 00:57:55, nfmk@juno.COM wrote:
>
> > Wanted: Collins AM transmitter. Would like to find something
> > covering 160 (KWS-1 or commercial). Will consider any condition
> > unit and can travel within traveling distance of Gulf Coast Area.
> > Examples of possible rigs are the 32V3, KWS-1, KW-1, or any
> > of the 1950 - 1970 era military surplus transmitters (preference
> > given to gray Navy models).
> >
> > Also looking for AN/FRT-5.
> >
> > Thanks in advance for any information,
> >
> > Doug

2446. Re: sx-28 coils identification

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Denis Kuwahara <denis_kuwahara@foxinternet.net>
Message-ID: <3744DE0F.E852E55A@foxinternet.net>
Source record: 84253
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

This tracing out the T and S designators for a SX-28-A manual, expect
that they should be the same. Someone with both manuals can cross check
and comment, please. I am also rounding the frequency band numbers to
fit the page.

The following is a view of the coil compartment, looking at the bottom
of the receiver. Numbers along the top indicate the Frequency band, and
the tube numbers are along the left. The point of intersection is the T
number and the S number. Dash indicate no coil, T14 and T13 do not have
slugs in them.

This is the rear of the set
3-6 6-12 11-21 BndSw 21-42 1.5-3 .5-1.5Mc

V1 T9 T10 T11 T12 ---- ----

V2 T15 S7 T16 S10 T17 S13 T18 S16 T14 T13
RF Amp

V3 T21 S6 T22 S9 T23 S12 T24 S15 T20 S4 T19 S2
1st De

V4 T27 S5 T28 S8 T29 S11 T30 S14 T26 S3 T25 S1
Osc
This is the front of the set

Hope that this makes sense and helps out.
Denis

emanuele_girlando@my-dejanews.com wrote:
>
> dear list,
> I am restoring a 1941 sx-28 (no 'A', no 'MIL').
>
> I have some trouble in identifying coils in the chassis as they are
> listed a Txx on the eletric diagram and as Sxx in the component locator
> picture on the manual.
> Can somebody help in translating those Sxx IDs back into Txx?
> Thanks
>
> -=== Sent via Deja.com http://www.deja.com/ ==-
> ---Share what you know. Learn what you don't.---

2447. FS: surplus radio conversion book and manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: david rogers <dr7zyq@nidlink.com>
Message-ID: <3744FF91.5027@nidlink.com>
Source record: 84254

3 volume set of Surplus Radio Conversion Manuals:

Vol. 1 and 2 by R.C. Evenson and O.R. Beach, copyright 1948

Vol. 3 by Bill Orr, copyright 1960

all 3 in excellent condition.

Full of schematics, pictures, conversion, operating info and hints and kinks.

$30.00 + $5.35 priority mail postage for all three (will not break up the set).

* * * * * * * * * * * * *

How to Buy and Convert Surplus Electronic Equipment

by Mark S. Starin

Excellent condition, hardback with dust jacket.

Covers the TRC-77, GRC-9, PRC-6, FRR-36, RT-70, etc.

Copyright 1982, approx. 475 pages

$23.85 including USPS priority mail to ConUS.

Thanks,

David, WA7ZYQ

208-245-2070

2448. Re: FS Collins R-388/URR receiver...works

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Phylo@Kvetch.net
Message-ID: <3743e197.1684837@netnews.worldnet.att.net>
Source record: 84312

On 19 May 1999 20:39:12 GMT, yardleyite@aol.com (Yardleyite) wrote:

>Dear Sir,
> How much are you asking for your R388 and what condition is it
>in?
> Joe N3IBX
100.00..... it is in good condition.

2449. Re: Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-dejanews.com>
Message-ID: <7hvk5b$t03$1@nnrp1.deja.com>
Source record: 84313

In article <3743043F.9C0C941E@bayou.com>,
Dallas Lankford <dallas@bayou.com> wrote:
> What is the basis for your belief that the name is Bristo and not
> Bristol?
>
My TM 11-854/TO 16-35R-388-5 for the Collins R-388/UUR receiver calls the wrenches "Bristo" throughout. The word "Bristol" does not appear anywhere in this publication. This is the only place I have ever seen the term "Bristo" but I suppose the Government Printing Office got it right. I have always heard and used the term "Bristol." Maybe I should switch.

--
Best Regards,

Ed

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2450. Re: Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <asI03.3256$4R.16940@news.cwix.com>
Source record: 84314

The 390A tech manual also spells "align" as "aline" in multiple places.

David Dyer <dyerd@csi.com> wrote in message
news:ecUFmmko#GA.356@nih2naab.prod2.compuserve.com...
> I remember seeing the name spelled both ways in various USAF tech
orders...
>
> Dallas Lankford <dallas@bayou.com> wrote in message
> news:3743043F.9C0C941E@bayou.com...
> > What is the basis for your belief that the name is Bristo and not
> > Bristol?
> >
> > Vacuo wrote:
> >
> > > I know that nobody really cares about this fact anymore (even the
> > > current manufacturers, apparently), but the name is 'BRISTO' without
> > > the 'L'. Perhaps the originators had in mind some sort of promotional
> > > jingle, but I digress . . .
> > >
> > > N2KQA
> > >
> > > On Tue, 18 May 1999 16:25:21, hitim@aol.com (HITIM) wrote:
> > >
> > > > Anyone have a clue where I could get these? Tim
> > > > hitim@mindspring.com
> >
>
>

2451. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <3tl03.3258$4R.16982@news.cwix.com>
Source record: 84315

BOught a set of these at Dayton from Surplus Sales of Nebraska for $27
(there were 6 or 7 different).

73 John

HITIM <hitim@aol.com> wrote in message
news:19990518122521.08835.00003447@ng-ch1.aol.com...
> Anyone have a clue where I could get these? Tim
> hitim@mindspring.com

2452. TCS set bought at Dayton: KK5??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <nvI03.3260$4R.17034@news.cwix.com>
Source record: 84316

KK5??? who bought my TCS xmitter and receiver at Dayton, you forgot the interconnect cables. Give me an email and I'll send 'em out. 73 John

2453. SB-104: The sale and the specs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990519.194138.-247781.5.NFMK@juno.com>
Source record: 84317

Thanks to everyone for their inquiries on the SB-104. I'm quite amazed that there is so much diversity of opinion, some right, some meant well, and some with the curiosity I had when I was a novice myself. This has given me a chance to reconsider what I think the value of this radio is and what a fair price should be as the seller. It is available to anyone with a current FCC amateur license.

For those interested in the transceiver, heres the scoop:

From Catalog #852, Heath Co., Benton Harbor, Michigan, original prices were:

Kit SB-104A Transceiver $689.95

Optional:
Kit SBA-104-1 Noise Blanker $ 29.95
Kit SBA-104-3 400hz CW filter $ 49.95
Kit PS-1144 Power Supply $119.95

Specifications:

Power output 100w into 50 ohm load (highpower)j
1 watt (lowpower) yes, true qrp !
Carrier Suppression - 50 db down from 100 watt
single tone output at 1000 hz.
Sensitivity 0.5 uv for 10 db S + N/N for SSB
Distortion: -65 db min; -57 db with noise blanker
Image rejection -60 db min
Selectivity:
CW Selectible 400 hz or 2.1 khz
SSB 2.1 khz min at -6 db
5 khz min at -60 db (2:1 shape factor)
Frequency Stability: Less than 100 hz/30 minute after
30 minutes warm up;
Less than 100 hz drift over a
primary line voltage swing of +/- 10 %

Features:

The transmitter circuitry lets you choose 100 watts out for "barefoot" operation or, with the touch of a button, choose one watt out to turn the 104 into a sophisticated QRP transceiver. In this mode, a simple 12volt gellcell will power the transceiver for hours. The transmitter also features quad op-amp audio processing, filter sideband generation, crystal-controlled heterodyne oscillators for maximum frequency stability, and a unique ALC system to eliminate distortion producing

over-drive. It utilizes driver and PA transistors in a broadband, no-tune push pull configuration, diode biasing to prevent PA thermal runaway, and power regulating control circuitry to prevent damage under high SWR conditions (the better the SWR, the more output you have). Excellent vox and break-in circuitry along with standard side-tone and RTTY operation.

The receiver front-ends came from the factory preassembled and tested. This was true of all SB-104/A's. Individual preselector filters were installed for each band. That, along with balanced first and second mixers, gives you sensitivity of less than 0.5 uv. Couple this with patented broadband receiver design and you have only the antenna and your clock to compete with. Fast/slow AGC, preset USB, LSB, cw modes, 15 mhz WWV, the perfect travel companion for class ham radio.

Price - Value Comparison

Compare this transceiver, as a Heath Collector, to the KWM-2 for the Collins collector. You have no heat, no wearing components or deteriorating circuitry or tubes; and performance falls clearly on the SB-104/A. The closest Collins transceiver to this would be the out-rageously expensive KWM-380. While the KWM-2 owners are crying in their soup for performance, sit back and cruise the 80 through 10 meter bands in style with the SB-104. Add a modern DSP unit to the audio, pack a gellcell and charger, and bring a recoiling dipole and you have a station to take around the world.

The Price:

$350 plus shipping to licensed amateur only;
$400 plus shipping with the CW filter and noise blanker;
$500 plus shipping with the CW filter, noise blanker, and 20 amp original power supply;

The hardware is in like new, showroom condition; clean/full operation on all bands; very little use.

Accessories available after purchase: SB-604, SB-614, SB-634, HD-1410.

Manuals:

Builder set: Construction & Operation: $45 plus shipping
Like new construction $25 plus shipping

73 to all,

Doug

On Tue, 18 May 1999 19:37:03 -0500 NFMK@juno.com writes:
>For sale:
>
>The last of my Heathkit transceivers. Heath SB-104 (I think it is an
>A model) Transceiver, 5 band solid-state SSB/CW plus 15 mhz.
>Includes not only the stock SSB filter but also the desirable crystal

>CW filter and the rare SB-104-1 noise blanker. Has only one change:
>an SO-239 in place of the RCA audio jack for the output. Nicely done.
> Unit was ordered from Heath in March of 1975. Has silent keys
>drivers licence on chasis for theft prevention.
>
>9.5 out of 10, very little use. Transceiver is beautiful and
>collector quality. Lettering bright white. Knobs are perfect. Unit
>is a little dusty. Cabinet is very pretty. Front panel is superb.
>
>
>Performance is very nice. If you've been on an expensive modern
>transceiver, you'll only appreciate the quality of Heath engineering
>with this rig. Excellent output on all bands, especially with low SWR
>conditions or by using an antenna tuner matching into 50 ohm load.
>Has been run along side the TR7A and the TS-830S and it receives as
>well or better than either. Noise blanker works as well; a little
>better on wood=pecker type. Frequency accuracy is right on; you
>won't find a nicer SB-104.
>
>$350 plus shipping because of condition. Missed Dayton? Here's your
>chance to pick up a beautiful classic Heathkit rig which will only go
>up in value if you take care of it. For sale to licensed amateur
>only.
>
>Power supply, speaker, and manuals are separate.
>
>
>73 DE NFMK AR
>< 70806 >
>
>

2454. LQQKING AMP SUPPLY LK-550

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990519212234.04875.00002441@ng19.aol.com>
Source record: 84318

LOOKING A AMP SUPPLY LK-550 AMP AS IN LIKE NEW CONDITION LET ME KNOW WHAT YOU HAVE ...THANKS DWIGHT

2455. Re: SP 600 JX web site??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990519215941.22552.00002531@ng-cj1.aol.com>
Source record: 84319

George - do a search on Hammarlund AND SP600 - I turned up two a couple days ago with lists - one is the Hammarlund Historian, and the other is a guy in Spain or Portugal, both have the lists you're referring to. 73 Scott

2456. fs- Kenwood TS-520, Exc, $225+UPS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990519224729.12985.00002549@ng32.aol.com>
Source record: 84320

Hi Fellas;
I have for SALE:
Kenwood TS-520 in Excellent Condition with Manual and Original Carton for $225
plus UPS from 11758
80 thru 10 meters, 100 watts out all bands.
NO OPTIONS!!! Just a Great Radio..!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2457. Re: SB-104: The sale and the specs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990519232502.13193.00002783@ng-fk1.aol.com>
Source record: 84321

Add to your list of features:
- World-renown unreliability
- Parts, such as display tubes and finals, that are unavailable
- Unknown assembly quality
- Annoying feed-thru of transmit audio while operating
- Annoying final digit "flutter"
- Limited to 5-band operation, unlike the KWM-2, which can operate on any freq between 3.5 MC and 30MC, depending on crystal installed
- This is the rig that spelled the end for Heathkit

I built my SB-104 in the mid-70's, and spent the next year shipping it back and forth to Michigan, where the "Hams at Heath" "Won't let you fail!" It was the last in a long list of Heath equipment I had built. In the end, they did the honorable thing, and refunded my purchase price for, not only the '104, but all the matching station accessories I had also purchased. I doubt that any on the Japaneese companies would do that today!

KMB

2458. WTB: Magnavox D2999

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: tim@sullins.net
Message-ID: <37438106.250071223@news.silcon.com>
Source record: 84322

Please email with condition and price. TIA

2459. Re: SP 600 JX web site??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: bredenbo@iaonline.com
Message-ID: <37438a9a.7519337@news.iaonline.com>
Source record: 84323

On Wed, 19 May 1999 20:46:58 -0500, <munsch@ibm.net> wrote:

>BA lovers:
>I have seen a large number of suffix numbers for this fine Hammarlund
>product. Is there a location where all these are listed and the differences
>enumerated? I seem to remember there were some other suffix letters besides
>JX also. I know some have LF bands, and other features, but I can never
>keep the references straight.
>Thanks, Crazy George
>
>

Try the following site:

www.qsl.net/hammarlund/sp600.html

Barry K9YUG

2460. FS: Brown Bros. Paddle $85.00 Shipped

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: vibroplex@my-dejanews.com
Message-ID: <7i061e$914$1@nnrp1.deja.com>
Source record: 84324
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Greetings to all!

This is a Brown Bros. Iambic Paddle for use with Electronic Keyers. This paddle was made by the Brown Brothers Machine Company in St. Louis, MO. Paddle is in nice shape (except for the wrinkle paint on the base) and works fine. This is the BTL-A which is one of the last models that Brown Bros. made before they disappeared from the ham market.

Please view these photos before proceeding:

http://home.stlnet.com/~keymaster/btl-a.jpg

http://home.stlnet.com/~keymaster/btl-a-label.jpg

As you can tell from the photos, the Brown Brothers were not experts with paint (I guess they focused on their machining skills). The black wrinkle finish is chipped off in a number of places and the base could definitely stand a repaint. The little rubber feet that the paddle sits on have cracks in the rubber. The metal label on the base has a small crease in it (as though someone had tried to lift it up). It's not very noticeable, though. Other than this, it's a very nice key.

I don't think these were made in large quantity as you don't see them around too much. I think there must be a 100 Vibroplex paddles for every Brown Bros. paddle that was sold. If you're a paddle collector, this would certainly be a nice addition to your collection.

The $85.00 price includes standard US Post Office shipping to all U.S. addresses. If you live overseas, I'll quote the shipping based upon your location. If you want insurance or something special, that would be an extra charge but I'm happy to make whatever arrangements you like. Thanks to all for looking!

73,

Derek Cohn
WB0TUA
e-mail: keymaster@stlnet.com
Morse Telegraph Club - Alton Chapter President
Antique Radio Collectors & Historians - President

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2461. Wanted HP Spectrm Anlzr Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: paul vandervort <pgv@imaxx.net>
Message-ID: <3743B66C.1AAD6BEE@imaxx.net>
Source record: 84325

Looking for the manual for a HP Spectrum Analizer receiver model 8551B

Let me know what you have!

Thanks
Paul Vandervort
KB9PZC

2462. FA the ANTENNA TUNER for the BC-375

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Pat Person <k7yir@conceptsnet.com>
Message-ID: <01bea287$782f4100$041891d8@pats--p100>
Source record: 84326

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106284229>

2463. Wanted: documentation for the RACAL Syncal-30

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <01bea28f$ab3123e0$b7f0c510@utovandongen2.uto.dec.com>
Source record: 84327

I'm looking for documentation of the RACAL Syncal-30 HF manpack set. Also I'm looking for the manual and/or schematics of the RACAL MA-936 power supply.
This is a 12+24 volt to 28-volt DC-DC inverter used to power the TA940 100Watt amplifier in combination with the Syncal-30. The inverter has a fault, the output voltage drops to 23 volts on full load when used on a 12-volt input. Suggestions are welcome

Nico PA3ESA

Email: nico.vandongen@compaq.com

2464. WTB: Drake R4C 2nd IF CW filters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: N3BJ@hotmail.com
Message-ID: <7i0nltlgl1@nnrp1.deja.com>
Source record: 84328
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Wanted: 2nd IF CW filters for the R4C - Sherwood, INRAD, looking for some of the narrower bandwidths - 200-300 Hz. Also looking for the Sherwood CF600/6 first IF filter. Please let me know if you have any that are surplus to your needs.

Alan, N3BJ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2465. Re: Advise on a vintage AM Ham station needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7i0rgi$jd@sjx-ixn9.ix.netcom.com>
Source record: 84329

Be careful about the amplifier. A Johnson transmitter with a 100 watt carrier will develop almost 400 watts of peak output. That's far too much for a pair of 572Bs. Even the little single tube Ranger transmitter may be excessive drive. You may wish to include an ALC line.

Roy
>
>RadioDoc37 <radiodoc37@aol.com> wrote in message
>news:19990519001740.14553.00002340@ng-co1.aol.com...
>> I am currently building a vintage AM HAM Station. I recently got a
>Johnson
>> Viking Mdl I transmitter operational and am looking for advise on a good
>> receiver to match up with it for use on 40 meter AM etc. Something in the
>$300
>> price range.
>> Halicrafters SX series? Hamarlund HQ series? Suggestions from AM
operators
>> utilizing a similar set up is appreciated.
>>
>> I am considering using the Fentone 500C dual Crystal element mic head or
>the
>> standard D104 crystal head on a TUG 8 base for a Microphone. A friend has
>a
>> Argone A57 broadcast mic I may try if it is high impedence. going to use
a
>> Heathkit SB201 running a pair of 572b's for the amplifier until I upgrade
>to a
>> 4-1000 or pair of 3-500Z type amplifier. Antenna is a G5RV up 70 Ft. in a
>pine
>> tree in a inverted V configuration.
>>
>> Please Email me with your input instead of posting since I don't check
>this
>> newsgroup frequently
>> Once again your input is appreciated
>> 73's
>> Mike N6KYD Simi Valley Ca.
>
>

2466. COLLINS 75A-4 (4-SALE)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990520074111.17408.00002725@ng-fe1.aol.com>
Source record: 84330

HAVE A REAL PRETTY COLLINS 75A-4 WITH 1 SSB FILTER AND THE 4.1 GEAR RATIO
TUNNING KNOB...VERY CLEAN INSIDE OUT..WILL SHIP FOR $900.00 EMAIL FOR PICTURE
OR I WILL TRADE ON A KWM2A RE.
THANKS

2467. CK-18 bandpack for Knwd TS-180S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <374406a5@news1.us.ibm.net>
Source record: 84331
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

This allows operation on the WARC bands. Must be operational with documentation. State condx and price.

Lane Zeitler
Ku7i
San Diego

2468. FS TEST EQUIPMENT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990520091004.28134.00002586@ng-fu1.aol.com>
Source record: 84332

EICO 460 5MC SCOPE (iCLEAN) $45
HEATH AM11 VTVM...$20
HEATH AG10 SINE & SQ WAVE GEN $45
VISTA 4 AMP DC PS $15
EICO 324 SIGNAL GENERATOR $25
HEATH S2 ELECTRONIC SWITCH $15
RAMSEY FREQ COUNTER....$45
PLEASE ADVISE THESE ARE ESTATE ITEMS AND OPEN FOR BIDS73 W2FNT JOHNYK78

2469. Heath VF-1 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Daniel Metzger <dmetzger@monroe.lib.mi.us>
Message-ID: <3743C599.564B@monroe.lib.mi.us>
Source record: 84333

I recently brought my Heath DX-35 and VF-1 down from a 32-year QRT in the attic. After chasing out the spiders and applying some contact cleaner, I was on 40 cw, but noticed the note had some ac on it. On 15 meters (after tripling) it was really bad, so I assume it was frequency modulation.

I changed the osc tube, bridged the filter caps with new ones (even put a 'scope on the B+ and found only a volt or two of ripple; none after the VR tube in the VFO.) Finally, on a hunch, I took the 6.3 V ac filament supply off and powered the filament with a 6-V battery. Instant pure note!

I measured the filament-to-cathode capacitance of the 6AU6; it's 4 pF. The cathode isn't grounded; it has 500 pF to ground. So I should expect about 60 mV p-p ac on the cathode - not a good design.

So, I've put in a solid-state rectifier and some 4700 uF filters to power the 6AU6 filament, and things are doing fine ... but ... I used this VFO for years in the 60s; on 15 meters; even drove a home-brew SSB rig with it. Why didn't I notice the rasping note then? Does the VF-1 in its original state have a pure note? Is there something in there that still needs servicing?

e-mail reply appreciated; My work schedule prevents me from browsing this group regularyl.

Dan, K8JWR

2470. Heath VF-1 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Daniel Metzger <dmetzger@monroe.lib.mi.us>
Message-ID: <3743C562.276F@monroe.lib.mi.us>
Source record: 84334

I recently brought my Heath DX-35 and VF-1 down from a 32-year QRT in the attic. After chasing out the spiders and applying some contact cleaner, I was on 40 cw, but noticed the note had some ac on it. On 15 meters (after tripling) it was really bad, so I assume it was frequency modulation.

I changed the osc tube, bridged the filter caps with new ones (even put a 'scope on the B+ and found only a volt or two of ripple; none after the VR tube in the VFO.) Finally, on a hunch, I took the 6.3 V ac filament supply off and powered the filament with a 6-V battery. Instant pure note!

I measured the filament-to-cathode capacitance of the 6AU6; it's 4 pF. The cathode isn't grounded; it has 500 pF to ground. So I should expect about 60 mV p-p ac on the cathode - not a good design.

So, I've put in a solid-state rectifier and some 4700 uF filters to power the 6AU6 filament, and things are doing fine ... but ... I used this VFO for years in the 60s; on 15 meters; even drove a home-brew SSB rig with it. Why didn't I notice the rasping note then? Does the VF-1 in its original state have a pure note? Is there something in there that still needs servicing?

Dan, K8JWR

2471. FS: NIB 6206 sub-miniature pentodes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: "JOSE V. GAVILA (EB5AGV/EC5AAU)" <eb5agv@ctv.es>
Message-ID: <3743D2A2.E2D473AD@ctv.es>
Source record: 84335
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,uk.radio.amateur

Hello!

I have for sale some nice JAN 6206 RF sub-miniature pentodes. These are
New In Box and made by Raytheon in late 80s.

Price is $4 each (<10), $35 (10), $60 (20) *

Best regards,

JOSE

(* AES price is $12 each)
---
73 EB5AGV / EC5AAU
JOSE V. GAVILA
Benetusser - VALENCIA (SPAIN)

** VISIT MY VINTAGE RADIO SITE ***
http://www.geocities.com/SiliconValley/6992/

EuroBA eGroup: http://www.eGroups.com/list/euro_ba_swap

2472. Re: Boatanchors In Spaaaaaace....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: jpnoll@aol.com
Message-ID: <19990520100706.20830.00002943@ng-cf1.aol.com>
Source record: 84336

funny thing, there is a thing called a FAX machine where you can draw little pictures. Or how about a video conference?

2473. Re: Heath mailing list still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: raiar@slacc.com.nospam
Message-ID: <37441b2a.8261960@news.primary.net>
Source record: 84337
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna,rec.radio.swap

Hi Marty

Don't know about on-line messages, but I still get their mail order course catalogs via snail mail.

TTUL
Gary

2474. Boatanchor Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-20 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <3744380D.48C0898B@eclipse.net>
Source record: 84338

Free Ads dedicated to Vintage Radio..
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Thank you!

2475. WTB: Knight T-60 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: arongv@aol.com
Message-ID: <19990521193900.24512.00003091@ng40.aol.com>
Source record: 84189

I'm looking for a decent looking and nice working Knight model T-60 transmitter. Definitely not interested in restoring one. Manual would be helpful. Thanks for any help you can give.

Ron W0OIZ
arongv@aol.com

2476. WTB: PE-103 Dynamotor Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: PEYK47A@prodigy.com
Message-ID: <7i4rsh$59eg$1@newssvr03-int.news.prodigy.com>
Source record: 84190

Still looking for PE-103 dynamotor power supply.

John

K7VGF

2477. FS:IC-271H & IC-471A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <374628DA.835EAB48@worldnet.att.net>
Source record: 84191
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.ham-radio.packet,rec.radio.amateur.boatanchors

I have for sale the following two radio's.
1--IC-271H a 100 watt all mode transceiver in excellent condition with mic, manual and DC power cord.It has 32 memories that you can set the freq,mode,offset & tone.The frequency range is from 143.500--148.500.The power output is variable from 10 to 100 watts.It also has an RIT control.
There is an internal rx preamp for weak signal work. Asking $525.00

1--IC-471A a 25 watt all mode transceiver in excellent condition with manual and DC power cord.It has32 memories that you can set the freq,mode,offset and tone.The frequency range is from 430 to 450 MHz.This pair of radio's are highly desireable for satellite work.
Asking $485.00
Prices are + shipping,will accept $950.00 for both +shipping. A digital picture is at.http://home.att.net/~rstamper

Regards
Bob Stamper

2478. Need NCX-500 switch wafer or parts set/junker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Bruce Brackin <bbrackin@bellsouth.net>
Message-ID: <3744A566.1265695B@bellsouth.net>
Source record: 84255

Redoing a National NCX-500 transceiver and have bad ceramic switch wafer in the band switch (load and tune section). National part number A-51523. Have been told the NCX-200 may have used the same part. Can send full description and front and back JPG pictures if needed. Similar sized sized wafer might do to rob the contacts I need to do a rebuild. Also willing to consider resonable parts rig. Also open to other suggestions! Rest of the set is coming along nicely. Thanks - Bruce

2479. Re: NEW 6146 A's or B's Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3744CE18.3E@sympatico.ca>
Source record: 84256

Yardleyite wrote:
>
> Would anyone out there have a set of 2 6146 A's or B's they would care to part
> with. New In Box preferred. Please state brand, price, and shipping. Also 1 ea.
> 6CL6 tube needed.
> Thank You for reading this message.Please reply directly to my email address.
> 73 de Joe N3IBX
> n3ibx@arrl.net
HELLO
you can have different tubes from Antique radio supply hi..
73
ve2amk

2480. F S manual R - 140 / FSM - 1 (mil HRO)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: wbelsito@aol.com
Message-ID: <19990521000436.11464.00002977@ng-fd1.aol.com>
Source record: 84257

FOR SALE ; crystal clear copy of the military national HRO manual .

TM - 11 - 885 , dated august , 1946 . almost 100 pages .

covers HRO - 5 and HRO - M models .

cost is $ 20 , post paid . e - mail me . wbelsito@aol.com

2481. HQ180A and speaker Price info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990521001404.15592.00003028@ng29.aol.com>
Source record: 84258

I have an HQ 180A w/ clock installed in very good cond. with a matching speaker in excellent condition .I wondering what there going for ?? I 've been seeing all kinds of prices.These are very nice looking and work very well.

Ron

2482. Re: FS: Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990521002527.22552.00002898@ng-cj1.aol.com>
Source record: 84259

take a trade for the tempo?

have a kantronics kam allmode tnc hf/vhf.

let me know
73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

2483. Re: FS Drake Twins R4b, TX4b

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990521002700.22552.00002899@ng-cj1.aol.com>
Source record: 84260

is it still there??

would u take a partial trade??

pls let me know
73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

2484. Re: South Florida DX club forming

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990521003021.22552.00002901@ng-cj1.aol.com>
Source record: 84261

bill,

i guess fort meade would be too far. or would it?? i'm in polk
county and would like to join. we don't have anything like that around here.
only the lakeland arc and the florida contest group. i don't do packet or work
contests.

pls let me know
73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

2485. WTB: Knight T-60 Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: arongv@aol.com
Message-ID: <19990521011357.09468.00001125@ng-fz1.aol.com>
Source record: 84262

I'm looking for nice working Knight model T-60 transmitter. Doesn't need to be collector quality, but I don't need a junker. Manual would be helpful. If you have one that isn't getting any air time, shoot me an email and your best price. Thanks for your help.

Ron W0OIZ
arongv@aol.com

2486. FS Globe Scout 680A AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <37455D93.DDD@smartt.com>
Source record: 84263

For Sale

Globe Scout 680A transmitter.

Very good working condition.

No mods or extra holes in the chassis or front panel.

Original manual included.

$100 US plus shipping.

Please reply to csc@smartt.com if interested.

2487. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990521052956.03710.00002870@ng153.aol.com>
Source record: 84264

no collin's 160 mtrs transmitter's that i know of i dont think they made one
rcvr's they did tho del

2488. Re: Wanted: Collins AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990521053211.03710.00002872@ng153.aol.com>
Source record: 84265

unless you buy some radio station like the big one's that cost lot's of money like most of them do del

2489. FA Nice RME 4350

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37454079.23DE@sympatico.ca>
Source record: 84266
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.rradio.swap

RME 4350 on EBay - nice shape.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106664082>

2490. FA: Box "O" Tubes (Used/Tested)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Andrew <ahuculak@unibase.com>
Message-ID: <7i3n67pjv1@nnrp1.deja.com>
Source record: 84267

To review a photograph, please go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=105144883

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2491. wtb SWAN CW filter (or suggestions)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7i3jap$8e$1@ostrich.cybercomm.net>
Source record: 84268
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

I'm thinking this is typing practice, but someone out there has to have a
CW filter for the Swan 600 receiver that they would part with??
Or if you have any suggestions as to an alternate that might work??
I know outboard DSPs are neat, but just not the same thing.
Thanks for the read!
...Dave

2492. Help with blown GRC-106a

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <01bea359$8ffb9900$b7f0c510@utovandongen2.uto.dec.com>
Source record: 84269

Last week I received my GRC-106, I hooked up the power, connected a H33/PT and&#65533; nothing.
A closer look at my H33/PT showed it was a French version. I opened it up and it turned out it is almost identical as a normal US one. But&#65533;. besides the normal wiring, it has one extra wire from pin K to the press to talk switch. In the GRC-106 on pin K of the audio plug is +27 volt. By plugging in this type of H33/PT I have accidentally connected +27volt to the send/receive line. Normally this line is switched to ground to go from RX to TX mode. As a result of this the set is now permanently in transmit mode. It transmits just fine but it would be nice it I can receive with the set as well.

Any advice is welcome.

73's

2493. HEATH / YAESU

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <374558D7.18A3@sympatico.ca>
Source record: 84270
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For sale...

Heath HR-1680 hf rx $75 US

Heath IT-27 transistor chkr $13 US

Heath HW-99 novice HF rig $145 US

Heath RF-1 rf sig gen $20 US

RARE: Yeasu FT-501 HF rig
- mint condition
- with matching spkr pwr supply
- *** 500w pep input ssb ***
- *** 400W pep input CW ***
- covers 80-10m - hybrid rig

Price $ 375 obo

73 Mike
--
* *
Michael Kassay - VE3MKX
Barrie, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

2494. Re: FS Globe Scout 680A AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3745608E.5C75@sympatico.ca>
Source record: 84271

csc@smartt.com wrote:
>
> For Sale
>
> Globe Scout 680A transmitter.
>
> Very good working condition.
>
> No mods or extra holes in the chassis or front panel.
>
> Original manual included.
>
> $100 US plus shipping.
>
> Please reply to csc@smartt.com if interested.
HELLO OM
Iam interested but later this fall because i made severeal purchases I
will take on a sheet your E mail and I will send a message
at this time and your equipment is not sold I will got it hi...
73
ve2amk

2495. WTD; 150A XMTR.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37456268.731D@sympatico.ca>
Source record: 84272

I AM looking for a 150 A xmtr of knight in goof shape
73
ve2amk

2496. WTB: IM-11 Heatkit manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: ydussaul@total.net
Message-ID: <37456f84.8146191@news.total.net>
Source record: 84273

Looking for a Heathkit IM-11 VTVM manual. Copy is ok.
VE2ATD

2497. Re: Wanted Knight T-150A information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Mark Nelson <mnelson@pedinc.com>
Message-ID: <374584A1.C9213A93@pedinc.com>
Source record: 84274
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Bill Cohn wrote:

> Hi,
>
> I have a Knight T-150A I picked up to go with my R100A. The transmitter
> was built rather poorly so I would like to strip it down and rebuild it
> like the kit was supposed to be constructed. I need a copy of the
> original instruction pictorials to do this. I already have the manual
> with out the diagrams, so I do no need the total manual.
>
> I would be happy to pay for copying and postage if someone has the
> illustration book as it was known.
>
> Please do not send me e-mails about the manual suppliers as I have
> already purchased what they had and the illustration book was not
> included.
>
> I have many Heathkit manuals and other Knight Kit manuals that I would
> be willing to copy in trade if someone was interested.
>
> Thanks,
>
> Bill Cohn
> N9MHT
> 185 Grovenor Dr.
> Schaumburg, IL 60193

An engineer friend of mine, Lou W2IRS, got one of those several years ago and ended up rebuilding it from the ground up in an attempt to cure its deficiencies. It was gorgeous (he's a perfectionist), and hopeless. We all referred to it as "the T-150 DriftMaster" for its habit of slowly wandering up and down the band. After replacing all oscillator (and most other) components he was convinced that the drift was built into the chassis!

All that said, Lou might have some documentation of it, or remember how the wiring went. I can put him in touch with you if you want.

--
Mark Nelson

A collector of TV signal boosters and UHF converters -- God help me!
http://www.geocities.com/TelevisionCity/Set/6312/

2498. DX-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: bobm@istal.com
Message-ID: <37457f44.13481415@nntp.cntfl.com>
Source record: 84275

FOR SALE:

DX-100 RIG IS RESTORABLE OR USED FOR PARTS

BEST OFFER MUST INCLUDE SHIPPING FROM NORTH FLORIDA

BOB, W4WSZ

bobm@istal.com

2499. FA CSR5 Auction Extended

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37459BC7.1D60@sympatico.ca>
Source record: 84276
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

EBay extended the auction by 24 hours because of CGI problems - so if
you thought you missed the bidding - it still has 8 hours to do.
Associated transmitter and tuner come with the set - a real nice trio of
military WW2 radio gear.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=103994594>

2500. 6 Mtr Military Radios- Calling Freqs.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3745B8B3.846C49DA@ix.netcom.com>
Source record: 84277
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

The Military Collector's Group mailing list,
a major group of internet-connected military radio collectors,
has settled on 6-meter calling frequencies for our
green VHF military radios like the BC-620, BC-659,
PRC-6, PRC-10, RT-70, RT-68 and others.

51.0 MC FM General local use, in the tradition of 3885 KC.
Re-enactment groups, field days, special events etc.

51.6 MC FM DX calling frequency for military rigs.
For the stout-hearted who want to work
across the pond with their PRC-10.

50.6 MC AM VHF mil rigs (there are a few) calling and secondary use.

With the sunspots on the rise, I will be dedicating
a scanner and antenna to guarding these frequencies in
central Texas beginning this summer.

Please relay this information as you see fit.

73 DE Dave Stinson AB5S
arc5@ix.netcom.com

2501. FA:: Collins (RE) KWM-2A & PM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <7i4gkr$i7c$1@news.erinet.com>
Source record: 84278
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Here is a real nice Collins (RE) KWM-2A & PM-2

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106535209

2502. FS: Very Rare Mosley CM-1 Receiver and CMS-1 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3745C760.2C699D9B@cfu.net>
Source record: 84279

A collector's Mosley CM-1 receiver with matching CMS-1 speaker. Fewer than 1,000 made, only in 1961-62. Covers 80-10m ham bands plus WWV. Double conversion
superhet, 5 tubes, 4 diodes, xtal controlled first oscillator, sensitivity at least .5 uv for 10db S/N
ratio, product detector, S-meter, noise limiter, muting terminals, accessory socket, operates on 110-220VAC. 7.5" x 10.5" x 8", 14 lbs., fully operational (very sensitive). Finish--black and gray--is excellent; knobs and front panel are bright and shiny; VFO and meter faces are clean and white; all lettering is intact and fully readable, includes manual (copy). $425 + shipping.

2503. Re: Wally's Wacky World - Wrench Words

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Mike Taylor <mtaylor@freeway.net>
Message-ID: <7i4hoh$4j0@newsops.execpc.com>
Source record: 84280

Does any one know the email address of the above site. which sells Bristo wrenches for R- 390s etc?

2504. For sale Nuvistors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: hitriode@iinet.net.au
Message-ID: <3745ce92.3678776@news.m.iinet.net.au>
Source record: 84281

Sylvania: 7027A $US25-00
Siemens EF86 NOS $US20-00
Amperex: E810F/7788
Sylvania 6BQ5/El84 $US12-00
Nuvistors: Sylvania. 7586. Flat tops. $US12-00. {$30 From Antique
Electronics}
All New in Boxes.

RUSSIAN: EL84/6BQ5.
1x EL84 =$US4-00.
10 x EL84 =$US 3.75.
20 x EL84 =$US 2.50.
Russian Svetlana: EL34
1x El34= $US10-00
10X El34 = $us9-00
Russian 5881/6L6WGC
X 5881 +$US8-00
10X5881 +$US 9-00
Can supply matched.
AUSTRALIA

2505. Help with Mitrek?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7i4kglcik1@news2.bit-net.com>
Source record: 84282
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

I have a Mitrek in the 2m range complete with head
and cables and three freq. modules.

I am looking for a kit, a design for, an already built, or
recommendation for a readily-modifiable VFO so that I
can free the rig from freq. modules ... anyone know of
such a thing?

If not, anyone know what the requirements would be to
implement a VFO for the Mitrek in the 2m range? Any
gotchas?

Thanks! & 73,
~~~
���
\ ~ / .... DavidC K1YP@qsl.net
~~~

2506. PRC-41 RF Switch Wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: paul vandervort <pgv@imaxx.net>
Message-ID: <3745D98B.FD36A4EE@imaxx.net>
Source record: 84283

Hello all

Im looking for the RF Receive-Transmit switch assy for my
PRC-41.

Thanks
Paul Vandervort
kb9pzc

2507. Re: Bristo? [Re: Bristol Wrenches for Collins]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: captal123@aol.com
Message-ID: <19990521183044.09477.00001303@ng-fz1.aol.com>
Source record: 84284

The Collins owners manuals spell it out as
Bristo.....

Al.....K2DYH

2508. Re: Want: R390A Meters... Can pick up at Dayton

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3745DF86.7FD4@sympatico.ca>
Source record: 84285

W9zr wrote:
>
> I am in need of the 2 meters for the R390A receiver. I can pick them up at
> Dayton or arrange for shipping.
HELLO
For your meters contact Nebraska sales about 85.00 dollars.
73
ve2amk

2509. Re: Viking Navigator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3745E189.5D9D@sympatico.ca>
Source record: 84286

Brokebob wrote:
>
> I don't know what the book calls for but 1.5 amps seems real light, especially
> for a fast blow fuse. I am guessing that a 2 amp slow blow would be about
> right.
>
> brokebob
HELLO OM
is your Navigator for sale. if yes tell the price requested hi,,
73
ve2amk

2510. FS Tempo One HF rig with PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3745EC23.1DC5@ix.netcom.com>
Source record: 84287
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a Tempo One HF Tranceiver with the matching power
supply/speaker.
This is a Yaesu FT-200 but marketed as a Tempo One and sold by Henry
radio. Cabinets look like new. Tempo has some facial marks but has been
touched up. Everything works fine but may need output tubes, common
sweep 6JS6 tubes. It comes with a copy of the manual
6js6. $160+shipping. 73 Chris

2511. FS Galaxy III HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-21 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3745EBC0.63C2@ix.netcom.com>
Source record: 84288
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have a very nice Galaxy III Tranceiver with the AC3 power supply and matching speaker. Comes mic and copy of the manual. This rig has full output about 200 watts. $225 + shipping. 73 Chris VE3NGW/W4 Florida

2512. Heathkit Code Oscillator Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: kb8uhu@aol.com
Message-ID: <19990521211112.10951.00003021@ng31.aol.com>
Source record: 84192

Cheap to good home. Heathkit Manual "for the Code Oscillator Model HD-1416H"
Has P/N 595-4010-01 printed on the cover. Found this in a box of stuff I
bought at auction--someone out there needs it--I don't. E-mail w/offer--around
$7.50 (includes US postage) will be plenty. Bob KB8UHU@aol.com

2513. FS: HP 606B boatanchor HF signal generator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: jpevner@aol.com
Message-ID: <19990521215442.00831.00004151@ng36.aol.com>
Source record: 84193

Rack-mount version, fully functional & cosmetically good. Manual included.

$50 + shipping from MA (it is heavy)

de N1LIS (Jon)

2514. Re: Heath VF-1 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <3746b99d.1011938@news.erols.com>
Source record: 84194

I feel obligated to rise to the defense of the venerable VF-1.
I picked one up at a hamfest. The builder had obviously been
demented, so I stripped it down and rebuilt it. I haven't used it on
CW, but it seems to work well on 40 and 75 AM with my DX-60B.
Cool looking also. One other advantage: it is the same VFO as the one
used in the DX-100 - so it sort of provides a DX-100 "lite"
experience.

73 Bill N2CQR

On Thu, 20 May 1999 15:42:08 -0400, "Floyd Sense"
<sentek@sprintmail.com> wrote:

>I recall buying and building a VF-1 in 1959. On a good day, it had a rough
>note- especially on 15 as you mention. In the very best state of repair,
>this was a very bad VFO. However, one must remember that the original price
>was $19.95 or so. After some time, I replaced it with an Eico VFO- think it
>was a 722?- which had a very pure note and was pretty stable over time. Of
>all the old gear I've owned over the years, I think the VF-1 is probably the
>only thing that I'd not buy again out of nostalgia! If you didn't notice
>the raspy note in the '60s, it's probably because you didn't know as much
>then as you do now!
>
>Daniel Metzger <dmetzger@monroe.lib.mi.us> wrote in message
>news:3743C599.564B@monroe.lib.mi.us...
>> I recently brought my Heath DX-35 and VF-1 down from a 32-year QRT in
>> the attic. After chasing out the spiders and applying some contact
>> cleaner, I was on 40 cw, but noticed the note had some ac on it. On 15
>> meters (after tripling) it was really bad, so I assume it was frequency
>> modulation.
>>
>> I changed the osc tube, bridged the filter caps with new ones (even put
>> a 'scope on the B+ and found only a volt or two of ripple; none after
>> the VR tube in the VFO.) Finally, on a hunch, I took the 6.3 V ac
>> filament supply off and powered the filament with a 6-V battery.
>> Instant pure note!
>>
>> I measured the filament-to-cathode capacitance of the 6AU6; it's 4 pF.
>> The cathode isn't grounded; it has 500 pF to ground. So I should expect
>> about 60 mV p-p ac on the cathode - not a good design.
>>
>> So, I've put in a solid-state rectifier and some 4700 uF filters to
>> power the 6AU6 filament, and things are doing fine ... but ... I used
>> this VFO for years in the 60s; on 15 meters; even drove a home-brew SSB
>> rig with it. Why didn't I notice the rasping note then? Does the VF-1

>> in its original state have a pure note? Is there something in there
>> that still needs servicing?
>>
>> e-mail reply appreciated; My work schedule prevents me from browsing
>> this group regularyl.
>>
>> Dan, K8JWR
>
>
>

2515. FS: Collins 51S-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: PaalR <palr@c2i.net>
Message-ID: <7i611dlpl1@romeo.dax.net>
Source record: 84195

```
For sale: 3 x Collins 51S-1 in excelent condition.
palr@c2i.net
```

2516. FS: German receiver E52B-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: PaalR <palr@c2i.net>
Message-ID: <7i61d1$m16$1@romeo.dax.net>
Source record: 84196

For sale: Ex. German WW2 receiver, E52B-1 in excellent condition.
palr@c2i.net

2517. FS: German WW2 T/R, HA5K39

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: PaalR <palr@c2i.net>
Message-ID: <7i61adluj1@romeo.dax.net>
Source record: 84197

For sale: Ex WW2 German transmitter/receiver HA5K39 in excellent condition.
palr@c2i.net

2518. WTB: Sherwood CF-600/6 Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: N3BJ@hotmail.com
Message-ID: <7i6eo0kcq1@nnrp1.deja.com>
Source record: 84198
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Wanted: Sherwood CF-600/6 filter for R4C front end. If you have one that is surplus to your needs, please let me know. Would also be interested in Sherwood 2nd IF CW filters for the R4C.

Alan, N3BJ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2519. Oscillator Manual Sold!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: kb8uhu@aol.com
Message-ID: <19990522080251.18129.00001710@ng-ce1.aol.com>
Source record: 84199

The manual has gone to a good home down South. Thanks!
Bob KB8UHU

2520. R-390A T-Shirts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Dave Merrill <R390a@concentric.net>
Message-ID: <Pine.GSU.4.05.9905220723001.6383-100000@mariner.cris.com>
Source record: 84200

Now you can take an R-390A with you without lugging 72 lbs.
These 100% cotton Hanes shirts have a image of the front
and back of an Electronic Assistance Corp R-390A from
the 1967 contract. Meters are non-radioactive so you can
wear it safely, even around children.

For pictures and ordering info:

http://www.concentric.net/~R390a/T-Shirts.html

Dave
N9ZC

2521. Re: Help with Mitrek?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Reed Park <reedpark@nbnet.nb.ca>
Message-ID: <3746A19F.EF9CFFDC@nbnet.nb.ca>
Source record: 84201
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

DavidC wrote:

> I have a Mitrek in the 2m range complete with head
> and cables and three freq. modules.
>
> I am looking for a kit, a design for, an already built, or
> recommendation for a readily-modifiable VFO so that I
> can free the rig from freq. modules ... anyone know of
> such a thing?
>
> If not, anyone know what the requirements would be to
> implement a VFO for the Mitrek in the 2m range? Any
> gotchas?
>
> Thanks! & 73,
> ~~~
> ï¿½ï¿½ï¿½
> \ ~ / .... DavidC K1YP@qsl.net

I don't know if they are still around, but GLB used to make a
synthesizer kit. It selected TX and RX frequencies separately.
You could also select reverse at the flick of a switch. I used
one on a Mocom 70 for many years.

Sorry I couldn't be of more help. I think the synthesizer would be
much better than a VFO, as at least you could then use any
repeater in your area.

7 3
Reed

--

ARROW Research (Avro CF-105)
Reed Park
252 Gauvin Road
Dieppe, New Brunswick
Canada E1A1M1

Amateur Radio VE1NU
WW II, # 19 SET user
I.C.Q. # 4138282

2522. WTB:SW3 coil forms

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7i68an$2p4$1@bgtnsc01.worldnet.att.net>
Source record: 84202

A friend of mine asked me to post this. I believe that someone is making up SW3 coil forms. Could someone please provide me with contact information.

thanks

Joel WB2BMH

2523. R390 BACK UP FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7i6q9crpo1@nnrp1.deja.com>
Source record: 84203

COLLINS R390 MADE BY MOTOROLA. missing ant tune knob. comes with rack.
pick up in miami fl only WILL NOT SHIP...DONT ASK.. $200 or swap for
mcintosh audio gear or rackmount audio amps. call 305-299-4081 for info.
can be picked up this weekend.
thanks
ke4mcl
robert

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2524. Re: Need Info: Alpha sells front panel for 76Pa and 77DX amp?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990522125341.20948.00003714@ng15.aol.com>
Source record: 84204

Call AlphaPower, and ask Glen, AEï¿½Q.

2525. Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <3746de2d.10233845@news.iwvisp.com>
Source record: 84205

I recently picked up a, , , ,

"Zenith Trans-oceanic, AM-FM Multiband, Royal 3000-1"

reciever. Is this radio worth cleaning and restoration? I have no idea what it's value is. Can someone help me on this? It has the original pull out spiral bound tables, and overall seems in pretty good shape, but it does need cleaning, and the leather end panels need to be re glued. When finished it should be about a 9+.

Please e-mail
Thanx
Ron Cheshire WB6GKI
DrPepper@iwvisp.com

2526. Collins 312B4 RE Station Console

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Ray Cannon <rcannon1@tampabay.rr.com>
Message-ID: <hrB13.859$Qs6.24448@newse2.tampabay.rr.com>
Source record: 84206

Have 1 Collins 312B4, Round Emblem, Station Console.

Price is $250.00 FIRM.

Cash, Certified Check or Money Order.

You pay shipping and C.O.D. Charges if applicable

reply: rcannon1@tampabay.rr.com

2527. Boonton standard inductors for "Q" meters, 160, 260

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <IXB13.6539$AL5.26075@ndnws01.ne.mediaone.net>
Source record: 84207
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.amateur.swap

513A "Q" standard, 249uH, in the felt lined Boonton mahogony box
with application instructions. Looks excellent, almost new. $20

4 standard inductors, Model 103A for the following frequency ranges:
.8 to 2 MC - 100uH
1.5 to 4.5 MC - 25 uH
5 to 14 MC - 2.5 uH
20 to 35 MC - .5 uH
$10 each

3 older style standard inductors, silver plated cases
50 to 150KC - 22.5 mH
4.8 to 17.5MC - 2.44 uH
14.2 to 50 MC - .28 uH
$5 each

$70 shipped for all of them. If you want less, then indicated price
plus shipping.

regards,
Chuck...

2528. WTB: INRAD GUF-2 filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: N3BJ <N3BJ@hotmail.com>
Message-ID: <7i74b6$2ep$1@nnrp1.deja.com>
Source record: 84208
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Wanted: INRAD GUF-2 filter for Drake R4C. If you have one that is surplus to your needs, please let me know.

Alan, N3BJ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2529. What means "NO COD"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <37470C15.1C361422@teleweb.at>
Source record: 84209
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors

Good evening from Vienna!

Anyone can tell me what "NO COD" means ?

Greetings. Kurt.
--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Looking for a Drake R2A or R2B
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

2530. FS: Gates & Marti & Westrex & McMartin

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: "MIKE M." <PROAUDIO99@prodigy.net>
Message-ID: <7i729d$2hbk$2@newssvr01-int.news.prodigy.com>
Source record: 84210

FS: Gates GTA-Pilot-SCA Frequency Comparator.
Marti M-3-60 2-mic remote transmiter - amp?
Westrex Type 49-HD Radio Receiver.
McMartin MS-200 mic Mixer.

Thanks......
Call Mike
814-868-0866
814-450-7979
800-509-2050-beep

2531. Re: What means "NO COD"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Princed <princed1@worldnet.att.net>
Message-ID: <7i734r$3i2$1@bgtnsc03.worldnet.att.net>
Source record: 84211
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors

It means no Collect On Delivery. In otherwords, you must pay for the item before it is sent to you. This can be risky if you don't know who you're dealing with...Dale

Kurt Brandstetter <kurt.brandstetter@teleweb.at> wrote in message news:37470C15.1C361422@teleweb.at...
> Good evening from Vienna!
>
> Anyone can tell me what "NO COD" means ?
>
> Greetings. Kurt.
> --
> end
>
> 73's de OE 1002419
> Kurt from Vienna Austria
> HomePage updated with new Pics (Eddystone, 75S-2)
> **********
> Looking for a Drake R2A or R2B
> Bye for now.
> **********
> Email to kurt.brandstetter@teleweb.at
> If this adress is blocked use: oe1002419@mail.yahoo.com
> HomePage: http://members.teleweb.at/kurt.brandstetter/
> Please visit my page!

2532. Re: COD Thanks for Info

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Kurt Brandstetter <kurt.brandstetter@teleweb.at>
Message-ID: <3747112D.EF9D9C0C@teleweb.at>
Source record: 84212
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors

Thanks for Info

Kurt Brandstetter schrieb:
>
> Good evening from Vienna!
>
> Anyone can tell me what "NO COD" means ?
>
> Greetings. Kurt.
> --
> end
>
> 73's de OE 1002419
> Kurt from Vienna Austria
> HomePage updated with new Pics (Eddystone, 75S-2)
> **********
> Looking for a Drake R2A or R2B
> Bye for now.
> **********
> Email to kurt.brandstetter@teleweb.at
> If this adress is blocked use: oe1002419@mail.yahoo.com
> HomePage: http://members.teleweb.at/kurt.brandstetter/
> Please visit my page!

--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Looking for a Drake R2A or R2B
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

2533. GATES ST-1A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990522162412.11241.00005061@ng-fp1.aol.com>
Source record: 84213

ONE. K.W. PEP and same amount of power C.W. output and also A.M. at some reduced power. complete transmitter 2 to 32 Mhz continues interested parties contact Hal at 718-8473090 or E-Mail.

2534. Re: R390 BACK UP FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7i77bu$4da$1@nnrp1.deja.com>
Source record: 84214

the question has been posted of why this radio is posted again for
sale..
the person who was interested in it is no longer interested so therefore
it is back up for sale. if you emailed me about this rig previously your
email was deleted once i had someone that said they would come down to
get it. it is back up for sale or swap. 305-299-4081 pick up in miami fl
only.
robert

In article <7i6q9crpo1@nnrp1.deja.com>,
dcat4955@bellsouth.net wrote:
> COLLINS R390 MADE BY MOTOROLA. missing ant tune knob. comes with rack.
> pick up in miami fl only WILL NOT SHIP...DONT ASK.. $200 or swap for
> mcintosh audio gear or rackmount audio amps. call 305-299-4081 for
info.
> can be picked up this weekend.
> thanks
> ke4mcl
> robert
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2535. FS or Trade Imperial R-390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: David Medley <davemed@uswest.net>
Message-ID: <37472618.6D5D4E6B@uswest.net>
Source record: 84215

I have a fully restored and operational R-390A by Imperial
Electronics Serial #2101.
The price is $450 NOT including packing and shipping from
85704. Full details on my web page:
<http://www.users.uswest.net/~davemed>
I am also interested in trading. Looking for a fully
operational and clean Hallicrafters SX-28 or a Collins 51J4.

<davemed@uswest.net>

2536. F S KENWOOD DG5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990522190113.18132.00002006@ng-ce1.aol.com>
Source record: 84216

I HAVE A DG5 DIGITAL READOUT FOR TS520S OR SE GUARANTEED
WITH MANUAL WILL SHIP IT FOR 220
TEMPO ONE FROM AN ESTATE AS IS $175
HEATH HG10B VFO $75
WESTERN ELECTRIC TELEGRAPH KEY ON BASE $35
ALSO OLD HANDBOOKS INQUIRE
JOHNYLK78@AOL.COM

2537. FS: National NC-300 Rcvr/T-60 AM Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: robert stohlman <rstohlman@centuryinter.net>
Message-ID: <01bea4a5$e04f3900$c1988ed1@uymfdlvk>
Source record: 84217

NC-300/matching speaker, Knight T-60 transmitter, RCA mike Dow Key TR,
manuals. Working/Nice. $225 for all.

WB5QVN Bob
440-967-3703

2538. F S SURPLUS CONVERSION

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990522191142.18132.00002012@ng-ce1.aol.com>
Source record: 84218

SURPLUS CONVERSION BOOK SHIPPED $20
ALSO SELECTION OF OLD HANDBOOKS INQ JOHNYK78@AOL.COM

2539. FS: Various

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <37474839.9E3E7E09@value.net>
Source record: 84219

I have the following items FS:

-Mecury 1101 tube tester. Complete with original documentation (tube chart, factory correspondence, customer correspondence). Can check sweep tubes. Compact unit (about 111"x8"X3"). $30 plus shipping.

-Drake 2NT/2C/2CQ station set up. Price reduced to $250. 2C in excellent condx and original manual. 2NT and 2CQ in good condition. All in operational working condition. Need to move it out due to space restrictions in home.

-Astatic 10D, D-104 (no element, you can get it from AES), and UG-9 non-amplified base (needs bottom plate). $45. You ship.

All items as is. Contact me at this e-mail address. Tnx. Cal, N6KYR.

2540. FS COLLINS 30L1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990522191535.18132.00002017@ng-ce1.aol.com>
Source record: 84220

COLLINS 30L1 THIS IS AN ESTATE ITEM $575 JOHNYK78

2541. Re: Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: MICHAEL NEIDICH <neidich@worldnet.att.net>
Message-ID: <7i7evogoh1@bgtnsc03.worldnet.att.net>
Source record: 84221

To answer your question, if you are restoring it for yourself, to use, I wouldn't invest much effort. For performance, you can't beat the last 7000 models. Nothing ever offered such coverage in one box. If you want to restore it and sell it at a profit, be aware that the market is very spotty. The most rare are the old brown leather covered models like L600L, and they can sell for over $500. Lousy performance, but pretty and are my favorites.
73,
Mike
K2ENN

DrPepper@iwvisp.com wrote in message <3746de2d.10233845@news.iwvisp.com>...
>
>I recently picked up a, , , ,
>
>"Zenith Trans-oceanic, AM-FM Multiband, Royal 3000-1"
>
>reciever. Is this radio worth cleaning and restoration? I have no idea
>what it's value is. Can someone help me on this? It has the original
>pull out spiral bound tables, and overall seems in pretty good shape,
>but it does need cleaning, and the leather end panels need to be re
>glued. When finished it should be about a 9+.
>
>Please e-mail
>Thanx
>Ron Cheshire WB6GKI
>DrPepper@iwvisp.com
>
>

2542. 6M am net in the morning

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: kc6wfs@postoffice.pacbell.net
Message-ID: <37474DE6.ADFF6EA9@postoffice.pacbell.net>
Source record: 84222

Hello all,

On Sunday Mornings at 9:00 am pst I run my AM net on 50.400 AM from
DM04rk.
I accept all checkins DX or locals.

Hope with the e-skip coming in lately might just get a few dx checkins.
I'll be running a Clegg Interceptor/Zeus combo, 120watts into a ARX-6
Vert.

Hope to hear from a bunch of you in the morning.
73..
Dave Booth KC6WFS DM04rk
http://www.geocities.com/hollywood/5860/50am.html

2543. Duck's ARC-5 Web Pages Up

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <3747597D.6E0FED4A@ix.netcom.com>
Source record: 84223

Dewayne Moore's fine ARC-5 web pages are back on line at
my arc5.com domain. Check them out at:

http://www.arc5.com/duck/

I'm working on updating some of the links.
Some day I might even get my own pages going...
Stranger things have happened ;-)

73 DE Dave AB5S

2544. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-22 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37475F2D.1B750BF8@jorsm.com>
Source record: 84224
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 22.00 each (matched pair or quads)

6LQ6 32.00 6LF6 40.00 6MJ6 40.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6ME6 25.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available , click here for more tubes and information ,
Email me at n9tew@jorsm.com

2545. Re: Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7i8uc6mgg1@autumn.news.rcn.net>
Source record: 84139

The 3000 remains a very collectable Zenith. In excellent condition,
with a good battery box, and the original literature, it is worth between
100 and 250 dollars. Prices vary depending on geographic location, etc.

Pete

MICHAEL NEIDICH wrote in message <7i7evogoh1@bgtnsc03.worldnet.att.net>...
>To answer your question, if you are restoring it for yourself, to use, I
>wouldn't invest much effort. For performance, you can't beat the last 7000
>models

2546. WTB: Drake R4C (non-working)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: N3BJ <N3BJ@hotmail.com>
Message-ID: <7i96bibql1@nnrp1.deja.com>
Source record: 84140
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Wanted: Drake R4C in non-working condition, but preferably intact. Any unit considered, from parts rig to clean unit. If you have one that you don't have the time to fix or is just taking up space, please let me know.

Alan, N3BJ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2547. Re: What means "NO COD"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: jpnoll@aol.com
Message-ID: <19990523103817.23712.00003849@ng-ci1.aol.com>
Source record: 84141

Kurt,

No COD means that it must be paid for before it is shipped, not when it arrives.

2548. Upcoming Long Island Hamfest

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: hmnadel@banet.net
Message-ID: <374817EE.36E372E9@banet.net>
Source record: 84142

Check out http://www.qsl.net/w2ufo for information on the upcoming
June 13th Long Island NY hamfest.

2549. Heath VF-1 Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Bruce E Stock <stockb@accessone.com>
Message-ID: <374821A4.69C0@accessone.com>
Source record: 84143

Is there a VF-1 schematic available on the web anywhere?

Otherwise, can some kind soul email me a scan of the VF-1
schematic?

73, Bruce AB7YD

2550. WTB: Drake 1544

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990523114532.09178.00005619@ng35.aol.com>
Source record: 84144

Looking for another adaptor to complete my 7 line.

73

Evan

2551. Re: What means "NO COD"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <37482B6B.D7F53090@dimensional.com>
Source record: 84145
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors

Kurt,

At a fish market "NO COD" means they are out of cod fish. ;-)

73,

Marv
AB0IO

Kurt Brandstetter wrote:

> Good evening from Vienna!
>
> Anyone can tell me what "NO COD" means ?
>
> Greetings. Kurt.
> --
> end
>
> 73's de OE 1002419
> Kurt from Vienna Austria
> HomePage updated with new Pics (Eddystone, 75S-2)
> **********
> Looking for a Drake R2A or R2B
> Bye for now.
> **********
> Email to kurt.brandstetter@teleweb.at
> If this adress is blocked use: oe1002419@mail.yahoo.com
> HomePage: http://members.teleweb.at/kurt.brandstetter/
> Please visit my page!

2552. Wanted: Genemotor / Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Robert Perlstein <perls@compuserve.com>
Message-ID: <374811C9.3210@compuserve.com>
Source record: 84146

Howdy all!

I'm looking for a genemotor or dynamotor that's 12V in and between
500V- 600V @ 200 mils out.

Possible units that fit this spec are:

Carter 520ABNS
Carter 624BS
Carter 6030BSM
Carter 6040BSM

Obviously the unit must function properly.

Let me know what you've got -- via Email if possible.

Thanks & 73

de

W1IV

2553. R71A problem, maybe you can help me

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990523141806.13201.00000437@ng17.aol.com>
Source record: 84147

I have an R71A that suddenly crapped out. There is no audio and no signal as S-Meter does not move on a known AM BCB Frequency. Could this be IC-6 in the DC-DC Converter and is it true that is a simple 7402 Quad. Here's another problem. No mode recognition on display. Could this be the one of the 7 10uF 16V caps have dried out or the 33uf 16V...don't have schematic, but have heard about these caps in previous posts and web sites(these caps are blue and not the yellow ones I have heard about). What do you all think is the most likely solution to these problems? I am trying to gather data. I bought this radio used from Tucker Electronics and discovered rust and moisture. I am trying to work with Tucker as the radio was sold to me a month ago. If they don't honor their warranty I will go about this on my own, but will flame them for selling a radio without checking it fully.(I am tenatious when I get screwed) There's no excuse for corrosion going unchecked.

Thanks

2554. r390 sold and picked up

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7i9koj$l9o$1@nnrp1.deja.com>
Source record: 84148

the r390 has been sold and picked up. i tried to hold it for the first person that spoke up, thats why it got posted twice. someone did finally show up and haul it off.
thanks all
robert

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2555. WTB Drake AC3+speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: douglas931@aol.comnospam
Message-ID: <19990523144909.23179.00004380@ng-cm1.aol.com>
Source record: 84149

Looking for an AC3 power supply and speaker. Appearance not important, must be in operating condition.
Thanks

2556. Hamfest Boatanchors Hamfest BoatRadios

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: rychard@mindspring.com
Message-ID: <3748491c.21386921@news.mindspring.com>
Source record: 84150

Hello All,

Just a reminder for those whishing to buy,sell or trade those
Boatanchors.
The Atlanta HamFest and Computer Show is coming soon.
visit http://www.saf.com/arc/atlfest.htm for more details
This will be the 71st Hamfest for the Atlanta Radio Club,they have
been doing this since about 1928,one of the oldest hamfest in the
Southeast.

All kinds of radio equipment can be found at this Hamfest.
Scanners(old and New),Shortwave,Amateur,Military,aircraft,Test
gear,parts,wire,cables,Tools.Audio,and Video equipment.All kinds of
computers(new,used,parts,supplies,components,
motherboards,modems,case,memory,monitors.Books about all
radio,computer,and electronic subjects.Way too much stuff
to try and list.You will have to see it to beleive it.

June 5th and 6th 9:00am-5:00pm Sat and 9:00am-3:00pm Sun.
The location is at the 116 Acre Jim Miller Park, Marietta, GA.
This is on Callaway Rd. This is very near the junction
of I-75 and the I-285 loop around Atlanta.This junction is on the
west side of the I-285 loop .Just north of this junction on I-75 is
exit 110.Take exit 110(Wendy Hill Rd.) and go West.Travel a few miles
to Austell Rd. and turn left on it.Go a short distance to Callaway and
turn right on it.A short distance on Callaway Rd will take you to the
Jim Miller Park on your right.Hope to see you and your friends there.
Tickets are just 5$
The event is being put on by volunteers from the following clubs,and
other sources also.
The Atlanta Radio Club
Gwinnett Amateur Radio Society
Kennehoochee Amateur Radio Club
North Fulton Amateur Radio League

We will offer all of the following:
Large Tail gate area
Lots of free parking
20,000 square feet Indoor Market
37,000 square feet Outside Covered Show Ring for Flea Market
RV Camping full hookup for 44 lucky Hams
Cash Vouchers and other prizes

This is also the ARRL's Georgia State Convention!!
Talk-in will be on 146.82Mhz - offset. Tis repeater is located on the
NationsBank building in downtown Atlanta and has a great coverage of

the Metro Atlanta area.

For additional information contact one of the co-chairmen:
Ben Dasher, KE4YZX, 404-869-6959, bendasher@mindspring.com
Charles Golsen, N4TZM, 404-252-3303, cgolsen@atlanta.com

Be seeing you there,
Dean, KR4IU

2557. FS: 100 NOS 5749/6BA6W TUBES-USED IN R-390A RECEIVER IF DECK

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: mike@3dnet.com
Message-ID: <7i9mtu$mh1$1@nnrp1.deja.com>
Source record: 84151
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale: Lot of 100 New, Old Stock 5749/6BA6W Tubes as used in Military R-390A HF Receiver IF Deck. Tubes are GE Branded in original orange and white boxes and the lot is in it's original packing from distributor. 1960's date codes.

See Picture at http://www.3dnet.com/mike/GE5749.jpg

If interested, please reply via e-mail with offer.

Mike Nowlen WB4UKB
mike@3dnet.com
Evenings 7pm-10pm Eastern: (703) 716-1363

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2558. Re: Heath VF-1 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <19990523161417.10854.00003981@ngol04.aol.com>
Source record: 84152

In article <3743C599.564B@monroe.lib.mi.us>, Daniel Metzger
<dmetzger@monroe.lib.mi.us> writes:

>I recently brought my Heath DX-35 and VF-1 down from a 32-year QRT in
>the attic. After chasing out the spiders and applying some contact
>cleaner, I was on 40 cw, but noticed the note had some ac on it. On 15
>meters (after tripling) it was really bad, so I assume it was frequency
>modulation.

Hello Dan,

AM would do the same thing after tripling. Either way, it's undesirable.
>
>I changed the osc tube, bridged the filter caps with new ones (even put
>a 'scope on the B+ and found only a volt or two of ripple; none after
>the VR tube in the VFO.) Finally, on a hunch, I took the 6.3 V ac
>filament supply off and powered the filament with a 6-V battery.
>Instant pure note!

Well, that answers one question.
>
>I measured the filament-to-cathode capacitance of the 6AU6; it's 4 pF.
>The cathode isn't grounded; it has 500 pF to ground. So I should expect
>about 60 mV p-p ac on the cathode - not a good design.

I have to differ with you on that. The circuit is more complex - it's not just
a simple capacitive voltage divider.

Note that there is (I think) a 2.5 mH RF choke from the cathode to ground This
component's effect has to be considered, too.. Here are the reactances of the
various components:

4 pF heater-cathode capacitance = 663 megohms, capacitive.
500 pF cathode-ground capacitance = 5.3 megohms, capacitive
2.5 mH RFC inductance = .94 ohms, inductive

The amount of 60 Hz AC that gets past the RFC will be in the range of
microvolts, not millivolts. Something else is going on.
>
>So, I've put in a solid-state rectifier and some 4700 uF filters to
>power the 6AU6 filament, and things are doing fine ... but ... I used
>this VFO for years in the 60s; on 15 meters; even drove a home-brew SSB
>rig with it. Why didn't I notice the rasping note then?

It wasn't there, then.

>Does the VF-1 in its original state have a pure note?

Usually, yes. But it depends on all of the components being up to snuff.

>Is there something in there that still needs servicing?

Several possibilities:

- Poor ground connection in the heater circuit, which causes AC to flow in unexpected places. Clean and retighten all hardware.
- Deteriorated insulation in one or more spots, causing leakage of the AC into other circuits. Bakelite occasionally fails this way. It looks good, but has leakage in the range of tens of kilohms. All bakelite insulation is suspect.
- Bad 6AU6 tube. Heater-cathode leakage may have developed over time. Best test is to substitute several tubes.

In addition, the "series tuned Clapp" can exhibit all sorts of weird characteristics if the keying lead (cathode lead) is not well shielded, short, and of low DC resistance.

There is something else going on - the DC heater supply trick just hides it. Works, though.

My first VFO was a VF-1, which I bought from W2FNT in 1968. It was mint, and well-built, but after a time I found the 12AU7A circuit described by W2YM to be infinitely superior. If you want a good simple boatanchor VFO, try that one.

73 de Jim, N2EY

2559. FS: Globe Scout 680A & VFO755A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: suripan@usa.net
Message-ID: <37488D49.439918EB@usa.net>
Source record: 84153

For Sale: Globe Scout 680A for AM/CW.. Good working condx.. with 6
meter..
Cover shows some rust beginning.. Front panel has light scratches.
Matching VFO755A.. There are no signs of rust.. Light scratches by
ages..
Both have good photocopied manuals.. All original knobs..
$125 plus shipping CONUS..

2560. Re: FS: Drake "C" Line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37486734.C2051F66@erols.com>
Source record: 84154

Good price!!!

N0SAH wrote:

> FS: Drake C line consisting of:
> R4C, serial 19XXX, 4NB noise blanker (worth over $100 alone) and 0.5 CW
> filter. Original manual.
> T4XC, serial 20XXX, 100+ watts out, front panel and knobs excellent, case
> has four minor hairline scratches on top. Original manual.
> AC4 power supply, serial 28XXX, in very good condition.
> MS4 speaker, good condition.
> Patch cables included.
> $475 plus shipping from KC, MO.
> N0SAH
> fish@microlink.net

2561. Re: Help! 390A Blows 3A Fuse

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <374867B3.448756EE@erols.com>
Source record: 84155

Check the AC input filters. Unlike most of the '390 components, they don't seem to last forever.

Thomas Marcotte wrote:

> please get out your schematics . . .
>
> I'm working on an all '58 Motorola rig. It had numerous problems which
> I'd gotten close to solving, and was finally getting extended run time
> on the rig without it quitting. Numerous cap, tube changes etc. Got it
> all shined up, cams, PTO'd, deox'd, the woiks.
>
> After an extended run in period over night last night, I was about to
> begin alignment when the 3A fuse blew. The B+ fuses did not blow.
>
> First thing I did was install a 120V fault light in place of the fuse.
>
> Then I unplugged all the modules and tried again. Got a lit lamp (equiv
> to blown fuse).
>
> Removed the 26Z5 rect. tubes and B+ fuses. Still got a fault lamp.
>
> OK, so perhaps the transformer primary is shorted. Took a spare (but
> untested) PS and tried it. Same fault.
>
> Starting to look like a filament type fault in the frame since all
> modules are unplugged. Removed the dial lamps and disconnected the
> rectifier for the relays.
>
> Still have a fault. AAARRRRRGGGGGHHHHH!!!
>
> OK, I am missing something here and I'm not in the right frame of mind
> to figure it out without counseling.
>
> Anyone care to hazard a next step I should try? Maybe both the spare PS
> and this one are both fried?
>
> Are there other frame faults I should look for? Is the old fault light
> in place of fuse misleading me here?
>
> Suggestions welcome!
>
> 73!! and cheers
> Tom N5OFF

2562. Re: r390 sold and picked up

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <374864F0.261D9A38@earthlink.net>
Source record: 84156

This guy left a bad taste in my mouth . He sold the radio to me twice and told me how to get the money to him and twice he had someone else pick it up . Do not deal with this guy . Be very careful . He is not a man of his word. He uses his mother as an excuse (she is going to kick me out if I don't get rid of it soon this I heard twice and he bailed out of selling me this radio . What a jerk .
Matt Parkinson KE6UOS

dcat4955@bellsouth.net wrote:

> the r390 has been sold and picked up. i tried to hold it for the first
> person that spoke up, thats why it got posted twice. someone did finally
> show up and haul it off.
> thanks all
> robert
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---

2563. Re: Heath VF-1 Schematic?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Ed Kotkiewicz <ekotkie@ezl.com>
Message-ID: <37486AD6.54596FD8@ezl.com>
Source record: 84157

Bruce E Stock wrote:

> Is there a VF-1 schematic available on the web anywhere?
>
> Otherwise, can some kind soul email me a scan of the VF-1
> schematic?
>
> 73, Bruce AB7YD

EK> Bruce, try Dale's Museum site
http://members.accessus.net/~dwentz/kb9jja/heathkit/ in the schematic
section. He has it "slightly mis-listed as FV-1 but it is correctly
labled on the schematic.

Ed

2564. Estate sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: JOSEPH FROUNJIAN <josfro@becnet.com>
Message-ID: <01bea549$e22abd40$28caaacc@default>
Source record: 84158

These items are from the estate of an SK:

Yeasu FTDX 560 transciever w/ speaker 250.00
Yeasu FTDX 560 tranciever no speaker 200.00
National NCX-5 tranciever 125.00
Barker & Williamson 5100 xmitter 250.00
Heath DX-20 125.00
Heath HW-16 CW xmitter w/ HG-10B VFO 145.00
Heath CT-1 Capacitor tester 25.00
Heath HO-10 Monitor Scope 95.00
Vibroplex Deluxe Keyer 110.00
Brass straight key (Japan) 50.00
Brass straight key 45.00
Astatic D104 50.00
Astatic JT-30F 45.00
Astatic JT-30 35.00
Shure 700D crystal mike 85.00
Heath GD-77 Home protection reciever 20.00
Heath GD-87 Home protection smoke detector 20.00

All are sold in as is condition, Jpeg available on request, just give me
some time to get the pics as the QTH is in another town.
All prices plus shipping. Offers also taken on the equipment.
Send mail to josfro@becnet.com

Joseph Frounjian

--
Joseph Frounjian
KA3OYJ

2565. Re: r390 sold and picked up

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <TA_13.32587$5e2.574559@news2.giganews.com>
Source record: 84159

Matt,

Lots of posts about this guys 'tactics' from time to time. Count your
blessings and consider yourself lucky. there are plenty of 390A's out
there -- something like 65,000 produced.

TR

Matt Parkinson wrote in message <374864F0.261D9A38@earthlink.net>...
>This guy left a bad taste in my mouth . He sold the radio to me twice and
>told me how to get the money to him and twice he had someone else pick it
up
>. Do not deal with this guy . Be very careful . He is not a man of his
word.
>He uses his mother as an excuse (she is going to kick me out if I don't
get
>rid of it soon this I heard twice and he bailed out of selling me this
radio
>. What a jerk .
>Matt Parkinson KE6UOS
>
>dcat4955@bellsouth.net wrote:
>
>> the r390 has been sold and picked up. i tried to hold it for the first
>> person that spoke up, thats why it got posted twice. someone did finally
>> show up and haul it off.
>> thanks all
>> robert
>>
>> --== Sent via Deja.com http://www.deja.com/ ==--
>> ---Share what you know. Learn what you don't.---
>
>

2566. Drake T4XB problem - help please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: "James C. Hall, M.D." <Jamie_Hall@email.msn.com>
Message-ID: <OZ6Y6iWp#GA.330@cpmsnbbsa03>
Source record: 84160

I loaded up my old Drake B-line only to discover that the transmitter would not tune up. I could not show any plate current above power supply bias. Now that the good folks at Miamisburg, OH have quit servicing tube gear, I'm left to figure this on my own. Could some Elmer tell me if these symptoms sound like bad final tubes (6JB6A) or the driver tube (12BY7A), both or neither.

Thanks,

Jamie WB4YDL

2567. Re: Estate sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: ajh1239@aol.com
Message-ID: <19990523190622.20836.00004750@ng-cf1.aol.com>
Source record: 84161

Hi, I would like to buy the NCX-5 if it comes with the AC supply. John K6KOI
(619) 755-8843 or E-Mail

2568. Re: Drake T4XB problem - help please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Lee Bahr <bahr521@earthlink.net>
Message-ID: <3748ABDD.E5E11033@earthlink.net>
Source record: 84162

Jamie: Sounds like the final grids are not getting signal. This could mean anything before the grids of the final could have a problem. You need to isolate the problem area. First off, is the VFO working? Can you hear it on a radio that tunes the vfo frequencies (Around 5 Mhz)? If you can hear it, put a wire around the 12BY7 as an antenna. You should have a strong signal at your output freq coming from the 12BY7. You won't see it on the meter, but does tuning the tuning knob of the driver stages change the S-meter reading on your receiver tuned to the rigs output frequency. All this should help determine where the problem is located. it could be tubes but probably not if it worked the last time you used it. I would suspect DIRTY switch contacts. CLEAN THE BANDSWITCH and rotate it a zillion times as you clean it with contact spray cleaner. Also, the tubes could be slightly corroded in their sockets. PULL THE TUBES AND REINSTATE A FEW TIMES. This should clean the tube pin contacts if that is the problem. Check all the screws on the rig. This would be the least probable problem, but they do get loose and will cause problems. You will find screws in the RF cage too. Also, under the chassis. If you don't hear the VFO at around 5 Mhz, you can also use the VFO on the receiver that mates with your rig like a R4-A, B, C. Now you would be transceiving with the receiver VFO. Does this make it work? If so it is in and around the VFO or the driver tube which is after the VFO. I WOULD SUSPECT YOU HAVE DIRTY SWITCH CONTACTS, ESPECIALLY ON THE BANDSWITCH. You could also have dirty relay contacts. Does the relay at least click indicating the coil is energizing when you key up the transmitter? The relay is driven by a tube in it's plate circuit. If this tube is bad the relay won't pull in. I guess it does pull in because you said you are getting bias on the finals. Hope all this helps. Start with rotating the bandswitch a LOT if you have no contact cleaner handy. PLEASE DO NOT SPRAY WITH THE VOLTAGE ON THE RIG. Also, let the voltage blead off once you turn off the rig before you get your hands in there after you powered up and then down. If the bleaders are working, it takes very little time but I would not trust the bleaders in the power working. To be shure, have the RF cage cover off when messing with the rig and then clip a wire to ground and then the other end to the tube plates once the power is off to insure you have no voltage left so you don't ZAP yourself. Play it safe and you won't hurt yourself. I hope this helps you find your problem. Lee Bahr w0vt Houston

"James C. Hall, M.D." wrote:
>
> I loaded up my old Drake B-line only to discover that the transmitter would
> not tune up. I could not show any plate current above power supply bias.
> Now that the good folks at Miamisburg, OH have quit servicing tube gear, I'm

> left to figure this on my own. Could some Elmer tell me if these symptoms
> sound like bad final tubes (6JB6A) or the driver tube (12BY7A), both or
> neither.
>
> Thanks,
>
> Jamie WB4YDL

2569. Heathkit New Meter Available

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Marc Hildebrant <hildebrantfamily@worldnet.att.net>
Message-ID: <7iabmj$h9h$1@bgtnsc02.worldnet.att.net>
Source record: 84163

Hello Group,
I found a brand new, never used , in Weston Meter Box, a Heathkit Meter
for the AC voltmeter, Model AV-2. I have no idea why my father had it, but,
if you want your old Heathkit AC Voltmeter to look new, I have the meter.
I would like a trade, if possible. Someone want to trade me something?
Battery radio?

Marc

2570. DRAKE TR7 POWER!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7iac5d$5os@world1.bellatlantic.net>
Source record: 84164

Fired this radio up the last 2 weekends.

For an "OLD radio" I get in on 1 -3 tries on most pile ups with just a dipole. Not only do these radios have a wonderful full sounding receiver but have TALK POWER. If you hear them on this radio you will work them.

IMHO, of course,

Jeff Kelly
KT2K

2571. NEED INFO- R-644/URR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: "Donzil Q. Worthington" <djworthington@cybertrails.com>
Message-ID: <S2323.10$kt3.981558310@mick.cybertrails.com>
Source record: 84165

Hi,
I'm just looking for basic information for the
Radio Receiver
R-644/URR
20 MCS. to 230 MCS.
Motorola Inc.
Signal Corps. US Army.
Any info.....like approx. date of manufacture, tube line-up, basic
performance, weak links.....OK, OK so now I'm moving past basic information,
HI.
Really any information at all would help, I just picked one up an have no
documentation.
Thanks in advance for any help.
73, Donzil WS0F

2572. HAL PCI-4000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <3748C0E6.2F572BBF@worldnet.att.net>
Source record: 84166
Cross-posted to: alt.ham-radio.marketplace,alt.ham-radio.packet,rec.radio.amateur.boatanchors,rec.radio.swap

I have for sale a HAL PCI-4000.This is a high quality DSP multimode
internal modem.It will operate RTTY,AMTOR,PACTOR and CLOVER.The original
cost was and still is $999.00 I am asking $250.00 shipped to lower
48.Please reply via.e-mail.I have the software manual and cables.
Regards
Bob Stamper

2573. Re: NEED INFO- R-644/URR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7iaf9g$cdg@sjx-ixn4.ix.netcom.com>
Source record: 84167

Donzil,

Not much on the web. The clips below are all that I could find and all are from the Mil List which I am sure that you have already visited.

73

Rob

R-644/URR
Radio receiver, 20-230MHz, seven bands, AM/FM/CW, bandwidths: 10/50/200KHz, 5MHz xtal calibrator, IF 1.75 & 0.455 MHz, TM 11-882, uses wire-lead sub-mini and 7&9 pin mini tubes, 95ohm twinax ant input, outputs for panadapter and RDF, rack mount 10.5" high, 80lbs, 115VAC, 60Hz, Motorola Corp., see also R-1538/GLQ-3, Part of AN/URR-29 and AN/URR-29X.

R-1538/GLQ-3
Radio receiver, 20-230MHz, same as R-220/URR except: 115VAC, 400Hz modular internal supply

AN/URR-29
Radio receiving set, 20-230 MHz, AM/CW/FM, Major component: R-220 or R-644, TM 11-882.

AN/URR-29X
Radio receiving set, 20-230 MHz, AM/CW/FM, Major component: R-220 or R-644, TM 11-882.

Donzil Q. Worthington <djworthington@cybertrails.com> wrote in message news:S2323.10$kt3.981558310@mick.cybertrails.com...
> Hi,
> I'm just looking for basic information for the
> Radio Receiver
> R-644/URR
> 20 MCS. to 230 MCS.
> Motorola Inc.
> Signal Corps. US Army.
> Any info.....like approx. date of manufacture, tube line-up, basic
> performance, weak links.....OK, OK so now I'm moving past basic information,
> HI.
> Really any information at all would help, I just picked one up an have no
> documentation.
> Thanks in advance for any help.
> 73, Donzil WS0F
>
>

2574. FS:IC-271H & IC-471A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <3748C0BC.4E66E15D@worldnet.att.net>
Source record: 84168
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.hamradio.packet,rec.radio.amateur.boatanchors

I have for sale the following two radio's.
1--IC-271H a 100 watt all mode transceiver in excellent condition with mic, manual and DC power cord.It has 32 memories that you can set the freq,mode,offset & tone.The frequency range is from 143.500--148.500.The power output is variable from 10 to 100 watts.It also has an RIT control.
There is an internal rx preamp for weak signal work. Asking $525.00

1--IC-471A a 25 watt all mode transceiver in excellent condition with manual and DC power cord.It has32 memories that you can set the freq,mode,offset and tone.The frequency range is from 430 to 450 MHz.This pair of radio's are highly desireable for satellite work.
Asking $485.00
Prices are + shipping,will accept $950.00 for both +shipping. A digital picture is at.http://home.att.net/~rstamper

Regards
Bob Stamper

2575. info on Prime Co. Cleveland OH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3748c457@news1.us.ibm.net>
Source record: 84169
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I need the phone number, address, or web address of the manufacturer of the SB-1000/AL-80A amplifier plate and grid current meters. The back of the meters is stamped "Prime Co. Cleveland OH". Any help appreciated.

Lane Zeitler
Ku7i
San Diego

2576. FS by ebay, test equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <3748C144.A96A30A8@prairie.ca>
Source record: 84170
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

AT&T Partner phone system 2x6 complete
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107388482

Fluke 7261A 500 MHz Counter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107019542

Heathkit IM-58 Distortion Analyzer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106647250

Heathkit IM-102 Digital Voltmeter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106645732

HP 400B RF VTVM
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106636237

HP 400D Audio VTVM
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106634355

HP 4935A Transmission Test Set
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107023015

Maxon VHF POCSAG Paging System
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106640685

Racal HF Selective Analyzer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106650922

Steve L. VE4LR

2577. FS SWAN MANUAL 700-CX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: PIERRE <dupp@netrover.com>
Message-ID: <7iah8n$6sv$1@nntp2.uunet.ca>
Source record: 84171

I have for sale an original operating and maintenance manual
for the swan transceiver model 700-CX

$10.00 (us) incluing shipping

Pierre VE2MP

2578. Early HRO Manufacturing Dates

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Niel Wiegand <nielw@ix.netcom.com>
Message-ID: <3748CFDA.47935802@ix.netcom.com>
Source record: 84172

In case you've wondered how old your HRO is, I've posted a reprint of the AWA article "The HRO Report: Dating the Early HRO" on my National Radio Company web page, Radio Bay.

Go to http://www.io.com/~nielw/index.htm and follow the link to "Dating the Early HRO, reprinted from AWA Review Vol. 4".

73, Niel-WA5VLZ

2579. Re: Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <7iamftpse1@remarQ.com>
Source record: 84173

In defense of the 3000-1, some people consider it a purty good portable shortwave set. If you intend to use yours, and all it needs is routine cleaning and regluing the end panels, that's minimal effort in my book. I'd also give it a shot of DeOxit in the bandswitches, volume control, etc. Be careful not to squirt cleaner all over the dials, though.

It won't outperform a 100-pound boatanchor or 1990s megabuck receiver, but it's a lot easier to take to the beach! I have two 3000s and I use them all summer long out on the deck, or while gardening, etc. They'll play forever on a pack of flashlight cells.

I have had opportunities to buy 7000s, but never bit. Too cheesy looking for me!

Just my $0.02 . . .

Phil
philnelson@antiqueradio.org

2580. FS: Johnson Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: ltoneri@geocities.com
Message-ID: <374869aa.447364@news.tor.sfl.net>
Source record: 84174

A previous deal was not completed so I am re-listing a Johnson Viking
II transmitter. This transmitter has been in storage for about the
past 40 years or more but otherwise looks to be in quite good
condition. If intereated, please e-mail me and I will send more info
on condition etc.
Asking $150 Canadian and prefer pickup but can possibly deliver in the
Toronto, Ontario area.

73,
Mike VE3FGU

2581. Dayton No Show

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: jburgwynjr@aol.com
Message-ID: <19990522201828.10785.00002060@ng-fv1.aol.com>
Source record: 84225

Did I miss you at Dayton ?? John W4WAW

2582. Re: FS: Drake RR3 & Sailor HF/Accys.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990522222744.12897.00000827@ng-fi1.aol.com>
Source record: 84226

Hi
How much are u asking and will you please explain the function of each of the three items? Any specs available?
Thanks
Rod
KL7RG

2583. Re: FS: National NC-300 Rcvr/T-60 AM Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990522225449.12897.00000842@ng-fi1.aol.com>
Source record: 84227

Hi Bob
Have been looking for a National receiver for awhile. AND I must be getting even older than I thought as I can remember the Knight T-60 xmtr.....

Have you sold yours yet?
Thanks
Rod
KL7RG

2584. Re: HQ180A and speaker Price info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <37476D51.9A8@sympatico.ca>
Source record: 84228

Ronfisher1 wrote:
>
> I have an HQ 180A w/ clock installed in very good cond. with a matching speaker
> in excellent condition .I wondering what there going for ?? I 've been seeing
> all kinds of prices.These are very nice looking and work very well.
>
> Ron
HELLO RON
AS I BOUGHT RECENTLY A NC-27- WITH SPEAKER I PAID IN U.S. IT IS AN
HAM=BAND HOWEVER. IT IS AN OLD REVEIVER THR HQ-180 A TO-DAY ALL HAMS
PREFER A TRANCEIVER IT IS EASIER TO OPERATE . I HAD BEFORE A 180
AND THE PROBLEM OF THIS RECEIVER IS MECHANICAL STABILITY HI.. SORRY
IT IS A LITTLE BIT DIFFICULT TO PUT A PRICE ON IT WHEN WE KNOW THAT
KIND OF REVEIVER HI...YOU CAN REFLECT AROUND THE PRICE MENTIONED BEFORE
AND PLEASE TELL ME THE PRICE YOU ESTABLISHED. MY NC-270 COST ME 185.00
IN OHIO HI...
73
VE2AMK

2585. FS: YAESU FT-501 - RARE !

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <37476E91.5C08@sympatico.ca>
Source record: 84229
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale. RARE... HIGH power HF rig

Yaesu FT-501 HF hybrid tranceiver & matching speaker / pwr supply!

MINT condition inside and out!

- input 500W pep SSB & 400W pep CW

- complete with manual / schematics

** needs new finals - 6kd6's x 2

Price $275 US + shipping

For further info, pls send me an Email!

73 Mike
--
* *
Michael Kassay - VE3MKX
Barrie, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

2586. FS: New 5-pin Nuvistor sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <374778be.6619394@news.mindspring.com>
Source record: 84230
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Cinch Jones 5NS Ring type 5-pin Nuvistor sockets. New. $1 each plus shipping.

Compare to Antique Electronic Supply 1999 price of $2.70 each.

Marv

2587. Re: What means "NO COD"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990522235254.12513.00004834@ng-cd1.aol.com>
Source record: 84231

Hi Kurt.
COD means collect on delivery. That means that the item is shipped to you and the delivery person collects the money for the item bought as well as shipping costs.. The delivery person keeps the cost of shipping and returns the money for the item to the seller. Hopefully you understand that NO COD means that you have to pay for everything upfront. The cost of item as well as the shipping before the item is shipped to you.
Any way hope this helps.
Mike Tyler
.

2588. WTD: Yaesu FT101EE schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: OPCOM <vaxhackery@worldnet.att.net>
Message-ID: <37479FA0.B5ED925E@worldnet.att.net>
Source record: 84232

I have come into posession of a Yaesu FT-101EE, which I would like to repair. It has no mike, and does not receive.. just a small amount of static. No transmit either. There is a loose wire inside, which appears to go to the bandswitch. I think I'll need the schematic to fix this..

I'd pay reasonable copying and mailing costs for the Yaesu FT-101EE schematic and alignment instructions, if anyone would be kind enough to help me out. I need a good SSB receiver to listen to the HAM stations with, and this should do it.

sincerely,
--

###
OPCOM http://www.montagar.com/~patj/
#____#
VMS, the world class operating system to which all
other operating systems aspire, is now free.
# #
http://www.montagar.com/hobbyist/
###

2589. FS Tempo One HF rig with PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3747AE15.3BDF@ix.netcom.com>
Source record: 84233
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Chris wrote:
>
> I have a Tempo One HF Tranceiver with the matching power
> supply/speaker.
This is a Yaesu FT-200 but marketed as a Tempo One and sold by Henry
radio. Cabinets look like new. Tempo has some facial marks but has been
touched up. Everything works fine but may need output tubes, common
sweep 6JS6 tubes. It comes with a copy of the manual
6js6. $160+shipping. 73 Chris

2590. FS Galaxy III HF Transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3747ADFE.34A@ix.netcom.com>
Source record: 84234
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have a very nice Galaxy III Tranceiver with the AC3 power supply and matching speaker. Comes mic and copy of the manual. This rig has full output about 200 watts. $225 + shipping. 73 Chris VE3NGW/W4 Florida

2591. FS: Drake "C" Line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: N0SAH <fish@microlink.net>
Message-ID: <01bea50c$91f81da0$58daa0d1@default>
Source record: 84235

FS: Drake C line consisting of:
R4C, serial 19XXX, 4NB noise blanker (worth over $100 alone) and 0.5 CW filter. Original manual.
T4XC, serial 20XXX, 100+ watts out, front panel and knobs excellent, case has four minor hairline scratches on top. Original manual.
AC4 power supply, serial 28XXX, in very good condition.
MS4 speaker, good condition.
Patch cables included.
$475 plus shipping from KC, MO.
N0SAH
fish@microlink.net

2592. Bristo Wrench, Bristol Co, Bristol Conn.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <3747A1DC.3CDE@iamerica.net>
Source record: 84236

The manual for the ARR-15 sites

Bristo wrench
Bristol Company
Bristol, Conn.

73 Tom N5OFF

2593. Help! 390A Blows 3A Fuse

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <3747A654.4CB9@iamerica.net>
Source record: 84237

please get out your schematics . . .

I'm working on an all '58 Motorola rig. It had numerous problems which I'd gotten close to solving, and was finally getting extended run time on the rig without it quitting. Numerous cap, tube changes etc. Got it all shined up, cams, PTO'd, deox'd, the woiks.

After an extended run in period over night last night, I was about to begin alignment when the 3A fuse blew. The B+ fuses did not blow.

First thing I did was install a 120V fault light in place of the fuse.

Then I unplugged all the modules and tried again. Got a lit lamp (equiv to blown fuse).

Removed the 26Z5 rect. tubes and B+ fuses. Still got a fault lamp.

OK, so perhaps the transformer primary is shorted. Took a spare (but untested) PS and tried it. Same fault.

Starting to look like a filament type fault in the frame since all modules are unplugged. Removed the dial lamps and disconnected the rectifier for the relays.

Still have a fault. AAARRRRRGGGGGHHHHH!!!

OK, I am missing something here and I'm not in the right frame of mind to figure it out without counseling.

Anyone care to hazard a next step I should try? Maybe both the spare PS and this one are both fried?

Are there other frame faults I should look for? Is the old fault light in place of fuse misleading me here?

Suggestions welcome!

73!! and cheers
Tom N5OFF

2594. WTB Dralke T4XC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-23 00:00:00 UTC
From: Jeff Kelly <jkelly@bellatlantic.net>
Message-ID: <7i8tfr$nf@world1.bellatlantic.net>
Source record: 84238

Please only vg to excellent. PS not necessary.
State condition and price.
Thanks,

Jeff Kelly
KT2K
jkelly@bellatlantic.net

2595. Re: Wanted: Genemotor / Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Reed Park <reedpark@nbnet.nb.ca>
Message-ID: <3749540F.22FA264D@nbnet.nb.ca>
Source record: 84089

Robert Perlstein wrote:

> Howdy all!
>
> I'm looking for a genemotor or dynamotor that's 12V in and between
> 500V- 600V @ 200 mils out.
>
> Possible units that fit this spec are:
>
> Carter 520ABNS
> Carter 624BS
> Carter 6030BSM
> Carter 6040BSM
>
> Thanks & 73 de W1IV

One from an old #19 set should fit the bill as well. They had 250 and 550 volt outputs.

Regards
Reed

--

ARROW Research (Avro CF-105)
Reed Park
252 Gauvin Road
Dieppe, New Brunswick
Canada E1A1M1

Amateur Radio VE1NU
WW II, # 19 SET user
I.C.Q. # 4138282

2596. FS L & W 6M TRANSMITTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990524104427.10782.00002949@ng-fv1.aol.com>
Source record: 84090

L & W SIX METER TRANSMITTER (NO POWER SUPPLY) RIG JUSES
2E26 FINAL THIS IS AN ESTATE ITEM-- $35 PLUS SHIP PRIORITY MAIL
UNIT MEASURES 5" ACROSS FRONT AND 10" DEEP OPEN CHASSIS
JOHNYK78@AOL.COM

2597. Re: Heaath VF-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <7ibugr$69c$1@nnrp1.deja.com>
Source record: 84091

In article <374905EF.CB5@monroe.lib.mi.us>,
Daniel Metzger <dmetzger@monroe.lib.mi.us> wrote:
> Thanks for a very thoughtful reply, Jim (N2EY.)

You're quite welcome. It's the least I can do.
>
> > AM would do the same thing after tripling.
>
> I believe if I had, say 10% AM at 7 MHz, it would still be 10% AM
after
> tripling to 21 MHz. If I had 100 Hz FM at 7 MHz it would be 300 Hz
at
> 21 MHz.

Very true - but not the whole story. If you had 10% AM at 100 Hz on the fundamental, you'd have 10% AM at 300 Hz (!) after tripling - assuming the tripler didn't wipe off the modulation. Most communication gear does a poor job of reproducing low audio frequencies, but a much better job of reproducing middle audio frequencies. The same level of modulation at 300 Hz sounds a lot worse than 100 Hz.

Of course, either way, the cure is the same.

Old tricks to determine hum sources in hollow state gear:

1) Tune in the hummy signal, turn it up loud, then turn off the power to the device under test. There will usually be enough charge in the filter caps and heat in the cathodes for the unit to continue to function for a few seconds. If the hum disappears as soon as you cut power, it's obviously some sort of problem inside the unit under test. But if it continues as the signal fades out, it's coming from somewhere else, like poor grounding, unshielded cables, etc. I once had a persistent case of 60 Hz hum that turned out to be caused by sitting the shack clock on top of the VFO. Turned out the clock motor put out quite a magnetic field - and the aluminum VFO case did not stop all of it. Moved clock, problem solved.
>
> > there is a 2.5 mH RF choke from the cathode to ground... Something
else is going on.
>
> Right you are! I'm embarrassed that I overlooked that. I'll get to
> work on your suggestions.

Lots of vintage gear is more sophisticated, and complex, than it appears at first. The Ancient Ones knew their stuff.
>

> > I found the 12AU7A circuit described by W2YM to
> be infinitely superior
>
> Where can I get a copy of that circuit?

It first appeared in W2YM's article, "Stability with Simplicity" in QST for October 1960, page 11. (This article also appears in the first version of "Understanding Amateur Radio"). A complete VFO unit using the circuit was described by Lew McCoy, W1ICP, in "An Easy-to-Build VFO, QST, February 1962, page 25. It was also used as the VFO in the "Novice Gallon Mark 2" - QST, May 1964, page 50.

If all else fails, I can copy it for you.

73 de Jim, N2EY
--
FISTS #4360
BIT #0001

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2598. Re: FS: Very Rare Mosley CM-1 Receiver and CMS-1 Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: k1nkr@aol.com
Message-ID: <19990524120410.13049.00004064@ng-fh1.aol.com>
Source record: 84092

Ouch! That hurts.

Somebody here in New England has one that he picked up from me in the early 70s
for $50 or so when it wouldn't sell at the Honeywell auction.

Skip, K1NKR
one more " what's the dumbest thing..."

>Subject: FS: Very Rare Mosley CM-1 Receiver and CMS-1 Speaker
>From: Jan N0JR <swanman@cfu.net>
>Date: 5/21/99 3:51 PM EST
>Message-id: <3745C760.2C699D9B@cfu.net>
>
>A collector's Mosley CM-1 receiver with matching CMS-1 speaker. Fewer
>than 1,000 made, only in 1961-62. Covers 80-10m ham bands plus WWV.
>Double conversion
>superhet, 5 tubes, 4 diodes, xtal controlled first oscillator,
>sensitivity at least .5 uv for 10db S/N
>ratio, product detector, S-meter, noise limiter, muting terminals,
>accessory socket, operates on 110-220VAC. 7.5" x 10.5" x 8", 14 lbs.,
>fully operational (very sensitive). Finish--black and gray--is
>excellent; knobs and front panel are bright and shiny; VFO and meter
>faces are clean and white; all lettering is intact and fully readable,
>includes manual (copy). $425 + shipping.

2599. Tucker Electronics(Great customer Support)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: kyw1060@aol.com
Message-ID: <19990524130142.15583.00000358@ng-fy1.aol.com>
Source record: 84093

I posted a letter in which I described some problems I was having with my R71A I bought from Tucker Electronics) This morning I heard from the Salesperson and they promised to get the radio up to spec. They even gave me a FEDEX account number to send it back. A big Thanks and word of praise to this company and their outstanding support.

2600. FS: CVM-1 Output Transformers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: William B <wmollard@dowco.com>
Message-ID: <374986e2@news.vphos.net>
Source record: 84094

Hello,
I have a pair of UTC CVM-1 output transformers taken from some RCA
broadcast amplifiers using 6550 tubes. Offers welcome

best
bill

2601. ebay auction, more

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <374999C6.E56102C7@prairie.ca>
Source record: 84095

Hallicrafters CB-7
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108372898

Icom FT1610 VHF Base Station
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108372341

Motorola T1600 Paging terminal
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108370894

Motorola T1600 Remote Controls
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108366664

Sanyo MBC775, 8088 Portable Color Computer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108373878

GE Mastr DC Remote
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108344338

Motorola N1019 Paging Encoder
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108370062

Motorola Moden 100 Paging terminal
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108369479

Motorola ST-1398 DC Remote Controls
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108368250

Motorola VHF Consolette Base Stations (3)
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108356397

Marconi XH14, HF-SSB receivers
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108022156

HP 10529A Logic Comparitor
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107972960

MFJ 1621 Portable Antenna
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107916072

Steve L. VE4RL

2602. Re: TUBE FINALS: QUESTIONS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <3749996F.CC7C5ECC@prairie.ca>
Source record: 84096

Rigs like the KWM2/2A output is drive dependent. As long as the static current is set and the
PA properly tuned you can control output with drive level. If your linear is truly linear it will work fine.

Steve L, VE4LR (ex Collins HF-SSB Product Support)

2603. ebay auction, test equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <37499B2E.88A039AA@prairie.ca>
Source record: 84097

AT&T Partner phone system 2x6 complete
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107388482

Fluke 7261A 500 MHz Counter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107019542

Heathkit IM-58 Distortion Analyzer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106647250

Heathkit IM-102 Digital Voltmeter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106645732

HP 400B RF VTVM
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106636237

HP 400D Audio VTVM
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106634355

HP 4935A Transmission Test Set
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=107023015

Maxon VHF POCSAG Paging System
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106640685

Racal HF Selective Analyzer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106650922

Steve L. VE4LR

2604. Re: sx-28 coils identification

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: emanuele_girlando@my-dejanews.com
Message-ID: <7icam9fmc1@nnrp1.deja.com>
Source record: 84098
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Thank you very much for answering my question..
unfortunately SX-28- and sx-28A differ on coils, and the work you made
don't match my rig..
I am solving the problem following the wiring: time consuming but
effective.
Thanks again!

Emanuele.

In article <3744DE0F.E852E55A@foxinternet.net>,
Denis Kuwahara <denis_kuwahara@foxinternet.net> wrote:
> This tracing out the T and S designators for a SX-28-A manual, expect
> that they should be the same. Someone with both manuals can cross
check
> and comment, please. I am also rounding the frequency band numbers to
> fit the page.
>
> The following is a view of the coil compartment, looking at the bottom
> of the receiver. Numbers along the top indicate the Frequency band,
and
> the tube numbers are along the left. The point of intersection is
the T
> number and the S number. Dash indicate no coil, T14 and T13 do not
have
> slugs in them.
>
> This is the rear of the set
> 3-6 6-12 11-21 BndSw 21-42 1.5-3 .5-
1.5Mc
>
> V1 T9 T10 T11 T12 ---- ----
>
> V2 T15 S7 T16 S10 T17 S13 T18 S16 T14 T13
> RF Amp
>
> V3 T21 S6 T22 S9 T23 S12 T24 S15 T20 S4 T19 S2
> 1st De
>
> V4 T27 S5 T28 S8 T29 S11 T30 S14 T26 S3 T25 S1
> Osc
> This is the front of the set
>
> Hope that this makes sense and helps out.
> Denis

>
> emanuele_girlando@my-dejanews.com wrote:
> >
> > dear list,
> > I am restoring a 1941 sx-28 (no 'A', no 'MIL').
> >
> > I have some trouble in identifying coils in the chassis as they are
> > listed a Txx on the eletric diagram and as Sxx in the component
locator
> > picture on the manual.
> > Can somebody help in translating those Sxx IDs back into Txx?
> > Thanks
> >
> > --== Sent via Deja.com http://www.deja.com/ ==--
> > ---Share what you know. Learn what you don't.---
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2605. Amp Wanted!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: rdoering@win.bright.net
Message-ID: <3749a49a.13790289@news.win.bright.net>
Source record: 84099

I am looking for a good Drake or Collins linear amplifier.
rdoering@win.bright.net WA9QNN Ron Doering
Grantsburg, WI

2606. Wanted: Heathkit GH-12 hand microphone $40

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: robcap@aol.com
Message-ID: <19990524161223.24414.00004292@ng39.aol.com>
Source record: 84100

Hi All:

I'm looking for a hand microphone that matches the GW-32, which is a Heathkit CB radio from the late 50's early 60's. It's catalogue number is GH-12, and internal to the kit it had a part number 480-29.

The microphone is the shape of a tear-drop, with the smaller end pointed downward. It's a light tan color (almost peach or dark ivory), and has a black coiled cable with four wires. In the middle of the speaker is the letter "H", and it has a gold speaker cloth behind the logo. The plastic PTT switch is in the upper right.

If anyone has one, I'll pay $40 for it, postpaid. Please e-mail "robcap@aol.com" or call rob at (804) 971-6812.

73,

Rob, W3DX

2607. Re: Heaath VF-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: n2ey@aol.com
Message-ID: <7icgjr$k4j$1@nnrp1.deja.com>
Source record: 84101

In article <7ibugr$69c$1@nnrp1.deja.com>,
n2ey@aol.com wrote:
>
> Old tricks to determine hum sources in hollow state gear:
>
> 1) Tune in the hummy signal, turn it up loud, then turn off the power
> to the device under test. There will usually be enough charge in the
> filter caps and heat in the cathodes for the unit to continue to
> function for a few seconds. If the hum disappears as soon as you cut
> power, it's obviously some sort of problem inside the unit under test.
> But if it continues as the signal fades out, it's coming from
somewhere
> else, like poor grounding, unshielded cables, etc. I once had a
> persistent case of 60 Hz hum that turned out to be caused by sitting
> the shack clock on top of the VFO. Turned out the clock motor put out
> quite a magnetic field - and the aluminum VFO case did not stop all of
> it. Moved clock, problem solved.

At this point, I hit the "send" button. Here's a few more tricks:

2) Tune in the hummy signal, turn it up loud, then turn off the B+. In true hollow state sets this can be done easily by pulling out the rectifier tube (be careful, it's hot). Enough charge will usually remain in the filter caps to run the set for a few seconds. If the hum disappears the instant the B+ is cut off, you know there is not enough filtering going on. If it doesn't, you know that the hum is coming from somewhere else - usually the filament circuit, but not always.

Electrolytic filter capacitors have several modes of failure. Some short out, some open up, some develop low capacitance. But the most frustrating of all is ones which develop high ESR (equivalent series resistance). Think of an ideal capacitor in series with a resistor, and you have the basic model. A capacitor with high ESR may still have its rated capacitance and voltage rating, and low leakage, yet do a poor job of filtering.

I posted some ideas on electrolytic testing and reforming here a while back. Search on my call and "electrolytic capacitor" in deja and it should come up.

3) Try disconnecting everything and see if the hum is affected. There are all sorts of possible causes - ground paths that cause AC to flow through chassis and interconnecting cables, unshielded control leads, inadequate bypassing, etc., etc. In the case of the VF-1, I'd start with the bare VF-1 and a power supply, then add things (like the key lead) one at a time.

Of course the DC heater supply is not a "wrong" solution. It just should not be necessary.

One more tip: The grid resistor in the 40 meter position of the VF-1 (I think it's 22K) is only 1/2 watt. This resistor can be an unsuspected source of drift and other maladies. Replace it with the same value, but 2W, noninductive (carbon, composition, or metal film). (That was a Hint and Kink of about 40 years ago).

73 de Jim, N2EY
--
FISTS #4360
BIT #0001

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2608. Re: FS: CVM-1 Output Transformers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: "Norman S. Braithwaite" <normbns@awwwsome.com>
Message-ID: <3749B9C2.7C35A0E0@awwwsome.com>
Source record: 84102

The UTC CVM series are modulation transformers. Their commercial grade
output transformers were designated CVP.

Norman
--
Remove "ns" from address to reply.

William B wrote:

> Hello,
> I have a pair of UTC CVM-1 output transformers taken from some RCA
> broadcast amplifiers using 6550 tubes. Offers welcome
>
> best
> bill

2609. WTB: 32V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990524164852.03516.00004432@ng-fb1.aol.com>
Source record: 84103

I'm looking for a 32V2 or V3 in good, working condition. I'll pay any reasonable price (with the emphasis on reasonable). Prefer to buy from somebody within driving distance of Washington D.C. metro area, so shipping won't be necessary.

Steve, W3DEF

2610. BA sources in England

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: John Gainsborough <jgindc@bellatlantic.net>
Message-ID: <7icn6iodc1@autumn.news.rcn.net>
Source record: 84104
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

I shall be in the Somerset and, briefly, in the London area during the first week in June.

Any pointers to Boatancher stores/sellers in these areas would be much appreciated.

Regards - John, KM6LJ

2611. eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: mailfrmpa@aol.com
Message-ID: <19990524192355.09307.00004803@ng-ck1.aol.com>
Source record: 84105

An auction closed yesterday on a Collins 30L-1, with spare set of finals. Not new, not in the box, but in very good condition. Price? $1,624.99!!!

The same seller listed a KWM-2A, w/516F2 supply. Photo showed marking on the face, no extra crystals in the deck, average condition chassis. Price? $1,222.00

Prices like these will sure coax alot of old gear out of the closet, and back into the marketplace.

2612. FS B&W 600 GDO and coils

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Marty Duplissey <mduplissey@lsbs.com>
Message-ID: <mAn23.1175$K3.47173@news12.ispnews.com>
Source record: 84106

FS B & K model 600 Grid Dip Meter and full coil pack. This meter is collecter quality, Coils are in original B&W box. This is the bullet shape meter with tuning knob on front and meter on left side. Has a piece of yellow tape
near top above meter with small scratch in corner of tape. Has very small scratch (less than 1/16 inch) above 90 to 100 mhz on outer edge of dial in pink section for coil 600-A-5. Coil pack is in original B&W box which is perfect. Yellow (600-A-3 14-36 mhz) coil has a few scratches and White (600-A-3 5-14 mhz) coil has 2 small (less than 1/8 inch) scratches on it. Thats it! otherwise perfect as when it came from B&K years ago Serial number 3384 Works great! Reason for selling is I use it and want to buy a MFJ-259B to replace it. Make an offer. No reasonable offer refused.
Marty
N5KBP

--
Marty Duplissey
Lone Star Business Systems
Specializing in development for the credit report retrieval industry
Desktop, Networks, Intranets and Internet Delivery
http://www.lsbs.com

2613. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <1230-374A10DC-16@newsd-163.iap.bryant.webtv.net>
Source record: 84107

... and out of the country..... hellooooo Japan!

2614. trade sweep tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <374a1d5f@news1.us.ibm.net>
Source record: 84108
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

I have two GE brand 6JE6C/6LQ6 sweep tubes. One is full output and the other is around 60%. I would like to trade them for a coax switch that will handle legal limit. Need not look pretty as long as it works.

Lane Zeitler
Ku7i
San Diego

2615. FS: 75S-3B RE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <374a1ccc@calwebnnrp>
Source record: 84109
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: Collins 75S-3B receiver. Ser 17679,Very clean, no blems, paint nice and no internal cruds. Standard 2.1 Khz mechanical filter. A few micronicks on the trim ring. Original paint (as far as I know---I've had the radio for about 7 years). Non Smoker. Filter area has metal cover. Power cord and copy of manual. Don't know how to apply the CCA numbers, but this unit is as clean and functional as they come. $780 and I'll pay for versapck (double box foam job) and UPS conus. Otherwise the radio is what it is and I cannot guarantee anything other than the condition statement and that it is electrically satisfactory with very little if any visible wear. Thank you for the read.

73, KE6F

2616. Re: Tucker Electronics(Great customer Support)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <1226-374A1443-174@newsd-163.iap.bryant.webtv.net>
Source record: 84110

Yes they -WERE- great! But they are no longer in the ham radio business... used to come down to their showroom right off Jupiter road and drop off my paycheck once a month... :^)

They sold their "musuem" to HRO which in turn sold off part to Associated Radio... it was great to see all those old rigs... and odds n ends... parts and surplus. I spent many an afternoon (and bucks) that way... got lots off cool old stuff.
I even used some of it on a few projects once I fiqured out what it was....

Sadly, they left ham radio & SWL's and focused on equipment rental.

But there is still one place like that left in the Metroplex... and I'm keeping it a secret...

(Nortex)

.. damn ;^)

- WDØHCO

2617. FS: Johnson Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: ltoneri@geocities.com
Message-ID: <37486c0a.1055823@news.tor.sfl.net>
Source record: 84111

A previous deal was not completed so I am re-listing a Johnson Viking
II transmitter. This transmitter has been in storage for about the
past 40 years or more but otherwise looks to be in quite good
condition. If intereated, please e-mail me and I will send more info
on condition etc.
Asking $150 Canadian and prefer pickup but can possibly deliver in the
Toronto, Ontario area.

73,
Mike VE3FGU

2618. Re: WTD: Autek QF-1A Documentation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: montytaylor5584@my-dejanews.com
Message-ID: <7ia6henm1@nnrp1.deja.com>
Source record: 84175

Doug

If you get a copy of the Autek AF-1a manual, please forward a copy to me, either as an attachment(email) or any way you can get one to me. I will pay costs as you have. I purchased one for $6.00 at a swapmeet, and plan to use it with my Drake B-Lines (Have three of them) and my TR-3.

Thanks
Monty/WB5GLB
montytaylor@texoma.net

In article <3738ce1d.25887015@news3.cts.com>, allied@cts.com (Doug Huggard) wrote:
> I'm looking for documentation for an Autek QF-1A Audio Filter. I'd be
> more than happy to reimburse you for the cost of the copy, shipping
> charges and I'd be pleased to throw in some extra for your time and
> trouble.
>
> Thanks & 73s,
>
> Doug - WB6AJX
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2619. Need Schematic for Brunswick Model 15

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: vibroplex@my-dejanews.com
Message-ID: <7ia6ps$q7$1@nnrp1.deja.com>
Source record: 84176

Dear All,

A member of our local Antique Radio Club needs a schematic for a Brunswick 15. Anybody know where to find one. Of course, would be willing to pay copying fees and any postage.

Thanks in advance!

Derek Cohn
WB0TUA
Antique Radio Collectors & Historians - President
Morse Telegraph Club - Alton Chapter President

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2620. Need Connectors AN/TRC-77A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: kx4r@atl.mindspring.com
Message-ID: <7ia7ok$og7$1@nntp5.atl.mindspring.net>
Source record: 84177

Hello!
I just acquired a small military radio AN/TRC-77A made by Arvin.
I am in need of the 2 pin power connector or cable assembly
CX - 11127/U and also the Headset connector or Headset
itself, model H-140A/GR.

Can anyone help me get this radio on the air? I am also in
need of a manual or schematic and any conversion info.

Tnx a bunch and 73 !
Greg KX4R

2621. Manual FS/FT CV-116/URR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: kx4r@atl.mindspring.com
Message-ID: <7ia7ol$og7$2@nntp5.atl.mindspring.net>
Source record: 84178

Greetings !
I have a copy of Technical Manual TM-11-2241
covering the CV-116/URR Frequency Shift Converter
which I'd like to trade for a copy of a manual for
the CV-591A SSB adapter.

Or I will sell this manual for $15 plus $3 shipping.

Can anyone out there help ??

73, Greg KX4R

2622. FS: RME HF 10-20

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: kx4r@atl.mindspring.com
Message-ID: <7ia7s1$og7$3@nntp5.atl.mindspring.net>
Source record: 84179

For all you RME collectors out there, I have an
RME HF 10-20 that is in very nice cosmetic shape
but electrically unchecked. It is complete, includes
copy of manual. $50 plus shipping from 30178

Tnx and 73, Greg KX4R
kx4r@mindspring.com

2623. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990523213248.09179.00005093@ng35.aol.com>
Source record: 84180

Model HE-45B with manual and power cord, no mic. $55 plus shipping.

2624. Re: 6 Mtr Military Radios- Calling Freqs.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: demer@accessnv.com
Message-ID: <7iaa4q$o7k$1@remarQ.com>
Source record: 84181
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

In article <3745B8B3.846C49DA@ix.netcom.com>, David Stinson <arc5@ix.netcom.com> wrote:

>The Military Collector's Group mailing list,
>a major group of internet-connected military radio collectors,
>has settled on 6-meter calling frequencies for our
>green VHF military radios like the BC-620, BC-659,
>PRC-6, PRC-10, RT-70, RT-68 and others.
>
>51.0 MC FM General local use, in the tradition of 3885 KC.
> Re-enactment groups, field days, special events etc.
>
>51.6 MC FM DX calling frequency for military rigs.
> For the stout-hearted who want to work
> across the pond with their PRC-10.
>
>50.6 MC AM VHF mil rigs (there are a few) calling and secondary use.
>
>With the sunspots on the rise, I will be dedicating
>a scanner and antenna to guarding these frequencies in
>central Texas beginning this summer.
>
>Please relay this information as you see fit.
>
>73 DE Dave Stinson AB5S
>arc5@ix.netcom.com
Sounds good Dave, I'll plug tjhe DX freq in and monitor it here in Las Vegas.

Dudley Emer
KK7IF

2625. Re: FS: Collins Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: davek2dp@aol.com
Message-ID: <19990523224135.09307.00004441@ng-ck1.aol.com>
Source record: 84182

HI Ron,

Does the 4:1 knob for the A4 include the gear reduction assembly ?

73,
Dave, K2DP
73,
Dave, K2DP
St.Louis

2626. OTB Online May Edition

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990523225716.00829.00005258@ng36.aol.com>
Source record: 84183

The May issue of the Antique Wireless Association's quarterly publication - The Old Timer's Bulletin is now online.

www.ggw.org/

Chuck Schwark, Chicago, IL
Member ARCI, AWA, HTML Writers Guild
Antique Radio Resource Page:
http://members.aol.com/caschwark
Home of the PHILCO REPAIR BENCH

2627. FS: Drake "C" Line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: N0SAH <fish@microlink.net>
Message-ID: <01bea590$7cadef40$64daa0d1@default>
Source record: 84184

FS: Drake C line consisting of:
R4C, serial 19XXX, 4NB noise blanker(worth $100 alone) and 0.5 CW filter.
Original manual.
T4XC, serial 20XXX, 100+ watts out, front panel and knobs excellent, case
has four hairline scratches on the top. Original manual.
AC4 power supply, serial 28XXX, in very good condition.
MS4 speaker, very good condition.
Patch cables included.
$475 plus shipping from KC, MO
N0SAH
fish@microlink.net

2628. OTB Correction on URL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990523233435.17707.00004445@ng-ba1.aol.com>
Source record: 84185

The May issue of the Antique Wireless Association's quarterly publication - The Old Timer's Bulletin is now online.

www.ggw.org/

Chuck Schwark, Chicago, IL
Member ARCI, AWA, HTML Writers Guild
Antique Radio Resource Page:
http://members.aol.com/caschwark
Home of the PHILCO REPAIR BENCH

2629. FS: Misc Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990524071449.25672.00004197@ng-fc1.aol.com>
Source record: 84186

I have the following Radio, and electronic equipment for sale. Will consider trades for other Electronic or computer related EQ. All working last time tested unless noted. Shipping is extra. Please reply to my email address. Thanks
EJ (KC5EPI)

All Tube Items:

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $250

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. Asis$50.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

2630. Heaath VF-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: Daniel Metzger <dmetzger@monroe.lib.mi.us>
Message-ID: <374905EF.CB5@monroe.lib.mi.us>
Source record: 84187

Thanks for a very thoughtful reply, Jim (N2EY.)

> AM would do the same thing after tripling.

I believe if I had, say 10% AM at 7 MHz, it would still be 10% AM after
tripling to 21 MHz. If I had 100 Hz FM at 7 MHz it would be 300 Hz at
21 MHz.

> there is a 2.5 mH RF choke from the cathode to ground... Something else is going on.

Right you are! I'm embarrassed that I overlooked that. I'll get to
work on your suggestions.

> I found the 12AU7A circuit described by W2YM to
be infinitely superior

Where can I get a copy of that circuit?

Thanks again es 73 de Dan, K8JWR

2631. Microwave Dummy Load questions

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-24 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7ibnin$17b$1@nnrp1.deja.com>
Source record: 84188

I got a mil-surplus water-cooled microwave dummy load, and so far
I haven't been able to figure out exactly what it was used with.

The input is waveguide of the approx. dimensions 1.326 in by 2.84 in.

Q: What's the designator for this size of waveguide, and what are the
approximate usable frequencies?

Next, the load is stamped "For use on Band 7."

Q: Any idea what frequency or use "Band 7" is? That tells me about as
much as "channel 19"....

Based on the overall size of the load, I'd guess a max power input
of about 50 watts.

Thanx
Jim N6OTQ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2632. Re: HQ180A and speaker Price info needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7ieu42$3811@eccws1.dearborn.ford.com>
Source record: 84039

In article <19990521001404.15592.00003028@ng29.aol.com>, ronfisher1@aol.com says...

> I have an HQ 180A w/ clock installed in very good cond. with a matching
> speaker in excellent condition. I wondering what there going for ?? I've
> been seeing all kinds of prices. These are very nice looking and work
> very well.

I've been seeing, on average, between $300.00 and $400.00 for this receiver paired with a matching speaker, but with all of the "drunken sailor" insanity going on at eBay, your mileage may vary (and probably vary upward, if it does).

C.K. (glad I got my '180 when I did...)

2633. FA: RF Harris Xcvr, Hallicrafters XMT\XCV, RCA Studio Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <374B10D2.B547C7EF@iglobal.net>
Source record: 84040
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Interesting Antiquities if you collect::
eBay item 109026823 (Ends 05/30/99, 13:41:40 PDT) - RARE RF Harris Tranciever L@@K! eBay item 109031141 (Ends 05/30/99, 13:52:24 PDT) - Rare Hallicrafter Pair HT 40 and Sx 140 eBay item 109033180 (Ends 05/30/99, 13:57:48 PDT) - OMIGOD Look at this RCA MIC !!!

2634. WTB Meissner Traffic Master

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: cavisco@aol.com
Message-ID: <19990525172103.17000.00000904@ng-fd1.aol.com>
Source record: 84041

Looking for a Meissner Traffic Master in restorable condition. Thanks.
Scott McAuley
Cayce Vintage Sound Company
117 Sandy Lane
Cayce, S.C. 29033
(803) 791-0733

2635. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <7if9j1$sh9$1@its.hooked.net>
Source record: 84042
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

I'm only speculating (I'd like to hear some solid info myself) but a simple radio from that era would have been a single tube crystal-controlled transmitter (using perhaps a 6L6 or 6V6), and a regenerative receiver consisting of maybe a dual triode (detector and AF), or a pentode detector followed by one or two stages of triode AF; or perhaps a regenerative superhet using a converter followed by a dual triode detector and AF. An RF amp may also have been added to the bigger sets for better performance, and to help keep the Bad Guys from picking up the signal from the oscillating detector in the case of the regen. A crystal set wouldn't have had the range for such work, and more importantly it couldn't receive Morse (CW). I'm cross-posting this to the boatanchors group because they're likely to have lots of details.

73,
Mike, KK6GM

Woodsman wrote in message <7iefe5$p10@newsops.execpc.com>...
>Hello,
> I saw some hidden radio's handbuilt inside phones and such
>to hide them when I was in Norway. It occurs to me that these
>must have been very simple devices. Does anyone know a
>good book on basic radio construction. I would like to learn more
>about the inner workings of a SIMPLE radio and thus a modern
>kit is not really my interest. It would just transmit Morse code of
>course, although a radio that received voice would be fun to build
>too. I believe at that time they used something called "crystal sets"?
>Detailed information is needed please. The radios I saw (used to
>transmit and receive Morse) appeared to have very few parts so I
>am hoping with the right knowledge it not too hard to build one.
>Also, any band suggested for such a radio? Anyone know what bands
>were used in WW2 for underground communication? All help
>deeply appreciated.
> 73's
> Eric
>
>

2636. Re: info on Prime Co. Cleveland OH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: wd8cfs@aol.com
Message-ID: <19990525185321.09472.00002852@ng-fz1.aol.com>
Source record: 84043

THIS CO. WAS BOUGHT OUT AND THE MFG. IS NOW AMERITRON.

2637. Manual wanted for Collins AN/FRT-5/KY-45

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990525.182028.-3775729.2.NFMK@juno.com>
Source record: 84044

Wanted in whole or part. Please email with details.

73, Doug

2638. Multi Elmac

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7ifdudmbr1@news1.alltel.net>
Source record: 84045

still looking for power supply PS-2V working or not

dave
KG5XR

2639. Re: Looking for Clegg Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7ifqcu$oh0$1@news2.bit-net.com>
Source record: 84046

http://6mt.com/clegg.htm
K1YP

> I am in need of a technical manual (I have the operators manual)
> that outlines the alignment procedure for the Clegg Interceptor
> VHF Receiver.
> 73 Dave K4JRB thompson@mindspring.com

2640. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <374B934D.547@ix.netcom.com>
Source record: 84047

wb0poz wrote:
>
> BOught a set of these at Dayton from Surplus Sales of Nebraska for $27
> (there were 6 or 7 different).
>
> 73 John
>
> HITIM <hitim@aol.com> wrote in message
> news:19990518122521.08835.00003447@ng-ch1.aol.com...
> > Anyone have a clue where I could get these? Tim
> > hitim@mindspring.com

Xcelite makes them, but they are referred to at
"Bristo, multiple spline" wrenches , or simply
"spline wrenches". Their large kit has both
allen and "spline" and the "spline" version
fits the screws in my R390A ..

Trish ..
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

2641. FS list

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7icrpa$3o4$1@alexander.INS.CWRU.Edu>
Source record: 84112

Millen 90651 Grid Dip Meter with coils and rack GC $60
Heath HM-10 grid dip mter with original manual $40
heath HB-604 speaker with manual $40
General Radio 1210 audio generator/1203 PS $50
Eico 324 RF sig Generator $40
Eico 147 Sig nal Tracer with manual $40
Heath HA202 manual only $10
HRO-50 with B coil (refinished) $125
mfj-949C 300W Tuner $60
All plus shipping from 44286. 73 George

2642. HRO-F coil For Trade.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7icrvd$oe7$1@pale-rider.INS.CWRU.Edu>
Source record: 84113

I have a HRO-F coil to trade. It is the black cracle finish with the two tuning charts. It has the handles removed so it can be used with old or new HRO's.
I would trade it for a set of good conditon A and D coils for the HRO-50 and a little cash. 73 George

2643. WTB: Magnavox D2999

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: tim@sullins.net
Message-ID: <3749f973.420147066@news.silcon.com>
Source record: 84114

Please email me with condition and price.
Thanks in advance.
Tim Sullins
tim@sullins.net

2644. Are you an"HBR' receiver builder/user/aficionado

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990524221535.13702.00003224@ngol06.aol.com>
Source record: 84115

Do you remember the HBR receivers that were designed by the late Ted Crosby, W6TC? There were several versions of these very popular homebrew receivers. The first was the HBR-14 published in the July 1957 QST, followed by the HBR-16 in the October 1959 QST, the HBR-8/11 in March/April 1963, the HBR-12 in April 1964, and the HBR-13 in the October 1965 QST. There were also many improvements and add-ons by others, Alexander Stewart, WA4ZNI and William McKay, W7QBR to name just a few.

Many HBRs were built, and there is presently a small group HBR enthusiasts who are interested in your stories about the HBR you anticipated building, built,
used, or currently use. We would like to know your perception of how well it performed, problems you had with construction, calibration, etc. We're also interested in hearing from those of you curently trying to locate an HBR or if you anticipate building one.

We would like to hear about any correspondence that you may have had with Mr. Crosby, Mr. Stewart or the authors of HBR related articles published in QST and other amateur publications. Also, don't forget Mr. Ed Kent, K8EML, he was the compiler of the original HBR Notes. Did you have any correspondence with him? Tell us about it!

If you are currently interested in building one of these fine receivers we invite you to network with us. There are no fees, we're just a group of HBR enthusiast that help each other locate and obtain the necessary parts, share construction hints, etc.

In summary, if you're an admirer of the HBR tube receivers, then we would like to hear from you.

e-mail RobertC908@aol.com or talen@inetport.com
73's
Bob, W4RLC (formerly WA7OGU)

2645. FA Heath AR3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <374A1196.37E9@sympatico.ca>
Source record: 84116
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Heathkit AR3 on Ebay - parts set

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=106650625>

2646. Re: Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: speedskate@my-dejanews.com
Message-ID: <7id8e0$4bh$1@nnrp1.deja.com>
Source record: 84117

In article <3746de2d.10233845@news.iwvisp.com>,
DrPepper@iwvisp.com wrote:
>
> I recently picked up a, , , ,
>
> "Zenith Trans-oceanic, AM-FM Multiband, Royal 3000-1"
>
> reciever. Is this radio worth cleaning and restoration? I have no idea
> what it's value is. Can someone help me on this? It has the original
> pull out spiral bound tables, and overall seems in pretty good shape,
> but it does need cleaning, and the leather end panels need to be re
> glued. When finished it should be about a 9+.
>
> Please e-mail
> Thanx
> Ron Cheshire WB6GKI
> DrPepper@iwvisp.com
> Ron,

It is worth restoring. Be sure to replace the condensers and
resistors. I suggest using 1W flameproof for the resistors and Sprague
Orange Drops for the coupling and the Atoms for the 12mfd electrolytic.
A 16mfd will work in place of the 12mfd. The screen and audio coupling
condensers should be increased in value and the condenser across the
pri. of the output transformer should be removed. This will increase the
low frequency response. Be sure to clean the radio. Dirt will cause the
radio not to work. The selenium rectifier will need to be changed to a
silicon type. The surge resistor will need to be changed as to give the
proper B+. This should be at least a 10W type.

Mark
>

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2647. WTB ham crystals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: davekdo@aol.com
Message-ID: <19990525004112.11732.00000074@ng-fe1.aol.com>
Source record: 84118

Looking for ham band FT-243 crystals for my boat anchor

dave

test

2648. Re: sx-28 coils identification

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Denis Kuwahara <denis_kuwahara@foxinternet.net>
Message-ID: <374A1ED2.D0FD980B@foxinternet.net>
Source record: 84119
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

OK, got a couple of other ideas, go to the following site and look at
page 14.
ftp://bama.sbc.edu/boatanchor/downloads/HALLICRA/SX28/
SX28P14.GIF (pg 14 image)

Another neat SX-28 site
http://www.exit109.com/~jimh/hallicrafters.shtml

emanuele_girlando@my-dejanews.com wrote:
>
> Thank you very much for answering my question..
> unfortunately SX-28- and sx-28A differ on coils, and the work you made
> don't match my rig..
> I am solving the problem following the wiring: time consuming but
> effective.
> Thanks again!
>
> Emanuele.
>
> In article <3744DE0F.E852E55A@foxinternet.net>,
> Denis Kuwahara <denis_kuwahara@foxinternet.net> wrote:
> > This tracing out the T and S designators for a SX-28-A manual,

2649. NOS 6922s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7idcpm$fv2$1@marcie.fissiontech.com>
Source record: 84120

Philips JAN 6922s for sale at $5 each + shipping.
bgrebe@customnet.net

2650. Looking for Clegg Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: thompson@mindspring.com
Message-ID: <7ie262$9tp$1@nntp5.atl.mindspring.net>
Source record: 84121

Yo BAers and manual vendors even... I am in need of a technical manual (I have the operators manual) that outlines the alignment procedure for the Clegg Interceptor VHF Receiver.

Does one exist? Can I get a copy?

73 Dave K4JRB
thompson@mindspring.com

2651. Need Dial Mechanism for Heathkit SB series

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Ron Wicker <ronwick@flash.net>
Message-ID: <MOw23.76$Lc1.244@news.flash.net>
Source record: 84122

I need a dial mechanism and knobs for a Heathkit SB 301 receiver. I believe that any of the SB series dials would work. If you have a parts rig youre willing to part with, let me know what you have and how much.

2652. Re: FS: 75S-3B RE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Robert Stuedemann <kf8ru@traverse.net>
Message-ID: <374A9ADF.501E711D@traverse.net>
Source record: 84123
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Thanks for reading my reply. I would like to purchase your 75S3B receiver. Please let me know where to send the funds. Thanks, Bob 73 de KF8RU

2653. Re: Drake T4XB problem - help please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <M5x23.45$zw2.2254@news.cwix.com>
Source record: 84124

Dr Hall, I've found that a lot of problems with Drake rigs of this vintage can be solved by tightening up EVERY screw and nut that holds a tube socket in, or holds a terminal strip down. Apparently corrosion under the screw or nut head prevents a good ground return from being made.

73 and good luck, John

James C. Hall, M.D. <Jamie_Hall@email.msn.com> wrote in message news:OZ6Y6iWp#GA.330@cpmsnbbsa03...
> I loaded up my old Drake B-line only to discover that the transmitter would
> not tune up. I could not show any plate current above power supply bias.
> Now that the good folks at Miamisburg, OH have quit servicing tube gear, I'm
> left to figure this on my own. Could some Elmer tell me if these symptoms
> sound like bad final tubes (6JB6A) or the driver tube (12BY7A), both or
> neither.
>
> Thanks,
>
> Jamie WB4YDL
>
>

2654. Re: Tucker Electronics(Great customer Support)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: jpnoll@aol.com
Message-ID: <19990525092719.19950.00004634@ng-ft1.aol.com>
Source record: 84125

That is encouraging seeing the trend today is to forget the customer

2655. Re: Are you an"HBR' receiver builder/user/aficionado

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: jpnoll@aol.com
Message-ID: <19990525093040.19950.00004635@ng-ft1.aol.com>
Source record: 84126

I think that is a wonderful thing to do. I may see if I can get my hands on a back issue and check it out.

James KD6KOS

2656. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374AAC35.DD1077E@ix.netcom.com>
Source record: 84127

> Prices like these will sure coax alot of old gear
>out of the closet, and back into the marketplace....

My betting money says that at least a dozen Collins collectors
who used to wrinkle their noses and whine about Ebay
are over there getting registered.... HA HA HA HEEE HEEEE HO HO!

People--- they're such a gas!

73 DE Dave AB5S

2657. Re: Transoceananic question???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <374ab5ef.4721737@news.iwvisp.com>
Source record: 84128

Thank all of you for telling me about this grand old lady of S/W radios. I remember lusting for a 600 in the 1960's, but never did get one.

This one cleaned up excellent. It didn't take much, as it was basically in great shape to begin with, just dusty. I haven't re-glued the 2 4.5"x4.5 inch end panels, as I don't want to screw them up, but after some rubber to metal cement they will look original.

If anyone wants to trade a dual bander for this, and thinks it's a fair deal, just drop me a line. I just don't listen to the low bands any more.

On Sat, 22 May 1999 16:47:06 GMT, DrPepper@iwvisp.com wrote:

>"Zenith Trans-oceanic, AM-FM Multiband, Royal 3000-1"

Thanx again, folks, as always, you're a great bunch.
Ron Cheshire WB6GKI
DrPepper@iwvisp.com

2658. Filter evaluation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Henry Knoll <knoll003@tc.umn.edu>
Message-ID: <374AC082.6E79@tc.umn.edu>
Source record: 84129

Looking in the ARRL Handbook in the Filter section, I see graphs of low pass filter responses that have as the ordinant all of the following: transmission loss, equivalent loss in percent and SWR. I don't see any information in the Handbook relating these quantities. Does anyone know where to find the equations that inter-relate these quantities please? If there is a good article on this in a past issue of QST or other radio magazine, I'd appreciate any references.

I'm interested in how to evaluate filters for insertion loss using it's relationship to SWR. That is, if I measure the SWR of a properly terminated filter, can I calculate the insertion loss of the filter?

Thanks for your help.

Henry Knoll
WA0GOZ

2659. 5514 Tubes Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Jim Allen <jim_allen@hp.com>
Message-ID: <374AB939.5698@hp.com>
Source record: 84130

I'm in need of a pair (at least) of 5514 tubes. These are 7.5V versions on what is now an 811A. Anyone have some they could part with or know of a source?

Regards,

Jim

NU6AM

2660. 8552 / 6883B / 8032A (phew !) TUBES NEEDED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990525132120.14540.00004988@ng-co1.aol.com>
Source record: 84131

Hello, a ham operator friend of mine needs at least two of these,
8552 / 6883B / 8032A , these are 12-volt variants of the 6146B.
Should test good and have identical construction.
Please respond to me, and I will forward the results to him myself.

Thank you,
Joe Pratt, Tubecntral@aol.com

2661. EIMAC 8560 AS , NOS tubes FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990525132701.14549.00004935@ng-co1.aol.com>
Source record: 84132

Hello, I have TWELVE EIMAC 8560 AS tubes, unused in the original packaging.
Price of ONLY $ 55.00 each INCLUDES priority mail delivery anywhere in the
cont. USA.
Respond if interested, these will go fast at this price.
Thank you,
Joe Pratt, Tubecntral@aol.com

2662. FS/TRADE iCOM IC-255A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <374be984.17926091@news.iwvisp.com>
Source record: 84133

iCOM IC-255A, Two meter FM rig. Two VFOs, scans 5 frequencies.
Covers 143.800 to 148.195 mHz. Transmit power 1 watt & 25 watts.
Reciever RIT control. Manuals, schematics, notes the whole banana.
This isn't exactly a "boatanchor", but it is a very reliable older rig

I will miss her. Reason for sale/trade? Just upgraded to 440/2m.
Please make an offer. I think the value is around $185
Or what do you have to trade?

DrPepper@iwvisp.com

2663. FS/Trade iCOM IC-255A CORRECTION

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <374ded7c.18941765@news.iwvisp.com>
Source record: 84134

SORRY!!! I goofed on the price. It should be $85 - $100.

iCOM IC-255A, Two meter FM rig. Two VFOs, scans 5 frequencies.
covers 143.800 to 148.195 mHz. Transmit power 1 watt & 25 watts.
Reciever RIT control. Manuals, schematics, notes the whole banana.
This isn't exactly a "boatanchor", but it is a very reliable older rig

I will miss her. Reason for sale/trade? Just upgraded to 440/2m.
Please make an offer. I think the value is around $85 - $100
Or what do you have to trade?

DrPepper@iwvisp.com

2664. Re: Looking for Clegg Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <374ced11.18835430@news.iwvisp.com>
Source record: 84135

Try:
www.w7fg.com

They make great manuals, almost like original.

==========

On Tue, 25 May 1999 07:40:29 -0400, <thompson@mindspring.com> wrote:

>Yo BAers and manual vendors even... I am in need of a technical manual (I
>have the operators manual) that outlines the alignment procedure for the
>Clegg Interceptor VHF Receiver.
>
>Does one exist? Can I get a copy?
>
>73 Dave K4JRB
>thompson@mindspring.com
>
>

2665. Re: Drake T4XB problem - help please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990525151732.18933.00000304@ng-fw1.aol.com>
Source record: 84136

It never hurts to check all those tubes in a tube tester--or substitute replacements that are known to be good.

W3DEF

2666. FS: Old lab meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: dave@boatanchors.com
Message-ID: <7if20eehm1@nnrp1.deja.com>
Source record: 84137
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

For sale:

Old lab type meters in slope cases. Most
are $12 plus shipping. Weston and others.
Rather than retype it all here, click on
the link.

See at:

http://www.boatanchors.com
then go to 'Trading Post' then 'Amateur Radio stuff'

Thanks,

Dave WB7AWK
http://www.boatanchors.com

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2667. Re: Looking for Clegg Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-25 00:00:00 UTC
From: Ron Toller <n1rt@atlantic.net>
Message-ID: <374B0092.313B1440@atlantic.net>
Source record: 84138

Try this URL; Manuals in zipped format.

http://6mt.com/

73's,

Ron-N1RT
==========

DrPepper@iwvisp.com wrote:

> Try:
> www.w7fg.com
>
> They make great manuals, almost like original.
>
> ==========
>
> On Tue, 25 May 1999 07:40:29 -0400, <thompson@mindspring.com> wrote:
>
> >Yo BAers and manual vendors even... I am in need of a technical manual (I
> >have the operators manual) that outlines the alignment procedure for the
> >Clegg Interceptor VHF Receiver.
> >
> >Does one exist? Can I get a copy?
> >
> >73 Dave K4JRB
> >thompson@mindspring.com
> >
> >

2668. WTD H.P. Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: nospam@softcom.net
Message-ID: <374c2232.1198578@news.softcom.net>
Source record: 83989

Want to buy manual for H.P. 8646B Power Supply, 0-30V 0-30A, 19" rack mount 4" high. Please change nospam to buzz for reply.
Thanks,
Buzz

2669. Re :HQ180A and Speaker Price info Thanks

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: ronfisher1@aol.com
Message-ID: <19990525232053.13058.00004792@ng-fh1.aol.com>
Source record: 84048

Thanks to all the responses.For everyones information the price averaged out to be $300 to $400 here on the list and Gods knows what could be gotten on E Bay. I was not sure about selling it but had a gentleman that really wanted it ,so it will be on it way shortly.

73s and thanks to all,
Ron KA1SRZ

2670. New AWA Website Announcement

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990525232607.26133.00000467@ng38.aol.com>
Source record: 84049

The Antique Wireless Association now as a brand new website.

The site is home to "The Old Timer's Bulletin, On-line Edition"
and current information and details regarding our
1999 Annual Conference (Rochester, NY) coming up in September.

Our new URL is: www.antiquewireless.org

Please update your browser's bookmarks and any organization listings you may
have to reflect this change.

Chuck Schwark
AWA Web Administrator

2671. Re: FS/Trade iCOM IC-255A CORRECTION

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990525235201.20837.00005792@ng-cf1.aol.com>
Source record: 84050

hello,

i would like to offer a kantronics kam allmode packet box. have used the box on aprs and packet. have not used on rtty. comes with power cord and copy of manual. i don't know what version of the eprom. aprs does not get strict on those types of things.

let me know

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

2672. FS: Globe King 500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: "Mike B. Feher" <n4fs@monmouth.com>
Message-ID: <7igmbcslj1@news.monmouth.com>
Source record: 84051

I have for sale a WRL Globe King 500 with external WRL VFO. Price is $500
and it must be picked up. Thanks - Mike

--
Mike B. Feher, N4FS
89 Arnold Blvd.
Howell, NJ, 07731
732-901-9193

2673. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Woodsman <woodsman@apexmail.com>
Message-ID: <7igmvb$e40@newsops.execpc.com>
Source record: 84052
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Hi Mike,
Why couldn't you receieve CW on a crystal set? Not enough energy
in the signal I assume? I saw these homemade rigs at the Resistance
Museum in Norway about 7 years ago, which was before I was a ham
so I wasn't paying enough attention. They were VERY basic and not
commercial rigs at all. Basically they amounted to the simplest
possible equipment you could make to send and receive a signal, which
is why I find them interesting. As I recall they had 2 or 3 examples, all
very small. I do not remember seeing tubes, although it was a while ago
and it could just be my bad memory.
Thanks for your post,
Eric

Mike Silva wrote in message <7if9j1$sh9$1@its.hooked.net>...
>I'm only speculating (I'd like to hear some solid info myself) but a simple
>radio from that era would have been a single tube crystal-controlled
>transmitter (using perhaps a 6L6 or 6V6), and a regenerative receiver
>consisting of maybe a dual triode (detector and AF), or a pentode detector
>followed by one or two stages of triode AF; or perhaps a regenerative
>superhet using a converter followed by a dual triode detector and AF. An
RF
>amp may also have been added to the bigger sets for better performance, and
>to help keep the Bad Guys from picking up the signal from the oscillating
>detector in the case of the regen. A crystal set wouldn't have had the
>range for such work, and more importantly it couldn't receive Morse (CW).
>I'm cross-posting this to the boatanchors group because they're likely to
>have lots of details.
>
>73,
>Mike, KK6GM
>

2674. Switching Power Supplies

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <374BF95F.73703F71@home.com>
Source record: 84053
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

From Jack:

What are the advantages and disadvantages of using PWM (buck/boost or invert) switching supplies for B+/C- etc in tube equipment, boat anchors.

Advantages: weight, efficiency, regulation, low ripple.

Disadvantages: RFI

I mean, why shouldn't one buy that J.Millen GDO if you can run it without having to be attached to the line cord?

What else am I missing?

2675. 6550 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990526100553.20820.00000400@ng-cp1.aol.com>
Source record: 84054

I have two JAN, New Old Stock, Tung-Sol 6550 tubes as used in the CE 100V.

Also have 2 good pulls, 1 RCA, 1 Tung-SOL

These were sold but have not been paid for in the agreed time period.

All four of them $40 shipped.

Brian K3VR

2676. COLLINS 516F-2 (RE) 4-SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990526101822.12519.00006607@ng-cd1.aol.com>
Source record: 84055

HAVE A COLLINS 516F2- RE POWER/SUPPLY IT IS ORIGINAL PAINT ON CABINET LOOKS
VERY NICE ..,.HAS 3 MINOR RUB MARKS ON LEFT REAR
SIDE.AT CORNER..TRIM RING /FACE PLATE EXCELLENT ...I WOULD RATE THIS A 9+
WORKS VERY GOOD HAS TUBES SERIAL #14268
WILL SHIP FOR $400.00

2677. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: jstrohm@texas.net
Message-ID: <7ih44jtgt1@nnrp1.deja.com>
Source record: 84056

In article <374AAC35.DD1077E@ix.netcom.com>,
David Stinson <arc5@ix.netcom.com> wrote:

> My betting money says that at least a dozen Collins collectors
> who used to wrinkle their noses and whine about Ebay
> are over there getting registered.... HA HA HA HEEE HEEEE HO HO!

Dave, you're in the Austin, TX area -- you might have seen my
joke reply to somebody offering a Hayes 2400 modem on the local
austin.forsale group. I told him to put it on eBay(ack!ptui)
if he couldn't sell it locally for a dollar.

I was kidding.

He did it, and got $41. for it -- easily ten times what it's worth.
Which is basically what's happening to Collins gear, and will soon
happen with all the nice nostalgic boatanchors.

At some time, the bottom will fall out of the online auction-based
collectibles craze. Until then, most of us on the buyer's side will
have to do without.

If there's a good side to any of it, the scarcity and high prices of
good ol' solid rigs might prod the big radio manufacturers to produce
some high-quality basic rigs priced for the rest of us, without
sixteen embedded microprocessors and a plasma display that's fancier
than most laptop compouters use.

We're already seeing a little of this from the small manufacturers
and the kit packers.

N6OTQ

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2678. Variac Usage On Old Receivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: mbmcfX@erols.com
Message-ID: <374d0703.92084170@news.erols.com>
Source record: 84057

Hello to All,

Having just purchased a few receivers of the boatanchor variety, I am looking for a little direction on Variac usage to help form the capacitors so the units don't become expensive bookends. At what voltage do I start, and how do I ramp it up to regular house current?

Start at 80 for 4 hours, go to 90 for 4 hours, go to 100 for 4 hours, then 110 for 4 hours, then 120 for 4 hours would seem to me to be a reasonable way to start, but I don't have any experience at this.

Looking for some experienced restorer or Elmer to suggest the best starting point and ramp up method.

Thanks in advance !

Bruce McFarland
302-455-0700
mbmcf at erols dot com

2679. Re: FS/TRADE iCOM IC-255A **APPOLGY**

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: DrPepper@iwvisp.com
Message-ID: <374c0d35.6915332@news.iwvisp.com>
Source record: 84058

MY APPOLOGIES.

I mis-typed the estimated value of this puppy. It should have been
between $85 and $100.

Sorry :-}

==========

On Tue, 25 May 1999 18:20:16 GMT, DrPepper@iwvisp.com wrote:

>
>iCOM IC-255A, Two meter FM rig. Two VFOs, scans 5 frequencies.
>Covers 143.800 to 148.195 mHz. Transmit power 1 watt & 25 watts.
>Reciever RIT control. Manuals, schematics, notes the whole banana.
>This isn't exactly a "boatanchor", but it is a very reliable older rig
>
>I will miss her. Reason for sale/trade? Just upgraded to 440/2m.
>Please make an offer. I think the value is around $185
>Or what do you have to trade?
>
>DrPepper@iwvisp.com
>
>

2680. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Dan Rae <rae4@ix.netcom.com>
Message-ID: <374C0F5D.C1489057@ix.netcom.com>
Source record: 84059

For what it is worth
http://www.mcmaster.com/
have an enormous on-line tool catalog in .pdf format, that includes
various sets of Bristol wrenches for around $9 or $10, as well as just
about every hand tool that one could ever need.
However you will have to do a keyword search for Bristol (with the l at
the end).

> wb0poz wrote:
> >
> > BOught a set of these at Dayton from Surplus Sales of Nebraska for $27
> > (there were 6 or 7 different).
> >
> > 73 John
>

Which makes your Dayton bargain a bit expensive.....

73 all, Dan AC6AO

2681. Nevada City CA Antique Radio Museum

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: "R. Sherry" <RSherry@metricom.com>
Message-ID: <374C1301.3B65@metricom.com>
Source record: 84060
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I need the location and to know if they are still operating.
Thank you,
Russ

2682. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374C24BD.4895A565@ix.netcom.com>
Source record: 84061

"jstrohm@texas.net" wrote:

> At some time, the bottom will fall out of the online auction-based
> collectibles craze....
You're almost certainly right.
It's already happened with Heathkit stuff.

I've bought and sold on Ebay for a couple of years.
I used to get really nasty emails from some Collins collectors
who wrapped themselves in mantels of cheap virtue and
loudly damned me for my "mercenary tactic" of selling on Ebay.

Now I see two of selling on Ebay themselves,
and it just tickles me.

73 OM DE Dave Stinson AB5S
arc5@ix.netcom.com

2683. Re: 6550 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990526132859.01104.00000522@ng-cq1.aol.com>
Source record: 84062

Hello, I will take the tubes if still available...please email w/
instructions...
Thank you,
Joe Pratt, Tubecntral@aol.com

2684. Re: Nevada City CA Antique Radio Museum

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: "Norman S. Braithwaite" <normbns@awwwsome.com>
Message-ID: <374C2EFB.B808C528@awwwsome.com>
Source record: 84063
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Perhaps you are recalling the Virginia City Radio Museum. I do not
believe there is a Nevada City Radio Museum. The Virginia City Radio
Museum is located on South Fourth Street in Virginia City, Nevada.
Henry Rogers (proprietor) can be reached at (775) 847-9047.

Norman
--
Remove "ns" from address to reply.

"R. Sherry" wrote:

> I need the location and to know if they are still operating.
> Thank you,
> Russ

2685. Re: 6550 Tubes OOPs! Sorry

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990526133042.01104.00000525@ng-cq1.aol.com>
Source record: 84064

Sorry for the public reply to the offer, I forgot to turn off the NG button on the reply menu....

Thank you,
Joe Pratt, Tubecntral@aol.com

2686. Re: Switching Power Supplies

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <374C31AD.EC655CC1@teleport.com>
Source record: 84065
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Jeanette D. Walton wrote:
>
> From Jack:
>
> What are the advantages and disadvantages of using PWM (buck/boost or
> invert) switching supplies for B+/C- etc in tube equipment, boat
> anchors.
>
> Advantages: weight, efficiency, regulation, low ripple.
>
> Disadvantages: RFI
>
> I mean, why shouldn't one buy that J.Millen GDO if you can run it
> without having to be attached to the line cord?
>
> What else am I missing?

Even with switching supplies (which you'll have to build or buy), the tube-type GDO will take a whole lot more power than a solid-state equivalent. So the battery will be bigger and heavier, and/or won't last as long. This probably isn't a problem if you're working on the ground, but could be a real pain if you're on a tower or ladder.

But I don't know if there is a solid-state equivalent available these days. If not, there may be a reason. The information you got from a dipper can usually be gotten from other instruments, and in more quantitative form. But the exercise of building switching supplies to run a Millen will certainly be an educational experience with value much greater than any information you get from the dipper itself.

Roy Lewallen, W7EL

2687. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <7ihdp6$sd6$1@its.hooked.net>
Source record: 84066
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

You need some kind of heterodyne action to extract an audible signal from a CW signal. In a superhet the heterodyne action comes from the beat frequency oscillator; in a regen detector it's the detector itself oscillating; in a direct conversion receiver it's the local oscillator. A crystal set would just demodulate the unmodulated carrier and you'd only hear "psss..psssssss..psss..psss...". Crystal sets were used (e.g. the foxhole radios) to receive broadcasts, but a two-way radio of the time would have had tubes. Are you positive they were two-way sets?

73,
Mike, KK6GM

Woodsman wrote in message <7igmvb$e40@newsops.execpc.com>...
>Hi Mike,
> Why couldn't you receieve CW on a crystal set? Not enough energy
>in the signal I assume? I saw these homemade rigs at the Resistance
>Museum in Norway about 7 years ago, which was before I was a ham
>so I wasn't paying enough attention. They were VERY basic and not
>commercial rigs at all. Basically they amounted to the simplest
>possible equipment you could make to send and receive a signal, which
>is why I find them interesting. As I recall they had 2 or 3 examples, all
>very small. I do not remember seeing tubes, although it was a while ago
>and it could just be my bad memory.
> Thanks for your post,
> Eric

2688. FAQ - Boatanchor manuals, parts, magazines, sources, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7ihd4vbto1@altair.cs.unc.edu>
Source record: 84067

I maintain the Boatanchors Frequently Asked Questions web site.
Tons of info on Boatanchor manuals, parts, magazines, sources, etc.
All additions and corrections welcomed.
http://www.cs.unc.edu/~nick/rrab.faq.htm

Partial Index

Where can I find out more about Boatanchors ?
Magazines
Books
Clubs
E-mail lists
Web Sites
Boatanchor Web Ring
Where can I find Boatanchors on the air ?
How can I practice Safe Boatanchoring ?
How do I restore a Boatanchor ?
Restoration Info on the WWW
Commercial Restoration
Where can I get a manual ?
Aren't tubes and parts impossible to find ?
So where can I get tubes & parts ?
What kind of Boatanchor should I get ?
What do boatanchors cost ?
And where can I get some more Boatanchors ?

73 & Have Fun,
Nick KD4CPL
--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

2689. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: "Jeanette D. Walton" <jdwalton@home.com>
Message-ID: <374C4120.789B2CBC@home.com>
Source record: 84068

From Jack (exWA8PZL)

The best are the "unbuilt" Heathkits. Didn't someone on this page offer to unbuild your Heathkits?

We have literally pulled stuff out of the garbage dump in town here and made money selling it on EBay. Probably a couple hundred bucks this year!

I've been selling off tubes on EBay for about a year, most buyers are in Hong Kong and Macao.

MailfrmPA wrote:

> An auction closed yesterday on a Collins 30L-1, with spare set of finals. Not
> new, not in the box, but in very good condition. Price? $1,624.99!!!
>
> The same seller listed a KWM-2A, w/516F2 supply. Photo showed marking on the
> face, no extra crystals in the deck, average condition chassis. Price?
> $1,222.00
>
> Prices like these will sure coax alot of old gear out of the closet, and back
> into the marketplace.

2690. BUY SELL SWAP BOARD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Steven KB9HGI <kb9hgi@qsl.net>
Message-ID: <374c4200.0@news.accessus.net>
Source record: 84069
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.misc,rec.radio.amateur.swap,rec.radio.swap

Hello All,
Come visit my Swap Board where you can buy sell or swap your Amateur radio stuff. http://www.insidetheweb.com/messageboard/mbs.cgi/mb92988

--
Steven R. Baker
Amateur Radio KB9HGI
---===Quincy, IL===---
Ham Going Insane!
www.qsl.net/kb9hgi

2691. EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Eamon Skelton <dont@want.spam>
Message-ID: <7ihg0g$he8$1@scotty.tinet.ie>
Source record: 84070
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

The EI9GQ homebrew radio page has moved to www.qsl.net/ei9gq

Recent additions include:
A simple VHF CW transmitter.
2M to 10M receive converter.
6M to 30M receive converter.
30W mosfet PA for the 80M SSB rig.
Pre-programmed PIC now available for the iambic keyer.

73, Ed. EI9GQ

e-mail ei9gq@qsl.net

2692. WTB: Hammarlund HQ-160 or HQ-180 series receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Kevin Hayes <hayes95@ibm.net>
Message-ID: <374C47F6.4D23@ibm.net>
Source record: 84071
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Please reply by e-mail (not to the newsgroup - I do not read it frequently) with condition (electrical & cosmetic) and how much you need for it.

Kind regards,
--
Kevin Hayes
Durham, NC

2693. WTB: Hammarlund HQ-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Kevin Hayes <hayes95@ibm.net>
Message-ID: <374C483C.48C3@ibm.net>
Source record: 84072
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Please reply by direct e-mail with price & condition.

--
Kevin Hayes
Durham, NC
http://www.vac-amps.com

2694. Trade: TMC GPR-90 for Collins 75A1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7igo0t$f80$1@news.mr.net>
Source record: 84073

Hi All,

I have a TMC GPR-90 in the original case with matching speaker. It is in excellent cosmetic, mechanical and electrical condition and includes the original manual.

I also have a very nice 32V2 that I would like to find a 75A1 to pair with it.

Anybody interested is a straight trade? The 75A1 should be in comparable condition and include case and speaker.

73,

Mike Warren
W5MAZ (in MN)

2695. WTB: Old Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: CanfieldB@astronaut.BRevard.k12.fl.US
Message-ID: <0F2E7544D529D2119295006008A69D5A0159B3@ASTRONAUT-NT>
Source record: 84074

DON"T throw them away! I'll take them and pay the postage.
Wanted Old transmitting tubes. The bigger the better. Will pay $$ for really good ones. Maybe workout a deal.

This is not a business. Personal use. For display.
Thanks
Bill, KF4PGU

2696. FS: 6HF5, 6LF6 & 6KD6 tubes !

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: CanfieldB@astronaut.BRevard.k12.fl.US
Message-ID: <0F2E7544D529D2119295006008A69D5A0159B2@ASTRONAUT-NT>
Source record: 84075

Hello everyone:

Have the following tubes for sale:

3....6KD6.....slightly used. Test good. $10.00 each.($30.00)

2....6HF5.....1 new in the box, ...$10.00
1 slightly used..................$ 5.00 ($15.00)

3....6LF6......slightly used.....................$15.00 each ($45.00)

1....6LX6.......new.............................$15.00 ($15.00)

1....811........test good.......................$15.00 ($15.00)
Total
$120.00
(will sell all
together for $110.00)

All prices give above do not include shipping cost.

Thanks

Bill, KF4PGU

2697. FS; Heath HDP 121 Microphone from 70's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990526184336.20218.00004825@ng27.aol.com>
Source record: 84076

This mic was sold with the SB101, HW 101 etc. It is in excellent condition.
$40 plus shipping.

2698. Re: WTB: Old Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990526184416.08835.00009280@ng-ch1.aol.com>
Source record: 84077

Hi,
I have tubes, do you know what numbers that you want??

rgds,
Mark S.

2699. Re: collins r390urr sell/swap

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: khayes902@aol.compeekaboo
Message-ID: <19990526194150.15578.00001427@ng-fy1.aol.com>
Source record: 84078

Dear Robert,

Do I understand that the radio is functional, or is it dead?

Kind regards,
Kevin Hayes
Durham, NC
Sarasota, FL>collins r390urr made by motorola for collins. radio comes with
rack.
>this rig worked until a person that was not familiar with tube gear
>cycled the power switch a few times wondering why it wouldnt come on and
>managed to blew the fuse. it has sat since and has been indoors ever
>since i have owned it. will sell for $200 or swap for rackmount audio
>amps, mcintosh audio gear, or high end speakers. this radio is a marvel
>of mechanical engineering with one of the most intricate tuning
>mechanisms ever made. RADIO MUST BE PICKED UP IN MIAMI FL OR ARRANGE TO
>MEET IN SOUTH FL. due to its size, it is too much trouble to pack.

2700. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: sparksw4eas@mindspring.com
Message-ID: <7ii7ba$5pu$1@nntp6.atl.mindspring.net>
Source record: 84079
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

You can ONLY receive MCW on a crystal set or the OLD raspy spark
transmitters. A pure CW signal MUST have a BFO to beat with the carrier to
produce a tone. Of course you could copy the thumpity thump thump carrier.
<Grin> 73 Sparks W4EAS

Woodsman wrote in message <7igmvb$e40@newsops.execpc.com>...
>Hi Mike,
> Why couldn't you receieve CW on a crystal set? Not enough energy
>in the signal I assume? I saw these homemade rigs at the Resistance
>Museum in Norway about 7 years ago, which was before I was a ham
>so I wasn't paying enough attention. They were VERY basic and not
>commercial rigs at all. Basically they amounted to the simplest
>possible equipment you could make to send and receive a signal, which
>is why I find them interesting. As I recall they had 2 or 3 examples, all
>very small. I do not remember seeing tubes, although it was a while ago
>and it could just be my bad memory.
> Thanks for your post,
> Eric
>
>Mike Silva wrote in message <7if9j1$sh9$1@its.hooked.net>...
>>I'm only speculating (I'd like to hear some solid info myself) but a
simple
>>radio from that era would have been a single tube crystal-controlled
>>transmitter (using perhaps a 6L6 or 6V6), and a regenerative receiver
>>consisting of maybe a dual triode (detector and AF), or a pentode detector
>>followed by one or two stages of triode AF; or perhaps a regenerative
>>superhet using a converter followed by a dual triode detector and AF. An
>RF
>>amp may also have been added to the bigger sets for better performance,
and
>>to help keep the Bad Guys from picking up the signal from the oscillating
>>detector in the case of the regen. A crystal set wouldn't have had the
>>range for such work, and more importantly it couldn't receive Morse (CW).
>>I'm cross-posting this to the boatanchors group because they're likely to
>>have lots of details.
>>
>>73,
>>Mike, KK6GM
>>
>
>
>

2701. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Jeff <djep@ix.netcom.com>
Message-ID: <374CB34B.F09A4917@ix.netcom.com>
Source record: 84080

some of the transmitters I have seen from that era had an "MCW" function, "Modulated CW" which is essentially a keyed AM signal... That would work with an xtal set...

Mike Silva wrote:

> You need some kind of heterodyne action to extract an audible signal from a
> CW signal. In a superhet the heterodyne action comes from the beat
> frequency oscillator; in a regen detector it's the detector itself
> oscillating; in a direct conversion receiver it's the local oscillator. A
> crystal set would just demodulate the unmodulated carrier and you'd only
> hear "psss..psssssss..psss..psss...". Crystal sets were used (e.g. the
> foxhole radios) to receive broadcasts, but a two-way radio of the time would
> have had tubes. Are you positive they were two-way sets?
>
> 73,
> Mike, KK6GM
>
> Woodsman wrote in message <7igmvb$e40@newsops.execpc.com>...
> >Hi Mike,
> > Why couldn't you receieve CW on a crystal set? Not enough energy
> >in the signal I assume? I saw these homemade rigs at the Resistance
> >Museum in Norway about 7 years ago, which was before I was a ham
> >so I wasn't paying enough attention. They were VERY basic and not
> >commercial rigs at all. Basically they amounted to the simplest
> >possible equipment you could make to send and receive a signal, which
> >is why I find them interesting. As I recall they had 2 or 3 examples, all
> >very small. I do not remember seeing tubes, although it was a while ago
> >and it could just be my bad memory.
> > Thanks for your post,
> > Eric

2702. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Woodsman <woodsman@apexmail.com>
Message-ID: <7iie42$cu1@newsops.execpc.com>
Source record: 84081
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

I am positive that at least one was 2 way because there was a story with
it that indicated as such. Tube wise I could be wrong-maybe it had tubes.
So you're saying there was no way to build a 2 way radio without tubes
(back then)? Any idea on the simplest possible way to build a 2 way radio
then or now? I know I could buy a kit but I thought it would be more
instructive to
scrounge parts so I would need a good book on the topic I guess.
Any ideas on a reference that details building simple CW transceivers
from the fewest possible parts? I am not looking for DX performance here-
no bells or whistles needed. This is for my education and if I can build 2
units to
send CW back and forth over short distances for practice I would be
one happy ham. Also, if anyone has a source on the behind the lines use
of radio (detailed) in WW2 I would appreciate that. I doubt there are too
many WW2 radio officers browsing the web these days. Too bad-would
be a wealth of information.
73's
Eric

>Crystal sets were used (e.g. the
>foxhole radios) to receive broadcasts, but a two-way radio of the time
would
>have had tubes. Are you positive they were two-way sets?
>

2703. CONTEST LOGBOOK AND PROPAGATION STATISTIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Fabio <cq.fabio@iol.it>
Message-ID: <7ihc81$l3v$1@hermes.iol.it>
Source record: 84082

Hi to all
If you need to publish your contest logbook, try in this site:
http://users.iol.it/cq.fabio/
Is 100% free !
Here you can see our propagation statistic too.
73

2704. FS: Collins KWM2A winged

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <374CC410.AEEA35F7@wenet.net>
Source record: 84083

Hi,
I have Collins KWM2A winged, very clean front panel except for some scratches on band selector plate. Plug in relays means late winged emblem. Works but may require TLC. No corrosion on chassis. No case. asking $350 plus shipping from SFO bay area. copy of manual. 14.2 band crystal missing.(just one crystal)
de K6hm
Young

2705. Re: Nevada City CA Antique Radio Museum

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Dick Flanagan <dick@libelle.com>
Message-ID: <7iifta$2glu@news1.newsguy.com>
Source record: 84084
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

They even have their own web site: http://www.radioblvd.com/

In article <374C2EFB.B808C528@awwwsome.com> , "Norman S. Braithwaite"
<normbns@awwwsome.com> wrote:
>Perhaps you are recalling the Virginia City Radio Museum. I do not
>believe there is a Nevada City Radio Museum. The Virginia City Radio
>Museum is located on South Fourth Street in Virginia City, Nevada.
>Henry Rogers (proprietor) can be reached at (775) 847-9047.
>
>Norman
>--
>Remove "ns" from address to reply.
>
>"R. Sherry" wrote:
>
>> I need the location and to know if they are still operating.
>> Thank you,
>> Russ

--
Dick Flanagan W6OLD CFII Minden, Nevada DM09db (South of Reno)

2706. Re: FS: Collins KWM2A winged

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <374CD63B.BB9372C2@earthlink.net>
Source record: 84085

I know this sounds stupid but explain what this is I am looking in my books I have a good idea . Thanks I am trying to buy a transceiver am i close
Matt Parkinson KE6UOS there are so many collins numbers out there HUMMMMMM!!!!!!!!!!
k6hm wrote:

> Hi,
> I have Collins KWM2A winged, very clean front panel except for some
> scratches on band selector plate. Plug in relays means late winged
> emblem. Works but may require TLC. No corrosion on chassis. No case.
> asking $350 plus shipping from SFO bay area. copy of manual. 14.2 band
> crystal missing.(just one crystal)
> de K6hm
> Young

2707. Re: FS: Collins KWM2A winged

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <374CD561.944F689C@earthlink.net>
Source record: 84086

I will take it
Matt Parkinson KE6UOS

k6hm wrote:

> Hi,
> I have Collins KWM2A winged, very clean front panel except for some
> scratches on band selector plate. Plug in relays means late winged
> emblem. Works but may require TLC. No corrosion on chassis. No case.
> asking $350 plus shipping from SFO bay area. copy of manual. 14.2 band
> crystal missing.(just one crystal)
> de K6hm
> Young

2708. Wanted: info on Redifon GR345 manpack (British)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: Jim <w7ls@blarg.net>
Message-ID: <374CDD84.6D68804D@blarg.net>
Source record: 84087

Hi. Any info would be appreciated on this rig. In round figures, it's a close copy of the PRC-74 (early ones). Thanks. Jim W7LS

2709. FS: Sell or Trade Hallicrafters SX-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-26 00:00:00 UTC
From: DavidC <davidc@bit-net.com>
Message-ID: <7ii14vket1@news2.bit-net.com>
Source record: 84088
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

I have a SX-100 with all but one of the main tuning
knobs original. Generally works fine, though the BFO
is a little iffy. Tuning mechanics are fine.

The calibrator case has been replaced with a new box
and the stem of the pitch control has been broken and a
piece welded on and a brass coupling added to which the
knob attaches. (looks OK but a little wobbly -- needs some
adjustment)

The cabinet is a mess. Two corners have suffered serious
denting and sloppy patching, another corner has bad chipping.
The top half of the front panel was repainted a non-original
sorta-close color and the surface was not well prepared.
The cover is intact but was painted a too-glossy sorta-close
silver.

The receiver looks fine from a distance (other than the obvious
non-original knob ... as you get closer the flaws begin to show.
(No, I didn't do any of the damage or any of the repairs.)

I have $70. in this (long story) and will sell it as a parts or
restoration rig or trade it for a Multi-Elmac PMR-7 in good
shape with a 6m converter (perhaps an old Ameco).
Note: I am looking for a compact boatanchor receiver
to match my Gonset Commander (160-6m AM/CW).

Thanks! & 73, DavidC K1YP@qsl.net or 603-894-1174

2710. SAILOR MARINE EQUIPMEMT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Frank Davis <fdavis@nf.sympatico.ca>
Message-ID: <374C9158.D11E606C@nf.sympatico.ca>
Source record: 83990

Have the following commercial marine equipment for sale:

Sailor equipment:
* R1119 receiver, serial #297618
* S1300 Exciter, serial #238867
* T1127/H1200 Amplifier with remote control, serial #'s
287239 (amp), 239340 (remote)
* N1401 Power supply, serial #296016
We have a complete set of manuals. Copies of originals.

All in working condition Some scratches on the cases.

Any one interested.
Pls reply direct.

--
73 Frank VO1HP
St.John's, Nfld.&Lab.

2711. Meissner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: dearthur@silverstar.COM
Message-ID: <374CA295.6E62@silverstar.com>
Source record: 83991

Have two copies of Meissner U-Build-It Manual. Will part with ONE!!

Have to dig them out to get the REAL title of them. DON'T email before then - it will go in trash. Shouldn't be more than two-three days. It's in a 16 foot trailer CRAMMED with books and parts.

2712. fs- Kenwood TS-520, EXC, $225+UPS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990526231138.02102.00007038@ng-ca1.aol.com>
Source record: 83992

Hi Fellas;
I have for SALE:
A real nice condition Kenwood TS-520, Original shipping carton, 100 watts output, manual.
Price is $225 plus shipping from LI, NY
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2713. fs- DRAKE AC-3 Power Supply $75+

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990526232536.02102.00007050@ng-ca1.aol.com>
Source record: 83993

Hi Fellas;
I have for SALE:
Drake AC-3 Power Supply, While this may be the earlier version, it still does the same as the AC-4, Condition is Very Excellent with nice clean, un-corroded aluminum.
Price is $75 plus UPS from 11758.
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

2714. FS:KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: goldenpack@aol.com
Message-ID: <19990527002705.12501.00006678@ng-cd1.aol.com>
Source record: 83994

KWM-2 (WE) Very good condition. No power supply. $525.00 OBO.Reply via email.
Mike

2715. EFJ T/R Switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Tony Hwang <2810311762@home.com>
Message-ID: <374CDF0D.50BDA84D@home.com>
Source record: 83995

Hi,
Have one with related docs.(such as schematics, diode rectifier mod.
info., etc.) If you want it, give me a fair offer and it's your.
73,
Tony, VE6CGX

2716. FS : HRO - German WW2 copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Ragnar Otterstad <danmec@inet.uni2.dk>
Message-ID: <374cf2f5.0@news.euroconnect.dk>
Source record: 83996

The Nazis made a version of HRO , with the small steel tubes. I have one
for sale.
If interested drop me a line.

73 Rag OZ8RO Copenhagen

2717. Re: FS: Johnson Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <374CFD53.3F9D94C8@stratos.net>
Source record: 83997

Hi Mike,

I'll take your Viking II for $150.00 CDN.
Where do I send the payment?

I'll be at the Hamfest at Fergus on Sat. June 12th.
Will you be attending that one?

Thank you,

Bruce Sugarberg, WA8TNC
Akron, Ohio USA

L & M wrote:
>
> A previous deal was not completed so I am re-listing a Johnson Viking
> II transmitter. This transmitter has been in storage for about the
> past 40 years or more but otherwise looks to be in quite good
> condition. If intereated, please e-mail me and I will send more info
> on condition etc.
> Asking $150 Canadian and prefer pickup but can possibly deliver in the
> Toronto, Ontario area.
>
> 73,
> Mike VE3FGU

2718. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: tallguy@whitecliffsdx.freeserve.co.uk
Message-ID: <37580d6b.8554810@news.freeserve.net>
Source record: 83998
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

On Wed, 26 May 1999 19:54:42 +0100, "Eamon Skelton" <dont@want.spam>
wrote:

>The EI9GQ homebrew radio page has moved to www.qsl.net/ei9gq
>
>Recent additions include:
>A simple VHF CW transmitter.
>2M to 10M receive converter.
>6M to 30M receive converter.
>30W mosfet PA for the 80M SSB rig.
>Pre-programmed PIC now available for the iambic keyer.

How about a useful 50MHz FM transmitter/receiver? You could even enter
it for the PW etc competition!
Cheers,

Jon.

Jon Harris
Radio: 26WC001/G7JPH
Motorcycle: TRX850, GPz550
WEB: http://www.whitecliffsdx.freeserve.co.uk
Email: tallguy@whitecliffsdx.freeserveDEADWOOD.co.uk
(Remove the DEADWOOD to reply)

2719. Tuckerton Wireless Day - Saturday June 5th

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <374D15C6.7E50@worldnet.att.net>
Source record: 83999
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

Special Radio Event!

A special presentation of original artifacts and photographs from local Tuckerton Wireless historians.

Mr. Burrel Adams will be conducting a slide show about the Tuckerton Wireless Station.

Tuckerton Wireless Station was constructed by a German company in 1912, completed in 1914. Its tower originally extended 850 feet above the meadows. It was used by the Navy during World War I. In 1920 it was bought by the Radio Corporation of America. In 1955 it was torn down and sold to a land developer. (It is believed by many that the signal to sink the Lusitania was sent from this station, to the German Submarines.)

For more information and a map:
http://www.eht.com/oldradio/news/WSC.htm

--
73' John Dilks, K2TQN

Webmaster for Antique Wireless Information ** New **
http://www.eht.com/oldradio/awa
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum
-

2720. Re: New AWA Website Announcement

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <374D16EF.BFF@worldnet.att.net>
Source record: 84000

To all,

The old AWA Web Site "Page_2" is alive and well. You can visit it at:

http://www.eht.com/oldradio/awa

Please update your browser's bookmarks.

--
73' John Dilks, K2TQN

Webmaster for Antique Wireless Information ** New **
http://www.eht.com/oldradio/awa
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum
-

2721. Sell Drake B line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: guy quartarone <guyq@worldnet.att.net>
Message-ID: <7ijbjo$6pr$1@bgtnsc02.worldnet.att.net>
Source record: 84001

Drake B line R4b t4xb ac4 ms4 manuals and cables All excellent shape R4b 250, t4xb ac4 150 ms4 50 tnx guy wa1tqq

2722. FA BC 457A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: bobco@i-2000.com
Message-ID: <374d3430.5910247@news.i-2000.com>
Source record: 84002

FA BC-457A Item # 109822813....

2723. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <374D0C2B.E201350E@asu.uswest.net>
Source record: 84003

Yep, at the Arizona State Univ. surplus property building, they have big boxes full of these modems for $3/ea. Real "collectable" fully functional IBM Selectric II's for $25 a piece. Go figure.

Hope that bottom falls out of the BA radio market very soon, I just can't afford it these days. I have to "get by" for now with *just* a TR-4, B-line, and SX-11 (paid $350 in total for all of it, including 2 AC-4/MS-4s, everything in great looking/working shape), acquired 5-7 years ago before the (mostly) eBay fueled inflation began.

jstrohm@texas.net wrote:

<big snip>
offering a Hayes 2400 modem on the local
> austin.forsale group. I told him to put it on eBay(ack!ptui)
> if he couldn't sell it locally for a dollar.
>
> I was kidding.
>
> He did it, and got $41. for it -- easily ten times what it's worth.
> Which is basically what's happening to Collins gear, and will soon
> happen with all the nice nostalgic boatanchors.
>
>
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2724. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <374D10CF.AD2AE0C7@asu.uswest.net>
Source record: 84004

I have noticed this about Heathkit on eBay lately, and to a *much* lesser extent Drake. Hard to set high reserves and make hyped-up claims of condition and, especially, scarcity when your offering is competing against half a dozen, or more, of the same model, much of the time. This is the effect of so many more people both buying and selling on eBay. As the novelty, hype, rumor, and illusion wears off so do the prices, at least somewhat. Or am I just hopefully whistling in the dark?

When I looked closely a few weeks ago, I found at least 10 DX-40s and DX-60s, 4 HW-16s w/HG10B, lots of SB-line radios, HW-101s by the truckload, just scads and scads of other Heath (total listings: >100 at any given time) radios of almost all models, 20 pieces of assorted Drake 4-line gear (*just* the radios, not to mention accessories, tuners, filters, supplies, and speakers). I've seen I think 6 UV-3s up on eBay in the last three months, where I had only seen perhaps 2 in all of the year previously, and noticed that they are closing for more like $450, instead of $800-900. And 3-4 1-A receivers since January! No they don't make them anymore, but BAs for the most part just aren't Dusenbergs, after all ('cept maybe the SX-88).

I see the prices shifting *slowly* downward, more in line with what I like to naively think of as reality and fairness. Hope it continues.

David Stinson wrote:
>
> "jstrohm@texas.net" wrote:
>
> > At some time, the bottom will fall out of the online auction-based
> > collectibles craze....
> You're almost certainly right.
> It's already happened with Heathkit stuff.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

2725. Re: WTB: Old Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990527084211.02756.00000759@ng-bd1.aol.com>
Source record: 84005

so do i, plenty of them. what does he want?

2726. eBay: UNASSEMBLED Heathkit Cantenna HN-31A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7ijj0slqq1@nnrp1.deja.com>
Source record: 84006
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.swap

For the Heathkit collector or just someone wanting a good dummy load,
I'm offering an UNASSEMBLED Heathkit HN-31A "Cantenna" dummy load.

Please see

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108187116

to view and bid.

Auction ends Sunday 5/30 at 17:40 Pacific time

Thanks & 73,

--
-Marty KI0LO
martyt@pobox.com

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2727. eBay: Murch UT-2000A "Ultimate Transmatch"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7ijj8c$m53$1@nnrp1.deja.com>
Source record: 84007
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I'm offering my Murch UT-2000A "Ultimate Transmatch" antenna tuner on eBay. It's a great tuner and will easily handle in excess of the legal limit.

Please see
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109683719
to view and bid.

Auction ends Wednesday 6/2 at 19:08 Pacific time.

73,

--
-Marty KI0LO
martyt@pobox.com

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2728. Need: 10K 2w pot--help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "Christopher J. Galbraith" <cgalbraith@ibm.net>
Message-ID: <374d4652@news3.us.ibm.net>
Source record: 84008
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Hi, I need a 10Kohm 2w pot (1/4" shaft) for the RF gain control on my NC-183D. Such beasts are no longer standard stock and I'm having problems finding one. Anybody have one they could sell me? I have *many* others with different values to trade or will buy...thanks!! 73, Chris

2729. PRC-6 value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <374D4BC1.2150@roanoke.infi.net>
Source record: 84009

This really isn't a "boatanchor" but I do see lots of military
stuff floating around here--any clue what the value of a new/ in the box
PRC-6 walkie talkie w/ the seperate handset, also NIB---would be. Have
to make an offer and don't want to insult the seller.
Thanks, Craig

2730. Collins 32S-1 FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <374D6B60.D7499FD8@earthlink.net>
Source record: 84010

I have an exceptionally nice Collins 32S-1 transmitter for sale. Works great, no power supply. Original manual. Near CCA EXCELLENT. Charlie, K5MBX

2731. >>TUBES AVAILABLE<<

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: rh3333@aol.com
Message-ID: <19990527101827.18574.00000584@ng-fl1.aol.com>
Source record: 84011

I currently have over 300,000 tubes in stock. Have a good selection of both new and used/tested tubes for audio, CB & HAM radio, TV, CRT use.
Sorry I do not have a Web Site nor a price list. Suggest that you Email or Fax me with the tubes that you are looking for along with the quantify of each needed. I will check my inventory and advise you of current availability and cost.
In addition, I also have a very good selection of tube testers, tube caddies and good used CB/HAM equipment. Please contact me regarding you needs.
Thank you for your consideration.

Richard Hale
THE TUBE MAN
902 Lothian Dr.
Tallahassee, FL. 32312
RH3333@aol.com-Email
850 386-2729-Phone
850 386-2560-Fax

2732. Re: Need: 10K 2w pot--help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Bob Lewis <aa4pb@erols.com>
Message-ID: <374D58BB.48CFC7E7@erols.com>
Source record: 84012
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

There standard stock at Newark Electronics.

Christopher J. Galbraith wrote:
>
> Hi, I need a 10Kohm 2w pot (1/4" shaft) for the RF gain control on my
> NC-183D. Such beasts are no longer standard stock and I'm having problems
> finding one. Anybody have one they could sell me? I have *many* others
> with different values to trade or will buy...thanks!! 73, Chris

2733. Re: Nevada City CA Antique Radio Museum

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "R. Sherry" <RSherry@metricom.com>
Message-ID: <374D6499.7A97@metricom.com>
Source record: 84013
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

R. Sherry wrote:
>
> I need the location and to know if they are still operating.
> Thank you,
> Russ
Thank you gentlemen. I think it is the Virginia City Museum. The web site information has simularity to my recolletion.
Russ

2734. Trade - my Collins 75A-4 for your Heath Mohawk

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7ijm3q$h8b$1@altair.cs.unc.edu>
Source record: 84014

Want to trade my late s/n Collins 75A-4 for an UNBUILT
Heath RX-1 Mohawk receiver. Or will pay cash or swap other gear
or unbuilt kits.
73 & Have Fun,
Nick KD4CPL

--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

2735. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.052799.115529.43@vna-va14-36.ix.netcom.com>
Source record: 84015

On 5/27/99 5:11AM, in message <374D0C2B.E201350E@asu.uswest.net>, Will White <wcw@asu.uswest.net> wrote:

> Hope that bottom falls out of the BA radio market very soon, I just can't
> afford it these days. I have to "get by" for now with *just* a TR-4, B-line,
> and SX-11 (paid $350 in total for all of it, including 2 AC-4/MS-4s,
> everything in great looking/working shape), acquired 5-7 years ago before the
> (mostly) eBay fueled inflation began.

Quite an interesting thread going on here about the "reasons" for "boatanchor inflation". I see eBay as a "vehicle" for sellers and buyers, similar to a hamfest, this newsgroup, or any other vehicle for advertising and selling merchandise. At first, I also thought eBay was to "blame", but after spending quite a bit of time on eBay, and thinking about it, I've come to the conclusion that it is not eBay that "causes" such inflated prices...it's those persons who "have more money than brains" (or those who simply can't "control" their bidding, and get caught up in the "excitement" of an auction... as well as those who simply WANT something, and are willing to pay a price for it...for whatever reason(s).

Who's to say what a boatanchor is "worth"? To some, it's worth little more than it's weight in scrap metal. To others, it's a "rare, classic rig", a valued antique they're willing to pay for as such. Reminds me of some items I've seen for sale in antique stores...those which are priced ridiculously high (in my opinion). But to someone, that item is "worth" big bucks...for what could be one or more of many reasons. Perhaps nostalgia, perhaps they just *have* to have that item, perhaps they have a use for it that makes it "worth" paying such a high price. Still others collect, for the sake of collecting. What makes a certain coin worth so much more than the same type of coin, minted one year apart? Supply and demand. Buyer willingness to pay the price, for as many reasons as there are items for sale.

It's not eBay, per se. eBay offers certain advantages that are not as available with other "vehicles" used by sellers. eBay offers pictures (a picture is often worth 1,000 words). eBay offers "feedback" on both sellers and buyers. eBay offers "convenience" (buy from your armchair). eBay offers impulsive buyers "immediate gratification" (ever notice how many times people bid at the last moment, seemingly without much regard to price?). eBay offers very good search engines, allowing items wanted to be found quickly and easily. Contrast that with a hamfest, or even this newsgroup, and I think it becomes apparent why more sellers and buyers are "gravitating" towards eBay. Unless it's my imagination, there seem to be fewer and fewer boatanchors for sale in this newsgroup,

and more and more of them showing up on eBay. Here in the newsgroup, it sometimes seems there are more "eBay pointers" (and arguments both for and against such "pointers") than there are messages which list boatanchors actually for sale (through the newsgroup).

Just some thoughts, from an "eBay convert" who's found some nice boatanchors there, at prices I was comfortable bidding and paying (just received a beautiful Hallicrafters S-40a receiver I bid upon, and couldn't be happier with both it's condition, performance, and price paid!). I knew when to quit when bidding recently on that KWM-2A that went for over $1,400, tho!). <g>

73,

-bill
KB3PT

2736. Re: FS: Sell or Trade Hallicrafters SX-100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.052799.120418.36@vna-va14-36.ix.netcom.com>
Source record: 84016
Cross-posted to:
alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

On 5/26/99 7:42PM, in message <7ii14vket1@news2.bit-net.com>,
"DavidC" <davidc@bit-net.com> wrote:

> I have a SX-100 with all but one of the main tuning
> knobs original. Generally works fine, though the BFO
> is a little iffy. Tuning mechanics are fine.
>
> The calibrator case has been replaced with a new box
> and the stem of the pitch control has been broken and a
> piece welded on and a brass coupling added to which the
> knob attaches. (looks OK but a little wobbly -- needs some
> adjustment)
>
> The cabinet is a mess. Two corners have suffered serious
> denting and sloppy patching, another corner has bad chipping.
> The top half of the front panel was repainted a non-original
> sorta-close color and the surface was not well prepared.
> The cover is intact but was painted a too-glossy sorta-close
> silver.
>
> The receiver looks fine from a distance (other than the obvious
> non-original knob ... as you get closer the flaws begin to show.
> (No, I didn't do any of the damage or any of the repairs.)

If I was in the market for an SX-100, DavidC, I'd be happy to buy
from an honest guy such as yourself who doesn't describe his gear
as being in "Rare, Mint Condition" (when it really ain't)! :)

73, and hope your SX-100 finds a new home soon,

-bill
KB3PT

2737. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <7ijr3s$5l4$1@its.hooked.net>
Source record: 84017
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

If I were going to build a simplest-possible useable tube CW transceiver I'd use a single tube crystal controlled transmitter (6AG7, 6V6, 6L6, 6CL6, 6AQ5, etc), and a dual triode regen receiver (6SN7, 12AU7, 6CG7, etc), or perhaps use a triode-pentode (6U8, 6EA8, etc). Any ARRL handbook from the '40s to late '50s should have both a single tube transmitter and a dual triode or triode-pentode regen receiver, but if you can't find any plans I can send you some.

73,
Mike, KK6GM

Woodsman wrote in message <7iie42$cu1@newsops.execpc.com>...
>I am positive that at least one was 2 way because there was a story with
>it that indicated as such. Tube wise I could be wrong-maybe it had tubes.
>So you're saying there was no way to build a 2 way radio without tubes
>(back then)? Any idea on the simplest possible way to build a 2 way radio
>then or now? I know I could buy a kit but I thought it would be more
>instructive to
>scrounge parts so I would need a good book on the topic I guess.
>Any ideas on a reference that details building simple CW transceivers
>from the fewest possible parts? I am not looking for DX performance here-
>no bells or whistles needed. This is for my education and if I can build 2
>units to
>send CW back and forth over short distances for practice I would be
>one happy ham. Also, if anyone has a source on the behind the lines use
>of radio (detailed) in WW2 I would appreciate that. I doubt there are too
>many WW2 radio officers browsing the web these days. Too bad-would
>be a wealth of information.
> 73's
> Eric
>
>>Crystal sets were used (e.g. the
>>foxhole radios) to receive broadcasts, but a two-way radio of the time
>>would have had tubes. Are you positive they were two-way sets?

2738. FS: Hallicrafters HT-32B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7ik170$1ag$1@nnrp1.deja.com>
Source record: 84018

I have a nice Hallicrafters HT-32B transmitter that I've been cleaning up and re-painting. Accepting offers on it now; if I get a "good enough" offer, it won't go on eBay. Otherwise I'll put it out there in a few weeks and let you fellas fight for it...

If you're interested, please read on:

Electrically, it seems to work fine - 100W or so SSB output on all bands 80-10m, nice modulation too. DSB (AM) is working well - carrier of around 40 watts or so on all bands. VOX works fine. Two of the 10m band segment crystals are missing (they were options with the radio I believe). Only oddity is that the tuning capacitor doesn't tune where the markings on the knob say it should (i.e, it's in the middle of the 20m area on the knob in order to get resonance on 80m), and the frequency calibration is off by about 5KC from the dial reading. Tubes are a pair of Sylvania 6146As and seem to be in fine shape. Transmitter is sold as-is, however.

The front panel is in very good condition - one gouge in the top left corner of the black face plate but otherwise very nice. All original knobs; bandswitch knob has a small chip missing out of it.

I am in the middle of refinishing the case now - sanding it down almost to bare metal and painting with the closest silver and semi-gloss black I could find (not an exact match). Will be done with that in a few days.

Includes an excellent copy of the manual from W7FG Vintage Manuals.

Can provide pictures (on a web page) within a few days if you'd like to see it; send an e-mail if so.

Shipping might be the only limiting factor - the transmitter weighs around 85 lbs and buyer is responsible for actual UPS Ground charges; I'll pay to have it packed in at least 3 inches of rigid styrofoam and double-boxed. Shipping will be from zip 66215. International shipping is possible, with the buyer to bear all costs. You can go to www.ups.com and use their "quick cost" page to get an idea of what shipping will be to your QTH.

If you're interested, send me an e-mail with your offer (not including shipping) and I'll get back to you. Buyer to pay in advance via USPS Money Order or other certified funds.

Thanks & 73,

-Marty KI0LO
martyt@pobox.com

--== Sent via Deja.com http://www.deja.com/ ==--
---Share what you know. Learn what you don't.---

2739. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.052799.132111.67@vna-va8-09.ix.netcom.com>
Source record: 84019

On 5/26/99 2:43PM, in message <374C4120.789B2CBC@home.com>,
"Jeanette D. Walton" <jdwalton@home.com> wrote:

> From Jack (exWA8PZL)
>
> The best are the "unbuilt" Heathkits. Didn't someone on this page offer to
> unbuild your Heathkits?

Are Heathkits worth more when built, unbuilt, or half-built? <g>
Probably worth more unbuilt...considering today's cost for parts!

> We have literally pulled stuff out of the garbage dump in town here
> and made money selling it on EBay. Probably a couple hundred bucks
> this year!

Recycling is the patriotic and noble thing to do these days.
So I wasn't imagining I saw some garbage on eBay, huh? <g>
You know what they say about "one man's garbage...."

> I've been selling off tubes on EBay for about a year,
> most buyers are in Hong Kong and Macao.

What are they doing with them (maybe reselling them back to Americans?)?
When EEB in Virginia closed down their retail store in Virginia, they
sold off their large collection of ham and SWL boatanchors. Some very
nice old rigs, including some very hard to find ones. Most were sold
to Asian buyers who bought the whole lot as a package. Hmmm, maybe
they're being recycled and resold on eBay...sometimes it's a fine line
between trash and treasures! <g>

-bill
KB3PT

2740. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <374D8513.119F6051@mitre.org>
Source record: 84020

> > We have literally pulled stuff out of the garbage dump in town here
> > and made money selling it...

I recently helped a widow dispose of her late husband's ham gear. She explained that she had only kept the "modern" radios, and had "thrown all the old tube equipment into the dumpster". I asked her if she remembered what she had thrown out: "No, not specifically, just a bunch of old Collins, Drake and Hallicrafters things". Enough to make a grown ham cry. There's some mighty fine stuff floating around the some dumpsters these days.

Mike, N4PDY

2741. Swinging choke for Heathkit Warrior

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Doug_Hensley@generalhealth.ORG
Message-ID: <9905279278.AA927828777@ghs.int>
Source record: 84021

Hello,

Before I make an order with Peter Dahl, I would like to see if someone does not have available the swinging choke for the Heathkit Warrior.

Please contact me if you can assist.

73, Doug

2742. WTB Vibroplex bug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: stevenn <stevenn@ix.netcom.com>
Message-ID: <374D95D1.449C82C3@ix.netcom.com>
Source record: 84022

I would like to buy small 2-1/2 width and 3" width Vibroplex bugs
also looking for Model "X" bug. Thanks.
Steve k2pts
CW and Morse only!

2743. Re: eBay and inflation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374D9966.E04C0888@ix.netcom.com>
Source record: 84023

Mike, I've been harping for years that people need
to tell their family members that the equipment and
parts have value. "Dirty old boxes" that contain
priceless parts for restorations are disappearing from hamfests
and elsewhere because survivors throw them out.
And lots of people still haven't told anyone...sigh!

73 Dave AB5S

2744. Dentron Cliperton-L, w/o tubes $250.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <374daa37@news1.us.ibm.net>
Source record: 84024
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

I have a very nice looking Dentron Cliperton-L amp with no tubes. Covers 160 to 10 meters. It does have a 'built in' tuned input network but looks like it may have been added later on by an outfit like Omega Electronics. I do not know if it is stock. I don't think it is. It also has a non -Cliperton-L front panel meter. It IS a Dentron meter but is black faced (non-original?). Also the meter multiplier circuitry could use some work. The plate voltage seems to read okay but the plate current reads off scale for some reason.

No tubes. The amp will run either 2500 volts or 1800 volts which is selected from the front panel so you can install either (4) 572Bs or (4) 811As since the filament requirements are the same. I HAVE used this amp with (4) 572Bs and it will deliver 1500 watts into a 50 ohm dummy load on 80, 40, and 20 meters with 100 watts of drive. Usually Cliperton Ls will NOT do legal limit out but this plate xmfr must be a bit better than the average for some reason. Slightly less on 160 and the bands above 20. I need the tubes for other amps therefore I am offering this w/o tubes.

I do have a complete copy of the manual with schematic and parts list. I purchased this amp a few months ago with the intent of getting it 100% and using it as a backup but too many projects right now and not enought time (or money).

Front panel is really nice and the cabinet overall is pretty good. price is $250.00 plus ACTUAL shipping costs from San diego zip 92139. Amp will be double boxed and shipped CONUS only via UPS.

pls include your phone number when replying so I can call you if we need to talk over the phone.

73s

Lane Zeitler
Ku7i
San Diego
619-470-6528

2745. WTB Remote VFO for KW2000E

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: thompson@mindspring.com
Message-ID: <7ikadglvt1@nntp3.atl.mindspring.net>
Source record: 84025

To the gang (probably in the UK or Canada). Did KW Works make a remote VFO
for the KW2000E circa early 70's hollow state transceiver.
If so I am looking for one. Price and condition in e-mail to me.

73 Dave K4JRB
thompson@mindspring.com

2746. FA: Harris RF 301 Xcvr, Beautiful RCA Mic, 2 Hallicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <374DAD44.31E4D41E@iglobal.net>
Source record: 84026
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

eBay item 109026823 (Ends 05/30/99, 13:41:40 PDT) - RARE RF Harris Tranciever L@@K! eBay item 109031141 (Ends 05/30/99, 13:52:24 PDT) - Rare Hallicrafter Pair HT 40 and Sx 140 eBay item 109033180 (Ends 05/30/99, 13:57:48 PDT) - OMIGOD Look at this RCA MIC !!! Thanks for checking it out....Murray K5MDM

2747. WTB: 4 pin jumbo sockets for WE 354A thyratrons

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: dcal40@aol.com
Message-ID: <19990527180520.19059.00001367@ng-fr1.aol.com>
Source record: 84027

these are not the bayonet type as for 211, 845.
Any help appreciated,
David Calvello, New Rochelle, NY

2748. WTB: tube radio power supply transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Nigle <evolx3@hotmail.com>
Message-ID: <7iklbh$273$1@autumn.news.rcn.net>
Source record: 84028

Well, I thought my latest project was coming to life, right after I install all the right parts I noticed.....The primary of the transformer in my eico 751 supply is FUBAR, primary on this baby was cooked, and char broiled, funny thing is I guess it happened long ago, long enough that the burnt smell is all gone.....I never noticed it till I put the rig on the variac and started troubleshooting. The way the wires are bundled up around the primary and all the parts around it fooled me! .....I'm still learning the trade... I'm not giving up!

I think the transformer I need is similar to old color TV transformers (a few people have told me this). Looks like the original had the cloth/plastic type of insulation on the output leads.....

here's the specs:

HV 750 volts dc @300 ma 200ma continuous
LV 280 volts dc at 170 ma
Bias: -100 v dc @ 5 ma
filament: 12.6 volts ac @ 4 amps
Input voltage: 117 volts ac
size (hwd) 5-1/2" x 8" x 11-1/4"
weight 25 lbs.

If you know any web vendors on the net that might have something like this for sale, please let me know of em. If you might have something like this cluttering your bench, let me know...I will pay shipping and could maybe trade something or other for it.....

I am also wondering if the power specs are similar to some of the stuff Heathkit made. If this Eico was made in Flushing NY, and the Heathkit in Benton Harbor...there must of been a common transformer supplier in the area, or did theses folks have the stuff to wind their own? I know I can find a similiar heathkit supply, but I hate to rip apart working things this old that for parts....

Any help appreciated, best regards, N3RIK

2749. FS NIB Collins RE 302C-3 Watt Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <374ddd55@calwebnnrp>
Source record: 84029
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale:

New in the original box with packing materials etc, A Collins 302C-3 directional watt meter with coupler, interconnection cable, all mounting hardware, and cable connectors still in the sealed plastic container. Has all Collins QC tags and original technical data including business reply card. For the Collins Collector that has almost everything. $450 post paid and insured Conus. Or open to a trade. Tnx for the read.

Bob, KE6F

2750. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <374DE608.6945@ix.netcom.com>
Source record: 84030

Edward J. Engelken wrote:
>
> Hi Boatanchor owners,
>
> I have recently acquired a nice SP-600JX-26. It works quite well but
> the S-meter pointer bounces with the modulation when receiving AM
> broadcasts. I have a dozen or so other receivers including
> Hallicrafters, Hammarlund, and National. All the others show a steady
> S-meter reading when tuned to local AM broadcast stations, but the
> S-meter pointer on the SP-600 jumps in sync with the modulation. Is
> that a quirk of this receiver, or do I have a problem? All the voltages
> in the receiver look OK. How about it, SP-600 owners, does your SP-600
> behave this way too?
>
> --
> Best Regards,
>
> Ed
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
Sounds like your rf/af switch is stuck in the af position. 73 Chris

2751. From CB to Radio Amateur (Book)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: "Neal N." <nealn@alpha1.net>
Message-ID: <nWl33.13889$Gm1.1053572@news1.giganews.com>
Source record: 84031

Howdy,

Once upon a time (about 20 years ago) .... I had a book titled: "From CB to Radio Amateur" published by Howard Sams. There was a chapter in this book on how to construct a 40 / 80 meter CW transmitter. I think it had about a 25 watt output and employed a 6L6 and something like a 12AT7 for the crystal oscillator. I always had a desire to build that circuit, but never got around to it. Now, I've done some spring cleaning, the shack is in order, and ready for a new project - but I can't find that darn book (maybe it was a victim of the spring cleaning?).

Anyway, is there anyone out there that has this book and would want to sell it or make me a copy of the section on the transmitter construction? I'd appreciate it greatly.

73,

Neal N.
NE5AL

2752. WTB Swan 117-x Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: lou de beer <lou.de.beer@general.com>
Message-ID: <374DF8D7.1407@general.com>
Source record: 84032

Iam looking for the Swan 117-X power supply..Lou..ND6W

2753. FS: Drake DC-4 Mobile Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-27 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7il95eigm1@user2.teleport.com>
Source record: 84033
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Drake DC-4 Mobile Power Supply. Will power Drake TR-3/TR-4 series transceivers, the Drake R-4/T-4X Series twins, etc. Looks to be in good condition, includes cable. $75
Larry
larryj@teleport.com

2754. Wanted: Heath mobile transceiver HW-18-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990527.215625.-3775729.1.NFMK@juno.com>
Source record: 83889

Wanted: Heath mobile 2 channel transceiver HW-18-3.

If anyone has one available, please contact me with
price, condition, whether you have a manual, etc. Especially
interested in a working unit but will consider any condition
if it is electronically complete and the printed circuit board
is in good condition.

73, Doug

2755. FA: 3CX3000A7, MX-949, Electric Radio, HS-16, H-75, Ammeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Chris Terwilliger <aa7wd@mediaone.net>
Message-ID: <374E0DB9.24BD8FCC@mediaone.net>
Source record: 83890
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

EIMAC 3CX3000A7 Power Grid Vacuum Tube
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109259578

MX-949 Tube Socket Adapter Kit
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109230602

First 7+ years of Electric Radio
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108699789

HS-16A Headset
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108369044

H-75 Aviation headphones
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108368500

Signal Corps Hickok Ammeter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108367512

thanks for looking
Chris, AA7WD
aa7wd@mediaone.net

2756. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: tcltd@widomaker.com
Message-ID: <374E920C.54E3@widomaker.com>
Source record: 83891

Edward J. Engelken wrote:
>
> Hi Boatanchor owners,
>
> I have recently acquired a nice SP-600JX-26. It works quite well but
> the S-meter pointer bounces with the modulation when receiving AM
> broadcasts. I have a dozen or so other receivers including
> Hallicrafters, Hammarlund, and National. All the others show a steady
> S-meter reading when tuned to local AM broadcast stations, but the
> S-meter pointer on the SP-600 jumps in sync with the modulation. Is
> that a quirk of this receiver, or do I have a problem? All the voltages
> in the receiver look OK. How about it, SP-600 owners, does your SP-600
> behave this way too?
>
> --
> Best Regards,
>
> Ed
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

My SP-600's have a switch on front panel slightly above and to left of
band change knob - switch is labeled "meter - RF (top) and AF (bottom) -
the switch is normally in rf position and is spring loaded so as to
remain so - to see af modulation the switch is pushed down momentarily,
releasing it - it goes back to rf position. hope this helps, Jim

2757. SX-71

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <374E7BC7.4175A837@sprint.ca>
Source record: 83892

Sometimes the simple things nail you!!
It was the mismatch of speaker impedance to audio output. After connecting a speaker with a 500 ohm transformer, back to sweet warm sounds associated with Hallicrafters rigs!! Funny thing is, though, I don't know why it took 5-6 months to make itself evident. You see, I was using a standard 8 ohm speaker on the 500 ohm output for the full duration, and never a problem. Then a couple of days ago,
....
You guys are the best and, if nothing else, I am now VERY familiar with the 'guts' of the rig. The previous owner had done a wonderful job of replacing ALL the old waxey caps with new, so I am hopeful of years of trouble free use (yeah, right, hahaha).
Again, mucho thanks to all who took time to respond.
Denis
ve3zpu

2758. Help in identifying

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <374E835D.BDC6EB52@sprint.ca>
Source record: 83893

Received yesterday ANOTHER boat anchor that I expected to be an RCA AR-77. What it is though, is an RCAF (Royal Canadian Air Force) Type GR-10. Though the cabinet is similiar to the AR-77, it is obviously a military rather than a consumer receiver. It is beautiful, works wonderfully, and is a pleasure to own. However, I know nothing about it. It was completely "overhauled-reconditioned", according to a sticker at the rear, on July 23rd, 1959. It has been fitted with 1000v caps, and the overhaul was done by "Electronic Materiels Corporation Limited". BTW, as with my TMC GPR-90, why is materiEls spelled that way as opposed to 'materiAls' ? American variation, perhaps?
What is the nonmilitary name of this model? Date of production? Any and all info is greatly appreciated.
73
Denis
ve3zpu

2759. Need Rack Handles

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990528075855.29567.00005943@ng-fg1.aol.com>
Source record: 83894

I am looking for a some black anodized aluminum rack handles for a project. They need to be 4 inch center to center for the mounting holes. Anyone have some of these in the junk box or know where I can buy some?

2760. WTD: Harris RF-601A Manual/Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7im5r1$ha4$1@nnrp1.deja.com>
Source record: 83895
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

(Posting this for a friend - please reply to him if you can help!

Looking for a manual (original or photocopy) for the Harris RF-601A
Antenna Coupler Group - picked one up at Dayton but it didn't have the
manual. Will pay reasonable costs.

Please reply to:
w0nkl@ckt.net

73,

-Marty KI0LO
martyt@pobox.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2761. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7im5rdhab1@nnrp1.deja.com>
Source record: 83896

In article <374E920C.54E3@widomaker.com>,
tcltd@widomaker.com wrote:
> >
> > Sent via Deja.com http://www.deja.com/
> > Share what you know. Learn what you don't.
>
> My SP-600's have a switch on front panel slightly above and to left of
> band change knob - switch is labeled "meter - RF (top) and AF (bottom)
-
> the switch is normally in rf position and is spring loaded so as to
> remain so - to see af modulation the switch is pushed down
momentarily,
> releasing it - it goes back to rf position. hope this helps, Jim
>
Further Info:

The switch is OK. It selects both "RF" and "AF" properly, but when in
the RF position the S-meter wiggles about 1/4 inch with the modulation.
The S-meter readings are rock-steady on my other receivers, but the
SP-600 shows this wiggle. The AVC voltage shows the wiggle as well, is
this normal for this receiver?

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2762. FA: Many 1950s Heathkit Catalogs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374EA772.2A9069B7@ix.netcom.com>
Source record: 83897
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.tubes

FA: Many 1950s Heathkit Catalogs

>> HEATHKIT 1952 CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109207744

>> HEATHKIT 1955 CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109225333

>>> HEATHKIT WINTER 1955 CATALOG <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109310595

>> 1955 HEATHKIT CHRISTMAS CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109431649

>> 1957 HEATHKIT WINTER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109435843

>> 1958 HEATHKIT SUMMER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109438776

>> 1958 HEATHKIT SPRING CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109440637

>> 1958 HEATHKIT WINTER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109443014

>> 1958 HEATHKIT CHRISTMAS CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109445618

>>> HEATHKIT 1951 NEW KIT FLYER <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109478709

>>> HEATHKIT 1954 NEW KIT FLYER <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109484070

>>> HEATHKIT 1965 KIT BUILDER'S GUIDE <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109509016

Thanks for Looking!

2763. FA: RCA and SYLVANIA TUBE MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374EA8C9.628E8381@ix.netcom.com>
Source record: 83898
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.tubes

FA: Some nice tube manuals.

>> SYLVANIA 1946 VINTAGE TUBE MANUAL <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109533898

>>> 1940 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109536841

>>> 1961 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109538865

>>> 1960 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109539946

>>> 1968 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109541139

>>> SYLVANIA 1937 TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109913513

2764. FA: 1960s Allied and Lafayette Catalogs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <374EA99E.8B3BE6E6@ix.netcom.com>
Source record: 83899
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.tubes

FA: 1960s Allied Electronics and Lafayette Electronics Catalogs

>>> 1964 ALLIED RADIO CATALOG <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109918483

>>> 1966 ALLIED RADIO CATALOG <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109919483

>>> 1966 LAFAYETTE RADIO CATALOG <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109921379

Thanks for looking!

2765. Wanted Johnson TR Relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <374EB111.1ACE@ix.netcom.com>
Source record: 83900
Cross-posted to: rec.radio.amateur.boatanchors,rec.raidio.swap

In Good Working condition. If you have one for sale please let me know.
Thank you Chris

2766. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "R. Sherry" <RSherry@metricom.com>
Message-ID: <374EB3F0.4B8B@metricom.com>
Source record: 83901

Frank wrote:
>
> About twice the price at any other place.
>
> Was Bob wearing a eye patch with a parrot on his shoulder?
>
> Aaar! Aye!
I just purchased some 14 sizes (4 and 6 point up to about 0.25 inch)
from McMaster-Carr in LA. Cost was about $12 plus UPS. All items in
stock and took two days to receive in SF bay area by UPS gnd tracked.
Russ

2767. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990528115404.18121.00004784@ng-ce1.aol.com>
Source record: 83902

What and where is the other place, and what is the price.

Many thanks

W3DEF

2768. Re: SX-71

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7imc9r$6ri2@eccws1.dearborn.ford.com>
Source record: 83903

In article <374E7BC7.4175A837@sprint.ca>, denismarlene@sprint.CA says...

>Sometimes the simple things nail you!!
>It was the mismatch of speaker impedance to audio output. After
>connecting a speaker with a 500 ohm transformer, back to sweet warm
>sounds associated with Hallicrafters rigs!! Funny thing is, though, I
>don't know why it took 5-6 months to make itself evident. You see, I was
>using a standard 8 ohm speaker on the 500 ohm output for the full
>duration, and never a problem. Then a couple of days ago,
>.................. .
>You guys are the best and, if nothing else, I am now VERY familiar with
>the 'guts' of the rig. The previous owner had done a wonderful job of
>replacing ALL the old waxey caps with new, so I am hopeful of years of
>trouble free use (yeah, right, hahaha).

I got an SX-71 back in 1990 or so, and ran it for years without any problem using an R-46B on the 3.2 ohm speaker terminals (I am not absolutely certain what the impedance of the speaker in the R-46B is). Last winter I picked up an R-46 on eBay for a decent price, about $70.00 or so, and from what I've heard, the 500 ohm speaker is supposed to sound real nice when used with an SX-71. Unfortunately I've been extremely busy and haven't had a chance to actually hook it up and try it out, though... :^) I should make some room in the basement for that; mabye I will this weekend, now that I'm a little more inspired.

I recapped the SX-71 a couple of years ago, and in the process of doing that I finally figured out what was causing it to drift (ever since I had it, it always had this problem of drifting slowly downward on the shortwave bands, making SSB/CW reception a real chore)... it turned out to be one of the components in the transformer for the second converter, that one that sits on top of the small box that sits on top of the chassis. I swapped it out with one from a junker '71 chassis, and it stabilized the drifting... it's much more stable now.

C.K.

2769. FS: NOS SWEEP TUBES $25 ea

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: MK <blusky@internetcds.com>
Message-ID: <01bea936$3d27cfe0$468d1ad0@blusky>
Source record: 83904
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

```
6LF6
6JE6
6LB6
6ME6
6KD6
6JS6
6LQ6
ALL ARE US NewOld Stock TUBES
ALL $25 EACH
```

2770. FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: cosmic@nowhere.com
Message-ID: <3751dcce.4825748@enews.newsguy.com>
Source record: 83905

FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Kenwood TS-440S-AT
+PowerSupply
+Speaker
+ 2 Filters

~ Mint Condition
~ Single Owner
~ Low Use

Package includes the following:

TS-440S-AT - With Built-In Antenna Tuner
PS-50 - Kenwood Power Supply
SP-430 - Kenwood Matching Speaker
YK-88SN - Kenwood 1.8KHZ SSB Filter
YK-88C - Kenwood 500 HRZ CW Filter
SM-TS-440S - Kenwood Service Manual
OM-TS-440S - Kenwood Operating Manual
Receipts - All HRO original purchase receipts encluded.

This rig is in factory new condition. It
is complete as listed above and includes
all original Kenwood equipment boxes.
Soon after the purchase of the above rig,
It was replaced with a Kenwood TS-950D
resulting in very low usage.

If you are seriously interested in purchasing
a top quality rig, this is it. $850.

Includes ground UPS shipping in USA.

Email to: rf@atomicpage.com
Subject: Kenwood TS-440S-AT

Dick Fults - K6SX
1211 Maple Street
San Mateo, CA 94402

650-372-0716

73's

2771. Re: Help in identifying

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: stanb@localhost.localdomain
Message-ID: <slrn7ktk11.rh6.stanb@localhost.localdomain>
Source record: 83906

On 28 May 99 11:51:57 GMT, D. & M. McCarthy <denismarlene@sprint.CA> wrote:
>the overhaul was done by "Electronic Materiels Corporation Limited".
>BTW, as with my TMC GPR-90, why is materiEls spelled that way as opposed
>to 'materiAls' ? American variation, perhaps?

materiel n. the equipment and supplies used in a business or in the
armed forces (cf personnel).

Websters Dictionary

Cheers,
Stan Barr stanb@dial.pipex.com

2772. FS original Heath, Central Electronics, Globe , Collins Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: celliott14@aol.com
Message-ID: <19990528160132.14551.00006334@ng-co1.aol.com>
Source record: 83907

Manuals for :

SB-610 monitor scope- $15
HD-19 Hybrid phone patch- $ 10
DX-60B-$18
HG-10B (copy)- $ 7

WRL Globe Scout 65A- $18

Central Electronics 20A- $20

Collins 75A2 (copy)- $15

Carter

2773. FS: RACAL RA6790/GM Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "Kenneth M. Gianino" <ken@hnvr.com>
Message-ID: <374EF6FB.4018F3A4@hnvr.com>
Source record: 83908
Cross-posted to: rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors

For Sale: Racal RA6790/GM receiver with .4/1.2/3.24/6.8/16 KHz filters, remote control option and photocopy of service manual. Receives AM/USB/LSB/CW/FM from 500 KHz to 30 MHz (from 10 KHz with keyboard trick) in 1 Hz steps. Good overall condition with gas tube antenna protection and all new dial lamps. Passes all BITE tests. $795 plus shipping from St. Louis, MO.

Ken - WB0QNA
ken@hnvr.com
(work) 314-241-1188 x203

2774. FS Shure Brothers 5S microphone

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Peter Budnik <kb1hy@arrl.org>
Message-ID: <374F258F.4CE12DEF@arrl.org>
Source record: 83909

FOR SALE: Vintage Shure Bros Model 5S carbon microphoneï¿½spring mounted
in circular standï¿½probably from early 1930s. Asking $450 or best offer.
Pete Budnik, KB1HY, kb1hy@arrl.org.

2775. UPS authorized agents.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990528163943.01077.00001963@ng-fi1.aol.com>
Source record: 83910

HI All,
Here's what I learned this week. I took a 60 lb. package to my local U.P.S. authorized agent for shipping. The package is going from Northwest N.J. to Lubbock, Tx. The agent weighs it up and quotes me a shipping price of $60.00 for regular ground shipping. "$60.00??? Good Lord, that's a lotta money!!" I tell him. I take the package home, call the 800 number for U.P.S., give them the weight and dimensions of the box and they inform me that if I take it to the local U.P.S. office, it'll cost me $31.00 to ship. The saving grace here is that the local U.P.S. office is very close to where I work and therefore isn't out of the way. Now I realize that this is America and that the uathorized agent has to make his profit, but a 100% mark-up seems a little steep. (The fact that the agent lives across the street and 5 doors down from me doesn't figure into the equation at all.)

The moral of the story is that you can save a LOT of money in shipping costs by dealing with U.P.S. directly and eliminating the middleman completely.

Of course there is the small drawback that U.P.S. will only take the package between 15:00 and 19:00 Mon-Fri., but considering the savings, I'm willing to deal with that.
rgds,
Mark S.

2776. Re: UPS authorized agents.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990528165115.17008.00000074@ng-fs1.aol.com>
Source record: 83911

Hello, in my opinion, it is a waste of time, cash and security to deal with UPS

(united PULVERIZING service).
Do yourself a favor, ship via Priority mail with Delivery confirmation at the Post office...they BLOW AWAY UPS in service, price AND speed! Happy Memorial day!

Regards, Joe Pratt, Tubecntral@aol.com

>Subject: UPS authorized agents.....
>From: nc183d@aol.com (Nc183d)
>Date: 5/28/99 1:39 PM Pacific Daylight Time
>Message-id: <19990528163943.01077.00001963@ng-fi1.aol.com>
>
>HI All,
>Here's what I learned this week. I took a 60 lb. package to my local U.P.S.
>authorized agent for shipping. The package is going from Northwest N.J. to
>Lubbock, Tx. The agent weighs it up and quotes me a shipping price of $60.00
>for regular ground shipping. "$60.00??? Good Lord, that's a lotta money!!" I
>tell him. I take the package home, call the 800 number for U.P.S., give them
>the weight and dimensions of the box and they inform me that if I take it to
>the local U.P.S. office, it'll cost me $31.00 to ship. The saving grace here
>is
>that the local U.P.S. office is very close to where I work and therefore
>isn't
>out of the way. Now I realize that this is America and that the uathorized
>agent has to make his profit, but a 100% mark-up seems a little steep. (The
>fact that the agent lives across the street and 5 doors down from me doesn't
>figure into the equation at all.)
>
>The moral of the story is that you can save a LOT of money in shipping costs
>by dealing with U.P.S. directly and eliminating the middleman completely.
>
>Of course there is the small drawback that U.P.S. will only take the package
>between 15:00 and 19:00 Mon-Fri., but considering the savings, I'm willing to
>deal with that.
>rgds,
>Mark S.
>
>
>
>
>
>

Thank you,
Joe Pratt, Tubecntral@aol.com

2777. WTB HEATHKIT SB102 CIRCULAR DIAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <27779-374EF99C-109@newsd-122.bryant.webtv.net>
Source record: 83912

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

2778. FS: Swan 300B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: n3dqu@aol.com
Message-ID: <19990528175049.17711.00006244@ng-ba1.aol.com>
Source record: 83913

FS: Swan 300B with VX-2 and homebrew digital readout (BNC added to rear panel for vfo out). $250 plus shipping. Tnx. Jay, n3dqu@aol.com.

2779. WTB Kiwa Medium Wave Loop Antenna

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Jim Bo <jbollit@ix.netcom.com>
Message-ID: <374F1251.76A55D21@ix.netcom.com>
Source record: 83914

Looking for the Kaiw Medium Wave Loop Antenna.

Please advise condition and price.

Thanks in advance.

Jim
WA9ZBV
****

2780. fS; Heatth Accesories, and HR10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <374f16a6@calwebnnrp>
Source record: 83915
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

The following for sale:

1. Heath AM-2 SWR meter $25 post paid conus
2. Heath SB-10 with chrome knobs (Send/Rx switch) changed to lever switch)
otherwise in nice condition with copy of docs. $75 post paid conus
3. Heath QF-1 Q mult, small scratches on case, front has a couple of tiny scratches. $25 post paid conus

4. Heath HR10 receiver, excellent front panel, good knobs, cabinet has a few scratches. Chassis is clean but not shiny $65 plus ups on 25 lbs from 95827

Thanks for the read

Bob, KE6f
Sacramento, CA

2781. FS: FT-101ZD station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990528184555.22547.00005848@ng-cj1.aol.com>
Source record: 83916

I'm offering for sale an immaculate Yaesu FT-101ZD station. Station includes the transceiver, the stock desk mike, the FV-101Z external VFO, the FC-901 antenna tuner, and the SP-901 speaker/patch. All components are in beautiful condition and they all match. Transceiver is the last ZD model made, with the WARC bands. It is my main rig, so it's used daily on all bands 10 - 160. It puts out good power on all bands and I always get great audio reports. Price is $800 firm. I'll buy the packing material and box everything up, and u pay shipping. Better hurry, though, I'm leaving for Alaska on the 7th of June. If it's not sold by then, I'll keep it. Low hours on new 6146's. Email me at <tbal0f@aol.com> or call me at (520)398-9543. 73 de al0f, Tim.

2782. WTB: Female Octal 8 pin Socket

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990528191720.08344.00005180@ngol02.aol.com>
Source record: 83917

Need to power HW-12. Please state price shipped to 04106

Thanks
Dick, K1DPM
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING any UNBUILT Heathkits that are amatuer radio related. Top $ paid.

2783. Re: WTD H.P. Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Wayne Hertel <whertel@fn.net>
Message-ID: <374F255E.16E84F21@fn.net>
Source record: 83918

You might try an inquiry to: info@manualmerchant.com. I've used them several times with excellent results. Would expect their price to be about $25.00 including shipping. Absolutely no connection to them other than very satisfied customer.
Wayne

nospam@softcom.net wrote:
>
> Want to buy manual for H.P. 8646B Power Supply, 0-30V 0-30A, 19" rack
>

2784. FS: E.F. Johnson Electronic T/R Switch 250-39

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7infjfimc1@user2.teleport.com>
Source record: 83919
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: E.F. Johnson Electronic T/R Switch, Catalog No# 250-39. Rated as handling 4000 Watts Peak. "Fully Electronic Antenna Transfer Switch". Appears to be in good condition, but like just about all E.F. Johnson gear I've been seeing lately, needs a new AC Power cord - this is crumbling.
$35 shipped.
Larry
larryj@teleport.com

2785. Re: Bristol Wrenches for Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7ing8a$gjh@dfw-ixnews7.ix.netcom.com>
Source record: 83920

Dan,

Great pointer! I not only found the R-390A essential 0.096" 6-spline bristol wrench in a long-L version for $0.93 I also found all the stainless steel hardware I could ever want for the beloved R-390A. The best news is that they sell even #6 stainless lock washers in units of 1! I bought all new screws for the front panel I am having to remove to repair the power switch and it was only a couple of bucks. This is a great web site for boatanchor restorers.

Thanks!

Rob Dunn
Dan Rae <rae4@ix.netcom.com> wrote in message
news:374C0F5D.C1489057@ix.netcom.com...
For what it is worth
http://www.mcmaster.com/
have an enormous on-line tool catalog in .pdf format, that includes various sets of Bristol wrenches for around $9 or $10, as well as just about every hand tool that one could ever need.
However you will have to do a keyword search for Bristol (with the l at the end).
wb0poz wrote:
>
> BOught a set of these at Dayton from Surplus Sales of Nebraska for $27
> (there were 6 or 7 different).
>
> 73 John

Which makes your Dayton bargain a bit expensive.....

73 all, Dan AC6AO

2786. wanted hq 180 info/repair

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Morgan KA9ERZ <ka9erz@mediaone.net>
Message-ID: <NJI33.91$1a1.5404@elnws01>
Source record: 83921

Does anyone hve a hq180 expirience on repairing hq180's in northern ill (chgo AREa)Most comments so far are: HQ180 are expensive to repair, nearly impossible to repair $375 minimum (more that the sets is worth)!! Both sets are clean work (poorly) and I hve manuals HELP!!! mike 773/276/6688

2787. Shure D104

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Dewey Soltow <DeweySoltow@worldnet.att.net>
Message-ID: <7inl89$90l$1@bgtnsc01.worldnet.att.net>
Source record: 83922

Cleaning shack, anyone interested in a Shure D104, for old times sake.
w4ujv deweysoltow@worldnet.att.net

2788. Signal Generator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Dewey Soltow <DeweySoltow@worldnet.att.net>
Message-ID: <7inli5aas1@bgtnsc01.worldnet.att.net>
Source record: 83923

Have Hewlett Packard Signal Generator HP608, great shape, sizing down shack and equipment Best Offer, Northern Virginia area.

W4UJV deweysoltow@worldnet.att.net

2789. WTB:Yaesu **101e,ee,st,???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Steven Owen <swowen@swowen.com>
Message-ID: <374F665C.7AC80D49@swowen.com>
Source record: 83924

I am just starting out and wanting to find a Yaesu 101 style radio any
of the 101 line, that will help get me started.
I don't have alot of money to spend, so be gentle.
Thank You
Steve
alpha601 ssb
"swowen@swowen.com"

2790. WTB Hallicrafters SR-34

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "R. Fraser" <rfraser@ix.netcom.com>
Message-ID: <374F728E.570E@ix.netcom.com>
Source record: 83925

Looking for Hallicrafters SR-34 Six & Two Meter AM Transceiver. Please email!

2791. arc-5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: carcomm@qnet.com
Message-ID: <374F8C31.1AB2@qnet.com>
Source record: 83926

Looking to purchase or trade ARC-5 components: tx and rx trays, cables, control boxes and dynamotors. If you have anything laying around, even receivers and transmitters will be considered, please let me know. Thank you.

2792. Looking for ARC-5 xmtr tray..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <374F8E8D.3044@ix.netcom.com>
Source record: 83927

carcomm@qnet.com wrote:
>
> Looking to purchase or trade ARC-5 components: tx and rx trays, cables,
> control boxes and dynamotors. If you have anything laying around, even
> receivers and transmitters will be considered, please let me know. Thank
> you.

I have an ARC5 xmtr for 7-9.1 MHz
(OOPs, I mean MCS), and
and am looking for the tray for it ..

Trish

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

2793. Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7iknd bhrs1@nnrp1.deja.com>
Source record: 84034

Hi Boatanchor owners,

I have recently acquired a nice SP-600JX-26. It works quite well but the S-meter pointer bounces with the modulation when receiving AM broadcasts. I have a dozen or so other receivers including Hallicrafters, Hammarlund, and National. All the others show a steady S-meter reading when tuned to local AM broadcast stations, but the S-meter pointer on the SP-600 jumps in sync with the modulation. Is that a quirk of this receiver, or do I have a problem? All the voltages in the receiver look OK. How about it, SP-600 owners, does your SP-600 behave this way too?

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2794. Re: FS: Hallicrafters HT-32B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: Marty Tippin KI0LO <martyt@pobox.com>
Message-ID: <7ikqp2$k8h$1@nnrp1.deja.com>
Source record: 84035

I forgot to mention in my original posting that the tuning meter ("Level Indicator") doesn't work quite like it should - the needle doesn't zero (sits at about 30% deflection when power is off), and appears to have been monkeyed with at some point in its past - it's a little bent and much of the orange paint is missing.

73,

-Marty KI0LO
martyt@pobox.com

In article <7ik170$1ag$1@nnrp1.deja.com>,
Marty Tippin KI0LO <martyt@pobox.com> wrote:
> I have a nice Hallicrafters HT-32B transmitter that I've been cleaning
> up and re-painting. Accepting offers on it now; if I get a "good
> enough" offer, it won't go on eBay. Otherwise I'll put it out there in
> a few weeks and let you fellas fight for it...
>
> If you're interested, please read on:
>
> Electrically, it seems to work fine - 100W or so SSB output on all
> bands 80-10m, nice modulation too. DSB (AM) is working well - carrier
> of around 40 watts or so on all bands. VOX works fine. Two of the 10m
> band segment crystals are missing (they were options with the radio I
> believe). Only oddity is that the tuning capacitor doesn't tune where
> the markings on the knob say it should (i.e, it's in the middle of the
> 20m area on the knob in order to get resonance on 80m), and the
> frequency calibration is off by about 5KC from the dial reading.
Tubes
> are a pair of Sylvania 6146As and seem to be in fine shape.
> Transmitter is sold as-is, however.
>
> The front panel is in very good condition - one gouge in the top left
> corner of the black face plate but otherwise very nice. All original
> knobs; bandswitch knob has a small chip missing out of it.
>
> I am in the middle of refinishing the case now - sanding it down
almost
> to bare metal and painting with the closest silver and semi-gloss
black
> I could find (not an exact match). Will be done with that in a few
days.
>
> Includes an excellent copy of the manual from W7FG Vintage Manuals.
>

> Can provide pictures (on a web page) within a few days if you'd like
to
> see it; send an e-mail if so.
>
> Shipping might be the only limiting factor - the transmitter weighs
> around 85 lbs and buyer is responsible for actual UPS Ground charges;
> I'll pay to have it packed in at least 3 inches of rigid styrofoam and
> double-boxed. Shipping will be from zip 66215. International shipping
> is possible, with the buyer to bear all costs. You can go to
> www.ups.com and use their "quick cost" page to get an idea of what
> shipping will be to your QTH.
>
> If you're interested, send me an e-mail with your offer (not including
> shipping) and I'll get back to you. Buyer to pay in advance via USPS
> Money Order or other certified funds.
>
> Thanks & 73,
>
> -Marty KI0LO
> martyt@pobox.com
>
> --== Sent via Deja.com http://www.deja.com/ ==--
> ---Share what you know. Learn what you don't.---
>

--
-Marty KI0LO
martyt@pobox.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2795. Help with SX-71

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <374DE917.41335B0D@sprint.ca>
Source record: 84036

Alrighty then. I may be way off mark here, as I am not very experienced with this sort of thing, but this is what I have determined so far regarding the lack of audio from the SX-71.
The 6K6 valve I measured was close to what I would have expected, i.e. plate voltage from pin 3 B+ 325V, filament voltage from pin 8 B+ 15v, and grid voltage from pin 5 B+ 20v (stop laughing, I told you I didn't know much, HI). This said, I followed the wire from pin 5 of the 6K6 to the 6SC7, and here's where I got lost (BTW, through the headphones the audio is ample enough to make your eardrums bleed, so figured all was a-ok to that point). At 6SC7, i expected to get a reading of B+ 150v from pin 5 grid, but....NOOOOOO..... What I get is a reading of 0v from pin 5. Is there something I am missing here? Am I so far off track that many of you are now splitting your sides with laughter (c'mon, I can take it, hee hee).
I relaced the 6K6 with a known good tube, but same low volume.
Any further suggestions? Thanks so much to all who have given me direction so far.
Denis
ve3zpu

2796. SX-71 help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <374DE9B8.21FDB74C@sprint.ca>
Source record: 84037

Forgot to mention that i have no schematic for the rig, so I might be barking up the wrong tube :)

2797. FA: old wood case VTVM (General Radio)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-28 00:00:00 UTC
From: robinson@srsuna.shlrc.mq.edu.au
Message-ID: <7il048$j52$1@sunb.ocs.mq.edu.au>
Source record: 84038
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.rradio.swap

An old VTVM in a wooden case
Labeled General Radio, but Is suspect it is a Heathkit.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=108781010

2798. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: "Laszlo I. Morocz" <kf4pv@spammenotlmorocz.com>
Message-ID: <01bea96a$f9f89d00$b0de04d0@p133>
Source record: 83928
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

How about a 1-tube (or transistor) regen receiver, with a telegraph key to throw it into full oscillation for transmit? Essentially, on transmit it'd be an Armstrong oscillator. Would have terrible frequency stability and probably a lousy chirp, but it'd be very minimal in parts and if you kept the power very low no one else would hear it to complain :-)

73 - Laszlo, KF4PV/8

--
To reply, remove the text spammenot from the e-mail address.

Woodsman <woodsman@apexmail.com> wrote in article
<7iie42$cu1@newsops.execpc.com>...
<snip>
> Any ideas on a reference that details building simple CW transceivers
> from the fewest possible parts? I am not looking for DX performance here-
> no bells or whistles needed. This is for my education and if I can build
2
> units to
> send CW back and forth over short distances for practice I would be
> one happy ham.
<snip>

2799. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: willard561@aol.com
Message-ID: <19990528210550.19059.00001827@ng-fr1.aol.com>
Source record: 83929

I seem to remember an article about the Radios used by the Japanese Army during WW2 and the were based on a regen or superregen circuit. The older (1930's& 1940's)
ARRL handbooks had some circuits in them using this technique
Bill Higdon
Willard561@aol.com>ow about a 1-tube (or transistor) regen receiver, with a telegraph key to
>throw it into full oscillation for transmit? Essentially, on transmit it'd
>be an Armstrong oscillator. Would have terrible frequency stability and
>probably a lousy chirp, but it'd be very minimal in parts and if you kept
>the power very low no one else would hear it to complain :-)
>
>73 - Laszlo, KF4PV/8
>

2800. FS: New 5-pin Nuvistor sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <374f43ed.1172572@news.mindspring.com>
Source record: 83930
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Cinch Jones 5NS Ring type 5-pin Nuvistor sockets. New. $1 each plus shipping.

Compare to Antique Electronic Supply 1999 price of $2.70 each.

Marv

2801. F/S National HCU-50 Calibrator (used in HRO-50/60)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: k2112@ntplx.net
Message-ID: <qJH33.58$pj2.11856@news.ntplx.net>
Source record: 83931

For Sale - National HCU-50 Calibrator for HRO-50 and I think it will also work with a HRO-60. $95.00 shipped, money back guarantee is not satified.

Kurt Keller
203-431-9740
<k2112@ntplx.net>

2802. FA: WE Oscillator, Mullard Tubes, Astatic Mics, More!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: threemile@aol.com
Message-ID: <19990528224500.20828.00006616@ng-cf1.aol.com>
Source record: 83932

Greetings,
Among this weeks auctions I am selling a WE tube audio oscillator, Astatic mics and parts, Mullard KT-66 tubes, and several other electronics items. For pics and details please go to:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=threemile@aol.com

2803. Help with identity of BA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: denismarlene@sprint.CA
Message-ID: <374F6DAD.8933690F@sprint.ca>
Source record: 83933

Posted this earlier, but didn't see it come up, so if this is a duplicate, pardon me.
Managed to sneak yet another BA in while xyl wasn't looking. Thing is, I bought it sight unseen under the premise that it was an RCA AR-77, but nope.......
What I have is an RCA General Coverage Receiver, in service with RCAF (Royal Canadian Air Force) model is "Type GR 10". On back there is a sticker marked "Overhauled-Reconditioned by Electronics Materiels Corp. Limited July 23rd 1959". (BTW, as with my TMC GPR-90, I always wondered why 'materiEls' was spelled that way instead of 'materiAls'. Yankee variation?)A cursory look shows that the caps have been replaced with 1000v caps at that date. The thing looks/works just great. Thing is, though, I have no manual/schematic/historical info on it at all. Any of you guys out there familiar with this rig? Cabinet is similiar to AR-77, with those rounded sides at the front. The bandswitch is nifty, in that when you change bands a floating window rises or falls across the dial of both the main tuning and bandspreads. Crystal filter. Definately military silkscreening as there are no words, per se, on the face. Sine wave symbols for tuning, just an "X" for xtal filter,etc etc...
If any info is available on this, I would appreciate it, even if just to give me a nonmilitary designation.
73,
Denis
ve3zpu

2804. WTB 6386 Tubes**********

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: moonshot22@aol.com
Message-ID: <19990529011125.02102.00008113@ng-ca1.aol.com>
Source record: 83934

Will pay $15 for new in box 6386's that test good. thanks--Ron

2805. FS: US SWEEP TUBES $10 ea

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: MK <blusky@internetcds.com>
Message-ID: <01bea99a$d75e6ce0$55841ad0@blusky>
Source record: 83935
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have quite a few great looking and great testing sweep tubes with nice
silver getter flash, no boxes, low hours, some look unused
6je6
6lf6
6kd6
6lb6
6me6
$10 each while they last!

2806. Re: PRC-6 value

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <374F9214.397D@ix.netcom.com>
Source record: 83936

Craig Smith wrote:
>
> This really isn't a "boatanchor" but I do see lots of military
> stuff floating around here--any clue what the value of a new/ in the box
> PRC-6 walkie talkie w/ the seperate handset, also NIB---would be. Have
> to make an offer and don't want to insult the seller.
> Thanks, Craig

If it is really clean, maybe a collector would buy it for
$40.00 or so... I think $40.00 would be a "top-end"
price ...

Trish

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu/pks-commands.html>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

2807. ART-13

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: "Gary E." <jo-n-gary@bigriver.net>
Message-ID: <374fbd8e.0@news.isdn.net>
Source record: 83937

Hi,
If someone has an old Navy IPB for the ART-13, would you please send me the specs for the modulator transformers T101 and T202.
Thank you and 73,
Gary K4KSE...

2808. CE600L

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: "Gary E." <jo-n-gary@bigriver.net>
Message-ID: <374fc53c.0@news.isdn.net>
Source record: 83938

Hi,
What was the cabinet color on the old Central Electronics 600L Broadband RF Amplifier? They made two models that I know of, the oldest had square corners and the newer had a rounded corner cabinet. The one with the rounded corners is the one in question.
Thanks and 73,
Gary K4KSE...

2809. WTD 2 meter xtals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Walt <wb4lds@azstarnet.com>
Message-ID: <7io571$7rd$1@remarQ.com>
Source record: 83939

Hello:

I am looking for xtals for my clegg 22er. I need 144.450 MHz. If you have some FT-243 xtals near this that can be ground and want to sell them please let me know.. They should be around 8.025 MHz..

Thanks Walt

2810. WTB: Pair 4-125A Good Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <374FD404.ECB5A77B@citrus.infi.net>
Source record: 83940

Looking for a pair of good used 4-125A transmitting tubes
for my 6 meter amplifier.

Will purchase or swap radio stuff.

73 de Jim W4ONO .-.-.

2811. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <374FD62A.74F22F0@jorsm.com>
Source record: 83941
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 22.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

2812. Re: Need: 10K 2w pot--help please!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: MLJS45A@prodigy.com
Message-ID: <7ioq7h$19dm$1@newssvr01-int.news.prodigy.com>
Source record: 83942

Digi-Key stocks them also.

Jim McShane
MLJS45A@prodigy.com

2813. Re: WTB:Yaesu **101e,ee,st,???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990529105352.18130.00005257@ng-ce1.aol.com>
Source record: 83943

I wonder if u saw my ad - I'm selling a beautiful complete FT-101ZD station. Beautiful station used every day - Tim Brown, al0f, 520-398-9543 or email at<tbal0f@aol.com>

2814. FS:MFJ 989C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990529113014.18116.00004806@ng-ce1.aol.com>
Source record: 83944

FS: MFJ 989C, great condition, new roller inductor. $200 firm, u ship. Call Tim, al0f, at 520-398-9543 or email at <tbal0f@aol.com>

2815. HP 651B Test Oscillator.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Terry Sanford <tsanford@roadrunner.nf.net>
Message-ID: <375004CE.685F@roadrunner.nf.net>
Source record: 83945

Need help obtaining ctcuit diagram and other technical info for HP651B Test Oscillator.

My unit appears in good shape, but is minus the power cord.

It covers 10 hertz to 10 m.hertz; has varaible output and output level meter etc.

Any assistance would be most appreciated.

Regards Terry S.

PS. Am located about 6 miles from where Marconi received the first Trans Atlantic wireless message in 1901!

2816. Re: FS: NOS SWEEP TUBES $25 ea

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: mike <mikeandjoy@i-link-2.net>
Message-ID: <3750084A.966103@i-link-2.net>
Source record: 83946
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Do You Guarantee these Tubes ?

MK wrote:

> 6LF6
> 6JE6
> 6LB6
> 6ME6
> 6KD6
> 6JS6
> 6LQ6
> ALL ARE US NewOld Stock TUBES
> ALL $25 EACH

2817. Re: FS Kenwood TS-440S-AT "MINT CONDITION" +Filters +PowerSupply +Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Porky <pigsty@magicnet.net>
Message-ID: <hJT33.1679$RI3.72010@ord-read.news.verio.net>
Source record: 83947

Nice rig. Nice options. Nice price. "WRONG NEWSGROUP" DICK !!

2818. FS:Ameritron AL-80

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: tbal0f@aol.com
Message-ID: <19990529113316.18116.00004807@ng-ce1.aol.com>
Source record: 83948

FS:Ameritron AL-80, s/n 828, works great on 160-15. Low hours on new 3-500Z.
$400 firm, u ship. Call Tim, al0f, at 520-398-9543 or email at <tbal0f@aol.com>

2819. FS: Multi-Elmac TXs and PS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: N3BJ <N3BJ@hotmail.com>
Message-ID: <7ip603bpg1@nnrp1.deja.com>
Source record: 83949
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale: Multi-Elmac AF-67 and AF-68 transmitters with rare M-1070
12VDC/115VAC power supply, from estate. AF-67 is in very nice
condition, AF-68 in good shape, wear mark on front panel, but otherwise
good. Plastic covers over VFO are intact, not cracked.
Recently featured in Electric Radio, the "poor man's Ranger". Package
deal only, $275 shipped CONUS.

Alan, N3BJ
Bent Mountain, VA

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2820. Yaesu FT 620 B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: WD4FFN <doverta@cetlink.net>
Message-ID: <MIU33.13$qo.327974@news1.i1.net>
Source record: 83950

Just bought a FT 620 B for 6 meters. It has a curious board in it added by another owner. (homebrew) Was there a modification adding FM for the radio? has a few resistors couple of caps and a air variable cap. Don't remember a whole lot about the radio since its release. Nothing about it in the mod files. on the net I can find.
Any help would be appreicated.
Tom WD4FFN

2821. Want to buy drake MN7 tuner and MS-7 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <375013D2.CD21825F@bellsouth.net>
Source record: 83951

PSE give me a call at e-mail jhall5@bellsouth.net or 561-792-9084
W4HQ

2822. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <37501240.2D765DE3@wenet.net>
Source record: 83952

Hi,
There is a switch which select the meter from RF S to AF audio. Your switch might have been stuck with AF reading. Check the switch.
Good Luck!
de K6hm

Edward J. Engelken wrote:

> Hi Boatanchor owners,
>
> I have recently acquired a nice SP-600JX-26. It works quite well but
> the S-meter pointer bounces with the modulation when receiving AM
> broadcasts. I have a dozen or so other receivers including
> Hallicrafters, Hammarlund, and National. All the others show a steady
> S-meter reading when tuned to local AM broadcast stations, but the
> S-meter pointer on the SP-600 jumps in sync with the modulation. Is
> that a quirk of this receiver, or do I have a problem? All the voltages
> in the receiver look OK. How about it, SP-600 owners, does your SP-600
> behave this way too?
>
> --
> Best Regards,
>
> Ed
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

2823. Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <375014F4.2D6B@ix.netcom.com>
Source record: 83953
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I have in very good condition a Sailor Receiver Type R-1119
Sailor Exciter Type S-1303
and 500 watt Amplifier/220V Power supply Type T-1130
These are all rack mount units in great condition and operational when taken out of a cruise ship about a month ago. I have a complete set of manuals with all the technical manuals included. They will require interconnecting wires as they stayed with the rack. All are fully solid state. The exciter has been updated with the new ITU frequencies. The Amplifier/powersupply can be used seperately as a 500 watt output linear amplifier. I have photos upon request. They require 220VAC and would make a very good amateur station. If you need to ask any questions I can give you an address of a fellow ham who is using the very same system and finds it most impressive. The company Sailor is the leading manufacturer of high end communications equipment and also the first global telecommunication network called Iridium. $900+shipping for all three pieces. Or Trade for KWM2,75A4 or 2KW HF or VHF Amplifiers
73 Chris VE3NGW/W4 Florida

2824. Tempo One For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37501708.3F04@ix.netcom.com>
Source record: 83954
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have a Tempo One HF Tranceiver with the power supply/speaker. Low output needs two sweep tubes. Receives great. Condition is good. Cabinets look great. This would make a great back-up or just a rig to keep in another room. $145+shipping. 73 Chris VE3NGW/W4 Florida

2825. WTB: Tuning units for BC-375 and Dynamotor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <_WU33.10697$AL5.45696@ndnws01.ne.mediaone.net>
Source record: 83955
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Looking for the following tuning units:
TU-8-B, covering 6200-7700 KC
TU-6-B, covering 3000-4500 KC
TU-5-B covering 1500-3000 KC
Also looking for the top and bottom covers for these tuning units

Looking for the PE-73-C Dynamotor as well

Looking for very good to excellent unmodified stuff...

I plan on putting my BC-375-E on the air....

regards,
Chuck...K1KW

2826. Re: World War 2 clandestine radio tranceivers?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: "Cestyll O. Dywod" <willi6@erols.com>
Message-ID: <37502FE8.22DB@erols.com>
Source record: 83956
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Most recently (mostly last half of 1995, I think) there were "nostalgia" articles by Dave Ingram K4TWJ in "CQ Magazine" and the September 1995 issue had plans for a very simple tube transmitter and receiver using battery operated tubes.

For something a little more "vintage" find a September 1960 copy of Electronics Illustrated. It has a classic transceiver which uses a 6V6 transmitter, 6U8 Regen/Audio Receiver, and a 5Y3 Power Supply. It is very similar in concept and construction to some of the OSS/SOE rigs shown in the books I mentioned in my previous post.

73, Dave K7HMP

Woodsman wrote:
>
> Any ideas on a reference that details building simple CW transceivers
> from the fewest possible parts? I am not looking for DX performance here-
> no bells or whistles needed. This is for my education and if I can build 2
> units to send CW back and forth over short distances for practice I would be
> one happy ham.

2827. Looking for GF-11 manual and parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: j.m.franke@larc.nasa.gov
Message-ID: <j.m.franke-2905991430580001@franke.larc.nasa.gov>
Source record: 83957

Looking for a copy of the manual for a GF-11 transmitter and any pieces, parts or units. No dynamotors needed.

Thanks,

John WA4WDL

2828. WTB: Heath Chart Recorder

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: zygo@azstarnet.com
Message-ID: <zygo-2905991155270001@dialup03ip044.tus.azstarnet.com>
Source record: 83958

Looking for a Heathkit IR-18M multi-speed chart recorder for a hobby application, either as an unbuilt kit or a built working unit. Would also consider non-working one as long as the chart drive and servo motors are okay.

Jim Mandaville, KF7A, Tucson, AZ zygo@azstarnet.com

2829. GB6VR (Valve Radio) this Sunday ...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Mike Tatum <mike.tatum@btinternet.com>
Message-ID: <7ipdkojnm2@mendelevium.btinternet.com>
Source record: 83959

GB6VR (Valve Radio) will be operational from the East Suffolk Wireless
Revival (Known as the Ipswich Rally)
on Sunday, 30/05/99.
We will be using valve only radios on 80/40/20m + the higher bands if they
are open.

If you hear us, please give us a call!

73 es gud dx de GB6VR

Mike Tatum.
M0AWS / G1SYT

--
SPAM BAIT mailto: nobody@nowhere.void
mailto: Spam_all_you_want@just.here.com

==========

2830. Keesler AFB ARC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Jim <ad4xx@kfcu.org>
Message-ID: <8nY33.76$Da.1956@news.ntr.net>
Source record: 83960

If you have ever been a member of the Keesler AFB ARC, please visit us at
http://web.intelispan.com/~ad4xx/k5typ.html

There are old pictures to view, as well as a list of all known email
addresses for present and past members.

Jim, AD4XX

2831. FS: HAMMARLUND MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: hammarlund@acd.net
Message-ID: <375053db.96795082@news.acd.net>
Source record: 83961

Manuals
Hammarlund RDF-10 NOS.....$25
Hammarlund HQ-100A..copy..$15
Hammarlund HQ-110.. NOS...$25
Hammarlund HQ-110 copy...$15
Hammarlund HQ-129X copy...$15
Hammarlund HQ-140X copy...$15
Hammarlund HQ-140XA copy..$15
Hammarlund HQ-120X copy...$15
Hammarlund HQ-200...NOS....$25
Hammarlund HQ-205...copy...$20
Hammarlund HC-10...NOS...$30
Hammarlund HQ-140X..original...$20
Hammarlund HQ-120X..original...$20
Hammarlund 4-20 xmitter/4-11 modulator...copy..$15
Hammarlund RGB...copy...not bound..$15
Hammarlund Supplement sp-600JX & J...copy..$10
Hammarlund sp-600 JX/J issue 6 ..copy...not bound..$20
Hammarlund HQ-170..original...issue 2...$20
Hammarlund HQ-145...copy...$15
Hammarlund HQ-145X original...$25
Hammarlund HQ-160...copy...$15
Hammarlund HQ-129X..original...$20
Hammarlund HQ-105TR/TR-C/TR-E...copy...$20
Hammarlund Knob main tuning or band spread for HQ-140X...$10
Hammarlund Misc. knobs for sp-600, sp-200, and various HQ's...inquire

While looking thru boxes i had packed away, I found the Rare of Rare..
N.O.S. TM-11-851, this came in my buy in 1995 of Hammarlund stuff in
MarsHill, NC.
this manual has 6.. 2' x 4' schematics covering:
SCR-244-D
R-274-A/FRR
R-274-C/FRR
R-320-A/FRC
R-483/FRR
R-483A/FRR
taking Best offer over $100 on this manual...

I found a complete set (as offered on my site manual page:
http://www.qsl.net/hammarlund/hamrmanu.html
of all the SP-600 manuals I had. all are spiral bound except the ones
covering the SP-600-JX-17 series, these are in page protectors in a post
binder...will sell the set for $225 shipped as on the manual page.

Collins Misc. knobs for various equipment...inquire

Manuals
EFJ Ops for 275 watt Matchbox...copy...$10
Hallicrafters...S-29..copy $10
National...HRO-5A1...copy...$15
National...NC-46...copy...$15

email me if interested in any of the above, or call at 517-789-8702...
if you get no answer I may be on the internet

HAPPY HOLIDAY
bob

Best Regards Robert Fowle KC8DBC
my shipping address is: 1215 Winifred..Jackson, Mich. 49202-1946
ICQ #649056 Phone: 517-789-8702
Email address: hammarlund@acd.net
My Web Page: www.qsl.net/hammarlund

2832. FS: Round emblem DL1 Dummy Load

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: w9zr@aol.com
Message-ID: <19990529172046.24163.00008377@ng33.aol.com>
Source record: 83962

Round DL1 in very good condition,just a few small scratches. $150 plus shipping.

2833. WTB: 2 Meter Crystals for 144.4 (AM Operating Freq.)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: W6ABC <friday@ccnet.com>
Message-ID: <37505C17.4EE7F3AD@ccnet.com>
Source record: 83963

Hi,
Wonder if anyone has for sale the FT-243 (I believe that is the type)
crytal for use in the Heathkit "Twoer" and Gonset Communicator Radios
for the "AM" operating frequency of 144.4 on the 2 meter band.
Thanks and 73,
Jack

2834. COLLINS KWM2A for auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7ipr0comm1@nnrp1.deja.com>
Source record: 83964

collins kwm2a with rear mounted power supply on ebay. pics available via
email. item is located in miami fl.
heres the link
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=110734388
thanks
robert
ke4mcl

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2835. Re: Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Don <w8ns@tir.com>
Message-ID: <37502D68.34FAA30F@tir.com>
Source record: 83965
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Cris,can you send me your phone number,i am very much interested in the rig...Don

Chris wrote:
>
> I have in very good condition a Sailor Receiver Type R-1119
> Sailor Exciter Type S-1303
> and 500 watt Amplifier/220V Power supply Type T-1130
> These are all rack mount units in great condition and operational when
> taken out of a cruise ship about a month ago. I have a complete set of
> manuals with all the technical manuals included. They will require
> interconnecting wires as they stayed with the rack. All are fully solid
> state. The exciter has been updated with the new ITU frequencies. The
> Amplifier/powersupply can be used seperately as a 500 watt output linear
> amplifier. I have photos upon request. They require 220VAC and would
> make a very good amateur station. If you need to ask any questions I
> can give you an address of a fellow ham who is using the very same
> system and finds it most impressive. The company Sailor is the leading
> manufacturer of high end communications equipment and also the first
> global telecommunication network called Iridium. $900+shipping for
> all three pieces. Or Trade for KWM2,75A4 or 2KW HF or VHF Amplifiers
> 73 Chris VE3NGW/W4 Florida

2836. NEED KNOBS FOR NC183D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7ipsdlpfo1@nnrp1.deja.com>
Source record: 83966

WTB: main tuning knob and crystal phasing
knob (or similar) for National NC183D receiver.
Please reply to Vlad at kb9olm@hotmail.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2837. Re: [MilSurplus] info/manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990529.172956.-3775729.0.NFMK@juno.com>
Source record: 83967

Looking for:

Collins R-1051B or later.
AN/SGC-1 fsk keyer/demod
Power Supply for GRC-26
manual, whole or part for FRT-5 & FRT5/KY45

73 DE NFMK AR

>Submissions milsurplus@qth.net

2838. Need Info on National NC-400

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Marty <n9bmh@asapnet.net>
Message-ID: <7ipr5u$j99$1@news.inc.net>
Source record: 83968

Just picked up a NC-400 and there are two wires cut on the Octal Socket on the back. What is connected on this socket? Where do the collins filters plug in?

2839. Re: WTB:Yaesu **101e,ee,st,???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Steven Owen <swowen@swowen.com>
Message-ID: <37508374.A21ABD9@swowen.com>
Source record: 83969

No! I did not get to see your post. What are you asking for the radio?
And where do you live I am in Seattle,WA.
Thank You
Steve Owen
swowen@swowen.com

Tbal0f wrote:
>
> I wonder if u saw my ad - I'm selling a beautiful complete FT-101ZD station.
> Beautiful station used every day - Tim Brown, al0f, 520-398-9543 or email
> at<tbal0f@aol.com>

2840. Swap HAmmarlund SP600 JX6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-29 00:00:00 UTC
From: Tim Craig <wd4tc@twave.net>
Message-ID: <w2043.191$M3.11318@news3.ispnews.com>
Source record: 83970

Tnx for looking I am looking this great rec for something such as TS 50 in same cond.. The rec works 100% and looks exec.; all you do is plug this rec up add speaker and your ready to go...please reply to me e-mail if intersted.....Tim... WD4TC@twave.net

2841. R-390A Power Switch Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7is8c1$ckk@dfw-ixnews11.ix.netcom.com>
Source record: 83839

Hi All,

Second attempt to send this out, first attempt didn't seem to make it onto the server. Quick R-390A question for the group.

Has anyone found a source or substitute for the R-390A's microswitch that switches the power on/off? It is mounted to the function switch on the backside of the front panel and is actuated by a cam on the function switch. The entire function switch is labeled S102 in the parts list, there is not a separate number for the microswitch. My microswitch is very close to the end of its useful . I successfully got it off and opened up after the contracts fused closed and the radio wouldn't turn off. When I had it open I burnished the contacts and reassembled it. Now it is making an arcing noise when I power up and it cannot be long at this rate before it burns up.

Anybody else had a similar experience and located a source of spares or a substitute?

I am waiting for the arrival of the bristol wrenches before pulling the front panel again so I have a few days before I try anything. Suggestions appreciated. THANKS to ROY MORGAN who pointed me to the problem and suggested that I open the switch up and unstick the contacts. Since my first attempt to fix the switch I have found the web page http://www.islandnet.com/~dma/Boatanchors/r390an95.htm which describes pulling the switch apart but at this point I think a replacement of some sort is in order.

Thanks!

Rob Dunn

2842. Re: Need manual for National NC-183 and NC-46

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <928097536.520.18@news.remarQ.com>
Source record: 83840

You can buy nice copies (and sometimes originals) of many manuals at W7FG
and Tannenbaum. Both websites appear on the following web page:

http://antiqueradio.org/parts.htm

Cheers.

Phil
philnelson@antiqueradio.org

2843. FS:Vintage ARRL HB's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <3751C072.35A2C427@value.net>
Source record: 83841

1954 ARRL Handbook. Pages are beginning to fall out. Could be rebound. Cover in fair condx. $17.00

1956 Ed. Good condx. Some pages were marked. Two tapes hold the cover on rear. $15.00

1973 Handbook. Great condx. $15.00

1976 Handbook. Great condx. $15.00

You ship on all. Contact me a this address. Cal.

2844. RACK MOUNT CABINET ON E BAY 110153532

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Billy Gill <bgill@inetone.net>
Message-ID: <928101099.595.61@news.remarQ.com>
Source record: 83842

GOOD CABINET FOR AMP OR POWER SUPPLY

2845. Re: FS:Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: mmarce6692@aol.com
Message-ID: <19990530180206.15023.00001733@ng-fn1.aol.com>
Source record: 83843

>(RE) KWM2-A (VGC)

Ho much do you wante for the KWM2A?
or the S-line or amp? Please email to Stan
WA6WJN stanleyslw@earthlink.net

2846. FS Swan 400/vfo/ps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <3751c18b@calwebnnrp>
Source record: 83844
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale:
Swan 400 xcvr. With 420 VFO and 117XC power suppy (not
speaker version). Unit works find and is in fairly nice condition. Usual
swan traits such as requiring a warm up for the VFO to settle down. The
finals are in fair condition, but I would suspect that a pair of 6HF5s are
in its future. Otherwise, everything seems to work fine. The XCVR and VFO
have the optional mounting bar attaced to the pair. No modifications noted.
Have used the radio as a garage rig for a number of years (dry garage and
radio is run a few hours each weekend to keep in shape. Includes a Shure
444 type mike and mike plug.

$250 plus UPS from 95827 (I'll pay for UPS Foam Versapack to ensure
save delivery).

PS I really do not want to break up the set and sell the vfo or mounting
bar or the power supply. I may have some second generation docs on the
unit.

73
]
Bob, KE6F
73

2847. WTB Collins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Monte Keller <k9dzd@iquest.net>
Message-ID: <dlj43.246$A4.1070@news1.iquest.net>
Source record: 83845

Im looking for a decent KWM2 or 2a
thanks
monte k9dzd@iquest.net

2848. WTB KWM2 CABINET

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <3751E0E3.35D6@swbell.net>
Source record: 83846

If you have an old Collins KWM2 cabinet, I need it to house my rack
51S1 receiver.

As long as it's not dented, I'm interested.

Please reply by e-mail.

Thanks to the NG!

Dan
W5VJ
Tulsa

2849. Q> 400Hz AC motor/generator pin connection

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: knaka@riec.tohoku.ac.jp
Message-ID: <knaka-3005990954420001@nakajima.yamashita.riec.tohoku.ac.jp>
Source record: 83847

Thanks for reading.

I have had motor drive #L13 roller inductors taken from
Collins ARC-58.
Unforetunetely, motor wiring are cutted off.
Does anyone know how to use the motor?

The motor-generator is
Type 665-53-109-1 Collins No. 229 0128 00
which has ten terminal pins on the bottom end.

Any information will be appreciated.

73 Ken JA0RYN/7

2850. KWS-1 FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: K9CSM <k9csm@pcisys.net>
Message-ID: <928116046.129.48@news.remarQ.com>
Source record: 83848

053099--I have a very nice looking KWS-1. SN.500 range. The front of both upper & lower panels are unusually good. Original. I have $2500 in cash in it, but I will sell it for the best offer over $2000 with my option to refuse any & all offers. I just feel its time to let someone else enjoy it.
I can ship it as I have proper cartons & shipping material. By what method once packed is up to the buyer, who will make those necessary arrangements, at his expense.
It has the vernier main tuning knob (4:1 gear reduction), 4X250 tubes. Very clean, both in & out. One plug needs repair. I will try to answer any questions. Thanks for reading. Ben Piller k9csm@pcisys.net

2851. Heath Apache and DX-100 Magnetics

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <3752187d@calwebnnrp>
Source record: 83849
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale:

1. High Voltage Xfmr for Apache
2.Low Voltage Xfmr and fils Apache
3. Choke. Apache
4. DX-100 Modulation Xfmr

These are all of the potted variety, leads are servicable although cut to length for the Radio Kit. No dents on the cases, but a repaint would not hurt. No shorts and no sign of tar expushion. Would like to sell the entire set.

$65 for the set plus UPS from 95827 Will weigh up the quartet if interest is shown.

tnx for the read es 73
Bob, KE6F

Sacramento, CA

2852. WTD: SX-101 "response" Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: cnord@snet.net
Message-ID: <37508d37.97190445@news.snet.net>
Source record: 83971

This is the knob that has Power, SSB etc on it.
Anyone have one for sale ?
Tnx and 73

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

2853. Re: Need Info on National NC-400

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: ka9p@aol.com
Message-ID: <19990529212734.05572.00002665@ng-cn1.aol.com>
Source record: 83972

Marty -
The socket on the back is the accessory socket, You can pick up 6.3 volts at pin 7 and 200volts at pin 8 - the plug should normal have pins 1 and 2 jumpered and pins 3 and 4 jumpered (assuming you're not using 7 and 8.

The mechanical filters go in the optional mechanical filter holder that replaces the crystal filter unit - if you've got one in there, its behind the crystal filter adjust knobs and you'll know it, If you do have one, send pix :)

Good luck, its a neat set.

Scott

2854. Radiofest XVIII

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990529214327.01863.00001214@ng-ck1.aol.com>
Source record: 83973

RADIOFEST XVIII
AUGUST 4-7, 1999
ELGIN PLAZA HOTEL

The Antique Radio Club of Illinois (ARCI) will again
feature an actual operating vintage amateur radio station
at RADIOFEST XVIII.

The event is to be held on August 4-7, 1999 at the
Elgin Plaza Hotel in Elgin, Illinois. RADIOFEST is one of
the nation's largest gatherings of antique radio collectors.

Our host for the station, NC9CQX, Harry Blesy, will be
assisting individuals who bring a current copy of their license,
to broadcast over a variety of vintage tube equipment. The station
will operate AM Phone and Single-Side-Band (SSB) on the 40, 20, 15
and 10-meter amateur bands. Contact (or receive for SWL's) on any
of these days and send a reception report along with a Large
self-addressed, stamped envelop to the ARCI address below for a
special QSL certificate.

Do not miss out on this exciting opportunity and for a chance to
experience RADIOFEST XVIII. For more information about this rare
opportunity or for information, visit our web site at

http://members.aol.com/arci31280/arci.htm

or contact Art Bilski at (630) 739-1060.

Antique Radio Club of Illinois
P. O. Box 1139
LaGrange, IL 60526
E-mail: arci31280@aol.com

2855. Re: Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: wa5dxp@REMOVETHISacadiacom.net
Message-ID: <37508ff4.23502788@news.acadiacom.net>
Source record: 83974

I have used these sets for several years on many ships, and you neglected to mention a few things. Most of the exciters were set up for USB only, and also only worked only in the Marine Bands, unless you had a set of special chips which would open the synthesizer up. Do you supply the chips? There was a LSB button on front panel, but I never saw a ship that had the LSB option installed. So forget 160, 80 and 40 lsb.

Receivers were USB only, but by using the CW position and riding the RF gain control, it was possible to tune LSB ONLY if your particular receivers BFO range went far enough the other way. HANG AGC on the receiver can drive you crazy if you are used to a normal ham rig.

Constructing the interconnecting cables without connectors would be a major undertaking. I will almost bet your friend has the console that these racks mount in with interconnecting cables. Still, without the center console interconnecting position, interfacing the thing would be a nightmare, as ALL of the interface/control/sidetone/patch/ muting circuitry was contained there.

Transmitter is designed to work into matching auto coupler, but could possibly be made to tune with a manual tuner, but would require a design change in the circuitry. Used a pair of 8122's in the final amp.

A person would have to be a glutton for punishment or want a good long project to get these things on line. Caveat Emptor. I had a chance to get a complete new station for free when ship went to GMDSS, and would have only had to pay the shipping home, and I left it in the wharehouse.

If you had the complete console, wooden console desk with all interconnecting cables and interface connections in center console, and EVERYTHING that came with it (enough manuals to give you a hernia), and you had plenty time on your hands, and you had the sailor coupler and whip antenna, and a reinforced concrete floor, then it might be a good project for nostalgia purposes in a maritime museum.

Be prepared to visit Denmark for spare parts too..... :)

On Sat, 29 May 1999 12:25:24 -0400, Chris <ck5@ix.netcom.com> wrote:

>I have in very good condition a Sailor Receiver Type R-1119
> Sailor Exciter Type S-1303
> and 500 watt Amplifier/220V Power supply Type T-1130
>

2856. FT 901 sale/trade

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: f10plt@aol.com
Message-ID: <19990529224706.01104.00002077@ng-cq1.aol.com>
Source record: 83975

Yaesu FT 901 Digital Xceiver 160-10 Full output Book and Hand Mic. Sell $ 275.00 you ship or trade for Heathkit SB 301/401 303 etc. Larry WA2PZI Ship from 08810
New Jersey

2857. Re: Harris RF 301 Xcvr, Beautiful RCA Mic, 2 Hallicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Tom KA4RKT <badger@telalink.net>
Message-ID: <rD343.3444$Ml2.242@news1.atl>
Source record: 83976
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

J. Murray Neece <kc5mdm@iglobal.net> wrote in message
news:374DAD44.31E4D41E@iglobal.net...
> eBay item 109026823 (Ends 05/30/99, 13:41:40 PDT) - RARE RF Harris
> Tranciever L@@K! eBay item 109031141 (Ends 05/30/99, 13:52:24 PDT) -

If I didnt already have one, I would be tempted to bid on that RF-301. I
have the
green GRC-165 version, otherwise identical. Good rugged radio, go for it.
Fair and Murphy have them in the green version. The commercial version
actually
is "rare", kinda a few and far between. Unusual to actually see a "rare"
item on Epay
that really is. LOL

Wouldn't call it an antique though. :-)

73

Tom KA4RKT

2858. Re: Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3750C618.E9F@ix.netcom.com>
Source record: 83977

Jim you are 100% incorrect. The unit I have is built in 1989. It is all solid state, not with 8122 like the model from 1968 that you were familiar with. The receiver goes from 10KHz- 30MHz all modes. The exciter works all modes form 1.6-4MHz and has the updated eprom to work from 4-27.5MHz. The amplifier/power supply works from 1.6-30MHz 500watts out all solid state. Sailor has 78 dealers who carry parts/service in the US and nearly every marine electronic repair service handles either Sait or Sailor as they are the most popular marine communications equipment in the world. If you like to speak with other amateur users of this exact station I would gladly give you their email address. Please check your information, you'll find that Sailor made 38 different models of receivers, 24 different exciters and 17 different amplifiers. If you need a complete listing I would be happy to provide you with one with all the specs. There was never a console required nor could possibly be used in these newer systems. I pulled this from the ship last month as it was required by SOLAS to connect the fax transmitter separate thus requiring a whole new system. I am familiar with the unit you are thinking of and you are correct about that one 1965-68 green rackmount with a plastic cup looking device which was the motor servo to load the amp. Thank you for sharing your feelings with us though. 73
Chris

2859. Need manual for National NC-183 and NC-46

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990530015931.15928.00003516@ng-cl1.aol.com>
Source record: 83978

I am looking for Manuals or copies
Will pay for your expenses
Thanks
Mike N6KYD

2860. Re: Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: k1xv@nac.net
Message-ID: <37511134.1096693@news.gte.net>
Source record: 83979

On Sun, 30 May 1999 01:01:12 -0400, Chris <ck5@ix.netcom.com> wrote:

>Jim you are 100% incorrect. (snip)

Good Job Chris. It seems like there is always someone around who wants to put down someone else without knowing all the facts. I am unfamiliar with the equipment you offer but do enjoy using marine/military gear on the ham bands. It is ususally bullet proof as it is designed for continuous use in environments more hostile than a ham shack.

Good luck with your sale.

Ray K1XV

2861. Re: Need manual for National NC-183 and NC-46

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7iriibrgd1@nnrp1.deja.com>
Source record: 83980

In article <19990530015931.15928.00003516@ng-cl1.aol.com>,
radiodoc37@aol.com (RadioDoc37) wrote:
> I am looking for Manuals or copies
> Will pay for your expenses
> Thanks
> Mike N6KYD
>
Mike:

Check out the web site <http://bama.sbc.edu>. You can down load a
complete manual for the NC-183 as well as a schematic for the NC-46.

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2862. Re: Commercial 500W HF solid state Station

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: wa5dxp@REMOVETHISacadiacom.net
Message-ID: <3751407a.8029465@news.acadiacom.net>
Source record: 83981

Chris is correct, I was thinking of the MF portion of the station and
not the HF portion, which sits in a smaller rack to the side.

Jim

On Sun, 30 May 1999 01:01:12 -0400, Chris <ck5@ix.netcom.com> wrote:

>Jim you are 100% incorrect. The unit I have is built in 1989. It is
>all solid state, not with 8122 like the model from 1968 that you were
>was the motor servo to load the amp. Thank you for sharing your feelings
>with us though. 73
>Chris

2863. HBR reflector now available.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990530113920.10853.00005364@ngol04.aol.com>
Source record: 83982

For those of you that are interested in HBR receiver the reflector service at qth.net is now available. To subscribe just send a note to majordomo@qth.net and in the body of the text just say subscribe HBR. You will receive a confirmation message with addtional instructions. Just follow the instructions and your all signed up and will receive messages from the reflector just like Hallicrafters, Hammarlund, etc.
Below is a brief description of this group.

Do you remember the HBR receivers that were designed by the late Ted Crosby, W6TC? There were several versions of these very popular homebrew receivers. The first was the HBR-14 published in the July 1957 QST, followed by the HBR-16 in the October 1959 QST, the HBR-8/11 in March/April 1963, the HBR-12 in April 1964, and the HBR-13 in the October 1965 QST. There were also many improvements and add-ons by others, Alexander Stewart, WA4ZNI and William McKay, W7QBR to name just a few.

Many HBRs were built, and there is presently a small group HBR enthusiasts who are interested in your stories about the HBR you anticipated building, built,
used, or currently use. We would like to know your perception of how well it performed, problems you had with construction, calibration, etc. We're also interested in hearing from those of you curently trying to locate an HBR or if you anticipate building one.

We would like to hear about any correspondence that you may have had with Mr. Crosby, Mr. Stewart or the authors of HBR related articles published in QST and other amateur publications. Also, don't forget Mr. Ed Kent, K8EML, he was the compiler of the original HBR Notes. Did you have any correspondence with him? Tell us about it!

If you are currently interested in building one of these fine receivers we invite you to network with us. There are no fees, we're just a group of HBR enthusiast that help each other locate and obtain the necessary parts, share construction hints, etc.

In summary, if you're an admirer of the HBR tube receivers, then we would like to hear from you.

73's
Bob, W4RLC (formerly WA7OGU)

2864. Re: 6 Mtr Military Radios- Calling Freqs.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Jim <jvpoll@dallas.net>
Message-ID: <37515DF1.1573DA9C@dallas.net>
Source record: 83983
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Are you aware of the large numbers of hams who still
listen to ('guard') 52.525 MHz on six Meters?

Over the years I have logged hundreds of contacts on 52.525 ...
Using no more than 15 watts in the first few years.

Jim in Tx

David Stinson wrote:

> The Military Collector's Group mailing list,
> a major group of internet-connected military radio collectors,
> has settled on 6-meter calling frequencies for our
> green VHF military radios like the BC-620, BC-659,
> PRC-6, PRC-10, RT-70, RT-68 and others.
>
> 51.0 MC FM General local use, in the tradition of 3885 KC.
> Re-enactment groups, field days, special events etc.
>
> 51.6 MC FM DX calling frequency for military rigs.
> For the stout-hearted who want to work
> across the pond with their PRC-10.
>
> 50.6 MC AM VHF mil rigs (there are a few) calling and secondary use.
>
> With the sunspots on the rise, I will be dedicating
> a scanner and antenna to guarding these frequencies in
> central Texas beginning this summer.
>
> Please relay this information as you see fit.
>
> 73 DE Dave Stinson AB5S
> arc5@ix.netcom.com

2865. Re: 6 Mtr Military Radios- Calling Freqs.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37515FF4.970B2895@ix.netcom.com>
Source record: 83984
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

Jim wrote:
>
> Are you aware of the large numbers of hams who still
> listen to ('guard') 52.525 MHz on six Meters?

Thanks for writing, Jim.
Yes, but most military radios will not make this frequency
without buying special crystals or modification.
Standard issue crystals are available for the frequencies chosen,
and irreversable modifications to historic radios
are no longer acceptable to serious collectors.

TNX ES 73 OM DE Dave Stinson AB5S
arc5@ix.netcom.com

2866. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: John Black <jmblack@compuserve.com>
Message-ID: <OEsEMorq#GA.348@nih2naae.prod2.compuserve.com>
Source record: 83985

My JX26 does this, too. Only about 1/8" though. It seems to deflect downward with modulation.

I'm sure that the meter ballistics would also affect this, versus other receivers.

Great radio, though!

John KB5AG

Edward J. Engelken wrote in message <7ikndbhrs1@nnrp1.deja.com>...
> Hi Boatanchor owners,
>in the receiver look OK. How about it, SP-600 owners, does your SP-600
>behave this way too?
>
>--

2867. FS: National NCX-1000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: k3bf@aol.com
Message-ID: <19990530140116.19946.00006700@ng-ft1.aol.com>
Source record: 83986

For sale:

Excellent condition NCX-1000 transceiver. Looks new. Set up for 240V operation
and puts out 550-600 watts. New power supply caps. Terrific receive audio.
Spare driver and final. Original manual. $1200 + shipping from 32504

Bruce K3BF
Pensacola, FL

2868. Re: 6 Mtr Military Radios- Calling Freqs.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7is603ico1@news1.alltel.net>
Source record: 83987
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.policy,rec.radio.amateur.misc

52.525 you can fund me there.....have an old motorola that sets there all
the time...gimme a holler some tme when the band is open......

Dave
KG5XR
Dave's Radio Electronics
http://www.geocities.com/TheTropics/Island/4371/index.html

David Stinson <arc5@ix.netcom.com> wrote in message
news:37515FF4.970B2895@ix.netcom.com...
>
>
> Jim wrote:
> >
> > Are you aware of the large numbers of hams who still
> > listen to ('guard') 52.525 MHz on six Meters?
>
> Thanks for writing, Jim.
> Yes, but most military radios will not make this frequency
> without buying special crystals or modification.
> Standard issue crystals are available for the frequencies chosen,
> and irreversable modifications to historic radios
> are no longer acceptable to serious collectors.
>
> TNX ES 73 OM DE Dave Stinson AB5S
> arc5@ix.netcom.com

2869. National NCX-5 fs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-30 00:00:00 UTC
From: Hillbilly Dave <daves@oztech.com>
Message-ID: <7is686ifj1@news1.alltel.net>
Source record: 83988

i have an old nat'l NCX-5 recieves good and loads up...but have not put on the air...pritty clean , about a 7or8 out of 10 with manual... $250.00 + shipping

Dave
KG5XR
Dave's Radio Electronics
http://www.geocities.com/TheTropics/Island/4371/index.html

2870. What's a Hallicrafters S-20R worth?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Rick Williams <williams@brunnet.net>
Message-ID: <7iskbdgra1@phobos.brunnet.net>
Source record: 83850

A friend of mine called me today to see if I'd be interested in buying his Sky Champion (which I guess is an S-20R). What would one of these be worth in better than average condition? Thanks. Rick, VE9HF.

2871. Re: New Electomagnet Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Bobby Mc Elroy <n4xfh@primenet.com>
Message-ID: <Pine.BSI.4.02.9905310057490.24306-100000@usr07.primenet.com>
Source record: 83851

> I have one new in the original box a Quam Electomagnet 10 inch
> speaker. Part number is 10E15 type 10" V>C> Imp 3.2Z Field 1500 ohm will
> take the best offer in the next five days. You ship from Macon,Ga. P.S. it
> has Adjust-A-Cone. Bob McElroy n4xfh Have a good day.
>
>
>
>
>
> ---
> n4xfh __ __ ____ ___ ___ ____
> n4xfh@primenet.com /__)/__) / / / / /_ /\ / /_ /
> / / \ / / / / /__ / \/ /___ /
> ---
>
>
>

2872. Need info for Bendix/King RT-1594/PRC-127

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <3751e179.33517595@news.mindspring.com>
Source record: 83852
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.swap,sci.electronics.repair

Need instructions on how to reprogram frequencies from front panel.

Thanks, Marv

2873. WTB Millen 90901 1" oscilloscope (not 90911)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: neil@aade.COM
Message-ID: <3751E0AB.A0A8A8C2@aade.com>
Source record: 83853

subject says it all. Condition unimportant as long as it has 1CP1 CRT.

--
Neil
http://www.aade.com
mailto:neil@aade.com
Almost All Digital Electronics
1412 Elm St. SE
Auburn, WA 98092
253-351-9316

2874. WTD;KNIGHTT-150 XMTR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3751E65F.4A2C@sympatico.ca>
Source record: 83854

iAM LOOKING FOR A KNIGHT XMTR MODEL 150 IN GOOD SHAPE
73
VE2AMK

2875. BA Classifieds

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <3751E705.8967D0E2@eclipse.net>
Source record: 83855

```
Dedicated to vintage radio.
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Thanks for reading..
```

2876. FS SBE SB2-LA linear amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <375279AA.65DA@smartt.com>
Source record: 83856

For Sale

Sideband Engineers (SBE) linear amplifier.

Model SB2-LA.

Covers 80 to 15 meters and uses six 6LQ6 / 6JE6 sweep tubes.

Very good cosmetic and electrical condition in full working order.

The tubes are all strong and the amp produces full output.

Original manual included.

$170 US plus shipping.

Please reply to csc@smartt.com if interested.

2877. Re: HBR reflector now available.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: wmeara@erols.com
Message-ID: <375299e9.67336017@news.erols.com>
Source record: 83857

Bob: I've been following your project. Very interesting. FB on the reflector. One suggestion: Maybe (perhaps later) expand the scope of the reflector to include ALL homebrew receiver projects. There are very few hams building receivers these days and I think your reflector could play a very useful role in keeping people in touch.

I've admired the HBR and have read the articles in the ham mags, but this particular RX is (for the moment) beyond my technical abilities. I have however built a homebrew solid state RX for 20 CW and, more recently, an HB RX for 80/40 (Mighty Midget) See my Web Site for details:

http://www.erols.com/wmeara

73 Bill N2CQR

On 30 May 1999 15:39:20 GMT, robertc908@aol.com (RobertC908) wrote:

>For those of you that are interested in HBR receiver the reflector service at
>qth.net is now available. To subscribe just send a note to majordomo@qth.net
>and in the body of the text just say subscribe HBR. You will receive a
>confirmation message with addtional instructions. Just follow the instructions
>and your all signed up and will receive messages from the reflector just like
>Hallicrafters, Hammarlund, etc.
>Below is a brief description of this group.
>
>Do you remember the HBR receivers that were designed by the late Ted Crosby,
>W6TC? There were several versions of these very popular homebrew receivers.
>The first was the HBR-14 published in the July 1957 QST, followed by the
>HBR-16 in the October 1959 QST, the HBR-8/11 in March/April 1963, the HBR-12
>in April 1964, and the HBR-13 in the October 1965 QST. There were also many
>improvements and add-ons by others, Alexander Stewart, WA4ZNI and William
>McKay, W7QBR to name just a few.
>
>Many HBRs were built, and there is presently a small group HBR enthusiasts
>who are interested in your stories about the HBR you anticipated building,
>built,
>used, or currently use. We would like to know your perception of how well it
>performed, problems you had with construction, calibration, etc. We're also
>interested in hearing from those of you curently trying to locate an HBR or
>if you anticipate building one.
>
>We would like to hear about any correspondence that you may have had
>with Mr. Crosby, Mr. Stewart or the authors of HBR related articles published
>in QST and other amateur publications. Also, don't forget Mr. Ed Kent,
>K8EML, he was the compiler of the original HBR Notes. Did you have any

>correspondence with him? Tell us about it!
>
>If you are currently interested in building one of these fine receivers we
>invite you to network with us. There are no fees, we're just a group of HBR
>enthusiast that help each other locate and obtain the necessary parts, share
>construction hints, etc.
>
>In summary, if you're an admirer of the HBR tube receivers, then we would
>like to hear from you.
>
>73's
>Bob, W4RLC (formerly WA7OGU)

2878. Re: HBR reflector now available.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: AAFRadio@erols.com
Message-ID: <37526D04.6EEB0F7B@erols.com>
Source record: 83858

Bill Meara wrote:
> One suggestion: Maybe (perhaps later) expand the scope of
> the reflector to include ALL homebrew receiver projects. There are
> very few hams building receivers these days and I think your reflector
> could play a very useful role in keeping people in touch.

I'd like to reinforce Bill's recommendation - once you've built any of these sets, your plans naturally turn to modification and improvement, which brings in the fine HB receiver notes in the RSGB 5th Edition Handbook as well as a wealth of other resources. The idea of a reflector dedicated to homebrew tube receivers is long past due, but I'd be disappointed to see it limited to just the narrow HBR-xx series, though they are an excellent jumping off point. No need to change the name, though...Home Brew Receivers is what it's all about.

73,
Mike Hanz KC4TOS

2879. F.S. Bound QST's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Tom Dawson <dawson_t@mediasoft.net>
Message-ID: <7Zv43.313$Gj1.13078@news13.ispnews.com>
Source record: 83859
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Complete Bound Sets of QST's from 1930 to present for sale $1100.00 for the set or trade for late model Kenwood or Icom etc. HF tranceiver.

John Boyd
W4WG
(540) 338 5725

2880. BIRD Paint

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Arthur Moe <kb7ww@uswest.net>
Message-ID: <37527E85.270F4526@uswest.net>
Source record: 83860

Can someone recommend a good match for BIRD 43 Watt meters? Pick up a pair that spent a lot of time in a service box and really need to be repainted.

Thanks
Art
KB7WW

2881. FS Gates BC-1T AM TX 1 KW AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990531103233.02270.00005087@ng-cb1.aol.com>
Source record: 83861

FS Gates BC-1T, ! kw AM BC transmitter
Pick up only

Dennis K6RCL
Goleta, CA. 93117
Dennis
Goleta, Calif. 93117

2882. Collins 300 GY FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990531103435.02270.00005088@ng-cb1.aol.com>
Source record: 83862

FS Collins BC TX, 300 GY, 250 to 300 watts
pick up only

Dennis K6RCL
Goleta, Calif. 93117
Dennis
Goleta, Calif. 93117

2883. FS R-390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: redmondj <redmondj@concentric.net>
Message-ID: <3752B8F8.D84A909E@concentric.net>
Source record: 83863

Clean R-390A. Some paint wear on the front panel and tuning indicator bezel from use. Collins label but some non collins decks, IF and audio. Prefer pickup in Seattle area or will be a Seaside convention the weekend of the 5th. $400.

Alan K6RFK

2884. FA: BC-348 R on Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Jerry Franks <w4rf@worldnet.att.net>
Message-ID: <7iuj4v$nm0$1@bgtnsc01.worldnet.att.net>
Source record: 83864

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=111282290

2885. F S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990531153319.22558.00006614@ng-cj1.aol.com>
Source record: 83865

I HAVE FOLLOWING TUBES AVAILABLE

813 ....$15
814..........$12
811A.......$20 NEW.
6L6 ....$5
4-125......$15
4-250A....$25
1L4.........412.
12BY7 ....$5 CHECKED AS NEW

TUBES I SELL ARE GUARANTEED
JOHNYK78@AOL.COM

2886. WTB: SX-100/SX101 Pitch Control Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: kk6ob@aol.com
Message-ID: <19990531175102.15929.00004044@ng-cl1.aol.com>
Source record: 83866

Need the 5-0-5 pitch control knob for the SX-100 or SX-101. Thanks, Howard. KK6OB@aol.com.

2887. FS Collins BC Transmitter / 160 Meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Merle <lal@sum.net>
Message-ID: <37531079.0@209.4.156.74>
Source record: 83867

A beauty, Collins BC Transmitter with manual and accessories, unit is in new condition at least a 9+ pickup only Central Florida Will work on 160 meters or can revert back to BC. NO HOLES MODIFICATION to 160 !

73 es tnx.

Merle

2888. BAs around London

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: David Jameson Mccreery Jr <hisdjm@panther.Gsu.EDU>
Message-ID: <Pine.GSO.3.95.990531195558.25324C-100000@panther.Gsu.EDU>
Source record: 83868

I'm going to be in London in mid-June for a conference and have a free day. Does anyone have any BA recomendations? = eg. telecommunications museums, stores, etc. Thanks, Dave

2889. BIRD 4360 info?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <37535730.1642@nbnet.nb.ca>
Source record: 83869

Howdy....Attempting a repair on my Bird Hammate model 4360 (hf) wattmeter. The pickup has at least one burnt resistor....appears to be 35 ohms...wonder if anyone can confirm this (the remaining fragments are pretty small!). Of the remaining components part of the pickup assembly, there is a glass encased axial lead device which quickly looks like a diode but lifted shows no junction voltage/difference (short) either fwd or reverse....it is a little different looking than diodes I've seen and wonder if anyone can confirm that it (was) a diode or is something else (fuse maybe?). Daring to ask...does anyone have a schematic for this little wattmeter who could describe the components of the pickup (rotating directional coupler) assembly re values etc. Thanks - See if I can get my fleamarket "prize" working LOL.

73 - Gord VE1AJF

2890. WTB: Service manual for HP-608F

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-05-31 00:00:00 UTC
From: larryc@northwest.com
Message-ID: <375358CB.13CF@northwest.com>
Source record: 83870
Cross-posted to: rec.radio.swap,sci.electronics.equipment,rec.radio.amateur.boatanchors

I want the "F" series service manual.

THanks. Reply to "Larryc@northwest.com", not here.

2891. FS Sams Photofact for Halicrafters SX-71

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7j1g17$3kk@news.Hawaii.Edu>
Source record: 83739
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Dated 11-50, in new condition. $10 + postage.

Jeff KH6O

2892. Tubes for sale:

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: hitriode@iinet.net.au
Message-ID: <375449e8.1782937@news.m.iinet.net.au>
Source record: 83740

Sylvania: 7027A $US25-00
Siemens EF86 NOS $US20-00
Amperex: E810F/7788
E180F many types $US8-00
Sylvania 6BQ5/El84 $US12-00
Nuvistors: Sylvania. 7586. Flat tops. $US12-00. {$30 From Antique Electronics}
All New in Boxes.

RUSSIAN: EL84/6BQ5.
1x EL84 =$US4-00.
10 x EL84 =$US 3.75.
20 x EL84 =$US 2.50.
Russian Svetlana: EL34
1x El34= $US10-00
10X El34 = $us9-00
Russian 5881/6L6WGC
X 5881 +$US8-00
10X5881 +$US 9-00
Can supply matched.
AUSTRALIA

2893. Amateur Radio Information!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <375450b2.37809525@news.earthlink.net>
Source record: 83741
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.misc,rec.radio.amateur.homebrew,rec.radio.swap

Hi! No need to search and search all over the internet for RADIO INFORMATION!!

All kinds of schematics on-line, projects, and 10,000 links to Cool web information.

Listings of where to find everything about amateur radio that is NOT on the web too! All free!

Visit:

http://home.earthlink.net/~af4k/hamlynx.htm

You will be glad that you did!

73

2894. Re: WTB: HP-606B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: jfeng@my-deja.com
Message-ID: <7j1qsl$4h5$1@nnrp1.deja.com>
Source record: 83742

In article <7iv4no$ne8@newsops.execpc.com>,
franklin@net-link.net (Gary F. Franklin) wrote:
> Looking for a HP-606B signal generator in good working condition.
> Would also consider a HP-606A.
>
> Gary K8BKB
>
> franklin@net-link.net
>

For those in the SF Bay/Silicon Valley area, RA Enterprises in Santa Clara had three of these the last time I looked(5/22). They are planning on "going out of business" in July and the condition of these is unknown, so you can get them cheap. I got one for less than $1/pound. BTW, no power cord, so you have to find an HP power cord.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2895. NC183 tube layout???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990601181759.01642.00010652@ng-cg1.aol.com>
Source record: 83743

Hi All,
I just got a National NC183 and sure to form UPS managed to cause some damage. The power xfrmr broke free from some of it's moorings and swung around inside there, breaking tubes and denting the tuner cover. I need to know what the tube layout is for the 2 tubes right in front of the power xfrmr. Any Help would be greatly appreciated.
rgds,
Mark S.

2896. Re: NC183 tube layout???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3754736F.1E1CDBD0@erols.com>
Source record: 83744

Its a pair of 6V6's (PP audio output). Maybe UPS should gp into the destructive testing business. I received an HQ-160 bent into a trapezoid! Good luck with your 183!

Nc183d wrote:

> Hi All,
> I just got a National NC183 and sure to form UPS managed to cause some damage.
> The power xfrmr broke free from some of it's moorings and swung around inside
> there, breaking tubes and denting the tuner cover. I need to know what the tube
> layout is for the 2 tubes right in front of the power xfrmr. Any Help would be
> greatly appreciated.
> rgds,
> Mark S.

2897. FS Collins 618T(3) units

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <3754a07c@calwebnnrp>
Source record: 83745
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale:

I have a few complete but not tested Collins 618t(3) hf avionics SSB/CW/AM transceivers. These have a pair of 4CX250FGs in the autotune power amp and a few tubes in the high level section of the transmitter driver/mixer stages and receiver mixer stages. Otherwise it is a transistorized unit. The frequency coverage is 2-30 Mhz in 1 Khz steps. Stability with the ARC-102 oven system is 1X10-6 per month. It transmits USB/LSB/ AM (1 sb) CW/ and has provisions for a data link. Full AGC action on all modes. Contains three mechanical filters, one for each sideband and a nominal 6 khz unit for AM. The transmitter has a vox system and also works semi-break in on CW. The rated output power on SSB is 400 watts PEP with a rated output of 100 watts on AM and CW. Power requrirements are 28VDC at around 35 amps transmitting and about 8-12 amps in the receive mode. The connector for the rear of the unit is near impossible to find, but can be made with the female pins taken from crip on DB-25 socket. Samples available on that one.
While these units have not been tested or aligned, they are complete and there are no demil dents and holes or torch marks. I will send a complete set of full sized printes with each unit which outlines the tuning control scheme which is not as hairy as many have said. just collect up a bunch of 10 position rotary switches, a cup full of 1N4005 diodes, and a another big cup of assorted spdt or dpdt relays to interpose with the control lines and in a few weeks you will have a REAL collins radio. BTW the unit also requires about 100 watts of 115VAC/400 Hz to run the blower and servo system. This can be home brewed or if you like I have a few of the original Collins 28vdc/115VAC/400 Hz 250 watt inverters that I'll sell with the unit,
Price is $200 plus ups on about 50 lbs from zip 95827. I'll toss in a like new inverter for $50 more. Add 12 lbs to the shipping weight. Docs included with the inverter. BTW Fair sells the radio untested for $600. End of tour on the radio. Thank you for the patience on the long post.

73

Bob, KE6F

2898. Sweeps/output tubes for trade

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: gkaufman@the-planet.org
Message-ID: <fu153.11262$AL5.47101@ndnws01.ne.mediaone.net>
Source record: 83746

I've accumulated a pile of sweeps and output tubes I'll never use and would like to swap them for things I can use:

(2) RCA 8000 Appears NOS, not in original box

(1) EIMAC 4-400A Appears NOS, not in original box

(1) EIMAC 6155/4-125A NOS
(1) RCA 6155/4-125A NOS

(17) 6146B/8298A GE NOS
(2) 6146B/8298A GE Appear NOS, white box
(2) 6146B/8298A Interntl/US NOS
(1) 6146 RCA NOS
(1) 6146 GE NOS
(13) 6146 misc used

(4) 6159 RCA/TS used
(2) 6883 used

(2) 6BG6GA GE NOS
(4) 6BK4C misc used
(1) 6JE6C/6LQ6 SYL NOS
(1) 6JE6C/6LQ6 Raytheon NOS
(3) 6JS6C misc used
(1) 6KD6 GE NOS
(1) 6KD6 Phillips NOS
(1) 6KG6A/EL509 SYL NOS
(1) 6KG6A/EL519 SYL NOS
(1) 6KV6GA GE NOS
(1) 6LB6 ITT NOS
(6) 6LB6 misc used

(1) 30KD6 Raytheon used
(1) 31JS6C SYL NOS
(1) 36KD6/40KD6 RCA NOS
(2) 40KG6A/PL519 SYL NOS
(1) 40KG6A/PL519 used

Hopefully we can work out some mutually enjoyable trades. I can generally use tubes for R390/R390A's, Zenith Transoceanics and most audio output tubes etc. I'm also happy to trade for cute early miniature TV's, tube audio equipment, short-wave radios etc.

Many thanks for reading. Perhaps this will be a bit more interesting than all of the For Auction notices!

- Gary

2899. WTB Hallicrafters SR-34

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: "R. Fraser" <rfraser@ix.netcom.com>
Message-ID: <3754B3DB.363A@ix.netcom.com>
Source record: 83747

Still looking for this 6 & 2 Meter AM/CW Transceiver. Thanks!

2900. Wanted: Millen Coils

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: W4JO <w4jo@mindspring.com>
Message-ID: <3754AA67.BFB70E76@mindspring.com>
Source record: 83748
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Wanted: Millen Coils

Jim, W4JO
Powder Springs, GA
e-mail to: w4jo@mind*spring.com

Drop the * in the suffix to reply (Spam prevention)

2901. 808 Tubes FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Charles Hugg <chashugg@earthlink.net>
Message-ID: <3754C5F1.2CA76296@earthlink.net>
Source record: 83749

I have four 808 tubes for sale for best offer. Charlie, K5MBX

2902. ARC-5 components WTD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Larry Murphy <larrym@mail.tco.net>
Message-ID: <3754B734.4640@mail.tco.net>
Source record: 83750

Looking for cables, plugs, and control unit. Have everything else.
Msg me at jefuller@juno.com thanks, Jerry

2903. COLLINS KWM2A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7iv92hpdd1@nnrp1.deja.com>
Source record: 83871

collins kwm2a winged emblem with rear mounted power supply for auction
on ebay. pics available via email.
dcat4955@bellsouth.net

heres the link to ebay...
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=110734388
or search under "collins kwm2a" on ebay site.

will consider swaps for mcintosh audio gear in south fl. area

thanks
robert
ke4mcl

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2904. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01beac05$90511740$04e5abc3@default>
Source record: 83872
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

Hi Eamon,

Just a suggestion - why not state your website address
IN FULL in your newsgroup messages.

It is then only necessary for the reader to 'mouse click'
on the address rather than spend the next five minutes
changing over to 'Internet search' and having to enter the
full address himself, with the many possibilities of error
and eventually giving up the whole idea as a bad job.

For example, if you click on my full website address below
my signature you will be transfered there almost
immediately.

Then help yourself to some free technical radio software
progams. Been a long time since we had a very early
morning chat on 160m. I must confess I havn't tried just
lately.
--
****
Reg, G4FGQ For free software go to:-
http://www.btinternet.com/~g4fgq.regp

****

Eamon Skelton <dont@want.spam> wrote in article
<7ihg0g$he8$1@scotty.tinet.ie>...
> The EI9GQ homebrew radio page has moved to
www.qsl.net/ei9gq
>
> Recent additions include:
> A simple VHF CW transmitter.
> 2M to 10M receive converter.
> 6M to 30M receive converter.
> 30W mosfet PA for the 80M SSB rig.
> Pre-programmed PIC now available for the iambic keyer.
>
> 73, Ed. EI9GQ
>
> e-mail ei9gq@qsl.net
>
>
>
>

>
>
>
>
>
>

2905. FS: New Roller Inductors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990531202101.09487.00005443@ng-fz1.aol.com>
Source record: 83873

Have for sale, three roller inductors. None have ever been in service and look brand new, the older "single" one is dusty but should clean up sparkling clean.

Have two of the following:
24 uh, 22 turn edgewound roller inductor. Has dual contact arrangement that eliminates electrical "skipping" during rotation prevelant with most single roller/contact inductors. Has a potentiometer gear driven for an electrical position indicator. Has an insulated switching mechanism that activates at about the mid inductance range. The inductor is rated at 20 Amps. The construction is similar to the 40 uh one on page 66 of Surplus Sales of Nebraska catalog (it sells for $245). This 24 uh inductor was selling for $219 each by Surplus Sales at the Dayton Hamvention this year. I am selling both as a pair for $175 total, shipped to your door, conus only.

Have one of the following:
29 turn edgewound roller inductor, dusty, but apparently never used. The coil itself is 3 1/2 inches in diameter with a length of 6 inches. It has dual rollers to eliminate "skipping" during rotation. This is every bit as beefy as the ones above. All insulating surfaces are ceramic. Has a ceramic insulated flex coupling. The ends are triangular shaped but the corners are rounded. Selling for $75, shipped to your door, conus only.

If you have a high power amplifier, tuner, or antenna project in mind, these inductors will do the trick.

Thanks for reading the ad.

73

Evan

2906. CQ-BC 348 BFO help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990531204840.17001.00001405@ng-fs1.aol.com>
Source record: 83874

My BC 348P is red hot, except that the BFO, which never worked great, works almost not at all. I've checked tube socket voltages and resistances and they're about right, there's a little variation. The BFO in this receiver is wierd; it uses the triode portion of an old 6F7 tube.
I haven't figured out how to take apart the can holding the BFO's tuned circuits without destroying it, so I haven't checked inside yet. I think it's fairly likely that the tube has died, at least partly. And of course, I haven't another, not in any of the old stuff here at my house. I have a photostat of the TM, and boy, those schematics are bad enough to make you give up boatanchors! I dug out a magnifying glass and had to draw my own schematics just to start.
Anyone got any great ideas?

2907. Re: Rotors Who makes them now

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: ruxn@aol.com
Message-ID: <19990531235853.28070.00004796@ng-cc1.aol.com>
Source record: 83875

><mirage@eclipse.net>

>Im looking for a new rotor along the lines of a Ham IV
>It seems the only ones being sold are Yeasu and the meg buck M2
>are there any others if so where can I get one.
>Doug
>
>
>

i have a ham iv .totaly redone 225.00

2908. Re: FS: Collins 51S-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: w8aj@aol.com
Message-ID: <19990601001353.22559.00007036@ng-cj1.aol.com>
Source record: 83876

round or winged.what is the price? Allan W8AJ

2909. Re: FS: Collins 51S-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Bruce Sugarberg <bsugarberg@stratos.net>
Message-ID: <37536BE9.E5258B2@stratos.net>
Source record: 83877

Hi Allan,

I received an email giving me a phone number in Norway to call for
further information. When I called, I was told that the price was
$1500 each, at which point I lost any further interest in them.

73,

Bruce Sugarberg, WA8TNC

W8AJ wrote:
>
> round or winged.what is the price? Allan W8AJ

2910. List of the rec.radio newsgroups

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7ivsrl$q9g@news.Hawaii.Edu>
Source record: 83878
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors

```
Archive-name: radio/personal-brief-introduction

In an effort help ensure a poster's article reaches the appropriate
audience, below is a list of the rec.radio newsgroups. In most cases,
a group's name will explain its purpose. Cross-posting should rarely
be necessary.

rec.radio.broadcasting (devoted to the broadcast industry; moderated)
rec.radio.cb
rec.radio.info (periodic informational bulletins; moderated)
rec.radio.scanner
rec.radio.shortwave
rec.radio.swap (for buying, selling, and trading; not a discussion group)

rec.radio.amateur.antenna
rec.radio.amateur.boatanchors (tube-type communications equipment)
rec.radio.amateur.digital.misc (packet, pactor and other digital modes)
rec.radio.amateur.dx (long-distance amateur communications)
rec.radio.amateur.equipment (questions, comments regarding commercially-
built amateur gear; not for buying/selling)
rec.radio.amateur.homebrew (devoted to home-building ham gear)
rec.radio.amateur.policy (issues include code, restructuring, local
restrictions in conflict with FCC R&R)
rec.radio.amateur.space (satellites, meteor scatter, EME)
rec.radio.amateur.misc (any topic not covered in the above groups)

(At least two other English language radio hierarchies exist, prefixed
with "uk" (United Kingdom), and "aus" (Australia), in place of "rec.")

Again, cross-posting should rarely be necessary. Many times, a long-
running thread results from a single cross-posted article, and the
contents of such a thread drift further and further away from being
"on-topic" in the various NGs that receive each and every followup.

For more detailed information, see "Guide to the Rec.radio Newsgroups"
posted on the 15th of each month.

Jeffrey Herman, KH6O
(rec.radio.amateur working-group)
```

2911. WTB: HP-606B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: franklin@net-link.net
Message-ID: <7iv4no$ne8@newsops.execpc.com>
Source record: 83879

Looking for a HP-606B signal generator in good working condition.
Would also consider a HP-606A.

Gary K8BKB

franklin@net-link.net

2912. Thanks for the SP-600 help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7j0qou$6gt$1@nnrp1.deja.com>
Source record: 83880

Thanks to all including Chris, K7FM, Bruce, Jim, D.S., W3MC, K6HM, and KB5AG, and others who replied to my plea for help.

Bottom line: Seems that a bit of "wiggle" of the S-meter pointer in sync with the modulation is normal for the SP-600. The pointer "dips" during modulation peaks. Guess I have spoiled with the rock-steady S-meter readings on my Hallicrafters!

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2913. Estate sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990601104630.15930.00004864@ng-cl1.aol.com>
Source record: 83881

Time and again I hear stories of loved ones who either sell equipment for pennies on the dollar out of ignorance of prices, or throw out, or give away parts and equipment, etc. because they do not recognize the value of what we radio ops own after our demise.

I suggest taking inventory once a year and categorizing what you own, writing down current prices. After that is done, contact a friend or friends who will be willing to dispose of your things for your wife or loved ones when you are gone. All of my equipment is priced and I have reciprocal agreements with my buddies... If you kick the bucket first, I will take handle your estate, making sure your family does not get taken to the cleaners, if you will do the same for me.

It seems the sensible way to make sure this stuff stays in circulation while protecting your family from the Estate sale predators among us.

Brian K3VR

2914. Re: CQ-BC 348 BFO help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Dave Hills <dhills@mindspring.com>
Message-ID: <3753FEEF.52E90D3C@mindspring.com>
Source record: 83882

If tube replacement doesn't do the job, check the capacitors in the BFO tuned circuits. Check both tuning and coupling caps for leakage. I had a similar problem with weak VFO oscillator output in my BC348Q. Leaky mica caps were the problem.

--
Dave Hills
DH Associates
Power Supply Engineering, Design, & Consulting
dhills@onramp.net

OCEANRADIO wrote:

> My BC 348P is red hot, except that the BFO, which never worked great, works
> almost not at all. I've checked tube socket voltages and resistances and
> they're about right, there's a little variation. The BFO in this receiver is
> wierd; it uses the triode portion of an old 6F7 tube.
> I haven't figured out how to take apart the can holding the BFO's tuned
> circuits without destroying it, so I haven't checked inside yet. I think it's
> fairly likely that the tube has died, at least partly. And of course, I
> haven't another, not in any of the old stuff here at my house. I have a
> photostat of the TM, and boy, those schematics are bad enough to make you give
> up boatanchors! I dug out a magnifying glass and had to draw my own schematics
> just to start.
> Anyone got any great ideas?

2915. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: System Administrator <administrator@millenium.et.anl.gov>
Message-ID: <37541A59.3060CEE4@millenium.et.anl.gov>
Source record: 83883

THe SP600 derives it's AGC voltage from the audio. Detected audio is rectified (before the audio stages). On signal peaks, the more signal you have , the more AGC voltage develops. This phenomema causes the meter wiggle. Your really looking at the AGC voltage. Strong signals will cause a noticeable downward deflection on the meter. Actually ALL signals cause this deflection. It has NO EFFECT on what you here. It's just the radio telling you it's doing it's thing.
Enjoy,
Dick K9FFK

Edward J. Engelken wrote:

> Hi Boatanchor owners,
>
> I have recently acquired a nice SP-600JX-26. It works quite well but
> the S-meter pointer bounces with the modulation when receiving AM
> broadcasts. I have a dozen or so other receivers including
> Hallicrafters, Hammarlund, and National. All the others show a steady
> S-meter reading when tuned to local AM broadcast stations, but the
> S-meter pointer on the SP-600 jumps in sync with the modulation. Is
> that a quirk of this receiver, or do I have a problem? All the voltages
> in the receiver look OK. How about it, SP-600 owners, does your SP-600
> behave this way too?
>
> --
> Best Regards,
>
> Ed
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

2916. FS: Drake TR-7A line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: Loek d'Hont <a0927429@dlemail.itg.ti.com>
Message-ID: <7j15tm$6oc$1@tilde.csc.ti.com>
Source record: 83884
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

For sale:

Drake TR7A line, includes following:

- TR-7A transceiver (original TR-7A, not modified to "A" status)
- RV-75 digital VFO
- PS-7 power supply
- MS-7 speaker
- MN-2700 2 kW tuner (includes Balun)
- 7077 Drake Desktop mike

All is in immaculate, original condition, no scratches or other blemishes.
Transceiver is like brand-new out of the box.

All original Drake manuals included.

$1950 plus shipping (live in Texas)

a0927429@dlemail.itg.ti.com

2917. FA: RCA and SYLVANIA TUBE MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37541D0F.90D3940E@ix.netcom.com>
Source record: 83885
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.audio.tubes,rec.antiques.radio+phono

FA: Some nice tube manuals.
Most reserves set at $15.

>> SYLVANIA 1946 VINTAGE TUBE MANUAL <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109533898

>>> 1940 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109536841

>>> 1961 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109538865

>>> 1960 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109539946

>>> 1968 RCA VINTAGE TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109541139

>>> SYLVANIA 1937 TUBE MANUAL <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109913513\

Thanks for looking.

2918. FA: Many 1950s Heathkit Catalogs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37541F69.4D849A77@ix.netcom.com>
Source record: 83886
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.antiques.radio+phono

FA: Many 1950s Heathkit Catalogs
Most reserves set at either $10 or $15.

>> HEATHKIT 1952 CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109207744

>> HEATHKIT 1955 CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109225333

>>> HEATHKIT WINTER 1955 CATALOG <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109310595

>> 1955 HEATHKIT CHRISTMAS CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109431649

>> 1957 HEATHKIT WINTER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109435843

>> 1958 HEATHKIT SUMMER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109438776

>> 1958 HEATHKIT SPRING CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109440637

>> 1958 HEATHKIT WINTER CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109443014

>> 1958 HEATHKIT CHRISTMAS CATALOG <<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109445618

>>> HEATHKIT 1951 NEW KIT FLYER <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109478709

>>> HEATHKIT 1954 NEW KIT FLYER <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109484070

>>> HEATHKIT 1965 KIT BUILDER'S GUIDE <<<
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=109509016

Thanks for Looking!

2919. CLOCK KIT FOR HQ-110 / 180

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <11548-37543857-42@newsd-122.bryant.webtv.net>
Source record: 83887

FOR HAMMARLUNDS THAT NEVER HAD A CLOCK OR THE CLOCK HAS DIED. KIT INCLUDES A DIAL COVER (AVAILABLE SEPARATELY), QUARTZ CLOCK, THE DIAL AND THE HANDS.

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

2920. EYE TUBE AND CONVERTER. REPLACES 6E5, 6U5, 6G6.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-01 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <11548-375439A4-43@newsd-122.bryant.webtv.net>
Source record: 83888

CONSISTS OF A NEW 12 VOLT EYE TUBE PLUS THE ADAPTOR / CONVERTER TO ALLOW IT TO RUN AT FULL BRILLIANCE ON THE 6 VOLT HEATER SUPPLY OF THE 6E5, 6U5, OR 6G5. PLUG ADAPTOR INTO 6E5 SOCKET. PLUS TUBE INTO THE ADAPTOR. YOU'RE FINISHED.

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

2921. Re: NC183 tube layout???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7j1t50$58h$1@nnrp1.deja.com>
Source record: 83751

In article <19990601181759.01642.00010652@ng-cg1.aol.com>,
nc183d@aol.com (Nc183d) wrote:
> Hi All,
> I just got a National NC183 and sure to form UPS managed to cause some
damage.
> The power xfrmr broke free from some of it's moorings and swung around
inside
> there, breaking tubes and denting the tuner cover. I need to know what
the tube
> layout is for the 2 tubes right in front of the power xfrmr. Any Help
would be
> greatly appreciated.
> rgds,
> Mark S.
>
Mark:

Oh Boy, the UPS bozos wiped out your 6F6 output tubes! You need to
check out <http://bama.sbc.edu> for a NC-183 manual that you can
download for free, it has a tube layout diagram, schematic, parts list,
and more.

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2922. Re: NC183 tube layout???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7j1t97$590$1@nnrp1.deja.com>
Source record: 83752

In article <19990601181759.01642.00010652@ng-cg1.aol.com>,
nc183d@aol.com (Nc183d) wrote:
> Hi All,
> I just got a National NC183 and sure to form UPS managed to cause some
damage.
> The power xfrmr broke free from some of it's moorings and swung around
inside
> there, breaking tubes and denting the tuner cover. I need to know what
the tube
> layout is for the 2 tubes right in front of the power xfrmr. Any Help
would be
> greatly appreciated.
> rgds,
> Mark S.
>
Oops, that should be 6V6 output tubes!

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2923. Re: Help needed with BC-312M

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: k1aj@aol.com
Message-ID: <19990601220159.02102.00010013@ng-ca1.aol.com>
Source record: 83753

will send you some info if u send ur adr.

2924. WTB: Large Johnson Matchbox junker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990601221350.11236.00010292@ng-fp1.aol.com>
Source record: 83754

Do not need cabinet, just the insides from a large Johnson Matchbox.

73

Evan

2925. schematic needed for old a-m transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7j2d0p$a41$1@nnrp1.deja.com>
Source record: 83755

I am looking for the schematic and manual(s) for an Aeronautical Communications Equipment Inc. model 446. This appears to be from the 40's as the line-up is (4) 6SG7/GT, 5U4-G, (2)837 and (2)4-125A. The rectifiers for the high voltage are unknown, probably 866A/AX. It is above 2mc, marine frequencies, and 250W. I want to use it on 160m a-m and possibly on 75m if I can. If anyone has information of this please let me know. Thanks.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2926. Ebay- RME DB-23 Preselector..!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990601234026.18935.00003645@ng-fw1.aol.com>
Source record: 83756

Hi Guys;
There is a real nice RME DB-23 Preselector with unusual knobs on Ebay. Are they original? I think so.
Check it out and maybe even place a bid.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=111352733
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2927. Ebay- Heathkit HWA-2036-3 Supply,PSE READ..!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990601234814.18935.00003652@ng-fw1.aol.com>
Source record: 83757

Hi Guys;
There is a real nice HeathKit HWA-2036-3 Power supply that matches the HW-2036
and HW-2026 2mtr FM Mobile xcvrs, Going to be cheep I think..!
Check it out and maybe even place a bid.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=110158421
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

2928. FA WW2 19 Set Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3754AB5E.5557@sympatico.ca>
Source record: 83758
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

DC Power supply for WW2 Mark 19 set on Ebay

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=112304650>

2929. R390A FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: chashugg@earthlink.NET
Message-ID: <3754C1FD.2E4573D5@earthlink.net>
Source record: 83759

I have a nice 67 EAC R390A for sale. It has the meters and top and bottom covers. The front panel in clean and the knobs are good. Looks like they have been touched up at one time, but not a bad job. It appears that all modules are 67 EAC except the power supply. It does not have a manufacture's name on it.Serial # stamped on the back of the cabinet is Electronic Assistance Corporation # 6051. The cont. # is DDAB 05-67-0015. The receiver did not come with a front name tag, but I acquired a 1960 EAC name tag.
This one has the Captain Paul Lee SSB mod installed. I have heard that this is suppose to be the best SSB mod. The installation work is good, but you still have to turn down the RF gain on loud signals.
I have an article explaining how to correct this problem that I will include along with a copy of the Captain Lee mod in January 1968 CQ.I do not have a manual. The receive chasis could use a good cleaning. The tuning mechanism,both KC and MC, is very smooth.It has been cleaned and lubed.Price is $450 plus shipping, or I can deliver to Hamcom .Charlie, K5MBX

2930. Ebay- Heathkit HD-15 Phone Patch, EXCellent.!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990601235849.18935.00003662@ng-fw1.aol.com>
Source record: 83760

Hi Guys;
Heres another great HeathKit Item, The HD-15 Phone Patch, Two days to go and
only at about $10 so far.
Join in the fun, heres the link, at least take a look, maybe copy the picture?
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=110168250
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

2931. FS: B&W 5100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990602010635.23714.00007560@ng-ci1.aol.com>
Source record: 83761

For sale: Classic Barker & Williamson 5100 good working condition. This is a very clean rig, considering it's about 45 years old. All it needs is a good antenna and you're on CW or AM the way it was meant to sound. Pair of widely available 6146s in the output, plate-modulated by another pair of 6146s. Copy of manual included. Price: $200. Prefer pickup in Washington, D.C., metro area. It's very heavy--about 89 pounds--so shipping could add another $100 to the price, depending on your location.

W3DEF

2932. update on my compactron AM radio, web page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFCosr0.K6p@netcom.com>
Source record: 83762
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.audio.tubes

I did some more work on my Compactron 3 tube AM radio.
http://www.netcom.com/~wa2ise/radios/compaa3.html

Specifically, I changed the RF mixer stage, and also modified the first audio amp triode stage for better sound.

Also on the page is an explanation of how to figure out how to load a tube that was intended for TV horizontal output stages. As an audio output tube. My example uses an 38HK7 tube.

2933. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01bead17$97ce8620$5ecaac3e@default>
Source record: 83763
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

Walt,

Thanks for your well-intentioned suggestion but my computer
is already clogged up with many megabytes of so-called
'convenience' programs which have brought with them more
problems than solutions.

They are at loggerheads amongst themselves, squabble
frequently and can be forced apart only by hitting the
re-set button.

Bill Gates should have been obliged to de-bug the bloody
lot before being allowed to go to bed on his wedding night.
--
****
Reg, G4FGQ For free software go to:-
http://www.btinternet.com/~g4fgq.regp

****

2934. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: tallguy@whitecliffsdx.freeserve.co.uk
Message-ID: <375ff49d.8711138@news.freeserve.net>
Source record: 83764
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

On Wed, 02 Jun 1999 06:17:45 GMT, no.junk.mail@thank.you (Walt
Davidson) wrote:

>On 1 Jun 1999 00:00:52 GMT, "Reg Edwards" <G4fgq.Regp@btinternet.com>
>wrote:
>
>>Just a suggestion - why not state your website address
>>IN FULL in your newsgroup messages.
>>
>>It is then only necessary for the reader to 'mouse click'
>>on the address rather than spend the next five minutes
>>changing over to 'Internet search' and having to enter the
>>full address himself, with the many possibilities of error
>>and eventually giving up the whole idea as a bad job.

>If you had a *proper* newsreader (like mine, Forte Agent), you would
>not encounter any such difficulties.

What do you expect from a G4, c'mon!
;-)
Cheers,

Jon.

Jon Harris
Radio: 26WC001/G7JPH
Motorcycle: TRX850, GPz550
WEB: http://www.whitecliffsdx.freeserve.co.uk
Email: tallguy@whitecliffsdx.freeserveDEADWOOD.co.uk
(Remove the DEADWOOD to reply)

2935. Re: NC183 tube layout???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Marv Luse <mwluse@dimensional.com>
Message-ID: <37552D31.7BA35549@dimensional.com>
Source record: 83765

They did a number on an HQ-170 I purchased sometime back. Since then I've used only the post office and have had no problems.

73,

Marv
AB0IO

D. S. Platt wrote:

> Its a pair of 6V6's (PP audio output). Maybe UPS should gp into the destructive
> testing business. I received an HQ-160 bent into a trapezoid! Good luck with
> your 183!
>
> Nc183d wrote:
>
> > Hi All,
> > I just got a National NC183 and sure to form UPS managed to cause some damage.
> > The power xfrmr broke free from some of it's moorings and swung around inside
> > there, breaking tubes and denting the tuner cover. I need to know what the tube
> > layout is for the 2 tubes right in front of the power xfrmr. Any Help would be
> > greatly appreciated.
> > rgds,
> > Mark S.

2936. WTB Racal RA6790/GM receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <Nya53.8$7U5.63@news.syd.ip.net.au>
Source record: 83766

Howdy folks,

Wanted to buy a Racal RA6790/GM receiver If you have one for sale and are willing to sip to Australia please email.

Leroy.

2937. Wanted to buy a Racal RA6790/GM receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <wCa53.9$7U5.62@news.syd.ip.net.au>
Source record: 83767

Howdy folks,

Wanted to buy a Racal RA6790/GM receiver If you have one for sale and are willing to sip to Australia please email. nextgen@nextcentury.com.au

Leroy.

2938. Re: R-390A Power Switch Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Bill Fairbanks <BILLFAIRBANKS@worldnet.att.net>
Message-ID: <01bead04$16fb6080$fa11460c@default>
Source record: 83768

Robert,

I would call Fair Radio Sales (ask for Dave) and see if they have one from a junker to sell you. Phone is 419-223-2196 or 227-6573. Failing that call Surplus Sales of Nebraska (they have a website) or find Dave Medley's web page and ask him. He has some parts.

Bill

> >
>

2939. FS: National NC183D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7j3j1n$m7g$1@nnrp1.deja.com>
Source record: 83769

National NC183D dual conversion, 16 tubes SW receiver.
Works, but needs alignment, cabinet has some scratches,
otherwise very good cosmetical condition, no modifications.
Two knobs are not original. No manual. $125.00
Local pick-up or delivery in San Francisco Bay Area.
WILL NOT SHIP!!! Reply to kb9olm@hotmail.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2940. COLLINS SM-2 DESK MIKE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990602112552.21625.00000040@ng-xa1.aol.com>
Source record: 83770

HAVE A SM-2 COLLINS DESK MIKE WINGED EMBLEM
WORKS GREAT HADS A FEW RUB MARKS ON BASE AND A FEW ON NECK ...275.00 SHIPPED
....HAVE A PICTURE IF YOU LIKE EMAIL ME OR DO YOU HAVE SOMETHING TO TRADE MAYBE
A COLLINS SPEAKER ..
THANKS DWIGHT

2941. BC-610-F NEEDS GOOD HOME FAST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37554C69.6EB79F4C@ix.netcom.com>
Source record: 83771
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

A gentleman here in Austin, Texas (not me) needs to move a good
BC-610-F pretty quick. If you ever wanted one this is the
time-- he needs to move it this week.

Please call Don at 512-451-8311 *AFTER 3 PM Central Time, Please.*

73 Dave AB5S

2942. FS:National NCX-3 and NCX-A Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: wb2pag@aol.com
Message-ID: <19990602120731.01002.00000072@ng-fn1.aol.com>
Source record: 83772

Transceiver in Very Good Shape.All Tubes checked and replaced as needed.
Full 120 Watts PEP Output..Complete with Manual and all Factory Mod Sheets.
Excellent Xcvr to start your Boatanchor collection..Moving on to NCX-5's
Offers? Trades?
Please reply via E-Mail Tnx John WB2PAG@AOL.COM

2943. Re: Hammarlund SP-600 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: System Administrator <administrator@millenium.et.anl.gov>
Message-ID: <375566D1.ABBE6987@millenium.et.anl.gov>
Source record: 83773

OOPS! Let me restate that....
The AVC and audio get their signal from the same place, V11 output through C138 and C139. The "rf" meter is in the detected audio circuit (V14A). AVC is produced by V14B. So the meter is monitoring the "rf" signal as the AVC corrects for signal strength. Result: Strong signal peaks appear to dip as the AVC action takes place.
Dick K9FFK

System Administrator wrote:

> THe SP600 derives it's AGC voltage from the audio. Detected audio is
> rectified (before the audio stages). On signal peaks, the more signal you
> have , the more AGC voltage develops. This phenomema causes the meter
> wiggle. Your really looking at the AGC voltage. Strong signals will cause a
> noticeable downward deflection on the meter. Actually ALL signals cause this
> deflection. It has NO EFFECT on what you here. It's just the radio telling
> you it's doing it's thing.
> Enjoy,
> Dick K9FFK
>
> Edward J. Engelken wrote:
>
> > Hi Boatanchor owners,
> >
> > I have recently acquired a nice SP-600JX-26. It works quite well but
> > the S-meter pointer bounces with the modulation when receiving AM
> > broadcasts. I have a dozen or so other receivers including
> > Hallicrafters, Hammarlund, and National. All the others show a steady
> > S-meter reading when tuned to local AM broadcast stations, but the
> > S-meter pointer on the SP-600 jumps in sync with the modulation. Is
> > that a quirk of this receiver, or do I have a problem? All the voltages
> > in the receiver look OK. How about it, SP-600 owners, does your SP-600
> > behave this way too?
> >
> > --
> > Best Regards,
> >
> > Ed
> >
> > Sent via Deja.com http://www.deja.com/
> > Share what you know. Learn what you don't.

2944. FS: MILITARY DA-189 DUMMY LOAD WATTMETERS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0206991011050001@murphy1.cts.com>
Source record: 83774
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

DA-189/U USED, VERY GOOD COND. $60 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

2945. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <37556AEA.452FCB68@teleport.com>
Source record: 83775
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

Walt Davidson wrote:
> Reg,
>
> If you had a *proper* newsreader (like mine, Forte Agent), you would
> not encounter any such difficulties.
>
> I mouse-clicked on the address exactly as Eamon gave it in his posting
> and Netscape opened and took me straight to his Web Page. No probs.
>
> 73 de G3NYY
>
> --
> Walt Davidson Email: walt@ surf-zone.co.uk

The newsreader bundled with Wordperfect and Netscape v. 4 in the several-hundred-dollar Corel Suite 8 doesn't qualify as a "proper" newsreader by your standard. (I purchased Agent but found it to be too complex for my simple needs so don't use it.)

Communication of all kinds, including postings on the web, would be much more effective if written for the convenience and understanding of the reader rather than the convenience and ego of the writer.

Roy Lewallen, W7EL

2946. Circuit Diag's for HomeBrew Linear ??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Mike Tatum <mike.tatum@btinternet.com>
Message-ID: <7j3rmk$2ft$1@plutonium.btinternet.com>
Source record: 83776

Hi!

Has anyone got / Can point me to a set of circuit diagrams for a homebrew
linear valve amp for 160m -> 10m ?

Thanks!

MikeT
M0AWS

--
SPAM BAIT mailto: nobody@nowhere.void
mailto: Spam_all_you_want@just.here.com

==========

2947. COLLINS KWS-1 TRANSMITTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: K9CSM <k9csm@pcisys.net>
Message-ID: <928349173.498.28@news.remarQ.com>
Source record: 83777

I have a dandy KWS-1 that I will sell or trade for such things as:
TS-950SDX, Ic-775, 756, 746, FT-1000D, KWM-2A w/ 516F-2 +. If seriously
interested thats all thats required. Lets discuss it. I can ship too. I
can also consider a wide range of firearms as trade. Thanks for reading .
Ben k9csm@pcisys.net

2948. FS: Ancient Tube Receiver-1920s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: cosmotronics@my-deja.com
Message-ID: <7j43evsgd1@nnrp1.deja.com>
Source record: 83778

For Sale: email DIRECT to olds98@together.net:

1920s vintage Regenerative Receiver on 3 chassis with
3 wooden variometers, exposed wiring, uses 01A tubes
has Thordardson transformers/chokes. Function unknown.
Probably home built. Bakelite faceplates, brass connect-
ors, all vintage 1921 or 22 components. Formerly owned
by EE at Electrolux Co. in CT. Age verified by Alan Douglas.
$150 for all plus shipping.

Please email direct to above address thanks RHAnderson

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

2949. FS: Hallicrafters S-72

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: n3ab@fast.net
Message-ID: <37599376.15624032@news.fast.net>
Source record: 83779

I have a decent looking (maybe a 6 or 6.5 on a scale to 10)
Hallicrafters S-72 4-band shortwave receiver for sale. Looks like it
will clean up nice with some TLC. Bands 1 and 2 seem to work. Can't
hear anything on bands 3 and 4. Asking $60.00 shipped to lower 48.
Please e-mail if interested. Thanks for reading.

John Schell N3AB

n3ab@fast.net

2950. Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Walter Wilson <wewilsonjr@usa.REMOVETOREPLY.net>
Message-ID: <928355684.439.86@news.remarQ.com>
Source record: 83780

Can anyone recommend what type of capacitors to use to replace the paper capacitors in an old boatanchor (Hallicrafters SX-28A). Should these be replaced with orange drop, polyester film, polystyrene film, or one of the metalized types? Any recommendations will be appreciated. My intentions are to check all the resistors (esp. higher wattage ones) and replace all paper capacitors and electrolytics.

Thanks in advance,
Walter (KK4DF)

2951. Re: FS Collins 618T(3) units

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Loek d'Hont <a0927429@dlemail.itg.ti.com>
Message-ID: <7j45pv$o9l$1@tilde.csc.ti.com>
Source record: 83781
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Bob did not exaggerate - His explanation is accurate and complete.

I have one of these radio's working on original equipment mount and with
the control box.
The 618T(3) (army nomenclature is AN/ARC102) is a very nice radio. I sure
won't sell mine for $200.
The unit is a true Collins in the original tradition, modular, compact
construction.
It is very well built, only first-class components have been used. Although
dull looking from the outside (black box) it is like a work of art from the
inside (no pun intended with Art Collins)

For those of you that are interested, the radio also can work with the
Collins 180L-1 or 490-T automatic antenna tuners. The former is sold by
Fair, the latter by Murphy.

I can offer the complete schematic diagrams for the radio, as well as the
interconnect wiring diagram between the radio, the inverter, the tuner and
the original control box

a0927429@dlemail.itg.ti.com

Bob <bmiller@calweb.com> wrote in message news:3754a07c@calwebnnrp...
> For Sale:
>
> I have a few complete but not tested Collins 618t(3) hf avionics
> SSB/CW/AM transceivers. These have a pair of 4CX250FGs in the autotune
> power amp and a few tubes in the high level section of the transmitter
> driver/mixer stages and receiver mixer stages. Otherwise it is a
> transistorized unit. The frequency coverage is 2-30 Mhz in 1 Khz steps.
> Stability with the ARC-102 oven system is 1X10-6 per month. It transmits
> USB/LSB/ AM (1 sb) CW/ and has provisions for a data link. Full AGC
action
> on all modes. Contains three mechanical filters, one for each sideband
and
> a nominal 6 khz unit for AM. The transmitter has a vox system and also
> works semi-break in on CW. The rated output power on SSB is 400 watts PEP
> with a rated output of 100 watts on AM and CW. Power requrirements are
> 28VDC at around 35 amps transmitting and about 8-12 amps in the receive
> mode. The connector for the rear of the unit is near impossible to find,
> but can be made with the female pins taken from crip on DB-25 socket.
> Samples available on that one.
> While these units have not been tested or aligned, they are complete
and
> there are no demil dents and holes or torch marks. I will send a complete

> set of full sized printes with each unit which outlines the tuning control
> scheme which is not as hairy as many have said. just collect up a bunch
of
> 10 position rotary switches, a cup full of 1N4005 diodes, and a another
big
> cup of assorted spdt or dpdt relays to interpose with the control lines
and
> in a few weeks you will have a REAL collins radio. BTW the unit also
> requires about 100 watts of 115VAC/400 Hz to run the blower and servo
> system. This can be home brewed or if you like I have a few of the
> original Collins 28vdc/115VAC/400 Hz 250 watt inverters that I'll sell
with
> the unit,
> Price is $200 plus ups on about 50 lbs from zip 95827. I'll toss in a
> like new inverter for $50 more. Add 12 lbs to the shipping weight. Docs
> included with the inverter. BTW Fair sells the radio untested for $600.
> End of tour on the radio. Thank you for the patience on the long
post.
>
> 73
>
> Bob, KE6F
>
>

2952. Re: EYE TUBE AND CONVERTER. REPLACES 6E5, 6U5, 6G6.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <534-37559B7A-39@newsd-123.bryant.webtv.net>
Source record: 83782

SPECIAL! $16.00 POSTAGE PAID

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

2953. HP 400C manual needed!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <928360382.380.26@news.remarQ.com>
Source record: 83783

Anyone out there have either the manual or a good copy for the HP 400C AC Voltmeter? I can also use the correct probes.
Thanks
Mike/WB6VSE

2954. Re: CLOCK KIT FOR HQ-110 / 180

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <536-37559BB8-19@newsd-123.bryant.webtv.net>
Source record: 83784

ALL FOUR PIECES FOR $32.00 POSTAGE PAID.

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

2955. FS: Heathkit IM-11 VTVM---$5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <3755afab.21064744@news.mindspring.com>
Source record: 83785
Cross-posted to: sci.electronics.repair,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

This VTVM has a good case, all tubes, switches, resistors, etc.
internally. Good meter. Unit works but the plastic face of the meter
is broken. No manual or probe.

Will take $5 plus shipping which is $6.50

Marv

2956. FA: AM 6155 & AM 6154 eBay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Arthur Moe <kb7ww@uswest.net>
Message-ID: <3755B86D.B3C2CAAD@uswest.net>
Source record: 83786
Cross-posted to:
alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,alt.ham-radio.vhf-uhf

I have placed on eBay one each AM 6155 and AM 6154. They can be seen at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=111814746
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=111825356

Thanks for looking.
Art

2957. BAs around London

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: David Jameson Mccreery Jr <hisdjm@panther.Gsu.EDU>
Message-ID: <Pine.GSO.3.95.990602212307.14476A-100000@panther.Gsu.EDU>
Source record: 83787

I am going to be in London in mid-June for a conference and have a free day. Can any one recommend any BA sites, eg. telecommunications museums, surplus shops, etc. worth looking at? Dave

2958. FS:Temp One

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7j4n3q$6m8$1@nntp9.atl.mindspring.net>
Source record: 83788

Black Tempo One with speaker, power supply and Astatic mic
Radio is perfect like new (no scratches)plastic on front.
My grandfather was always looking for some guy named skip with it.
You can here code and what sounds like pigs talking on it.
Very useful.....Does tricks, lights up light bulbs and keeps room warm. $
250

2959. Re: BAs around London

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Dan Rae <rae4@ix.netcom.com>
Message-ID: <3755E518.E4C61365@ix.netcom.com>
Source record: 83789

David,
The Science Museum (South Kensington Tube ie Subway) have an enormous collection of old electronics (most of which they don't have space to put on display).
They have all the WW2 radar sets and much else. It used to be free too, before the coming of Ms Thatcher, but you will undoubtedly have to pay the market rate now, such is progress.
Shops I am not up to date with, you might try the uk.radio.amateur ng for a current report, but there were very few left in London when I was last there, real estate values being pretty high.
73, Dan AC6AO G3NCR

2960. WTB: HRO-60/Speaker and ABCD coils

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: W6ABC <friday@ccnet.com>
Message-ID: <3755F6AF.AF645718@ccnet.com>
Source record: 83790

Hi,
Anyone have the HRO-60 for sale preferably in Northern California for pickup. Would like it in sound electrical (operational) condition and cosmetically.
73,
Jack

2961. 4-1000A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: Norbert Mai <n.mai@worldnet.att.net>
Message-ID: <7j4v5vbpp1@bgtnsc02.worldnet.att.net>
Source record: 83791

I have a 4-1000, chimney, socket, filament xfmr, with a spare tube. Want to build something smaller (physically). Prefer to trade.

n.mai@worldnet.att.net
nmai@aol.com

Norbert
WA5NWT

2962. Heath & Drake plate xmfrs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37560077@news1.us.ibm.net>
Source record: 83792
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have two original plate xmfrs for sale. One is for the Drake L4B and the other is for the Heathkit SB-1000/Ameritron AL-80A.

Drake: Original xmfr. Was pulled from an L4B by me around six months ago. Fully operational. 120/240vac primary. Sec. is around 1050 and 800 volts at 1 amp. Was desgined to handle a pair of 3-500Zs. it comes mounted in the L4PS chassis. Not many orig. components are left though. No caps or diodes. Price is $115.00 plus actual shipping costs of UPS ground from San Diego 92139. Will double box and insure. Will throw in a copy of the L4PS schematic.

Plate xmfr for the Heathkit SB-1000/Ameritron AL-80A. This too was pulled by me from my much modified SB-1250 amplifier. 120/240 vac pri. Sec. is around 1100 volts at 500mA. Also has the filament winding for a single 3-500Z and a 10.5 volt control voltage winding. Will include a copy of the Heathkit SB-1000 scat. Price is $100.00 plus actual shipping costs from San Diego 92139. Will double box and insure UPS ground.

Prices are firm.

73s

Lane Zeitler
Ku7i
San Diego

2963. Help: 400 Hz power

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-02 00:00:00 UTC
From: zygo@azstarnet.com
Message-ID: <zygo-0206992135380001@dialup17ip065.tus.azstarnet.com>
Source record: 83793

Can anyone suggest a source for a cheap, small, power supply providing 115 v.a.c., 400 Hz from 115 v.a.c. 60 Hz or from 12 v.d.c.? Current requirement is only about 250 ma. Frequency regulation is not at all critical. Fair Radio sells some monsters but don't want to pay that much (plus freight!). Guess I could rig up a transistor oscillator and rectify the output, but I'd rather not get into construction if something is available out there.

Thanks, Jim Mandaville, Tucson, AZ

2964. BIRD 43 WATTMETER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990602200229.08365.00000333@ng-fw1.aol.com>
Source record: 83794

I HAVE A BIRD 43 WATT METER IN ORIGINAL CARRY CASE
9NO SLUGS INCLUDED) CLEAN $195
SOME SLUGS AVAILABLE $45 EACH INQUIRE YOUR NEEDS
JOHNYK78

2965. FS or FT: Drake TR7/PS7/WH7...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01bead5a$235dbc00$7622d3d1@mdt>
Source record: 83795
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Hello and thanks for reading this post. I had listed this equipment last month and thought I had a trade made, however the other party never came through on his part of the deal. Anyway, I have a spare, extremely nice Drake TR7 station that I would like to trade.

It consists of:
TR7 with the NB, four filters, operators and technical manuals, extremely nice.
PS7 power supply, some nicks on the front panel, stored under desk.
WH7 wattmeter and manual, extremely nice condition.
The TR7 and the WH7 have the late style cabinet.

I would like to trade this station for/towards a Ten-Tec station such a Corsair I/II, OMNI C, or whatever. The last time I offered this station up, several people expressed an interest in a cash price. I am asking $595 plus shipping/packing (packing will be done at a local store as I do not have the facilities to properly pack this equipment) however, A TRADE WILL TAKE PRECEDENCE! I can send JPEG's of the station, but be aware they are scanned polaroids and as such they are not very good. Thanks again for reading this post, Markus.

2966. Re: [BoatAnchors] Re: [Hammarlund] [R-390] [Boatanchors] Speaking of Tubes ...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: bmarx@bellsouth.NET
Message-ID: <00d201bead60$a8741c80$3bd24dd8@billmarx>
Source record: 83796

This is the web page for ESRC........

http://home.att.net/~esrc/esrcmain.html

The cheapest and best service on the Internet.....
Bill Marx W2CQ

2967. More work on my sub-miniature tube "AA5" set, mixer stage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFCqC7r.C9L@netcom.com>
Source record: 83797
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Seems I never truely finish a radio, they are "works in progress"....

Anyway, found I could get better conversion gain if instead of connection
the second control grid (of a dual control pentode, 5636) to the cathode of the
hartley style local oscillator triode, I connect to its grid instead. A
significant increase in gain. But at the price of a tad bit of local
oscillator pulling by strong stations at the top of the AM MW band.

See my updated web page on this at http://www.netcom.com/~wa2ise and
click the link.

2968. Drake TR7 listed earlier is gone...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Markus Thomerson <mdt@powr.net>
Message-ID: <01bead6d$c4842e30$7622d3d1@mdt>
Source record: 83798
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Subject says it all. Thanks to all who responded. Markus.

2969. TR-7 Station for trade-EU

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Bob Marshall-Read <bob.read@ieee.org>
Message-ID: <37562DF5.FDD7613A@ieee.org>
Source record: 83799

I have a MINT condition TR-7 Station, all filters (12 down to .3 KHz),
Aux board, Noise Blanker, Drake power supply, and TR-7 Speaker, digital
readout in original boxes with operators manual and tech manual.

Would like to trade (Europe preferred) for what have you.

Thanks and 73

de Bob G4VGO

--

Robert Marshall-Read
Chartered Engineer
Director, Technical Projects
Cellstructures International Limited
Mobile: +44 (0)468 456424
Office: +44 (0)171 375 1133

2970. BCC40 Information

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <7j5d7g$vj5@usenet.pa.dec.com>
Source record: 83800

I'm offered a BCC40 and am looking for information regarding this set. I have nothing else about this set except the type number. I know BCC has build the BCC30 or A14 for the British army and I know of the BCC32 but this is the first time I heard about the BCC40. All information is welcome.

73's

Nico PA3ESA

Email: nico.vandongen@compaq.com

2971. Tubes needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Gary Poland <w8pu@your-net.com>
Message-ID: <375669A5.922B6B50@your-net.com>
Source record: 83801

I am in need of a pair of 6KD6's. They do not need to be NOS but to at least have close to full output.

Gary

2972. FS: MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <37566B09.4D03CBA9@tinyradio.com>
Source record: 83802

1. War Dept Technical Manual April 1945 "RADIO RECEIVERS BC-728-A AND -C,
REPAIR INSTRUCTIONS (SCR-593)
$20.00 POSTPAID

2. War Dept Technical Manual March 1943 "RADIO SET SCR-593-A $13.00 POSTPAID

3. TEKTRONIX Instruction Manual Type 564 Oscilloscope $30.00 POSTPAID

4. PHOTOCOPY NATIONAL HRO-7 Instruction Manual $13.00 POSTPAID

I'll ship priority mail included.

73 Al W1UX

2973. Mic element for Electrovoice 664

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Mark Croney <mcroney@bellsouth.net>
Message-ID: <375685FA.7A3F34F3@bellsouth.net>
Source record: 83803

Does anyone know of a source for replacement mic elements for an
Electrovoice 664 microphone?

Thanks,
Mark Croney
W4ZF

2974. Re: Mic element for Electrovoice 664

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3756890E.39F@ix.netcom.com>
Source record: 83804

Mark Croney wrote:
>
> Does anyone know of a source for replacement mic elements for an
> Electrovoice 664 microphone?
>
> Thanks,
> Mark Croney
> W4ZF
Hi Mark
Many of the original elements have been damaged by age and improper storage. I have had several 664s and consider them to be the most attractive mic ever designed. On the one I use currently on AM, I have replaced the element with an element I took from a studio type mic. It was simular to a Shure SM58 series. The wiring inside is a bit tricky because they used very thin wire to make the swivel function and sometimes it breaks. Now I have a mic which works perfect for the assigned application and looks great. The original characteristics of the mic are not assumed in its current state, as you'll find that by using the original element was the only way to make use of the very complex mid 50s design.
73 Chris VE3NGW/W4 Florida

2975. Europe : FS Collins RX 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Ragnar Otterstad <danmec@inet.uni2.dk>
Message-ID: <37568f70.1@news.euroconnect.dk>
Source record: 83805

Nice 51J4 in cabinet with 3 mech.filters for sale. Price 550 USD +
Shipping ex Copenhagen

2976. Tempo One For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3756AC88.42B2@ix.netcom.com>
Source record: 83806
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I have a Tempo One HF Tranceiver with the power supply/speaker. Low output needs two sweep tubes. Receives great. Condition is good. Cabinets look great. This would make a great back-up or just a rig to keep in another room. $145+shipping. 73 Chris VE3NGW/W4 Florida

2977. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <3756B7EE.CA3152B7@home.com>
Source record: 83807

Walter:

I think that the advice you have received from others is good. I have
an SX-99 and did not need to change any caps. Although the radio is 44
years old the only tube that does not have the Hallicrafters name on it
is the rectifier. I even saved the old 5U4GB. Only do what is needed
to keep the radio as it was. Tubes do sound better.

73
Alan
W1HYV

Walter Wilson wrote:
>
> Can anyone recommend what type of capacitors to use to replace the paper
> capacitors in an old boatanchor (Hallicrafters SX-28A). Should these be
> replaced with orange drop, polyester film, polystyrene film, or one of the
> metalized types? Any recommendations will be appreciated. My intentions
> are to check all the resistors (esp. higher wattage ones) and replace all
> paper capacitors and electrolytics.
>
> Thanks in advance,
> Walter (KK4DF)

2978. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Roy Lewallen <w7el@teleport.com>
Message-ID: <3756BD84.B73D1281@teleport.com>
Source record: 83808
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

Walt Davidson wrote:
>
> On Wed, 02 Jun 1999 10:33:30 -0700, Roy Lewallen <w7el@teleport.com>
> wrote:
>
> >The newsreader bundled with Wordperfect and Netscape v. 4 in the
> >several-hundred-dollar Corel Suite 8 doesn't qualify as a "proper"
> >newsreader by your standard. (I purchased Agent but found it to be too
> >complex for my simple needs so don't use it.)
>
> The fact that you chose to pay several hundred dollars for your
> newsreader doesn't necessarily make it any better than mine (for which
> I paid $25). In fact it probably says more about you than about the
> newsreader! :-)

It would indeed, if the newsreader was all I had gotten for the money.

> Netscape - of which the current version is 4.6 - is
> free.
>
> >Communication of all kinds, including postings on the web, would be
> >much more effective if written for the convenience and understanding
> >of the reader rather than the convenience and ego of the writer.
>
> Yes, but they wouldn't be half as much fun!

And it does seem true that some of the people posting on the newsgroup
are indeed having a lot more fun than the people reading their
postings.

Roy Lewallen, W7EL

2979. COLLINS 618T

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: JOHN AYRES <acomm@worldnet.att.net>
Message-ID: <3756D6B3.79CCE3D4@worldnet.att.net>
Source record: 83809

COLLINS 618T HF TRANSCIEVERS....$75 EA....
COLLINS 490T-9 ANTENNA TUNERS....$100 EA....
NO MANUALS....

303 341 2283 JOHN NFOP...

2980. Re: Help: 400 Hz power

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <3756F7D5.4822C03D@erols.com>
Source record: 83810

That's a problem. The "peanut" inverters for compass systems only provide
about 25ma. The next step up is 28v in and 250VA out. Rock and Hard Place!

Jim Mandaville wrote:

> Can anyone suggest a source for a cheap, small, power supply providing 115
> v.a.c., 400 Hz from 115 v.a.c. 60 Hz or from 12 v.d.c.? Current
> requirement is only about 250 ma. Frequency regulation is not at all
> critical. Fair Radio sells some monsters but don't want to pay that much
> (plus freight!). Guess I could rig up a transistor oscillator and rectify
> the output, but I'd rather not get into construction if something is
> available out there.
>
> Thanks, Jim Mandaville, Tucson, AZ

2981. request info on drake lines

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: henry@g0gku.demon.co.uk
Message-ID: <19990603.1123.768snz@g0gku.demon.co.uk>
Source record: 83811

I am looking for a friend who wants some info on specific drake-line
models, the drake r-8, and other of its derivitives. Any pointers
towards mailing lists, appropriate newsgroups etc appreciated.
thanks

--
Henry Brugsch
g0gku/k1hbj
http://www.g0gku.demon.co.uk

2982. 1917 FB chambers wireless set-huge FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990603182414.26837.00000175@ng-fg1.aol.com>
Source record: 83812

this set is over 3 feet long and in beautiful original condition-long wave
receiver 1917
see it at ebay #110538530
look for other items also
thanks
michael

2983. FS: Boatanchor Signal Generators

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: k4dlj <k4dlj@bellsouth.net>
Message-ID: <37570BCA.632E@bellsouth.net>
Source record: 83813
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,sci.electronics.repair,sci.electronics.equipment

Have the following Signal generators for sale:

US Army model # TS-497B/URN 2-400mhz AM signal generator. Works Manufactured by Murston Manufacturing. (Typical Military style construction. Good for aligning or as a reference oscillator. Resonabaly stable instrument. $40.00 OBO

Hewlett Packard model 608D 10mhz-420mhz in good operating and physical condition. Full measured and stable output. - $80.00 obo

73 de Dave K4DLJ Darlington, SC

2984. FS: Tek scopes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: k4dlj <k4dlj@bellsouth.net>
Message-ID: <37570D5E.40FF@bellsouth.net>
Source record: 83814
Cross-posted to: rec.radio.amateur.boatanchors,sci.electronics.equipment,sci.electronics.repair

Have for sale the following:

Tektronix model 434 - dual trace - storage scope - in excellent operating and physical condition. Sorry no manual. -$80.00

Tektronix model 922 dual trace - 20 mhz - NON working. Looks to be a HV problem as power light blinks. Tube appears to be in fine condition. Checked filaments and for shorts and all is OK. Unit is in excellent physical condition. With protective front cover. $40.00 OBO

Tektronix model 7904 - frame - damaged by UPS but does work. Need new power switch, a few knobs but is fixable. - $50.00 OBO

2985. grebe rork 1920s amp FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990603182637.26837.00000176@ng-fg1.aol.com>
Source record: 83815

this is the two step amp for the cr series receivers fronm the early 1920s.good
original condition with original audios ebay # 110576589
please look for other type items
thanks
michael

2986. FS: Lambda bench supplies

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: k4dlj <k4dlj@bellsouth.net>
Message-ID: <37570DF5.3EC0@bellsouth.net>
Source record: 83816

Have for sale 4 identical units - Lambda model LA200 - dual meters-
current and voltage adjustable - 0-20vdc @ 0-5vdc. Units are very small
and light for what they do. $45.00 shipped USA.

73 de Dave K4DLJ Darlington, SC

2987. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <yKD53.174$q05.15082@news.cwix.com>
Source record: 83817

Walter Wilson <wewilsonjr@usa.REMOVETOREPLY.net> wrote in message
news:928355684.439.86@news.remarQ.com...
> Can anyone recommend what type of capacitors to use to replace the paper
> capacitors in an old boatanchor (Hallicrafters SX-28A). Should these be
> replaced with orange drop, polyester film, polystyrene film, or one of the
> metalized types? Any recommendations will be appreciated. My intentions
> are to check all the resistors (esp. higher wattage ones) and replace all
> paper capacitors and electrolytics.
>
> Thanks in advance,
> Walter (KK4DF)
>
>

REPLACE 'EM ALL!!!

The last thing you need is one of this miserable suckers shorting (which they do on occaision)) and taking out some other parts. I suggest Sprague Orange Drops. Personally I think gutting the old waxies and putting new caps inside is a waste of time (who the hell looks at the bottom of an SX-28 anyway, since it's sucha giant pain in the ass to extract the stupid thing from its cabinet) but suit yourself - it's your radio.

Having rebuilt a dozen or so SX28s and SX-32s I can say from experience that replacing all coupling and bypass caps will make a HUGE difference in sensitivity, fidelity, and selectivity (all for the better).

It's well worth your time to do this.

73 and good luck, John

2988. Re: request info on drake lines

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: John Elmore <jelmore1@bullitt.net>
Message-ID: <DCE53.151$vW4.13602@news2.randori.com>
Source record: 83818

Try this site .

http://www.dproducts.be/drake_museum/

henry brugsch wrote in message <19990603.1123.768snz@g0gku.demon.co.uk>...
>I am looking for a friend who wants some info on specific drake-line
>models, the drake r-8, and other of its derivitives. Any pointers
>towards mailing lists, appropriate newsgroups etc appreciated.
>thanks
>
>--
>Henry Brugsch
>g0gku/k1hbj
>http://www.g0gku.demon.co.uk

2989. ft-200/Tempo One, VFO help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: DJ <fb67@uswest.net>
Message-ID: <rVE53.1473$j7.162196@news.uswest.net>
Source record: 83819

Does anyone have information or knowledge about VFO's and Tempo's? Are there any that work with it and if so will it increase the frequency range, at least for recieve? Thanks ahead of time. 73

2990. Re: HP 400C manual needed!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <928463249.354.100@news.remarQ.com>
Source record: 83820

Thanks to all who responded. I found one near by and am very grateful.
Thanks to Ian, K6SDE
Mike de Wey <sjsharks@saber.net> wrote in message
news:928360382.380.26@news.remarQ.com...
> Anyone out there have either the manual or a good copy for the HP 400C AC
> Voltmeter? I can also use the correct probes.
> Thanks
> Mike/WB6VSE
>
>

2991. 4-1000

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Norbert Mai <n.mai@worldnet.att.net>
Message-ID: <7j7f09$e4h$1@bgtnsc01.worldnet.att.net>
Source record: 83821

Thanks guys-- they are gone!!

Norb
WA5NWT

2992. Gell Cell Batteries

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <7j7m0i$54b@sjx-ixn8.ix.netcom.com>
Source record: 83822

Does anybody know where I can get used Lead Acid (Gel Cell) Batteries in the Southern California area (I am located in Brea). I was told several months ago that I could buy some used (taken out of UPS units after a year or so of service). The source never got back to me. Any info greatly appreciated.

Thanks,

Gary

bierbier@ix.netcom.com

Warsteiner and R-390A's a great combination......

2993. Re: Tubes needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-03 00:00:00 UTC
From: Gary <bierbier@ix.netcom.com>
Message-ID: <37575E10.BC437EB2@ix.netcom.com>
Source record: 83823

Dear Sir,

If you did not find a pair yet, let met know....I have a few.....name your price.

Regards,

Gary

Gary Poland wrote:

> I am in need of a pair of 6KD6's. They do not need to be NOS but to at
> least have close to full output.
>
> Gary

2994. WTB STANCOR SCHEMATIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <3757E7F2.4594@swbell.net>
Source record: 83639

I'm bringing an old pre-war Stancor P 60 (25T rig) back up to speed and could use a schematic or manual copy if there was such a thing for the kit.

This manual guys don't have this one. I'm willing to pay for one, I don't expect a freebie.

Thanks for the read!

Dan
W5VJ

2995. SB-1000/AL-80A plate xmfr $100.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3757e972@news1.us.ibm.net>
Source record: 83640
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have an excellent pulled from service Heathkit SB-1000/Ameritron AL-80A plate xmfr. Works fine. price is $100.00 plus actual shipping costs of UPS ground from San Diego zip 92139. Will double box, insure, and throw in a copy of the SB-1000 scat.

PLEASE include ur home phone when replying.

73s

Lane
Ku7i
San Diego
619-470-6528 please reply with e-mail as I am not home very much.

2996. Re: Gell Cell Batteries

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: tcrpe <tcrpe@yahoo.com>
Message-ID: <eyT53.13907$4b.306009@news2.giganews.com>
Source record: 83641

All Electronics has stores in Van Nuys and Los Angeles. They carry al lot
of sizes.

TR

GARY wrote in message <7j7m0i$54b@sjx-ixn8.ix.netcom.com>...
>Does anybody know where I can get used Lead Acid (Gel Cell) Batteries in
the
>Southern California area (I am located in Brea). I was told several months
>ago that I could buy some used (taken out of UPS units after a year or so
of
>service). The source never got back to me. Any info greatly appreciated.
>
>Thanks,
>
>Gary
>
>bierbier@ix.netcom.com
>
>Warsteiner and R-390A's a great combination......
>
>

2997. Re: HQ100C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7j9513$3ff3@eccws1.dearborn.ford.com>
Source record: 83642
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors

In article <37553EDF.CC7A5@pedinc.com>, mnelson@pedinc.com says...

> A colleague here at work just came in today with a side-of-the-road
> find; a dusty but complete Hammarlund HQ100C (clock option) and matching
> speaker.

I wish I knew which roads you drove down to fins stuff like this... :^)

> We're itching to check it out and will do all the appropriate
> things since we don't know its heritage. The under chassis area is
> still shiny, except for a big resistor, but some of the tubes have lost
> their numbers. Does anyone have a schematic that they'd be willing to
> share?

Post your request to rec.radio.amateur.boatanchors; you'll probably get
pointed to a site with Hammarlund info. If I remember correctly, there's
a guy in Jackson, MI that's into them quite heavily.

C.K. (oops, I just did)

2998. Worth of an SX-71 ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: bobv@wic.net
Message-ID: <8DDB944A1bobvwicnet@news.wic.net>
Source record: 83643

I heard from someone somewhere that an SX-71 brings around $1000. Is this true? Any info would be helpful.

TNX, Bob

2999. FS: 200 caps, 56 tubes, $25 all

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990604163904.05914.00000352@ng-fu1.aol.com>
Source record: 83644

I'm doing my Spring cleaning (still). I'm selling an assortment of capacitors
and tubes for $25, shipping included (US 48 only please).

Interested? Please respond by email.

Thanks,
Tom Mitchell
email - OvrReactor@aol.com

======HERE'S THE INVENTORY======

(200) ITW 0.0047 mfd 400V polystyrene axial lead capacitors

AND

(56) assorted tubes (used / test good)

(1) 0A2
(2) 0B2
(1) 0D3A
(1) 4BZ6
(1) 4CS6
(1) 6AG5
(4) 6AL5
(3) 6AU6
(1) 6AV6
(1) 6BA6
(9) 6BC7
(1) 6BQ5
(1) 6BQ7A
(4) 6CB6A
(1) 6CL3
(2) 6FQ7
(1) 6J6
(7) 6U10
(1) 6W4GT
(1) 6X5GT
(1) 8AW8A
(1) 12AV6
(1) 12BH7A
(1) 12MD8
(1) 12SC7
(1) 17D4
(2) 5651
(1) 5663
(1) 5749

(1) 6097
(1) 6463

3000. Re: Worth of an SX-71 ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Al Dolgosh <al.dolgosh@hamradio.org>
Message-ID: <37583A7B.238C127B@hamradio.org>
Source record: 83645

Absolutely not! But.....please tell the guy who told that to you, that I
have an SX-71 I will give him for a bargain $900!

You can look up recent selling prices at this URL:

http://www.mnsinc.com/bry/ham/boneyard.htm

Hope this helps - and I will split the $900 with you!

Al - K8EUR

Bob V wrote:

> I heard from someone somewhere that an SX-71 brings around $1000. Is this
> true? Any info would be helpful.
>
> TNX, Bob

3001. FS; Collins, Hallicrafters, Johnson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Dave Rodgers <kc9kx@softfarm.com>
Message-ID: <37584052.0@news3.paonline.com>
Source record: 83646

Greetings,

I will have various pieces of equipment for sale at the Princeton Hamfest this weekend
such as;
Collins, 32V-2, 32V-3, 2/75A4's with the 302C3 spkrs. one with all the filters.
75A-3, KWS-1, R390, rare 302C-1, 75S-1 & 32S-1 w 516F-2 p.s.51J4
Johnson; Valiant II, Kilowatt matchbox, 275 watt matchbox, Ranger (mint),Challenger
Hammarlund; SP600 JX17, SX 28A w/ PM23 spkr. Super Pro w/P.S.
National; NC303 w/ spkr & calib. HRO5R w/ spkr. 4 coils in coil box
B&W 5100B, Meissner Deluxe Signal Shifter w/ all original coils in the boxes
Clegg Zeus (no power supply)
NO PRESALES.
Thanks for the read. Dave KC9KX

3002. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7j9jcp$k4m$1@autumn.news.rcn.net>
Source record: 83647

Probably because after 30 years most wax-paper
caps have developed considerable leakage.

Bill, KD0HG wrote in message <375c3c02.80081751@news.frii.com>...
>On Thu, 03 Jun 1999 22:56:30 GMT, "wb0poz" <wb0poz@cwix.com> wrote:
>
>>I can say from experience that
>>replacing all coupling and bypass caps will make a HUGE difference in
>>sensitivity, fidelity, and selectivity (all for the better).
>
>Can you explain the theory behind how replacing good paper/foil decoupling
>caps with good plastic decoupling caps could have an effect on RF
selectivity
>and sensitivity?
>
>-BK
>Berthoud, Colo.

3003. FS: Hammarlund Super Pro

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Joel Levine <joelbmh@worldnet.att.net>
Message-ID: <7j9lfuki1@bgtnsc03.worldnet.att.net>
Source record: 83648

I am posting this for an acquaintance who does not have internet access. Do not respond to me. Call the number below. I have only the information that is posted below.

For Sale: Hammurlund Super Pro. Looks like original model from 1930's. Radio is mounted in a cabinet and has power supply. Speaker looks like later National speaker from the 1950's. Owner will not ship. Pick-up on Long Island only. For additional information and pricing call:

Sheldon DeBardelaben 516-921-2054

3004. Re: Gell Cell Batteries

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: M Boyce <k0coy@kctera.net>
Message-ID: <hTY53.19$m06.14621@typ11.nn.bcandid.com>
Source record: 83649

Find a local security system provider, home alarm system, or whatever.
They usually replace the 6 and 12v cells every year or 18 months. The
cells usually have a life of 3 to 5 years, if cared for properly.
I've found numerous companies here in the Kansas City area that are
throwing these cells AWAY.
Mike

3005. Free Buy / Sell / Trade site

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Netminder <webmaster@lakeisabella.net>
Message-ID: <7j9m14$d9a$1@oak.prod.itd.earthlink.net>
Source record: 83650
Cross-posted to:
alt.radio.scanner,rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx

.....A free site to post a buy sell trade ad for your
amateur radio related items

http://www.lakeisabella.net/amateur

3006. Scott Hall & Panther City - Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: pymalion <pymalion@waymark.net>
Message-ID: <928538131.776.11@news.remarQ.com>
Source record: 83651
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.policy,rec.radio.amateur.space,rec.radio.b

Scott Hall & the Panther City Band - Texas Favorite Country Artist, now has full length MP3's available from their current release "Panther City" for download and real audio previewing at http://www.mp3.com/artists/22/scott_hall__the_panther_city_band.html

You can listen to the mp3.com Radio version of all their songs...

You can also check Scott Hall's Web Site at http://members.tripod.com/~pymalion_2/

3007. Re: ft-200/Tempo One, VFO help

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Will Rogers <w4wlr@flinet.com>
Message-ID: <3JZ53.1214$K2.41082@iad-read.news.verio.net>
Source record: 83652

Hi DJ

Would need to change out the heterodyne oscillator crystals in order to get it to go elsewhere. The VFO won't go above or below where it is set at the factory.

Hope this helps

Will

DJ <fb67@uswest.net> wrote in message news:rVE53.1473$j7.162196@news.uswest.net...
> Does anyone have information or knowledge about VFO's and Tempo's
<<snip>>

3008. FS; ARRL HANDBOOKS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: LARRY D JONES <WB5KYK@prodigy.net>
Message-ID: <7ja4nhsam1@newssvr04-int.news.prodigy.com>
Source record: 83653

I have the following ARRL HANDBOOKS FS. They are in very good conditon
and no pages or covers are missing:

1974 ARRL HANDBOOK $13
1977 ARRL HANDBOOK $13
1978 ARRL HANDBOOK $13
1980 ARRL HANDBOOK $15
DX EDGE SLIDE RULE (EXCELLENT CONDITION) $13
These prices INCLUDE shipping to the conus !!
Please reply by e-mail- Larry WB5KYK/QRP

3009. Halli S-38B at Auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: David Honeycutt <k3458@leo.infi.net>
Message-ID: <37589CB1.6C031D44@leo.infi.net>
Source record: 83654
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave

Hello All,

Please have a quick look at the nice little S-38B Receiver that I have
listed at eBay Auction.

Follow this link to the listing

Thank you for your time,
David Honeycutt

3010. Hallicrafters S-38C at Auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: David Honeycutt <k3458@leo.infi.net>
Message-ID: <37589D69.AB1B81F8@leo.infi.net>
Source record: 83655
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave

Hello All,

Please take a quick look at the nice little S-38C Receiver that I have
listed at eBay Auction.

Follow this link to the listing

Thank you for your time,
David Honeycutt

3011. Collins gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: clyde edgar <cedgar@pacificnet.net>
Message-ID: <3758A4AA.46A1DE30@pacificnet.net>
Source record: 83656

John, I would be interested in one each of the transceiver and ant
tuner. What condition are they in and what would it cost to ship ?

3012. FS: HP-606A Signal Generator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: K6RB <K6RB@newsguy.com>
Message-ID: <7jaa32$18d2@edrn.newsguy.com>
Source record: 83657

HP-606A Signal Generator with copy of manual. Works and looks very good. $250 firm. I'll pack; you ship.

3013. WTB: Watkins Johnson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Spencer Bahner <spencer12345@email.msn.com>
Message-ID: <eqhxafxr#GA.297@cpmsnbbsa02>
Source record: 83658

If you have any Watkins Johnson receivers or accessories for sale, please send me an e-mail.

Thanks.

Spencer Bahner N7UMO
spencer12345@msn.com

3014. WTB: MFJ 1020B Indoor Antenna

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: techni@netcom.com
Message-ID: <techniFCs0Hw.740@netcom.com>
Source record: 83824

WTB: MFJ 1020B active indoor antenna. Harold Meltzer

3015. F S DRAKE HAND MIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990603204444.27187.00000259@ng-cn1.aol.com>
Source record: 83825

i have a drake #1525 Em microphone this mic has tone buttons on back
very good condition $25 johnyk78

3016. Hallicrafters Manual SX-117

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: bobco@i-2000.com
Message-ID: <37572407.11864600@news.i-2000.com>
Source record: 83826

FS...Sx-117 Original Manual(not a copy) mint...$20.00 to your door
CONUS via USPS Priority mail.....Bob...on L. Island
Pse remove the (ns) from my adr..Tnx...

3017. Re: WTB: Pair 4-125A Good Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990603210351.27190.00000255@ng-cn1.aol.com>
Source record: 83827

jim will sell you a pair of 4-125 for $30 shipped
guaranteed to be good
john kakstys 18 hillcrest terr linden nj 07036
w2fnt johnyk78@aol.com

3018. WTD: Odd 1930's Johnson Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: cnord@snet.net
Message-ID: <37572f66.14049052@news.snet.net>
Source record: 83828

Back in the 30's EF Johnson made a knob about 4 1/2 inches long with raised handle on one side and a small open square on the other end. It was made to be paired with a 0-180 deg dial plate. Follow this link for a crude drawing of it

http://pages.cthome.net/nord/knob.html.

I need it for the restoration of a 1935 Harvey CT-60 transmitter. Someone must have one sitting in their junkbox in need of a good home.
Thanks and 73
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

3019. WTD; FUSES PLUGS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <3757372A.2693@sympatico.ca>
Source record: 83829

I AM LOOKING FOR FUSES PLUGS I ACCEPT ONLY ONE OR MORE TELL THE PRICE
REQUESTED.
73
VE2AMK

3020. Re: Europe : FS Collins RX 51J4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: davek2dp@aol.com
Message-ID: <19990604005219.17044.00000331@ng-cm1.aol.com>
Source record: 83830

Rag,

Would you consider selling the 6 khz filter separately ???? If so, how much ?

73 ,
Dave, K2DP, St. Louis

3021. WTD: 30's Odd EF Johnson Knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: cnord@snet.NET
Message-ID: <00c201beae2b$b7c01c40$8f243ccc@default>
Source record: 83831

Back in the 30's EF Johnson made a knob about 4 1/2 inches long with raised handle on one side and a small open square on the other end. It was made to be paired with a 0-180 deg dial plate. Follow this link for a crude drawing of it http://pages.cthome.net/nord/knob.html. I need it for the restoration of a 1935 Harvey CT-60 transmitter.
Someone must have one sitting in their junkbox in need of a good home.
Thanks and 73
Carl Nord
WA1KPD
http://pages.cthome.net/nord/wa1kpd.html

3022. Re: More work on my sub-miniature tube "AA5" set, mixer stage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Mike Monett <add@csolve.net>
Message-ID: <37576B7D.534F@csolve.net>
Source record: 83832
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Robert Casey wrote:

[...]

> See my updated web page on this at http://www.netcom.com/~wa2ise and
> click the link.

Robert,

Thanks for putting up your web site on old AA5 tube radios. I often
browse through and remember the things that happened over the past 40
years just because I started taking them apart.

But I did manage to get some of them back together :)

Best Regards,

Michael R. Monett
mailto:add@csolve.net

3023. Re: What's a Hallicrafters S-20R worth?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: jimkd1bx@aol.com
Message-ID: <19990604023734.07608.00000426@ng-fw1.aol.com>
Source record: 83833

Hi Rick...

That radio was made from about 1940 to 1945.

Not too bad a radio in its day, single conversion 9 tube job. It is worth anywhere from $50 on the low side to $125 on the high. If it is a s-20 it is an 8 tube job and worth about $50.

Hope that helps...

Jim

3024. Re: request info on drake lines

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3757857A.D4B6C8A3@asu.uswest.net>
Source record: 83834

Henry,

The R-8 plain, A and B models are relatively new, so there is not as much material on these receivers on the net as for the older 4-line and other Drakes. A few places to try:

http://www.min.net/%7Ethom/drakelist/index.html
http://www.dproducts.be/DRAKE_MUSEUM/
http://www.rldrake.com/

The last is Drake's web site. There is R8 info there, and they can send you brochures. Also, you may want to search the USENET archives for posts related to the R8, R8A, R8B. The best archive is DejaNews (goes back to March of 1995) at:

http://www.dejanews.com/

At the first link above, there are instructions on how to sign up for the DrakeList mail reflector, which is probably the best single source of Drake info on the net, and you can pose specific questions to the list members, who are very knowledgeable about all Drakes from the 1-A to the R-8B. r.r.a.boatanchors is of course a good place to find out more as well. Can you be more specific about what your friend wants to know about the R-8?

henry brugsch wrote:
>
> I am looking for a friend who wants some info on specific drake-line
> models, the drake r-8, and other of its derivitives. Any pointers
> towards mailing lists, appropriate newsgroups etc appreciated.
> thanks
>
> --
> Henry Brugsch
> g0gku/k1hbj
> http://www.g0gku.demon.co.uk

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3025. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Reg Edwards <G4fgq.Regp@btinternet.com>
Message-ID: <01beaeaa$2850a640$9ee7abc3@default>
Source record: 83835
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

Walt,

Havn't you heard yet ? That minor skirmish known as the
American War of Independence is over. Both sides won. Its
now considered very respectable to be polite to visitors
from two hops away across the pond. ;o)

Reg.

3026. What is a KW-vanguard TX worth?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <7j8l40$52d@usenet.pa.dec.com>
Source record: 83836

I'm offered a old ham band KW-vanguard TX and a G209 RX, both build around a Geloso VFO as I�ve been told. I would like to know its value and if it is a collector�s item

73's

Nico PA3ESA

Email: nico.vandongen@compaq.com

3027. GATES TX BC1-T 1 KW AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990604100841.24865.00000415@ng-da1.aol.com>
Source record: 83837

FOR SALE Gates BC-1-T AM broadcast transmitter,833's in PA and Modulators, PA and Loading uses rotary inductors, can tune for 160 and 75 meters

Dennis K6RCL
Dennis
Goleta, Calif. 93117

3028. Re: Gell Cell Batteries

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-04 00:00:00 UTC
From: Xjshillw6ivw@earthlink.net
Message-ID: <3757e3c1.1374718@news.earthlink.net>
Source record: 83838

Gary:
They are sold at the TRW Swap Meet from time to time. However, the guys selling them seem to be semi-commercial types (like most of the sellers). The swap meet is held the last Saturday of each month in a TRW parking lot behind the gas station at Aviation and Marine in either Redondo Beach or Manhattan beach (boundaries are close). Time 7:00 to 11:00 AM. It's run by the TRW amateur radio club, W6TRW.
Jim

On Thu, 3 Jun 1999 21:27:17 -0700, "GARY" <bierbier@ix.netcom.com> wrote:

>Does anybody know where I can get used Lead Acid (Gel Cell) Batteries in the
>Southern California area (I am located in Brea). I was told several months
>ago that I could buy some used (taken out of UPS units after a year or so of
>service). The source never got back to me. Any info greatly appreciated.
>
>Thanks,
>
>Gary
>
>bierbier@ix.netcom.com
>
>Warsteiner and R-390A's a great combination......
>
>

Delete the X before using my e-mail address.
The X was added to stop spam.

3029. Value of Drake SW-8

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990604210632.09351.00000610@ng-ba1.aol.com>
Source record: 83659

Anybody know the current market value of an excellent condition Drake SW-8 receiver?

73

Evan

3030. Re: arc-5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990604214637.29270.00000552@ng-fl1.aol.com>
Source record: 83660

have 2 roller ind.s with bar and wheel for the
7 mhz version, will ship cod ups, make offer

D Darby

3031. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <Rj%53.3164$dh5.16244@news.cwix.com>
Source record: 83661

CommQuart <commquart@erols.com> wrote in message
news:7j9jcp$k4m$1@autumn.news.rcn.net...
> Probably because after 30 years most wax-paper
> caps have developed considerable leakage.
>
> Bill, KD0HG wrote in message <375c3c02.80081751@news.frii.com>...
> >On Thu, 03 Jun 1999 22:56:30 GMT, "wb0poz" <wb0poz@cwix.com> wrote:
> >
> >>I can say from experience that
> >>replacing all coupling and bypass caps will make a HUGE difference in
> >>sensitivity, fidelity, and selectivity (all for the better).
> >
> >Can you explain the theory behind how replacing good paper/foil
decoupling
> >caps with good plastic decoupling caps could have an effect on RF
> selectivity
> >and sensitivity?
> >
> >-BK
> >Berthoud, Colo.

CommQuart hit the nail on the head. The Q of these old waxies is pretty
poor also. You'll be surprised at how many little problems replacing all
the caps will fix: distortion on strong signals, crosstalk, motorboating,
IFs oscillating, overheating tubes, etc....

Leakage in byapass caps causes excessive load on the power supply, incorrect
voltages on the plate and screen, and in the case of coupling caps, positive
grid voltage (definitely bad!).

73 John

>
>

3032. Re: WTB Dralke T4XC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990604220217.29270.00000561@ng-fl1.aol.com>
Source record: 83662

I have a T4XC in very good condition I
would like to sell for $200.00 with owners manual, can ship ups cod gnd. I
bought the unit to go with my Icom R71A receiver. I use my TenTech trans. now
and the Drake justs sits on the self. The unit has good cosmo.
and is owned by a non smoker.

Thanks Darrell Darby

3033. F.S. BC 222 "Rush Box"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990604222045.29270.00000586@ng-fl1.aol.com>
Source record: 83663

I have two BC 222 Military portable, rush box transc. built
by Federal Telegraph in 1937, they have cont. tuning
covering 10 and 6 meters with plug in coils. They operate
AM voice only and use two tubes. One unit works, the
other is mostly for parts. Will take best offer until June
30th.
TNX D Darby

3034. FS/Trade: Drake TR-3 Cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: ekugrad@mindspring.com
Message-ID: <37587cb2.17571464@news.mindspring.com>
Source record: 83664
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Very nice condition Drake Cabinet for the TR-3. This cabinet is in near mint condition. No scratches and lettering on side is crisp and clean. Looks to be original paint job, or professional repaint. Cabinet only. No feet.

Sell for $50 shipped, but preffer to trade for something like...W4 wattmeter, MS-4 speaker, any C-line filters, TR-22, Any 7-line accessories, Astatic D-104 mic. I'm open to just about anything.

3035. Electro Voice 664 with Base for TRADE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: ekugrad@mindspring.com
Message-ID: <37588361.19282063@news.mindspring.com>
Source record: 83665

I have a beautiful condition Electro Voice 664 mic with a Model 419 tear drop base. SN 58729. Has original cable and looks great. One scratch about 1" long on the right side of the base. Some idiot put it in a box with some other stuff and it got scratched. It's a great looking mic, but I don't really need it. I would like to trade it for something I can use.

You know what it's worth, what have you got to trade? I'm open to most trades. I like the DRAKE Gear (check out my web page). Don't have any Collins gear right now, but would consider putting some cash with it for a nice 75S1 or ?

Thanks and 73

David
W4IDX

CCA Member #491

<http://www.mindspring.com/~ekugrad/drake.html>

3036. STONER PRO 80-10 Anyone have one? HELP!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3758BBA7.C3A@ix.netcom.com>
Source record: 83666
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I have a rare and beautiful STONER Pro 80-10 SSB Tranceiver. It works beautifully but I need to know the jumpers on the rear Octal Plug. Can anyone Help Me Please. Someone removed the plu which disables the transmit. 73 Chris

3037. Re: Worth of an SX-71 ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Heinz und Hannelore Breuer <hbreuer@debitel.net>
Message-ID: <3758C371.732F@debitel.net>
Source record: 83667

Bob V wrote:
>
> I heard from someone somewhere that an SX-71 brings around $1000. Is this
> true? Any info would be helpful.
>
> TNX, Bob

The SX-71 is not a SX-88. $1k for a SX-88 would probably be a bargain.
Chuck Dachis lists the SX-71 in his Hallicrafters book at $95 to $145.
The book is two years old so it may be a bit more.
73
Heinz - KF6FNC

PS: Anybody has a SX-88 at a bargain price for me?

3038. TUBES f/s: 6AK5 and 5670

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wadley@showhill.com
Message-ID: <3758E8C4.7745@showhill.com>
Source record: 83668

I have about 75 each 5670/2C51 and 6AK5/5654 tubes. All loose pulls, but checked. Most came from scrapped out military equipment. Price: $3 for 5, $5/10, $10/25 or 35c each for 40 and up. Postage extra ($1 to $3.20). Call 334-347-5281. day/eve/wknd.

3039. FS: 2 ea. 4CX-1000A/8168

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Dave Heil <K8MN@cats-net.com>
Message-ID: <3758EBF3.19D7@cats-net.com>
Source record: 83669

For Sale: Two each, 4CX-1000A/8168, new old stock transmitting tubes by Eimac. One has a 2/71 date code and was made in 5/71. Both are in original boxes (the boxes are opened but the tubes are still in sealed plastic. Will sell as a pair or separately at $300 each. I will consider trades on a tube for a modern az/el rotator, a 432 MHz transverter, 432 MHz power amp (capable of being driven by a low power transverter) or a high power 2m SSB amp. I'm also looking for an Autronic paddle which could be used as a partial trade.

Dave Heil K8MN

--
For 5H3US photos, go to
http://jjr.ne.mediaone.net/5H3US/

3040. UCF ORLANDO HAM FEST KNOW WHEN???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990605061606.15509.00000748@ng-cc1.aol.com>
Source record: 83670

any one know when the UCF orlando ham fest is it is this mo but dont have the date thank's del k9fcm

3041. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7jb0l6$6hr$1@autumn.news.rcn.net>
Source record: 83671

Bill, KD0HG wrote in message <375a8c95.80089672@news.frii.com>...
>On Sat, 05 Jun 1999 01:46:25 GMT, "wb0poz" <wb0poz@cwix.com> wrote:
>
>In my previous post, I clearly asked what tangible benefits can be
explained
>by the wholesale replacing of *good* paper capacitors with new ones. A
good
>cap means exactly that; I wasn't referring to defective, leaky ones.

This topic has been discussed endlessly in the Rec.Antique.Radio+Phono
forum. It is generally acknowledged that most wax capacitors will
eventually
fail. Given the number of bypass and coupling caps in an SX-28; who wants
to revisit a chassis every few years looking for failing components? Wax
caps
begin failing the day they are made.

>
>Obviously, when the receivers rolled out of the factory years ago, they
didn't
>exhibit any of the problems you describe above. They worked just fine.
>And my point is today, barring a measureably bad original component, they
>still work as designed.
>
The manufacturers used the best materials available to them at the time.

I probably have 40 or 50 radios sitting here that used 400VDC papers for
AC linepasses to chassis ground. Worked good when the radio rolled out of
the factory, but that isn't going to stop me from replacing them with UL
rated
bypasses.

>Sure, the Q and insulation resistance of a modern plastic capacitor is
better
>than the old ones; and I say so what? At the frequencies those old
receivers
>work at, you can't state that the Q of a good, original bypass or coupling
>capacitor creates a problem if the receiver was correctly designed to start
>with, or that increasing the Q of bypass capacitors has any beneficial
effect
>whatsoever.
>
>I question your earlier assertions that replacing *good*, original
components
>measureably improves the receiver's sensitivity and selectivity.

>Here's my objections to your maintenance philosophy. You have no facts to back
>up your assertions. Your stated experience runs counter to mine. You have not
>presented any theory behind your statements, other than generalizations that
>"If modern parts are better, than the equipment I install them in will also
>work better, in every respect". Don't get me wrong. I have no problem with
>replacing bad components, but I'll replace them with parts as close to the
>originals as possible, unless there is a compelling reason on a per part basis
>not to do so. For example, I've replaced the carbon composition metering
>circuit resistors in my 32S-1 with modern metal film jobs to correct
>temperature related drifting. But I didn't rip out and replace *all* the
>resistors in the same manner, even though modern film types are better in
>every respect than carbon composition units.

I doubt you found many early wax capacitors in S line vintage Collins.
As I remember, the S line used a lot of ceramic caps, which seldom
go bad. Also, resistors made in the late 50s were a lot more reliable
than those from the 30s or 40s.
>
>I respect your right to do what you will with your own boatanchors, but my own
>philosophy of what should be under the chassis after repairs and restoration
>is very different than yours. I feel the insides should respect the era as
>much as the cabinet.
>
>73,
>
>-BK
>Berthoud, Colo.

Repairs and restoration are kind of hard to use together in one sentence.
Some folks believe in doing the minimal repairs needed to get a radio
running. Others believe in full restoration, which would entail replacing
failure-prone components as a matter of course. I don't see how this can
be equated to hams making wholesale design changes. My own experience
with two SX-28 and two SX-42 receivers was that almost every wax
capacitor had some measurable leakage. Not a big problem in a cathode
bypass, but the kiss of death when used in an AGC circuit.

My opinions and experiences are more based on earlier (1930s and 1940s)
consumer orientated radios such as Atwater Kents and Philcos than ham gear.
Replacing older components under chassis is an accepted practice. Perhaps
this doesn't extend to the boatanchor restoration philosophy, especially when
the radios are comparitively younger. On the other hand, I've seen
folks restuff older wax cap bodies with new components to maintain
chassis appearance. I've even heard of folks who will not own a Zenith

Transoceanic unless every tube and part was 100 percent factory original.

73

Pete

3042. For Sale: Yeasu FT-51R handheld 2 Meter/440 transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: "Jeffery A. Purtle" <jpurtle@home.com>
Message-ID: <37591802.139F71B5@home.com>
Source record: 83672
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

For Sale:
Yeasu FT-51R
5 watt dual band handheld transceiver
receives 110-180 Mhz and 420-470 Mhz
transmits 140-174 Mhz and 420-470 Mhz
original box, manual, antenna, additional antenna, adapter, etc.
works fine, in good condition
Asking $300

Call or email Jeff Purtle, AC6IW:
jpurtle@home.com
(864) 292-3532 in Greenville, South Carolina USA

3043. WTB: Drake 2Q speaker/filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990605083007.18218.00001246@ng-cg1.aol.com>
Source record: 83673

Hi all
I recently acquired a Drake 2B receiver for restoration and need a 2Q speaker to use with it. Would like one that is all there, need not work, but not bad enough to use only for parts either. Email direct.
Thanks
Rod
KL7
RG/8

3044. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <375918A3.E146C09F@jorsm.com>
Source record: 83674
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

3045. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <3759199E.25624B2F@jorsm.com>
Source record: 83675
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

3046. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <3759182C.3C78F47D@jorsm.com>
Source record: 83676
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6KD6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6AZ8 5.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

3047. Astro Cubex 103

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <006e01beaf52$aad94f60$23d0c6c2@ToreSandstrm>
Source record: 83677

Hello Guys!

What is an Astro 103 woth?
It has original power supply with speaker.
It has not the extra CW-filter.

Regards

Tore Sandstrom SM7CBS

3048. For Sale: Kantronics KamPlus Packet Modem

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: "Jeffery A. Purtle" <jpurtle@home.com>
Message-ID: <37591F37.9AB88E3A@home.com>
Source record: 83678
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

```
For Sale:
Kantronics KamPlus Packet Modem
Original Box and Manuals
Cables set-up for a Yeasu handlheld and a Yeasu FT-900 (hf transceiver)

Works great
Asking $300

Call or email Jeff Purtle, AC6IW:
jpurtle@home.com
(864) 292-3532 in Greenville, South Carolina USA
```

3049. FA:(last day) Collins Mechanical Filter (R390A)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Gene Marcus <mmarcus@hiwaay.net>
Message-ID: <37593309.A9D4AAF@hiwaay.net>
Source record: 83679

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=110784073

Thanks for looking,

Gene

3050. Need: HV Capacitors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Terry <browntl@concentric.net>
Message-ID: <3759340E.241F17C@concentric.net>
Source record: 83680

I'm looking for some .25uf @ 2,500v and some 4uf @ 600v can caps to replace leaking ones in a panoramic adapter power supply. They are the round cans with a single nut-type mount through the chassis.
I have seen new ones for sale but they are way too pricey for this restoration. Surely, someone has a few laying around or knows someone who has some.
I also need some .1uf @ 600v triple-section bathtub type caps.
Thanks for any help you can give.
Terry (KA5IHV)

3051. Re: WTB STANCOR SCHEMATIC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <37593797.3205@swbell.net>
Source record: 83681

Thanks to all who responded to my need!

I appreciate the help.

Dan
W5VJ
TULSA

3052. Re: FS: Tek scopes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BOB URZ <sound@inetnebr.com>
Message-ID: <375958EF.9DE1BE72@inetnebr.com>
Source record: 83682
Cross-posted to: rec.radio.amateur.boatanchors,sci.electronics.equipment,sci.electronics.repair

Don't you just hate it when UPS drops your equipment?
Next time, put a sticker on it "fragile: drop with care"

BOB URZ

k4dlj wrote:

> Have for sale the following:
>
> Tektronix model 434 - dual trace - storage scope - in excellent
> operating and physical condition. Sorry no manual. -$80.00
>
> Tektronix model 922 dual trace - 20 mhz - NON working. Looks to be a HV
> problem as power light blinks. Tube appears to be in fine condition.
> Checked filaments and for shorts and all is OK. Unit is in excellent
> physical condition. With protective front cover. $40.00 OBO
>
> Tektronix model 7904 - frame - damaged by UPS but does work. Need new
> power switch, a few knobs but is fixable. - $50.00 OBO

3053. Maryland Hamfest - 20 June 99

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: windbrkr@erols.com
Message-ID: <37594F4E.C859F193@erols.com>
Source record: 83683

Interested in Amateur Radio, Electronics, Computers, etc.?

Come out to the 1999 FATHERS DAY HAMFEST
Sunday, June 20th 1999

In Historic Frederick, Maryland
At the Frederick County Fairgrounds, 797 East Patrick St.

- Easy access from I-70, I-270, US-40, US-15 etc.
- Plenty of Parking

- ARRL VE Testing (courtesy of MADRA VE Team)
- Testing starts promptly at 09:00

- Large Outdoor Flea Market / Tailgating Area
- Indoor Ham Radio, Electronics, Computer Commercial Vendors
- New and used Ham Radio equipment and accessories

- Good Food and Refreshments (no outside food vendors, please)

- Rain or shine, 08:00 to 15:00 EDT

- Admission: $5.00 per person donation
- Tailgating spaces: $5.00 each + one admission
- Indoor vendor tables: $15.00 each

Talk-in: Call K3ERM on 147.060 (+) K3MAD repeater
146.640 (-) K3ERM repeater
146.520 (x) Simplex

Email to me or to n3vok@erols.com with questions, vendor reservations,
etc. Include fax number for map and/or flyer.

73 and see you there,
Bob K9CMR

3054. LPWS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: G8ASO <bajones@worcester.demon.co.uk>
Message-ID: <7jbmgo$3o1@news.icubed.com>
Source record: 83684

http://www.laughingpoliceman.com

3055. WTB: Drake T4X

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: aidehua@aol.com
Message-ID: <19990605142312.14080.00000984@ng-fp1.aol.com>
Source record: 83685

Looking for a clean Drake T4X Transmitter to match my R4A. Thanks.

73,
Ed
KA6DBY

3056. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990605143030.26840.00000815@ng-fg1.aol.com>
Source record: 83686

Model HE-45A with manual and power cord. $55 plus shipping.

3057. FS: HALLICRAFTERS S-40B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7jbqap$79l$1@oak.prod.itd.earthlink.net>
Source record: 83687
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

FS: HALLICRAFTERS S-40B General Coverage Receiver

Super Clean radio! Works Excellent! 8.5 of 10 Condition.

$75 + shipping

Thank you,

-ERIC

3058. FA: test equipment, SW recvrs, other interesting equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <uCe63.9$b22.115@news.rdc1.ab.wave.home.com>
Source record: 83688
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.shortwave,rec.radio.swap

Please email me with any questions.Auctions are seven days. Thanks for the bandwidth.

Eico Model 147A Signal Tracer
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113878308

Seco Tube Caddy Tube Tester
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113877268

Palomar BCB Loop Antenna
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113876022

Unique Sony TR-710-Y Portable SW Radio
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113835021

Sony TC-800 Portable R/R Recorder
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113832966

Rare Sony CRF-5090 9-band Portable Radio
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113828523

Excellent OS-8E/U 'Scope w/Case
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113826842

Hickok 156A Traceometer
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113825824

Hickok 288X Signal Generator
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113824228

==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

3059. Re: HALLICRAFTERS S-40B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7jc1mh$28m$1@fir.prod.itd.earthlink.net>
Source record: 83689
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

Jim Minear-K0lj , Please send me your landline # as to contact you about the S-40B. It seems your ISP won't accept Emails from Earthlink's mail server.

Thank you,

-ERIC

PS - Shipping from 45373. TROY, OHIO.

BB WOLF <bigbadwolf1@earthlink.net> wrote in message news:7jbqap$79l$1@oak.prod.itd.earthlink.net...
> FS: HALLICRAFTERS S-40B General Coverage Receiver
>
> Super Clean radio! Works Excellent! 8.5 of 10 Condition.
>
> $75 + shipping
>
> Thank you,
>
> -ERIC
>
>
>
>
>
>

3060. Re: HALLICRAFTERS S-40B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: BB WOLF <bigbadwolf1@earthlink.net>
Message-ID: <7jc6cr$9i1$1@fir.prod.itd.earthlink.net>
Source record: 83690
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

The S40-B has been sold.

Thank you,

-ERIC

BB WOLF <bigbadwolf1@earthlink.net> wrote in message
news:7jc1mh$28m$1@fir.prod.itd.earthlink.net...
> Jim Minear-K0lj , Please send me your landline # as to contact you about
the
> S-40B. It seems your ISP won't accept Emails from Earthlink's mail server.
>
> Thank you,
>
> -ERIC
>
>
> PS - Shipping from 45373. TROY, OHIO.
>
>
> BB WOLF <bigbadwolf1@earthlink.net> wrote in message
> news:7jbqap$79l$1@oak.prod.itd.earthlink.net...
> > FS: HALLICRAFTERS S-40B General Coverage Receiver
> >
> > Super Clean radio! Works Excellent! 8.5 of 10 Condition.
> >
> > $75 + shipping
> >
> > Thank you,
> >
> > -ERIC
> >
> >
> >
> >
> >
> >
>
>
>

3061. FS: Microphones

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Tom Stack <wq5j@airmail.net>
Message-ID: <DD20AF8A7EEA2F4F.48EF5BB737A83DF1.C482CA1F0C8E5445@lp.airnews.net>
Source record: 83691

Have some microphones for sale:
1. Turner 44D - w/box, excellent $35
2. Shure 562 - w/box, excellent $39
3. Dukane with G Stand, very nice - $65
4. Turner +3 - very nice $65
5. D-104, good condition w/ stand $50
6. Drake 7077 desk mike, fair, $40
7. Drake 7077 desk mike, excellent $60

Thanks, Tom, WQ5J, WEatherford, Tx

wq5j@airmail.net

visa/mc ok

3062. [== Classic Standard 2M HT: on Auction on Ebay ==]

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: thor@otter.mbay.net
Message-ID: <928625585.402.98@news.remarQ.com>
Source record: 83692
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

[== Classic Standard 2M HT: on Auction on Ebay ==]

I just put a Standard SR-C146A 2M VHF Handie-Talkie
up for auction on ebay. The starting bid is only $1.00.

Please see the following link for pictures and details:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113998566

Standard SR-C146A 2M VHF Handie-Talkie
- With external Mike
- Built in 12 key DTMF Touch Tone Pad
- Includes drop in charger
- With "rubber-duck" antenna
- 5 crystal channels

Channels:
Transmit Receive
1 146.940 146.940
2 146.340 146.940
3 146.070 146.670
4 146.805 146.205
5 146.745 146.145

-N6FNP

3063. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <dBi63.6545$Ny5.12972@news.cwix.com>
Source record: 83693

Bill, KD0HG <tempi@dim.com> wrote in message
news:375a8c95.80089672@news.frii.com...
> On Sat, 05 Jun 1999 01:46:25 GMT, "wb0poz" <wb0poz@cwix.com> wrote:
> In my previous post, I clearly asked what tangible benefits can be
explained
> by the wholesale replacing of *good* paper capacitors with new ones. A
good
> cap means exactly that; I wasn't referring to defective, leaky ones.
>
> Obviously, when the receivers rolled out of the factory years ago, they
didn't
> exhibit any of the problems you describe above. They worked just fine.
> And my point is today, barring a measureably bad original component, they
> still work as designed.
>
Remember, these radios are almost 50 years old. Wax caps were never great
to begin with, and are prone to leakage and, eventually, shorting. It is
****FAR**** easier just to replace them wholesale than to traoubleshoot each
problem with the receiver, only to have the radio develop another problem
(almost always traced down to an old waxie) necessitating taking the beast
out of the cabinet AGAIN.

> Sure, the Q and insulation resistance of a modern plastic capacitor is
better
> than the old ones; and I say so what? At the frequencies those old
receivers
> work at, you can't state that the Q of a good, original bypass or coupling
> capacitor creates a problem if the receiver was correctly designed to
start
> with, or that increasing the Q of bypass capacitors has any beneficial
effect
> whatsoever

WHen they start leaking, the Q goes to hell (look at your basic electronics
theory)
.
>
> I question your earlier assertions that replacing *good*, original
components
> measureably improves the receiver's sensitivity and selectivity.
> I have never personally found this to be the case, nor is there any
rational
> explanation for what you claim. I've got a pages in a notebook full of
> measured sensitivity, selectivity, drift, stability and audio specs on a
> completely original SX-28 that I did some 9 years ago for a magazine

article.
> Always willing to learn, I'd love to see you document your assertions with
> real measurements we could compare. What are the 6:60 db selectivity
curves of
> your 28 with and without plastic capacitors? What's the before and after
10 db
> S/N+N sensitivity measurements? Does your car feel faster after a fill up
of
> Amoco Premium unleaded?

Beleive me, I am NOT a subscriber to the snake oil that some in the audiophool community adhere to regarding capacitors, gold-plated whizbangs, etc. I don't bother measuring before/after sensitivity/selectivity as I feel it is a complete waste of time. Sometimes I don't even power the radio up before I replace caps if I find a nice B+ short somewhere (again, a bypass cap has gone south). I don't have the time to waste taking a radio apart multpile times to fix it. It only takes a few minutes per cap for replacement, which is time well spent preventing future problems.

> Here's my objections to your maintenance philosophy. You have no facts to
back
> up your assertions. Your stated experience runs counter to mine. You have
not
> presented any theory behind your statements, other than generalizations
that
> "If modern parts are better, than the equipment I install them in will
also
> work better, in every respect".

That isn;t what I said. I said that it is well worth your time to replace all of them since it (a) corrects existing problems and (b) prevents future problems.

> Don't get me wrong. I have no problem with
> replacing bad components, but I'll replace them with parts as close to the
> originals as possible, unless there is a compelling reason on a per part
basis
> not to do so.

Sorry, I disagree. As I stated above, wax caps are miserable, prone to leakage because when they were made, the paper was not 100% dry. Further, the paper apparently leaches chemicals which breaks the paper down, eventually causing a short.

> For example, I've replaced the carbon composition metering
> circuit resistors in my 32S-1 with modern metal film jobs to correct
> temperature related drifting. But I didn't rip out and replace *all* the
> resistors in the same manner, even though modern film types are better in
> every respect than carbon composition units.
>

Never have I advocated wholesale replacement of resistors, or tubes, or other components that rarely cause problems. Resistors generally drift UPWARD in value so they just cause a loss in gain (generally), they DON"T short and burn up chokes, power transformers, 6V6s, etc!

> Some years ago, articles were run in the ham magazines where the authors made
> huge changes in classic equipment, such as replacing all the tubes in a
> Collins 75A-4 with transistors and modifying the interior circuitry
> accordingly. Would anyone in their right mind do that today, in spite of the
> obvious virtues of modern semiconductors?

I sure wouldnt, however,I speak only for myself. It's your radio, do with it what you want.

> I respect your right to do what you will with your own boatanchors, but my own
> philosophy of what should be under the chassis after repairs and restoration
> is very different than yours. I feel the insides should respect the era as
> much as the cabinet.

This is history for history's sake, akin to using 50-year old oil in your '41 Lincoln Continental because "that's what they used back then". Never mind that today's oil is vastly superior. Who looks at the oil anyway?

Go ahead and find some NOS replacement wax caps for your boatanchors. I don't care. For mine, however, and any that I do for a customer, I will replace them with new caps. If you like the look and feel of waxies, go ahead and open them up and put a new one inside. However, I cannot advise a newbie to replace a .01 bypass in the RF section of an SX-28 (which is a BITCH to get to) with a new waxie, only to have it fail down tthe road.

I am offering advice based upon 25 years of fixing, restoring, and collecting boatanchors. My aim is to get 'em working the way they were when they were new, keep originality as much as possible (remove "ham special" mods, etc.) and keep them reliable. Hence the new caps. Do what YOU want, but my advice to the newbie is valid.

73 John

3064. KENWOOD TR-7400A SCHEMATIC & MANUAL

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: Bluebeard <geoff444@aol.com>
Message-ID: <928626478.553247@newdm.deskmedia.com>
Source record: 83694

Can anyone supply a schematic & manual for the above?

thanks

3065. WTB Tektronix tube curve tracer model 570

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: robert zamboni <rjzambo@ibm.net>
Message-ID: <3759BDDE.6A04@ibm.net>
Source record: 83695

Hi
does anybody have one for sale plus amnual?

cheers

3066. McElroy Collector Key

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: stevenn <stevenn@ix.netcom.com>
Message-ID: <3759D12A.6E415992@ix.netcom.com>
Source record: 83696

Hi

For collectors only. McElroy J-38. Please see Tom French's book
"McElroy World's Champion Radio Telegrapher"
page 121. These keys were made for the Army Security Agency. The
manufacturers name (McElroy) is stamped into the frame of the key.

Until this year at Dayton, I think no one has even seen these type
keys. They were not in the collection of the most active key
collectors. These keys don't "feel" as nice as a Lionel. So if you
want just a key for sending, buy a $35 Lionel. It will work as well or
feel better (maybe). The McElroy is really just for the collector and
rivet counter.

For sale $150, postage and insurance included, in the U.S.A. I post
this here for the serious collector (rather than ebay).

References available.

Steve, k2pts

3067. Thanks for the Advice on the R-390A Power Switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: "Robert M. Dunn" <dunnr@ix.netcom.com>
Message-ID: <7jclla$jkq@sjx-ixn4.ix.netcom.com>
Source record: 83697

Hi All,

First of all I need to drop a long overdue thank you to the group for all your advice on my R-390A power switch problem. Initially I tried to respond individually but I work long days during the week and rapidly fell behind with the large volume of help, this is truely a great group of guys with a wealth of experience and knowledge. I have heeded all of it in one form or another, learned a great deal in the follow-on discussion, am looking for a variac, and indeed Fair Radio did come back and offer me a full function switch with the microswich for $15. I am picking up the switch but I have repaired my current one and am looking for parts to suppress arcing as the contracts open up. On DC circuits switching coils I used to use diodes. Should be able to find some sort of transient suppressor even in the hobby electronics wasteland of Las Vegas.

Thanks!

Rob Dunn

3068. SP600 part needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-05 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7jccqs$79j$1@news.eclipse.net>
Source record: 83698

looking for the beat freq occil. knob
Doug

3069. Nameplates, 51J-3 and J-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Thomas Marcotte <marcotte@iamerica.net>
Message-ID: <375993C3.38D1@iamerica.net>
Source record: 83699

I have for sale reproduction commercial nameplates for the 51J-3 and 51J-4. These are reproduced with the permission of the Rockwell patents and trademarks office in Cedar Rapids. They are made of etched aluminum with rig type and serial numbers stamped. Serial numbers start at 12000 to avoid duplication with originals.

These are $12 shipped with screws, two for $20. Add postage for outside of the US.

Also have R-390A generic plates FS, $9 shipped with screws.

73 Tom N5OFF

TF Marcotte
242 Chestnut Oak
Mandeville, LA 70448

3070. Ebay- RME DB-23, LAST DAY.!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990605221644.20826.00000998@ng-fb1.aol.com>
Source record: 83700

Hi Guys;
Only one day left on this DB-23 RME Preselector. with picture.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=111352733
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

3071. Hammarlund HQ120 info requested

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Michael Bostwick <mjbostwick@worldnet.att.net>
Message-ID: <375A00FC.D9FA0B78@worldnet.att.net>
Source record: 83701

I have what I think is a Hammarlund HQ120 and am looking for any information out there on it. It seems to be in pretty good shape, (only missing 2 knobs)and it works. Case is a flat black and has labels on front. One label says:
Receiver
RBG-2
HQ-120
Combination
and inside the case on the power supply it has a date of 1950 something. What can anyone tell me about this unit? Is it common? Is it worth anything besides use as a boat anchor? My wife wants me to get rid of it and I am looking for excuse to keep it. Any information would be helpfull

Thanks
Mike Bostwick
mjbostwick@worldnet.att.net

3072. WESTINGHOUSE WL-6426 WHAT'S IT'S USE ??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990606062120.24128.00000877@ng-cs1.aol.com>
Source record: 83702

what is the westinghouse WL-6426 tube used for any speck's out their thank's
del k9fcm

3073. Re: Hammarlund HQ120 info requested

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Rob Dunn <dunnr@ix.netcom.com>
Message-ID: <7jdtdr$40m@dfw-ixnews11.ix.netcom.com>
Source record: 83703

Mike,

Haven't seen a manual available online for the HQ-120 but if you go to http://www.qsl.net/hammarlund/info/hq-120-x/ (one of the infamous Hammarlund Historian "H-Files") you will find ad sheets describing the radio and a schematic. The "X" is the crystal filter (vice the "X" on my HQ-180X which is a crystal tuning option). You can get a manual from the Hammarlund Historian web for $16 by going to http://www.qsl.net/hammarlund/hamrmanu.html. Looks like your receiver was introduced in Dec 1938. Don't know if it is valuable or not in terms of $$. Others here who are more knowledgeable will probably be able to comment. However, all boatanchors have tremendous worth as visible manifestations of history and there is where the joy comes in restoring them. Show your wife the "ad 2" in the above H-files where the HQ-120X and Super Pro were associated with the Byrd polar expedition.

Anyway if you have to put it out on the street let me know, will make sure that it has a good home. I am near being thrown out on the street myself for boatanchor lust but I can't stand to see these things without a good home.

Hope this helps you justify keeping her (the receiver I mean)

Rob

Michael Bostwick <mjbostwick@worldnet.att.net> wrote in message news:375A00FC.D9FA0B78@worldnet.att.net...
> I have what I think is a Hammarlund HQ120 and am looking for any
> information out there on it. It seems to be in pretty good shape, (only
> missing 2 knobs)and it works. Case is a flat black and has labels on
> front. One label says:
> Receiver
> RBG-2
> HQ-120
> Combination
> and inside the case on the power supply it has a date of 1950 something.
> What can anyone tell me about this unit? Is it common? Is it worth
> anything besides use as a boat anchor? My wife wants me to get rid of it
> and I am looking for excuse to keep it. Any information would be
> helpfull
>
> Thanks
> Mike Bostwick
> mjbostwick@worldnet.att.net

3074. Radiofest XVIII - Daily Schedule Now Online

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: caschwark@aol.com
Message-ID: <19990606105453.17041.00000971@ng-cm1.aol.com>
Source record: 83704

UPDATED DAILY SCHEDULE NOW ON-LINE:

* Presentaions
* Old Equipment Contest
* Giant Auction
* Banquet

RADIOFEST XVIII
AUGUST 4-7, 1999
ELGIN PLAZA HOTEL
ELGIN, ILLINOIS, USA

For more information, visit our web site at

http://members.aol.com/arci31280/arci.htm
or contact Art Bilski at (630) 739-1060.

Antique Radio Club of Illinois
P. O. Box 1139
LaGrange, IL 60526
E-mail: arci31280@aol.com

3075. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Terry <browntl@concentric.net>
Message-ID: <375AA519.EE074DA5@concentric.net>
Source record: 83705

I certainly can't pose as an expert but it just makes sense, in the older rigs, to replace the critical caps with new ones. As stated below, a bad cap can easily destroy transformers, chokes, etc. I don't have a readily available supply source for most of those unique parts on radios made 50 years ago. They sure are hard to find (if you can find them at all).
Just my humble opinion.

Terry (KA5IHV)

> Never have I advocated wholesale replacement of resistors, or tubes, or
> other components that rarely cause problems. Resistors generally drift
> UPWARD in value so they just cause a loss in gain (generally), they DON"T
> short and burn up chokes, power transformers, 6V6s, etc!
>
> Go ahead and find some NOS replacement wax caps for your boatanchors. I
> don't care. For mine, however, and any that I do for a customer, I will
> replace them with new caps. If you like the look and feel of waxies, go
> ahead and open them up and put a new one inside. However, I cannot advise a
> newbie to replace a .01 bypass in the RF section of an SX-28 (which is a
> BITCH to get to) with a new waxie, only to have it fail down tthe road.
> 73 John

3076. FS: LARGE STROBE POWER SUPPLIES. $75 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0606991056090001@murphy1.cts.com>
Source record: 83706
Cross-posted to: sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

STROBE POWER SUPPLY, MADE FOR AIRPORT STROBES. IN WATERTIGHT ENCLOSURE.
NEW, EXELLENT COND. $75 EA.

PIC AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_FROM_OUTSIDE_LOT

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3077. FS: HV NEON SIGN TRANSFORMERS 2 FOR $65

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0606991059350001@murphy1.cts.com>
Source record: 83707
Cross-posted to: sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

NEON SIGN TRANSFORMERS. USED, CHECKED $65 PER PAIR.

120 VAC 60 HZ IN.

7500 VAC OUT AT 30 MA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_FROM_OUTSIDE_LOT

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3078. FS: TS-997 (PRC-8,9,10,28 TS) $45 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0606991100540001@murphy1.cts.com>
Source record: 83708
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.military.collecting

MODULE AND TUBE CHECKER FOR PRC 8,9,10,28.

USED, FAIR COND: $45 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_FROM_OUTSIDE_LOT

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3079. FS: AM-6669/PRC 10 WATT RF AMP 225-400 MHZ

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0606991101580001@murphy1.cts.com>
Source record: 83709
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting

AM-6669/PRC./ FOR USE WITH PRC-41, 66B, 75, ECT.

USED, FAIR COND. 3 FOR $100.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_FROM_OUTSIDE_LOT

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3080. For Sale: Heath

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990606.140125.-337707.2.NFMK@juno.com>
Source record: 83710

For Sale:

SB-104/A Heath 5 band SSB/CW 100w broadbanded transceiver
perfect; essentially a 10/10.

$325 plus shipping to licensed amateur only;
$400 plus shipping with the CW filter and noise blanker;
$500 plus shipping with the CW filter, noise blanker, and 20 amp original
power supply;
and manual set if still available.

The hardware is in like new, showroom condition; clean/full operation on
all bands; from
estate of octogenarian.

Accessories which may be available after purchase: SB-604, SB-614,
SB-634, HD-1410.

Manuals:

Builder set: Construction & Operation: $45 plus shipping
Like new construction $25 plus shipping

My zip is 70806.

73, Doug

3081. WTB HW-22 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: kk6ob@aol.com
Message-ID: <19990606154459.07914.00001355@ng-fs1.aol.com>
Source record: 83711

Need subject manual. Thanks, kk6ob@aol.com

3082. Where to buy Rustolium on the Internet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: kurt.brandstetter@teleweb.at
Message-ID: <MPG.11c4f09ac2c2f6bf989683@news.teleweb.at>
Source record: 83712
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

```
Subject says all. Cant't get it here in Vienna, Austria.
Does somebody know what RAL code the Rustolium #7777 is ?

Thanks
--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
************************************
Bye for now.
************************************
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!
```

3083. Re: Where to buy Rustolium on the Internet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: kurt.brandstetter@teleweb.at
Message-ID: <MPG.11c4f156326cfb82989684@news.teleweb.at>
Source record: 83713
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

In article <MPG.11c4f09ac2c2f6bf989683@news.teleweb.at>,
kurt.brandstetter@teleweb.at says...
> Subject says all. Cant't get it here in Vienna, Austria.
> Does somebody know what RAL code the Rustolium #7777 is ?
>
> Thanks
>
Please info to my email address, if possible:
kurt.brandstetter@teleweb.at

Thanks
--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

3084. WTB or swap: 6U5G or similar octal Tuning Eye

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: maestro@cix.co.uk
Message-ID: <memo.19990606210523.21785D@maestro.compulink.co.uk>
Source record: 83714
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I'm seeking one 6U5 octal Tuning Eye; or a near equivalent. I have about 50 valves/tubes available to swap or sell; ranging from 1920s B4 base (mostly 4 V heater) to quite modern series heater TV tubes like PCL82; and ECCs various.

MOST tubes tested on an AVO characteristics meter before confirming any sale/swap.

NO COLLECTORS PLEASE! These are FS or swap at reasonable price to people who want to USE them and not haggle over the day, month and Latitude of mfg. and the colour of the anode at various temperatures.

Also various books (80% UK) from around 1930 (no transistor books except one on Tape Recorder servicing and one on Electronic Organs for the Home Constructor).

Serious enquiries from constructors and repairers only please. I've had it with people seeking signed and hand crafted getters.

Lists of tubes &/or books sent in reply to email.

Thanks,
Bill
gm8apx

3085. Re: Where to buy Rustolium on the Internet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: kurt.brandstetter@teleweb.at
Message-ID: <MPG.11c4f17dd722ba88989685@news.teleweb.at>
Source record: 83715
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

In article <MPG.11c4f09ac2c2f6bf989683@news.teleweb.at>,
kurt.brandstetter@teleweb.at says...
> Subject says all. Cant't get it here in Vienna, Austria.
> Does somebody know what RAL code the Rustolium #7777 is ?
>
> Thanks
>
Please info to my email address, if possible:
kurt.brandstetter@teleweb.at

Thanks

--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

3086. FS: Assorted 6146's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990606160349.27204.00001252@ng-fn1.aol.com>
Source record: 83716

I am selling a total of nine (9) 6146 type tubes, all NOS. Here's what I have;

(1) JAN6146 - RCA - NOS/NIB
(2) 6146 - RCA - NOS/NIB
(2) 6146A - RCA - NOS/reboxed (RCA box)
(2) 6146A - SYL - NOS/reboxed (SYL box)
(2) 6146A - GE - NOS/NIB

$120 all, I pay UPS Ground shipping (US 48 only, please).

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

3087. For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990606160424.00849.00001353@ng-cp1.aol.com>
Source record: 83717

I am moving and need to sell my BA stuff. I have the following for sale (firm prices, no trades, pick up in Pittsburgh please)

All working and on the air, all very good or better condx.

Globe King 500B complete: Modulator, VFO, RF Deck, in Rack
One of the nicest I've ever seen, with D-104 $800

Johnson Ranger, Beautiful $275

Johnson Viking 1 with VFO 122 $200 (very good face, cabinet repainted light grey)

National 173 Receiver, very nice $200

Hallicrafters S-108, very nice $100

Drake TR-7, with fan, NB, 3 filters, PS-7 supply, MS-7 speaker, WH-7 wattmeter, service manual, dust covers, boxes: really, like new $800

Browning Golden Eagle Mark III, like new: $375

Siltronix VFO Model 90, like new $75

DEALERS WELCOME: Separately as priced above: ALL for $2400 FIRM, bring your truck!

**********email direct to Brian, K3VR**********

Thanks!

3088. FS: 6080's and 6AS7's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990606160551.27204.00001255@ng-fn1.aol.com>
Source record: 83718

I am selling;

(3) GB-6080 "Gold Brand" - Sylvania - NOS/NIB (gold box)
(4) 6AS7GA - Sylvania - NOS/NIB

$45 all, I pay UPS Ground shipping (US 48 only, please).

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

3089. FS:Heath GW-11 Base

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7jeof2$1d8$1@nntp9.atl.mindspring.net>
Source record: 83719

Clean, working 11 Meter AM base with 3 channel fixed or tunable receive and meter Best offer over $40

3090. FS:Heath 4540 Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7jepnq$2t5$1@nntp9.atl.mindspring.net>
Source record: 83720

```
Works, clean with all manual missing sweep vernier knob,
Good for student
best over $30 or trade for good set of 6146B's or W's
```

3091. FA: COLLINS KWM-2 & KWM-2A manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Radiodan W7RF <RFpower@radiodan.com>
Message-ID: <r6C63.4176$DI2.4234@cynws01.we.mediaone.net>
Source record: 83721
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a collectors quality KWM-2 & KWM-2A manual on ebay at
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114419830

No reserve.

A MUST for the true collector!

--
73, Dan Magro W7RF, (President WARC 1999, member SCDXC, SCCC)
Manufacturers rep & distributor for HENRY Amplifiers
www.radiodan.com RFpower@radiodan.com
A trip to our web site is worth the click!

3092. FA: COLLINS 32S-1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Radiodan W7RF <RFpower@radiodan.com>
Message-ID: <ZnC63.4180$DI2.4529@cynws01.we.mediaone.net>
Source record: 83722
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a collectors quality KWM-2 & KWM-2A manual on ebay at
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114430408

No reserve

A MUST for the true collector!
--
73, Dan Magro W7RF, (President WARC 1999, member SCDXC, SCCC)
Manufacturers rep & distributor for HENRY Amplifiers
www.radiodan.com RFpower@radiodan.com
A trip to our web site is worth the click!

3093. FA: COLLINS 136B-2 manual (NB KWM-2)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Radiodan W7RF <RFpower@radiodan.com>
Message-ID: <pAC63.4182$DI2.4373@cynws01.we.mediaone.net>
Source record: 83723
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a collectors quality KWM-2 & KWM-2A manual on ebay at
http://cgi5.ebay.com/aw-cgi/eBayISAPI.dll?AddNewItem

No reserve

A MUST fro teh true collector.
--
73, Dan Magro W7RF, (President WARC 1999, member SCDXC, SCCC)
Manufacturers rep & distributor for HENRY Amplifiers
www.radiodan.com RFpower@radiodan.com
A trip to our web site is worth the click!

3094. FA: COLLINS 32S-1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Radiodan W7RF <RFpower@radiodan.com>
Message-ID: <iFC63.4183$DI2.4339@cynws01.we.mediaone.net>
Source record: 83724
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a collectors quality 32S-1 manual on ebay at
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114430408

Near mint, collector quality!
--
73, Dan Magro W7RF, (President WARC 1999, member SCDXC, SCCC)
Manufacturers rep & distributor for HENRY Amplifiers
www.radiodan.com RFpower@radiodan.com
A trip to our web site is worth the click!

3095. FA: COLLINS 136B2 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Radiodan W7RF <RFpower@radiodan.com>
Message-ID: <8JC63.4184$DI2.4098@cynws01.we.mediaone.net>
Source record: 83725
Cross-posted to: alt.ham-radio.marketplace,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.swap,rec.radio.swap

I have a collectors quality COLLINS 136B-2 manual on ebay
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114438302

This is the Noise Blanker for the KWM2 & KWM-2A series.

A MUST for the true collector!

--
73, Dan Magro W7RF, (President WARC 1999, member SCDXC, SCCC)
Manufacturers rep & distributor for HENRY Amplifiers
www.radiodan.com RFpower@radiodan.com
A trip to our web site is worth the click!

3096. Please help identify military radio stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Rick Mudd <rickmudd@teleport.com>
Message-ID: <lqD63.17243$SN3.7844859@news1.teleport.com>
Source record: 83726

Went to a garage sale today and found that the guy is a retired electronics technician and ham. I bought almost everything in sight. Some of it I am not sure of...would like to know more about them.

Crystals: 4 boxes, none labeled as to the rig they go to. 2 boxes contain a huge range of frequencies in cases marked with the freq and the notation "FT243". 2 other boxes are labeled "CR1A/AR", again, a huge range of frequencies.

Amp? Has the meters, plate and grid tuners, etc. labeled "CGZ-60067 of OAW". Has an acceptance plate for the Navy. Looks to be in great condition. Haven't opened it up to peer into the guts.

Portable L/MF range Monitor Type RM-5. Small box about 6X5X12 inches. Peeked inside and its very, very clean.

Receiver - Model; RDR CRV 46283. crystalled for 219.6 through 343.6. It's dusty...but seems to be in good shape cosmetically. This one I might mess with if I can set up a suitable power supply.

Tubes...I ended up with the back seat of my car full of tubes. All shapes and sizes. Where might there be a good site that will help me sort through these?

Anything you can tell me about these units would be appreciated.

Rick

rickmudd@teleport.com

3097. Need Info, Please - TS-487/U Test Set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: smurph555@aol.com
Message-ID: <19990606195219.24737.00001480@ng-ce1.aol.com>
Source record: 83727

Gang,
Does anyone know what the TS-487/U test set is? It appears it's a dummy load with switchable impedance (50, 75 & 470 ohms) and a voltmeter with 3v, 10v and 50v ranges. Has an SO-239 socket and operates from 115 VAC.
Any information would be appteciated!
73
Cal K4JSI

3098. Johnson VFO Topcover

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Dan Davenport <w5vj@swbell.net>
Message-ID: <375B0EED.25BE@swbell.net>
Source record: 83728

The other day, I had to have a sheetmetal shop make a topcover for an old Johnson 122 VFO.

I ordered one, but they made two.

If you NEED a topcover for a 122, it's available for postage to the first e-mailer.

Thanks to the NG!

Dan
W5VJ
Tulsa

3099. Re: FS; Collins, Hallicrafters, Johnson

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: fuzzy-2@webtv.net
Message-ID: <5229-375B1156-134@newsd-111.bryant.webtv.net>
Source record: 83729

how much for the sp-600 and princeton where?

3100. SB-1000/AL-80A plate xmfr $100

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <375b1e4d@news1.us.ibm.net>
Source record: 83730
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Still available original plate xmfr for the Heathkit SB-1000/Ameritron AL-80A amp. Single 3-500Z config. Works fine. Pulled by me a month ago. Price is $100 plus actual shipping costs from San Diego 92139. Will double box and include a copy of the SB-1000 scat.

73s

Lane
Ku7i
San Diego 92139

3101. FS:SBE SB2-LA Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: happyron@televar.com
Message-ID: <happyron-0606992018410001@mosesuser003.bossig.com>
Source record: 83731

This is the companion to the SB-34 Transceiver. This unit works great and is a 9 on a 1-10 scale. 500 watts with 65 watts drive using 6 6JE6 sweep tubes. Complete with manual and cords. Buyer payes shipping. 40 lbs. $225.00 + shipping.

Contact: happyron@televar.com

3102. VOCALINE Transceivers 1950's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: soundimp@pobox.com
Message-ID: <3759ce1d.24334447@news.nstar.net>
Source record: 83732

This is probibly a pair of transceivers most of you have never
seen...These operate on the old 460Mhz CB Voice band at about 1
watt... they are AM not FM. I have a pair with mikes
.Antenna's.. Ac/DC power cords and guess what they work...
They are in almost new condition cosmeticly but dusty... I paid
$50.00 plus shipping for them and am ready to move them to
a new home so before I E bay them best offer over $50 and
they are yours.... Bob K1JNN/5

----------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
http://www.newsfeeds.com The Largest Usenet Servers in the World!
------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----

3103. Info needed on HOWARD 438

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-06 00:00:00 UTC
From: Arthur Moe <kb7ww@uswest.net>
Message-ID: <375B55E9.BBBB69D5@uswest.net>
Source record: 83733

I picked up a Howard model 438 at a swap meet this weekend. Can anyone help with some info on this receiver (when made, value, other info) The schematic is on the bottom put its a bit small for the old eyes. Anyone got a good larger one or maybe a copy of the book?

Thank for any help.
Art
KB7WW

3104. FS: new old stock Cornell-Dubilier paper-in-oil capacitors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: dmwilliams@tande.com
Message-ID: <7jg15hiqh1@nnrp1.deja.com>
Source record: 83589
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi Everyone,

I have a box of new old stock Cornell-Dubilier paper-in-oil capacitors
for sale.
These are type DYR 6011G
(2) x .1 MFD 600VDC - 7NKO +/- 10%
Use as two .1 mfd's, one .05 mfd, or one .2 mfd.
They are the rectangular hermetically sealed metal case variety with 3
solder lugs.
They measure 1.75" by 1" by .75", not counting the lugs and mounting
ears. The
following addresses lead to photos:

http://www.geocities.com/Paris/1665/doug/cd1mfd1.jpg
http://www.geocities.com/Paris/1665/doug/cd1mfd2.jpg

The paperwork with the box gives a manufacturing date of November 1944,
and
states that the test voltage was 1000VDC. I have taken capacity
measurements on
the entire box, and they all measure within specification.
I am selling these for $4 apiece, or $6 apiece if you want exact
matching.
Please write if you have any questions or interest.

Thanks, Doug Williams

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3105. National HRO50 Manual online on The TubeBug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Erwin Cremers <cremers@knoware.nl>
Message-ID: <928746381.752617@news2.knoware.nl>
Source record: 83590

Hello group,

Please check the latest version of The TubeBug.

Now you'll find the complete manual of the National HRO 50 receiver online
for you to download.
Within the next few days you'll also find the manuals of the Sommerkamp FRdx
500, FTdx 500
, Siemens E 309b and several other online for you to download.

http://Come.to/TheTubeBug
http://www.knoware.nl/users/ecremers

Come and have fun,

Erwin Cremers
PE1MGR - webmaster of The Tubebug

3106. Vintage Electronics Estate Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: mchang9168@aol.com
Message-ID: <19990607053336.02091.00001730@ng-co1.aol.com>
Source record: 83591

I am selling an entire lot of antique and collectible electronic items for one low price. Please take a moment to read the list.

List of items in the lot:

150 or so new old stock vacuum tubes including 1930's-40's era Loctal-type tubes
WW2 Military Morse code trainer set with 7 telegraph keys.
1950's cold war vintage Conelrad alert system (alarms during a nuclear threat)
1960's vintage one-piece electrocardiograph unit with paper recorder and many 12AX7s
Old WW2 air raid shelter radio set
Balloon type early radio coil inductors (for breadboard radios)
Tube-type RF laser power supply
Unusual tube-type air ionizer
Excellent condition old tube portable phonograph- plays 78's, 45's and LP's.
Canon 8mm video camcorder (needs repair)
Box of giant heavy duty glass sealed relays
Early 3" reel-reel tape recorders
Epson LX-80 dot matrix printer
Old cable TV descrambler
Commodore 64 computer
Apple 2gs computer w/disk drive
Very old tube tester built into wooden case.
Box of high-voltage capacitors
Jar full of air-variable capacitors.
Box of SAMS photofacts for old radios and consoles
Box of QST magazines from the 70's
Stack of Astronomy magazines from the 70's
Boxes of miscellaneous electronic items and cables
Collectible lantern flashlight

Price for the entire lot: $250
Great bargain for collectors and dealers.
Buyer must take all items. Pickup only in Davis, CA (near Sacramento). E-mail with questions or call (530) 753-4837 from 1pm to 1am PST.

Mark

3107. Re: Hammarlund HQ120 info requested

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990607061003.8521E-100000@cluster2>
Source record: 83592

i think that was made around 1939 or so, i had one once, and got rid of
it.

On Sun, 6 Jun 1999, Michael Bostwick wrote:

> Date: Sun, 06 Jun 1999 01:02:53 -0400
> From: Michael Bostwick <mjbostwick@worldnet.att.net>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: Hammarlund HQ120 info requested
>
> I have what I think is a Hammarlund HQ120 and am looking for any
> information out there on it. It seems to be in pretty good shape, (only
> missing 2 knobs)and it works. Case is a flat black and has labels on
> front. One label says:
> Receiver
> RBG-2
> HQ-120
> Combination
> and inside the case on the power supply it has a date of 1950 something.
> What can anyone tell me about this unit? Is it common? Is it worth
> anything besides use as a boat anchor? My wife wants me to get rid of it
> and I am looking for excuse to keep it. Any information would be
> helpfull
>
> Thanks
> Mike Bostwick
> mjbostwick@worldnet.att.net
>
>

3108. what's this used in WESTINGHOUSE WL-6426?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990607070503.00640.00001968@ng-cd1.aol.com>
Source record: 83593

i have a westinghouse WL-6426 just wondering what this is used in and some speck's thank's del k9fcm

3109. FA Hammarlund HX50 transmitter on ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7jg9q3$57v$1@ostrich.cybercomm.net>
Source record: 83594

Take a look!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114516776
...Dave

3110. FA HQ-110C on ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: WB2TBB <ham@cybercomm.net>
Message-ID: <7jg9vi$59v$1@ostrich.cybercomm.net>
Source record: 83595

Take a look!
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114524357
...Dave

3111. Re: what's this used in WESTINGHOUSE WL-6426?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990607080032.15303.00001525@ng-cq1.aol.com>
Source record: 83596

Hi, Del,
that's a transmitting triode you have there...

Filiment :thoriated-tungsten,
8 volts@ 200 (wow!) amps

20,000 watts
Water cooled...

Rated to 30 mHz.

Cheers, JOE

Thank you,
Joe Pratt, Tubecntral@aol.com

3112. Re: [BoatAnchors] Info needed HOWARD 438

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: sx28@juno.COM
Message-ID: <19990607.085516.-320213.2.sx28@juno.com>
Source record: 83597

The Howard 490, 14 tube - 5 band Professional receiver, Model 435-A - 7 tube, 436-A 8 tube, and 437-A 9 tube and 445 AC/DC - 6 tube, sets are described in the 1941 eighth edition of The Radio Handbook. The 438 probably was sold in 1942 or 1943. I have a model 430 in working condition. The Howard radios was never a popular amateur radio receiver for reasons unknown to me.
Dan, Ni9y

On Sun, 06 Jun 1999 22:22:39 -0700 Arthur Moe <kb7ww@chatusa.com> writes:
> I picked up a Howard model 438 at a swap meet this weekend. Can
> anyone help with some info on this receiver (when made, value,
> other info) The schematic is on the bottom put its a bit small for
> the old eyes. Anyone got a good larger one or maybe a copy of the
> book?
>
> Thank for any help.
> Art
> KB7WW
>
> ---
> Submissions boatanchors@qth.net

3113. FS: Drake MN-2700 2kW tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Loek d'Hont <a0927429@dlemail.itg.ti.com>
Message-ID: <7jghiiakh1@tilde.csc.ti.com>
Source record: 83598
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

For Sale:

Mint MN-2700 Drake antenna tuner (2kW) in its factory box.

Original Drake manual included.

$375

a0927429@dlemail.itg.ti.com

3114. Drake TR-3 HF Transceiver FS -- $125

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Bruce E Stock <stockb@accessone.com>
Message-ID: <375BE33C.7339@accessone.com>
Source record: 83599

Drake TR-3 Transceiver, 80-10m (no WARC).

6 months ago this unit was cleaned up, some weak tubes were replaced, alignment was done, and the case was repainted. It has since been used for numerous SSB QSOs on 40, 20, and 15m. It has good sensitivity and good power out on all bands, looks good, and seems to be 100% functional. It puts out 180 w on 75m. Comes with original manual. Digital pix available. No power supply (available below).

$125 plus shipping

Heath HP-23 power supply and custom-built cable for TR-3.

$40 plus shipping (only with purchase of above)

Bruce, AB7YD

3115. FA:Heathkit HM-102 power/SWR meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Steve Pazar <zarco@sonic.net>
Message-ID: <375BE136.5288@sonic.net>
Source record: 83600

Check it out on E-bay. Just do a search for HM-102.

Steve

3116. Needed: Manual for Simpson Model 710 freq counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <928781683.057.90@news.remarQ.com>
Source record: 83601

Hi folks,
I need to buy a manual or good copy of the manual for the Simpson Model 710 frequency counter.
Please e-mail with cost.
Thanks
Mike/WB6VSE

3117. FA:Allied 2515 Receiver with Matching Speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080000706991846470001@news.neta.com>
Source record: 83602

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113834561

3118. Re: FA Hammarlund HX50 transmitter on ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Smith-Gaspard <w4ono@citrus.infi.net>
Message-ID: <375C274D.8749FE64@citrus.infi.net>
Source record: 83603

Thanks, Dave ....

It sure makes it much more easy to go to your item this way.

73 de Jim W4ONO .-.-.

WB2TBB wrote:
>
> Take a look!
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114516776
> ...Dave

3119. sx-28: help in identify a couple of resistors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: emanuele_girlando@my-deja.com
Message-ID: <7jhedc$2lt$1@nnrp1.deja.com>
Source record: 83604
Cross-posted to: rec.radio.amateur.boatanchors,req.antiques.radio+phono

Dear list,
can anybody save me some time in identifying those two resistors (1K each) located very close to V15 (the rectifyer)?
They are both connected to B+ one side and to T17 and T20 on the other side respectively.
My current idea is that they are R5 and R10,.. but I am not sure!
The rig has been heavvy tampered with by previous owners...

Thanks to all.
Emanuele.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3120. Price for a Heathkit HM-9 QRP Watt/SWR meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: happy150@aol.com
Message-ID: <19990607165955.07913.00001825@ng-fs1.aol.com>
Source record: 83605

Hello. I am interested in purchasing a Heathkit HM-9 QRP Watt/SWR meter. What is a good price of that item?
Thank you,
happy150@aol.com

3121. Re: Where to buy Rustolium on the Internet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <375C3CB9.601873D@asu.uswest.net>
Source record: 83606
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Kurt,

You may try a search engine looking for "paint" or "hardware." Be warned however, that shipping aerosol spray cans overseas may be more of a hassle than it is worth. Have you tried Sears & Roebuck? I think they have retail branches in Europe. ALso, try to find a web site for the Rustoleum manufacturer. THey may be able to direct you to a retail source closer to you.

Kurt Brandstetter wrote:
>
> Subject says all. Cant't get it here in Vienna, Austria.
> Does somebody know what RAL code the Rustolium #7777 is ?
>
> Thanks
> --
> end
>
> 73's de OE 1002419
> Kurt from Vienna Austria
> HomePage updated with new Pics (Eddystone, 75S-2)
> ************************************
> Bye for now.
> ************************************
> Email to kurt.brandstetter@teleweb.at
> If this adress is blocked use: oe1002419@mail.yahoo.com
> HomePage: http://members.teleweb.at/kurt.brandstetter/
> Please visit my page!

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3122. 866 Jr. Tubes needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Jim Allen <jim_allen@hp.com>
Message-ID: <375C3DAE.6F2E@hp.com>
Source record: 83607

I'm in need of a pair of 866 Jr. tubes. 2B26 tubes will also work
for me.

Regards,

Jim

3123. Re: FS:Heath GW-11 Base

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: dana <dana@randomc.com>
Message-ID: <Pine.GSO.3.96.990607184854.10711D-100000@cluster2>
Source record: 83608

i would like to find a heath gw42 old cb rig, use to have one, and
would like to find one to put up on the shelf.

On Sun, 6 Jun 1999, Joe wrote:

> Date: Sun, 6 Jun 1999 17:16:11 -0400
> From: Joe <joeamp@mindspring.com>
> Newsgroups: rec.radio.amateur.boatanchors
> Subject: FS:Heath GW-11 Base
>
> Clean, working 11 Meter AM base with 3 channel fixed or tunable receive and
> meter Best offer over $40
>
>
>
>

3124. FS: Rockwell-Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <%5%63.649$1k.1366@news2>
Source record: 83609
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Here is a real nice KWM-380
http://users.erinet.com/30845/itemsfor.htm

3125. Re: McElroy Collector Key

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: nospam@nospam.com
Message-ID: <375cb3d2.9937151@news.concentric.net>
Source record: 83610

The Mac J-38s have been seen before, and have recently sold on eBay
for less than $30.

stevenn <stevenn@ix.netcom.com> wrote:

>Hi
>
>For collectors only. McElroy J-38. Please see Tom French's book
>"McElroy World's Champion Radio Telegrapher"
>page 121. These keys were made for the Army Security Agency. The
>manufacturers name (McElroy) is stamped into the frame of the key.
>
>Until this year at Dayton, I think no one has even seen these type
>keys. They were not in the collection of the most active key
>collectors. These keys don't "feel" as nice as a Lionel. So if you
>want just a key for sending, buy a $35 Lionel. It will work as well or
>feel better (maybe). The McElroy is really just for the collector and
>rivet counter.
>
>For sale $150, postage and insurance included, in the U.S.A. I post
>this here for the serious collector (rather than ebay).
>
>References available.
>
>Steve, k2pts
>

3126. Re: NEED CAPS FOR L4B POWER SUPPLY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Mike Fritz <fritz1@airmail.net>
Message-ID: <97EE2C1E9FCDBDA4.61D81277C70BD265.35610E6639CD5D1A@lp.airnews.net>
Source record: 83611

Try TANNER Electronics in the Dallas Area. Ask for Jim Sr.

AMFONE@CONCENTRIC.NET wrote:

> HELLO
> I need to find a source for the high voltage electrolytic
> caps used in the Drake L4B power supply.. I called one
> source The All Electronics Corp. which advertised
> a 470 mfd. at 450v cap.. but these I am told are no
> longer available.. If you know of another source please
> let me know ..
> thanks 73 tim
> wb8uhz
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

3127. FA: Gross Radio Co. crystal holder on eBay.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: Radio Randy <rjones@plix.com>
Message-ID: <375CA6D7.6AAC@plix.com>
Source record: 83612

Hi all,

2 more days on my estate auction of the above crystal holder. Bidding is currently at $1.80 and you can see it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=112844886

Thanks.

Radio Randy

3128. FS:3CX15000B7 tube

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990606221310.02578.00002047@ng36.aol.com>
Source record: 83734

For Sale: 3CX15000B7 tube. Needs no socket. Just cut a hole in the chassis and bolt it in. Excellent condition. Best offer over $750 by E-mail by June 10th. I pay shipping and insurance to Cont. U.S.
Thanks,
Jim W3ATV

3129. FS: Dow-Key Coax Relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990606222110.02578.00002055@ng36.aol.com>
Source record: 83735

For Sale: Dow-Key Coaxial Relay. Good working condition. 110VAC Realy coil.
PL-259 connectors. $35 + shipping and handling.
Thanks,
Jim W3ATV

3130. looking for drake RV7 and VFO and WH7 wattmeter in 9+

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <375B4952.B1A60AD1@bellsouth.net>
Source record: 83736

please let me know if you have the items mentioned. thanks
jhall5@bellsouth.net W4HQ

3131. WTB: RME 6900 receiver manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: "csc@smartt.com" <csc@smartt.com>
Message-ID: <375BBA35.4299@smartt.com>
Source record: 83737

Wanted

RME 6900 receiver manual or copy.

If anyone has one available please reply to csc@smartt.com

Thanks,

Colin

3132. Info needed HOWARD 438

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-07 00:00:00 UTC
From: kb7ww@chatusa.COM
Message-ID: <375B571F.FEF2A65C@chatusa.com>
Source record: 83738

I picked up a Howard model 438 at a swap meet this weekend. Can anyone help with some info on this receiver (when made, value, other info) The schematic is on the bottom put its a bit small for the old eyes. Anyone got a good larger one or maybe a copy of the book?

Thank for any help.
Art
KB7WW

3133. Ebay- Small MFJ Regen Radio@$26, 1 day.!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990608173609.13715.00002647@ng-fv1.aol.com>
Source record: 83489

Hi Guys;
Need a nice small Reneg SW Rcvr, MFJ-8100 for Mobile or even QRP? I was surprised how hot this little thing is.
Just hook a 20' length of wire and VIOLA!!
Check out this Like new sw regen, it's only at $26.00 with one day left. Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=112795997
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3134. Free T4-XB manual copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Gary Poland <w8pu@your-net.com>
Message-ID: <375D8C8A.CF3FA0@your-net.com>
Source record: 83490

T4-XB manual copy for the cost of shipping. Email N4XMO at n4xmo@arrl.net.

3135. FS: SP-600 and BC-1004C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: cecil baldwin <cabaldwin@mindspring.com>
Message-ID: <7jk3jlhdv1@nntp4.atl.mindspring.net>
Source record: 83491

Have Hammerlund SP-600 (with manual) and WWII BC-1004C receivers for sale.
Both are mounted in a 19" rack cabinet with speaker. Will sell separately
or together. Asking $100 for SP-600 and $50 for BC-1004C. BOTH WORK. Will
ship, but buyer picks up shipping charges. Currently in Knoxville, TN.
Send me an E-mail for details.

--
Cecil B.
WB4VMS

Some shooters seem to prefer their mouth
to their gun.

3136. Vintage Stations WFPG-TV (1952) & WLDB (1955) - Now on Page_2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: "John Dilks, K2TQN" <oldradio@worldnet.att.net>
Message-ID: <375DA4C8.7C43@worldnet.att.net>
Source record: 83492
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.swap

To all,

Two new articles are on Page_2

First TV Station in Atlantic City, NJ - WFPG-TV 1952
By Tom McNally, WB2DRD New 6-8-99

WLDB 1490 Atlantic City - Circa 1955
By Tom McNally, WB2DRD New 6-8-99

Both articles have great photos of vintage stations.

Page_2, still the best!

Click here http://www.eht.com/oldradio/awa
--
73' John Dilks, K2TQN

Webmaster for Antique Wireless Information ** New **
http://www.eht.com/oldradio/awa
-=and=-
for the New Jersey Antique Radio Club
http://www.eht.com/oldradio

Please visit my OldRadio Museum
http://www.eht.com/oldradio/museum
-

3137. Wanted: Swinging choke for Heath Warrior

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990608.183751.-36521155.5.NFMK@juno.com>
Source record: 83493

Still looking for a replacement swinging choke for the Heath
Warrior linear. I only have a few pages from the manual but
the details are:

Swinging Choke L5
Part # 46-28
5 - 50 henry
tied to the 3400VAC HV transformer

73, Doug

3138. manual for sx-99 halicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990608194527.24739.00002692@ng-ce1.aol.com>
Source record: 83494

hello,

would anyone be willing to copy or sell me an original manual for a
sx-99 halicrafters receiver? i would be happy to pay copy and shipping costs.
if online, pls tell me where i can download it and i'll print it out myself. i
just got one that's a little sick and i can't wait to work on it.

any help appreciated.

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

3139. GENAVE MANUAL NEEDED!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: SBADDERS@webtv.net
Message-ID: <6525-375DA5B9-28@newsd-122.bryant.webtv.net>
Source record: 83495

Hi
I am looking for the alignment instructions for a Genave GMT-240L mobile
rig...
can any one help please??? Please reply to me direct
73
scott ka9sln

3140. First BOATANCHOR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: fuzzy-2@webtv.net
Message-ID: <17624-375DB558-46@newsd-113.bryant.webtv.net>
Source record: 83496

Bought a Hammarlund HQ-129 for 89.00 looks like a 8 on a 10 at Amateur and Antique Radio Consignment Center ST.Paul Mn.Can't wait to go surfing on them there waves.They got a lot of neat looking stuff there.

3141. NLS Miniscope Repairs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Bruce Muscolino <w6toy@erols.com>
Message-ID: <375DCA57.16B9@erols.com>
Source record: 83497

Hi,

I have a NonLinear Systems Miniscope (the dual trace model) from 1978 that has finally given up the ghost. I can get no trace, however I do see a bright spot on turn off. Does anyone out there have any possible sources for repair of this dingy anchor?

Thanks and 73

Bruce -- W6TOY/3

3142. Re: WTB:.8874s..:Got sum tnx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <375DD8B4.BB381683@iglobal.net>
Source record: 83498
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Thanks to all who replied, Im overwhelmed....73 Murray

J. Murray Neece wrote:

> Looks like I been had on a Alpha amp deal....need two "resonable cost
> and out put" 8874s....Im willing to try less than perfect ones but full
> out would be nice....what do you have and what can ya take for it? OR,
> if you own a new or great pair and want an amp with 50% tubes in it...I
> have a very nice 76a...thought I had made a good deal....well you know
> "THE REST OF THE STORY"...I have money , radios, amps , glass tubes to
> trade with...lets do a great big deal so I can not get killed on this
> one!! hi hi ..Thanks Murray K5MDM

3143. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Joseph Lee Plaziak <joe@tubeguy.com>
Message-ID: <QNl73.1160$J4.1011@nntp0.chicago.il.ameritech.net>
Source record: 83499
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Robert Casey <wa2ise@netcom.com> wrote in message
news:wa2iseFD1HM5.2ru@netcom.com...
> Been playing with submini tubes for a while now. Have about a
hundred, used
> about 20 or so. Can't remember having had a bad one. Most were
NOS, but
> some were used.
>
> Were submini's made to be highly reliable compared to consumer
tubes?

Yes, they were introduced about the time transistors came out, and
were intended to compete with the new technology.

Joe
tubeguy.com

3144. B&W Boatanchors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: The Bell Family <bell@fwi.com>
Message-ID: <928904112.508.82@news.remarQ.com>
Source record: 83500

Folks --

Is there a group for B&W radios, similar to the Hallicrafters Collectos Association ?

Thanks

Mark NV9B

3145. RT 18/arc 1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Rick Mudd <rickmudd@teleport.com>
Message-ID: <Jhn73.20967$SN3.9005085@news1.teleport.com>
Source record: 83501

2 units. Condition unknown. look okay given their age.
Offers

3146. Signal Corp BC604DM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Rick Mudd <rickmudd@teleport.com>
Message-ID: <yjn73.20972$SN3.9005685@news1.teleport.com>
Source record: 83502

Rough. Restorable. Offers.

3147. Signal Corp BC639A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Rick Mudd <rickmudd@teleport.com>
Message-ID: <7kn73.20973$SN3.9006393@news1.teleport.com>
Source record: 83503

restorable. Offers.

3148. FS or FT: Sunair GSR920 HF rxs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Spencer Bahner <spencer12345@email.msn.com>
Message-ID: <urp5Tsjs#GA.292@cpmsnbbsa05>
Source record: 83504

I have a pair of Sunair GSR920 HF receivers with ISB and preselector options installed that I would like to sell or trade.

Both units are in pretty good physical shape, with one full operational and the second NOT operating. I have a service manual and will include a copy.

I'd like to trade for an interesting solid state boatanchor, or a clean, fully operational R390, or will sell the pair of receivers with a manual for $500 plus shipping. I'd prefer to find someone in Washington or Oregon rather than have to ship.

If interested, pls send me an e-mail. Do not post to this newsgroup since I generally don't go back and look at responses to my postings. You can also call my work number and leave a message: 425-257-8538

Thanks!

Spencer Bahner N7UMO

3149. National NC120 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Rick Mudd <rickmudd@teleport.com>
Message-ID: <jfn73.20964$SN3.9004508@news1.teleport.com>
Source record: 83505

Restorable. One tube missing and needs a connector pin replaced.
Offers.

3150. WTB Collins 618T test gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <fIR63.3$cN6.72@news.syd.ip.net.au>
Source record: 83613

Hello Folks,

I'm Looking for a Collins URM-157 test set aka 678P-1 if you have one for sale or know where I can get one please hollar!
nextgen@nextgencentury.com.au

Leroy.

3151. WTB Shock mount 390J-2 for a Collins 618T

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <LJR63.4$cN6.33@news.syd.ip.net.au>
Source record: 83614

Hello Folks,

I need a Shock mount 390J-2 for a Collins 618T and or inverter
PP3702/ARC-102 if you have one for sale or know where I can get on please
hollar! or email nextgen@nextcentury.com.au
Leroy.

3152. WTB Collins 618T Green Book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <yNR63.5$cN6.43@news.syd.ip.net.au>
Source record: 83615

Hello Folks,

I need the Collins 618T green maintenance BOOK or circuits for the 618T3B
Collins 100Hz channel unit if you have one for sale or know where I can get
on please hollar! or email nextgen@nextcentury.com.au

Leroy.

3153. FS: Drake TR4, AC4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: harrisw@airmail.net
Message-ID: <D222916CC7E8F1C5.1C9187A6915D06C1.310A18AF3952D60F@lp.airnews.net>
Source record: 83616

I have a Drake TR4/AC4 in good condition works on all bands 80-10m.
I have the original manual.
Power supply has been recapped.
Will sell for $160.00 + shipping from zip 75228.

Wayne

3154. Hallicrafters PS150

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: LEOSOLONIA <LEOSOLONIA@nospam.iname.com>
Message-ID: <4DZ63.267$N56.20222@news.cwix.com>
Source record: 83617

Need working PS150-120

3155. NEED CAPS FOR L4B POWER SUPPLY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: AMFONE@CONCENTRIC.NET
Message-ID: <7jht50$7oc$1@nnrp1.deja.com>
Source record: 83618

HELLO
I need to find a source for the high voltage electrolytic
caps used in the Drake L4B power supply.. I called one
source The All Electronics Corp. which advertised
a 470 mfd. at 450v cap.. but these I am told are no
longer available.. If you know of another source please
let me know ..
thanks 73 tim
wb8uhz

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3156. WTB: Info on CAI marine coupler

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Jim Warner <jpwarner@gte.net>
Message-ID: <01beb150$fa7f4f60$17defed0@jpwarner>
Source record: 83619

Looking for docs for a remote controlled antenna coupler made by CAI in the
70's. Particularly looking
for schematic of comparator boards.
Thanks,
Jim WA9Z

3157. WTB/D RME-45 Schamatic/Knight 100KC calibrator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: jkjsysadm@aol.com
Message-ID: <19990607233729.27199.00001773@ng-fn1.aol.com>
Source record: 83620

Wanted to buy /duplicate teh schematic and or maual for a RME-45
receiver. It has a knight-kit xatl calibrator. i need the schematic for it
also or at least the type tube it uses. Thanks

Jik Jackson

3158. Re: sx-28: help in identify a couple of resistors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990608012935.27966.00001812@ng-fj1.aol.com>
Source record: 83621

Hi.
They are R5(1K), It is connected from the 280vdc line to the plate of the RF tube 6AB7(V1) through the primary side side of the RF coils(T-17) and R10(2.7K) from the 280vdc line to the plate of 6SK7 (V-2) through the primary of T-20.
R9(1K) connects from the 100vdc line to the screen grid of V2.
Good Luck.
Mike Tyler, K6STU.

3159. WTB SHIMIZU SS-105

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <011401beb17d$f1729800$23d0c6c2@ToreSandstrm>
Source record: 83622

Hello all out there!

I am looking for the 10-watt "shoebox" SHIMIZU transceiver SS-105.
With or without thw extra final amplifier.

Regards
Tore Sandstrom SM7CBS

3160. AR88 Manual Anyone?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Duncan Walters <Duncan@g4dfv.freeserve.co.uk>
Message-ID: <7jj2hgjqg1@news8.svr.pol.co.uk>
Source record: 83623

Wanted: manual, including full circuit diagram
for RCA model AR88 receiver.
Good quality photocopy acceptable.
All costs reimbursed.
Please reply soon.

Duncan
G4DFV

3161. WTB:.8874s..::HELP!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <375D245F.CFD7A532@iglobal.net>
Source record: 83624
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Looks like I been had on a Alpha amp deal....need two "resonable cost and out put" 8874s....Im willing to try less than perfect ones but full out would be nice....what do you have and what can ya take for it? OR, if you own a new or great pair and want an amp with 50% tubes in it...I have a very nice 76a...thought I had made a good deal....well you know "THE REST OF THE STORY"...I have money , radios, amps , glass tubes to trade with...lets do a great big deal so I can not get killed on this one!! hi hi ..Thanks Murray K5MDM

3162. SHIMIZU transceiver SS-105

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <016501beb1b9$0f820d40$23d0c6c2@ToreSandstrm>
Source record: 83625

Hello all!
I am looking for this QRP vintage solid state transceiver from 1980's.
Look like an "shoebox" and has "hookable" PA for 100watt. It was sold about five items in Sweden at that time. Any info?
73's Tore Sandstrom SM7CBS

3163. Help! RCA WV-98B calibration.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Pinky & The Brain <odin@webspan.net>
Message-ID: <928853383.510.55@news.remarQ.com>
Source record: 83626
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew

Hi All,
Looking for instruction/users manual (copy?) for an RCA WV-98B
Senior Voltohmyst VTVM. Unit needs calibration and while procedure seems
pretty straightforward, I am a bit unclear on the setting for a pot marked
"AC-Z". Any help greatly appreciated & I will gladly pay any resonable price
for the manual or a copy.

Thanks!

Steve

3164. NC300 Converter Cab. Value?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <375D2F5B.7D4E@ameritech.net>
Source record: 83627

Hello,

I have one with the National 6 and 2 m. converters
installed. Clean with original Knob and cable's. Anyone
have an idea what it is worth. Offers ??

Dan N8ETQ Cleveland, Oh. dharlan@ameritech.net

3165. 4CX250B'S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: JOHN AYRES <acomm@worldnet.att.net>
Message-ID: <375D2F67.62A30F01@worldnet.att.net>
Source record: 83628

FOR SALE:

4CX250B NEW IN BOX UNUSED $50 EA 4 AVAILABLE

JOHN NF0P 303 341 2283

3166. Parts & tubes for sale.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <375d434e.6486804@news.earthlink.net>
Source record: 83629
Cross-posted to:
rec.antiques.radio+phono,rec.radio.swap,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

For sale (plus shipping)

Heavy Duty Footswitch, with AC power cord and H.D.
connectors. Rated 20 Amps. Clipper 632D. Very good condition.
Will sell for $15.00

= = = = =

TUBES LOT #5 (New and used-tested mix)

807 G.E. NOS, no box $8.00
5933/807W Ruggedized 807 New in box (QTY 4) $9.50 each
807 Sylvania Used, no box (QTY 3) $ 5.00 each
807 RCA (newer logo) Used, no box (QTY 2) $4.00 each
807 RCA (older logo) Used, no box $3.00
807 Unmarked (Same style as older RCA), used, no box $3.00
(Total $75.00)
Or take all 12 of the above tubes for $59 plus shipping

= = = = =

TUBES LOT #4
4-125 Eimac Used No box $25.00
828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
ea.
12SN7GT Sylvania New in Box $2.00
6BG6B RCA Used, no box $1.00
25L6 G.E .Used in box $3.00
5Y3GT G.E. Used in box $4.00
6W4 Tung-sol used in box $2.00
6W4 Arcturus Used in box $2.00
6W4GT Mullard Used in box $3.00
6SN7GT CBS/Hytron New in box $5.00
6JZ6 Sylvania Used in box $8.00
6SN7GT Tung solUsed in box $2.00
6SN7GT Crosley Used in box $2.00
6SN7GT RCA Used in box QTY 6 $3.00 ea.
6SL7GT RCA Used in box $3.00
6AC7 RCA used in box $2.00
6AC7 G.E. used in box (QTY 2) $2.00 ea.
6H6 Ken-Rad used in box $1.00
6DE4 Philco Used in box $1.00
6H6 RCA used no box (QTY 2) $1.00 ea.
6X5 RCA used in box $0.50

37 RCA used in box $4.00
6AX4 Sylvania New in box $2.00
OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each
OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
OA3 / VR-75 Marshall Electronics in box $4.00
3AW2 Philco Used in G.E. box $0.50

(Total over $170.00)

Take all 47 of the above tubes for only $79.00 plus shipping

= = = = =

Bud Box, diecast, 4.5" X 3.5" X 2", new, no cover plate $4.00

= = = = =

ARRL Handbooks:
1973, 1975, 1978 at $10.00 each
All in excellent shape

= = = = =

Plate variable transmitting capacitors:

0-250 pF Hammarlund transmitter plate variable, 1200V
Marvellously constructed. This is a beauty!
New in Box - $18.00

50 pF 500V Variable capacitor assembly, with link-coupled
tank circuit. 12 turns on a ceramic 1/2" form. 6" Coax link to Type N
connector. Capacitor has 3/8" bushing or screw mounted on base.
Includes
antique knob and small bakelite panel. $2.00

Automatic Brand type C6T air variable capacitor. Mounts with two
screws.
30 pF at 200V. WIth screw slot adjust. Has silver-plated 3.5 turn coil
for
2m attached and porcelain standoff. $1.50

80 pF air variable trimmer capacitor, two screw panel mounting.
Screw-slot adjustment. Used $1.50

= = = = =

Headphones with boom microphone.
Jensen Model JMP-41
Headset Response is 20 Hz - 20 kHz
6' Cord with mini stereo plug.
Microphone is Low-Z Condenser type with 2.2 k-ohm impedance.
Response 30 Hz - 16 kHz

Durable and comfortable design with padded ear-pieces, ideal for
communications applications.

Brand new in box. White color.
Great for mobile HF or VHF operating. Think SAFETY!
Also great for extended rag-chews, contesting etc.
No PTT, but has standard connectors - 1/8" mini-style.
Will also work well with computers. Normally $29.95
New in box $20.00 plus shipping

= = = = =

Add shipping cost to all prices.

3167. Crystals For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <375d4550.7000382@news.earthlink.net>
Source record: 83630
Cross-posted to:
rec.antiques.radio+phono,rec.radio.swap,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Crystals For sale:

1.921 MC Philco FT-241/A $5.00
7010.47 CR-1/A $4.00
7011.9 kHz CR-1/A $4.00
7119.5 kHz M-9A (3-pin) holder McCoy $5.00
7270 kHz CR-1/A $4.00

HC-6/U style
1000 kc. CR-18/U = HC-6/U $5.00
1947.8 kHz. CR-18/U $5.00
1952.22 kHz. CR-18/U $5.00
3520.83 CR-18/U $4.00
3525 CR-18/U $4.00
3528.12 CR-18/U $4.00
3529.17 CR-18/U $4.00
3530.21 CR-18/U $4.00
3531.25 CR-18/u $4.00
3579.545 CR-18/U (QTY 2) $1.00 each
3526 CR-18/U $4.00
3865.83 CR-18/U $3.00
3867.50 CR-18/U $3.00

3571 TCXO short leads $1.00
3640 HC-17/U wire leads $4.00

29100 CR-18/U $5.00 (10m AM Frequency!!!!!)

4.194 MHz HC-49/U(?) mini w/ wire leads $2.00
7.15909 MHz HC-49/U(?) mini w/ wire leads (QTY 7) $1.00 each

Add shipping cost to all orders.

More crystals for sale at:
http://home.earthlink.net/~af4k/trade.htm

3168. F.S. National NC300 parts/project set...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990608124849.10680.00000181@ng-cg1.aol.com>
Source record: 83631

Hi All,
I have a National NC300 ham band receiver that Is for sale for $110.00 plus shipping. This is a parts/project set that I picked up and will never get time to work on. The only things that I know for sure are wrong are: 1. The dial cord for the band switching mechanism is broken, and 2. There are 3 or 4 tubes missing. Other than that, it appears to be complete and intact with no modifications.
Please respond directly to: nc183d@aol.com
rgds,
Mark S.

3169. COLLINS S-LINE ON EBAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990608132538.11929.00001945@ng-cr1.aol.com>
Source record: 83632

CHECK OUT THIS LIKE NEW COLLINS S-LINE
EBAY ITEM # 114785878 THANKS DWIGHT

3170. ICOM 761 LIKE NEW ON EBAY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990608132804.11920.00001916@ng-cr1.aol.com>
Source record: 83633

THIS 761 LOOKS NEW CHECK OUT DETAILS ON EBAY ITEM # 114795547
THANKS

3171. FS: NIMH CELLS. SMALL SIZE, HIGH CAP. $1.25 EA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-0806991042140001@murphy1.cts.com>
Source record: 83634
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,misc.survivalism

NIMH FLAT PACK CELLS:

1.5V 700 MA. 1.75"/ .5"/.25"

$1.25 EA. 5 FOR $4 CASE OF 35 FOR $25

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3172. Re: AR88 Manual Anyone?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Don Vosper <don@vosper.freeserve.co.uk>
Message-ID: <7jjohd$9dp$1@news5.svr.pol.co.uk>
Source record: 83635

Duncan
Try K. Bentley 0181 554 6631, advertises in P.W.
Don

3173. FA: on eBay - nice Clegg 99'er

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7jiulq$fa3$1@news.mr.net>
Source record: 83636

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114853889>

--
Mike Warren
W5MAZ (in MN)

3174. Re: AR88 Manual Anyone?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: k5cf <k5cf@clnk.com>
Message-ID: <928873591.032.62@news.remarQ.com>
Source record: 83637

Duncan, try www.w7fg.com 73, Vance k5cf
Duncan Walters <Duncan@g4dfv.freeserve.co.uk> wrote in message
news:7jj2hgjqg1@news8.svr.pol.co.uk...
> Wanted: manual, including full circuit diagram
> for RCA model AR88 receiver.
> Good quality photocopy acceptable.
> All costs reimbursed.
> Please reply soon.
>
> Duncan
> G4DFV
>
>
>
>
>

3175. WTB: Hallicrafters S-39 "SKY RANGER"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-08 00:00:00 UTC
From: k1yjk@aol.com
Message-ID: <19990608171220.14081.00002706@ng-fp1.aol.com>
Source record: 83638

I am looking for a Hallicrafters S-39 "Sky Ranger". If you have one and are interested in selling or trading please drop me a line.

Thanks,
Bob/K1YJK
K1YJK@aol.com

3176. WTB: Looking for SX-101A Knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: franklin@net-link.net
Message-ID: <7jk5oc$661@newsops.execpc.com>
Source record: 83506

I need two small knobs for a SX-101A which I am restoring. They are the knobs used for:

Notch Depth Control
Pointer Reset Control

Both knobs are the same. On the SX-101A these knobs do not have the skirts. Wondering if there is a good source for all types of knobs? Anyone have ideas as to how one can make their own knobs??

Thanks
Gary K8BKB

franklin@net-link.net

3177. WTB: Junker Matchbox and SP-75

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990608212122.03778.00000692@ng36.aol.com>
Source record: 83507

Interested in Old Johnson Matchbox, does not have to have coupler, and also a Drake SP-75 excellent outside and smoked insides.

73

Evan

3178. Re: NLS Miniscope Repairs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: ka4993gg@aol.com
Message-ID: <19990608220544.27188.00002436@ng-cn1.aol.com>
Source record: 83508

Bruce, a few years ago, NLS located in San Diego area, had a flat fee of $95 for repairing their scopes. What they did then was replaced the entire circuit board and nicads. Its like having an almost new scope. Unfortunately, I do not have their number. Good luck

3179. "Industrial size" capacitors; stepping relay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7jkj5m$m8o@news.Hawaii.Edu>
Source record: 83509
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

The following are $5 each + shipping:

Mallory 10,000 MFD 50V capacitor
Callins 54,000 uF 20V capacitor
4P20T (4 wipers, 4 rows of 20 terminals) stepping relay, voltage unk.

Jeff KH6O

3180. Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFD1HM5.2ru@netcom.com>
Source record: 83510
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Been playing with submini tubes for a while now. Have about a hundred, used about 20 or so. Can't remember having had a bad one. Most were NOS, but some were used.

Were submini's made to be highly reliable compared to consumer tubes?

3181. Re: sx-28: help in identify a couple of resistors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7jkqrl$9a8$1@nnrp1.deja.com>
Source record: 83511

In article <19990608012935.27966.00001812@ng-fj1.aol.com>,
k6stu@aol.com (K6STU) wrote:
> Hi.
> They are R5(1K), It is connected from the 280vdc line to the plate
of the RF
> tube 6AB7(V1) through the primary side side of the RF coils(T-17) and
R10(2.7K)
> from the 280vdc line to the plate of 6SK7 (V-2) through the primary
of T-20.
> R9(1K) connects from the 100vdc line to the screen grid of V2.
> Good Luck.
> Mike Tyler, K6STU.
>
R10 is 3000 ohms, not 2700. I strongly suggest using 1W or larger
flameproof resistors in this receiver. The noise generated by the
resistors is much lower. I did this in mine and the noise is lower than
using 1/2 W resistors. New resistors are much lower in noise than the
old types. The use of 1W is better in very high gain circuits for low
noise. Be sure to use Orang Drops for the bypass and coupling. Increse
the amount in the audio for better lower frequency response. Increase
the bypass condenser of the outputs to about 1000mfd 25V.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3182. Swan 270 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: bbutler@home.com
Message-ID: <375de018.4950604@news>
Source record: 83512

I have the opportunity to pick up a Swan 270 HF rig that was once owned by a CBer....have no idea what's been done to it, but I do know that the guy was trying to mod it to operate on 11M. Can any of you folks tell me what one of these is worth? Hesitant to buy a "pig in a poke", so to speak.

73 de Butch KF4SAG

3183. Re: Hammarlund HQ120 info requested

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7jkrbf$9fi$1@nnrp1.deja.com>
Source record: 83513

In article <375A00FC.D9FA0B78@worldnet.att.net>,
mjbostwick@worldnet.att.net wrote:
> I have what I think is a Hammarlund HQ120 and am looking for any
> information out there on it. It seems to be in pretty good shape,
(only
> missing 2 knobs)and it works. Case is a flat black and has labels on
> front. One label says:
> Receiver
> RBG-2
> HQ-120
> Combination
> and inside the case on the power supply it has a date of 1950
something.
> What can anyone tell me about this unit? Is it common? Is it worth
> anything besides use as a boat anchor? My wife wants me to get rid of
it
> and I am looking for excuse to keep it. Any information would be
> helpfull
>
> Thanks
> Mike Bostwick
> mjbostwick@worldnet.att.net
>
Mike,

Do not throw this away. It is pre-war, not 1950. It is an earlier version ofthe 129X. The third i-f is a 6F6/G/GT, the only receiver to use a power valve as an i-f. They got the idea of power to feed a diode detector from the Radiotron Designer's Handbook. This is overkill but works great. I have one I have fully restored and aligned and it works great. I like the looks better than the 129X, a personal opinion. IF you need help with it, I will be glad to help. I can give you a copy of the manual, if you need one. Good luck with it.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3184. W.E. transmitter wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7jkru1$9kk$1@nnrp1.deja.com>
Source record: 83514

I am looking for an old W.E. transmitter to use on 160m a-m. It needs to be 1kw, complete and near Va. unless a good deal is found farther away. This WILL stay in the U.S. intact, in use, NOT parted out and sold! I want the type from the mid 50's or earlier. Another type of the same vintage will also be considered.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3185. 6922 vacuum tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7jkt5e$p3p$1@marcie.fissiontech.com>
Source record: 83515

Philips NOS JAN 6922 vacuum tubes for sale @ $5 each, will sell for less if the order is large.
bgrebe@customnet.net

3186. 6922 vacuum tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7jktd8$p5o$1@marcie.fissiontech.com>
Source record: 83516

Philips NOS JAN 6922 vacuum tubes for sale @ $5 each, will sell for less if
the order is large.
bgrebe@customnet.net

3187. 6922 vacuum tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7jktov$p98$1@marcie.fissiontech.com>
Source record: 83517

Philips NOS JAN 6922 vacuum tubes for sale @ $5 each, will sell for less if the order is large.
bgrebe@customnet.net

3188. Re: Electro Voice 664 with Base for TRADE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jroden1013@aol.com
Message-ID: <19990609013623.07917.00002617@ng-fs1.aol.com>
Source record: 83518

hello from five land! do you still have tour e/v michrophone? ive been lokeing for one to go with my ce 100-v. i dont have much to trade with, but i am willing to pay a fare price. the only thing ham related that i am parting with ritew now, is a swan 500-cx. 73. KD5GHO JRoden1013@aol.com

3189. 6922 vacuum tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7jkuh2$pg7$1@marcie.fissiontech.com>
Source record: 83519

Philips NOS JAN 6922 vacuum tubes for sale @ $5 each, will sell for less if the order is large.
bgrebe@customnet.net

3190. Re: CE600L

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jroden1013@aol.com
Message-ID: <19990609014632.07917.00002622@ng-fs1.aol.com>
Source record: 83520

hello gary, i was hopeing to find a 600-l for sale! you can contact nick tusa
he restors c/e equipment. his e mail is nicktusa@ail.com 73. KD5GHO

3191. Re: Trade - my Collins 75A-4 for your Heath Mohawk

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jroden1013@aol.com
Message-ID: <19990609015538.07917.00002628@ng-fs1.aol.com>
Source record: 83521

hi nikc. are you nuts? a 75a-4 is worth up to 1100 dollars. a heath maby 200 dollars.dont do it ! 73. KD5GHO

3192. Re: Shure D104

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jroden1013@aol.com
Message-ID: <19990609014956.07917.00002626@ng-fs1.aol.com>
Source record: 83522

hello dewy, did sure make a d-104? the only d-104 that i know of is made by astetic. 73 KD5GHO

3193. Re: Swan 270 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Bis_Wichy@webtv.net
Message-ID: <14892-375DFD21-2@newsd-161.iap.bryant.webtv.net>
Source record: 83523

About $125 to $300 depending on the condition. Most prices about $175 - $200. They are very easy to convert to the codeless ham band (CB) just adj the 10M VFO coil down to 27 Mc. It's just as easy to put it back on 10

Hint (1) - look for 2 XTALS just left of the VFO box (solid metal box behind the dial with adj holes for each band) usually the LSB xtal is removed to receive AM.

Hint (2) 6LQ6 final sweep tube can only dissipate so much... most CB'ers blow them up... each tube is about $50 - $75. However, in Swan 260's, 270's and 300's - there is a 50 cent 5 watt power resistor connected to one of the LQ6's screens.. usually this resistor will open up first before the tube is destroyed... so if you have the chance - check it - if the seller sez he can't get any power out... (normal CW power out being about 90 watts more or less)

Hint (3) Only three tubes are dedicated to the transmitter section.. the rest are shared between transmitter and receiver sections... you should hear good clean audio with no distortion or grunge.. if audio is OK then 90% of the 270 is working ok.

Hint (4) rock the band switch knob slightly while receiving... you should hear some drift. If it continues (typical) that means the switch contacts should be cleaned... 99.999% hams forget to clean the switch contacts INSIDE the vfo box. Those switch contacts are part of the vfo's LC circuit and cause most of the drifting Swans are famous for... clean those and your rig will be rock solid...

Hint (5) While testing the Push To Talk - listen for the sound the relay makes. You should hear a sharp click - if you hear a mushy snap or the 270 is "sluggish" going into transmit - then the relays must be burnished (filed down and cleaned) You should really do this at least once a year on these type of tube rigs anyway...

Last Hint ..!!

Use all the info above and offer him $50 for it...

The 270 is a great compact rig. Bit heavy to carry but it's easy to take care of and works well on SSB... (I even use mine on CW when 40M QRM is lite.)

Good Luck OM! de WDØHCO

3194. Re: Recommendations on capacitors ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: hwh <74361.2114@CompuServe.COM>
Message-ID: <#Bz685js#GA.396@nih2naab.prod2.compuserve.com>
Source record: 83524

>Further, the paper apparently leaches chemicals which breaks the
>paper down, eventually causing a short.
True. Paper manufacture involves acidic chemicals that almost never
are completely removed or neutralised. Eventually the weak acidity in
the paper breaks down the paper itself. This paper acidity is a big
issue with library/archivists who try to neutralise old document
papers & use only special acid-free papers for new documents.
Wayne Hall
WB4OGM

3195. FS: Tube equipment & other stuff

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: mchang9168@aol.com
Message-ID: <19990609043622.18618.00001147@ng-cl1.aol.com>
Source record: 83525

CURRENTLY FOR SALE ON EBAY (Some auctions ending today at 7pm!)

Copy and paste this text into your web browser:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewListedItems&
userid=mchang9168@aol.com&include=0&since=-1&sort=2&rows=25

ITEM LIST SUMMARY:
Fisher 800B vacuum tube stereo hi-fi w/7591 tubes
The Fisher Series 80 vacuum tube AM-FM hi-fi tuner/preamp
Heathkit UT-1 vacuum tube utility power supply
Bell 2255 AM-FM vacuum tube hi-fi tuner
Heathkit vacuum tube mono hi-fi amplifier
Edison Ediphone 3-pc Wax Cylinder Office Set (antique phonograph)
Original Teletype (morse code/telegraph/antique computer/typewriter)
Old Antique Carbon Broadcast Microphone - chrome
Crosley antique UHF vacuum tube television tuner (radio/TV)
Military optical morse code keyer (key)
Dual Super 8/Reg. 8mm Movie projector (super8)
Approx. 1000ft of 75 ohm cable television coax (coaxial)
Versacount LA-150 FM broadcast transmitter RF/VHF amplifier
Helpinstill pro acoustic-electric stage piano (keyboard)
GAF Super 8 Sound Movie Camera (super8)
800W RF/VHF Power Amplifier (Laser exciter/FM broadcast transmitter)

GOOD LUCK,
Mark

3196. Re: manual for sx-99 halicrafters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: kurt.brandstetter@teleweb.at
Message-ID: <MPG.11c86a0367c5f6f1989687@news.teleweb.at>
Source record: 83526

In article <19990608194527.24739.00002692@ng-ce1.aol.com>, ku4yp@aol.com
says...
> hello,
>
> would anyone be willing to copy or sell me an original manual for a
> sx-99 halicrafters receiver? i would be happy to pay copy and shipping costs.
> if online, pls tell me where i can download it and i'll print it out myself. i
> just got one that's a little sick and i can't wait to work on it.
>
> any help appreciated.
>
>
> 73 de KU4YP
> Mike Prevatt
> Lake Hendry, Fl.
>
Hi Mike!

I send you a separate email !
Kurt.
--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new Pics (Eddystone, 75S-2)
****
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this adress is blocked use: oe1002419@mail.yahoo.com
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

3197. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Brad Thompson <Brad_Thompson@pop.valley.net>
Message-ID: <375E6418.1374@pop.valley.net>
Source record: 83527
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Robert Casey wrote:
>
> Been playing with submini tubes for a while now. Have about a hundred, used
> about 20 or so. Can't remember having had a bad one. Most were NOS, but
> some were used.
>
> Were submini's made to be highly reliable compared to consumer tubes?

Hello--
Many subminis were built for applications that imposed severe shock and vibration, and the subminiature structures featured lower mass and higher resonant frequencies. In addition, the mil-spec test requirements typically exceeded consumer-grade specs by a wide margin.

Raytheon's Hawk missile contained submini tubes well into the late 1960s.

73,
Brad AA1IP
Brad

3198. Wanted: HQ129-X knobs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: stevenn <stevenn@ix.netcom.com>
Message-ID: <375E6790.82475F22@ix.netcom.com>
Source record: 83528

Hi

I am looking for the small Hammarlund HQ129-X knobs. I would like to buy outright or will trade for EF Johnson Viking 1 knobs. I am looking for the original HQ129X knobs (the SP400X) also used the same knobs.

Thanks for any help.

Regards,

Steve k2pts

3199. In Search of...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: sourthernx@aol.com
Message-ID: <19990609092609.18665.00001361@ng-cl1.aol.com>
Source record: 83529

Hello,
Does anyone know where I can find a Packard Bell AR-851 transistor radio? This was the radio used on Gilligan's Island. I'm new to this group so I apologize if this question has been asked or this radio is impossible to find.

Thanks,
Chris

3200. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Victor <balaudio@dca.net>
Message-ID: <375e7268.0@news.dca.net>
Source record: 83530
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

"Joseph Lee Plaziak" <joe@tubeguy.com> wrote:
>
>Robert Casey <wa2ise@netcom.com> wrote in message
>news:wa2iseFD1HM5.2ru@netcom.com...
>> Been playing with submini tubes for a while now. Have about a
>hundred, used
>> about 20 or so. Can't remember having had a bad one. Most were
>NOS, but
>> some were used.
>>
>> Were submini's made to be highly reliable compared to consumer
>tubes?
>
>Yes, they were introduced about the time transistors came out, and
>were intended to compete with the new technology.

All original on-board avionics and guidance systems of the SA-3 missile were built with those tubes soldered to the PC boards. They stayed in service for many years, until finaly replaced with transistors. So yes, they CAN be reliable if made by a good source.

Victor.

>Joe
>tubeguy.com
>

3201. National HRO50 Manual online on The TubeBug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Erwin Cremers <cremers@antispam.knoware.nl>
Message-ID: <928937720.61517@news2.knoware.nl>
Source record: 83531
Cross-posted to: nl.radio.amateur,rec.radio.amateur,rec.radio.amateur.boatanchors

Hello group,

Please check the latest version of The TubeBug.

Now you'll find the complete manual of the National HRO 50 receiver online
for you to download in the boatanchor section of The TubeBug.
Within the next few weeks you'll also find the manuals of the Sommerkamp
FRdx
500, FTdx 500 , Siemens E 309b and several other online for you to download.

http://Come.to/TheTubeBug
http://www.knoware.nl/users/ecremers

Come and have fun,

Erwin Cremers
PE1MGR - webmaster of The Tubebug

3202. Info about SCR-300 WWII military radio?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: scott@aravis.softbase.com
Message-ID: <375e7f03.0@news.new-era.net>
Source record: 83532

I am trying to find information on, pictures of, and schematic diagrams of the SCR-300 wireless field radio my grandfather carried in WWII, for a project I am doing about his experiences.

Can anyone help me?

Scott

3203. LOOKING (4) 811-A'S NEW ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990609115042.24869.00002141@ng-da1.aol.com>
Source record: 83533

ANYBODY GOT (4) 811-A'S NEW ..I NEED 4 THANKS ..

3204. Need WH7 wattmeter for tr7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <375E9106.EE8762F8@bellsouth.net>
Source record: 83534

jhall5@bellsouth.net must be 9+

3205. Re: FS: SP-600 and BC-1004C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990609122511.01949.00002322@ng-ck1.aol.com>
Source record: 83535

Hey: Those are great prices for two great receivers. Anyone needing a good general coverage receiver and near Knoxville should jump on those.
The power supply of the BC1004 is worth the price itself.
JK K4XC

3206. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <7jmbib$10v$1@its.hooked.net>
Source record: 83536
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Joseph Lee Plaziak wrote in message ...

>> Were submini's made to be highly reliable compared to consumer
>tubes?
>
>Yes, they were introduced about the time transistors came out, and
>were intended to compete with the new technology.

I thought they dated back to WW2 (proximity fuze, etc).

73,
Mike, KK6GM

3207. Realistic DX-160

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Rick Donaldson <donaldsr@jntf.osd.mil>
Message-ID: <375EC5A7.528000CE@jntf.osd.mil>
Source record: 83537

I am looking for a working, good-condition Realistic DX-160 with a speaker. If anyone has one, wishes to sell it or trade, please contact me at my email address.

ricky.donaldson@jntf.osd.mil

Rick Donaldson, N0NJY

Thanks! 73!

3208. Re: Realistic DX-160

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: jfeng@my-deja.com
Message-ID: <7jmmjnvjf1@nnrp1.deja.com>
Source record: 83538

In article <375EC5A7.528000CE@jntf.osd.mil>,
Rick Donaldson <donaldsr@jntf.osd.mil> wrote:
> I am looking for a working, good-condition Realistic DX-160 with a
> speaker. If anyone has one, wishes to sell it or trade, please
contact
> me at my email address.
>
> ricky.donaldson@jntf.osd.mil
>
> Rick Donaldson, N0NJY
>
> Thanks! 73!
>
>
There is one being offered on rec.radio.swap (not by me!).

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3209. FS: Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990609164220.15516.00002911@ng-cc1.aol.com>
Source record: 83539

I have the following Radio, and electronic equipment for sale. Will consider trades for other Electronic or computer related EQ. All working last time tested unless noted. Shipping is extra. Please reply to my email address. Thanks
EJ (KC5EPI)

All Tube Items:

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $250

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. As is $50.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both.

Bearcat 250 Scanner: Have two. One working and one for parts. $75 for both.

Kenwood MC 50 Mic: Works OK and comes complete with cable and input jack. $50

3210. Realistic DX-160

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Rick Donaldson <donaldsr@jntf.osd.mil>
Message-ID: <375ED529.E1D79782@jntf.osd.mil>
Source record: 83540

I am looking for a working, good-condition Realistic DX-160 with a speaker. If anyone has one, wishes to sell it or trade, please contact me at my email address.

ricky.donaldson@jntf.osd.mil

Rick Donaldson, N0NJY

Thanks! 73!

3211. Collins Filter Q

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: pwende@aimtronics.com
Message-ID: <7jmr9c$1d4$1@nnrp1.deja.com>
Source record: 83541

Hello all of you Collins filter experts.

I need your help to identify this filter please. I have searched all of the usual places and can't find this one. Please give me whatever detail you may have for it.

It is,

F 455 FC 60 6714

526 9522 003

Thank you.

Paul

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3212. Re: Trade - my Collins 75A-4 for your Heath Mohawk

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: wjoew@aol.com
Message-ID: <19990609174508.26419.00004607@ng-ch1.aol.com>
Source record: 83542

Maybe it was dropped from the 30th floor...

3213. FS: Rohn 25 tower and Hygain 204BA beam

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: N0SAH <fish@microlink.net>
Message-ID: <01beb2d0$fed3fd00$70daa0d1@default>
Source record: 83543

FS: Five 10 foot straight sections, One tapered top section, One straight section that was in concrete only 5 feet long. All sections have surface rust but solid. Hygain 204BA four element 20 mtr beam. No element clamps, you will need to replace the bolts, they are rusty. Elements are complete except for the clamps, boom is complete. $180 and you pickup from Kansas City, Missouri. Thanks.
Randy N0SAH

3214. Wanted: National R-175A plate choke

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Robert Perlstein <perls@compuserve.com>
Message-ID: <375EDDAC.493B@compuserve.com>
Source record: 83544

Howdy all!

I'm looking for a few National (or equivalent) tube plate blocking RF chokes- National type R-175A

Let me know if you want to sell...

Thanks!

73

Bob W1IV

3215. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Joseph Lee Plaziak <joe@tubeguy.com>
Message-ID: <waE73.1810$J4.1250@nntp0.chicago.il.ameritech.net>
Source record: 83545
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Mike Silva <mjsilva@jps.net> wrote in message
news:7jmbib$10v$1@its.hooked.net...
>
> Joseph Lee Plaziak wrote in message ...
>
> >> Were submini's made to be highly reliable compared to consumer
> >tubes?
> >
> >Yes, they were introduced about the time transistors came out, and
> >were intended to compete with the new technology.
>
>
> I thought they dated back to WW2 (proximity fuze, etc).
>
> 73,
> Mike, KK6GM
>
>
>
Could be! I'm only 34.......=)

Joe
tubeguy.com

3216. STONER PRO 80-10 Anyone have one? HELP!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <375F223D.47BF@ix.netcom.com>
Source record: 83546
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I have a rare and beautiful STONER Pro 80-10 SSB Tranceiver. It works great but I need to know the jumpers on the rear Octal Plug. Can anyone Help Me Please. Someone removed the plug which disables the transmit. If anyone knows anyone who has one please let me know.

73 Chris

3217. can 3-500z tubes be swapped for 3-400z tubes in a Swan mark-I?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: steve <genzx001@yahoo.com>
Message-ID: <375F2B4A.13D6@yahoo.com>
Source record: 83547

Greetings,
I have a Swan Mark-I amplifier that will need tubes someday. Can 3-500z tubes be swapped for the 3-400z tubes? What mods will be needed?
Please let me know if you have experience with this. Thanks!
73's de steve, Wi0e

3218. FS: BC-779, RA-74C PS, manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <2bG73.647$5H.27064@ndnws01.ne.mediaone.net>
Source record: 83548
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Complete with receiver cover, interconnecting cable, and power supply.
Receiver is in very good condition. Power supply in good condition with
some scratches on the front of the rack panel. Interconnecting cable is
very good with no splices and has the original terminal strip connector
to simplify hook up to the receiver. Also comes with an original manual.
Will ship but PS is heavy. $175 plus shipping.
regards,
Chuck...K1KW

3219. Vibroplex still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: "T.L." <sp@nospworldnet.att.net>
Message-ID: <375F3B4A.5A26@nospworldnet.att.net>
Source record: 83549

Greetings,
I was wondering what is going on with Vibroplex?
I have called them several times in the past 2
weeks and the only thing I get is an answering
machine. I have left several messages and haven't
received a single call back from them. I sent
an email to w4oa@vibroplex.com and no response
either...

Are they still in business??

If you have dealt or talked with somebody at
Vibroplex in the past 2 or 3 days, then please
let me know...

Please respond to:
kj5xf@worldnet.att.net

Thanks in advance,
Tony L.

3220. Re: Swan 270 Question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <375F3957.B6A225B3@wenet.net>
Source record: 83550

Hi,
If he only modified the 10 meter band to 11 meters, it was only the VFO frequency he changed on 10 meter band, SWAN radios have different VFO frequency per each band. So it is reasonably easy to remodified back to 10 meter band. 270 is worth only $100 to $150 at most so don't pay high price for it.
Good luck to you.
de K6hm
Young

BUTCH BUTLER wrote:

> I have the opportunity to pick up a Swan 270 HF rig that was once
> owned by a CBer....have no idea what's been done to it, but I do know
> that the guy was trying to mod it to operate on 11M. Can any of you
> folks tell me what one of these is worth? Hesitant to buy a "pig in a
> poke", so to speak.
>
> 73 de Butch KF4SAG

3221. Re: Collins Filter Q

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <375F4DB5.C790DBD0@wenet.net>
Source record: 83551

Hi,
It is 6 KHZ AM filter which can be used for S line receivers.
It is an expensive filter!!!
de K6hm
Young

pwende@aimtronics.com wrote:

> Hello all of you Collins filter experts.
>
> I need your help to identify this filter please. I have searched all of
> the usual places and can't find this one. Please give me whatever detail
> you may have for it.
>
> It is,
>
> F 455 FC 60 6714
>
> 526 9522 003
>
> Thank you.
>
> Paul
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

3222. (no subject)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-09 00:00:00 UTC
From: Matt Parkinson <mattradi@earthlink.net>
Message-ID: <375F51C5.980569AB@earthlink.net>
Source record: 83552

[No readable article body recovered]

3223. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Martin Ackroyd <martin.ackroyd@virgin.net>
Message-ID: <375FF6FD.FB9E8300@virgin.net>
Source record: 83439
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Robert Casey wrote:
>
> Been playing with submini tubes for a while now. Have about a hundred, used
> about 20 or so. Can't remember having had a bad one. Most were NOS, but
> some were used.
>
> Were submini's made to be highly reliable compared to consumer tubes?

Some were built to withstand being shot out of guns - they were used
in proximity fuzes and were subject to accelerations of thousands of g.

Martin

3224. FS: Group of 40 audio etc. tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <375ff9cd.11370879@news.earthlink.net>
Source record: 83440
Cross-posted to: rec.antiques.radio+phono,rec.radio.swapo,rec.audio.tubes,rec.radio.amateur.boatanchors

Another Great LOT of 40 Audio Power and pre-amp tubes:

(Ask for Lot #15)

6GW8/ECL86
GENERAL ELECTRIC - UIB - $4.00
PRO/COMM - NIB - $4.00
RCA - NIB - (QTY 3) - $6.00 each
TRIGON - UIB - $4.00

6BM8/ECL82
ZAERUX - NIB - $5.00
GENERAL ELECTRIC - UIB - $3.00
GME - NIB - $3.00

6BQ5/EL84
PILOT/TUNGSRAM in ZAERUX BOX - NIB - $6.00

ECL80/6AN8
MARCONI - NIB - $1.00

EL80
PHILIPS - NIB - $2.00

EL86
AMPEREX - UIB - $4.00

EL95
TRIGON - UIB - $2.00

6BC4
RCA - NIB - $5.00
RCA - USED - $3.00

6BC5
RCA - UIB - $2.00

6BQ5/EL84
BULK - UIB - $3.00

6BQ7A
GENERAL ELECTRIC - UIB - $1

6BL8/ECF80
AMPEREX - USED - $2
GENERAL ELECTRIC - UIB - (QTY 2) - $1 each
SYLVANIA - NIB - $3

6BZ7
BULK - UIB - (QTY 3) - $2.00 each

6C4
JAN - NIB - $3.00

6CB6A
RCA - USED - $1.00

6CW5/EL86
AMPEREX - UIB - (QTY 2) - $3.00
AMPEREX/HOLLAND - UIB - $3.00
HOLLAND - UIB - $3.00
GT BRITAIN - UIB - $3.00

1U5 - RCA - USED - $1.00

5GH8
GENERAL ELECTRIC - USED - $2.00

6DK6
BULK - NIB - $2.00

6GH8
ZENITH - USED - $2.00

6GU7
RCA - UIB - $2.00

6J6
RCA - USED - $1.00

5879
GENERAL ELECTRIC - USED - $2.00

NIB = New In Box
UIB = Used (tested) In Box

TOTAL of 40 Tubes.
TAKE ALL THE ABOVE TUBES FOR ONLY $68.00 plus shipping
(Ask for Lot #15)

To buy:
Inquire by E-mail

3225. WTB: knob for J-38 key

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7jo7b7$bm0$1@news.mr.net>
Source record: 83441

Hi All,

I need the knob for the shorting lever on a J-38 key.

Have many different knobs for trade, or will pay cash.

Tks es 73,

--
Mike Warren
W5MAZ (in MN)

3226. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: cragins@chele.cais.net
Message-ID: <8XS73.290$k3.5725456@newsie.cais.net>
Source record: 83442
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

so,then, Mike, is your point

(1) You can't be bought?
(2) You are priceless?
(3) You aren't cheap?
(4) You are free?
(5) You might be for rent or loan?
(6) Not being FOR sale, you are AGAINST sale?
(7) You worry your wife put you on the market without telling you?

Michael J. White (mwhite@mitre.org) wrote:
: The abbreviation for microphone is "MIC", as in MICrophone. It's not
: "MIKE", as in "Those of us named Mike are pretty unnerved when we see
: ads saying "Mike For Sale".
:
: Mike (not Mic), N4PDY

3227. Re: Vibroplex still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Mike Warren <mwarren@fs.com>
Message-ID: <7jo7iqbma1@news.mr.net>
Source record: 83443

Actually it's called "The Millennium Bug" aka BLUE RACER-MODEL 2000. The original Blue Racer has been out of production for over 20 years and I applaud their marketing savvy to come out with the "millennium" model. As soon as I can get them to answer the phone, I intend to put my order in.

--
Mike Warren
W5MAZ (in MN)
Dave Edwards wrote in message <7jos13$3ug$1@ostrich.cybercomm.net>...
>I saw an add that they were going to sell a new key.
>It is called a Y2K bug.
>(Really!)
>...Dave
>T.L. wrote in message <375F3B4A.5A26@nospworldnet.att.net>...
>>Greetings,
>>I was wondering what is going on with Vibroplex?
>>I have called them several times in the past 2
>>weeks and the only thing I get is an answering
>>machine. I have left several messages and haven't
>>received a single call back from them. I sent
>>an email to w4oa@vibroplex.com and no response
>>either...
>>
>>Are they still in business??
>>
>>If you have dealt or talked with somebody at
>>Vibroplex in the past 2 or 3 days, then please
>>let me know...
>>
>>Please respond to:
>>kj5xf@worldnet.att.net
>>
>>
>>Thanks in advance,
>>Tony L.
>
>

3228. Re: Circuit Diag's for HomeBrew Linear ??

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <375ffea6.12611972@news.earthlink.net>
Source record: 83444

On Wed, 2 Jun 1999 18:55:43 +0100, "Mike Tatum"
<mike.tatum@btinternet.com> wrote:

>Hi!
>
>
>Has anyone got / Can point me to a set of circuit diagrams for a homebrew
>linear valve amp for 160m -> 10m ?

Hi Mike - try:

http://home.earthlink.net/~af4k/hamfiles.htm

You will find some plans there on-line.

3229. Drake MN-2000 Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3760030D.499C@ix.netcom.com>
Source record: 83445
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

In very good condition $250+shipping.
73 Chris VE3NGW/W4 Florida

3230. Drake L4B HF AMP For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <376002A6.6CC0@ix.netcom.com>
Source record: 83446
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have an L4B and power supply using two Eimac 3-500Zs.
This amp puts out 1500W on 75. It's in excellent condition inside and
out. Comes with a copy of the manual. $795+shipping.
73 Chris VE3NGW/W4 Florida

3231. TEN TEC Corsair with Speaker/PS For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <376003C7.26C1@ix.netcom.com>
Source record: 83447
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have a Corsair in very good condition with the matching PS/Speaker and
Desk mic for with a copy of the manual $550+shipping.
73 Chris VE3NGW/W4 Florida

3232. Re: UPS authorized agents.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Bob Stankus <k4nv@bellsouth.net>
Message-ID: <37601F4C.45D86A20@bellsouth.net>
Source record: 83448

You can call UPS and they will pick up your package for a $5.00 fee.
As franchised operators such as, "Mail Boxes", "Pack N Ship" plus others,
you must realize these people have this convenience for you and are entitled
to a profit. Double the price is a fair return.
Otherwise..... go to UPS direct and save.
Regards,
Bob - K4NV

3233. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Scott <westsidescott@yahoo.USPAMBACKcom>
Message-ID: <37605037.5B43@yahoo.USPAMBACKcom>
Source record: 83449
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

AlWelch wrote:
>
> I had the same problem. It's fixed again now, though. Had similar
> problems elsewhere so the bug seemed to be in the network and not eBay.

What? If two ISPs worked for other sites except eBay, that would
indicate a problem with eBay.

If they are down long enough, they do extend the auction a day.

3234. Re: FT: Drake "C" Line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990610173613.24778.00000004@ng-cc1.aol.com>
Source record: 83450

doug,

i have a kenwood ts530s for trade. the rig does 100w all bands
160-10 including warc. has tube final and driver. comes with spare set of
finals and driver. also mc 50 desk mike, box and copy of manual. cosmetics is
9.5 on scale of 10. rig is my primary rig.

i don't know if this is what u want. i had a tr4c when i was a tech
plus, i really like the drake gear.
any consideration appreciated

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

3235. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: McAllister Bryant <bryantm1@us.ibm.com>
Message-ID: <7jpad1$t50$1@rtpnews.raleigh.ibm.com>
Source record: 83451
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

But shouldn't your name be MIC as in MIChael.

Just a thought, or maybe just half a thought.

Michael J. White wrote in message <375FF2FD.E2211088@mitre.org>...
>The abbreviation for microphone is "MIC", as in MICrophone. It's not
>"MIKE", as in "Those of us named Mike are pretty unnerved when we see
>ads saying "Mike For Sale".
>
>Mike (not Mic), N4PDY

3236. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: rbales@gte.net
Message-ID: <37602f29.29471908@news.gte.net>
Source record: 83452
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

On Thu, 10 Jun 1999 18:33:49 +0100, Martin Ackroyd
<martin.ackroyd@virgin.net> wrote:

>Robert Casey wrote:
>>
>> Been playing with submini tubes for a while now. Have about a hundred, used
>> about 20 or so. Can't remember having had a bad one. Most were NOS, but
>> some were used.
>>
>> Were submini's made to be highly reliable compared to consumer tubes?
>
>Some were built to withstand being shot out of guns - they were used
>in proximity fuzes and were subject to accelerations of thousands of g.

Others like the 6286 I'm going to try in a preamp were used in walkie
talkies. I'd think this would call for ruggedness, good soldered-in
reliability, and low microphonics. I'll let you know how these work
out.

ROn

3237. FS:Collins 30L-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: goldenpack@aol.com
Message-ID: <19990610174428.27735.00000294@ng-fy1.aol.com>
Source record: 83453

Very nice 30L-1 (RE) New tubes. $525.00 plus shipping. Reply via e-mail. Mike

3238. Need National NC46 info....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990610180527.18902.00000235@ng-ch1.aol.com>
Source record: 83454

Hello Everybody!!!
I have just gotten a National NC46 that has an absolutely pristine chassis. I flipped it over and took off the cover, looks like it has never been tampered with. I will be putting it on the Variac to power it up as it hasn't been in operation for many years, but I am in desperate need of a copy of the operating manual and any service information that I can get. I have excellent copies of other National manuals to trade for this information, or can pay for it. Any information will be of help as I have never had one of these before and I have no documentation for it. I checked the layout of the tuning mechanism, looks like there is a spring loaded pressure plate system controlling the dial. Is this right???
Thanks in advance,
Mark S.

3239. Re: It's "MIC" not "MIKE" - Warning: BAD PUNS INSIDE!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Gil Bishop <gbishop@home.com>
Message-ID: <q5X73.11691$mu5.4895@news.rdc1.ct.home.com>
Source record: 83455
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Then there's the XYL:

1) She prefers a D-104 "Lollypop" MIKE
2) But wants VOX cuz she's tired of squeezing her MIKE
3) Too much MIKE gain and she complains about MIKE being distorted

You can see this is going downhill real fast - see what you started MIC!!

Gil
k1gil

Michael J. White wrote in message <375FF2FD.E2211088@mitre.org>...
>The abbreviation for microphone is "MIC", as in MICrophone. It's not
>"MIKE", as in "Those of us named Mike are pretty unnerved when we see
>ads saying "Mike For Sale".
>
>Mike (not Mic), N4PDY

3240. Re: Need National NC46 info....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: stevenn <stevenn@ix.netcom.com>
Message-ID: <37603EA6.933FE76F@ix.netcom.com>
Source record: 83456

Watch out.... This is an AC DC set. So just be aware!
I have no manual. I do have the NC46 and it sure is fun.
Steve
k2pts

Nc183d wrote:

> Hello Everybody!!!
> I have just gotten a National NC46 that has an absolutely pristine chassis. I
> flipped it over and took off the cover, looks like it has never been tampered
> with. I will be putting it on the Variac to power it up as it hasn't been in
> operation for many years, but I am in desperate need of a copy of the operating
> manual and any service information that I can get. I have excellent copies of
> other National manuals to trade for this information, or can pay for it. Any
> information will be of help as I have never had one of these before and I have
> no documentation for it. I checked the layout of the tuning mechanism, looks
> like there is a spring loaded pressure plate system controlling the dial. Is
> this right???
> Thanks in advance,
> Mark S.

3241. FA: 1 1/2 days left for test equipment, SW recvrs, other interesting equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Walt Novinger <wnovinger@home.com>
Message-ID: <AMX73.7119$uC5.10452@news.rdc1.ab.wave.home.com>
Source record: 83457
Cross-posted to:
rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.shortwave,rec.radio.swap

Please email me with any questions. If you have problems seeing the photos,
please go to links at bottom of page. Thanks for the bandwidth.

Eico Model 147A Signal Tracer
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113878308

Seco Tube Caddy Tube Tester
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113877268

Palomar BCB Loop Antenna
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113876022

Unique Sony TR-710-Y Portable SW Radio
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113835021

Sony TC-800 Portable R/R Recorder
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113832966

Rare Sony CRF-5090 9-band Portable Radio
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113828523

Excellent OS-8E/U 'Scope w/Case
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113826842

Hickok 156A Traceometer
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113825824

Hickok 288X Signal Generator
http://cgi-new.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113824228

==========
Walt Novinger Real Radios Keep You Warm At Night!
Collector of hollowstate communications receivers and test equipment
wnovinger@home.com

3242. F/T Hallicrafters SR-42/HA-26

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: wb2sgp@ix.netcom.com
Message-ID: <37604589.540387@nntp.ix.netcom.com>
Source record: 83458

Have a Hallicrafters 2 meter Am Transceiver with the HA-26 2&6 meter VFO the receiver works dont know about the xmit. no mic. cabinet can use some paint. looking to swap it for some UHF gear like an old amp. or whatever.
Thanks
Bud.

3243. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <376045D8.8CAD8F45@starc.org>
Source record: 83459
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

It's not the "Mike for sales" that bother me... it's all the damn "Bills"
... they just send those guys to you without your even wanting them... I'll
never name any kid of mine "Bill" ...

--Tom
KB1CGA

Cragin Shelton wrote:

> so,then, Mike, is your point
>
> (1) You can't be bought?
> (2) You are priceless?
> (3) You aren't cheap?
> (4) You are free?
> (5) You might be for rent or loan?
> (6) Not being FOR sale, you are AGAINST sale?
> (7) You worry your wife put you on the market without telling you?
>
> Michael J. White (mwhite@mitre.org) wrote:
> : The abbreviation for microphone is "MIC", as in MICrophone. It's not
> : "MIKE", as in "Those of us named Mike are pretty unnerved when we see
> : ads saying "Mike For Sale".
> :
> : Mike (not Mic), N4PDY

3244. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Patrick Day <pat1000@dreamscape.com>
Message-ID: <37604A33.BD65B0CC@dreamscape.com>
Source record: 83460
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I think the point is on top of his head.

Cragin Shelton wrote:

> so,then, Mike, is your point
>
> (1) You can't be bought?
> (2) You are priceless?
> (3) You aren't cheap?
> (4) You are free?
> (5) You might be for rent or loan?
> (6) Not being FOR sale, you are AGAINST sale?
> (7) You worry your wife put you on the market without telling you?
>
> Michael J. White (mwhite@mitre.org) wrote:
> : The abbreviation for microphone is "MIC", as in MICrophone. It's not
> : "MIKE", as in "Those of us named Mike are pretty unnerved when we see
> : ads saying "Mike For Sale".
> :
> : Mike (not Mic), N4PDY

3245. Re: Need National NC46 info....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: tbs50a@aol.com
Message-ID: <19990610194048.03117.00000251@ng-fh1.aol.com>
Source record: 83461

Hi Mark,
You can find the diagram at ftp://bama.sbc.edu/boatanchor. I can copy of the Sam's I'm sure it's long out of print. Mine is paired up with a Harvey Wells TBS-50 works great on 80 & 40 mtrs
Terry

3246. Re: EI9GQ Homebrew Radio Page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37604f2a.10944553@news.earthlink.net>
Source record: 83462
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur,uk.radio.amateur

On Wed, 02 Jun 1999 10:33:30 -0700, Roy Lewallen <w7el@teleport.com>
wrote:

>Walt Davidson wrote:
>> Reg,
>>
>> If you had a *proper* newsreader (like mine, Forte Agent), you would
>> not encounter any such difficulties.
>>
>> I mouse-clicked on the address exactly as Eamon gave it in his posting
>> and Netscape opened and took me straight to his Web Page. No probs.
>>
>> 73 de G3NYY
>>
>> --
>> Walt Davidson Email: walt@ surf-zone.co.uk
>
>The newsreader bundled with Wordperfect and Netscape v. 4 in the
>several-hundred-dollar Corel Suite 8 doesn't qualify as a "proper"
>newsreader by your standard. (I purchased Agent but found it to be too
>complex for my simple needs so don't use it.)
>
>Communication of all kinds, including postings on the web, would be
>much more effective if written for the convenience and understanding
>of the reader rather than the convenience and ego of the writer.
>
>Roy Lewallen, W7EL

Hilarious!

3247. FS: Military Connectors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37604e51.10726672@news.earthlink.net>
Source record: 83463
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For sale: Military Connectors
VARIACS

Many types of both available.
Write for list of variacs.

= = = = =

Military / Bayonet Connectors - Many types avaliable for around
$5 to $12 each. Write with an exact description and preferably a
diagram of what you need. Specify diameter, style, pin diameters,
number of pins, male / female, cable end or chassis mount etc.
Any relevant details!

= = = = =

Cinch-Jones connectors. From 2 to 21 pins. Larger and smaller sizes
available. Some are noew, some used.
Specify dimensions of connector desired, number of pins, diagram of
pin layout, locator pin if needed, panel-mount or cable-end
connector, male/female, all dimensions etc.

Prices typically around $5.00 each new, $3.00 used

Shipping additional

3248. WBT 4-1000A TUBE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7jpp8unma1@news.itis.com>
Source record: 83464

LOOKING FOR A NEW 4-1000A TUBE

ANY SUGGESTIONS?

3249. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: mediaone <dennisd13@ce.mediaone.net>
Message-ID: <37606E3A.117BDA7E@ce.mediaone.net>
Source record: 83465
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Cragin Shelton wrote:

> so,then, Mike, is your point
>
> (1) You can't be bought?
> (2) You are priceless?
> (3) You aren't cheap?
> (4) You are free?
> (5) You might be for rent or loan?
> (6) Not being FOR sale, you are AGAINST sale?
> (7) You worry your wife put you on the market without telling you?
>

Cragin... Great point! If he has a bird wattmeter, does that make mike 'cheep'??

Thanx for the smile!!

A Boy Named SUE (really Denny - KF9M)

3250. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: ROGER WILCOX <bianola@worldnet.att.net>
Message-ID: <7jpvd1hkv1@bgtnsc03.worldnet.att.net>
Source record: 83466
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

Be VERY CAREFUL! I have heard that their technical incompetence is not limited to their now routine nightly crashes. Apparently folks in Taiwan, Russia and Nigeria have got hold of credit card info via their security lapses. No first-hand experience so far, but VERY credible sources.

3251. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: postmaster@triodeel.com
Message-ID: <HG%73.9827$wk2.171304@newscene.newscene.com>
Source record: 83467
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

On, 10 Jun 1999 17:07:38 GMT , In rec.audio.tubes Stan Barr <stanb@localhost.localdomain> wrote:

> I seem to remember some magazine articles in the 80s about some new sub-min
> tubes being developed. Does any one recall anything? They were being
> investigated when EMP looked like being a problem.

More micro-mini than sub mini! And they're still working on 'em.

We've got a page on these:
http://www.triodeel.com/area51.htm

Now stocking reissue Magnequest transformers for Dynaco(TM)
and Sunn (tm)!
http://www.triodeel.com/parts.htm#transformer

Ned Carlson Triode Electronics "where da tubes are!"
2225 W Roscoe Chicago, IL, 60618 USA http://www.triodeel.com
ph 773-871-7459 fax 773-871-7938
12:30 to 8 PM CT, (1830-0200 UTC) 12:30-5 Sat, Closed Wed & Sun

3252. looking for dead 8877

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37609a61@news1.us.ibm.net>
Source record: 83468
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

Need a dead 3CX1500A7/8877 tube. Please state how much and where to send the check to with your reply.

73s

Lane Zeitler
Ku7i
San Diego

3253. WTD;ELECT. COND. 100 TO 125 MFD 450 VDC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Claude Bouchard <claude.bouchard8@sympatico.ca>
Message-ID: <375F05C8.1F73@sympatico.ca>
Source record: 83553

HELLO
I AM LOOKING FOR ELECTROLYTIC CONDENSER 100 TO 125 MFD AT 450 VDC
WORHING
73
VE2AMK

3254. Yaesu FT301AD and external VFO for $250.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990609212411.11927.00002355@ng-cr1.aol.com>
Source record: 83554

Hello,
Name here is Joe and I'm posting this ad for an email-less friend of
mine.
He has a very clean Yaesu FT301AD with external VFO. The radio is all
solid state and offers 106 through 10 meters, AM,SSB&CW. The display
is digital on the radio, and analog on the external VFO.
Firm price of $250.00 plus shipping.
Thank You for reading this message and 73.
Joe N3IBX
(yar
dleyite@aol.com)

3255. Need Stancor Transformer specs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: stereodoc1@aol.com
Message-ID: <19990609215740.26411.00004649@ng-ch1.aol.com>
Source record: 83555

Stancor transformer part number 52C046. Anyone have any specs on this this transformer. Need voltage and current rating.

3256. fs- LIONEL J-38, BRAND NEW in BOX!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990609225419.06136.00003056@ng-cf1.aol.com>
Source record: 83556

Hi Fellas;
I have for SALE:
Brand New Lionel J-38 Key in the original box.
Price is $100.00 ppd.
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3257. Re: Free T4-XB manual copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: jhabs@worldnet.att.net
Message-ID: <375f2ad1.192902082@netnews.att.net>
Source record: 83557

If no one spoke up yet tell me how much shipping and I will send you a money order. John w3ayt@arrl.net

On Tue, 08 Jun 1999 17:35:06 -0400, Gary Poland <w8pu@your-net.com> wrote:

>T4-XB manual copy for the cost of shipping. Email N4XMO at
>n4xmo@arrl.net.

3258. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Frank Johansen <cdguy@hotmail.com>
Message-ID: <375f3ebf@diana.idirect.com>
Source record: 83558
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

interesting question. it always seems that, as technology matures as in how it pertains to a particular format, quality always improves enormously with age of same format.

cassettes, for example, never sounded as good as they do now, whether pre-recorded or home-made, on really quite non-spectacular equipment.

submini tubes are probably a good investment, I feel. they came in at the "end" of tubes, and offered hot performance in small packages. things that transistors did, but not with the reliability of tubes, in those days. and nobody makes them anymore.

Robert Casey wrote in message ...
>Been playing with submini tubes for a while now. Have about a hundred, used
>about 20 or so. Can't remember having had a bad one. Most were NOS, but
>some were used.
>
>Were submini's made to be highly reliable compared to consumer tubes?

3259. Re: STONER PRO 80-10 Anyone have one? HELP!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <375F4634.4C456509@worldnet.att.net>
Source record: 83559
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi Chris,this is Bob N4KTS and I have a Stoner P-10 with xmit trouble.I know this is a rare one and would like to get it going,any suggestions?Please e-mail me or maybe I will get you on 225.
Bob

Chris wrote:

> I have a rare and beautiful STONER Pro 80-10 SSB Tranceiver. It works
> great but I need to know the jumpers on the rear Octal Plug. Can
> anyone Help Me Please. Someone removed the plug which disables the
> transmit. If anyone knows anyone who has one please let me know.
>
> 73 Chris

3260. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Jim Cross <jim@vacuumtubesinc.com>
Message-ID: <375F13B5.A48E9DD1@vacuumtubesinc.com>
Source record: 83560
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Brad Thompson wrote:
>
> Robert Casey wrote:
> >
> > Been playing with submini tubes for a while now. Have about a hundred, used
> > about 20 or so. Can't remember having had a bad one. Most were NOS, but
> > some were used.
> >
> > Were submini's made to be highly reliable compared to consumer tubes?
>
> Hello--
> Many subminis were built for applications that imposed severe shock and
> vibration, and the subminiature structures featured lower mass and
> higher resonant frequencies. In addition, the mil-spec test requirements
> typically exceeded consumer-grade specs by a wide margin.
>
> Raytheon's Hawk missile contained submini tubes well into the late
> 1960s.
>
> 73,
> Brad AA1IP
> Brad

Note, however, that many subminiatures designed for missles had very
short life specifications.

--
Jim Cross - Vacuum Tubes, Inc.
http://www.vacuumtubesinc.com
email to jim@vacuumtubesinc.com
Check us out for new, used, audio, antique, and collectable types.

Vacuum Tubes, Inc.
3246 Floridale Lane
Cincinnati, OH 45239-6203

3261. Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: wa2ise@netcom.com
Message-ID: <wa2iseFD3Joy.KMp@netcom.com>
Source record: 83561
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

Ebay changed the look of their pages. I can view the list of items, but when I click an item, I get an error message "connection reset by peer" (whatever the hell that means). Basically, any page with "dll" in its URL no longer works.

All other non-Ebay web sites still work, BTW

There's some auctions I'd like to bid, but can't!!!

3262. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7jnkbf$a5d$1@nntp6.atl.mindspring.net>
Source record: 83562
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

Yep ??????????
Robert Casey wrote in message ...
>Ebay changed the look of their pages. I can view the list of items, but
when
>I click an item, I get an error message "connection reset by peer"
(whatever
>the hell that means). Basically, any page with "dll" in its URL no
>longer works.
>
>All other non-Ebay web sites still work, BTW
>
>There's some auctions I'd like to bid, but can't!!!

3263. Submin Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: dxguy@earthlink.NET
Message-ID: <375F6C8E.61A7@earthlink.net>
Source record: 83563

"submin tubes... compete with transistors"

Actually sub-min tubes were developed extensively during WWII for use in proximity Fuzes (artillery shell detonators). This allowed a greater "kill" percentage over simple timed fuzes, and were much faster to load since no settings had to be made.

These had to be very reliable and rugged to withstand a huge shock from the gun blast. There is a very good program on PBS re: the development of the proximity fuze, and a write-up in Electric Radio of some years ago.

These were widely used after WWII in hearing aids, and later in the 50s in military gear (missiles, ARC38, space gear, etc.) Don't think much commercial uses, though.

73

Don Davis DXGUY

3264. WTB: DX60B Heathkit transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990610035130.10678.00001646@ng-cg1.aol.com>
Source record: 83564

hello,

i am wanting to purchase a dx60b heathkit transmitter to go with my newly revived sx-99 hallicrafters receiver. radio must be in good to vg cosmetic condition. soft finals ok, but want it to work. dig in the closet and email me with what you have. any help appreciated.

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

3265. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: AlWelch <awelch@execpc.com>
Message-ID: <7jo77s$jce@newsops.execpc.com>
Source record: 83565
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques.radio+phono

I had the same problem. It's fixed again now, though. Had similar problems elsewhere so the bug seemed to be in the network and not eBay.

Joe wrote:

> Yep ??????????
> Robert Casey wrote in message ...
> >Ebay changed the look of their pages. I can view the list of items,
> but
> when
> >I click an item, I get an error message "connection reset by peer"
> (whatever
> >the hell that means). Basically, any page with "dll" in its URL no
> >longer works.
> >
> >All other non-Ebay web sites still work, BTW
> >
> >There's some auctions I'd like to bid, but can't!!!

3266. FS: Watkins-Johnson HF receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <375f999f.1574154@cnews.newsguy.com>
Source record: 83566

Watkins-Johnson HF mod.373A-2 solid state receiver .5-30 mhz.
AM-FM-CW . works great. Also included IF converter TF-210.
$250 + shipping.
Tnx, Ron K5GIT ronfol@hilconet.com

3267. Unknown mod on a KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Roger BROUSSE <roger.brousse@total.com>
Message-ID: <375FA7DA.23E2@total.com>
Source record: 83567

I recently got a KWM-2 that runs like a clock. But most surprisingly, at the RF gain location, it is equipped with a dual potentiometer, with the inner knob running the RF gain as expected.
However I have no clue of what the outer knob is doing. It seems to have no action neither in RX nor in TX mode.
I opened the box but I couldn't trace the connections inside the bundles of wires that run under the chassis.
Was it factory built-in (doubtful) or is it an home made mod ?
In any event, does anyone know what is going on here.
TKS in advance and 73
--
F6FER
roger.brousse@total.com

3268. FA: Microphones on eBay /ends 6-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990610082653.10863.00000023@ng-cb1.aol.com>
Source record: 83568

See them at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=113663128

then click on "see seller's other auctions" for the rest.

3269. WTB Collins 618T GREEN manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <bvO73.13$Q67.44@news.syd.ip.net.au>
Source record: 83569

Hello Folks,

I need the Collins 618T green maintenance BOOK or circuits for the 618T3B
Collins 100Hz channel unit if you have one for sale or know where I can get
on please hollar! or email nextgen@nextcentury.com.au

Leroy.

3270. FS: Two D-104 Mikes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: k5fte@webtv.net
Message-ID: <19602-375FADA7-5@newsd-111.bryant.webtv.net>
Source record: 83570

Greetings All,

I have two D-104`s for sale.
1) Crystal element and push to talk bar. Type T-UG8 stand (no mike amplifier).
Works perfect and looks 8+ in appearance. $40 shipped in CONUS.

2) Crystal element with type E-1 stand. This D-104 is from the 1950`s and does not have a push to talk bar. It is wired for a Viking II or other transmitters with a transmit switch on the front panel. It works perfect and is a 9 in appearance.
$35 shipped in CONUS.

Best Regards,
Earl, K5FTE
El Paso, Texas

3271. FS Low Pass Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: bobco@i
Message-ID: <3760b6a6.1545652@news.i-2000.com>
Source record: 83571

FS...Nice Wm NYE low pass filter...could be the solution to
your TVI problem..I have two others, and have to clean up.....
$15.00+shp..Bob on L.I. Pse remove the (ns) from my adr....

3272. FS Heathkit HO-10 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: bobco@i
Message-ID: <3762b6ee.1616986@news.i-2000.com>
Source record: 83572

FS Heathkit HO-10 Monitor Scope Manual in good shape
Original(not a copy) $20.00+shp....Bob
pseremove the (ns) from my adr..Tks..

3273. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Charleen Bunjiovianna <charleen@diadem.com>
Message-ID: <375F5D13.A7BA0CC8@diadem.com>
Source record: 83573
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

Not to worry, it was just the regularly scheduled unscheduled 8 hour outage because an overworked hamster in their database server keeled over.

I didn't write this but wish I had:

Ebay's error message says that if the problem persists contact customer support. LOL. When ebay goes down like this, do you picture everyone at the office scurrying around saying "Oh my God, we're down, customers will be furious, let's bust some butts around here and get this thing back up". I used to think like that, but anymore I believe it's some overweight, sweaty balding guy eating a sandwich and guzzling a beer looking at a monitor going "Huh Huh looksa like I a betta go kick the puter, maybe thater geter goin Huh Huh."

Robert Casey wrote:

> Ebay changed the look of their pages. I can view the list of items, but when
> I click an item, I get an error message "connection reset by peer" (whatever
> the hell that means). Basically, any page with "dll" in its URL no
> longer works.
>
> All other non-Ebay web sites still work, BTW
>
> There's some auctions I'd like to bid, but can't!!!

3274. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: abacaxi@hotmail.com
Message-ID: <3762c15a.7873905@news.primenet.com>
Source record: 83574
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

wa2ise@netcom.com (Robert Casey) wrote:

>Ebay changed the look of their pages. I can view the list of items, but when
>I click an item, I get an error message "connection reset by peer" (whatever
>the hell that means). Basically, any page with "dll" in its URL no
>longer works.

eBay went DOWN, again, for several hours.
Tsu Dho Nimh

We put the FUN back in dysFUNctional!

3275. Re: FS: BC-779, RA-74C PS, manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990610100553.04246.00000058@ng-fp1.aol.com>
Source record: 83575

Yesterday a guy in Knoxville, TN had virtually the same receiver, BC1004, for either $75 or $50.

3276. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Brad Thompson <Brad_Thompson@pop.valley.net>
Message-ID: <375FC903.5A96@pop.valley.net>
Source record: 83576
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

Jim Cross wrote:
>
> Brad Thompson wrote:
>> Hello--
> > Many subminis were built for applications that imposed severe shock and
> > vibration, and the subminiature structures featured lower mass and
> > higher resonant frequencies. In addition, the mil-spec test requirements
> > typically exceeded consumer-grade specs by a wide margin.
> >
> > Raytheon's Hawk missile contained submini tubes well into the late
> > 1960s.
> >
> > 73,
> > Brad AA1IP
> > Brad
>
> Note, however, that many subminiatures designed for missles had very
> short life specifications.
>

Hello--

Not necessarily-- proximity-fuze tubes had a short service life, but subminis in general underwent some degree of life testing. A missile might sit in storage for years (or hopefully forever!) before it gets used, and the design techniques and QA methods that promote long-term reliability are needed to ensure that the system works as it's supposed to.

Some mil applications do impose conditions that would shorten component life if applied continuously-- I recall hearing of one that ran some TTL chips at 7 volts (their absolute max supply voltage) for approx. one second....

73,
Brad AA1IP

3277. Drake TR-7/accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610105802.23448.00000050@ng-cq1.aol.com>
Source record: 83577

There is a pristine TR-7 on eBay with 500hz, 1.8, 2.3, 6 khz filters,FA7 fan power supply with fan, noise blanker, matching mic., manual, DR7 board, gen coverage mod, aux 7 board, dust covers! and more...with Technical manual, WH7 wattmeter, MS7 speaker, all posted separately... ALL excellent condition

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115703642

for those who are interested. If eBay does not interest you please disregard this message.

3278. FT: Drake "C" Line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Doug Person <w4dxv@ibm.net>
Message-ID: <7jong2$19sq$1@rtpnews.raleigh.ibm.com>
Source record: 83578

I have a Drake "C" line I would like to trade for a decent solid-State HF transceiver. The "C" line consists of an R-4C (18M serial) with a 500hz CW filter and optional crystals for 160, 17, 12 and bottom of 10. It has a solid-state AF amplifier mod and works beautifully. Condition is very good with one 3/4 inch scratch on the front panel. The transmitter is the T-4XC with the AC-4 Power Supply and the MS-4 Speaker. It has new RCA finals and optional crystals for 160 and 17 meters. Front panel is in very good condition and the cabinet has been repainted but looks fine.

Let me know what you have to trade.

Thanks, Doug --W4DXV

w4dxv@ibm.net

3279. Re: Submin Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9906101213330.2026-100000@Ocean.CAM.ORG>
Source record: 83579

On 10 Jun 1999, Don L. Davis wrote:

> "submin tubes... compete with transistors"
>
> Actually sub-min tubes were developed extensively during WWII for use in
> proximity Fuzes (artillery shell detonators). This allowed a greater
> "kill" percentage over simple timed fuzes, and were much faster to load
> since no settings had to be made.
>
> These had to be very reliable and rugged to withstand a huge shock from
> the gun blast. There is a very good program on PBS re: the development
> of the proximity fuze, and a write-up in Electric Radio of some years
> ago.
>
> These were widely used after WWII in hearing aids, and later in the 50s
> in military gear (missiles, ARC38, space gear, etc.) Don't think much
> commercial uses, though.
>
> 73
>
> Don Davis DXGUY
>
>

Don't forget things like Motorola lunch-box size FM transcievers, which used sumbiniatures. I thought there was a Zenith Transoceanic portable or two that used subminis. There were also portable radios that used them kind of confusing if you came ot them later, because they looked like transistor portables from the outside, but whenyou turned them on, the sound wasn't instant.

I think the confusion about subminiatures, and this has come up before, is that some are thinking of Nuvistors that did come out as transistors were moving forward. Nuvistors were small, but they were small for performance reasons (I thought), wherease sumbiniature tubes were small for compactness.

Michael VE2BVW

3280. Browning Golden Eagle Mk 3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130028.09003.00000076@ng-co1.aol.com>
Source record: 83580

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116044789

Excellent!

3281. Hallicrafters S-108 FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130128.09003.00000077@ng-co1.aol.com>
Source record: 83581

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116037384

Excellent!

3282. Hallicrafters S-40B FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130333.09003.00000078@ng-co1.aol.com>
Source record: 83582

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116041367

Excellent!

3283. Drake WH7 Wattmeter FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130516.09003.00000080@ng-co1.aol.com>
Source record: 83583

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115706673

Excellent!

3284. Drake MS7 Speaker FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130701.09003.00000083@ng-co1.aol.com>
Source record: 83584

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115709399

Excellent!

3285. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: stanb@localhost.localdomain
Message-ID: <slrn7luvju.bqg.stanb@localhost.localdomain>
Source record: 83585
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono,rec.audio.tubes

On Thu, 10 Jun 1999 00:28:38 -0400, Frank Johansen <cdguy@hotmail.com> wrote:
>
>submini tubes are probably a good investment, I feel. they came in at the
>"end" of tubes, and offered hot performance in small packages. things that
>transistors did, but not with the reliability of tubes, in those days. and
>nobody makes them anymore.
>
>

I seem to remember some magazine articles in the 80s about some new sub-min tubes being developed. Does any one recall anything? They were being investigated when EMP looked like being a problem.

--
Cheers,
Stan Barr stanb@dial.pipex.com

The future was never like this!

3286. Drake TR-7 Tech Manual FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990610130806.09003.00000084@ng-co1.aol.com>
Source record: 83586

Manual and Brochure

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115711794

Excellent!

3287. Re: Vibroplex still active?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: Dave Edwards <ham@cybercomm.net>
Message-ID: <7jos13$3ug$1@ostrich.cybercomm.net>
Source record: 83587

I saw an add that they were going to sell a new key.
It is called a Y2K bug.
(Really!)
...Dave
T.L. wrote in message <375F3B4A.5A26@nospworldnet.att.net>...
>Greetings,
>I was wondering what is going on with Vibroplex?
>I have called them several times in the past 2
>weeks and the only thing I get is an answering
>machine. I have left several messages and haven't
>received a single call back from them. I sent
>an email to w4oa@vibroplex.com and no response
>either...
>
>Are they still in business??
>
>If you have dealt or talked with somebody at
>Vibroplex in the past 2 or 3 days, then please
>let me know...
>
>Please respond to:
>kj5xf@worldnet.att.net
>
>
>Thanks in advance,
>Tony L.

3288. It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-10 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <375FF2FD.E2211088@mitre.org>
Source record: 83588
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

The abbreviation for microphone is "MIC", as in MICrophone. It's not "MIKE", as in "Those of us named Mike are pretty unnerved when we see ads saying "Mike For Sale".

Mike (not Mic), N4PDY

3289. FS: AIRCRAFT ALTIMETERS $52 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-1106991140040001@murphy1.cts.com>
Source record: 83389
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting,rec.aviation.restoration,rec.aviation.marketplace

ALTIMETER, MIL SPEC. 0-80,000 FT. LIKE NEW COND. $52 EA.

PIC AND INFO AT:

http://209.239.34.153/murphyjunk

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3290. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <37615E40.60DD@viaduct.custom.net>
Source record: 83390
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

ElizabethK wrote:
>
> This happens when they (ebay) are overloaded. If you keep trying you
> can usually get through. I also received the same message and after
> thinking it was in "my" machine looked into the problem further.
> You probably get the message during peak veiwing hours.
> LizK

They will be down untill at least 14:00 PST Friday. You can get up to
date information on their announcements page:
http://pages.ebay.com/announcements_mirror.html
I think its time to upgrade their Atari to something that can handle
the increased load.

Joe, KF9EU

3291. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Jim McKinnon <radiola@ihatespam.com>
Message-ID: <7jrq76$m2s$1@autumn.news.rcn.net>
Source record: 83391
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

When did they upgrade to an Atari? The last time I checked the system seemed
to be running on a Timex Sinclair 1000 with a cassette drive, chiclet keys,
and a whopping 4K (yes K) of memory :).
--
Jim
radiola@ihatespam.com
To reply replace the "ihatespam" with "erols".

Joe D. Bucher <JoeB@viaduct.custom.net> wrote in message
news:37615E40.60DD@viaduct.custom.net...
> ElizabethK wrote:
> >
> > This happens when they (ebay) are overloaded. If you keep trying you
> > can usually get through. I also received the same message and after
> > thinking it was in "my" machine looked into the problem further.
> > You probably get the message during peak veiwing hours.
> > LizK
>
> They will be down untill at least 14:00 PST Friday. You can get up to
> date information on their announcements page:
> http://pages.ebay.com/announcements_mirror.html
> I think its time to upgrade their Atari to something that can handle
> the increased load.
>
> Joe, KF9EU
>

3292. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: hyak@bigfoot.com
Message-ID: <7js0ab$r2j$1@nnrp1.deja.com>
Source record: 83392
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

I think they run the database on a RAM drive. Someone tripped over the extension cord unplugging the system loosing all data. They have to manually input all the data from their printout on their 9-pin dot matrix printer.

I think they need to spend more time keeping the system reliable instead of the fancy 'glitz' and 'glam' they waste time on. Who needs ebay chat, and the cafe, and 'my-ebay', a paging system, and on and on.....

In article <7jrq76$m2s$1@autumn.news.rcn.net>,
"Jim McKinnon" <radiola@ihatespam.com> wrote:
> When did they upgrade to an Atari? The last time I checked the system seemed
> to be running on a Timex Sinclair 1000 with a cassette drive, chiclet keys,
> and a whopping 4K (yes K) of memory :).
> --
> Jim
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3293. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Robert Mozeleski <moz@ncx.com>
Message-ID: <E253EC2B259A9742.CB9C44B836E3618B.3A77917930BE9180@lp.airnews.net>
Source record: 83393
Cross-posted to: rec.radio.amateur.boatanchors,rec.audio.tubes,rec.antiques.radio+phono

i have a few 5744's triodes..any kit builders out there?...$2 ea and i will
pay for shipping.....thanks ...bob
Chris <c_sieg@.conknet.com> wrote in message
news:NEWTNews.929098406.32361.c_sieg@mecs.conknet.com...
>
> Hi Everyone,
> If any of you folks would like to play around with some subminiature
tubes,
> I have a LARGE stock of type 6418. These are 1.25 VDC, low current
filament,
> pentode power amps. Mfg by Raytheon, NOS with a date code of 1982.
> 10 pieces for $5, shipping $4 for the first 10 then $1 for each additional
> 10, in the continental US.
>
> Thanks,
> -Chris WA3LDI
>
> Chris Sieg
> c/o PIEXX Co.
> 13 Main Street
> PO Box 123
> Hillsboro, NH 03244
>
>
>

3294. Ebay Broken??? This error In 1999???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990611165329.01168.00001138@ng-fi1.aol.com>
Source record: 83394

If you owned Ebay and wanted to assure disk protection, I.B.M. has a dasd system called RAMAC that automatically caches each pack continuosly. This means that each system pack is constantly backed up and updated non-stop and if one of your system dasd fails, you can automatically switch to a non-affected pack. As I understand it, RAMAC has been around for several years at least and is relatively cheap by today's standards. I do believe that STK also has this system available. Perhaps someone from the marketing departments at both I.B.M. and STK will list a few of these systems on Ebay when it comes back up and Ebay can buy it for themselves, provided that they want to pay a premuim price for it...

3295. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: carguy323@mindspring.com
Message-ID: <376278c4.180751288@news.mindspring.com>
Source record: 83395
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

On Fri, 11 Jun 1999 14:06:40 -0500, "Joe D. Bucher"
<JoeB@viaduct.custom.net> wrote:

>ElizabethK wrote:
>>
>> This happens when they (ebay) are overloaded. If you keep trying you
>> can usually get through. I also received the same message and after
>> thinking it was in "my" machine looked into the problem further.
>> You probably get the message during peak veiwing hours.
>> LizK
>
>They will be down untill at least 14:00 PST Friday. You can get up to
>date information on their announcements page:
>http://pages.ebay.com/announcements_mirror.html
>I think its time to upgrade their Atari to something that can handle
>the increased load.
>
>Joe, KF9EU

Maybe lay in some more treadmills and hire a few extra hamsters.

Marshall

3296. Metal Cabinet Refinishing (?)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7jrrgg$7b41@eccws1.dearborn.ford.com>
Source record: 83396

Is there anyone out there doing refinishing of metal cabinets,
that includes minor rust removal?

I've got a cabinet for an HRO-50T (and its matching speaker),
and I'm wondering about the possibility of restoring the cabinet
finish to newer condition. On the upper hinged lid, as well as
down the back of the cabinet, there's some bubbling up of the
paint due to rust underneath (it looks as though the receiver
may have been stored for an extended amount of time underneath
a small source of moisture. The rest of both the cabinet and
the speaker enclosure is in decent shape, apart from some scratches
here and there.

I thought about stripping and paining the cabinet on my own, but
am unsure as far as how durable a finish I could put on from a
few coats of spray paint over primer. I'm almost wondering if
it's possible to get a new finish "baked" on to a gloss, in much
the same way as the original finish. I think that I'd rather have
it done professionally as opposed to doing it myself.

There's also engraved lettering that would have to be filled in
white as well.

Any suggestions on this...?

C.K.

3297. Re: Metal Cabinet Refinishing (?)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7jrrs5$7b42@eccws1.dearborn.ford.com>
Source record: 83397

In article <7jrrgg$7b41@eccws1.dearborn.ford.com>, cking4@ford.com says...

>There's also engraved lettering that would have to be filled in
>white as well.

And I almost forgot -- the front plates of the six coil sets for the receiver, which also have white engraved lettering and would look best if they were refinished in a matching fashion as well.

The problem with the coil sets appears to be the posts that are on each side and hold all of the tuned circuit "guts" behind the plate; those are riveted in. How would one get around that for refinishing?

Thanks in advance for any assistance...

C.K.

3298. Re: Collins For Trade Or Sale KWM-2A & 51-S1 & Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7jrukd$1pk$1@bgtnsc02.worldnet.att.net>
Source record: 83398
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

The KWM-2A Station Has Been Sold.
Thanks For The Many Replies.
I Responded In The Order Received.
Those Who Sent An Offer As Indicated In The Posting Were Responded To
Immediately With My Phone Number The Best Offer Near My Considered Value Was
Accepted.
If You Did Not Receive A Response I Apologize
As I Tried To Respond To All.
The Responses I Have Received Were Overwhelming & Still Coming In.

I Have Several Offers Of Trade On The 51S-1 For A 706II & (G) With DSP
Please No More New Offers If You Have Not Previously Responded.
I Am Sure That We Will Reach An Agreement On One Of These Offers.

73's & Thanks To You All
W5IDX Houston
W5IDX@worldnet.att.net

I Have Some Collins Equiptment For Trade Or Sale
>I Am In Need Of A Small Mobile And Some Later Model HF Equiptment.
>I Am Looking For A Icom 706 Mark II With DSP Or Similiar Rig.
>Must Be Very Clean And In Excellant Shape.
>
>As Far As Prices On The Equiptment I Will Consider All Fair Offers.
>Photos Can Be Supplied On Request.
>Everything Will Be Sold As Is I Have Had This Equiptment For Years And
>Myself Have Never Used It Except For A Few CW Contacts.
>There Is No Room Here To Set It All Up.
>
>For Sale Or Trade
>
>
>KW-M2A (RE)
>SS# 10353
>516F-2 Power Supply
>312 B-4 Speaker Console
>Complete Crystal Pack
>RF-675 RF-COMM Matching Roller Inductor Antenna Tuner
>SS# A 075
>Have New Hookup Cables Between Radio & Console
>Have Factory Manuals
>The KWM-2A Was Just Serviced Last Year By K7RMT Bud Whitney Here In Texas
>And Has Not Been Used Since Its Return.
>

>
>51S-1 Collins Receiver (RE)
>SS# 7762
>Factory Manual
>This Unit Has A Weak Receive And Needs Probably Some Tubes And A Good
>Alignment.
>I Spoke To Dennis Brothers WA0CBK At West Nebraska Electronics About Having
>This Unit Serviced The Cost Was Around 200.00. I Have Decided To Part With
>My Boat Anchor Collection For Some Smaller Rigs. I Am Out Of Room Here, And
>It Does Me No Good In The Closet.
>
>73's W5IDX Houston, Texas

3299. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7jrurfmqn1@autumn.news.rcn.net>
Source record: 83399
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

God is punishing them for allowing newsgroup teasers.

(sorry, couldn't resist.)

3300. Re: Worth of an SX-71 ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: w3vqy@aol.com
Message-ID: <19990611175026.19535.00000828@ng-fw1.aol.com>
Source record: 83400

I bought an SX-71 for $100 + shipping about 6 months ago. It's a 8 on a scale of 1 to 10 (10 being the best).
Skip

3301. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: elizabethk@nospamearthlink.net
Message-ID: <376183e2.1690477@news.earthlink.net>
Source record: 83401
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

On Fri, 11 Jun 1999 05:05:40 GMT, vibroplex@my-deja.com wrote:

I must not have made myself clear in my previous message since someone who wrote to me privately seemed to think I suggested it was the person's own computer who was giving the trouble.
I think the person who wrote the original letter regarding the error message, was "not" referring to the problem ebay is having currently at all, but an error message which usually appears in a blue box when ebay is overloaded, which frequently happens, and among other things it does say "...connection reset by peer"
This is the message I thought was originating from my own machine when it first started happening but found out later it was when ebay was busy or at peak viewing times for them.
The problem they are having today is nothing like the error message I believe the poster was referring to. Others have also told me they too get the blue box error message, and if they have the time and patience, they do eventually get through.
LizK

3302. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Streetough@aol.com
Message-ID: <7js5s6snu1@nnrp1.deja.com>
Source record: 83402
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

In article <7js0ab$r2j$1@nnrp1.deja.com>,
hyak@bigfoot.com wrote:

> I think they need to spend more time keeping the system reliable instead
> of the fancy 'glitz' and 'glam' they waste time on. Who needs ebay chat,
> and the cafe, and 'my-ebay', a paging system, and on and on.....
>
Actually, "my ebay" is very helpful if you're bidding on or selling
multiple items.

I wish they'd get rid of all those damned graphics to make the thing run
faster. They should also stop letting people put animation and sound
into their image postings.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3303. Re: Metal Cabinet Refinishing (?)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7js184$jp9$1@birch.prod.itd.earthlink.net>
Source record: 83403

In the distant past, I refinished an HRO-60. At that time, I took it down to the bare metal. I seem to recall that there is a late '50s Ford paint color that was nearly an exact match for the HRO color. I did not strip the fronts of the coil boxes. I carefully masked the parts protruding from the surface. I believe that I painted over some rivet heads that were originally bright metal. That part may not be accurate- the refinishing was done about 20 years ago.

I just finished re-doing the cabinet on a Hallicrafters HT-37. A lot of the old Hallicrafters cabinets show rust formation in a "spider-web" type pattern randomly across the surface. It appears to me that they failed to use any primer on the cabinets. Anyway, I wet-sanded the original paint to get all the scratches and chips out. Used 400 grit wet paper for that. I then primed it with automotive sandable primer, using a spray can. Then sanded that smooth. Next, I shot it with a couple of coats of Krylon acrylic lacquer, again in the spray can. This is very nice lacquer, but the spray nozzle on their cans is TERRIBLE, so it's nearly impossible to get a consistant smooth finish as this is a gloss paint. So, after the Krylon is completely dry (I allowed a day), I shot the cabinet with two coats of DEFT semi-gloss lacquer. This gives you a decent satin finish since the DEFT cans use a very nice nozzle that produces a fan spray shape. Of course, if you have a spray gun, you can buy the DEFT in gallons and do an excellent job.

I find it impossible to match the grey colors on this gear exactly, but between Krylon and RustOleum, you can come pretty close. Another thing I've done is find a grey primer that comes close to matching (the primer colors generally seem to be closer) and shoot a nice even coat on the cabinet. Then, shoot the two coats of DEFT over that. You get a very nice "clear-coat" finish using this approach. Note that the clear lacquer finish does not have the durability of the clear urethane finishes used on cars, but it dries very quickly and will do the job nicely.

Christopher A. King <cking4@ford.com> wrote in message news:7jrrs5$7b42@eccws1.dearborn.ford.com...
> In article <7jrrgg$7b41@eccws1.dearborn.ford.com>, cking4@ford.com says...
>
> >There's also engraved lettering that would have to be filled in
> >white as well.
>
> And I almost forgot -- the front plates of the six coil sets for
> the receiver, which also have white engraved lettering and would
> look best if they were refinished in a matching fashion as well.
>
> The problem with the coil sets appears to be the posts that are

> on each side and hold all of the tuned circuit "guts" behind the
> plate; those are riveted in. How would one get around that for
> refinishing?
>
> Thanks in advance for any assistance...
>
> C.K.
>
>

3304. Re: Metal Cabinet Refinishing (?)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7js1e2jvl1@birch.prod.itd.earthlink.net>
Source record: 83404

One other thing on refinishing the HRO: redoing the white lettering is interesting since the letters are stamped into the front panel. When I did mine, I refilled the letters with "white-out", used for correction of typewritten stuff. Today, I think I'd use the white "lacquer stick" sold by Antique Electronic Supply in Tempe. You have to be careful when repainting this front panel not to overfill the stamped letters, or you'll have to somehow remove some of the paint from the letters so that there's space there to fill with the white stuff.

Christopher A. King <cking4@ford.com> wrote in message news:7jrrs5$7b42@eccws1.dearborn.ford.com...
> In article <7jrrgg$7b41@eccws1.dearborn.ford.com>, cking4@ford.com says...
>
> >There's also engraved lettering that would have to be filled in
> >white as well.
>
> And I almost forgot -- the front plates of the six coil sets for
> the receiver, which also have white engraved lettering and would
> look best if they were refinished in a matching fashion as well.
>
> The problem with the coil sets appears to be the posts that are
> on each side and hold all of the tuned circuit "guts" behind the
> plate; those are riveted in. How would one get around that for
> refinishing?
>
> Thanks in advance for any assistance...
>
> C.K.
>
>

3305. Re: Worth of an SX-71 ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: dchopper@mindspring.com
Message-ID: <37618674.1497078@news.mindspring.com>
Source record: 83405

Wow! You really got a DEAL!!...

Wait a minute - you said SX-71 not SR-71.... sorry.

w3vqy@aol.com (W3VQY) wrote:

>I bought an SX-71 for $100 + shipping about 6 months ago. It's a 8 on a scale
>of 1 to 10 (10 being the best).
>Skip

3306. Re: FS: Watkins-Johnson HF receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990611183817.01162.00001054@ng-fi1.aol.com>
Source record: 83406

Hi Ron
I just saw your posting and would like to consider the receiver, but need to get some more info...

How do you tune it and do you have photos available?
Any filters installed?
And what do you think it would cost to shiip to 49725?
Thanks
Rod
KL7RG/8

3307. Re: FS: SP-600 and BC-1004C

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: rod7rg@aol.com
Message-ID: <19990611184130.01162.00001055@ng-fi1.aol.com>
Source record: 83407

Hi Cecil
Am interested in the SP-600...which model is it? any report on condition? Do
u have photos available?
Thanks
Rod
KL7RG

3308. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: carguy323@mindspring.com
Message-ID: <37619642.188302748@news.mindspring.com>
Source record: 83408
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

On Fri, 11 Jun 1999 17:24:08 -0400, "CommQuart" <commquart@erols.com>
wrote:

>God is punishing them for allowing newsgroup teasers.
>
>(sorry, couldn't resist.)

Ooof! She got me!

Marshall

3309. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Bill Harris <billharx@flash.net>
Message-ID: <37618871.4674@flash.net>
Source record: 83409
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

Jim McKinnon wrote:
>
> When did they upgrade to an Atari? The last time I checked the system seemed
> to be running on a Timex Sinclair 1000 with a cassette drive, chiclet keys,
> and a whopping 4K (yes K) of memory :).
> --

Hey, I have one of those and it runs much better than the ebay system
does.

--
****
* Bill Harris - Bill's Antique Radio Emporium *
* http://www.flash.net/~billhar *
* to email, remove the x in the id of the address *
****

3310. Wanted:National NC-173 parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Michael <msell@fast-trak.com>
Message-ID: <37619DD9.5E3A6A0B@fast-trak.com>
Source record: 83410

I need the band spreed and tuning dials, and the VU meter, in good to very good condition. The one's in my receiver are all discolored. If you have a parts rig, email me.

Thanks
Michael
K0COM
msell@fast-trak.com

3311. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Tom Repstad <kb1cga@starc.org>
Message-ID: <3761A04A.D7830B61@starc.org>
Source record: 83411
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Yeah, but that's the only "Bill" I would ever ask for or want :)

--Tom
KB1CGA

Bill wrote:

> Tom Repstad wrote:
>
> > It's not the "Mike for sales" that bother me... it's all the damn "Bills"
> > ... they just send those guys to you without your even wanting them... I'll
> > never name any kid of mine "Bill" ...
> >
> > --Tom
> > KB1CGA
> >
>
> --------*snip*------
>
> I bet you'd never give up your bill of Rights :)
>
> Bill KU8H

3312. Re: FS: AIRCRAFT ALTIMETERS $52 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Craig Smith <ip500@roanoke.infi.net>
Message-ID: <3761A60F.47E4@roanoke.infi.net>
Source record: 83412
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting,rec.aviation.restoration,rec.aviation.marketplace

mike wrote:
>
> ALTIMETER, MIL SPEC. 0-80,000 FT. LIKE NEW COND. $52 EA.
>
> PIC AND INFO AT:
>
> http://209.239.34.153/murphyjunk
>
> --
> MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk
>
> 401 N. JOHNSON AVE.
> EL CAJON, CA. 92020
>
> 619 444 7717
> FAX 444 6750

Must be backups for a more elaborate radar altimeter---can't imagine flying with one as the primary altimeter---REALLY tightly packed calibration points! "Maintain 1200' until cleared for higher" would be tough to do with this critter.

3313. WTB : 4 - 1000 A TUBE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7jsa3f$7j0$1@news.itis.com>
Source record: 83413

I AM LOOKING FOR A 4 - 1000 A TUBE FOR MY HOMEBREW AMP. ANY AVAILABLE?

3314. Re: FS: AIRCRAFT ALTIMETERS $52 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: John Prickett <john.prickett@amd.com>
Message-ID: <3761AE5F.2AA7@amd.com>
Source record: 83414
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting,rec.aviation.restoration,rec.aviation.marketplace

```
Craig Smith wrote:
>
> mike wrote:
> >
> > ALTIMETER, MIL SPEC. 0-80,000 FT. LIKE NEW COND. $52 EA.
> >
> > PIC AND INFO AT:
> >
> > http://209.239.34.153/murphyjunk
> >
> > --
> > MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk
> >
> > 401 N. JOHNSON AVE.
> > EL CAJON, CA. 92020
> >
> > 619 444 7717
> > FAX 444 6750
> Must be backups for a more elaborate radar altimeter---can't
> imagine flying with one as the primary altimeter---REALLY tightly packed
> calibration points! "Maintain 1200' until cleared for higher" would be
> tough to do with this critter.

nah, they're _cabin_ altimeters (for pressurized aircraft).

john

--
'something clever.'
john.prickett@amd.com
```

3315. Re: FS: AIRCRAFT ALTIMETERS $52 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Rob Dunn <dunnr@ix.netcom.com>
Message-ID: <7jsbaf$jsi@dfw-ixnews4.ix.netcom.com>
Source record: 83415
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting,rec.aviation.restoration,rec.aviation.marketplace

It's a cabin pressure altimeter, not something you fly with. Just tells you what the equivelent altitude of the cabin is in a pressurized aircraft (based on std atmosphere I suppose).

The real question is why this is showing up on radio and electronic sites?

Rob

Craig Smith <ip500@roanoke.infi.net> wrote in message news:3761A60F.47E4@roanoke.infi.net...
> mike wrote:
> >
> > ALTIMETER, MIL SPEC. 0-80,000 FT. LIKE NEW COND. $52 EA.
> >
> > PIC AND INFO AT:
> >
> > http://209.239.34.153/murphyjunk
> >
> > --
> > MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk
> >
> > 401 N. JOHNSON AVE.
> > EL CAJON, CA. 92020
> >
> > 619 444 7717
> > FAX 444 6750
> Must be backups for a more elaborate radar altimeter---can't
> imagine flying with one as the primary altimeter---REALLY tightly packed
> calibration points! "Maintain 1200' until cleared for higher" would be
> tough to do with this critter.

3316. Q:Johnson Matchbox

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <3761b53b.0@wagner.n2.net>
Source record: 83416

I recently came by a Johnson Matchbox in very good shape, (cosmeticaly).
I know it is a balanced line tuner for twinlead or open wire antenna.

I dont have a book and would like to use it. It's dimensions are:H=8"
W=10" and 10' deep. Has so239 "input" jack and 3 large cerramic
stand-off insulator output posts. Also about 7 small screw connectors on
a strip. all insulated. And ofcourse a ground terminal.
Can anyone tell me if the center cerramic standoff is the center tap?
Would the twinlead connect to the two outside posts?
What are the 7 small screw connectors for?

I could take it apart and easily find out, but it is so nice, I don't
want to scratch it up.

I am used to unballanced tuners for coax feedline, and use one everyday
for my long wire ant. However I know nothing about this tunner. Can
anybody tell me about the rear posts/screws? Or tell me where I can get
the info? Also by the dimensions given...can I find out it's power
rating? i.e. kilowat matchbox? or?

Any info would be greatly appreciated.
To reply please remove "X"s from address <ac6ts@n2.net> Thank You

John Williams

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3317. SP-600 and BC-1004C (and now TS-520)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: cecil baldwin <cabaldwin@mindspring.com>
Message-ID: <7jscrconr1@nntp2.atl.mindspring.net>
Source record: 83417

Sorry gang, the locals snapped up the rigs almost before my posting got on the board. I was happy to get some space back in my shack and the guys here apparently got a great deal. Got no more really old stuff. I do have a Kenwood TS-520 w/ remote VFO, matching speaker and microphone for sale. The whole thing for $400. This rig has 215 countries confirmed on SSB with no afterburner (pure 200W pep). That's about the only thing left. If anyone is interested, drop me a line.

73's
--
Cecil B.
WB4VMS

Some shooters seem to prefer their mouth
to their gun.

3318. Re: FS: AIRCRAFT ALTIMETERS $52 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Charles Revie <NOSPAM>
Message-ID: <3761B65A.6F295006@zianet.com>
Source record: 83418
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,alt.military.collecting,rec.aviation.restoration,rec.aviation.marketplace

I checked the photos. Look closely at the dial and you will see the
word "CABIN." These are cabin pressure altitude "altimeters" and are
not intended for control of flight altitudes. It is an air pressure
gage calibrated according to the atmospheric pressure profile rather
than pounds per square inch (or whatever scale you want to use).

Charlie

Craig Smith wrote:
>
> mike wrote:
> >
> > ALTIMETER, MIL SPEC. 0-80,000 FT. LIKE NEW COND. $52 EA.
> >
> > PIC AND INFO AT:
> >
> > http://209.239.34.153/murphyjunk
> >
> > --
> > MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk
> >
> > 401 N. JOHNSON AVE.
> > EL CAJON, CA. 92020
> >
> > 619 444 7717
> > FAX 444 6750
> Must be backups for a more elaborate radar altimeter---can't
> imagine flying with one as the primary altimeter---REALLY tightly packed
> calibration points! "Maintain 1200' until cleared for higher" would be
> tough to do with this critter.

3319. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Tom Bellhouse <altoid@cyberhighway.net>
Message-ID: <3761BEE9.8CF9D067@cyberhighway.net>
Source record: 83419
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

hyak@bigfoot.com wrote:

>
> I think they need to spend more time keeping the system reliable instead
> of the fancy 'glitz' and 'glam' they waste time on. Who needs ebay chat,
> and the cafe, and 'my-ebay', a paging system, and on and on.....
>

--
I think they're going the way of dejanews, now deja.com. Make
yourself more a "web presence" to make yourself more attractive to a
buyout or to make your stock more salable through the magic of PR.
If, in the process, you perform your primary function in an
increasingly piss-poor manner, oh well ... you LOOK MARVELOUS!

Tom

3320. FS:IC-271H & IC-471A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <3761D330.22F6D9D2@worldnet.att.net>
Source record: 83420
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.hamradio.packet,rec.radio.amateur.boatanchors,rec.radio.swap

I have for sale the following two radio's.
1--IC-271H a 100 watt all mode transceiver in excellent condition with mic, manual and DC power cord.It has 32 memories that you can set the freq,mode,offset & tone.The frequency range is from 143.500--148.500.The power output is variable from 10 to 100 watts.It also has an RIT control.
There is an internal rx preamp for weak signal work. Asking $500.00

1--IC-471A a 25 watt all mode transceiver in excellent condition with manual and DC power cord.It has32 memories that you can set the freq,mode,offset and tone.The frequency range is from 430 to 450 MHz.This pair of radio's are highly desireable for satellite work.
Asking $450.00 for the IC-471A & $500.00 for the IC-271H.
Prices are + shipping,will accept $900.00 for both + shipping. A digital picture is at: http://home.att.net/~rstamper/

Regards
Bob Stamper

3321. FA: Collins Mechanical Filter - 8KHz (R390A)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Gene Marcus <mmarcus@hiwaay.net>
Message-ID: <3761E3DC.D159E84E@hiwaay.net>
Source record: 83421

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114015167

Thank you for looking,

Gene Marcus

3322. FA: Eimac 450TL Power Triode

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Gene Marcus <mmarcus@hiwaay.net>
Message-ID: <3761E34F.329425AF@hiwaay.net>
Source record: 83422

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=114019185

Thank you for looking,

Gene Marcus

3323. Santa Maria swap meet, where and when?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3761D8B2.BE9AFBC1@wenet.net>
Source record: 83423

Hi,
Anybody knows where and when Santa Maria swap meet will be held ???
de K6hm
Young

3324. National NC303 knob needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <3761F9F1.1D09B1F@saber.net>
Source record: 83424

Still looking for the "BAND" knob. It's the same for the 300/303. Long slightly diamond shaped with the word BAND.
Also looking for a manual for the Simpson Model 710 frequency counter.

Thanks for reading
Mike/WB6VSE

3325. SP 600 Knob needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7jsvt1$f67$1@news.eclipse.net>
Source record: 83425

I need a beat Osc. knob
got one let me know condition and price
Doug

3326. WTB:RCA Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: tk41c@aol.com
Message-ID: <19990610203921.08387.00000106@ng-ce1.aol.com>
Source record: 83469

Looking for RCA TM-21 plate transformer p/n 213987. This 21" round tube color monitor was made in the 60s and weighed 215 lbs, and was popular in teelvision stations and post production facilities
Thanks
TK41C@aol.com

3327. WTB: RCA Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: tk41c@aol.com
Message-ID: <19990610215944.14359.00000153@ng64.aol.com>
Source record: 83470

Wanted: RCA TM21 color monitor plate transformer, p/n 213987. This 21" round tube unit was made in the 1960s and weighed 215 lbs.
Thanks
TK41C@aol.com
bodybuilding

3328. FS: Heathkit SB610 Monitor Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990610220848.26249.00000377@ng-fd1.aol.com>
Source record: 83471

Heathkit SB610 Monitor Scope for sale. Has had the RCA connectors replaced with SO239 connectors. The plastic grid overlay has some wear showing on the grid marks.

$70 plus shipping.

Thanks,
Barry - N4BUQ
n4buq@aol.com

3329. FA WW2 BC342 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3760780D.4E1E@sympatico.ca>
Source record: 83472
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.antiques.radio+phono

BC342 military reciever, nice shape, original and working on Ebay. Have
a look.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116312111>

3330. WTB: Johnson Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: franklin@net-link.net
Message-ID: <7jpcr8$cl1@newsops.execpc.com>
Source record: 83473

I would like to buy a clean, working Johnson Viking II. I can travel for pickup anywhere in Michigan, Ohio, Indiana or Illinois..... Please respond vis E-Mail

Thanks
Gary K8BKB

franklin@net-link.net

3331. Need Info on TCK-7 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: vibroplex@my-deja.com
Message-ID: <7jq4qc$67d$1@nnrp1.deja.com>
Source record: 83474

Dear All,

Can anyone refer me to a web page that may have a picture of a spec
sheet on a TCK-7 transmitter?

Thanks in advance!

Derek
WB0TUA

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3332. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: vibroplex@my-deja.com
Message-ID: <7jq5f1$6dv$1@nnrp1.deja.com>
Source record: 83475
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

In article <wa2iseFD3Joy.KMp@netcom.com>,
wa2ise@netcom.com (Robert Casey) wrote:
> Ebay changed the look of their pages. I can view the list of items,
but when
> I click an item, I get an error message "connection reset by peer"
(whatever
> the hell that means). Basically, any page with "dll" in its URL no
> longer works.
>
> All other non-Ebay web sites still work, BTW
>
> There's some auctions I'd like to bid, but can't!!!
>
It's probably their CGI server. They have had trouble with it for
months. The CGI server handles the requests for viewing items. Can't
be sure that this is it but that has been the trouble several times in
the past.

Derek
WB0TUA

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3333. Collins For Trade Or Sale KWM-2A & 51-S1 & Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7jq62kiqm1@bgtnsc03.worldnet.att.net>
Source record: 83476
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

I Have Some Collins Equiptment For Trade Or Sale
I Am In Need Of A Small Mobile And Some Later Model HF Equiptment.
I Am Looking For A Icom 706 Mark II With DSP Or Similiar Rig.
Must Be Very Clean And In Excellant Shape.

As Far As Prices On The Equiptment I Will Consider All Fair Offers.
Photos Can Be Supplied On Request.
Everything Will Be Sold As Is I Have Had This Equiptment For Years And
Myself Have Never Used It Except For A Few CW Contacts.
There Is No Room Here To Set It All Up.

For Sale Or Trade

KW-M2A (RE)
SS# 10353
516F-2 Power Supply
312 B-4 Speaker Console
Complete Crystal Pack
RF-675 RF-COMM Matching Roller Inductor Antenna Tuner
SS# A 075
Have New Hookup Cables Between Radio & Console
Have Factory Manuals
The KWM-2A Was Just Serviced Last Year By K7RMT Bud Whitney Here In Texas
And Has Not Been Used Since Its Return.

51S-1 Collins Receiver (RE)
SS# 7762
Factory Manual
This Unit Has A Weak Receive And Needs Probably Some Tubes And A Good
Alignment.
I Spoke To Dennis Brothers WA0CBK At West Nebraska Electronics About Having
This Unit Serviced The Cost Was Around 200.00. I Have Decided To Part With
My Boat Anchor Collection For Some Smaller Rigs. I Am Out Of Room Here, And
It Does Me No Good In The Closet.

73's W5IDX Houston, Texas

--
W5IDX@worldnet.att.net

3334. Re: Subminiature tubes, very reliable?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Chris
Message-ID: <NEWTNews.929098406.32361.c_sieg@mecs.conknet.com>
Source record: 83477
Cross-posted to: rec.radio.amateur.boatanchors,rec.audio.tubes,rec.antiques.radio+phono

Hi Everyone,
If any of you folks would like to play around with some subminiature tubes,
I have a LARGE stock of type 6418. These are 1.25 VDC, low current filament,
pentode power amps. Mfg by Raytheon, NOS with a date code of 1982.
10 pieces for $5, shipping $4 for the first 10 then $1 for each additional
10, in the continental US.

Thanks,
-Chris WA3LDI

Chris Sieg
c/o PIEXX Co.
13 Main Street
PO Box 123
Hillsboro, NH 03244

3335. Looking for Bird 43

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <3760f660@news1.us.ibm.net>
Source record: 83478
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

I have an immediate need for a Bird 43 wattmeter. A 250H and 2500H slug would be a bonus. Pls state condx, options, shipped price to San Diego 92139, and ur phone number when replying.

73s

Lane
Ku7i
San Diego

3336. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Bill <wrc@tir.com>
Message-ID: <3760F603.D45C157B@tir.com>
Source record: 83479
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Tom Repstad wrote:

> It's not the "Mike for sales" that bother me... it's all the damn "Bills"
> ... they just send those guys to you without your even wanting them... I'll
> never name any kid of mine "Bill" ...
>
> --Tom
> KB1CGA
>

--------*snip*------

I bet you'd never give up your bill of Rights :)

Bill KU8H

3337. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: elizabethk@nospamearthlink.net
Message-ID: <376113b0.597434@news.earthlink.net>
Source record: 83480
Cross-posted to: rec.antiques.radio+phono,rec.radio.amateur.boatanchors,rec.antiques

On Fri, 11 Jun 1999 05:05:40 GMT, vibroplex@my-deja.com wrote:

>In article <wa2iseFD3Joy.KMp@netcom.com>,
> wa2ise@netcom.com (Robert Casey) wrote:
>> Ebay changed the look of their pages. I can view the list of items,
>but when
>> I click an item, I get an error message "connection reset by peer"
>(whatever
>> the hell that means). Basically, any page with "dll" in its URL no
>> longer works.
>>
>> All other non-Ebay web sites still work, BTW
>>
>> There's some auctions I'd like to bid, but can't!!!
>>
>It's probably their CGI server. They have had trouble with it for
>months. The CGI server handles the requests for viewing items. Can't
>be sure that this is it but that has been the trouble several times in
>the past.
>
>Derek
>WB0TUA
>
>
>Sent via Deja.com http://www.deja.com/
>Share what you know. Learn what you don't.

This happens when they (ebay) are overloaded. If you keep trying you
can usually get through. I also received the same message and after
thinking it was in "my" machine looked into the problem further.
You probably get the message during peak veiwing hours.
LizK

3338. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Jonesy <jonz@rmi.nospam.net>
Message-ID: <7jr4ggafl1@news1.rmi.net>
Source record: 83481
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In rec.radio.amateur.equipment Tom Repstad <kb1cga@starc.org> wrote:
<-snip->
: I'll never name any kid of mine "Bill" ...

And , who (in the USA) would name their son "john"? !!!!

Jonesy W3DHJ

3339. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: Clint Bradford <clintbrad4d@earthlink.net>
Message-ID: <7jr8og$i2j$1@nnrp1.deja.com>
Source record: 83482
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In article <375FF2FD.E2211088@mitre.org>,
"Michael J. White" <mwhite@mitre.org> wrote:
> The abbreviation for microphone is "MIC"...

NOT according to Webster's, Mick.

- Clint Bradford, ATTENTION to Details
http://www.clintbradford.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3340. Re: Need National NC46 info....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: rhynek@aol.com
Message-ID: <19990611103132.07381.00000551@ng-cl1.aol.com>
Source record: 83483

Hi Mark,

If somebody else has not already
supplied one, I have the SAMs Photo Fact
of that receiver. I can send a copy of it off to
you on Monday. Pictures do show a spring on the dial drive.

Rhyne, KA1CX

3341. FAIR RADIO CATALOG ALMOST READY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990611105549.00933.00000429@ng36.aol.com>
Source record: 83484

I'm not assocaited with Fair Radio, but their web page has pages 1,2, and 40 displayed:
http://www.fairradio.com/

3342. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990611131406.29439.00000547@ng-cm1.aol.com>
Source record: 83485

I just heard on NPR that they have suspended trading. That may have meant their stock has stopped trading on the stock exchange, but I understood it to mean that they have halted operations.

3343. Re: TEN TEC Corsair with Speaker/PS For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: System Administrator <administrator@millenium.et.anl.gov>
Message-ID: <37614585.D216B19C@millenium.et.anl.gov>
Source record: 83486
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Chance-Vought made an F4U Corsair during WW2. Used mainly in south pacific.
:-)
What's Ten-Tec Corsair?
Dick K9FFK

Chris wrote:

> I have a Corsair in very good condition with the matching PS/Speaker and
> Desk mic for with a copy of the manual $550+shipping.
> 73 Chris VE3NGW/W4 Florida

3344. FS: Collins KWM2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: FC <me@myplace.ca>
Message-ID: <btc83.47$ZE4.269894@news.bctel.net>
Source record: 83487

For Sale:

Collins KWM2 (Winged Emblem), New matched 6146's
and Manuals. This unit has had only Collins approved mods, and on a scale of
1 to 10 this unit is a clean 8.

Included:
312B-4 200/2K watt meter/speaker/phone patch matching consol.
512F-2 power supply with tube rectifiers.
Shure 44 hand mic.

$750.00 u.s.

ve7fyo@rac.ca

3345. F S DRAKE L4B AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-11 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990611145329.03730.00000526@ng-cn1.aol.com>
Source record: 83488

I HAVE A GOOD WORKING L4B AMPLIFIER REDUCED TRO $625 PLUS SHIP
UPS ALSO A PAIR OF 3CX 800 A7 TUBES NEW CONDITION PAIR $600

73 JOHNYK78

3346. Wanted: GRC-26/A power supply; INFO on FRT5

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990612.122919.-375269.0.NFMK@juno.com>
Source record: 83339

Wanted: GRC-26A power supply, part of USArmy Ratt
system. Will pay shipping.

Also need any documentation you can provide, share,
sell, or loan on the USNavy AN/FRT-5 system.

73, Doug

3347. FS: Johnson Ranger I AM/CW Xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: k3ac@aol.com
Message-ID: <19990612133858.10452.00000945@ng-fj1.aol.com>
Source record: 83340

For Sale: EF Johnson Ranger I AM/CW transmitter, factory built, no modifications. Excellent electrical/cosmetic condtion (9+). Includes manual. Taking offers for 7 days - best offer over $300 take it. (Buyer pays UPS shipping/insurance).

73,
Bob, K3AC

3348. FS: Heath Maurauder SSB TX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <3762a5fd@calwebnnrp>
Source record: 83341
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: The last of the Big Green Heathkits. Two Units available. Same form factor as the RX-1 and TX-1 rigs, but SSB. Excellent front panels with chrome knobs. Cabinet paint is good but not perfect. The units are functional, but like any radio from this era, they will require some TLC. $200 each. I prefer a pickup, but will ship. Buyer to pay for UPS versapack (approximately $20 per unit including UPS box.

Tnx for the read:

73

Bob, KE6F
Sacramento, CA 95827

3349. Maryland Hamfest - 20 June 99

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: windbrkr@erols.com
Message-ID: <3762A6F8.33BE731F@erols.com>
Source record: 83342

Interested in Amateur Radio, Electronics, Computers, etc.?

Next weekend, come out to the 1999 FATHERS DAY HAMFEST
Sunday, June 20th 1999

In Historic Frederick, Maryland
At the Frederick County Fairgrounds, 797 East Patrick St.

- Easy access from I-70, I-270, US-40, US-15 etc.
- Plenty of Parking

- ARRL VE Testing (courtesy of MADRA VE Team)
- Testing starts promptly at 09:00

- Large Outdoor Flea Market / Tailgating Area
- Indoor Ham Radio, Electronics, Computer Commercial Vendors
- New and used Ham Radio equipment and accessories - Two
commercial new equipment vendors - Icom, Kenwood, Yaesu etc.

- Good Food and Refreshments (no outside food vendors, please)

- Rain or shine, 08:00 to 15:00 EDT

- Admission: $5.00 per person donation
- Tailgating spaces: $5.00 each + one admission
- Indoor vendor tables: $15.00 each

Talk-in: Call K3ERM on 147.060 (+) K3MAD repeater
146.640 (-) K3ERM repeater
146.520 (x) Simplex

Email to me or to n3vok@erols.com with questions, vendor reservations,
etc. Include fax number for map and/or flyer.

73 and see you there,
Bob K9CMR

3350. Re: can 3-500z tubes be swapped for 3-400z tubes in a Swan mark-I?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Dan Bryden <bryden@deltanet.com>
Message-ID: <3762A96B.A2F89FEA@deltanet.com>
Source record: 83343

steve wrote:

> Greetings,
> I have a Swan Mark-I amplifier that will need tubes someday. Can 3-500z
> tubes be swapped for the 3-400z tubes? What mods will be needed?
> Please let me know if you have experience with this. Thanks!
> 73's de steve, Wi0e

It should work just fine, It is the same tube with higher plate dissipation

3351. FS: Tubes & amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3762af99.119861@news.earthlink.net>
Source record: 83344
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors

Tubes available: (add shipping costs)

Pair of TUNG-SOL 5881 / 6L6WGB tubes. They look new and test 100%.
$15.00

= = = = =

Great LOT OF 43 AUDIO TUBES

12AT7/ECC81
BULK - NIB - $4.00

12AU7/ECC82
AMPEREX/Holland - UIB - $4.00
BELL & HOWELL, JAPAN - UIB - $2.00
DUMONT - UIB - $2.00
GROOVE TUBE - NIB - $5.00
PHILCO - UIB - $1.00
STANDARD - UIB - $2.00
SYLVANIA - UIB - $2.00
TUNG-SOL - UIB $1.00
UNMARKED - UIB - $2.00

12AU7A/ECC82
BULK - UIB - $1.00
DUMONT - UIB - $1.00
DUMONT - UIB - (QTY 3) $2.00 Each
GENERAL ELECTRIC - NIB - $5.00
GENERAL ELECTRIC - UIB - $2.00
RCA - UIB - (QTY 2) - $2.00 Each
SYLVANIA - UIB - $2.00
WESTINGHOUSE - NIB - $6.00

12AX7/ECC83
BULK - NIB - $4.00
GENERAL ELECTRIC - UIB - (QTY 2) $2.00 Each
GROVE TUBE - NIB - $5.00
MATSUSHITA - UIB - $4.00
RCA - UIB - $2.00
SYLVANIA - NIB - $6.00
TUNG-SOL - UIB - $2.00

12AX7A/ECC83
BULK - NIB - (QTY2) $4.00 Each
CHANDLER - NIB - $5.00
MESA - UIB - $5.00

PM - UIB - $3.00
RCA - UIB - (QTY 5) $3.00 Each

7025
FENDER - UIB - $6.00
RCA - UIB - (QTY 2) - $6.00 Each

95-126-01 E. GERMANY NIB - $2.00

TOTAL of 43 Tubes
Total Price $135.00

or take ALL of the above tubes for $110.00 Shipped CONUS

= = = = =

Another Great LOT of 40 Audio Power and pre-amp tubes:

(Ask for Lot #15)

6GW8/ECL86
GENERAL ELECTRIC - UIB - $4.00
PRO/COMM - NIB - $4.00
RCA - NIB - (QTY 3) - $6.00 each
TRIGON - UIB - $4.00

6BM8/ECL82
ZAERUX - NIB - $5.00
GENERAL ELECTRIC - UIB - $3.00
GME - NIB - $3.00

6BQ5/EL84
PILOT/TUNGSRAM in ZAERUX BOX - NIB - $6.00

ECL80/6AN8
MARCONI - NIB - $1.00

EL80
PHILIPS - NIB - $2.00

EL86
AMPEREX - UIB - $4.00

EL95
TRIGON - UIB - $2.00

6BC4
RCA - NIB - $5.00
RCA - USED - $3.00

6BC5
RCA - UIB - $2.00

6BQ5/EL84
BULK - UIB - $3.00

6BQ7A
GENERAL ELECTRIC - UIB - $1

6BL8/ECF80
AMPEREX - USED - $2
GENERAL ELECTRIC - UIB - (QTY 2) - $1 each
SYLVANIA - NIB - $3

6BZ7
BULK - UIB - (QTY 3) - $2.00 each

6C4
JAN - NIB - $3.00

6CB6A
RCA - USED - $1.00

6CW5/EL86
AMPEREX - UIB - (QTY 2) - $3.00
AMPEREX/HOLLAND - UIB - $3.00
HOLLAND - UIB - $3.00
GT BRITAIN - UIB - $3.00

1U5 - RCA - USED - $1.00

5GH8
GENERAL ELECTRIC - USED - $2.00

6DK6
BULK - NIB - $2.00

6GH8
ZENITH - USED - $2.00

6GU7
RCA - UIB - $2.00

6J6
RCA - USED - $1.00

5879
GENERAL ELECTRIC - USED - $2.00

NIB = New In Box
UIB = Used (tested) In Box

TOTAL of 40 Tubes.
TAKE ALL THE ABOVE TUBES FOR ONLY $68.00 plus shipping
(Ask for Lot #15)

= = = = =

TUBES LOT #4
4-125 Eimac Used No box $25.00
828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
ea.

12SN7GT Sylvania New in Box $2.00
6BG6B RCA Used, no box $1.00
25L6 G.E .Used in box $3.00
5Y3GT G.E. Used in box $4.00
6W4 Tung-sol used in box $2.00
6W4 Arcturus Used in box $2.00
6W4GT Mullard Used in box $3.00
6SN7GT CBS/Hytron New in box $5.00
6JZ6 Sylvania Used in box $8.00
6SN7GT Tung solUsed in box $2.00
6SN7GT Crosley Used in box $2.00
6SN7GT RCA Used in box QTY 6 $3.00 ea.
6SL7GT RCA Used in box $3.00
6AC7 RCA used in box $2.00
6AC7 G.E. used in box (QTY 2) $2.00 ea.
6H6 Ken-Rad used in box $1.00
6DE4 Philco Used in box $1.00
6H6 RCA used no box (QTY 2) $1.00 ea.
6X5 RCA used in box $0.50
37 RCA used in box $4.00
6AX4 Sylvania New in box $2.00
OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each
OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
OA3 / VR-75 Marshall Electronics in box $4.00
3AW2 Philco Used in G.E. box $0.50

(Total value over $170.00)

Take all 47 of the above tubes for only $79.00 plus shipping

= = = = =

LOT # 7 of TUBES:
(Used, tested)

6X4 RCA $1.00

12BY7 G.E. $4.00
12BY7 RCA QTY 2 $5.00 each
12BY7 Sylvania $4.00
12BY7A UNK $4.00
12BY7 UNK QTY 2 $3.00

25Z6 Silvertone $2.00
35EH5 IEC Japan QTY 3 $2.00 each

35W4 UNK $1.00

50C5 QTY 4 $3.00 each

6197 Sylvania $2.00
6197 Bulk $2.00

Or take all of the above tubes for $40.00

= = = = =

Lafayette Model PA612 Tube Audio Amplifier.
15 watts output. Conservatively rated
Push pull Mullard 6BM8 outputs
This is a MONO AMPLIFIER, QTY 1 only.

1 mic input, 2 AUX (line level) inputs, and the usual
tone, volume controls etc.

Pretty light blue, vented cabinet.

Operates on 115V AC at 3 Amps.
Outputs for 4, 8, 16 ohms, and 25V Line, 70V line.
Auxiliary 115V AC outlet.

Excellent to near-mint condition.

Will sell for $40.00

= = = = =

Shipping costs additional

More tubes available,see:

http://home.earthllink.net/~af4k/trade.htm

3352. FS: Modular Systems Analog/Digital "Smart Filter"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3762BC16.B7995B4@cfu.net>
Source record: 83345
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment

A hybrid, microcomputer-based, analog/digital switched-capacitance audio filter (SCAF), the "Smart Filter" is especially effective at eliminating adjacent noise and interference without ringing on SSB (hi freq and lo freq cutoffs), CW (as narrow as 100hz), RTTY, AMTOR, and PACKET. Effective with any receiver/transceiver (far better than the built-in bandpass filters on most modern rigs), but really adds selectivity to older designs. Excellent condition, works perfectly, with power supply and manual. $65. Tks es 73! Jan N0JR

3353. FS: Ameco PT-2 Transceiver/Receiver Preamplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3762BE0E.25AF3F69@cfu.net>
Source record: 83346
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave

Very effective. Covers 160-6 meters and everything in between.
Especially effective with tube rigs; really brings them alive. Excellent
condition, works perfectly. $75. Tks es 73! Jan N0JR

3354. ## BIG list of TUBES FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990612160728.28465.00000955@ng-fs1.aol.com>
Source record: 83347

Hello, I have the following Amateur radio tubes for sale. All are NOS
in the original box unless stated otherwise. When possible, (some tubes
can only be tested in curcuit) tubes are tested with a Hickok TV-7D/U.
I have a vast amount of tested, miniature tubes for your recievers,
transmitters, test equipment, etc. at very reasonable prices. Also have
a pretty huge stock of all types of NOS tubes, please inquire about things
not appearing on any of my posts. Shipping via Priority mail, with
delivery confirmation @ 3.50, 48 states. Others at rate.
The larger transmitter tubes have been checked via ohmmeter.
Of course, i'll guarantee them to work properly, so PLEASE TEST CAREFULLY
IMMEDIATELY apon arrival, and if it doesn't do what you like, just send it
back right away for a prompt refund,(in original,recieved condition) less
return shipping charges. I would absorb initial shipping costs.
Thanks,
if interested, drop me a line... 73's
Joe Pratt,
Tubecntral@aol.com

PLEASE INQUIRE ABOUT ANY TUBES YOU MAY NEED THAT ARE NOT LISTED...
LOTS OF TUBES HAVE BEEN OMITTED FROM LIST BUT ARE IN STOCK ..

**** NOS, ORIGINAL BOX, UNLESS NOTED:

0A2, RCA Comm parts, ONE @ 3.00

0A3,0B3,OC3 0D3 lots @ 2.50 ea.

QB3/300, VALVO, never used, but no box, 25.00

1P40, RCA, ONE @ 12.00

2BP1 CRT, RCA, ONE NOS no box, includes good socket, 20.00

2C39WA Eimac,low hours used/tested,TWELVE close testing ones 12.00 ea.

2C43, various used, 10.00 ea.

2C53, United, TWO @ 25.00 ea.

2E24, RCA JAN, TWO @ 4.00 ea.

2E26, G.E. JAN Canada, ONE @ 4.00

2E26, RCA JAN, ONE @ 5.00

2X2/879, various military types, FOUR @ 2.00 ea.

3B28, Electronic ent., TWO lightly used, 9.00 ea.
CERAMIC SOCKETS FOR THE ABOVE TWO @ 3.00 ea.

5AS4A, RCA, ONE @ 14.00

5AS4A, TUNG-SOL, ONE @ 14.00

5AW4, CBS Hytron CTS rated (continuous service), THREE @ 2.50 ea.

5R4 GY, RCA, ONE @ 8.00

5U4 GB / 5AS4A, G.E., FIVE @ 12.00 ea.

5U4 GB / 5AS4A, SYLVANIA, FIVE @ 12.00 ea.

5U4 GB, RCA, FOUR @ 14.00 ea.

5U4 GB, Tung-sol, ONE @ 15.00

5U4 GB, FIFTY used, 2.50 ea.,ALL 50 for 95.00

5V3A/5AU4, RCA, ONE @ 3.00

5V4 G, KEN-RAD, ONE @ 8.00

5V4 G, RCA, ONE @ 9.00

5V4 G, Sylvania JAN, worn orig. box, ONE @ 9.00

5V4 G/GA, ONE CBS @ 8.00

5V4 GA, G.E. Industrial red, ONE @ 8.00

5X4 G, RCA. TWO @ 3.00 ea.

5X4 G, Tung-Sol, worn orig. box, ONE @ 5.00

5Y3 G, RCA, ONE @ 12.00

5Y3 GT, RCA, ONE @ 9.00

5Y3 GT/G RCA JAN, TWO @ 11.00 ea.

5Y3 GT/G, Syl. JAN, ONE @ 8.00

5Y3 GT/G, TUNG-SOL JAN, ONE @ 14.00

5Z4, RCA, ONE @ 4.00

6AB7-Y, RCA JAN, THREE @ 4.00 ea.

6AC7 VARIOUS brands, 2.00 ea.

6AD6/6AF6 G, RCA, ONE @ 10.00

6AG7, RCA US navy and JAN, EIGHT @ 3.00 ea
same as above, various other brands, 2.50 ea.

6AS7 G, RCA, TWO @ 7.00 ea

6AS7 GA, RCA, ONE @ 5.00

6AS7 G, G.E., worn orig. box, ONE @ 5.00

6AV5 GA, G.E., FIVE @ 4.00

6AV5 GA, RCA, ONE @ 4.00

6BE6, TUNG SOL, TWO @ 5.00 ea.

6BG6 G, RCA, FIVE @ 7.00 ea

6BG6 G, TUNG-SOL, ONE @ 9.00

6BG6 GA, G.E., FIVE @ 4.00

6BQ6 GA/6CU6, G.E. branded Motorola, ONE @ 5.00

6BG6 GA/6CU6, RCA, ONE @ 5.50

6BQ6 GT, Sylvania, ONE @ 3.00

6BQ6 GTA, TUNG-SOL, FIVE @ 4.00 ea.

6BQ6 GTB/6CU6, G.E. THREE @ 4.00 ea.

6BQ6 GTB, RCA, TWO @ 3.00 ea.

6BQ6 GTB/6CU6, Sylvania, ONE @ 4.00

6C4 VARIOUS JAN and W, 3.00 ea.

6CB5 A, RCA, SIX @ 4.00 ea.

6CD6 G, G.E., ONE @ 4.00

6CD6 G, RCA, ONE @ 5.00

6CD6 GA, G.E., ONE @ 3.00

6CD6 GA, G.E., branded Motorola, ONE @ 3.00

6CD6 GA, RCA, FOUR @ 3.50 ea.

6CD6 GA, Sylvania, ONE @ 4.00

6CD6 GA, Tung-Sol, ONE @ 4.00

6CD6 GA, Tung-Sol, branded Dumont, ONE @ 4.00

6CD6 GA, Westinghouse, TWO @ 3.00

6DQ5, RCA, THREE @ 7.00 ea.

6DQ5, RCA/Gonset, ONE @ 7.00

6DQ5, Westighouse, ONE @ 6.00

6DQ6/6GW6, Hytron, ONE @ 3.00

6DQ6B/6GW6, G.E. branded Motorola, ONE @ 4.00

6DQ6B/6GW6, IEC Mullard, ONE @ 4.00

6DQ6B/6GW6, Sylvania, TWO @ 4.00

6DQ6B/6GW6, Raytheon, ONE @ 4.00

6DQ6B/6GW6, RCA, THREE @ 4.00

6DQ6 B, RCA, THREE @ 4.00

6DZ7, "HEATHKIT BY G.E.", used,v. good, great for resto, ONE @ 2.00

6EX6, G.E. branded Motorola, ONE @ 4.00

6GB5/EL500, G.E. Gt. Brit, ONE @ 5.00

6GB5/EL500, RCA Gt.Brit, ONE @ 5.00

6H6, VARIOUS, MANY @ 1.75 ea.

6H6 GT, (glass), ONE Syl., @ 2.00

6HF5, RCA, branded Delco, ONE @ 12.00

6HF5, RCA, ONE @ 13.00

6J5, various metal top brands, 3.50 ea.

6JB6, Raytheon, ONE @ 14.00

6JB6 A, G.E., ONE @ 14.00

6JB6, Zenith (probably Syl.), ONE used @ 7.00

6JE6, RCA, NOS reboxed, ONE @ 15.00

6JE6C/6LQ6, G.E., ONE @ 26.00

6JE6C/6LQ6, Realistic Lifetime,gold pin, ONE @ 24.00

6JF6, RCA, THREE @ 7.00 ea.

6JM6 A, RCA, ONE @ 4.00

6JN6, G.E., ONE @ 3.00

6JN6, RCA, TWO @ 3.00 ea.

6JN6, Raytheon, ONE @ 3.00

6JN6, Sylvania, TWO @ 3.00 ea.

6JS6A, RCA, One used, very good, 8.00

6JS6B, G.E., ONE used, v.good, 10.00

6JS6 B, Raytheon, ONE used v.good, 10.00

6JS6C, G.E., ONE used v.good @ 12.00

6JS6C, RCA, ONE used, very good, 12.00

6JS6C, Syl., ONE used, v.good, 12.00

6K7, US navy, SIX @ 3.00 ea. (metal)

6KD6, G.E., ONE @ 28.00

6KD6, LindaL, ONE used v.good @ 12.00

6KD6, RCA, ONE @ 29.00

6KD6, RCA, ONE used, low hours, 15.00

6KM6, RCA, ONE used v.good @ 4.00

6KM6, G.E., ONE @ 7.00

6KM6, Sylvania, ONE @ 8.00

6KN6, G.E., FIVE @ 7.00 ea.

6KN6, Raytheon, ONE @ 7.00

6KN6, RCA, ONE used v.good @ 4.00

6KV6 A, Sylvania, worn orig. box, tube fine, ONE @ 22.00

6L6 G, Sylvania, ONE @ 24.00

6L6 G, RCA,, ONE @ 25.00

6LF6, G.E., ONE like new,low if any hours, 20.00

6LB6, Int'L Servicemaster, ONE used, v. good @ 6.00

6LB6, RCA, ONE @ 18.00

6LF6, G.E., ONE like new,low (if any) hours, 20.00

6LH6 A, RCA, ONE @ 6.00

6LJ6/6LH6 a, RCA, TWO @ 6.00 ea.

6LJ6 A, RCA, ONE used v.good @ 3.00

6LJ6A/6LH6A, RCA, THREE @ 5.00 ea.

6LQ6, RCA, ONE used LOW hours, @ 15.00

6MJ6/6JE6C/6LQ6, LOW hours, one used @ 22.00

6N7, G.E. US navy, THREE @ 4.00 ea.

6SB7-Y, RCA, ONE @ 3.00

6SD7 GT, TUNG-SOL JAN, SIX @ 5.00 ea.

6SG7, RCA for HALLICRAFTERS, ONE @ 4.00

6SH7, KEN-RAD NAVY, FOUR @ 3.00 ea.

6SJ7, ARMY RCA, FOUR @ 3.50 ea.

6V6 metal RCA, FOUR @ 10.00 ea.

12AU7WA, G.E., FOUR @ 4.50 ea.

12AX7A, SYL., FIVE @ 10.00 ea.

12AX7WA, SYL., military, FOUR @ 12.00 ea.

12BH7A, G.E., FIVE @ 10.00 ea.

12BH7A RCA, TWO. @ 12.00 ea.

12BY7 A, RCA, TWO blackplates @ 10.00 ea.

12BY7A, CEI, TWO @ 8.00 ea.

12H6 RCA JAN, TWELVE @ 2.00 ea.

12JB6, RCA, ONE used v.good, @ 6.00

12JB6, Sylvania, ONE used v.good, @ 6.00

12K8-Y, RCA JAN, THREE @ 2.00 ea.

13GB5/XL500, RCA Holland, TWO @ 4.00 ea.

13GB5/XL500,, Sylvania Gt. Brit, ONE @ 4.00

17JB6 A, RCA, ONE @ 7.00

17JF6, RCA, ONE @ 5.00

17JM6 A, RCA, ONE @ 6.00

20LF6, RCA Gt. Britain, ONE @ 37.00

21JZ6, RCA, ONE @ 5.00

21LG6, G.E., ONE @ 5.00

21LG6 A, RCA, ONE @ 6.00

21LG6, RCA, ONE @ 6.00

22JG6 A, RCA, ONE @ 6.00

22JF6, RCA, TWO @ 6.00 ea.

22JF6, Sylvania, ONE @ 6.00

22JR6, Sylvania, ONE @ 6.00

22JU6, RCA, THREE @ 5.00 ea.

22KM6, RCA, 6.00

22KM6, Sylvania, TWO @ 6.00 ea.

22KV6 A, Westinghouse, ONE @ 5.00

23JS6 A, G.E., ONE @ 10.00

24LQ6/24JE6C,G.E., ONE used @ 7.00

24LQ6, G.E. branded Zenith, ONE used v.good @ 7.00

24JE6, RCA, ONE used v.good @ 8.00

27GB5/PL500, RCA Holland, THREE @ 5.00 ea.

29KQ6, Sylvania, ONE @ 10.00

25-T, EIMAC, ONE NOS white box, 25.00

31JS6 C, RCA, ONE @ 9.00

31LQ6, Sylvania, ONE @ 9.00

31LQ6 A, Sylvania, ONE used v.good, @ 4.00

31LZ6, RCA. ONE @ 12.00

RK-34, Raytheon, ONE @ 7.00

35LR6, Sylvania, ONE used v.good @ 6.00

35LR6, RCA, ONE @ 14.00

36KD6, RCA, ONE used, v.good, 8.00

36KD6, no visible brand, ONE used @ 7.00

36KD6, Silvertone (probably Sylvania) , ONE used @ 7.00

40KG6, Raytheon, ONE @ 10.00

40KG6, ONE used Matsushida Japan, 3.00

42KN6, G.E.,worn orig. box, ONE @ 6.00

RK-62, Raytheon, ONE @ 20.00

75, RCA US navy, TWO @ 9.00 ea

80, RCA ST, FIVE @ 14.00 ea.

80, RCA tubular, ONE @ 9.00

80, FOUR various used ST bulb, 7.00 EA

82, RCA JAN, ONE @ 12.00

83, RCA used but HEALTHY, TWO @ 7.00 ea

83, G.E. tubular glass, TWO @ 10.00 ea.

307A/VT-225, KEN-RAD, ONE used @ 10.00

446A, US ARMY RCA TWO @ 5.00

NL-635/7019, National elec., TWO very low use, still in orig. boxes, 20.00 ea.

717 A, Western Electric JAN, THREE @ 5.00 ea.

723 A/B, Raytheon, ONE @ 10.00

811A,Electronic Ent., ONE light use, 15.00

811 A, G.E.,older 1970 ONE @ 25.00

811 A, RCA , ONE USED,but V.GOOD @ 15.00

812 A, Sylvania, TWO @ 37.00 EA., THE PAIR 70.00

812 A, Electron Enterprises ONE used, 20.00

815, RCA, ONE @ 10.00

816, RCA, ONE @ 18.00

816, RCA JAN, ONE used, 9.00

832, RCA JAN, worn orig. box, ONE @ 10.00

866, RCA, ONE used, 6.00

872A, Amperex, original wraps, boxes fell apart NOS TWO @ 23.00 ea.

884, CBS industrial, ONE @ 6.OO

954, RCA, ONE @ 4.00

954, HYTRON, ONE @ 4.00

955, RCA, ONE @ 3.00

957, RCA JAN, ONE @ 4.00

957, Raytheon JAN, ONE @ 4.00

1005/VT-195, Raytheon JAN, ONE @ 9.00, ONE used, 4.00

1616, Hytron US Navy, TWO @ 6.00 ea., TWO used @ 3.00 ea.

1620 RCA, FOUR @ 7.00 ea.

1629, KEN-RAD, ONE @ 6.00

1633, (25 volt section matched 6SN7) RCA, SEVEN @ 3.50 ea.

1635, RCA, TWO @ 3.00 ea.

2050 A, G.E., used, TWO @ 6.00 ea.

2051, RCA, THREE @ 8.00 ea.

5516, HYTRON, TWO used @ 5.00 ea.

GL-5670, G.E. FIVE-STAR, ONE @ 5.00

C3J/A/5684, RCA, ONE @ 25.00

C3J/A/5684, NATIONAL ELECTRONICS, ONE @ 23.00

WL-5684 Westinghouse, One used @ 13.00

5726, (6AL5),G.E. 5-STAR, FIVE @ 3.00 ea.

5844, (comp. rated 6J6) G.E. 5 STAR,2.00 ea.

5876, (pencil triode) TUNG-SOL JAN, ONE @ 20.00

5894/ CV-2797, MULLARD Gt. Brit, TWO @ 22.00 ea.

5932, (6L6 variant), Syl. JAN, ONE @ 17.00

5963 (comp. rated 12AU7), RCA, FIVE @ 3.00 ea.

5998 A, G.E. JAN, TWO @ 14.00 ea

6005 (Ind. rated 6AQ5), G.E. 5-STAR, THREE, 4.00 ea.

6080, (RUGGED 6AS7 G) RCA JAN, TWO @ 9.00 ea

6080, RCA, ONE used @ 4.00

6080 WA, Sylvania JAN, ONE @ 9.00

6082 WB, Raytheon JAN, ONE @ 10.00

6087 (5Y3 WGTB), G.E., ONE @ 9.00

6098/6AR6 WA, TUNG-SOL, ONE @ 10.00, TWO used @ 5.00 ea.

6101, (6J6 WA),RCA, TWO @ 2.00 ea.

6106, (premium, heavy duty 5Y3 GT), Bendix JAN, TWO @ 8.00 ea.

6146, RCA, ONE used @ 6.00

6146B, G.E., ONE used, tests v.good, some wear @ 5.00

6146B/8298, G.E., ONE @ 15.00

6159,(25 volt 6146) RCA US NAVY, ONE @ 7.00

6197, Sylvania green logo, Mil. boxed, THREE @ 3.00 ea.

6197, Westinghouse, ONE 3.00

6202, (comp. rated 6X4), THREE G.E., 3.00 ea.

6252, Amperex, styrofoam containers, TWO @ 22.00 ea.

7036,(larger envelope 5915A,comp. rated 6BE6),G.E. 5-STAR,THREE @ 5.00 ea.

7193, KEN-RAD US navy, TWO @ 5.00 ea.

7236, Sylvania,(heavy 5998) ONE @ 28.00

7239, BVA Mullard USA, (G.E. made), ONE @ 20.00
SAME AS ABOVE BUT G.E. BRAND,like new,very low hours, ONE 15.00

7378, Amperex Holland, never used, mounted on NOS ceramic base, w/cap, 60.00

7586 RCA nuvistor,TWO @ 20.00 ea.

8068, G.E., ONE @ 36.00

8156, G.E., ONE @ 14.00

8156, Amperex, ONE @ 18.00

8245/4CX250-K,Eimac SEALED IN POP-TOP CANS! Is it soup yet? TWO @ 55.00 ea.

8393 RCA nuvistor, TWO @ 20.00 ea.

*** 8950, Sylvania, *VERY LOW* hours, look like new, full, shiny getters,
VERY clean and match pretty close, test new, too
ONE PAIR, 70.00
ONE QUAD, 135.00 CANNOT SELL SINGLES

9004, RCA, ONE @ 4.00

TUNGAR bulb, Large #99x44, ONE used @ 10.00

**** WESTERN ELECTRIC TUBES
NOS original box unless noted:

313C, TWO @ 3.00 ea.

352A, may be used, but tests, appears NOS, Triode M=16, T=29
Diodes, m=40, t=56,56....20.00
395A, ONE @ 10.00

395A, TWO NOS but reboxed, 9.00 ea.

396A USED, three @ 3.50 ea.

2K56/397A, One reboxed NOS @ 20.00

401A, EIGHT @ 3.00 ea.

403A,(6AK5) NINE @ 3.50 ea.

403B,(6AK5) (reduced filiment draw for longer life),FORTY-SIX @ 4.00 ea.

6AK5, FIVE @ 4.00 ea.

6AS6, ONE @ 5.00

5847/404A, FOUR @ 13.00 ea.

404A, FOUR @ 13.00 ea.

407A, NINE @ 3.00 ea.

408A, EIGHTEEN @ 3.00 ea.

409A, FIVE @ 7.00 ea.

415A, THREE @ 8.00 ea.

418A, ONE @ 19.00

418A, One used @ 10.00

427A, EIGHT @ 4.00 ea.

717A, ONE @ 9.00

717A JAN, THREE @ 10.00

723A, TWO untested, may have use, return if unusable @ 8.00 ea.

TRANSISTOR, NOS W.E. 30A, ONE @ 20.00

DIODE, ONE 1N1427, 5.00

EXPERIMENTAL tubes, THREE 1497, untested,(nine pin miniature) 5.00 ea.

F-52984, ONE untested,(nine pin miniature) 5.00

****Remember to inquire about anything you don't see, I may have ...

Thank you,
Joe Pratt, Tubecntral@aol.com

3355. Help: Program and design

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Bob Rinaldi <w1cny@ziplink.net>
Message-ID: <3762D8A4.9D48E479@ziplink.net>
Source record: 83348

Hello all:

I have an old 486/100 PC which I retired some time ago. Can I bring it back as a monitor for CW and speech waveforms? Are there any programs and
r.f. sampler circuits available to do this?

Thanks!

Bob, W1CNY

3356. FA: Heathkit HD-19 and Johnson Viking II manuals on eBay.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Radio Randy <rjones@plix.com>
Message-ID: <3762EC33.6BA9@plix.com>
Source record: 83349

Hi gang,

If you need either of these manuals, check out my estate auctions at:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=radio_randy&sort=3&since=-1&page=1&rows=0

Thanks and good luck!

Radio Randy

3357. Tempo - 10 meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: DJ <fb67@uswest.net>
Message-ID: <ZyE83.2463$N3.118640@news.uswest.net>
Source record: 83350

Hi all,

I have a Tempo One that had crystals installed for 11 meters. I took those out and put the 10 meter crystals in. Now the power out into a dummy load is less than 10 watts. (The power out was around 125 watts into the same load with the 11 meter crystals installed) Is there a way to peak just this band without doing the whole alignment procedure and not whacking the other bands? I don't have a signal generator or much else for test equipment. Thank you ahead of time. 73 - n0yai

3358. NEW Discone Antenna at Auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: David Honeycutt <k3458@leo.infi.net>
Message-ID: <37631FB3.F916226C@leo.infi.net>
Source record: 83351
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,alt.radio.scanner,rec.radio.scanner

Hello Everyone,

Please take a quick look at the Scanner / Ham Radio Discone Antenna that
I have listed at eBay Auction. It is brand new in the box.

Follow this link to the listing

Thank you for your time,
David Honeycutt

3359. Re: Tempo - 10 meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7jvc6f$45g$1@nntp3.atl.mindspring.net>
Source record: 83352

The Tempo /Yeasu Ft-200 radios have a very temperamental neutralizations cap
that will null out all power as you start to go above 21 MHz.
Follow the alignment procedure exactly.....exactly
The Nut cap screw is live use MUST use a insulated tool
Do you have a manual ? I have the procedures and know the radio well.

Regards
Joe

DJ wrote in message ...
>Hi all,
>
>I have a Tempo One that had crystals installed for 11 meters. I took those
>out and put the 10 meter crystals in. Now the power out into a dummy load
>is less than 10 watts. (The power out was around 125 watts into the same
>load with the 11 meter crystals installed) Is there a way to peak just
this
>band without doing the whole alignment procedure and not whacking the other
>bands? I don't have a signal generator or much else for test equipment.
>Thank you ahead of time. 73 - n0yai
>
>

3360. Hammarlund SPC10 or HC10 wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7jvbh0jnj1@news.eclipse.net>
Source record: 83353

looking for a
Hammurland SPC10 or HC10 SSB adaptor
Doug

3361. Kenwood 7400A HELP!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Jon & Kim Holder <Jon.Holder@worldnet.att.net>
Message-ID: <37633586.54D4959E@worldnet.att.net>
Source record: 83354

I've got a Kenwood 7400A that's been a real workhorse on 2 for me but I'm getting PLL unlock intermittently.

Anyone know of a competent Kenwood tech who knows the older radios that won't eat me alive.

FYI Kenwood's techs won't touch it due to it's age. I imagine it's probably older than they are.

73

Jon N0OFG

Jon.Holder@worldnet.att.net

3362. Wanted: Drake TR-6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: n3jpu@erols.com
Message-ID: <3764bbb0.8905757@news.erols.com>
Source record: 83426

Wanted: Drake TR-6

Would like a complete station i.e RV-6, NB-9, ect

Gary N3JPU

3363. National NC-77X

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Bill M <grundig@att.net>
Message-ID: <3761DED8.284918F0@att.net>
Source record: 83427

Hi:

Anybody have info on this receiver, I understand it is "Very scarce",
I'm not one to use the word rare unless it fits.

3364. WTB: Drake AC-4 Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: vibroplex@my-deja.com
Message-ID: <7jsuc4$3i7$1@nnrp1.deja.com>
Source record: 83428

Dear Friends,

A friend of mine has a Drake TR-4 and the Power Supply is shot. The transformer is blown and needs to be replaced. If you have an extra AC-4 suppy that you would be willing to sell, please contact my friend Ken Pfitzer, KC0DAJ at the following e-mail address:

kjp@postnet.com

If you know of someone who would be able to rewind Ken's AC-4 Power Transformer, that would work too. Please let him know.

Thanks for everyone's help!

Derek
WB0TUA

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3365. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <3762377B.55D82829@jorsm.com>
Source record: 83429
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6LX6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6HS6 6.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

3366. sale or swap items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <e1Yy61Mt#GA.269@nih2naae.prod2.compuserve.com>
Source record: 83430

Items for sale or swap:
FT-101 hf transceiver, fully working.....
140.00 Pound
FT-101B, working, needs a tweek or for spares 80.00
Heath DX-60 with VF-1, working, nice set..... 65.00
BC-728 aerial and carry strap..... 20.00
PRC316 Adaptor Unit..... 25.00
Mk 214 hf high power 500w tx, comprises driver unit and pa.
driver has builtin psu, pa needs ht, some valves missing
but all common, has full set of pa coils, rare set, only a
few made..... 140.00
would be interested in swap any of above for either other
military gear,
or 6 Mtr transvertor.
For Swap only: military items only wanted
Mk 119 spy transmitter, Mk 123 spy station, German Torn B rx with
battery box.

Ben 106312.1035@compuserve.com

3367. Painting Aluminum

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: KC2WE@aol.COM
Message-ID: <3c2b4327.2493b2c4@aol.com>
Source record: 83431

Painting aluminum is kind of difficult these days because most states have banned the sale of spray can zinc chromate primer as it is a known carcinogen (when inhaled while applying). One of the few places to buy it is from Aircraft Spruce and Specialty (1-800-831-2949), a mail order outfit in Griffin GA. I have bought it over the counter there and also mail order. It is NOT sold in home centers, hardware stores in most places because most consumers don't know how to use this stuff. Retail sales are likely not to be found anywhere in the US.

First, never spray zinc chromate without using adequate ventilation and an MSA/NIOSH breathing mask that has carbon filter canisters. Don't screw around with your lungs on this. The masks are sold at most home centers or hardware stores. Be prepared to spend around to $25 to $30 for this item.

Aircraft Spruce & Specialty sells aviation yellow and green zinc chromate in 11 oz. spray cans (Tempo brand part A-7-6889). They also sell in plastic bottles of a product called ALUMIPREP which is great for cleaning bare aluminum BEFORE priming. Also they have another product ALODINE that gold anodizes aluminum. Like any other corrosives, wear rubber cloves when using this stuff and safety glasses.
I have used their yellow zinc chromate primer and it sticks like iron. As a finish coat I used Rustoleum spray under the "American Accent" brand name and it sticks like iron to the primer. They have a color "Soldier Gray -satin no. 7926" that is almost an exact match for a mil light gray.

Seth KC2WE

3368. WTB: HG-10 VFO Heathkit

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: ku4yp@aol.com
Message-ID: <19990612095043.07651.00001084@ng-ca1.aol.com>
Source record: 83432

hello,

does anyone have a hg-10 vfo they could live without? i have a dx60
coming without a mate! pls state price and condition.

73 de KU4YP
Mike Prevatt
Lake Hendry, Fl.

3369. re-winding power xformers??!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Nigle <evolx3@hotmail.com>
Message-ID: <7jtp80hgc1@autumn.news.rcn.net>
Source record: 83433

Ok , I have been looking, and looking, and looking for a replacement transformer for a high voltage multi tap step up transformer for a eico 751 supply.....I have been reading old handbooks, they state with some care and patience, old transformers can be rewound....Has anybody tried this?
I would imagine quite a rats nest of old wire and simply forgetting how many turns of wire are on which winding.....where to get wire for rewinding a old xformer, is it magnet wire, same stuff used for coils, or can it be improved with Beldin "Bedsol" type wire? Better yet are there any specialty shops out there that might have the stuff to rewind one of these things?

Any help appreciated, Bruce N3RIK

3370. AM BC TRANSMITTERS FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990612103425.26251.00001158@ng-fd1.aol.com>
Source record: 83434

1 ea Collins BC AM transmitter model 300-G
power output 250-300 watts, condition very good circa 1950.
size is 29 1/2 deep x 41 wide x 78 high in inches. 240 vac single phase, weighs approximatetly 1370 lbs. Thats with all the transformers in and front door on, 6 meters on front panel on this guy.
Class b modulators, feedback system using a pair of 810's in push pull to give high level audio output, high fidelity.
price $1275.00

1ea Gates BC-250-GY, same specifications as above, but about 1100 lbs, and uses the 810's in the modulator and PA system, has seven meters. on the front panel 240 vac single phase as well. Very clean unit.
Price $1275.00

lea Gates BC-1-T, this is very easy to convert because it has BIG rotary Inductors in the PA, the same size, as the above units, uses 833's in the modulator and a pair in the PA, running about 1000 watts of carrier, but with high low switch 1000 or 250 night time, or any combination of power, and high level quality audio hi-fi. Also 240 vac single phase, 60 Hz.
Price $1995.00

lea Collins 820D-2, this guy is still being used across the country, it uses 5-500a'sin the modulator, and a pair in the PA's, runs 1250 watts and can be configured for high/low power as well, daytime/night time, 1000/250 etc.
this guy I will probably keep, it is solid state except for final tubes.
this one weighs in at about 1000 lbs and is 26 deep and 36 wide and 72 inches high.
Price would be $4800

Bear in mind that I am selling these BA's for what it cost me cost plus, transportation and fuel and motel rooms along the way. Also it is best to drive up or over and look at them.

Dennis Jones K6RCL
641 Colfax Court
Goleta, California 93117
805-683-2876
Dennis
Goleta, Calif. 93117

3371. Re: re-winding power xformers??!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Bill Harris <billharx@flash.net>
Message-ID: <37626155.6209@flash.net>
Source record: 83435

Nigle wrote:
>
> Ok , I have been looking, and looking, and looking for a replacement
> transformer for a high voltage multi tap step up transformer for a eico 751
> supply.....I have been reading old handbooks, they state with some care and
> patience, old transformers can be rewound....Has anybody tried this?
> I would imagine quite a rats nest of old wire and simply forgetting how
> many turns of wire are on which winding......where to get wire for
> rewinding a old xformer, is it magnet wire, same stuff used for coils, or
> can it be improved with Beldin "Bedsol" type wire? Better yet are there any
> specialty shops out there that might have the stuff to rewind one of these
> things?
>
> Any help appreciated, Bruce N3RIK

I just finished rewinding a power transformr for a vintage TRF console
radio. It had 5 filament windings, so being that there is nothing like
that existing in new stock today, about the only recourse was to rewind.
You can tell how many turns for each winding by counting the turns of
one winding to get the turns-per-volt. A filament winding is easy as
they have few turns, just count the turns and divide by the voltage.
Example: a 5 volt winding has 20 turns so that would be (20/5) = 4 turns
per volt. The rest of the windings will have the same turns/volt ratio.
So the primary would have (120 volts X 4 turns/volt) = 480 turns. A 600
volt secondary would have 2400 turns, ect. You can get magnet wire from
Hosfelt Electronics (800-524-6464).
--
****
* Bill Harris - Bill's Antique Radio Emporium *
* http://www.flash.net/~billhar *
* to email, remove the x in the id of the address *
****

3372. FS: Original Heath manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: celliott14@aol.com
Message-ID: <19990612111906.09007.00000994@ng-fe1.aol.com>
Source record: 83436

FS Original Manuals for:

V7A VTVM- $12
SG8 Sig gen-$12
V6 VTVM- $12
IM-11 Voltmeter- $12
DX60B Tx- $15
HD19 Phone patch-$10
SB610 Monitor scope.- $15

All prices are shipped. Carter

3373. FS Manual copies- National Early HRO, HRO-5TA1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: celliott14@aol.com
Message-ID: <19990612112109.09007.00000995@ng-fe1.aol.com>
Source record: 83437

$ 9 each shipped. Carter

3374. copying BA designs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-12 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <376288A6.911C7E4A@asu.uswest.net>
Source record: 83438
Cross-posted to: rec.radio.amateur.boatanchors,Rec.radio.amateur.homebrew

To what extent have BA designs been duplicated by home constructors? I would be interested to see a commercially manufactured unit and a home built copy perform side by side. You would think they should both perform almost identically (allowing for slight variations in components) if both are in 100% shape. Which BAs have folks duplicated, and with what results?
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3375. FA: Collector's Mint Drake SPR-4 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <376468DE.895640D8@cfu.net>
Source record: 83289
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.shortwave,rec.radio.amateur.boatanchors

SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=117248816

Till Sun. 6/20. Tks es 73!

3376. FA: Rare Collins MP-1 12v Mobile Power Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3764694B.D2FE430E@cfu.net>
Source record: 83290
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=117255055

Till Sun. 6/20. Tks es 73!

3377. Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <37646D1C.96BF02DA@bellsouth.net>
Source record: 83291

I have two beautiful handguns one Taurus PT 99 9mm stainless new in box never had a round in it, second is Colt Python 357 royal blue 4 inch barrell... like new.. 100% i would like to trade either one for a Drake T4 x and R4c in great shape. call the gun stores about these then if interested call me at 561-792-9084 or e mail jhall5@bellsouth.net... W4HQ

3378. Re: Unknown mod on a KWM-2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Roger Stein <bsce74@techline.com>
Message-ID: <37649615.D75BC12F@techline.com>
Source record: 83292

Hi Roger,
What you have is a factory item for use with the 136-B2 noise blanker made by collins. I had a KWM-2 in 1982 that had that accesory which I kept all these years. I acquired the manual reprint from W7.. manuals. The noise blanker uses four 6U8A tubes which are shielded. The unit mounts under the lid. As you look down into the chassis, you will see three RCA phone sockets labeled P-23, P-26 and P-?? as well as a nine pin socket. Those are the connections for the noise blanker. The extra pot behind the rf gain is for the noise blanker level control. The last one of these that sold through the collins reflector
went for about $135. I have no tubes for this unit but do have the special black shields.
I was going to list it but have not yet as was pricing tubes and rounding up a digital camera to take a picture suitable for sending.
Well, thats the info on the unit. The item is gathering dust a my QTH! hi hi. The majority of the exposed leads are covered with a teflon(?) insulation, real classy wiring job.
The special pot is what I am missing along with the tubes.
73, Roger WA7BOC, Montesano,WA

Roger BROUSSE wrote:

> I recently got a KWM-2 that runs like a clock. But most surprisingly, at
> the RF gain location, it is equipped with a dual potentiometer, with the
> inner knob running the RF gain as expected.
> However I have no clue of what the outer knob is doing. It seems to have
> no action neither in RX nor in TX mode.
> I opened the box but I couldn't trace the connections inside the bundles
> of wires that run under the chassis.
> Was it factory built-in (doubtful) or is it an home made mod ?
> In any event, does anyone know what is going on here.
> TKS in advance and 73
> --
> F6FER
> roger.brousse@total.com

3379. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Spencer Bahner <spencer12345@email.msn.com>
Message-ID: <eZK#cgit#GA.224@cpmsnbbsa05>
Source record: 83293

While I am clearly in the liberal camp on most issues, I tend to agree with Gary. Better watch it or the wife might get worried that you could get a shock from the HV in the Drakes!

Gary - KJ6Q wrote in message ...
>ANY *WIMP* of a husband without BALLS enough to be the head of the
>family, and uneducated enough in the area of gun ownership and
>handling - as well as the basic meaning of second amendment rights as
>they apply to individual citizens - and is "whipped" enough to be
>dictated to by his liberal-loving wife, DESERVES to be forced to
>sacrifice ALL personal treasures felt by those liberals as "too
>dangerous" or "unecessary" for use by lower forms of life...
>
>Personally. I would seriously consider getting rid of the WIFE!
>
>What personal tresure will she demand you get rid of NEXT?
>
>Gary - KJ6Q
>--
>"Blaming guns for Columbine is like blaming
>spoons for Rosie O'Donnell being fat."
>
>
>
><jhall5@bellsouth.net> wrote in message
>news:37646D1C.96BF02DA@bellsouth.net...
>> I have two beautiful handguns one Taurus PT 99 9mm stainless new
>in
>> box never had a round in it, second is Colt Python 357 royal blue 4
>> inch barrell... like new.. 100% i would like to trade either one
>for a
>> Drake T4 x and R4c in great shape. call the gun stores about these
>then
>> if interested call me at 561-792-9084 or e mail
>> jhall5@bellsouth.net... W4HQ
>>
>

3380. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37649746.E58C3BE0@asu.uswest.net>
Source record: 83294

(I am gonna get reamed for taking the off-topic bait, but I must, sometimes)

Gary - KJ6Q wrote:
>
> ANY *WIMP* of a husband without BALLS enough to be the head of the
> family, and uneducated enough in the area of gun ownership and
> handling - as well as the basic meaning of second amendment rights as
> they apply to individual citizens - and is "whipped" enough to be
> dictated to by his liberal-loving wife, DESERVES to be forced to
> sacrifice ALL personal treasures felt by those liberals as "too
> dangerous" or "unecessary" for use by lower forms of life..

I see. Compromise in marriage is a plot of the left. What the heck did the original poster say about the guv'mint coming to grab his guns? No, he didn't elaborate on the circumstances. Some people have guns and "big government" on the brain.

>
> Personally. I would seriously consider getting rid of the WIFE!

Hmmmm, the pistol has more value than one of the most important human relationships in a person's life?!
>
> What personal tresure will she demand you get rid of NEXT?

He isn't getting rid of an antique Webley, it's a Taurus, hardly a "treasure." The 4-line will be more of a treasure, I would think.
>
> Gary - KJ6Q
> --
> "Blaming guns for Columbine is like blaming
> spoons for Rosie O'Donnell being fat."
>
> <jhall5@bellsouth.net> wrote in message
> news:37646D1C.96BF02DA@bellsouth.net...
> > I have two beautiful handguns one Taurus PT 99 9mm stainless new
> in
> > box never had a round in it, second is Colt Python 357 royal blue 4
> > inch barrell... like new.. 100% i would like to trade either one
> for a
> > Drake T4 x and R4c in great shape. call the gun stores about these
> then
> > if interested call me at 561-792-9084 or e mail
> > jhall5@bellsouth.net... W4HQ
> >

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3381. Hamfest NJ June 19th

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: mirage <mirage@eclipse.net>
Message-ID: <7k2hbrphp1@news.eclipse.net>
Source record: 83295
Cross-posted to: rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

Hammmfest
Saturday June 19th
Dunellen NJ
Columbia Park
Off Washington Ave
5 minute walk from NJ Transit
Train Station
The best in CNJ
see
www.w2qw.org
Doug

3382. Re: Realistic DX-160

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7k17vn$hkl2@eccws1.dearborn.ford.com>
Source record: 83296

In article <375EC5A7.528000CE@jntf.osd.mil>, donaldsr@jntf.osd.mil says...

>I am looking for a working, good-condition Realistic DX-160 with a
>speaker. If anyone has one, wishes to sell it or trade, please contact
>me at my email address.

There have been an unusually high number of them going on eBay over
the past few weeks or so, and seemingly none for what I would consider
to be an outrageously high price. Might want to check there.

C.K.

3383. FS: Stromberg-Carlson head phone set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: kb9olm@hotmail.com
Message-ID: <7jutuqkjf1@nnrp1.deja.com>
Source record: 83355

For sale:
High quality head phone set with microphone, -
so called ⊠sound powered head set⊠chest set⊠ type H200/U.
Made for Navy by Stromberg-Carlson in 60s.
New Old Stock. $30 plus shipping from SF Bay Area.
Please reply to Vlad at: kb9olm@hotmail.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3384. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: wetartie@ix.netcom.com
Message-ID: <N.061299.204013.00@ix.netcom.com>
Source record: 83356
Cross-posted to: rec.antiques,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

On 6/11/99 7:25PM, in message <7js5s6snu1@nnrp1.deja.com>, Streetough@aol.com wrote:

> In article <7js0ab$r2j$1@nnrp1.deja.com>,
> hyak@bigfoot.com wrote:
>
> > I think they need to spend more time keeping the system reliable instead
> > of the fancy 'glitz' and 'glam' they waste time on. Who needs ebay chat,
> > and the cafe, and 'my-ebay', a paging system, and on and on.....
> >
> Actually, "my ebay" is very helpful if you're bidding on or selling
> multiple items.
>
> I wish they'd get rid of all those damned graphics to make the thing run
> faster. They should also stop letting people put animation and sound
> into their image postings.

I also find "My eBay" quite well-designed and useful. The graphics do tend to slow things down some, with the "cutesy" animated graphics some sellers insist upon using...and the "third party graphics hosting" (often unreliable) other sellers use...being "time and resource wasters".

eBay's recent troubles may indeed be a "blessing in disguise" for them. It's made them realize the necessity of a redundant system to minimize system down-time (translating into lost revenues). With their database operating on Sun Sparcs running "customized" Paradox software, they do a remarkable job when considering the "hits" received. Recently eBay's provider (Exodus.net) suffered outages of unknown origin here on the East Coast...the problems are not always at eBay itself (tho the most recent extended outage was). This outage may have been a "blessing in disguise", however; it has made eBay realize and seriously consider the value of a redundant system to minimize down-time (i.e., lost profits). Time will tell...but I'm willing to bet that eBay will implement changes in both equipment and operating procedures which will insure more customer confidence, system reliability, and ultimately profitability. Afterall, that is the name of the game, is it not?

-bill
KB3PT

3385. Ebay-JOHNSON VARIABLE CAP, BIG, 150uuf@3500V

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990612210221.25796.00000620@ng-cf1.aol.com>
Source record: 83357

Hi Guys;
Heres a nice big Variable for all you builders out there!
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116360006

3386. Ebay- Heath HS-24 mobile Spkr, Excellent!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990612210518.25796.00000623@ng-cf1.aol.com>
Source record: 83358

Hi Guys;
I just thought some of you fellas might be interested in an Excellent condx
Heath HS-24 mobile spkr.
Heres the URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116343323
Ciao for now!
Regards......Rich WA2RQY
Web-Page URL:
http://members.aol.com/rlucch2098/index.html

3387. FS: T - 368 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990612222537.00805.00001122@ng-xa1.aol.com>
Source record: 83359

For Sale : T - 368 Transmitter

Located in Southern Calif. This one is a PICK - UP ONLY .

Capable of 2000 PEP . Good Condition . Sounds Great on the air .

Can Demo in Person or on the air .

Picture available for serious inquiry .

Contact: AL (310) 532 - 1814 or , wb6eys@aol.com
rec.radio.swap

3388. WTB: 6CA7 TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990612223038.00805.00001128@ng-xa1.aol.com>
Source record: 83360

Want To Buy : 6CA7 TUBES

Prefer US Made . Need at least two prefer to replace all four of them . Can you help ?

Contact : Stew wb6eys@aol.com
rec.radio.swap

3389. FS: Jan 6163 Varian Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990612223739.00805.00001132@ng-xa1.aol.com>
Source record: 83361

For Sale or Trade : 6163 Varian Tubes

Brand new in Sealed Containers . Six available .
Willing to trade or sell . Any Amateur equip. will be considered.

Contact : Stew wb6eys@aol.com
rec.radio.swap

3390. For sale : Transmitting tubes/roller inductors

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <37634d65.6625797@news.pipeline.com>
Source record: 83362

Following is available:

RCA roller inductors, approx 9" x 5" x 4", value of approx 35 uh.,
Silver plated wire with double rollers. 3 available @ $35/ea

Tubes :

Amperex 4-250A, European equivalent (baseless - pins directly thru
glass base) - 1 avail - used - $20

Penta Labs 5D22/4-250A - 1 avail - used - $30
RCA 4-250A - 1 avail - used - $30

Eimac 304TL - 1 avail - used - $30

Western Electric CW705A/VT255 - 1 avail - used - $10

United 813 - 2 avail - new except for test scratches - $30/ea
National 813 - 3 avail - new - $35/ea
RCA 813 - 4 avail - used - $20/ea

RCA 814 - 1 avail - new - $25

RCA 828 - 4 avail - used - $15/ea

RCA 833A - 1 avail - used - $30

RCA 8008 (mercury vapor rectifier with same ratings as 872A but
different base) - 5 avail - used - $10/ea

Philips 5894 - 1 avail - new - $25

Shipping is extra - probably about $5 per tube. Most of the used
tubes are used only in that they were kept in a test jig.

Doug/WA1TUT

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

3391. Use of Edison Electronics Deviation Meter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: hudson@hybrid.ualr.EDU
Message-ID: <Pine.SGI.4.10.9906122107290.16961-100000@hybrid.ualr.edu>
Source record: 83363

I recently picked up an Edison Electronics Model 920 Deviation Meter. It has a chart to show how to use harmonics to cover the freq range 50 to 1000 MHz, but I received no manual. The meter appears to work, but I am not sure how to set it (ie, zero it, "calibrate" for full meter reading, whatever...). Does anyone have any info on this meter? I would appreciate any info you might have, even general info for similar meters.

Keith

Keith Hudson hudson@hybrid.ualr.edu
Director hudson@ualr.edu
N5EEZ mkhudson@ualr.edu

University of Arkansas at Little Rock
Graduate Institute of Technology

3392. WTD KWM-2 bezel

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: "D. Nicolson" <nicolson@erols.com>
Message-ID: <3763A8CB.F0F5C85B@erols.com>
Source record: 83364

Looking for the tuning bezel for a KWM-2 front panel. Also the dial behind the bezel. Bought this KWM as a parts radio, now I don't have the heart to break it up.

Remember boatanchors are only a sickness.

Don
KC1AT

3393. FS: Zenith Transoceanic D7000Y

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <glO83.180$tm.12929@news.erinet.com>
Source record: 83365

For Sale: Super nice condition Zenith Transoceanic Receiver. Model number is D7000Y, (one of the last made in Chicago I'm told). It is in excellent condition electrically and physically. All functions work as described. It comes with the power cord, original Log charts, Owners Manual and Zenith Factory Service Manual. Asking $250 plus shipping (it is heavy)
Please email direct with any questions.
thanks
Tim

3394. FS Swan Twins

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: david hutchison <rollnroll@worldnet.att.net>
Message-ID: <7k0chs$s28$2@bgtnsc01.worldnet.att.net>
Source record: 83366

I have Swan 600R custom receiver, 600T transmitter and matching speaker patch for sale. Al gear is in excellent condition and presumed to be fully operational. Cosmetic condition is excellent. Price is $375 plus shipping charges.

Send message if interested.

3395. FS: Astatic D-104 Silver Eagle Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <n8P83.189$tm.12851@news.erinet.com>
Source record: 83367

Silver Eagle for sale (it is amplified, I don't know if they all were or not) . it has the grip stand also with the push bar on the base. The head is in excellent condition, the base and stem have some plating coming off, and the base also has some pitting. It's not ugly by any means, but just describing it as it is. I have never used it, it has the small coiled cord, with a 5 conductor cable (no connector)
Asking $75 shipped in conus

please email direct if interested.
thanks
Tim

3396. WTB -Drake AC3/4 +MS3/4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: douglas931@aol.comnospam
Message-ID: <19990613102718.12425.00001189@ng-bd1.aol.com>
Source record: 83368

Looking for a power supply/speaker for a TR3.

3397. Re: Tempo - 10 meters

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Rick Lutzinger <rjlutz@home.com>
Message-ID: <3763C366.7ACBB31E@home.com>
Source record: 83369

DJ wrote:
>
> Hi all,
>
> I have a Tempo One that had crystals installed for 11 meters. I took those
> out and put the 10 meter crystals in. Now the power out into a dummy load
> is less than 10 watts. (The power out was around 125 watts into the same
> load with the 11 meter crystals installed) Is there a way to peak just this
> band without doing the whole alignment procedure and not whacking the other
> bands? I don't have a signal generator or much else for test equipment.
> Thank you ahead of time. 73 - n0yai

DJ,

Just do the ten meter portion of the alignment and you will be there.
Don't adjust anything involving other frequencies such as I.F. etc.
Probably only two or three slugs, maybe less. Study the owners manual.

Rick

WORK EMAIL: rickl@lathropeng.com
Rick Lutzinger, KD6ZR HOME EMAIL: rjlutz@home.com
Cheryl Lutzinger : cherylutz@home.com

WEB PAGE: http://members.home.net/rjlutz

3398. HEATHKIT MIKE FOR SALE OR TRADE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Bluebeard <geoff444@aol.com>
Message-ID: <929286031.915681@newdm.deskmedia.com>
Source record: 83370

For sale or swap for a Kenwood Mike to work on a TR-7400A:

Heathkit amplified DTMF hand mike. Already built, no schematic or instructions.

Excellent condition and seems to work although I don't have the equipment to fully test it.

Reply to clarine@UNSPAMdeskmedia.com (remove the "unspam" before replying).

3399. Re: Zenith Transoceanic D7000Y ****SOLD****

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Tim Cook <timcook@erinet.com>
Message-ID: <KkQ83.197$tm.12942@news.erinet.com>
Source record: 83371

Thanks to all who responded, but the radio is spoken for
Thanks
Tim
Tim Cook wrote in message ...
>For Sale: Super nice condition Zenith Transoceanic Receiver. Model number
is
>D7000Y, (one of the last made in Chicago I'm told). It is in excellent
>condition electrically and physically. All functions work as described. It
>comes with the power cord, original Log charts, Owners Manual and Zenith
>Factory Service Manual. Asking $250 plus shipping (it is heavy)
>Please email direct with any questions.
>thanks
>Tim
>
>
>

3400. FS: Kantronics KAMPlus packet modem $275

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: "Jeffery A. Purtle" <jpurtle@home.com>
Message-ID: <3763D2F3.62ED96E5@home.com>
Source record: 83372
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.amateur.packet

For sale:
Kantronics KAMPlus packet modem
Dual port, so that it can do HF and VHF packet simultaneously
Built-in personal BBS and many automated functions
Built-in help system
Also, receives WEFAX and all the other digital protocols

In perfect condition.
Original box, manuals, cables, etc..
$275

Call (864) 292-3532 in Greenville, South Carolina
Or email: jpurtle@home.com

73,
Jeff Purtle, AC6IW

3401. FS: Yeasu FT-51R + extras for $300

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: "Jeffery A. Purtle" <jpurtle@home.com>
Message-ID: <3763DCAC.29A42E88@home.com>
Source record: 83373
Cross-posted to: rec.radio.amateur.antenna,rec.radio.amateur.boatanchors,rec.radio.amateur.digital,rec.radio.amateur.digital.misc,rec.radio.amateur.dx,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

For Sale:
Yeasu FT-51R
5 watt dual band handheld transceiver
receives 110-180 Mhz and 420-470 Mhz
transmits 140-174 Mhz and 420-470 Mhz
alpha numeric labels for each memory channel
sub audible tone encode and decode stored in each memory
can be set-up to act as a mini repeater
computer programmable

original box, manual, antenna, adapter, etc.
works fine, in good condition

additional items include: a MFJ 2m/440 quarter wave telescoping antenna,

an MFJ 2m/440 magmount, and a Yeasu mobile drop charger/power supply.

Asking $300

Call or email Jeff Purtle, AC6IW:
jpurtle@home.com
(864) 292-3532 in Greenville, South Carolina USA

3402. WTB: "CQ Ghost Ship" ham fiction book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7k0uto$la0$1@autumn.news.rcn.net>
Source record: 83374
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I'm looking for a vintage copy of "CQ Ghost Ship" by Tompkins from the 1960s. Also interested in "DX Brings Danger", same author. Needs to be in decent condition. Email if you have one to sell. Thanks.

Mike, N4PDY

3403. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990613153517.14388.00001138@ng-ck1.aol.com>
Source record: 83375

Model HE-45B with manual and power cord. Good cosmetics. $55 plus shipping.

3404. For sale: Swan 100MX transceiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <37641b3b.2184743@news.pipeline.com>
Source record: 83376

I recently picked up this xcvr as part of a package deal - don't really need it. Since buying it a few weeks ago, I've made quite a few QSO's with it with excellent reports. All it needed was a frequency alignment

The SWAN 100MX is an ALL solid sate xcvr with an analog dial readout. It was probably the last product marketed under the Swan name before they changed to Cubic.

The rig looks like a 1/2 scale Collins KWM-2 - it's a fairly rare unit. It comes with the original mike and manual. Cosmetically it's about an 8 out of 10. The matte black front panel and knobs are almost perfect with only small scuff marks on the black wrinkle case.

Would like $225 plus shipping.

73,
Doug/WA1TUT

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

3405. W T B KENWOOD TL922 AMP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990613175238.01255.00001486@ng-fb1.aol.com>
Source record: 83377

I AM INTERESTED IN A CLEAN TL922 PLEASE QUOTE CONDITIONS AND
PRICE ALSO YOUR LOCATION JOHNYK78@AOL.COM

3406. FS HW-101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7k18v5$5et$1@nntp5.atl.mindspring.net>
Source record: 83378

Have a HW-101, HW-1664 matching speaker,HP-23a, HM-15 swr meter,
old radio shack metal Bullet desk mic that drives the 101 great.
The 101 has a factory built LMO and comes with the old one for parts.
it also has nicely done reversible WWV 15.0-15.5 XTAL switching relay and
fan,
NOS dial with green lamp's

Top case has 4 small holes were some ass mounted a HM-22 meter,
.....like in a old QST book.
Not collector stuff but an 8 that perform's flawlessly.
$275
Local pickup only in western Long Island.....

3407. NEED HEXACON INFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990613180111.01255.00001487@ng-fb1.aol.com>
Source record: 83379

I AM IN NEED OF INFO OR SCHEMATIC OR? FOR HEXACON SOLDERING
STATION i BOUGHT ONE AT FLEA MARKET AND IT IS DEAD A SCHEMNATIC
WOULD BE OF GREAT HELP THANK YOU JOHN KAKSTYS W2FNT
LINDEN NJ JOHNYK78

3408. Ebay-Hal ST-5000 Rtty Demodulator, Cheep-o!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990613180717.22854.00001206@ng-fu1.aol.com>
Source record: 83380

Hi Guys;
Check this out, it cost about $300 once, now at a big $15.00 with only two(2) days left. If you need one, heres your chance.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115562810
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3409. Ebay- Need a Few(2)Antenna Relays?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990613180957.22854.00001207@ng-fu1.aol.com>
Source record: 83381

Hi Guys;
Check this out, 2 Advance Relay Corp. Antenna Changeover relays now at a big
$10.00 with only two(2) days left. If you need one, heres your chance.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=115574375
Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3410. F S HEATH HW16

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990613181728.01253.00001661@ng-fb1.aol.com>
Source record: 83382

I HAVE A HW16 AIR CHECKED OTHER DAY WORKS AND LOOKS GOOD

$75 SHIPPED PLREPAID I AM IN LINDEN NJ 07036 CALL IS W2FNT (1933)

UNIT COMES WITH ONE 40M XTAL AND MANUAL 73 JOHNYK78

3411. FA: Swan 500 CX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Ron Manfredi <wa2eio@ibm.net>
Message-ID: <37642F6C.386B3FF7@ibm.net>
Source record: 83383

Nice Swan 500CX with power supply. Gone over by former Swan tech
recently. A nice rig for using or for the collector. This one is in
very nice conditon physically and electrically.
On ebay:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116725896

3412. FS: Large power (plate) transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Bobby <someone@somedomain.com>
Message-ID: <01beb5ef$18f875a0$6c0ad7d8@p15218>
Source record: 83384
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.swap

Super duty transformer mfg by Osborne transformer in Detroit. 4000 or 5650
Volts center tapped output at 500 mA continuous duty. Rated at 1.98 kVA
with 220 or 110 Volt input. Size is approx 9" deep by 7.5 " wide and 10" to
insulator tips. I would guess weight at about 50 pounds. It has never been
used (to my knowledge) and does not flash over with 160 Volts applied to
the 110 Volt inputs in very humid conditions. I was going to build an
amplifier with it a few years back but lost interest. Forget about me
shipping this behemoth.... pick it up in southeastern Michigan (Detroit)
area for $75 or might trade for 300 watt roller inductor antenna tuner.
Bob
KB8TL

e-mail if interested to XYZ_P15218@FLASH.NET but remove the XYZ_

root@localhost
postmaster@localhost
admin@localhost
abuse@localhost
postmaster@127.0.0.1

3413. WTB- Compressors and Pro-Audio gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: yrplace@earthlink.net
Message-ID: <yrplace-1306991600080001@news.earthlink.net>
Source record: 83385

Interested in buying all kinds of professional audio gear especially compressors.

Brands such as Langevin, Fairchild, Universal Audio, RCA etc

Tube and solidstate. Mics, preamps, consoles etc.

Thanks for looking.

Mark Linett

3414. Drake, Browning, Halli...More FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: n3xbu@aol.com
Message-ID: <19990613190359.08998.00001821@ng-fe1.aol.com>
Source record: 83386

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=brian1000d

Check out the Browning Golden Eagle MK3, Drake TR-7 with accessories,
Hallicrafters S-40B, Hallicrafters S-108...all in very good or better condx.

Thanks

3415. Looking for info on Triad TY-84 transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Mike Silva <mjsilva@jps.net>
Message-ID: <3764bb78@news1.jps.net>
Source record: 83387
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Hi all,

I've got a Triad TY-84 inverter transformer and now that I'm ready to build it into a power supply naturally I can't find the data sheet (I knew where it was for years, but then I moved and...). If anybody can supply me with this data I'd be very grateful (as well as paying for your postage, time, etc). Thanks.

73,
Mike, KK6GM

3416. Re: TEN TEC Corsair with Speaker/PS For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-13 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37647D1D.1F7D@ix.netcom.com>
Source record: 83388
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

System Administrator wrote:
>
> Chance-Vought made an F4U Corsair during WW2. Used mainly in south pacific.
> :-)
> What's Ten-Tec Corsair?
> Dick K9FFK
Hi Dick
A Ten Tec Corsair is a very nice reproduction of the F4U by a small
company in Sevierville TN. For more info call them at 1800 833 7373
73 Chris

3417. FS: Drake C Line, 2NT, 2B/2BQ, 2AQ

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: N3BJ <N3BJ@hotmail.com>
Message-ID: <7k1jhvbmg1@nnrp1.deja.com>
Source record: 83297
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

For Sale:

Drake C Line, both T4X and R4C are late SNs from estate. In really nice shape, work fine, both 9 out of 10. AC-4, original interconnect cables, original manuals included. For 500 Hz CW filter, add $50.

$465 shipped, US/VE only.

Drake 2NT, nice shape, works fine, original manual, two small, neatly plugged holes in front panel, very clean.

$90 shipped, US/VE only

Drake 2B and 2BQ, both 9 out of 10, with copy of manual. From estate, these are in REAL nice shape, and work well, in use here.

$200 shipped, US/VE only

Drake 2AQ, about a 7 out of 10, works fine.

$60 shipped, US/VE only

Alan, N3BJ
Bent Mountain, VA

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3418. Looking for a Panasonic RF4900

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: "G.W. Field" <angelgrove@nf.sympatico.ca>
Message-ID: <37646376.C09E99A4@nf.sympatico.ca>
Source record: 83298

Must be in excellent condition tnx Gary angelgrove@nf.sympatico.ca

3419. Wanted to buy...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: hlritter@aol.com
Message-ID: <19990613230532.23493.00000595@ng-ch1.aol.com>
Source record: 83299

Hello All--

I'm a newbie both to this group and to boatanchor fever. Acquiring an R-390A and an R-392 didn't help. Now I'm looking for things like the following. Any tips re links or sellers/collectors would be appreciated.

--Amalgamated Wireless C52820, CR-6B
--Collins 51J-4
--Eddystone 830, 880, 910, 940
--Hagenuk UE12
--Hallicrafters SX-28A, SX-73[R-274/FRR]
--Hammarlund SP-600-J[X]
--Harris RF-550, RF-590
--JRC NRD-515 [OK, OK, not a BA]
--ITT Mackay Marine 3010
--Marconi Marine Monitor
--McKay Dymek DR44
--Murphy B40D
--Racal RA329B, RA12**, RA67**
--RCA SRR-13
--Siemens 745 E 310, E 566
--Technical Materiel Corp GPR-90RX[D], -91RXD, -92
--Telefunken E127KW

If you can help, please reply to my email address as I'm not sure how often I'll get to read the group postings.

Many thanks,

Howard Ritter

3420. Gonset G-76 Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Bill Evans <bevans@ebsys.mb.ca>
Message-ID: <nz_83.1081$26.76441@typhoon.mbnet.mb.ca>
Source record: 83300

Trying to find the following accessories for a Gonset G-76
Transceiver. Can anyone help with a source of supply?

G-76 AC Power Supply - Model 3349

G-76 Six metre crystal - 8.334 to 9 MHz range

G-76 100 KHz Calibrator, Model 3269

G-76 Microphone, Model 3240 - high impedance, ceramic type.

Bill Evans, VE4UD
313 Carpathia Road
WINNIPEG, Manitoba, Canada
R3N 1T2
PH: (204) 489-7434
FAX: (204) 487-7199
E-MAIL: bevans@ebsys.mb.ca

3421. FS: Heathkit SB201 Linear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990613234748.23448.00001598@ng-cq1.aol.com>
Source record: 83301

Heathkit SB201 Linear in Excellent condition both cosmetically and electrically, fresh pair of 572B Tubes and manual. Wired for 120 VAC $300 plus shipping.
Mike N6KYD

(805) 526-5487

3422. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <fn%83.2635$FL6.96840@dfiatx1-snr1.gtei.net>
Source record: 83302

ANY *WIMP* of a husband without BALLS enough to be the head of the family, and uneducated enough in the area of gun ownership and handling - as well as the basic meaning of second amendment rights as they apply to individual citizens - and is "whipped" enough to be dictated to by his liberal-loving wife, DESERVES to be forced to sacrifice ALL personal treasures felt by those liberals as "too dangerous" or "unecessary" for use by lower forms of life...

Personally. I would seriously consider getting rid of the WIFE!

What personal tresure will she demand you get rid of NEXT?

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

<jhall5@bellsouth.net> wrote in message
news:37646D1C.96BF02DA@bellsouth.net...
> I have two beautiful handguns one Taurus PT 99 9mm stainless new
in
> box never had a round in it, second is Colt Python 357 royal blue 4
> inch barrell... like new.. 100% i would like to trade either one
for a
> Drake T4 x and R4c in great shape. call the gun stores about these
then
> if interested call me at 561-792-9084 or e mail
> jhall5@bellsouth.net... W4HQ
>

3423. replacing SX-28's output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: emanuele_girlando@yahoo.com
Message-ID: <7k2jf4$l6l$1@nnrp1.deja.com>
Source record: 83303
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Dear list,
I am restoring an SX-28 (no 'A', no 'MIL').
The rig as been heavily tampered with by previous owners and I am
trying to get it back to original HCA specs.
The output transformer I've found inside is not original and completely
out of HCA specs (the amplifier was orribly modifyed to cope with it..).
Questions:
- it it still possible to find the ORIGINAL HCA spare part?
- Can you give your opinion on using Antique Electronic Supply P/n: P-
T24S56 or P-T125H or P-T125E?
You can find them at:
http://www.tubesandmore.com/12250.html
- what other alternatives are available?

Thank you very much
ciao
Emanuele.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3424. Re: Looking for info on Triad TY-84 transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: "Thomas C. Sefranek" <tcs@cmcorp.com>
Message-ID: <3764CB73.21761365@cmcorp.com>
Source record: 83304
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Mike Silva wrote:

> Hi all,
>
> I've got a Triad TY-84 inverter transformer and now that I'm ready to build
> it into a power supply naturally I can't find the data sheet (I knew where
> it was for years, but then I moved and...). If anybody can supply me with
> this data I'd be very grateful (as well as paying for your postage, time,
> etc). Thanks.
>

Can you accept a .jpg attachment?

>
> 73,
> Mike, KK6GM

--
Thomas C. Sefranek WA1RHP
ARRL Instructor, Technical Specialist, VE Contact.
http://hamradio.cmcorp.com/41_Repeater/repeater.html
http://hamradio.cmcorp.com/inventory/Inventory.html

3425. Re: Hamfest NJ June 19th

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990614085310.27658.00001632@ng-fs1.aol.com>
Source record: 83305

>mfest
>Saturday June 19th
>Dunellen NJ
>Columbia Park
>Off Washington Ave
>5 minute walk from NJ Transit
>Train Station

Yes, it is quite a fester!
I will be there....
Thank you,
Joe Pratt, Tubecntral@aol.com

3426. Re: Ebay broken!!!! Can't get at pages with "dll" in their URLs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: hyak@bigfoot.com
Message-ID: <7k338jpsj1@nnrp1.deja.com>
Source record: 83306
Cross-posted to: rec.antiques,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

This outage a "blessing in disguise"? How about the numerous other outages they have had, they didn't seem to take that as any message to get their hardware (hot back-up) upgraded to prevent this sort of problem. They made 34 million last year, I don't think resources are the problem. eBay had it made, they had the internet auction market to themselves pretty much and now they are screwing up and letting the other guys (Amazon/Yahoo) in. Check out this article...

http://www.news.com/News/Item/0,4,84-37692,00.html?tt.yfin..txt.ni

---

In article <N.061299.204013.00@ix.netcom.com>,

>
> I also find "My eBay" quite well-designed and useful. The graphics
> do tend to slow things down some, with the "cutesy" animated graphics
> some sellers insist upon using...and the "third party graphics
hosting"
> (often unreliable) other sellers use...being "time and resource
wasters".
>
> eBay's recent troubles may indeed be a "blessing in disguise" for
them.
> It's made them realize the necessity of a redundant system to minimize
> system down-time (translating into lost revenues). With their
database
> operating on Sun Sparcs running "customized" Paradox software, they do
> a remarkable job when considering the "hits" received. Recently
eBay's
> provider (Exodus.net) suffered outages of unknown origin here on the
> East Coast...the problems are not always at eBay itself (tho the
> most recent extended outage was). This outage may have been a
"blessing
> in disguise", however; it has made eBay realize and seriously consider
> the value of a redundant system to minimize down-time (i.e., lost
profits).
> Time will tell...but I'm willing to bet that eBay will implement
changes
> in both equipment and operating procedures which will insure more
customer
> confidence, system reliability, and ultimately profitability.
Afterall,
> that is the name of the game, is it not?

>
> -bill
> KB3PT
>
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3427. Larkspur era B43/R220 information wanted.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Nico van Dongen <nico.vandongen@compaq.com>
Message-ID: <7k2rs7$9qi@usenet.pa.dec.com>
Source record: 83307

This weekend I found a Station Radio B43/R220 MK4 (mobile) and I�m looking for information regarding this set. It look as if it is a civilian set in a military housing. A separate TX and RX chassis, all valves except for the powersupply that hold 2 transistors. Single channel in the 70 to 87 MHz band. It has a control box with build-in speaker and 3 Switches marked TX, RX and PA. The handset is of the type found on British military D, F and L type field telephones. I think it dates back to the late 1950�s early 1960�s. Any information regarding this set is welcome.

73�s

Nico PA3ESA

Email: nico.vandongen@compaq.com

3428. Carbon Track on ceramic SW.?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: dan harlan <dharlan@ameritech.net>
Message-ID: <37651D36.7FF3@ameritech.net>
Source record: 83308

Hello All,

I was wondering if anyone has had any luck cleaning
this stuff off Ceramic. I have a DX-100B that has a nasty
arc on the rear side of the front wafer of the band sw. Thats
the side that feeds LV (370vdc) and the front 1/2 routes
bias (-20 or so) to the 5763. I was able to scratch out alot
of it but as I bring it up on a Variac the thing still starts
sparking at about 90% of line voltage. Its arcing from the
wiper on the rear side to the rivet that holds the wiper on
the front side of the rotor.

The rig is otherwise pretty mint, and I would like
to keep it running. Any suggestions?

TIA Dan N8ETQ Cleveland,Oh. dharlan@ameritech.net

3429. Re: WTB: "CQ Ghost Ship" ham fiction book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Rick Haub <rhaub@midwestmicro-tek.com>
Message-ID: <37651F3D.5CEF4C58@midwestmicro-tek.com>
Source record: 83309
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Check www.bookfinder.com. I know they have CQ Ghost ship.

Michael J. White wrote:

> I'm looking for a vintage copy of "CQ Ghost Ship" by Tompkins from the
> 1960s. Also interested in "DX Brings Danger", same author. Needs to be in
> decent condition. Email if you have one to sell. Thanks.
>
> Mike, N4PDY

3430. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: "Gary J. Reichow" <garyjreichow@unn.unisys.com>
Message-ID: <376524B8.7459@unn.unisys.com>
Source record: 83310

jhall5@bellsouth.net wrote:
>
> I have two beautiful handguns one Taurus PT 99 9mm stainless new in
> box never had a round in it, second is Colt Python 357 royal blue 4
> inch barrell... like new.. 100% i would like to trade either one for a
> Drake T4 x and R4c in great shape. call the gun stores about these then
> if interested call me at 561-792-9084 or e mail
> jhall5@bellsouth.net... W4HQ

Maybe you should dump the wife.
Gary - KN0V

3431. Gonset VFO identity?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <376533D4.4FE15BC@saber.net>
Source record: 83311

Can anyone help with the identity of a Gonset VFO? This unit is about 10" high, 6" wide, and 8" deep. It has a half moon dial, purple in color. There are two toggle switches with a pot in between above the VFO

dial.. One is marked "OPERATE" and the other is marked "OFF". The only labels I can find, are on the front panel. There is the Gonset logo and the words "2 METER VFO" followed by "Audio Pre-Amplifier". What rig used this VFO, and what was the audio pre amp used for? I have to guess it is from the Communicator era! There are no other markings or labels anywhere else on the chassis.
Any help out here?
Thanks
Mike/WB6VSE

3432. Homepage updated with new pictures Collins, Drake, QSL's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: kurt.brandstetter@teleweb.at
Message-ID: <MPG.11cf6210883df834989689@news.teleweb.at>
Source record: 83312

Hello to all of you!

Just want to inform, that I have updated my homepage with new pictures of
my shortwave receivers Collins, Plessey, Drake and Hallicrafters.

I have also included pictures of some QSL cards from broadcast stations
from the years 1963/64.

After I have found a new "home" for my page at swl-net I plan to put 1
QSL picture of each of my 335 DXCC countries on the page; seems to be a 6

month game, hi.

BTW, the address is: http://members.teleweb.at/kurt.brandstetter
Greetings from Vienna!
Kurt. OE1002419

--
end

73's de OE 1002419
Kurt from Vienna Austria
HomePage updated with new pics of old
Broadcast QSL's
****
Bye for now.
****
Email to kurt.brandstetter@teleweb.at
If this address is blocked use: oe1002419@swl.net
HomePage: http://members.teleweb.at/kurt.brandstetter/
Please visit my page!

3433. Re: WTB: "CQ Ghost Ship" ham fiction book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mark Sailer <msailer@msailer.rhic.bnl.gov>
Message-ID: <3765497D.40CB315A@msailer>
Source record: 83313
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Rick Haub wrote:

> Check www.bookfinder.com. I know they have CQ Ghost ship.
>
> Michael J. White wrote:
>
> > I'm looking for a vintage copy of "CQ Ghost Ship" by Tompkins from the
> > 1960s. Also interested in "DX Brings Danger", same author. Needs to be in
> > decent condition. Email if you have one to sell. Thanks.
> >
> > Mike, N4PDY

Go to the ARRL site. www.arrl.org
You can get the whole 6 book series there for $25 or buy them individually.

Mark N2JTW

3434. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <hdc93.406$Z74.19195@dfiatx1-snr1.gtei.net>
Source record: 83314

Will White <wcw@asu.uswest.net> wrote in message
news:37649746.E58C3BE0@asu.uswest.net...
> (I am gonna get reamed for taking the off-topic bait, but I must,
sometimes)
>
>
>
> Gary - KJ6Q wrote:
> >
> > ANY *WIMP* of a husband without BALLS enough to be the head of the
> > family, and uneducated enough in the area of gun ownership and
> > handling - as well as the basic meaning of second amendment rights
as
> > they apply to individual citizens - and is "whipped" enough to be
> > dictated to by his liberal-loving wife, DESERVES to be forced to
> > sacrifice ALL personal treasures felt by those liberals as "too
> > dangerous" or "unecessary" for use by lower forms of life..
>
> I see. Compromise in marriage is a plot of the left. What the heck
did the
> original poster say about the guv'mint coming to grab his guns? No,
he didn't
> elaborate on the circumstances. Some people have guns and "big
government" on
> the brain.

NO, "conspiracy etc.," ISN'T what this is about!

It *IS* about marriage partners RETAINING enough INDIVIDUAL
personalities and choices to make their OWN choices, rather than have
them DICTATED to by their partners - when that scenario surfaces, the
"marriage" is ALREADY in deep trouble!

I don't attempt to control my wife's love of gardening, sewing and
similar activities, or her decision to buy a piano and take lessons on
it - I ACCEPT those choices as part of her personality that influenced
our marriage to BEGIN with! What sort of a marriage partner makes
dictatorial demands regarding the reasonable interests of their
partners?

>
> >
> > Personally. I would seriously consider getting rid of the WIFE!
>
> Hmmmm, the pistol has more value than one of the most important

human
> relationships in a person's life?!

Covered above.... This ISN'T about guns, it IS about respecting the
freedom and interests of your partner!
> >
> > What personal tresure will she demand you get rid of NEXT?
>
> He isn't getting rid of an antique Webley, it's a Taurus, hardly a
"treasure."
> The 4-line will be more of a treasure, I would think.
> >

SURE, if the wife doesn't decide they're too large, old and ugly - and
make yet ANOTHER "demand"....

> > Gary - KJ6Q
> > --
> > "Blaming guns for Columbine is like blaming
> > spoons for Rosie O'Donnell being fat."
> >
> > <jhall5@bellsouth.net> wrote in message
> > news:37646D1C.96BF02DA@bellsouth.net...
> > > I have two beautiful handguns one Taurus PT 99 9mm stainless
new
> > in
> > > box never had a round in it, second is Colt Python 357 royal
blue 4
> > > inch barrell... like new.. 100% i would like to trade either
one
> > for a
> > > Drake T4 x and R4c in great shape. call the gun stores about
these
> > then
> > > if interested call me at 561-792-9084 or e mail
> > > jhall5@bellsouth.net... W4HQ
> > >
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

3435. COLLINS 516F-2 (RE) POWER SUPPLY 4-SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990614154012.00941.00001758@ng-ff1.aol.com>
Source record: 83315

HAVE A REAL NICE STOCK COLLINS POWER SUPPLY ROUND EMBLEM WORKS SUPER CABINET
HAS ONE RUB MARK ABOUT A INCH LONG ON SIDE WILL SHIP FOR 375.00...

3436. COLLINS 312B-4 (RE) 4-SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990614154244.06244.00001687@ng-ff1.aol.com>
Source record: 83316

BEAUTIFUL(ROUND EMBLEM) CONSOLE FRONT PANEL/TRIM RING EXCELLENT WILL SHIP
375.00 A MINOR RUB MARK ON CABINET ..

3437. Re: replacing SX-28's output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: emanuele_girlando@my-deja.com
Message-ID: <7k3uu6$576$1@nnrp1.deja.com>
Source record: 83317
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Errata:
please read HCA as Hallicrafters and not as Hallicrafters Collectors
Association, as it should be.
My mistake.

ciao
Emanuele.
In article <7k2jf4$l6l$1@nnrp1.deja.com>,
emanuele_girlando@yahoo.com wrote:
> Dear list,
> I am restoring an SX-28 (no 'A', no 'MIL').
> The rig as been heavily tampered with by previous owners and I am
> trying to get it back to original HCA specs.
> The output transformer I've found inside is not original and
completely
> out of HCA specs (the amplifier was orribly modifyed to cope with
it..).
> Questions:
> - it it still possible to find the ORIGINAL HCA spare part?
> - Can you give your opinion on using Antique Electronic Supply P/n: P-
> T24S56 or P-T125H or P-T125E?
> You can find them at:
> http://www.tubesandmore.com/12250.html
> - what other alternatives are available?
>
> Thank you very much
> ciao
> Emanuele.
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3438. Re: replacing SX-28's output transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: emanuele_girlando@my-deja.com
Message-ID: <7k3v5i$58v$1@nnrp1.deja.com>
Source record: 83318
Cross-posted to: rec.radio.amateur.boatanchors,rec.antiques.radio+phono

Errata:
please read HCA as Hallicrafters and not as Hallicrafters Collectors
Association, as it should be.
My mistake.

ciao
Emanuele.
In article <7k2jf4$l6l$1@nnrp1.deja.com>,
emanuele_girlando@yahoo.com wrote:
> Dear list,
> I am restoring an SX-28 (no 'A', no 'MIL').
> The rig as been heavily tampered with by previous owners and I am
> trying to get it back to original HCA specs.
> The output transformer I've found inside is not original and
completely
> out of HCA specs (the amplifier was orribly modifyed to cope with
it..).
> Questions:
> - it it still possible to find the ORIGINAL HCA spare part?
> - Can you give your opinion on using Antique Electronic Supply P/n: P-
> T24S56 or P-T125H or P-T125E?
> You can find them at:
> http://www.tubesandmore.com/12250.html
> - what other alternatives are available?
>
> Thank you very much
> ciao
> Emanuele.
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3439. FA: 637 Vacumn tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: henryshap@aol.com
Message-ID: <19990614171209.01328.00001778@ng-fv1.aol.com>
Source record: 83319

637 Vacumn tubes - mostly TV tubes
From an old electronic repair company. I opened up a sealed box of tubes. Zenith, RCA, Magnavox, Sylvania, Raytheon & GE tubes. Most are new. The type and number of tubes were on a list taped to the outside of the box. I opened it up and it seems to jibe with the list. F or more info see:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117570794

3440. COLLINS KWS-1 BLOWER /MOTOR COMPLETE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990614172544.00928.00001874@ng-ff1.aol.com>
Source record: 83320

HAVE A BLOWER MOTOR TAKEN OUT OF A KWS-1 WORKING EXCELLENT AND QUIET ...225.00
SHIPPED ...EMAIL FOR PICTURE ..

3441. Collins S Line Accessories FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990614185309.22142.00000209@ng-cm1.aol.com>
Source record: 83321

Collins S Line Accessories FA

<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117283685">Collins
RE 312B4 Console
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117288250">Collins
WE DL1 Dummy Load
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117286110">Collins
WE SM2 Desk Microphone
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117291445">Waters
Microphone Compressor

3442. FT: Heath AT-1 and AC-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <KJf93.160$FF.15605@news.cwix.com>
Source record: 83322

Heathkit AT-1, with rare AC-1 antenna coupler. Both almost mint, have some small scratches on their front panels but the cabinets have no scratches at all. Both are UNMODIFIED and are working.

Trade for: HT-20, SX-73, 32Vx, etc., or will consider cash offers.

Thanks and 73 - John

3443. SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <f5g93.170$FF.16125@news.cwix.com>
Source record: 83323

Since the topic IS boatanchors, here is the story of a sad Heathkit SB-102 that I recently purchased. Never have I worked on a radio with so many disparate problems (except for a MicroTel PR-700, but thats ANOTHER story).

This radio was purchased from a nice old gentleman at the Manassas (VA) hamfest. He pulled up and started taking a load of green Heathkits out of his trunk. Of course, this attracted the vultures (and I guess I have to include myself). Stuff was cheap - I bought this SB-102 with a HP-23 and SB-600 speaker for $25. Between other vultures desperately thrusting money at the increasingly flustered old gent, he explained that the SB-102 was a basket case but he included the parts to make it work.

Upon getting it home, it was apparent that the belts were shot and it was missing the 6.8 MHz trap (which was included in the little baggie of parts). Installed the trap and the radio came to life (sort of). No xmit and very weak receive.

Tested the tubes, replaced 3 DEAD ones (filaments lit, but NO emission!), some improvement but still no xmit.

Did an alignment (it was WAY off) and some more improvement, but still no xmit.

Made some voltage measurements and almost everything was WAY off. Then I started reading resistor values, and found that almost every resistor was out of tolerance (some by 400 percent!). So, I did a wholesale resistor replacement only to find that:

(1) the LMO was mechanically messed up
(2) the LMO was electrically messed up
(3) some knucklehead put CB crystals in 2 of the 10 meter band positions
(4) the grid drive slug for 80 meters was busted
(5) the xtal osc slug for one of the 10 meter bands was busted

I never have been too impressed with Heathkits, but I'm even less so after this nightmare. I finally got the beast working well (except for replacing the CB crystals), but at the cost of about 20 hours of bench time! My $25 "bargain" was no bargain at all, but I must admit it was enjoyable finally winning the fight against the beast.

Moral is, I guess, if you have a Heathkit of this vintage that isn't performing up to scratch, CHECK THOSE RESISTORS! They were 20% tolerance to begin with and time apparently hasn't treated them too well.

73 John

3444. Collins R-388 receiver FS.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mike Linger <gspubl@tca.net>
Message-ID: <929406933.752.103@news.remarQ.com>
Source record: 83324

Collins R-388 receiver for sale. Very clean original front panel and includes both top and bottom covers. Receiver works good and the dial drum looks good. Price is $385. U-pay-ship. Mike (409) 693-1461.

3445. Drake TR-4 4sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mike Linger <gspubl@tca.net>
Message-ID: <929407135.542.49@news.remarQ.com>
Source record: 83325

Drake TR-4 HF tranceiver for sale. The radio looks good and works fine. It includes the AC-4 ac power supply also. Price is $175, U-pay-ship. Mike (409) 693-1461.

3446. Hammarlund HQ-129X 4sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mike Linger <gspubl@tca.net>
Message-ID: <929407633.147.6@news.remarQ.com>
Source record: 83326

Hammarlund HQ-129X for sale. It has been sitting on my shelf for me to get around to it for about 2 years. It has a real decent front panel and the case is original. I don't know if it works or not as it came from an estate sale. I don't mind going through the whole thing and fixing anything it may need (if anything) but the price will be alot higher than my as-is asking price of $100. There appears to be no mods and no, I don't have any pictures (let alone a working computer scanner to scan one in). Call me if interested. Mike (409) 693-1461.

3447. HELP: HW-101 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: "P.T." <snowshoe@dimensional.com>
Message-ID: <3765B9DB.7B84@dimensional.com>
Source record: 83327

I have just aquired a nice heatkit hw101.
After replacing the broken rubber tuning belts with springs and dial
cord the unit seems to work good.
I would like to have a schematic diagram and appreciate any helpful
advise as to where to down load one or however to get one.
Thanks,
Paul w0od
snowshoe@dimensional.com
near denver colorado

3448. Still need band switch knob

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <3765C742.633CC9D6@saber.net>
Source record: 83328

Still desparately searching for the band switch knob for the National
NC-303/300 receiver. Any one got the knob, please let me know...
73 and thanks

Mike/WB6VSE

3449. Re: WTB: "CQ Ghost Ship" ham fiction book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-14 00:00:00 UTC
From: Chris Musselman <junkmailbox@pacbell.net>
Message-ID: <3765D03B.BD68FAE9@pacbell.net>
Source record: 83329
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

The ARRL editions are paperbacks, and "SOS at Midnight" was revised-the
Gonsicator in the original became a 2-meter HT.... That book was my
inspiration into ham radio also.

Chris W6ATV

Mark Sailer wrote:
>
> Rick Haub wrote:
>
> > Check www.bookfinder.com. I know they have CQ Ghost ship.
> >
> > Michael J. White wrote:
> >
> > > I'm looking for a vintage copy of "CQ Ghost Ship" by Tompkins from the
> > > 1960s. Also interested in "DX Brings Danger", same author. Needs to be in
> > > decent condition. Email if you have one to sell. Thanks.
> > >
> > > Mike, N4PDY
>
> Go to the ARRL site. www.arrl.org
> You can get the whole 6 book series there for $25 or buy them individually.
>
> Mark N2JTW

3450. Re: Gonset VFO identity?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9906150026460.2792-100000@Ocean.CAM.ORG>
Source record: 83239

On Mon, 14 Jun 1999, Mike de Wey wrote:

> Can anyone help with the identity of a Gonset VFO? This unit is about
> 10" high, 6" wide, and 8" deep. It has a half moon dial, purple in
> color. There are two toggle switches with a pot in between above the VFO
>
> dial.. One is marked "OPERATE" and the other is marked "OFF". The only
> labels I can find, are on the front panel. There is the Gonset logo and
> the words "2 METER VFO" followed by "Audio Pre-Amplifier". What rig
> used this VFO, and what was the audio pre amp used for? I have to guess
> it is from the Communicator era! There are no other markings or labels
> anywhere else on the chassis.
> Any help out here?
> Thanks
> Mike/WB6VSE
>

This seems like an odd item. It sounded familiar, so I went and looked for ads, but now your description does not match what I found.

In the February 1962 issue of QST, there is an ad for the Communicator IV series, and at the bottom is a bit about the "Gonset VFO". It doesn't say much, but it does say it's compatible with all the Communicator series. It has NBFM. It's referred to as the Model - 3357.

There's nothing about dimensions. It has a slide rule dial horizontal across the front of the unit. It has three sets of markings on the dial, presumably for 50, 144, and 220MHz. On the left it has a bandswitch, on the right it has the tuning knob, and in the middle there is a rotary switch with off/standby/operate positions. Across the top, above the dial, it says "Communicator VFO" and then the Gonset logo.

It doesn't sound like what you have, though I'm an obvious explanation for the microphone preamp is for FM.

You unit sounds awful big, and not all that much smaller than a Communicator itself. I didn't bother looking in any older magazines because while I remembered the ads for the unit I mention, I don't remember anything earlier. I was thinking maybe later, when FM was actually coming into commn use, there would have been a VFO with FM capabilities, but it sure wouldn't be so big, and Clegg, not Gonset, was the company of the two that made it into the FM era.

The unit I mention was meant to plug into the crystal socket of the Communicator. From external VFO's I've seen of that vintage, there perhaps was a matching network at the crystal socket end of the cable connecting the two units. The VFO would most likely have run in the 8MHz

range, slightly less likely it would be the 6MHz range, and since this was a common range for VHF rigs of that era, the VFO most likely would work with other rigs besides the Communicator.

The ad says nothing about tube lineup.

Michael VE2BVW

3451. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Dan K Nelson <kf6knb@qsl.net>
Message-ID: <%Xl93.1080$Z74.60665@dfiatx1-snr1.gtei.net>
Source record: 83240

HLRitter <hlritter@aol.com> wrote in message
news:19990614213017.06688.00000368@ng-ch1.aol.com...
> <<Subject: Re: Wife says guns must go
> From: "Gary - KJ6Q" <davison7@gte.net>
> ANY *WIMP* of a husband without BALLS enough to be the head of the
> family>>
>
> I'm a newbie, so excuse me for wondering what this flaming rant is doing
in a
> group dedicated to collecting boatanchors. Incandescent ego flaunting
belongs
> (if anywhere) in email, not in public.
>
> --hlritter

Being a "newbie", you should try following the thread back to its'
inception, then maybe you will understand why it's here...

73 de KF6KNB

3452. FS: Globe Scout Model 65A canoe-anchor xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: jeffreyh@hawaii.EDU
Message-ID: <Pine.GSO.4.10.9906142012440.5206-100000@uhunix5>
Source record: 83241

Hi Gang,
I have a WRL Globe Scout 65a, 160-10m, in pieces. I wanted to take it back to kit form and re-build it myself, since it appeared that so many mods had been done to it. It's complete, including tubes, just in pieces! Think of it as a post-unbuilt kit (huh?). I also have a photo-copy of the manual.

I've lost interest in this project, so I'd like to sell the little canoe-anchor for say, $45 + shipping from 96815 (Honolulu HAWAII).

7.3W,
Jeff KH6O

Fingerprint Classification Services: A personal copy of your inked finger impressions utilizing the Henry Classification Formula.

3453. FS: Manuals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990615021755.09004.00002178@ng-co1.aol.com>
Source record: 83242

For Sale :

Hallicrafters , Hammarlund , Heathkit , and more . Original and Copies .

Contact : Stew wb6eys@aol.com or wb6eys@juno.com

rec.radio.swap

3454. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7k4t7adfe1@nntp2.atl.mindspring.net>
Source record: 83243

Nonsense ....who wearing the pants over there.
Shoot or loose the pain in the butt liberal wife and find a new one with the
Drakes.

jhall5@bellsouth.net wrote in message <37646D1C.96BF02DA@bellsouth.net>...
>I have two beautiful handguns one Taurus PT 99 9mm stainless new in
>box never had a round in it, second is Colt Python 357 royal blue 4
>inch barrell... like new.. 100% i would like to trade either one for a
>Drake T4 x and R4c in great shape. call the gun stores about these then
>if interested call me at 561-792-9084 or e mail
>jhall5@bellsouth.net... W4HQ
>

3455. FS:.Drake TR-7 Station..FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3765FE70.8FFD3527@iglobal.net>
Source record: 83244
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

A 9.5 on any scale...truly nice with noise blanker, all possible filters, matching power supply\spkr AND a WH7 watt meter in the same condition....all 3 pieces are spotless!! and work the same!! If you want the keeper\collector one, this is it!! $750 is cheap for this one....dont let it get away!!! Thanks Murray Murray's Radio Ranch: Buy Sell Trade Swap Amateur Radio (Ham Radio) Equipment

3456. FS:.Collins KWM-2.w\PS.spkr...FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3766001E.D58E13C2@iglobal.net>
Source record: 83245
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

KWM 2 with matching supply\speaker in very good condition...has Waters rejection unit as well...perfect faces and only a few VERY minor blemishes to bezel and case...electrically wonderful, hear it anytime you want!!! Rather than gouge you on EBAY I will sell it for $1295 plus shipping....based on what I saw at Ham Com last weekend, and what I see on Ebay, this must be very cheap!! Has Shure 444 mic and beautiful audio....hurry!!

3457. Re: It's "MIC" not "MIKE"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: mmcginley@kscable.com
Message-ID: <mmcginley-1506990255420001@wks-210-126.kscable.com>
Source record: 83246
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Frequency is measured in cycles...Hertz rents cars :-)
(Old QST Article i read many years ago as a kid)
<Grin>

Have a nice one all

Mike (not Mic) McGinley - N0JVT

In article <375FF2FD.E2211088@mitre.org>, "Michael J. White"
<mwhite@mitre.org> wrote:

> The abbreviation for microphone is "MIC", as in MICrophone. It's not
> "MIKE", as in "Those of us named Mike are pretty unnerved when we see
> ads saying "Mike For Sale".
>
> Mike (not Mic), N4PDY

3458. WTB: Eddystone 940 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: ZL1MT <tedm@xtra.co.nz>
Message-ID: <7k561t$3lbaa$1@titan.xtra.co.nz>
Source record: 83247

Hi
I am looking to buy, or get a photocopy of, an Eddystone 940 receiver manual
and circuit diagram...
Only too happy to pay all costs involved...
many Tks
73 de Ted Minchin, ZL1MT

reply tedm@xtra.co.nz

3459. Re: WTB: "CQ Ghost Ship" ham fiction book

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: "Michael J. White" <mwhite@mitre.org>
Message-ID: <376641EB.26776599@mitre.org>
Source record: 83248
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Many thanks to those who wrote to tell me about the ARRL editions of the Tompkins books. I should have made clear that I was looking for vintage editions from the 1960s; it's a nostalgia thing. Like many of you who wrote, I was "turned on" (as we used to say back then) by these books. I'm looking for the original hardbacks to go on my shelf of vintage radio books. Thanks.

Mike, N4PDY

3460. FS: SRR-11

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7k5kd5elg1@nntp1.atl.mindspring.net>
Source record: 83249

Folks,

I have a SRR-11 for sale at $75.00. It does not work and it is for pick up only here in Atlanta. Email me for details, and be sure to use the correct email address.

thanks,

Allen Cutts
N4OZI
cacutts@mindspring.com

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

3461. Re: FS:.Collins KWM-2.ITS WINGED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <376653BA.E2FE21C5@iglobal.net>
Source record: 83250
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Winged emblem

J. Murray Neece wrote:

> KWM 2 with matching supply\speaker in very good condition...has Waters
> rejection unit as well...perfect faces and only a few VERY minor
> blemishes to bezel and case...electrically wonderful, hear it anytime
> you want!!! Rather than gouge you on EBAY I will sell it for $1295 plus
> shipping....based on what I saw at Ham Com last weekend, and what I see
> on Ebay, this must be very cheap!! Has Shure 444 mic and beautiful
> audio....hurry!!

3462. Collins RE 302C-3 Wattmeter & parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <37665ff4.9873530@cnews.newsguy.com>
Source record: 83251

Round Emb. 302C-3 wattmeter in nice condx. $375
Collins CC3 storage case - $50
516F2 power supply cabinet- needs ring & paint $25
75A4 4:1 spinner knob (no mechanism) $75
Small cabinet rings $20.
Shipping extra on all items.
Tnx, Ron K5GIT ronfol@hilconet.com

3463. FAQ - Vintage radio (boatanchors) Frewuently Asked Questions

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: nick@cs.unc.edu
Message-ID: <7k5pt5$a62$1@altair.cs.unc.edu>
Source record: 83252

I maintain the Boatanchors (vintage radio communication equipment)
Frequently Asked Questions web site at
http://www.cs.unc.edu/~nick/rrab.faq.htm

Additions and corrections are welcomed.
73 & Have Fun,
Nick KD4CPL

Index

What are Boatanchors ?
Why Boatanchors ?
How can I read the rec.radio.amateur.boatanchors newsgroup ?
What is the rec.radio.amateur.boatanchors newsgroup for ?
Who is welcome on rec.radio.amateur.boatanchors ?
What is rec.radio.amateur.boatanchors NOT for ?
Where can I find out more about Boatanchors ?
Magazines
Books
Clubs
E-mail lists
Web Sites
Boatanchor Web Ring
Where can I find Boatanchors on the air ?
How can I practice Safe Boatanchoring ?
How do I restore a Boatanchor ?
Restoration Info on the WWW
Commercial Restoration
Where can I get a manual ?
Aren't tubes and parts impossible to find ?
So where can I get tubes & parts ?
What kind of Boatanchor should I get ?
What do boatanchors cost ?
And where can I get some more Boatanchors ?
Epilog
Credits

--
Nick England KD4CPL nick@cs.unc.edu Univ. Of North Carolina
http://www.cs.unc.edu/~nick Chapel Hill NC

3464. New Search Engine Dedicated to Amateur Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: #wharrell@surfsouth.com
Message-ID: <3765d8df.973202@enews.newsguy.com>
Source record: 83253

Check out the new Search Engine at http://www.hamfind.com
It is dedicated to the Amateur Radio Hobby. Help us build the database rapidly by adding your personal or club web page url to the search engine. We also ask that you help spread the word about hamfind.com search. Perhaps you could place a banner link on the web pages you are responsible for.

Thanks and God Bless

Wayne Harrell
http://www.hamfind.com

gws@surfsouth.com

3465. FS:Valiant & NC-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: radioroom7573@my-deja.com
Message-ID: <7k6ah5vmn1@nnrp1.deja.com>
Source record: 83254

Hello,

I have for sale my very nice vintage station.

(1) Johnson Valiant:in extremely nice condition
both electrical and cosmetic. Completely
original with no electrical modifications. Copy of
manual
9 out of 10

(2) National NC-303: Has been nicely restored and
completely aligned. There is one blemish on the
bezel that I have touched up as best as possible
but otherwise VERY nice. Front panel is perfect.
Copy of manual
8 out of 10

I am asking $495 for the pair. I will not ship
these (local pickup only NR Detroit, Michigan). If
interested call Peter N8EVJ 248-332-5429 between
6pm and 9pm EST.

Thanks and 73,

Peter N8EVJ

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3466. FS:Valiant & NC-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: radioroom7573@my-deja.com
Message-ID: <7k6ah7vmo1@nnrp1.deja.com>
Source record: 83255

Hello,

I have for sale my very nice vintage station.

(1) Johnson Valiant:in extremely nice condition
both electrical and cosmetic. Completely
original with no electrical modifications. Copy of
manual
9 out of 10

(2) National NC-303: Has been nicely restored and
completely aligned. There is one blemish on the
bezel that I have touched up as best as possible
but otherwise VERY nice. Front panel is perfect.
Copy of manual
8 out of 10

I am asking $495 for the pair. I will not ship
these (local pickup only NR Detroit, Michigan). If
interested call Peter N8EVJ 248-332-5429 between
6pm and 9pm EST.

Thanks and 73,

Peter N8EVJ

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3467. FS:Valiant & NC-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: radioroom7573@my-deja.com
Message-ID: <7k6ah9vmp1@nnrp1.deja.com>
Source record: 83256

Hello,

I have for sale my very nice vintage station.

(1) Johnson Valiant:in extremely nice condition
both electrical and cosmetic. Completely
original with no electrical modifications. Copy of
manual
9 out of 10

(2) National NC-303: Has been nicely restored and
completely aligned. There is one blemish on the
bezel that I have touched up as best as possible
but otherwise VERY nice. Front panel is perfect.
Copy of manual
8 out of 10

I am asking $495 for the pair. I will not ship
these (local pickup only NR Detroit, Michigan). If
interested call Peter N8EVJ 248-332-5429 between
6pm and 9pm EST.

Thanks and 73,

Peter N8EVJ

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3468. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Michael Black <blackm00@CAM.ORG>
Message-ID: <Pine.SOL.4.10.9906151410200.28050-100000@Stratus.CAM.ORG>
Source record: 83257

On Tue, 15 Jun 1999, Dan K Nelson wrote:

> HLRitter <hlritter@aol.com> wrote in message
> news:19990614213017.06688.00000368@ng-ch1.aol.com...
> > <<Subject: Re: Wife says guns must go
> > From: "Gary - KJ6Q" <davison7@gte.net>
> > ANY *WIMP* of a husband without BALLS enough to be the head of the
> > family>>
> >
> > I'm a newbie, so excuse me for wondering what this flaming rant is doing
> in a
> > group dedicated to collecting boatanchors. Incandescent ego flaunting
> belongs
> > (if anywhere) in email, not in public.
> >
> > --hlritter
>
> Being a "newbie", you should try following the thread back to its'
> inception, then maybe you will understand why it's here...
>
> 73 de KF6KNB
>

I've been here for years, and I sure don't know what the original post was doing here. The guy needed to get rid of some guns. Instead of going to an appropriate newsgroup to sell them, he posted the ad here. The fact that he wanted a transceiver in exchange does not negate the fact that he was selling guns, they sure aren't boatanchors, in a newsgroup that is supposed to be about boatanchors.

This is precisely what you get when you allow ads in a newsgroup. You get the ads for the not-so-old equipment, then you get the ads for the old equipment that has nothing to do with amateur radio, then you get the computer ads, and then as this thread shows, you get the ads for the guns. This thread turns into a thread on the right to own guns, something not particularly interesting to those of us who don't live in the US, which has no relevance to the topic of the newsgroup. And since people feel their hobby will be ruined by not being able to buy and sell their equipment, then all the junk follows. If you can sell guns here, then of course there's no reason not to post about the right to own guns, as happened about a month ago.

Michael VE2BVW

3469. FS: Johnson Valiant & NC-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: radioroom7573@my-deja.com
Message-ID: <7k6ctrre1@nnrp1.deja.com>
Source record: 83258

Hello,

I have my very nice vintage station for sale:

(1) Johnson Valiant: Completely original and very nice condition both physical and electrical. (9 out of 10) Cabinet has been very nicely repainted. Copy of manual.

(2) National NC-303: Very nice condition and all original. It has been recently aligned and works perfectly. Front panel enamel is perfect and cabinet has been repainted and looks great. Bezel had one significant blemish that I touched up best as possible.(8 out of 10) Copy of manual.

I am asking $495 for the pair. Local Pickup only; I will not ship these. I'm located near Detroit, Michigan. If interested call Peter at 248-332-5429 between 6pm-9pm EST.

Thanks and 73,

Peter Pavlovich N8EVJ

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3470. MANUALS FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990615154445.22952.00000136@ng-fs1.aol.com>
Source record: 83259

Hello, I have the following manuals ready for sale. Please add 1.50 per order for shipping...
Thanks, Joe Pratt, Tubecntral@aol.com

Dentron HF-200A Transciever, orig. operating manual, includes all schematics, nice....10.00

Dumont electronic switch and square wave generator model 185-A operating and maintanence manual, original, 7.00

Dumont Cathode-ray oscillograph type 208-B manual, original w/ schematic, nice.7.00

Dumont Cathode-ray oscillograph Type 224-A Operating manual, orig, 7.00

Dumont Cathode-ray oscillograph types 304-A ,304-AR operating and maintanance manual, older copy, 4.00

Dumont Cathode-ray oscillograph types 401, 401-R operating and maintanence manual, original, 7.00

Dumont Model M-430-RT UHF moble instruction manual, copied, 5.00 ea.

DX Engineering LC2-TR speech processor manual, original, 4.00

DX Engineering LC-I-KWM speech processor manual, original, 4.00

EICO 369/TV-FM sweep marker generator assembly manual, orig, 6.00

EICO models 565, 555 multimeter instruction manual, orig., 6.00

EICO grid-dip meter model 710 instruction manual, older copy, 4.00

DVM-2 digital voltmeter instruction manual, orig., 6.00

DGM Electronics MVD-1000 morse code video display manual, copied, 4.00

EICO model 488 electronic switch manual, orig, 6.00
Thank you,
Joe Pratt, Tubecntral@aol.com

3471. FS Vintage Shure 5S Mic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Peter Budnik <kb1hy@arrl.org>
Message-ID: <3766E00D.E1B535C7@arrl.org>
Source record: 83260

FOR SALE: Vintage Shure Bros Model 5S carbon microphoneï¿½spring mounted
in circular standï¿½probably from early 1930s. E photo available.
Asking $250.00 or best offer. Pete Budnik, KB1HY, kb1hy@arrl.org

3472. Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990615175319.09801.00000270@ng-cn1.aol.com>
Source record: 83261

FYI: It's vacuum tubes.

3473. Re: Gonset VFO identity?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Mike de Wey <sjsharks@saber.net>
Message-ID: <3766CF3D.21D4CA@saber.net>
Source record: 83262

Thanks to all that replied with the answers to the Gonset VFO identity crisis. I got the answer from K6STU, Mike. It was to go with the Communicator II series with a mic pre-amp.

Mike/WB6VSE

3474. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <ePA93.921$zP2.26777@dfiatx1-snr1.gtei.net>
Source record: 83263

Michael Black

> This thread turns into a thread on the right to own guns, something
not
> particularly interesting to those of us who don't live in the US,

HMMMMm - I'll risk yet another off-topic post, by suggesting that British and Canadians are NOT so much "disinterested" in the guns issue, as they are *sensitive* to the fact that their REAL opinions on the subject are QUITE irrelevent, since they (guns) are totally out of their reach by government decree.

THUS, *any* gun opinion they hold or offer is completely POINTLESS, as far as their own ownership is concerned...

WHICH, of course, is EXACTLY what gun owners here in the states are determined to resist... We prefer to cling to our unique freedoms, and accept both the responsibilities and risks that accompany those freedoms - something those outside our borders have had removed from their reach...

> Michael VE2BVW
>
>

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

3475. Collins Question....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: rockjammer@aol.com
Message-ID: <19990615191149.08863.00000300@ng-cm1.aol.com>
Source record: 83264

Hello. A friend of mine is contemplating the purchase of a KWM-1. Excellent shape..just gone through by a Collins restorer. What is the going rate for a rig such as this?? Any reply much appreciated.
WM5M
David

3476. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Dan K Nelson <kf6knb@qsl.net>
Message-ID: <7ZA93.928$zP2.27149@dfiatx1-snr1.gtei.net>
Source record: 83265

Michael Black <blackm00@CAM.ORG> wrote in message
news:Pine.SOL.4.10.9906151410200.28050-100000@Stratus.CAM.ORG...
>
>
> On Tue, 15 Jun 1999, Dan K Nelson wrote:
>
> > HLRitter <hlritter@aol.com> wrote in message
> > news:19990614213017.06688.00000368@ng-ch1.aol.com...
> > > <<Subject: Re: Wife says guns must go
> > > From: "Gary - KJ6Q" <davison7@gte.net>
> > > ANY *WIMP* of a husband without BALLS enough to be the head of the
> > > family>>
> > >
> > > I'm a newbie, so excuse me for wondering what this flaming rant is
doing
> > in a
> > > group dedicated to collecting boatanchors. Incandescent ego flaunting
> > belongs
> > > (if anywhere) in email, not in public.
> > >
> > > --hlritter
> >
> > Being a "newbie", you should try following the thread back to its'
> > inception, then maybe you will understand why it's here...
> >
> > 73 de KF6KNB
> >
>
> I've been here for years, and I sure don't know what the original post was
> doing here. The guy needed to get rid of some guns.
> SNIP <

Exactly. The original post was an offer to trade guns for boat anchor
radios. It took off from there. It probably would have died on it's own if
the original poster didn't tell the world that his wife demanded that he get
rid of his guns.

73 de KF6KNB

3477. Re: FS: Johnson Valiant & NC-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990615190419.03732.00000231@ng-cs1.aol.com>
Source record: 83266

That's four times you've run the same advertisement here today.

3478. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Dan K Nelson <kf6knb@qsl.net>
Message-ID: <0%A93.930$zP2.27355@dfiatx1-snr1.gtei.net>
Source record: 83267

Gary - KJ6Q <davison7@gte.net> wrote in message
news:ePA93.921$zP2.26777@dfiatx1-snr1.gtei.net...
>
>
>
>
>
> Michael Black
>
> > This thread turns into a thread on the right to own guns, something
> not
> > particularly interesting to those of us who don't live in the US,
>
>
> HMMMMm - I'll risk yet another off-topic post, by suggesting that
> British and Canadians are NOT so much "disinterested" in the guns
> issue, as they are *sensitive* to the fact that their REAL opinions on
> the subject are QUITE irrelevent, since they (guns) are totally out of
> their reach by government decree.
>
> THUS, *any* gun opinion they hold or offer is completely POINTLESS, as
> far as their own ownership is concerned...
>
> WHICH, of course, is EXACTLY what gun owners here in the states are
> determined to resist... We prefer to cling to our unique freedoms, and
> accept both the responsibilities and risks that accompany those
> freedoms - something those outside our borders have had removed from
> their reach...
> >
> > Michael VE2BVW
> >
> >
>
>
> Gary - KJ6Q
> --
> "Blaming guns for Columbine is like blaming
> spoons for Rosie O'Donnell being fat."

Very well stated, sir...

73 de KF6KNB

3479. WTB: COLLINS 75A4 RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7k6p59$c3t$1@news.itis.com>
Source record: 83268

I AM LOOKING FOR A COLLINS 75A4 RECEIVER (PICKUP ONLY) WITHIN 100 MILES OF SOUTH CENTRAL WISCONSIN. ANY OUT THERE

3480. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: hlritter@aol.com
Message-ID: <19990615194944.02280.00000375@ng-fi1.aol.com>
Source record: 83269

<<Subject: Re: Reply to "Wife says guns must go"
From: "Dan K Nelson" <kf6knb@qsl.net>

Being a "newbie", you should try following the thread back to its'
inception, then maybe you will understand why it's here...
>>
Dan--

I was PRESENT at the beginning. My reply was to Gary's first flame. I had seen the original message it replied to. My question was not HOW this thread came into being, but WHY Gary was hurling abusive insults about a situation he knows absolutely nothing about, strutting his ego, pushing hot buttons, and raising hackles, in one of the most benign settings possible, and on a topic utterly irrelevant to the subject of the group.

I still don't understand....

--howard

3481. Midland and Monroe, Michigan 6-19 / 6-20

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Paul Washa <w0tok@email.msn.com>
Message-ID: <es5$XC5t#GA.149@cpmsnbbsa03>
Source record: 83270

Paul Washa Books will be at Midland , MI on 6-19 and Monroe,
MI. on 6-20 with 800 pounds of electronics books stop by if
you can.

3482. FS:..Alpha 76A...FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <37670CA7.99B252B@iglobal.net>
Source record: 83271
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Two holer in very good condition...looks very good, output is factory spec. 1200 watts with 100 in..(you can do the low drive mod and up it if you want, it will easily run 1500)....face is as new, case minor scratches, about 3 of em....Picture available on request, this is a nice one!!! $1195 plus shipping, trades of like HF merchandise considered....need IC 706 and IC746....as well as an FT 920...Thanks Murray

3483. Re: Collins Question....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Bismarck Wichy <wichy@dallas.net>
Message-ID: <929499938.500.80@news.remarQ.com>
Source record: 83272

KWM-1 $550
KWM-1 w/516F-1 $750
KWM-1 and PS $1600

Basically you pay different prices for used amateur radio equipment based on WHERE you buy it and WHO is selling it to you! I am listing 10 different sources based on the range of prices typically asked. They are listed from the best (lowest) to the worst (highest)

1. Friend who cares about you!
2. Friend, other(!)
3. Hamfests
4. Yellow Sheets, Electric Radio, AWA magazines etc.
5. Internet e-mail groups
6. Usenet Newsgroups
7. Trader Nets
8. Dealers
9. On-line trading, e-Bay Auction or other auctions etc.
10. Used Collins equipment dealer.

http://home.earthlink.net/~af4k/ham/boneyard.htm

Such a deal... so David did you go to HamCom in Arlington this weekend? There was a KWM-1 there too...

In article <19990615191149.08863.00000300@ng-cm1.aol.com>, rockjammer@aol.com (Rockjammer) wrote:

>Hello. A friend of mine is contemplating the purchase of a KWM-1. Excellent
>shape..just gone through by a Collins restorer. What is the going rate for a
>rig such as this?? Any reply much appreciated.
>WM5M
>David

3484. Buy & Sell Crystals!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <376649e8.8160059@news.earthlink.net>
Source record: 83273
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.misc

THE CRYSTAL SWAPPING PAGE:

http://pluto.beseen.com/boardroom/b/21532/

This is THE best place to sell your crystals!

Also a great place to buy them

All completely free.

Tell your friends!

3485. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: hlritter@aol.com
Message-ID: <19990614213017.06688.00000368@ng-ch1.aol.com>
Source record: 83330

<<Subject: Re: Wife says guns must go
From: "Gary - KJ6Q" <davison7@gte.net>
ANY *WIMP* of a husband without BALLS enough to be the head of the
family>>

I'm a newbie, so excuse me for wondering what this flaming rant is doing in a group dedicated to collecting boatanchors. Incandescent ego flaunting belongs (if anywhere) in email, not in public.

--hlritter

3486. HEATHKIT MANUALS ! ! ! !

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: Michael Kassay <Michael.Kassay@sympatico.ca>
Message-ID: <3765ABF0.62DE@sympatico.ca>
Source record: 83331
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I have the following Heathkit manuals For Sale! Prices in US dollars,
Shipping INCLUDED !

Heath IN-11 $8 US

Heath IO-10 $10 US

Heath RF-1 $10 US

Heath HD-1418 $15 US

Heath IP-18 $10 US

Heath HM-102 $10 US

Heath SB-604 $6 US

For furhter info, pls send me an Email.

73 Mike
--
* *
Michael Kassay - VE3MKX
Minesing, Ontario, CANADA
mailto:Michael.Kassay@sympatico.ca
mailto:ve3mkx@rac.ca
Packet: VE3MKX @ VE3FJB .#con.on.can.na

3487. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990614213231.22855.00001854@ng-fu1.aol.com>
Source record: 83332

Hey John

Want to sell your power supply for $26? Maybe it will make you feel better.
Offer stands for the rest of your life....

73
Dick, K1DPM
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING any UNBUILT Heathkits that are amatuer radio related. Top $ paid.

3488. For Sale: SB=604, HP-1144, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990614.204000.-377495.4.NFMK@juno.com>
Source record: 83333

For Sale- Heath Collectibles:

SB-604 speaker, as new, very bright lettering, perfect condition.
$75 plus shipping.

HP-1144A Heath 13.6V 20 amp power supply for SB-104A, et. al.
As new in original kit housing with full covers. $110.00.

SB-614, as new, condition is mint; $175.

MicroLog standalone CW keyboard. I have two. One has late silk
screen back panel and some options. The other is earlier unit but has
RTTY option. Both work. One needs relay spring. Some documentation.
$75 for cw unit; $125 for cw/rtty unit. Great collector items for
the period ham shack. Both plus shipping.

Heath HD-1410 keyer, matching keyer to SB-104 line, As new.
$95. with original manual $110.

Also have a couple of personal computers if you are looking for a
spare for the ham-shack.

My zip is 70806.

73, Doug

3489. FS: Symetrics 528 Mic Preamp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: w8aj@aol.com
Message-ID: <19990614215116.28694.00001478@ng-cj1.aol.com>
Source record: 83334

FS: Symetrics 528 .like new condition late serial #. $325.00 Allan W8AJ

3490. Wanted: Clegg Venus Alignment Data

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: nq5t <nq5t@gte.net>
Message-ID: <3765B0C6.E82504C2@gte.net>
Source record: 83335
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

I'm looking for complete alignment instructions for a Clegg Venus 6M SSB transceiver.

The manual contains "maintenance" adjustments, but not complete alignment instructions. Supposedly the alignment data was published somewhere in some post-manual "notes".

Amybody have a set? I'll gladly pay for copying, postage, and your time.

Thanks for the read ....
Grant
nq5t@gte.net
http://home1.gte.net/nq5t

3491. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <Sni93.219$FF.19410@news.cwix.com>
Source record: 83336

K1DPM <k1dpm@aol.com> wrote in message
news:19990614213231.22855.00001854@ng-fu1.aol.com...
> Hey John
>
> Want to sell your power supply for $26? Maybe it will make you feel
better.
> Offer stands for the rest of your life....
>
> 73
> Dick, K1DPM
> Dick Small

Dick - after all that you want me to GIVE my power supply away? Hell, I
used more'n that worth of ibuprofin!

73 John

3492. FS: R-391 Parts Rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7k4en7jav1@nntp2.atl.mindspring.net>
Source record: 83337

Folks,

I have a R-391 parts rig for sale. Missing meters, covers and most of the knobs, however, if you have a R-391, this might be just the parts rig you need. $50.00 and it's yours, but you must come and pick it up in Atlanta. I will not ship this heavy receiver. If you have any questions feel free to email me, but be sure to change the email address.

thanks,

Allen Cutts
N4OZI
cacutts@mindspring.com

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

3493. Re: Gonset VFO identity?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-15 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990615010426.22533.00001688@ng65.aol.com>
Source record: 83338

Hi Mike.
I'm sure by now you have had hundreds of responses and you probably have already received what I'm going to tell you.
This VFO was used with the Gonset Communicator 2 two meter AM tranceiver. It plugs into the transmitter crystal socket which allows you to tune the transmitter between 144 to 148 Megacycles. The Mike Preamp is just what it states It adds more audio punch to your modulation. The preamplifier is used to increase the audio when you use a crystal microphone. The amplifier has a gain of 20db. It is Gonset's model number 3024. I have a copy of the 4 page instruction manual including the schematics for the vfo and audio preamp and builtin powersupply. It contains 5 tubes 1-6X4 rectifier, 1-0A2 regulator 1-6C4

mike preamp, 1-6AH6 Oscillator tube/
tripler The grid is tuned to 8 Megs and the plate is tuned to 24 Megs. and 1-6CL6 Buffer/amplifier tube 24 Megs in and 24 megs out to transmitter. I hope that this is some help.The unit was build around 1954.
If you should want to sell this unit, please keep me in mind. I have a Communicator 2 that is operational that it could go with.
Mike Tyler, K6STU

3494. FS: NATIONAL STATION LOG BOOK

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: wbcapps@mindspring.com
Message-ID: <37674078.20591489@news.mindspring.com>
Source record: 83189

hello all,
i have an unused station log book, made by the NATIONAL
COMPANY INC. they made many receiver in the 50's. This log book is
unused with no entries, and the pages and cover are intact and in very
good shape for 40 years old. this logbook would be an excellent
addition to anyone who collects NATIONAL equipment.
selling price is $25.00 , i ship. payment a postal money
order.
many thanks and keep the heaters glowing!

73's
bill capps
af4od
fists #4101

3495. Heathkit SB201 AMplifier for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990616003818.07107.00000055@ng-fs1.aol.com>
Source record: 83190

Heathkit SB201 Linear in Excellent condition both cosmetically and electrically, fresh pair of 572B Tubes and manual. Wired for 120 VAC $300 plus shipping.
Mike N6KYD

(805) 526-5487

3496. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Skyrider Defiant <SkyriderDefiant@RoswellRods.zzn.com>
Message-ID: <FnH93.701$hh4.5678@newsfeed.slurp.net>
Source record: 83191

I'll bet the wife anecdote was designed to engender a chuckle....
a statement designed to poke fun of the human condition.

Smile folks!

--
____
/~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
C oo impair chlordane resourceful Pericles propylene step antisemite
_(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
____
Joe <joeamp@mindspring.com> wrote in message
news:7k4t7adfe1@nntp2.atl.mindspring.net...
> Nonsense ....who wearing the pants over there.
> Shoot or loose the pain in the butt liberal wife and find a new one with
the
> Drakes.
>
> jhall5@bellsouth.net wrote in message <37646D1C.96BF02DA@bellsouth.net>...
> >I have two beautiful handguns one Taurus PT 99 9mm stainless new in
> >box never had a round in it, second is Colt Python 357 royal blue 4
> >inch barrell... like new.. 100% i would like to trade either one for a
> >Drake T4 x and R4c in great shape. call the gun stores about these then
> >if interested call me at 561-792-9084 or e mail
> >jhall5@bellsouth.net... W4HQ
> >
>
>

3497. WTB Heath Micoder

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: dl278@cleveland.Freenet.Edu
Message-ID: <7k7jjj$1fd$1@alexander.INS.CWRU.Edu>
Source record: 83192

I'm looking for another Heath Micoder

73

bill
N5LMX/DA1WG
--
Billy (Rev) Graham (N5LMX/DA1WG)
"Growing older but not up!"- J. Buffett

3498. Drake MN-2000 Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37678937.1FFC@ix.netcom.com>
Source record: 83193
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

In very good condition. This antenna tuner is very easy to use and will handle REAL LEGAL LIMIT. $200+shipping.
73 Chris VE3NGW/W4 Florida

3499. BC-611 or BC-721???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: cccacutts@mindspring.com
Message-ID: <7k7qikcoi1@nntp9.atl.mindspring.net>
Source record: 83194

Does anyone know the difference between the BC-611 and the BC-721? They look the same. I can't seem to find any info on what is the difference between the two.

Allen Cutts
N4OZI
cacutts@mindspring.com

--
~~~~~~
Allen Cutts - cacutts@mindspring.com
Email address needs to be changed when replying, I've had
enough Spam to last me awhile, thank you.
Home page: http://www.mindspring.com/~cacutts/radio/radio.html
~~~~~~

3500. WTB KWM2 bezel

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: "D. Nicolson" <nicolson@erols.com>
Message-ID: <3767786A.BA8F425F@erols.com>
Source record: 83195

Looking for a front panel tuning bezel for a KWM2.

Thanks

Don KC1AT

3501. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: w9fs@aol.com
Message-ID: <19990616064731.12065.00000127@ng-fw1.aol.com>
Source record: 83196

>Subject: Re: Reply to "Wife says guns must go"
>From: "wa9vrh" <wa9vrh@ocslink.com>
>Date: Tue, 15 June 1999 10:36 PM EDT
>Message-id: <01beb7a1$15c67d60$047b9ece@larry>
>
>Did you morons ever think that.... Well no if you read your posts guess you
>didn't have time to think. How about we let this die and get back to REAL
>boatanchor issues, concerens, and help. 73's Larry WA9VRH
>
>This is to good a newsgroup to waste on trivial nonsense....
>
>
>

Good Humor is not trivial nonsense, only in the mine of one that thinks
everybody that has and loves humor is a moron. Good day sir.

Jerry W9FS
Jerry W9FS
ex W9FTI, W4RXU, K9PFV, DL5GI
Licensed since 1958, getting to be
a real OT.

3502. WTB: Collins 618T Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Francesco Ledda <fledda@airmail.net>
Message-ID: <F07CA9047E6C879A.99A2194995D7C37C.50285CF05296286B@lp.airnews.net>
Source record: 83197
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave

Francesco Ledda

Texas, USA

3503. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3767877F.2288CF55@asu.uswest.net>
Source record: 83198

(Oh, why the hell not:)

The British and Canadians, the ones in the UK and Canada are "disinterested" in guns, especially as a topic in an amateur radio newsgroup, in no small part because they don't feel threatened all the time the way Americans seem to by "street crime." That's the primary reason most Americans own guns, for personal and family "protection," not to keep the oppressive {sic} government at bay. For that matter, the sense of government oppression is much higher here, for all the guns in circulation. Why is that?

BTW, you *can* own a gun in the UK and Canada, it is just not so casual a thing there.

Gary - KJ6Q wrote:
>
> Michael Black
>
> > This thread turns into a thread on the right to own guns, something
> not
> > particularly interesting to those of us who don't live in the US,
>
> HMMMMm - I'll risk yet another off-topic post, by suggesting that
> British and Canadians are NOT so much "disinterested" in the guns
> issue, as they are *sensitive* to the fact that their REAL opinions on
> the subject are QUITE irrelevent, since they (guns) are totally out of
> their reach by government decree.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3504. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <376788BA.F1BCB8AD@asu.uswest.net>
Source record: 83199

No, Good Humor isn't trivial nonsense, it's damn good ice cream, especially if you are lucky enough to get yours from one of those guys with the white suit and bow-tie. . .

Ice cream is brain food (it contains B vitamins, phenylalanine, and calcium)

W9FS wrote:
>
> Good Humor is not trivial nonsense, only in the mine of one that thinks
> everybody that has and loves humor is a moron. Good day sir.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3505. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3767893F.CAAD7A20@asu.uswest.net>
Source record: 83200

Nothing personal, but while one person may have the right to make irrelevant statements, the group has the right to object to and critque those statements.

W9FS wrote:
>
>
> That dosen't worry me as much as a lack of understanding on a subject that is
> totally relevant. Or the opression of the right to be irrelevant if one so
> chooses.

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3506. Re: Collins Question....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37678AA9.DB1AAD1D@asu.uswest.net>
Source record: 83201

Hi:

I know little about COllins gear, so forgive the stupid, though earnest, question: Why does the addition of just the (presumably original) power supply raise the price from $550 to $1600, an increase of over $1000, almost twice what the radio itself cost? Also, what is the 516F-1? I had thought it was a speaker/PS unit, but maybe I am wrong?

Bismarck Wichy wrote:
>
> KWM-1 $550
> KWM-1 w/516F-1 $750
> KWM-1 and PS $1600

> In article <19990615191149.08863.00000300@ng-cm1.aol.com>,
> rockjammer@aol.com (Rockjammer) wrote:
>
> >Hello. A friend of mine is contemplating the purchase of a KWM-1. Excellent
> >shape..just gone through by a Collins restorer. What is the going rate for a
> >rig such as this?? Any reply much appreciated.
> >WM5M
> >David

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3507. Re: FS: UNBUILT!! Heath Digital Bathroom Scale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37678D5D.69E66E08@asu.uswest.net>
Source record: 83202

Is that the UK version with dial indicating stones?

TubePwr813 wrote:
>
> In original Heath Box, opened but not unpacked. Model #GD1186.
>
> $450 US plus shipping
>
> Chris "KX0Y"

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3508. F/S Johnson Viking II and VF1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: soundimp@pobox.com
Message-ID: <3767140a.18012246@news.nstar.net>
Source record: 83203

Have a Viking II and VF1 F/S for $100 plus ship... When
purchased was told that it works... Have not tried it...Case is
about a 7 and inside is about a 9... VF1 is 9.... Only
reason F/S is I found a Valient... Best 73's Bob K1JNN/5

----------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
http://www.newsfeeds.com The Largest Usenet Servers in the World!
------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----

3509. F/S Collins Mech Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: soundimp@pobox.com
Message-ID: <37671a9f.19698120@news.nstar.net>
Source record: 83204

I have a Collins Mech Filter fot the 75S3 or 75S3A...
It is the AM Filter model F455Y-40 for $150,00 Shipped....
Bob K1JNN/5 Dallas.

------------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
http://www.newsfeeds.com The Largest Usenet Servers in the World!
-------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----

3510. WTB DRAKE MS-4 CABINET LIKE NEW

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990616115811.24870.00000272@ng64.aol.com>
Source record: 83205

IF YOU HAVE ONE THAT YOU ARE NOT USING I NEED ONE AND I WANT IT TO LOOK AS NEW
...LET ME KNOW WHAT YOU HAVE AND PRICE THANKS DWIGHT

3511. FS: HEATH Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <3767c3cb.11536235@cnews.newsguy.com>
Source record: 83206

Very clean DX-60A w/ man. $75. HD-1410 Keyer $45.
VF-1 original clean condx. $40.
GR-64 Receiver- $10
EK-2 Shortwave receiver nice condx.- $25
Manuals- IM-5284, HW-7, HA202, DX-60, HM102, HM-2102, HD-20, HN-31.
originals $5 each + postage.
5- 3TF7 ballast tubes boxed and look new $25 for all.
Shipping extra on all items .
Tnx, Ron K5GIT ronfol@hilconet.com

3512. FS: JENNINGS VAC RELAYS RF-43-26N909 $17.50 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-1606991023270001@murphy1.cts.com>
Source record: 83207
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.radio.amateur.antenna

NEW, EXELLENT COND.

PIC AND DATA AT:

http://209.239.34.153/murphyjunk/VAC_CAPS_RELAYS_MIS_ITEMS

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3513. microphone question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Skyrider Defiant <SkyriderDefiant@RoswellRods.zzn.com>
Message-ID: <huR93.85$Ty4.144@newsfeed.slurp.net>
Source record: 83208

Hi there.

I have a Viking Valiant, and a few mic choices. I have a Silver Eagle,
and a broadcast quality condenser mic. The condensor mic pretty much covers
the human hearing range. The Valiant probably rolls off
at 4500 hz. Would it be beneficial to use the condensor mic over the D104?
Or would it be "broadcasting pearls before swine"?

Thanks

CF
--
____
/~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
C oo impair chlordane resourceful Pericles propylene step antisemite
_(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
____

3514. Collins 310B-3 manual needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Mike Cowart <cowart@rsn.hp.com>
Message-ID: <7k8ookrvl1@news.rsn.hp.com>
Source record: 83209

just picked up this unit. does anyone have a copy of the manual?

73
Mike - WA5CMI

3515. Electro Voice 664 with Base for TRADE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: ekugrad@mindspring.com
Message-ID: <3767da0a.33937677@news.mindspring.com>
Source record: 83210

I have a beautiful condition Electro Voice 664 mic with a Model 419 tear drop base. SN 58729. Has original cable and looks great. One scratch about 1" long on the right side of the base. Some idiot put it in a box with some other stuff and it got scratched. It's a great looking mic, but I don't really need it. I would like to trade it for something I can use.

You know what it's worth, what have you got to trade? I'm open to most trades. I like the DRAKE Gear (check out my web page). Don't have any Collins gear right now, but would consider putting some cash with it for a nice 75S1 or ?

Thanks and 73

David
W4IDX

CCA Member #491

<http://www.mindspring.com/~ekugrad/drake.html>

3516. FS/Trade: Drake TR-3 Cabinet

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: ekugrad@mindspring.com
Message-ID: <3767da1a.33954010@news.mindspring.com>
Source record: 83211
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Very nice condition Drake Cabinet for the TR-3. This cabinet is in near mint condition. No scratches and lettering on side is crisp and clean. Looks to be original paint job, or professional repaint. Cabinet only. No feet.

Sell for $50 shipped, but preffer to trade for something like...W4 wattmeter, MS-4 speaker, any C-line filters, TR-22, Any 7-line accessories, Astatic D-104 mic. I'm open to just about anything.

Might even be interested in a TR-3 that needs a new cabinet if someone has one and the price is right.

73
David
W4IDX

3517. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <Q2S93.582$Tx1.7371@dfiatx1-snr1.gtei.net>
Source record: 83212

Will White <wcw@asu.uswest.net> wrote in message
news:3767877F.2288CF55@asu.uswest.net...
> (Oh, why the hell not:)
>
> The British and Canadians, the ones in the UK and Canada are
"disinterested"
> in guns, especially as a topic in an amateur radio newsgroup, in no
small part
> because they don't feel threatened all the time the way Americans
seem to by
> "street crime." That's the primary reason most Americans own guns,
for
> personal and family "protection," not to keep the oppressive {sic}
government
> at bay. For that matter, the sense of government oppression is much
higher
> here, for all the guns in circulation. Why is that?

WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend
against government, is often ineffective? At least, in EXTREME
eventualities we have a viable alternative!

A common response/ploy constantly offered by
Canadian/European critics of American gun freedoms,
is that of belittling ridicule at our suggested fears and
insecurities - as compared with THEIR more "sophisticated"
lifestyle that is laid back and relaxed due to their great faith
and trust in the politics and citizen-protection provided by
their superior socialist governments - governments that are
benignly concerned ONLY in the happiness and comforts of
their society... Yeah, suuuure...

BS!

Even in MANY of *today's* foreign societies - including that of
Kosovo - the ability of those societies to either DEFEND
themselves (Kosovo's KLA, a militarized CITIZEN army), OR,
to just roll over and DIE as they are doing in Africa, and many
other disarmed societies unable to defend themselves. You MAY
argue the effectiveness of such citizen-armies, but as a potential
victim of government abuse, I would FAR rather go down fighting
than bleating. BOTH *ARE* happening in MANY parts of TODAYS
world, to ignore the possibility, even HERE in the U.S., is foolish!

NEVER forget that the ONLY ultimate goal of ALL liberals/socialists,
is TOTAL control of their "subjects", and they FULLY realize and

understand that MANY will oppose such total control - THUS, the GREAT interest and effort to REMOVE as many "tools" of revolt as possible - free speach and armed resistance being the primary targets!

I enjoy my guns as interesting items of mechanical art, and tools used for target practice and potential personal protection - though I freely
admit that use is VERY unlikely! (I DO live in a rural area poorly patrolled by police, and also more frequently infested by roving 4-legged
predators.)

I *LOVE* my country - AND it's freedoms - but I also choose to distrust
the ability and intent of my country's "leaders" to confine their agendas to
those issues intended to primarily benefit society rather than THEMSELVES
(at society's expense!).

THAT is what our INDIVIDUAL, Bill of Rights was established for, and WHY
those like me value them *ALL*, *INDIVIDUALLY*, so fervently. I hope we
NEVER are obliged to use FORCE OF ARMS to resist what we consider an oppressive government, as we did against England, and as our Civil War fighters did - but *I* will continue to VIGOROUSLY defend our right and
ABILITY to do so if needed - NO APOLOGY, in THIS group or elsewhere!

>
> BTW, you *can* own a gun in the UK and Canada, it is just not so casual a
> thing there.

Yeah - you've got THAT right!

>
> Gary - KJ6Q wrote:
> >
> > Michael Black
> >
> > > This thread turns into a thread on the right to own guns, something
> > not
> > > particularly interesting to those of us who don't live in the US,
> >
> > HMMMMm - I'll risk yet another off-topic post, by suggesting that
> > British and Canadians are NOT so much "disinterested" in the guns
> > issue, as they are *sensitive* to the fact that their REAL opinions on

> > the subject are QUITE irrelevent, since they (guns) are totally
out of
> > their reach by government decree.
>
> --
> Will White, KD7BFX

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

3518. Re: Hammarlund HQ-129X 4sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: kemtelcom@aol.com
Message-ID: <19990616151713.27920.00000061@ng-fd1.aol.com>
Source record: 83213

Mike,

I'm not interested in an HQ129x as I have a mint condition one myself.

However, if someone wants to buy yours, you can tell them that I have an original IB that I'd be willing to copy for them. It's only 20 5" x 7" pages.

One would need a manual to service or trouble-shoot an ailing rcvr.

John, W6JN, <kemtelcom@aol.com>.

3519. FS*****HEATHKIT SB-220 $525.00*****

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <3645-3767F19D-39@newsd-142.iap.bryant.webtv.net>
Source record: 83214
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.cb

Very nice Heathkit SB-220 10-80 meter amp.Has good output...1000 on 40 and 800 on 10 with 100 watts in. This is on 110vac and i'm sure it will do more if wired for 220. This is a "later" model with the longer plate cap.Has original manual with Heathkit up date flyers.Face is perfect and case only has two very small (1/4") paint chips. An easy 9 on a 1-10 scale. Price is $525.00 + boxing and shipping from 96003.

Take care,
Stan (530)241-0843 KF6IKC@webtv.net

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3520. WTB Modulation Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: pwende@aimtronics.com
Message-ID: <7k92sovmq1@nnrp1.deja.com>
Source record: 83215

Hello,

I'm in the process of finishing an AM TX with an 813 output and I need a modulation transformer of at least 100W. The modulator tubes will depend on what I find for a transformer Z in/out.

Please email me if you have something that might work.

Thanks

Paul

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3521. Re: WTB : 4 - 1000 A TUBE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: qroking@aol.com
Message-ID: <19990616155802.12852.00000285@ng-cb1.aol.com>
Source record: 83216

Hi Bucky, Got a 4-1000 for you, full output shipped to you for $100.00...73 LOU

3522. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: dialcover@webtv.net
Message-ID: <27980-37681055-41@newsd-122.bryant.webtv.net>
Source record: 83217

IT SOUNDS TO ME AS IF THE REAL PROBLEM WAS A CB'ER. EVEN AT 20 HOURS
YOU CAME OUT PRETTY WELL, THE PS ALONE WAS WORTH TWICE WHAT YOU PAID FOR
THE WHOLE RADIO.

disregard caps, visual problem
Bill Turner WA0ABI
1117 Pike Street
Saint Charles, MO 63301
314-949-2210

3523. Re: microphone question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <37681A44.8C789C74@erols.com>
Source record: 83218

You might want to consider obtaining the "Electric Radio" series on the Valiant audio (et al) mods. Mine has had all applied and the difference is ....well, let's just say noteworthy! Given the audio bandwidth and the modulation scheme in the stock unit, one could do just as well with a Radio Shack special. By all means use the good mic you have but consider the mods, too! (Don't forget the VFO screen resistor!!!!)

Skyrider Defiant wrote:

> Hi there.
>
> I have a Viking Valiant, and a few mic choices. I have a Silver Eagle,
> and a broadcast quality condenser mic. The condensor mic pretty much covers
> the human hearing range. The Valiant probably rolls off
> at 4500 hz. Would it be beneficial to use the condensor mic over the D104?
> Or would it be "broadcasting pearls before swine"?
>
> Thanks
>
> CF
> --
> ____
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> C oo impair chlordane resourceful Pericles propylene step antisemite
> _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> ____

3524. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: JJ <jj@no.net>
Message-ID: <37680E5E.46BB@no.net>
Source record: 83219

wb0poz wrote:
>
> Since the topic IS boatanchors, here is the story of a sad Heathkit SB-102
> that I recently purchased. Never have I worked on a radio with so many
> disparate problems (except for a MicroTel PR-700, but thats ANOTHER story).
>
> This radio was purchased from a nice old gentleman at the Manassas (VA)
> hamfest. He pulled up and started taking a load of green Heathkits out of
> his trunk. Of course, this attracted the vultures (and I guess I have to
> include myself). Stuff was cheap - I bought this SB-102 with a HP-23 and
> SB-600 speaker for $25. Between other vultures desperately thrusting money
> at the increasingly flustered old gent, he explained that the SB-102 was a
> basket case but he included the parts to make it work.
>
> Upon getting it home, it was apparent that the belts were shot and it was
> missing the 6.8 MHz trap (which was included in the little baggie of parts).
> Installed the trap and the radio came to life (sort of). No xmit and very
> weak receive.
>
> Tested the tubes, replaced 3 DEAD ones (filaments lit, but NO emission!),
> some improvement but still no xmit.
>
> Did an alignment (it was WAY off) and some more improvement, but still no
> xmit.
>
> Made some voltage measurements and almost everything was WAY off. Then I
> started reading resistor values, and found that almost every resistor was
> out of tolerance (some by 400 percent!). So, I did a wholesale resistor
> replacement only to find that:
>
> (1) the LMO was mechanically messed up
> (2) the LMO was electrically messed up
> (3) some knucklehead put CB crystals in 2 of the 10 meter band positions
> (4) the grid drive slug for 80 meters was busted
> (5) the xtal osc slug for one of the 10 meter bands was busted
>
> I never have been too impressed with Heathkits, but I'm even less so after
> this nightmare. I finally got the beast working well (except for replacing
> the CB crystals), but at the cost of about 20 hours of bench time! My $25
> "bargain" was no bargain at all, but I must admit it was enjoyable finally
> winning the fight against the beast.
>
> Moral is, I guess, if you have a Heathkit of this vintage that isn't
> performing up to scratch, CHECK THOSE RESISTORS! They were 20% tolerance to

> begin with and time apparently hasn't treated them too well.
>
> 73 John

My first SSB unit was as SB-102. It was fun building it and it gave me many years of dependable service. Sounds like yours was attatcked by some knuckle-headed cber who, like nearly all cbers, think everything needs to be "moded" to get a "bigger signal".

3525. Re: BC-611 or BC-721???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Jerry Franks <w4rf@worldnet.att.net>
Message-ID: <7k99ui$d29$1@bgtnsc03.worldnet.att.net>
Source record: 83220

try here
http://www.telalink.net/~badger/millist/mi.html

3526. WTB - R1155A Receiver Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: wmackin@interlog.com
Message-ID: <37683109.548285@news.interlog.com>
Source record: 83221

I am looking for a manual for the military R1155A receiver. An original or a good photocopy would be fine. (This receiver was used in British and Canadian aircraft during WW II).

Please reply with price and condition to wmackin@interlog.com.

Regards,

Wayne

3527. FS: Ten Tec 962 PS $175 + UPS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <37684358@news1.us.ibm.net>
Source record: 83222
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

Beutiful 962 power supply by Ten Tec. A 9.5/10. Price is $175.00 plus actual UPS costs from San Diego 92139.

It does have the spkr built in.

Lane
Ku7i
San Diego

3528. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <37684C96.7A824403@asu.uswest.net>
Source record: 83223

OK, one more comment and I *have* to stop or the USENET topic police are going get me. . .:(

I hope your frustration with whatever in particular frustrates you about our government (and that is different for different folks--not really that important in particular for purposes of this wonderful discussion that has nothing to do with BAs, though I am enjoying it thoroughly) hasn't led you to a point where voting is the only means of redress and social action you believe are available to you. Picket, write letters, make phone calls, organize, educate, donate time and money. Anyone who says these measures don't work has been in a coma for the past 35 years. Just pulling a lever every year or so for some bland devil or another doesn't get anyone off the hook as a citizen in what still is the best and most full democracy on this planet, or any of the others I have been to for that matter. . .:)

Gary - KJ6Q wrote:
>
> Will White <wcw@asu.uswest.net> wrote in message
> news:3767877F.2288CF55@asu.uswest.net...
> > (Oh, why the hell not:)
> > That's the primary reason most Americans own guns,
> for
> > personal and family "protection," not to keep the oppressive {sic}
> government
> > at bay. For that matter, the sense of government oppression is much
> higher
> > here, for all the guns in circulation. Why is that?
>
> WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend
> against government, is often ineffective? At least, in EXTREME
> eventualities we have a viable alternative!
>

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3529. FS:: Rockwell-Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <gIZ93.35$ra.4128@news.erinet.com>
Source record: 83224
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Here is a real nice KWM-380
http://users.erinet.com/30845/itemsfor.htm

3530. 6922 vacuum tubes for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Bob Grebe <bgrebe@customnet.net>
Message-ID: <7k8gm3$i47$1@marcie.fissiontech.com>
Source record: 83225

NOS Philips 6922s for sale @ $5 each or $300 for a factory sealed carton.
bgrebe@customnet.net

3531. FA Redifon R50 Rare SW Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3766F318.1223@sympatico.ca>
Source record: 83274
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave

Hard to find Redifon R50M Receiver. A true boatanchor. Have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118172133>

3532. FA Old RCA CR91A SW Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3766F66B.528F@sympatico.ca>
Source record: 83275
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.radio.shortwave

Boatanchor class - RCACR91A postwar version of AR88LF - have a look!

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118183481>

3533. Re: Ebay- Heath HS-24 mobile Spkr, Excellent!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: witmerjr@aol.com
Message-ID: <19990615223134.07105.00000001@ng-fs1.aol.com>
Source record: 83276

If anyone's interested - I've got the matching mobile mounting bracket

73

Bob, W3RW

3534. FS: New 5-pin Nuvistor sockets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <37670a4f.9967018@news.mindspring.com>
Source record: 83277
Cross-posted to:
rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

Cinch Jones 5NS Ring type 5-pin Nuvistor sockets. New. $1 each plus shipping.

Compare to Antique Electronic Supply 1999 price of $2.70 each.

Marv

3535. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: w9fs@aol.com
Message-ID: <19990615224123.29982.00000004@ng63.aol.com>
Source record: 83278

>Subject: Re: Reply to "Wife says guns must go"
>From: "Gary - KJ6Q" <davison7@gte.net>
>Date: Tue, 15 June 1999 06:52 PM EDT
>Message-id: <ePA93.921$zP2.26777@dfiatx1-snr1.gtei.net>
>
>
>
>
>
>
>Michael Black
>
>> This thread turns into a thread on the right to own guns, something
>not
>> particularly interesting to those of us who don't live in the US,
>
>
>HMMMMm - I'll risk yet another off-topic post, by suggesting that
>British and Canadians are NOT so much "disinterested" in the guns
>issue, as they are *sensitive* to the fact that their REAL opinions on
>the subject are QUITE irrelevent, since they (guns) are totally out of
>their reach by government decree.
>
>THUS, *any* gun opinion they hold or offer is completely POINTLESS, as
>far as their own ownership is concerned...
>
>WHICH, of course, is EXACTLY what gun owners here in the states are
>determined to resist... We prefer to cling to our unique freedoms, and
>accept both the responsibilities and risks that accompany those
>freedoms - something those outside our borders have had removed from
>their reach...
>>
>> Michael VE2BVW
>>
>>
>
>
>Gary - KJ6Q
>--
>"Blaming guns for Columbine is like blaming
>spoons for Rosie O'Donnell being fat."

AND to add to all that, I feel you have right to say what you said on this or anynews groups. The problem is loosing those freedoms. I know of people who

fought and died just so you would have that freedom.

Jerry W9FS

3536. FS: Heath ID-4001 Complete & Working

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: tubepwr813@aol.com
Message-ID: <19990615224346.22992.00000005@ng-xa1.aol.com>
Source record: 83279

Unit is complete, all sensors, working and manuals. Very good (used) condition.

Another project is requiring me to part with some of my favorite things.

$550 US plus shipping

Chris "KX0Y"

3537. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01beb7a1$15c67d60$047b9ece@larry>
Source record: 83280

Did you morons ever think that.... Well no if you read your posts guess you didn't have time to think. How about we let this die and get back to REAL boatanchor issues, concerens, and help. 73's Larry WA9VRH

This is to good a newsgroup to waste on trivial nonsense....

3538. FS: UNBUILT!! Heath Digital Bathroom Scale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: tubepwr813@aol.com
Message-ID: <19990615224633.22992.00000007@ng-xa1.aol.com>
Source record: 83281

In original Heath Box, opened but not unpacked. Model #GD1186.

$450 US plus shipping

Chris "KX0Y"

3539. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: w9fs@aol.com
Message-ID: <19990615224839.29982.00000015@ng63.aol.com>
Source record: 83282

>the most benign settings possible, and on a topic utterly
>irrelevant to the subject of the group.
>
>I still don't understand....
>
>--howard
>
>
>

That dosen't worry me as much as a lack of understanding on a subject that is totally relevant. Or the opression of the right to be irrelevant if one so chooses.

Jerry W9FS
Jerry W9FS
ex W9FTI, W4RXU, K9PFV, DL5GI
Licensed since 1958, getting to be
a real OT.

3540. Re: FS: UNBUILT!! Heath Digital Bathroom Scale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: markem@primenet.com
Message-ID: <7k747e$1te$1@nnrp03.primenet.com>
Source record: 83283

In article <19990615224633.22992.00000007@ng-xa1.aol.com>, tubepwr813@aol.com (TubePwr813) wrote:
>In original Heath Box, opened but not unpacked. Model #GD1186.
>
>$450 US plus shipping
>

HAHAHAHAHAHAHAHAHAHAHAHAHAHAHA!!!!!!!!!!!!!!!!!!!

3541. ** FLEA at MIT ** Sunday June 20th Cambridge MA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: w1gsl@mit.edu
Message-ID: <7k73vt$8ip@senator-bedfellow.MIT.EDU>
Source record: 83284
Cross-posted to: rec.radio.swap,rec.radio.amateur.misc,rec.radio.info,sci.electronics.misc,ne.forsale,ne.general,rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors

Subject: ** FLEA at MIT ** Sunday June 20th Cambridge MA
Summary: Buy Sell SWAP Ham Radio Electronics Computers 9AM - 2PM

This coming Sunday....

Sellers NB ... Prepaid vendors (monthly and season) are admitted first.

*** !!!! In our Traditional GARAGE and lot !!!! ****
so come rain or shine or super heat the Flea is on !!!

********* $1 buyers discount with hardcopy of this notice ********

COMPUTERS - ELECTRONICS - HAM RADIO - COMPUTERS - ELECTRONICS - HAM RADIO

FLEA all SUMMER at MIT
Sunday June 20th 1999
9AM-2PM

Come to the city for a great flea - plenty of free parking.

MIT's electronics and ham radio flea will take
place on the third Sunday of each month this summer,
April thru October.

There is tailgate space for over 600 sellers and
free, off-street parking for >2000 cars!

Buyers admission is $4 (you get $1 off if
you're lucky enough to have a copy of our ad)
and sellers spaces are $10.00-each at the gate.

The flea will be held at the corner of Albany and
Main streets in Cambridge; right in the Kendall
Square area from 9AM to 2PM, with sellers set-up
time starting at 7AM.

*** Attention Sellers ***
Prepaid vendors.. Season Pass or monthly,
will be admitted FIRST.
Separate lines will form prior to gate opening
for prepaid and nonprepaid vendors

!! RAIN or SHINE !! Have no fear of rain, a covered
well illuminated tailgate area is available for all
sellers (6'8" clearance).

Talk-in: 146.52 and W1XM/R-449.725/444.725 (PL 114.8/2A).

Sponsors: MIT Electronics Research Society
MIT UHF Repeater Association (W1XM)
MIT Radio Society (W1MX)
Harvard Wireless Club (W1AF)

For more info / advanced reservations 617 253 3776

********** $1 buyers discount with hard copy of this notice ************

<<<<<<<<<<<<<<<<<<<<<<< cut here >>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>>

1999 SELLERS ADVANCED DISCOUNT REGISTRATION if Mailed by the 5th

Name..... Call.....

Address..... Phone.....

City..... State..... Zip.....

E-Mail .....

Spaces Required ___ Season @ $50 / space = $ ..... CK # .....

___ April ____ May ___ June ____ July

___ Aug ____ Sept ___ Oct

Total Monthly spaces @ $9/ Space = $ ..... CK # .....

Make checks payable to The MIT Radio Society

Mail to PO Box 397082 MIT Branch Cambridge MA 02139-7082

rcvd by..... Stamp

.....
Flea at MIT 1999
RECEIPT fill in only your name ->

Received $ from .....

For .....

By ..... Stamp

Enclose SASE for return by mail.

****
Steve Finberg W1GSL w1gsl@mit.edu
PO Box 82 MIT Br Cambridge MA 02139-7082 617 258 3754
****

3542. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: wa9vrh <wa9vrh@ocslink.com>
Message-ID: <01beb7a3$4af6e7c0$047b9ece@larry>
Source record: 83285

I would like to correct my original message to read "Did you folks ever...." Sorry the "morons" comment was very unprofessional. 73's Larry WA9VRH

wa9vrh <wa9vrh@ocslink.com> wrote in article <01beb7a1$15c67d60$047b9ece@larry>...
> Did you morons ever think that.... Well no if you read your posts guess you
> didn't have time to think. How about we let this die and get back to REAL
> boatanchor issues, concerens, and help. 73's Larry WA9VRH
>
> This is to good a newsgroup to waste on trivial nonsense....
>

3543. WTB: RCA Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: tk41c@aol.com
Message-ID: <19990615231822.20248.00000013@ng-fu1.aol.com>
Source record: 83286

Need plate transformer for RCA 21 " round tube color monitor made in the 1960s.
this is a large potted unit RCA #213987.

Check your transmitter sites
Thanks
bodybuilding

3544. WTB.VFO FOR Yaseu 102

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: n2yet1@aol.com
Message-ID: <19990615235003.01030.00000038@ng-fb1.aol.com>
Source record: 83287

I am looking for a Vfo for a Yaseu ft 102 in working order.Please E Mail me with details.N2YET1@AOL.COM

3545. Ebay -Big JOHNSON CAP 150uuf@3500v

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-16 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990615235102.28394.00000001@ng-cn1.aol.com>
Source record: 83288

Any guys out there need a big Johnson Variable, Cheep?
See it at URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116360006

Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3546. Free items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: jeffreyh@hawaii.EDU
Message-ID: <Pine.GSO.4.10.9906162238340.2968-100000@uhunix5>
Source record: 83139

Free, plus shipping, of course.

20 position stepping relay, with 4 wipers, voltage unknown
"Industrial size" capacitors: 10,000 MFD 50vdc
54,000 uF 20vdc

73, Jeff KH6O

Fingerprint Classification Services: A personal copy of your inked
finger impressions utilizing the Henry Classification Formula.

3547. FA...Collins KWM-2 at auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3768BC0D.22877A90@iglobal.net>
Source record: 83140
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

eBay item 118925288 (Ends 06/24/99, 01:59:57 PDT) - Collins KWM-2
"winged" L@@K !!

3548. FA..FT 101 E at auction

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3768BC70.433380C9@iglobal.net>
Source record: 83141
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

eBay item 118924298 (Ends 06/24/99, 01:35:00 PDT) - Yaesu FT 101E...nice LOOK!

3549. Trade Svetlana 572s for "other 572s"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <3768C2DC.1C0F918B@iglobal.net>
Source record: 83142
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Cause they are so hot and require bias adjustments to work well in some amps, Id like to trade 4 like new Svetlana 572s for 4 of another brand Cetron preferably!! What you got? Thanks Murray K5MDM

3550. Re: Larkspur era B43/R220 information wanted.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Louis Meulstee <l.meulstee@wxs.nl>
Message-ID: <3768CE10.7FD0@wxs.nl>
Source record: 83143

Station Radio B43/R220 Mk. 4 was a mobile version of the B43/R220 Mk.1 to Mk.3 80MHz (AM (!) basestations manufactured by Marconi Co in the very early 1950s for point to point communication in the British Anti-Aircraft Command. The sets were originally commercial PMR but modified to specifications of the users. When the sets (and also other sets such as the B44) were delivered, the AA Command was abandoned, and part of the B43/R220 units eventually transferred to Army Regimental Police radio networks all over the UK. It is believed that they were used well into the 1960s and I have some documentation dated 1965. The Mk. 4 is believed to be a later adaption of a Mk. 3 set to enable it to be used as a mobile station.
Although the B43/R220 has no significant Army background, it is an interesting piece which I personally only have seen one in the Royal Signals Museum at Blandford Forum, UK.

The set has nothing to do with the Larkspur range of equipment (though it has the same nomenclature range).
More on the Britsh Army Larkspur range of the late 1940s to 1960s can be found in the Larkspur page of my web-site "Wireless for the Warrior"

http://home.wxs.nl/~meuls003/larkspur/larkspur.html

73 Louis Meulstee PA0PCR

Nico van Dongen wrote:
>
> This weekend I found a Station Radio B43/R220 MK4 (mobile) and I□m looking
> for information regarding this set. It look as if it is a civilian set in a
> military housing. A separate TX and RX chassis, all valves except for the
> powersupply that hold 2 transistors. Single channel in the 70 to 87 MHz
> band. It has a control box with build-in speaker and 3 Switches marked TX,
> RX and PA. The handset is of the type found on British military D, F and L
> type field telephones. I think it dates back to the late 1950□s early 1960□
> s. Any information regarding this set is welcome.
>
> 73□s
>
> Nico PA3ESA
>
> Email: nico.vandongen@compaq.com

3551. Astatic Silver Eagle, Turner 454 and other mics on eBay/ends 6-21

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990617084512.03944.00000281@ng-cr1.aol.com>
Source record: 83144

Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117724845

then click on "seller's other auctions" for the rest.

3552. Homebrewing scope probes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <3768EF5F.74AD60D4@asu.uswest.net>
Source record: 83145
Cross-posted to: sci.electronics.equipment,Rec.radio.amateur.homebrew,Rec.radio.amateur,Rec.radio.amateur.boatanchors

I picked up a TEK RM-45A 33MHz dual trace scope at a surplus supplier that appears to work. I have a trace, calibrator signal, and get and wiggle traces attaching my RF generator leads to the scope input and varying the signal frrequency and level. I have a manual copy on order, and need a pair of 33MHz or greater probes to get started calibrating, setting up, and using the old TEK.

This is my first scope, though I have been working on tube gear without a scope for several years, and would basically like to use this scope to learn scope fundamentals, improve and speed up my homebrewing and repair (almost all tube based work at low HF), and just to play. So I won't need the best probes at first, and I would like to see how homebrew probes compare with commercial ones.

I need info: parts & materials list, construction method and caveats, schematic, and possibly drawings, on how to do this. Sources? Advice? Comments? Thanks much.
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3553. FS: Hallicrafters SX-28 SuperSkyrider

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: cosmotronics@my-deja.com
Message-ID: <7kb096$k83$1@nnrp1.deja.com>
Source record: 83146

For Sale: Please email DIRECT to olds98@together.net for info:

Hallicrafters SX-28 Super Skyrider receiver in full metal
case (can also be rack mounted). In excellent original cond,
near mint wrinkle paint, knobs, face. Works fine, includes
original 1941 manual and also includes 1941 Jensen 12" PM
speaker mounted on board.
Art deco design masterpiece.

Bought in 1941 by a NY couple with a son fighting in WWII in
order to follow the progress of the war.

Beautiful example of one of the most collectible Hallicrafters.

Accepting realistic offers. Please email direct.
Thanks Roger Anderson

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3554. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Martin Meserve <meserve@my-deja.com>
Message-ID: <37690A3B.167EB0E7@my-deja.com>
Source record: 83147

John,

IMHO, you made the deal of the decade. I know that my bias for
Heath equipment is going to show, but I think that that "nice old
gentleman" should be nominated for saint hood and I have nothing
but pity for that poor mistreated SB-102.

I mean no disrespect to anybody, but I would look at the situation
a little differently. First, the price. The HP-23 power supply
alone is worth, as a minimum, twice what you paid for everything.
I have seem them offered for more than 5 times your initial investment.
Had you stopped there, sold the power supply for $50 and the SB-102
as a parts rig, you could have been well ahead of the game.

But you didn't sell it. There was something in you that told you,
this rig is worth some work. Everything that was wrong with the
rig should have been totally expected. At least to me it would have.
After all, you knew up front, it was a basket case.

Rubber belts dry out and crack, but you can get them anywhere.
Just about every swimming pool supply store, or auto store, has
a wide selection of belts, that are cheap and can easily be use.

Bad tubes. If your going to work with tube rigs, you have to expect
that tubes are going to go bad. I would have bought a whole brand
new set of tubes.

Allignment. You would have wanted to do that anyway, to be sure
that it was working to specifications.

Bad resistors. I would accept the probability that there were
several out of tolerance. Judging from some of the other things
that were wrong with it, I would say that the unit was put under
a lot of stress. Badly done modifications and poor tuning were the
probable culprits. In the era of the SB-102, 1970-1975, it was
common for CBers to modify any ham equipment that had 10 meter
capabilities. Especially when the was a vfo in it. 180 watts, PEP,
was like a dream to them. But every Heathkit ever made just cried
out "modifiy me". It wasn't because they didn't perform well, it
was because they were so easy to work with. You had the manual, a
complete schematic, an explanation of the entire piece of equipment,
every thing you needed. There was hardly anything you could do to
it, short of drilling holes in it, that couldn't be reversed.

The mechanical problems, like the broken slugs and LMO, were just
total abuse. The culprits should be hunted down and subjected to
a Wofhong.

I'm sorry that you have never been impressed with Heathkits. I have nothing but respect for the people at Heathkit who worked hard to produce a product that everyone could enjoy. I have been building, and using Heath equipment for over 30 years now and have never had a complaint. I still have my HW-29 (Sixer) and HW-30 (Twoer), from the 60's, and they still work. They provided me with many hours of enjoyment at a price that couldn't be beat. For the past 20 years I have been using a HR-1680/HX-1681 receiver/transmitter pair, for low band CW. In all that time I only had to replace the output tubes once and I had a small variable capacitor, in the receiver, go bad. I have many other Heathkit pieces and all they work great.

Well, enough of my ravings. I wish you the best of luck with your SB-102. I wish that I was one of the vultures at the hamfest. In my opinion, you are way ahead of the game. Enjoy.

Martin

p.s. In case you are interested, you can obtain a list of service bulletins, for the SB-102, at the following web site:

KB9JJA Heathkit Ham Radio Page
http://members.accessus.net/~dwentz/kb9jja/heathkit/

--
Martin E. Meserve KB7EQS martin.e.meserve
Engineer, Program/Project Specialist AT
Lockheed Martin M&DS - Reconnaissance Systems lmco.com

I respond to news groups and E-Mail on my own time and therefore my responses may not be as timely as you, or I, would like them to be. If I seem to be ignoring you, send me another E-Mail to jog my memory. Opinions are my own and do not reflect the opinions of my employer.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

3555. Help!Manual needed for Jackson 658A tubetester!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: mjzuccaro@aol.com
Message-ID: <19990617122432.11256.00000771@ng-cd1.aol.com>
Source record: 83148

Guys:
Can anyone help me with this? I have one of these testers but need the manual,I need to calibrate it.I will pay for a copy or gladly make you a copy of any of the service manuals I have. Please respond by email,not to the NG.No luck with Tannenbaum or any other source.

Thanks,
Mike Zuccaro

3556. Re: LOOKING (4) 811-A'S NEW ?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Chip <veresc@my-deja.com>
Message-ID: <7kbcfh$pn7$1@nnrp1.deja.com>
Source record: 83149

In article <19990609115042.24869.00002141@ng-da1.aol.com>,
dwight136@aol.com (Dwight 136) wrote:
> ANYBODY GOT (4) 811-A'S NEW ..I NEED 4 THANKS ..
> Surplus Sales of Nebraska or any other Svetlana dealer.

--
C. Veres

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3557. WTB Manual or Schematic BRR-3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Chip <veresc@my-deja.com>
Message-ID: <7kbcmqpqc1@nnrp1.deja.com>
Source record: 83150

Will pay $50 for repair manual or schematic of AN/BRR-3. Xerox OK. This Submarine Radio Receiver (anchor) was built about 1963 by Federal Radio Company.

--
C. Veres

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3558. Hammalund HQ 129-X for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: chrism1111@aol.comspamless
Message-ID: <19990617131440.25284.00000677@ng-cm1.aol.com>
Source record: 83151

best offer, plus shipping rom here on wunderful Long Island NY, two other family units soon 1 rca table top one rca floor model,

The hammalund is in very good condition and has all tubes I can see, you need to replace the power chord. Even has the allen key in holder , Verniers are clean and the knobs all there. email remove the spam line

chris
For free plans and info on solar oven's water and purifiers, that actually work, see<http://www.accessone.com/~sbcn/index.htm>
==========
Sufficiently advance technology is indistinguishable from magic..

3559. FS: Misc. Radio Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990617153145.17086.00000761@ng-cs1.aol.com>
Source record: 83152

I have the following Radio, and electronic equipment for sale. Will consider trades for other Electronic or computer related EQ. All working last time tested unless noted. Shipping is extra. Please reply to my email address. Thanks
EJ (KC5EPI)

All Tube Items:

Tempo-1: All Tube Ham Transceiver with Power Supply. Covers 80-10 meters. Looks good and works well. $200. Will trade for a Pro 2004,5 or 6 scanner.

Pearce Simpson: Guardian 23- All tube CB Transceiver/with mobile power cord and mounting bracket. Looks and works Good. $100. Willing to trade for a Siltronix 1011C or D in good condiction.

Channel Master: Tube Stereo Receiver (Model 6612) and matching amp (Model 6601) Looks good and plays on FM only. AM not working. $125. Willing to trade for an 800 cell ready scanner.

Non Tube Items:

Marantz Model 2220B: 25 year old Stereophonic Receiver, with gyro-touch tuning, blue dial and optional real wood case. This unit is in excellent condition, both in looks and operation I would rate a 9.7. Also have original manual, in excellent condition. $250. Will trade for a Pro 2006 Scanner.

AR Inc: Stereo Amp, All solid state. $100

Traynor: Group Two B- Audio Amp Head. High/ Low misc. in puts. Master volume, volume, bass, treble and tone shaper controls. All solid state $125

Swan 14X DC Power Supply Module: No way to test but was told it was working OK. As is $50.

Siltronix Model 90-6 VFO: Excellent condition with three position crystal switch $75.

PRO 2003 Scanner: Radio Shack 50 channel(30-512 Mhz.) Digital Scanner with FM broadcast band included. Have two, one is working the other is a complete non working unit. $150 for both or trade for portable 800 scanner that can receive Cell. Will trade for a Pro 2004, 5 0r 6.

Bearcat 250 Scanner: Have two. One working at times and one for parts. $50 for both.

3560. WTB TMC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Windows 95 INNOVA Media User <cleidner@worldnet.att.net>
Message-ID: <01beb90b$96aab020$65e44d0c@default>
Source record: 83153

Would like to buy a nice TMC GRP90 or 92
(not mint condition) Just want to use it
Thanks Charles

3561. Re: SOB-102 saga

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <h3ea3.183$Nt1.11103@news.cwix.com>
Source record: 83154

Martin Meserve <meserve@my-deja.com> wrote in message
news:37690A3B.167EB0E7@my-deja.com...
> John,
>
> IMHO, you made the deal of the decade

No, the deal of the decade was the GPR-90 I bought at a garage sale (when I was in college) for $10. Sold it to pay the rent for $150 a year later...

> I mean no disrespect to anybody, but I would look at the situation
> a little differently. First, the price. The HP-23 power supply
> alone is worth, as a minimum, twice what you paid for everything.
> I have seem them offered for more than 5 times your initial investment.
> Had you stopped there, sold the power supply for $50 and the SB-102
> as a parts rig, you could have been well ahead of the game.
>
> But you didn't sell it. There was something in you that told you,
> this rig is worth some work. Everything that was wrong with the
> rig should have been totally expected.

Sorry, I disagree. I've repaired hundreds of boatanchors from the 30's-60's and seldom see such a high percentage of outof tolerance resistors. The other stuff could be abuse, but NOBODY else, to my knowledge, populates a radio with crummy 20% resistors.
.
> After all, you knew up front, it was a basket case.

Sure did, but have had worse "basket cases" take much less time to get going.

> Rubber belts dry out and crack, but you can get them anywhere.
> Just about every swimming pool supply store, or auto store, has
> a wide selection of belts, that are cheap and can easily be use.

THe guy included new ones.

> Bad tubes. If your going to work with tube rigs, you have to expect
> that tubes are going to go bad. I would have bought a whole brand
> new set of tubes.
Why buy new tubes when the old ones are just fine? THey aren't making many new tubes anymore, and it's a crime to toss good tubes, IMHO.

> Allignment. You would have wanted to do that anyway, to be sure
> that it was working to specifications.

True.

> Bad resistors. I would accept the probability that there were
> several out of tolerance. Judging from some of the other things
> that were wrong with it, I would say that the unit was put under
> a lot of stress.

See above comment on resistors.

> The mechanical problems, like the broken slugs and LMO, were just
> total abuse. The culprits should be hunted down and subjected to
> a Wofhong.
>
> I'm sorry that you have never been impressed with Heathkits. I
> have nothing but respect for the people at Heathkit who worked
> hard to produce a product that everyone could enjoy.

Yep, I agree. I just don't like heathkits that much (with the exception of
my AA-100/AJ-30 set which I dearly love!)

>
> Well, enough of my ravings. I wish you the best of luck with your
> SB-102. I wish that I was one of the vultures at the hamfest. In
> my opinion, you are way ahead of the game. Enjoy.
>
> Martin
>
> p.s. In case you are interested, you can obtain a list of service
> bulletins, for the SB-102, at the following web site:
>
> KB9JJA Heathkit Ham Radio Page
> http://members.accessus.net/~dwentz/kb9jja/heathkit/
>
>

Thnaks for the info, Martin. 73 - John

3562. Re: If You Want Easy $$$MONEY$$$ CLICK HERE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: llamafeeder@mindspring.com
Message-ID: <37697358.175194524@news.mindspring.com>
Source record: 83155
Cross-posted to: rec.boats.paddle,rec.boats.racing,rec.boats.racing.power,rec.radio.amateur.boatanchors,torfree.boating

<hoss@mostafa.swinternet.co.uk> wrote:

>I found this on a bulletin board and decided to try it. A little while

*****idiocy snipped*****

>Thanx.
>

Race boats. It's easier money. (at least if you're going to piss
money away do it in a boat)

LF

3563. Re: WTB - R1155A Receiver Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: wmackin@interlog.com
Message-ID: <376e7693.1234128@news.interlog.com>
Source record: 83156

On Thu, 17 Jun 1999 07:54:44 +0100, Robin Birch
<robin@falstaf.demon.co.uk> wrote:

>Can't tell you where to get an original, I'd like one myself. However a
>good photocopy can be bought from Tudor Gwilliam Rees - tudor.gwilliam-
>rees@virgin.net

Robin,

Thanks very much !

Regards,

Wayne

3564. Trade: Drake TR-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: k9two@my-deja.com
Message-ID: <7kc255$2d9$1@nnrp1.deja.com>
Source record: 83157

I will trade my very good condition Drake TR-4
with matching power supply and speaker for your
Hallicrafters FPM-300 in same condition. The TR-4
is in original condition with no mods. Front panel,
dial and knobs have no scratches. Works like new.

Don Ferrill K9TWO
Greenwood, Indiana

arsk9two@email.msn.com

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3565. FS VERY SCARCE NATIONAL NC-400 RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: jedward <oldtimer1@ibm.net>
Message-ID: <37698266.D2659270@ibm.net>
Source record: 83158

FS VERY SCARCE NATIONAL NC-400 RECEIVER
Vintage 1959-1963
18 Tube general coverage receiver. Covers 540 khz to 31 mhz in 7 band segments.
Cosmetically looks great. Front panel has no noticeable scratches or wear. Markings
all clear and unworn. Tuning dials clear. Barely noticeable imperfections in
aluminum bezel. Minor scratching in lower half (black portion) of side panels.
Evidently receiver stood without its rubber feet for some time and underneath of cabinet has many
scratches. Grey portions of cabinet have been nicely repainted and are unmarred.
All in all, a very attractive receiver. Electrically, the radio works, but perhaps could use alignment
or other work. AM reception good, CW and SSB marginal. Xtal filter does not seem to work.
Sold as is, PICKUP ONLY PLEASE in Eau Claire, Wi. I cannot lift this radio and do not want to risk
shipping it.
Also, I prefer buyer to inspect and try out before buying. $595.00
I can send e-mail photos to anyone genuinely interested. 73, Jim
oldtimer1@ibm.net

3566. Collins S Line Accessories FA "Over Friday"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990617194854.15906.00000815@ng67.aol.com>
Source record: 83159

Collins S Line Accessories FA

<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117283685">Collins
RE 312B4 Console
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117288250">Collins
WE DL1 Dummy Load
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117286110">Collins
WE SM2 Desk Microphone
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117291445">Waters
Microphone Compressor

3567. FS: Bliley 100 Khz Crystal (new)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <3769b3a9@calwebnnrp>
Source record: 83160
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: New in wrapper, Bliley 100 Khz Crystal type BH94W. Long wire leads in a HC style metal can. $10 post paid conus, New, generic 100 Khz crystal, long wire leads and HC style as above. $8 post paid conus.

tnx for the read

73

Bob, KE6F

3568. WTB: Hallicr.S40B BOOK or good complete copy!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <7kc8c3$avd@news1.snet.net>
Source record: 83161

WTB: Hallicr.S40B instruction manual or good complete copy!

Tnx - 73 Al W1UX

--
Y. A. (Al "Al") Feder W1UX
http://www.tinyradio.com/boatanchor01.html

3569. Info needed: output xfmr for S40B?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: "Yves A. Feder W1UX" <y.a.feder@tinyradio.com>
Message-ID: <7kc8hs$b4c@news1.snet.net>
Source record: 83162

I'm working on a Halliscratchers S-40B (no manual as yet) it needs a new AF output xformer. Any suggestions on
some reasonably close match?

Tnx & 73 Al W1UX

--
Y. A. (Al "Al") Feder W1UX

http://www.tinyradio.com/boatanchor01.html

3570. Manual for Heath SB-313 Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Don Cunningham <wb5hak@texhoma.net>
Message-ID: <7kcdsi$h1c$1@ionews.ionet.net>
Source record: 83163

Need original manual, or copy of manual for Heath SB-313 shortwave receiver.
Tks, Don, WB5HAK

3571. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Art Winterbauer <artwinte@sprynet.com>
Message-ID: <7kcgps$n0h$1@nntp3.atl.mindspring.net>
Source record: 83164

>Gary - KJ6Q wrote in message ...
>ANY *WIMP* of a husband without BALLS enough to be the head of the

----various rants snipped----yawn-----

If you can work a key as well as you can your mouth, you must be a helluva op. Take a pill & chill, Gary.

--Art WA5OES

3572. Re: Tubes and Test Gear FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Bob Weiss <bweiss@carroll.com>
Message-ID: <37695881.C3C801AC@carroll.com>
Source record: 83165
Cross-posted to: rec.audio.tubes,rec.radio.swap,sci.electronics.equipment,rec.radio.amateur.boatanchors

The tubes and the tube testers have been sold. All other items still
available.

Bob Weiss

Bob Weiss wrote:

> All prices plus shipping from 07657.
>
> 1.) 6 pcs EL34/6CA7. Labeled as being manufactured by Amperex. but they
> look like the Mullard type 2 tubes to me (black plastic bases). Removed
> from equipment with very low operating time. Tubes all test like new,
> and are closely matched for Gm. Labeled "Made for Hewlett Packard by
> Amperex" and "Made in Great Britain" . $25 each or take them all for
> $125.
>
> 2.) 2 pcs 5881. Labeled RCA. Manufactured by Tung Sol. Used, tested
> good. Well matched pair. $25 for the pair.
>
> 3.) 1 pc 5692 Labeled RCA with Red base. Used, tested good. $20
>
> 4.) 3 pcs 5693 Labeled GE Red metal tubes. Used, tested good. $10 each
> or all 3 for $20
>
> 5.) B+K 747 Dyna-Jet tube tester. Excellent condition with most recent
> setup data book. $100
>
> 6.) HP 651A Audio Oscillator. 10Hz-10MHz sine wave. 19" Rack Mountable
> Good operating condition. $85
>
> 7.) Boonton Radio (HP) 202H RF generator 54-216 MHz AM/FM Rack Mount
> Good condition $65
>
> 8.) Tektronix R5103 oscilloscope. Mainframe is in good working
> condition. Accepts all 5000 series plugins. Comes with 5A16 dual trace
> amp and 5B10 timebase. Plugins need work. $40
>
> 9.) Hickock 539C tube tester. Good working order with all setup books.
> $125
>
> Bob Weiss N2IXK

3573. FA: Collins S Line With Acc

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37696473.75305890@news.earthlink.net>
Source record: 83166

Sharp Collins S Line with all the accessories.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118997879

3574. info needed please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Jeff <j.dupuis@arnprior.com>
Message-ID: <3768E902.1D56@arnprior.com>
Source record: 83226

Hello, I'm hoping to find someone out there who can help me gather information on 2 receiver\xmiters.

1. Canadian Marconi transmitter\receiver
Type: PNI-B
No: 118-980

2. Receiver
Type:R1297
ref no: 10D/592R
(british air ministry i think?)

Any information would be helpful as I'm not having much luck finding info on the net.

Regards, Jeff

3575. Wanted: meter for Swan 350

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Larry Bearse <seethemessage@bottom.msg>
Message-ID: <01beb85c$81c8b8f0$d42696d1@the-cave>
Source record: 83227

Anyone got a meter for a Swan 350 to sell?

Thanks......Larry
lbearse@mail1.nai.net

3576. WTB NATIONAL HRO-500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990616220023.05803.00000413@ng-ci1.aol.com>
Source record: 83228

WOULD LIKE TO FIND A HRO-500 AND OR THE MATCHING SPEAKER.
I KNOW THEY A HARD TO FIND, BUT I THOUGHT I WOULD TRY.
THANKS, WALT 818 883 8282

3577. FS: Heathkit SA-2060 2KW Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: byoumans@neo.REMOVE.lrun.com
Message-ID: <37685ab9.15340705@news-server>
Source record: 83229

Nice Heath SA-2060 tuner. 2 KW rating covers 160 thru 10 meters. Matches balanced, unbalanced, and randmom wire antennas. Good cosmetic and functional condition. Typical later Heath two tone gray-green and black color scheme. No manual, but one available from W7FG site.

All metering works and calibrated. I can e-mail picture if desired.

$150 plus shipping.

Barry KI8BS byoumans@neo.rr.com

3578. EBAY- Antique HeathKit BR-2 BC Rcvr!, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990616224504.28986.00000658@ng-cj1.aol.com>
Source record: 83230

Hi Guys;
I came across this 'ol radio on ebay.
While it not mint or complete, it might just pay to check it out.
It's only at $4.99 with 3 days left.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117105303
73.....Rich

3579. Ebay-ERIE "DoorKnob" Caps, 500pf@30KV NEW!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990616225953.28986.00000672@ng-cj1.aol.com>
Source record: 83231

Hi Guys;
Building something big?
How's about a few BRAND NEW ERIE "doorknob" Caps Rated at 500pf @ 30kv. There are three pairs at dutch auction and are kinda cheep so far. Only at $10 & $7 a pair.
Heres the URL with PICS>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116761326

Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3580. Tubes and Test Gear FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Bob Weiss <bweiss@carroll.com>
Message-ID: <3768603D.BA50B7C5@carroll.com>
Source record: 83232
Cross-posted to: rec.audio.tubes,rec.radio.swap,sci.electronics.equipment,rec.radio.amateur.boatanchors

All prices plus shipping from 07657.

1.) 6 pcs EL34/6CA7. Labeled as being manufactured by Amperex. but they look like the Mullard type 2 tubes to me (black plastic bases). Removed from equipment with very low operating time. Tubes all test like new, and are closely matched for Gm. Labeled "Made for Hewlett Packard by Amperex" and "Made in Great Britain" . $25 each or take them all for $125.

2.) 2 pcs 5881. Labeled RCA. Manufactured by Tung Sol. Used, tested good. Well matched pair. $25 for the pair.

3.) 1 pc 5692 Labeled RCA with Red base. Used, tested good. $20

4.) 3 pcs 5693 Labeled GE Red metal tubes. Used, tested good. $10 each or all 3 for $20

5.) B+K 747 Dyna-Jet tube tester. Excellent condition with most recent setup data book. $100

6.) HP 651A Audio Oscillator. 10Hz-10MHz sine wave. 19" Rack Mountable Good operating condition. $85

7.) Boonton Radio (HP) 202H RF generator 54-216 MHz AM/FM Rack Mount Good condition $65

8.) Tektronix R5103 oscilloscope. Mainframe is in good working condition. Accepts all 5000 series plugins. Comes with 5A16 dual trace amp and 5B10 timebase. Plugins need work. $40

9.) Hickock 539C tube tester. Good working order with all setup books. $125

Bob Weiss N2IXK

3581. FA- Hi-Precision BRASS UHF/VHF Switch, Cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990616231811.28986.00000691@ng-cj1.aol.com>
Source record: 83233

Heres a neat switch, all Precision Machined brass with 2 position BNC's on it.
Only at $8.99.
Looks like it might be for UHF/VHF operation, Check it out!
URL with pics>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117215593
73.....Rich

3582. Re: WTB - R1155A Receiver Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Robin Birch <robin@falstaf.demon.co.uk>
Message-ID: <vcC8MBA0uJa3EwgF@falstaf.demon.co.uk>
Source record: 83234

In article <37683109.548285@news.interlog.com>, Wayne Mackin
<wmackin@interlog.com> writes
>I am looking for a manual for the military R1155A receiver. An
>original or a good photocopy would be fine. (This receiver was used in
>British and Canadian aircraft during WW II).
>
The manual covers all marks 1155 - 1155N. Used everywhere, not just
aircraft - boats, trucks, ground stations etc etc etc

>Please reply with price and condition to wmackin@interlog.com.
>
>Regards,
>
>Wayne

Can't tell you where to get an original, I'd like one myself. However a
good photocopy can be bought from Tudor Gwilliam Rees - tudor.gwilliam-
rees@virgin.net

If you find a source of originals, or if any one has one to offer, then
I would be interested.

Regards

Robin

--
Robin Birch robin@falstaf.demon.co.uk

M1ASU/2E0ARJ Old computers and radios always welcome

3583. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: Ron Hershey <rhershey@europa.com>
Message-ID: <3768A28E.C1FE05F3@europa.com>
Source record: 83235

It also seems to be an interesting Rorschach test for the readers of the posting.

Regards,
Ron Hershey

Skyrider Defiant wrote:
>
> I'll bet the wife anecdote was designed to engender a chuckle....
> a statement designed to poke fun of the human condition.
>
> Smile folks!
>
> --
> ____
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> C oo impair chlordane resourceful Pericles propylene step antisemite
> _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> ____
> Joe <joeamp@mindspring.com> wrote in message
> news:7k4t7adfe1@nntp2.atl.mindspring.net...
> > Nonsense ....who wearing the pants over there.
> > Shoot or loose the pain in the butt liberal wife and find a new one with
> the
> > Drakes.
> >
> > jhall5@bellsouth.net wrote in message <37646D1C.96BF02DA@bellsouth.net>...
> > >I have two beautiful handguns one Taurus PT 99 9mm stainless new in
> > >box never had a round in it, second is Colt Python 357 royal blue 4
> > >inch barrell... like new.. 100% i would like to trade either one for a
> > >Drake T4 x and R4c in great shape. call the gun stores about these then
> > >if interested call me at 561-792-9084 or e mail
> > >jhall5@bellsouth.net... W4HQ
> > >
> >
> >

3584. FA: "Rare" Gonset G-66B Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080001706990223080001@news.neta.com>
Source record: 83236

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116287257

3585. FA: Clean Drake 2-C Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080001706990225000001@news.neta.com>
Source record: 83237

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116979522

3586. FA: "Rare" Hallicrafters Echophone EC-113 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-17 00:00:00 UTC
From: davidh@getnet.com
Message-ID: <davidh-ya023080001706990225580001@news.neta.com>
Source record: 83238

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116976184

3587. Re: New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: DontDoIt@ImNotHere.com
Message-ID: <376b7063.25332657@news.mv.com>
Source record: 83089

Send me the pictures, with model numbers, and I'll do it. Why not???

Regards;

Neil

On Fri, 18 Jun 1999 08:32:35 -0700, John Donnelly <jpd2@uswest.net>
wrote:

>I have contacted Kenwood in the past and suggested that they put an
>archive of old models on their website, and they said they don't have any
>plans to do that in the near future. I can't see that they would object.
>If you had pictures of the older 2M and 440 radios you would have a great
>site!
>
>Neil wrote:
>
>> As a service, I have put up a new free web site that has pictures of
>> the front of several Kenwood models of HF rigs. This is strictly
>> not-for-profit, I have no relationship with Kenwood, and no promises
>> are made as to accuracy...(whew, got that out of the way).
>>
>> Please, if you have a good, clear picture that will improve this site,
>> send it my way. Be sure to identify what model it is.
>>
>> Anway, feel free to visit:
>>
>> http://www.firstname.com/kenwood
>>
>> and tell your friends.
>>
>> If anyone from the Kenwood company objects to my site, it could (I
>> suppose) get shut down, but for as long as it lasts, I hope you all
>> enjoy.
>>
>> Regards, and 73's
>> Neil, N1DMA
>> NeilR@innermedia.com
>

3588. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <rVua3.319$vn6.13612@dfiatx1-snr1.gtei.net>
Source record: 83090

Art Winterbauer <artwinte@sprynet.com> wrote in message
news:7kcgps$n0h$1@nntp3.atl.mindspring.net...
>
> >Gary - KJ6Q wrote in message ...
> >ANY *WIMP* of a husband without BALLS enough to be the head of the
>
>
> ----various rants snipped----yawn-----
>
> If you can work a key as well as you can your mouth, you must be a
helluva
> op. Take a pill & chill, Gary.
>
> --Art WA5OES

AHHhh - The old "I have nothing of interest or intelligence to offer -
so I'll just post a juvenile insult instead..."

SO - here's one in response:

Easy way to become rich quick - buy Art - WA5OES for what he's worth -
and then SELL him for what he THINKS he's worth...

THERE, *2* childish, senseless insults - sure makes interesting and
informative reading, no?

NO!

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

3589. FS: Drake Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: N0SAH <fish@microlink.net>
Message-ID: <01beb9ac$55cc04e0$57daa0d1@default>
Source record: 83091

For Sale:
Drake AC4 power supply, serial 51,XXX, in "mint" condition, even has the original
cardboard box that was designed for it, $85 and you ship.
Drake AC4 power supply, serial 41,XXX, in excellent condition, $75 and you ship.
Drake "High Patch" hybrid phone patch, blonde version, $25 and you ship.
Drake MN-4C, 300 Watt tuner, matches the C line, very good condition, with original manual, $120 and you ship.
Thanks
Randy N0SAH
address ok in QRZ.com

3590. FS- Moving: SUPER BULK TUBE SALE!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: cosmotronics@my-deja.com
Message-ID: <7ke3v3$p1f$1@nnrp1.deja.com>
Source record: 83092

FOR SALE- as ONE LOT ONLY- all good US tubes, 168 total

Please email DIRECT to olds98@together.net for info

$100 plus $10 shipping buys the following: 168 TUBES TOTAL !!!

12 Series tubes
- 20 US 12AX7
- 10 US 12AT7
- 25 US 12AU7

6 Series tubes
- 18 US 6SN7 GTB
- 2 US 6SL7 GT
- 3 US 6V6 GT

Rectifier tubes
- 10 US 5U4GB
- 6 US 5Y3GT

Sweep tubes (horizontal amplifier)- good for amp builders!
- 4 6LQ6
- 2 6JS6
- 8 6JB6
- 1 6BG6
miscellaneous tubes- 60 tubes of the following (numbers vary):
- 12BH7, 6BM8, 6EA8, 6CG7, 6DJ8, 6GH8, 6CG7, 6GH8, 6AN8, 6BQ5, 6FQ7

PLEASE EMAIL DIRECT to olds98@together.net for info

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3591. Used HF rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <376A9719.FCF21967@worldnet.att.net>
Source record: 83093
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,alt.ham-radio.marketplace

Hello,I have the following for sale.

1--Drake TR-3 with AC4 speaker/power supply.Works good but an alignment
would improve it.Asking $175.00.
1--Kenwood TS-511S with power supply.The radio is dead.The front panel
is a 9 of 10 this would be a good one to restore.Asking $100.00.
1--Icom IC-271H an all mode 100 watt 2 meter rig in excellent
condition.Asking $500.00.
1--Icom IC-471A an all mode 25 watt UHF rig in excellent
condition.Asking $475.00.
1--Zenith TransOceanic model 500 works good asking $100.00.
All prices are + shipping to lower 48.
Regards
Bob Stamper

3592. Re: Reply to "Wife says guns must go"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: PAUL HINMAN <paulhinman@home.com>
Message-ID: <376A4945.EC68B099@home.com>
Source record: 83094

In Canada handguns are much less common than in the US and are generally restricted to gun clubs and shooting ranges. A "permit to carry" a handgun is essentially unheard of. I don't own a gun of any kind but the thing that I miss most about the military is the smell of gunpowder and rifle oil. I enjoyed stripping down my weapon because it was so nicely built and well machined. I can understand why one would like to accumulate few.

Will White wrote:
>
> (Oh, why the hell not:)
>
> The British and Canadians, the ones in the UK and Canada are "disinterested"
> in guns, especially as a topic in an amateur radio newsgroup, in no small part
> because they don't feel threatened all the time the way Americans seem to by
> "street crime." That's the primary reason most Americans own guns, for
> personal and family "protection," not to keep the oppressive {sic} government
> at bay. For that matter, the sense of government oppression is much higher
> here, for all the guns in circulation. Why is that?
>
> BTW, you *can* own a gun in the UK and Canada, it is just not so casual a
> thing there.
>
> Gary - KJ6Q wrote:
> >
> > Michael Black
> >
> > > This thread turns into a thread on the right to own guns, something
> > not
> > > particularly interesting to those of us who don't live in the US,
> >
> > HMMMMm - I'll risk yet another off-topic post, by suggesting that
> > British and Canadians are NOT so much "disinterested" in the guns
> > issue, as they are *sensitive* to the fact that their REAL opinions on
> > the subject are QUITE irrelevent, since they (guns) are totally out of
> > their reach by government decree.
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net

3593. APS-104 radar modulators f/s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: wadley@showhill.com
Message-ID: <376AB6D4.3877@showhill.com>
Source record: 83095

I have 3 or 4 mil surplus modulator units from APS-104 search radar (likely from B-52 bomber - 1950s/60s vintage). These were used to fire a large pulse magnetron (in another unit). Contains a 4C35 thyratron, four 3B29 HV rectifiers and a few smaller tubes, oil caps, relays, transformers and other parts all in airtight aluminum canister. Also have copy of service manual (extra). Unused, still in original box, collector's item, $60 (prefer pick up - box exceeds UPS size limit) from southeast Alabama. 36330 zip. Call 334-347-5281 day/eve/wknd.

3594. Wanted: Dynamotor & RF plate chokes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Robert Perlstein <perls@compuserve.com>
Message-ID: <376A94C2.5E30@compuserve.com>
Source record: 83096

Howdy All!

Looking for a small dynamotor -- 12V input, 500V @ 200mils output
Units such as Carter 520ABNS, 624BS, 6030, 6040

Looking for National R-175A chokes or National R-152 chokes

Let me know if you want to "unload" any of this stuff--
Preferably by E-mail

thanks & 73

Bob, W1IV

3595. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <376AD08B.24C42DEC@jorsm.com>
Source record: 83097
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6LX6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 8950 75.00
20LF6 40.00 6HS6 6.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

3596. FS: Old Test Equipment..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "MIKE M." <PROAUDIO99@prodigy.net>
Message-ID: <7kearu$3nf4$1@newssvr01-int.news.prodigy.com>
Source record: 83098

FS: Test Equip:
1.Fluke 1900-A.
2.RCA Ultra-Sensitive Dc Microammeter WV-84-C
3.Pocket Cricket Transistor FET-Tester
4.Lafaytte Model # TE-44 Capacitor Checker
5.EICO # 324 Signal Gen.
6.EICO # 147-A Signal Tracer
7.Sprague TEL-OH-MIKE # TO-5 Capacitor Analyzer
8.Sencore TF-151-A "First Complete Solid State Tester"

Thanks......Call...Mike
814-868-0866
814-450-7979-cell
800-509-2050-beep

3597. WTB METER FOR COLLOINS 312B4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "Jeffrey J. May" <jeffreymay@worldnet.att.net>
Message-ID: <7keqgk$1qo$1@bgtnsc03.worldnet.att.net>
Source record: 83099

need for replacement....73..Jeff..W0XV

3598. Re: FS BC348R WW2 Military Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <376A1722.4D11@ix.netcom.com>
Source record: 83100
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Larry Asp wrote:
>
> Nice BC348R short wave general coverage radio, circa WW2 vintage. Clean
> one, front panel etc, original. Has been converted to AC use, with an ac
> power supply built in to the dynamoter area, and a toggle on/off switch
> was added to the panel. Servicing sticker attatched. Plays nicely, and
> seems to be in good alignment. $125.00 plus packaging and shippping.

Am interested in your receiver and I'm in the South Bay area
in California... are you near by??

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

3599. Re: Wife says guns must go

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "Al, N2NKB"
Message-ID: <7kf1t1$2i5$1@bgtnsc03.worldnet.att.net>
Source record: 83101

Let's close this thread. Enough said. Next, the wife will demand the husband
to throw out old men's girly magazines hidden away from year's past. Not really appropriate for rec.radio.amateur.... "wife says guns must go" is not particularly beneficial for this newsgroup. Let's get back to the topic of old Hallicrafters, Collins, Transoceanics, etc.
Al, N2NKB

3600. FS: Globe Scout 680A & VFO755A, $125

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: suripan@usa.net
Message-ID: <376B52F4.1E19D309@usa.net>
Source record: 83102

For Sale: Globe Scout 680A for AM/CW.. Good working condx.. with
6meter..
Cover shows some rust beginning.. Front panel has light scratches.
Matching VFO755A.. There are no signs of rust.. Light scratches by
ages..
Includes photocopied manual.. All original knobs..
$125 plus shipping ..

3601. FS: Tube type power transformers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37698dd9.6636586@news.earthlink.net>
Source record: 83103
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors,rec.radio.swap

For sale: Some nice plate and filament transformers for tube type equipment.

These are great for receivers, mid-size audio amplifies and small transmitter projects.

See complete listings at:
http://home.earthlink.net/~af4k/xfmrs.htm

Also some variable and fixed capacitors for sale at:
http://home.earthlink.net/~af4k/capacito.htm

Other vintage style parts etc. at:
http://home.earthlink.net/~af4k/trade.htm

3602. FA: Collins S Line With Acc`

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <376cbc03.163270305@news.earthlink.net>
Source record: 83104

Sharp Collins S Line with all the accessories.
Go to:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118997879

3603. FS Collins S-Lines<<<<<<<<

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7kcjvq$m8l$4@ash.prod.itd.earthlink.net>
Source record: 83105

I have (2) TWO Collins Winged S-lines 4 sale they are both good to
very good, and original.

Collins 75S-3 Receiver
Collins 32S-3 Transmitter
516F-2 power supply
copies of the manual...$1100.00 shipped in the US

Collins 75S-3 Receiver
Collins 32S-3 Transmitter
516F-2 power supply
copies of the manual...$1100.00 shipped in the US

Thanks Leo KJ6HI

Ph/Fax (310) 670-6969

3604. Stupid Question From Non-Ham BA Enthusiast

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7kdko0$rmv2@eccws1.dearborn.ford.com>
Source record: 83106

Does anyone still use narrow-band FM?

I am currently restoring an HRO-50T, and was wondering if it was worth it to hunt down an adapter to add this capability to the receiver. Or is this mode somewhat "dated" and no longer in use today...? Anyone else besides hams ever used it or using it now (i.e. military, utility services, etc.)?

C.K.

3605. Delco 5300 Radio Set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: jsbasb@aol.com
Message-ID: <19990617202814.20188.00001234@ng-fv1.aol.com>
Source record: 83167

I am looking for a Delco 5300 radio set. Anyone have one for sale or trade ?
Thanks !

3606. FS: Heathkit SB610 Monitor Scope

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: n4buq@aol.com
Message-ID: <19990617210321.21611.00000825@ng62.aol.com>
Source record: 83168

In good shape. One edge of the plastic grid is slightly worn. Good beam on the tube. 110 cord has been spliced, but works as is (I suppose someone wanted to keep the original Heathkit cord). Two of the RCA jacks have been replaced with SO-239 recepticles.

$70 plus shipping

Thanks,
Barry - N4BUQ
Huntsville, AL

3607. Re: FS: Hallicrafters SX-28 SuperSkyrider

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: hlritter@aol.com
Message-ID: <19990617211534.25663.00001180@ng-cg1.aol.com>
Source record: 83169

$200.

Howard Ritter
hlritter@aol.com

3608. Swap PC for a Heath DX-60B xmtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: jeffreyh@hawaii.EDU
Message-ID: <Pine.GSO.4.10.9906171532260.13360-100000@uhunix5>
Source record: 83170

Hi Gang,
I'd to trade an AST 486SX 33 MHz computer with 4 megs memory, for a well-built, working, Heath DX-60B transmitter.

(Those who responded to my Globe Scout 65A ad, please be patient -- I'm waiting on the first responder to respond again -- he seems to have vanished.)

7.3W, Jeff KH6O

Fingerprint Classification Services: A personal copy of your inked finger impressions utilizing the Henry Classification Formula.

3609. Guide to the rec.radio Newsgroups

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7kcbsa$2fh@news.Hawaii.Edu>
Source record: 83171
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.antenna

Archive-name: radio/personal-intro

This message describes the rec.radio.amateur.*, rec.radio.cb, rec.radio.info, and rec.radio.swap newsgroups, as well as their Internet mailing list counterparts and complements. It is intended to serve as a guide for the new reader on what to find where. Questions and comments may be directed to Jeffrey Herman, KH6O, jeffreyh@hawaii.edu, or Paul Schleck, K3FU, pschleck@novia.net.

This message was last changed on 14 March, 1998.

History
=======

Way back when, before there was a Usenet, the Internet hosted a mailing list for hams, called (appropriately enough) INFO-HAMS. Ham radio discussions were held on the mailing list, and sent to the mailboxes of those who had signed up for it. When the Usenet software was created, and net news as we now know it was developed, a newsgroup was created for hams: net.ham-radio. The mailing list and the newsgroup were gatewayed together, eventually.

Over the years, as the net grew, the volume of discussion became progressively higher. First one by one, and then as part of two reorganizations, what was once one group became many. In the process, developments elsewhere on the net were reflected in the groups as they were created, most notably the change to place all of the ham radio groups in one hierarchy.

The collection of newsgroups continues to grow as more people join the net, and as more topics of discussion gain volume, I expect to see more groups be created as well. This follows what is happening on the rest of the net.

Nearly all of the radio newsgroups have corresponding mailing lists, the notable exception being rec.radio.swap. There are also a few mailing lists that don't have newsgroups.

The Current Groups
==================

It's important to post messages to the group that's appropriate for them, and not to the groups that aren't. The whole idea of having different newsgroups is so that folks who aren't interested in, say, homebrewing, don't have to wade through messages about homebrewing on the way to read about Field Day. Posting appropriately is just good etiquette.

The rec.radio.amateur.misc group is the catchall. It is what rec.ham-radio was renamed to during the first major reorganization. Any message that's not more appropriate in one of the other groups belongs here, from contesting to DX to ragchewing on VHF to information on becoming a ham.

The group rec.radio.amateur.digital.misc is for discussions related to (surprise!) digital amateur radio. This doesn't have to be the common two-meter AX.25 variety of packet radio, either; some of the most knowledgeable folks in radio digital communications can be found here, and anything in the general area is welcome. The name was changed to emphasize this, and to encourage discussion not only of other text-based digital modes, such as AMTOR, RTTY, and Clover, but things like digital voice and video as well. The former group, rec.radio.amateur.packet, was removed on September 21st, 1993. It is obsolete, and you should use .digital.misc instead (or the appropriate new mailing list, mentioned below). The group has .misc as part of the name to allow further specialization if the users wish it, such as .digital.tcp-ip.

The swap group is rec.radio.swap. This recognizes a fact that became evident shortly after the original group was formed: Hams don't just swap ham radio gear, and other folks besides hams swap ham equipment. If you have radio equipment, or test gear, or computer stuff that hams would be interested in, here's the place. Equipment wanted postings belong here too. Discussions about the equipment generally don't; if you wish to discuss a particular posting with the buyer, email is a much better way to do it, and the other groups, especially .equipment and .homebrew, are the place for public discussions. There is now a regular posting with information on how to go about buying and selling items in rec.radio.swap; please refer to it before you post there. To answer a frequently asked question: No, there is no mailing list that goes along with this group. If you can't read Usenet news directly, you're out of luck.

The group rec.radio.amateur.policy was created as a place for all the discussions that seem to drag on interminably about the many rules, regulations, legalities, and policies that surround amateur radio, both existing and proposed. Recent changes to the Amateur Radio Rules (FCC Part 97) have finally laid to rest the Great Usenet Pizza Autopatch Debate - it's now legal to order a pizza on the autopatch, if you're not in the pizza business - as well as complaints about now-preempted local scanner laws hostile to amateurs, but plenty of discussion about what a bunch of rotten no-goodniks the local frequency coordinating body is, as well as the neverending no-code debate, may still be found here.

The group rec.radio.cb is the place for all discussion about the Citizens' Band radio service. Such discussions have been very inflammatory in rec.ham-radio in the past; please do not cross-post to both rec.radio.cb and rec.radio.amateur.* unless the topic is genuinely of interest to both hams and CBers - and very few topics are.

The rec.radio.info group is just what its name implies: it's the place where informational messages from across rec.radio.* may be found, regardless of where else they're posted. As of this writing, information posted to the group includes Cary Oler's daily solar progagation bulletins, ARRL

bulletins, the Frequently Asked Questions files for the various groups, and radio modification instructions. This group is moderated, so you cannot post to it directly; if you try, even if your message is crossposted to one of the other groups, your message will be mailed to the moderator, who is currently David Dodell, WB7TPY. The email address for submissions to the group is rec.radio.info-moderator@primenet.com. Inquires and other adminis-trivia should be directed to rec.radio.info-request@primenet.com. For more information about rec.radio.info, consult the introduction and posting guidelines that are regularly posted to that newsgroup.

The groups r.r.amateur.antenna, .boatanchors, .dx, .equipment, .homebrew, and .space are for more specialized areas of ham radio: discussions about antennas, the older tube based amateur, military, and commercial gear, commercially-made equipment, homebrewing, and amateur radio space operations. The .equipment group is not the place for buying or selling equipment; that's what rec.radio.swap is for. Similarly, the .space group is specifically about amateur radio in space, such as the OSCAR program and SAREX, the Shuttle Amateur Radio EXperiment; other groups cover other aspects of satellites and space. Homebrewing isn't about making your own alcoholic beverages at home (that's rec.crafts.brewing), but rather construction of radio and electronic equipment by the amateur experimenter. The .dx group is devoted to long distance amateur communications. Each of these subgroups has its own charter and FAQ; please refer to the archives to find these documents.

Except for rec.radio.swap and rec.radio.cb, all of these newsgroups are available by Internet electronic mail in digest format; send a mail message containing "help" on a line by itself to listserv@ucsd.edu for instructions on how to use the mail server.

All of the groups can be posted to by electronic mail, though, by using a gateway at the University of Texas at Austin. To post a message this way, change the name of the group you wish to post to by replacing all of the '.'s with '-'s - for example, rec.radio.swap becomes rec-radio-swap - and send to that name@cs.utexas.edu (rec-radio-swap@cs.utexas.edu, for example). You may crosspost by including multiple addresses as Cc: entries (but see below). This gateway's continued availability is at the pleasure of the admins at UT-Austin, and is subject to going away at any time - and especially if forgeries and other net.abuses become a problem. You have been warned.

Mailing Lists

In addition to the mailing lists that mirror the Usenet newsgroups, there also are a few that stand alone. These cover specific areas of ham radio, and discussion is focused on just those areas. PLEASE BE SURE TO SAVE THE WELCOME MESSAGE YOU RECEIVE AFTER SUBSCRIBING -- IT WILL CONTAIN IMPORTANT INFO REGARDING UNSUBSCRIBING!

The cq-contest mailing list is for discussions of contesting in ham radio. To join, send an email to cq-contesting-request@contesting.com.

The DX mailing list covers the finer points of DXing. This one is also joined by mailing "subscribe" on a line by itself, this time to dx-request@unbc.edu.

There's also a VHF mailing list, for VHF operators of the weak signal persuasion. You can join this one be sending "subscribe vhf" on a line by itself to vhf-request@w6yx.stanford.edu.

The QRP-L list is devoted to building and operating gear at low-power outputs. To subscribe, send an email to listproc@lehigh.edu and only write: subscribe qrp-l Your Name.

The TopBand e-list is devoted to all areas of operation on 160m. To subscribe, send an email to majordomo@contesting.com and only write: subscribe topband and follow the instructions you'll be sent.
This site, contesting.com, also hosts a couple dozen other ham-related e-lists. Use the above address, and only write: lists to get the entire index.

The Boatanchors e-list is devoted to the older tube-based ham, military, and commercial communications gear. To subscribe, send an email to: listserv@listserv.tempe.gov and only write: subscribe boatanchors

For homebuilding transmitters and receivers using tube technology, there is the Glowbugs e-list; send an email to: majordomo@piobaire.mines.uidaho.edu and only write: subscribe glowbugs <your@address.here>

The VHF DX discussion list can be accessed by sending an email to: majordomo@blacksheep.org and only writing: subscribe VHF-DX-discuss.

We now have a list devoted to amateur radio history. To subscribe, send an email to: ham-radio-history-subscribe@egroups.com - leave the body of the message blank.

Qth.net hosts over 100 ham-related e-lists, including lists devoted to each state, manufacturer, mode, band - too many to state here. Send an email to majordomo@qth.net and only write: lists to get the complete index.

For one of the most complete indexes of email lists, see the excellent web site http://pw2.netcom.com/~ac6v/pageae.html

Please do NOT send subscription requests to the mailing lists themselves; that doesn't work very often, and is very annoying to those on the list. Also, please keep your electronic mail address current with any mailing lists you subscribe to, as dealing with returned email is a nuisance for the person maintaining the mailing list.

A Few Words on Crossposting
==========

Please do not crosspost messages to two or more groups unless there is genuine interest in both groups in the topic being discussed, and when you do, please include a header line of the form "Followup-To: group.name" in your article's

headers (before the first blank line). This will cause followups to your article to go to the group listed in the Followup-To: line. If you wish to have replies to go to you by email, rather than be posted, use the word "poster" instead of the name of a group. Such a line appears in the headers of this article.

One of the few examples of productive cross-posting is with the rec.radio.info newsgroup. To provide a filtered presentation of information articles, while still maintaining visibility in their home newsgroups, the moderator strongly encourages cross-posting. All information articles should be submitted to the rec.radio.info moderator so that he may simultaneously cross-post your information to the appropriate newsgroups. Most newsreaders will only present the article once, and network bandwidth is conserved since only one article is propagated. If you make regular informational postings, and have made arrangements with the moderator to post directly to the group, please cross-post as appropriate.

--
Jeffrey Herman, KH6O, and your friendly rec.radio.amateur working-group
jeffreyh@hawaii.edu
--
Fingerprint Classification Services: A personal copy of your inked finger impressions utilizing the Henry Classification Formula.

3610. Ebay- ARMY A-27 Phantom Antenna, cheep!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990617235034.05185.00000350@ng-fh1.aol.com>
Source record: 83172

Hi Guys;
Sorry to bother you but I got this Real Nice A-27 Phantom Antenna on Ebay at only $9 so far with only 2 bids.
Looks like it gonna go cheap.
It might pay to take a look or just copy the pic for you web pages.
URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117286578

Thanks es 73....Rich WA2RQY (1961)
WA2RQY's "confusion Radio" Web-Page
Http://members.aol.com/rlucch2098/index.html
RLUCCH2098@aol.com
"Keep those heaters on"

3611. fs- ICOM IC-03AT 220Mhz H/T, Exc $260ppd!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990617235607.05185.00000355@ng-fh1.aol.com>
Source record: 83173

Hi Fellas;
I have for SALE:
Icom IC-03AT 220 mhz fm Handi-Talkie w/Tones.
Has BP-70(12v) Battery and Appropriate wall Charger.
Condition is excellent and is a workhorse.
Price is $260ppd CONUS!
Thanks es 73....Rich WA2RQY (1961)
RLUCCH2098@aol.com
"Keep those heaters on"

3612. Ts-520

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Nico de Jong <nico@farumdata.dk>
Message-ID: <UXla3.87$o27.251@news.get2net.dk>
Source record: 83174

AFter having been inactive for some 15 years, I recently bought a Kenwood TS-520
I therefore wonder if someone in this group should be the proud posessor (and share his/hers information with me) of updates (e.g. making it work on 10 mhz), improvements, alignment info, etc etc

All info will be appreciated

73, Nico (OZ1BMC@qsl.net or nico@farumdata.dk)
Fax: (+45) 47 77 18 54

3613. WTB Vibrokeyer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <004e01beb958$1e474380$23d0c6c2@ToreSandstrm>
Source record: 83175

Hi all!
Looking for a used Vibrokeyer. The model that looks like Vibroplex but has no spring and weights.

Tore Sandsrom SM7CBS

3614. TS530 and TS830

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <005401beb958$8d6c53e0$23d0c6c2@ToreSandstrm>
Source record: 83176

Hi all!
What are the main differencies between TS830 and TS530.
I know TS 830 has VTB that TS530 not has.
But what more....?

Tore Sandstrom SM7CBS

3615. FS: Yaesu FT-901DM FTV-901R

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: kirby.nesbitt@velocity.bc.ca
Message-ID: <929691261@velocity.bc.ca>
Source record: 83177

For Sale:
Package Deal
Yaesu FT-901DM Yaesu hf transceiver. Low hrs (spare rig). Excellent
cond, fully operational with manual.
Yaesu FTV-901R V/U Transverter. 6m,2m,70cm all modes.
Eqpt'd with the 144 mhz module, other slots free. Excellent condition.
This is the matching tranverter for the 901/902 series of radios.
Complete with manual and cable.
Want to sell as a pair only. $675.00 usd + ship

Kirby Nesbitt, VE6IV

**Please copy all responses as well to: <knesbitt@newbridge.com>

3616. FS Redifon R408 RX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Rex J Atkins AMIBE <herlikon@lineone.net>
Message-ID: <c5m4MDA6Aia3EwVe@lineone.net>
Source record: 83178

In (IMHO!) a 7 out of 10 condition

Realigned, cleaned and in its right mind, so to speak...

Complete with manual

(This is a very early solid state RX, made about 1966, and qualifies as
a BA because it weighs some 65 pounds!)

Pick up only from my UK QTH

Offers?

Please dont reply to my LineOne E-Mail address as this is a test posting
only.... mail me at the virgin address... I have only just got the
LineOne account........

--
Rex J Atkins AMIBE
E-Mails(s) bacchus.herlikon@virgin.net

3617. Cleaning Meters & Old Ham Equip

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "Mr. Muckle" <jdwalton@home.com>
Message-ID: <376A7CF3.A81FF191@home.com>
Source record: 83179

I came across a Heath Variable PS in pretty sad exterior shape. One tumble in the dishwasher did miraculous things for the exterior panels. (Yes, I removed the guts first.) While the meter cleaned up nicely with mild soapy water, Armor-All restored the meter finish to "like-new".

Now, what to do with the front panel, it's clean, but not shiny. Any suggestions are welcome. Paste wax perhaps?

3618. Re: Cleaning Meters & Old Ham Equip

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990618092735.13959.00000385@ng-fq1.aol.com>
Source record: 83180

>
>Now, what to do with the front panel, it's clean, but not shiny. Any
>suggestions are welcome. Paste wax perhaps?
>

Hello, go to your local auto store, and get what is called "detailing spray" or

"Instant spray wax"...this is in a spray bottle, is thin like armor all, it is used for detailing painted or chrome surfaces on auyto's or what have you...goes on real fast, leaves no streaks, and oooo that feel!
BTW, as I profession, I detail ambulance and fire apparatus for maintanence and parades. Tubes are a secondary "job" thing, but a primary hobby... Enjoy....

Cheers, Joe Pratt, Tubecntral@aol.com

3619. FS: Variac's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "David L. Jones" <k4dlj@bellsouth.net>
Message-ID: <376A5408.9AEE8C6D@bellsouth.net>
Source record: 83181
Cross-posted to: sci.electronics.components,sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc,rec.radio.swap,rec.radio.amateur.boatanchors

Have for sale the following:

1-Superior Electric - Input - 120VAC/50-60hz - Output 0-140Vac
7-1/2amps - open frame - single unit- $30.00 plus shipping in like new condition. Used but in excellent condition.

1-Staco - Type 1010-3 Tripple gang - Input 240vac/50/60hz - output 0-280vac @ 10amps/4.8kv per section (three sections) - $70.00 plus shipping. New/un-used.
Thanks for reading - Dave Jones Darlington, SC K4DLJ

3620. Re: FS Redifon R408 RX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990618103413.22312.00000917@ng-bg1.aol.com>
Source record: 83182

>(This is a very early solid state RX, made about 1966, and qualifies as
>a BA because it weighs some 65 pounds!)
>
>Pick up only from my UK QTH

I will be vactioning in UK later this summer. I can offer 100 Pounds (paid now)
and pickup when I'm there. No need for you to pack and ship.
Let me know.
73s
Matt Stutterheim

3621. Re: Hallicr.S40B BOOK or good complete copy!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <929717126.824.59@news.remarQ.com>
Source record: 83183

You can buy a copy of the manual from W7FG, which is listed on this web page:

http://antiqueradio.org/parts.htm

Phil
philnelson@antiqueradio.org

3622. New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: DontDoIt@ImNotHere.com
Message-ID: <376a5d24.20403765@news.mv.com>
Source record: 83184
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec,radio.amateur.dx,rec.radio.amateur.equipment,rec,radio.amateur.misc,rec.radio.shortwave

As a service, I have put up a new free web site that has pictures of the front of several Kenwood models of HF rigs. This is strictly not-for-profit, I have no relationship with Kenwood, and no promises are made as to accuracy...(whew, got that out of the way).

Please, if you have a good, clear picture that will improve this site, send it my way. Be sure to identify what model it is.

Anway, feel free to visit:

http://www.firstname.com/kenwood

and tell your friends.

If anyone from the Kenwood company objects to my site, it could (I suppose) get shut down, but for as long as it lasts, I hope you all enjoy.

Regards, and 73's
Neil, N1DMA
NeilR@innermedia.com

3623. FS: HP/Fluke/Misc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: "David L. Jones" <k4dlj@bellsouth.net>
Message-ID: <376A5CAF.DF32DFCB@bellsouth.net>
Source record: 83185
Cross-posted to: sci.electronics.equipment,sci.electronics.repair,sci.electronics.misc,rec.radio.swap,rec.radio.amateur.boatanchors

Have for sale the following:

Hewlett Packard - model 331A Distortion Analyzer - with factory original manual - $120.00 shipped USA

Hewlett Packard model 608D Signal Generator - 10mhz-420mhz - $75.00 plus shipping. No manual. Good physical and working condition.

U.S. Signal Corps model TS-4978B/UR AM Signal Generator - $40.00 plus shipping. No manual. Works!

Fluke model 80E Voltage divider/Voltmeter 0-5KVdc+- - $15.00 works. No manual

Bruel & Kjaer - Type 28C1 - Microphone power supply - $30.00/bo
No manual.

Guildline Instruments Ltd. - Galvanometer - Type 9450 - Serial number 24547. Used by NASA as marked. No manual - $35.00/bo

Genrad 583A - output power meter- wooden box type- $20.00/bo
No manual.

Tech Labs - Type 850BH - audio attenuator - $10.00

Kepco - Bench power supply - 0-40vdc@1.0amps dc - regulated - dual meters - works - no manual - $20.00

Bonitron - model 2838P - Opti scope isolator - Dual trace - 0-500Vdc/Vac - has it's own probes. - no manual - works good/looks good- $75.00 shipped U.S.A.

Precision Power model 2005A - bench power supply - 0-20Vdc @ 0-500madc highly regulated precision power supply. metered and has high stability oven. Works great and looks like new! No manual - $45.00. Also have a spare which is complete but does not work for $10.00 extra.

Thanks for reading and best 73 de Dave K4DLJ Darlington, SC

3624. FS:National NCX-3 and NCX-A Pwr Supply

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: wb2pag@aol.com
Message-ID: <19990618110550.12834.00000899@ng-fx1.aol.com>
Source record: 83186

Really nice NCX-3 And Supply..Case and panel in very good shape.Power Supply
Recap two months ago.Receive and Transmit Audio Excellent..Covers 80-20
Meters..All Tubes checked and replaced as needed and 120 watts Output..
This is a Great Xcvr for a Standby,Main Unit or just to start your Boat Anchor
collection...Comes with Copy of Manual and All Factory Mod. Sheets..Now
Collecting NCX-5's and NCX-1000's..Also has a 100 Kc Xtal Calib.
$225.00 plus shipping From Northern NJ..Can Demo if you local..

3625. Re: New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: John Donnelly <jpd2@uswest.net>
Message-ID: <376A6692.275262BD@uswest.net>
Source record: 83187
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec,radio.amateur.dx,rec.radio.amateur.equipment,rec,radio.amateur.misc,rec.radio.shortwave

I have contacted Kenwood in the past and suggested that they put an archive of old models on their website, and they said they don't have any plans to do that in the near future. I can't see that they would object. If you had pictures of the older 2M and 440 radios you would have a great site!

Neil wrote:

> As a service, I have put up a new free web site that has pictures of
> the front of several Kenwood models of HF rigs. This is strictly
> not-for-profit, I have no relationship with Kenwood, and no promises
> are made as to accuracy...(whew, got that out of the way).
>
> Please, if you have a good, clear picture that will improve this site,
> send it my way. Be sure to identify what model it is.
>
> Anway, feel free to visit:
>
> http://www.firstname.com/kenwood
>
> and tell your friends.
>
> If anyone from the Kenwood company objects to my site, it could (I
> suppose) get shut down, but for as long as it lasts, I hope you all
> enjoy.
>
> Regards, and 73's
> Neil, N1DMA
> NeilR@innermedia.com

3626. Wanted: Collins PTO or exciter for 1.8 to 2.0 mhz

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-18 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990618.103955.-380281.4.NFMK@juno.com>
Source record: 83188

Wanted: Collins PTO or exciter for 1.8 to 2.0 mhz and
matching speaker to the 75A2/A3. Hoping to find an
unneeded PTO in good shape to build my own VFO/Exciter
unit.

Still looking for:

(1) the PP-712 or PP-712A p.s.
for the AN/GRC-26A FSK converter CV-182

(2) large RCA bcst microphone with RCA logo intact.

Have attractive/desirable Heath & Drake equipment to
trade for right pieces.

Thanks in advance.

Doug

3627. FS Ten Tec PM-3A QRP

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7kglvi$nth@journal.concentric.net>
Source record: 82989
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Any interest in a Ten Tec PM-3A powermite qrp xcvr? Let me know .

Butch

3628. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990619155103.08650.00000537@ng-fa1.aol.com>
Source record: 82990

Model HE-45B with manual and power cord. No mic. $55 plus shipping.

3629. NC-400 oldtimer1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: dumpdivederb@webtv.net
Message-ID: <2718-376BF804-41@newsd-293.iap.bryant.webtv.net>
Source record: 82991

jim, just a note of thanks.the receiver is all you said it was and more.
73. N9LIF mike

3630. RCA 813 NOS FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990619171726.13958.00000912@ng-fq1.aol.com>
Source record: 82992

Hello, it's a single, NOS RCA 813 in the original red,black and white box. Check immediately apon reciept, if unhappy send it right back for complete refund, just pay return cost. Price 28.00 INCLUDES priority mail shipping, 48 state USA.

Thank you,
Joe Pratt, Tubecntral@aol.com

3631. 812 A's, NOS pair FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990619172251.13958.00000916@ng-fq1.aol.com>
Source record: 82993

Hello, one NOS matching construction pair Sylvania 812A,
beautiful cond. , unused in original boxes.
Price 68.00 for the pair, delivery INCLUDED, US 48 states.
Others at rate.

Thank you,
Joe Pratt, Tubecntral@aol.com

3632. Tubes for sale. 6922/E88CC. EF804-s EF800. E180F

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: hitriode@iinet.net.au
Message-ID: <376c0eab.3350698@news.m.iinet.net.au>
Source record: 82994

Tubes for Sale:
Lewis & Kaufman 6922/E88CC {Look like Philips} $US10-00

General Electric: 8417 New in Box. X 5/ $US25-00 each plus $US20 post
for the five tubes
GE VT4C {211}New. Best Offer
Telefunken EF 804S Siemens EF804. Best offer.
Sylvania: 7027A $US25-00
Siemens EF86 NOS $US20-00
Amperex: E810F/7788 $us15-00
E180F $us8-00
6F33 $US 15-00

Sylvania 6BQ5/El84 $US12-00
Nuvistors: Sylvania. 7586. Flat tops. $US12-00. {$30 From Antique
Electronics}
All New in Boxes.

RUSSIAN: EL84/6BQ5.
1x EL84 =$US4-00.
10 x EL84 =$US 3.75.
20 x EL84 =$US 2.50.
Russian Svetlana: EL34
1x El34= $US10-00
10X El34 = $us9-00
Russian 5881/6L6WGC
X 5881 +$US8-00
10X5881 +$US 9-00
Can supply matched.
AUSTRALIA

3633. SCR-274 WANTED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: carcomm@qnet.com
Message-ID: <376C15C9.4ED9@qnet.com>
Source record: 82995

Looking to purchase or trade the following SCR-274 Signal Corps "Command Set" components:

A-61-A Dummy Antenna (for transmitter tests)
BC-451 Remote Control (for up to 4 transmitters)
FT-220 Mounting Rack (for 3 receivers)
FT-221 Shock Mount (for 3 receivers)
FT-222 Mounting Plate (for 3-receiver remote control box)
FT-226 Mounting Rack (for 2 transmitters)
FT-227 Shock Mount (for 2 transmitters)
FT-262 Shock Mount (for 3 transmitters)
FT-264 Mounting Rack (for 4 receivers)
FT-276 Mounting Rack (for 3 transmitters)
FT-278 Shock Mount (for 4 receivers)
FT-331 Mounting Rack (for 4 transmitters)
FT-332 Shock Mount (for 4 transmitters)
I-84 Receiver test unit
I-85 Transmitter test unit
RC-54 Receiver Test Set (Includes I-84 test unit)
RC-55 Transmitter Test Set (Includes I-85 test unit and A-61-A dummy antenna)

I have for trade: numerous ARC-5 or ARA transmitters, receivers and a few shock mounts.

Also, I am seeking old aviation charts and radio facility charts and/or directories, and a complete SCR522 or 523.

3634. WTB: DC Hayes S-100 bus modem

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Alan <alan.diaz@snet.net>
Message-ID: <7kh0mj$nbj@news1.snet.net>
Source record: 82996
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc

I'm looking for an S-100 bus modem, like DC Hayes 80-103A or whatever S-100 bus modem you may have. I'd also be interested in an acoustic coupler modem from the same era if you have one. Please reply to chipsndips@snet.net

Alan

3635. Needed: IC M54826P

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990619182748.15729.00002150@ng-fp1.aol.com>
Source record: 82997

I am in need of an M54826P frequency counter chip. Please state availability
and price. Am willing to trade appropriate item for chip(s).
73's
Bob, W4RLC (formerly WA7OGU)

3636. wtb heathkit HO-10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Jim Stone <af4at@coastalnet.com>
Message-ID: <pQUa3.3792$d5.362256@news21b.ispnews.com>
Source record: 82998

would like to purchase a heath Ho-10 monitor scope,
working or not...
thanks es 73
Jim Stone AF4At in NC

3637. wtb ten tec 234 otb speech processor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Jim Stone <af4at@coastalnet.com>
Message-ID: <XbVa3.3800$d5.363375@news21b.ispnews.com>
Source record: 82999

Want to play with outboard speech processor the 234 is
supposed to work well ....
thanks
Jim Stone af4at in nc

3638. Re: SCR522 What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <376C2E80.5A07EE19@erols.com>
Source record: 83000
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Howya doin' Larry? The '522 is a VHF A/G set. It uses an 829B/832A in the final, as I recall. The receiver and transmitter can be split apart from the cabinet or rack. It uses a "shifter" bar arrangement to gang tune the receiver and transmitter stages. It has 4 pre-set channels, crystal controlled, of course. Again, as I recall, it uses 8 MHz crystals. It sounded quite good back then, even with the old T-17 carbon mic. The control box had 4 pushbuttons and volume control on it. I don't even recall a squelch control, but I'm sure it must have had one (maybe internally set?). The '522 was replaced by the ARC-1 Collins autotune radio set, and later the ARC-3. Haven't seen a '522 since the early 60's.

Larry Asp wrote:

> A friend recently turned up a military SCR522 transceiver, surplused
> from the Canadian Military some yrs ago. It appears to be a 4 channel
> VHF transceiver. Can anyone add to the description of this set? It looks
> like a "black box",about the size of a 24 can case of beer, wrinkle
> black finish, no external controls etc. He may also be interested in
> trading or selling it if anyone is interested.

3639. More items FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <376C4581.7FAC7273@value.net>
Source record: 83001

ARRL Handbooks:
1956 (Fair condition): $10
1954 (Fair condition): $13
1976 (Excellent): $12
1973 (Excellent): $12

EV 556 Mic with base. Element not original. Uses Heil HC (ragchew) element. Currently set up for Collins S-line. $75

Heathkit Q-multiplier. Later gray version. Good condition. $15.

B & W Model 381 TR switch (bandswitch style). Excellent appearance. Not tested but believe to be working. $50.

Drake 2C/2CQ/2NT station. Rx great condition (near mint) with manual. Xmtr and Q-multiplier in good condition. With homebrew external xtal box for shortwave or WARC setup. $300.

All items as is. You ship. Contact me at this address. 73. Cal.

3640. TH3jr manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Dan Bryden <bryden@deltanet.com>
Message-ID: <376C3D98.7A01A82F@deltanet.com>
Source record: 83002

Trying to restore this old antenna and cant find manual. does anyone have one. gladly pay copy and shipping $ 73 Dan

3641. testing

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: "M.L. McCauley" <mtech@airmail.net>
Message-ID: <55E263C3A20B9761.0A2C3D87D1F784C6.CCFD98CDE3FFF78B@lp.airnews.net>
Source record: 83003

test

test

test

73,

WB5MYY clear

3642. need source for cardboard tube style filter caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: "M.L. McCauley" <mtech@airmail.net>
Message-ID: <4DA341B039A44D43.23FF7B2EB8A92856.BADB13836482ABF7@lp.airnews.net>
Source record: 83004

I'm rebuilding a Hallicrafters S-95 and I need a source for a non-chassis mount (suspended by the leads) cardboard tube style multisection filter cap. I need something close to:

60uF @ 150 WVDC
40uF @ 150 WVDC
40uF @ 150 WVDC
20uF @ 25 WVDC
one common negative lead

Not being a purist, I would substitute four individual caps for this one, but space is pretty tight and fitting all that in might well be a problem.

Thanks in advance for your help!

Mike, WB5MYY

3643. Re: need source for cardboard tube style flter caps

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: CommQuart <commquart@erols.com>
Message-ID: <7khl20$ol0$1@autumn.news.rcn.net>
Source record: 83005

Off course you realize modern electrolytics are much smaller
than their 1940's counterparts?

AES lists the following multisection tubular electrolytics for
AC/DC sets:

33/47 @ 160v
47/47 @ 160v
47/80 @ 160v
33/33/47 @ 160v
33/47 @ 160v, plus a 22 @ 25v

You might squeeze by with the 33-33-47 for the high
voltage, and by using a seperate 22uf for the audio cathode
bypass.

My choice would be the twin 47 @ 160, and use two individual
caps for the 60 and 20 uf.

Antique Electronic Supply
602 820-5411

M.L. McCauley wrote in message
<4DA341B039A44D43.23FF7B2EB8A92856.BADB13836482ABF7@lp.airnews.net>...
>
>I'm rebuilding a Hallicrafters S-95 and I need a source for a non-chassis
>mount (suspended by the leads) cardboard tube style multisection filter
cap.
>I need something close to:
>
>60uF @ 150 WVDC
>40uF @ 150 WVDC
>40uF @ 150 WVDC
>20uF @ 25 WVDC
>one common negative lead
>
>Not being a purist, I would substitute four individual caps for this one,
>but space is pretty tight and fitting all that in might well be a problem.
>
>Thanks in advance for your help!
>
>Mike, WB5MYY
>
>
>

3644. Re: Best performing vertical?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tom <tsokol@injersey.com>
Message-ID: <7khkvn$83q$1@nw001t.infi.net>
Source record: 83006

I have had great success with a roof mounted (no radial) R5. My first one got hit by lightning, and despite a pretty good ground system, the matching box was fried. I immediately posted on the net to get a replacement.
Many people bash Cushcraft here, but I love the R5. My SWR curves were better than factory specs. Also, folks will say it is a "compromise" antenna, but the "pros", no radials, no tuning, no rotating, instant 5 band access, small footprint, easy one-man installation, etc. outweigh any disadvantages for me. Just my opinion!
Oh, BTW, I also have a ground mounted Hustler 6BTV, but the radials are a pain, and I could never get all bands tuned properly. I still use it as a "back-up" tho.
Tom
N2LDE

EZela57383 wrote in message
<19990619082324.08639.00000342@ng-fa1.aol.com>...
>Any advice on the best performing vertical for roof-mount use? I have the
>ability to string out about 16ft of radial length if required.
>
>I have read about the advantages of trap-less design, have read the specs
on
>the Cushcrafts, Hustler, MFJ, GAP etc.
>
>Perhaps the best advice is experience with the product. As mentioned, I
would
>be limited to roof top mounting at about 25ft.
>
>Thanks for your time.
>
>KA8GEF

3645. HRO-50T "Leaking" Filter Choke...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7kfveb$4km10@eccws1.dearborn.ford.com>
Source record: 83007

As I was working on the chassis of this HRO-50 last night, recapping and checking resistor values and such, I noticed that there appears to be an oily tar-like substance seeping out from the power supply filter choke.

The leakage is slight, and only from the underside of the chassis... I am assuming that it's some sort of PCB-based material.

Is this an indication that the choke is on its way to failing (I've never seen a filter choke fail before), or can this leakage be cleaned up every so often without any consequences to the operation of the choke?

C.K.

3646. Re: FS: Variac's

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990618211822.20251.00001216@ng-fu1.aol.com>
Source record: 83107

Dave

If your 120VAC unit is still available, I will take it.
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING any UNBUILT Heathkits that are amatuer radio related. Top $ paid.

3647. FS BC348R WW2 Military Radio

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <376AF5A5.6BE4@sympatico.ca>
Source record: 83108
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Nice BC348R short wave general coverage radio, circa WW2 vintage. Clean one, front panel etc, original. Has been converted to AC use, with an ac power supply built in to the dynamoter area, and a toggle on/off switch was added to the panel. Servicing sticker attatched. Plays nicely, and seems to be in good alignment. $125.00 plus packaging and shippping.

3648. SCR522 What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <376AF8DF.621D@sympatico.ca>
Source record: 83109
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

A friend recently turned up a military SCR522 transceiver, surplused from the Canadian Military some yrs ago. It appears to be a 4 channel VHF transceiver. Can anyone add to the description of this set? It looks like a "black box",about the size of a 24 can case of beer, wrinkle black finish, no external controls etc. He may also be interested in trading or selling it if anyone is interested.

3649. Re: SCR522 What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: meirmenes@aol.com
Message-ID: <19990618220829.22429.00001346@ng-bg1.aol.com>
Source record: 83110

The SCR522 was a vhf command set. It covered 140 to 144 mhz with four crystal controlled channels. Modulation was am and power output was 5 - 10 watts. Hams used them after ww2 as a two meter transceiver.

3650. F.S. SONY CRF-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990618222917.10720.00000631@ng-fy1.aol.com>
Source record: 83111

One of the most fantastic and scarce short wave radios ever built a real find $2000.00. FOB NY

3651. Ebay-Last Day, "DoorKnob" Caps 500pf@30kv

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990618233400.20188.00001868@ng-fv1.aol.com>
Source record: 83112

Heres the link for these "beauties" By ERIE with pics>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116761326
73.......Rich WA2RQY

3652. Help find Motorola repair manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: markt@NOT.sdc.org
Message-ID: <376b1237.5459770@news.sdc.org>
Source record: 83113

Twenty or thirty years ago, my Uncle gave me a Motorola service radio monitor. The radio came from his work at the Communications office which surplused the equipment.

It has one crystal, ten or twelve tubes, boxed in a gray Motorola emblem case. The model type says: L03FNB-1002. I have the original crystal installed which received police radio traffic in my area but no longer since I moved, or maybe when I tweaked one of those variable inductor cans when I was little.

The company, Motorola says this model's documentation was dropped from the documentation archive. Not even historical reference exists but I think they mentioned the manual was 68-862450.

Can anyone help finding this or any documentation, schematics or means I may get this thing working again? I have electronics knowledge, an oscilloscope and a meter to make it happen.

Thanks for your help.

Mark Weil
markt@sdc.org

3653. AM Two-Meter Acivity?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <376B457A.8ADE21C6@asu.uswest.net>
Source record: 83114

I am about to become QRV on 2M AM. I know there is a weekly net in the Phoenix area, I just don't remember when or on what frequency. Let me know, if you do.
. .
--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3654. Re: New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Will White <wcw@asu.uswest.net>
Message-ID: <376B46E3.8C400C14@asu.uswest.net>
Source record: 83115
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,radio.amateur.misc,rec.radio.shortwave

This brings up a thought I have had for a couple years: do you suppose that ham companies that are still in business might have promotional literature laying around from models long out of production? It might be valuable to acquire that stuff, as the quality of their photos is liable to be much better than most of the JPEGs I have seen on the net.

John Donnelly wrote:
>
> I have contacted Kenwood in the past and suggested that they put an
> archive of old models on their website, and they said they don't have any
> plans to do that in the near future. I can't see that they would object.
> If you had pictures of the older 2M and 440 radios you would have a great
> site!
>
> Neil wrote:
>
> > As a service, I have put up a new free web site that has pictures of
> > the front of several Kenwood models of HF rigs. This is strictly
> > not-for-profit, I have no relationship with Kenwood, and no promises
> > are made as to accuracy...(whew, got that out of the way).
> >
> > Please, if you have a good, clear picture that will improve this site,
> > send it my way. Be sure to identify what model it is.
> >
> > Anway, feel free to visit:
> >
> > http://www.firstname.com/kenwood
> >
> > and tell your friends.
> >
> > If anyone from the Kenwood company objects to my site, it could (I
> > suppose) get shut down, but for as long as it lasts, I hope you all
> > enjoy.
> >
> > Regards, and 73's
> > Neil, N1DMA
> > NeilR@innermedia.com

--
Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

3655. Re: Help find Motorola repair manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Chip <veresc@my-deja.com>
Message-ID: <7kg0ifpqc1@nnrp1.deja.com>
Source record: 83116

Keep your eyes open at hamfests. Those things were *very* common and still sometimes show up. Also likely somebody here on BA has the book.

>

--
C. Veres

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3656. Best performing vertical?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ezela57383@aol.com
Message-ID: <19990619082324.08639.00000342@ng-fa1.aol.com>
Source record: 83117

Any advice on the best performing vertical for roof-mount use? I have the ability to string out about 16ft of radial length if required.

I have read about the advantages of trap-less design, have read the specs on the Cushcrafts, Hustler, MFJ, GAP etc.

Perhaps the best advice is experience with the product. As mentioned, I would be limited to roof top mounting at about 25ft.

Thanks for your time.

KA8GEF

3657. WTB: AM filter for Heathkit SB-303

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ezela57383@aol.com
Message-ID: <19990619082456.08639.00000343@ng-fa1.aol.com>
Source record: 83118

Wanted....AM filter (prefer Heathkit) for the SB-303 receiver. Please state price.

Thanks

KA8GEF

EZela57383@aol.com

3658. FA: KWM-2 & FT-101E..at auction ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <376B92C1.AF47D9EB@iglobal.net>
Source record: 83119
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

eBay item 118925288 (Ends 06/24/99, 01:59:57 PDT) - Collins KWM-2 "winged" L@@K !! eBay item 118924298 (Ends 06/24/99, 01:35:00 PDT) - Yaesu FT 101E...nice LOOK!

3659. Re: FS: Hallicrafters SX-28 SuperSkyrider

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: k9uwa@cris.com
Message-ID: <7kg6uq$cng@journal.concentric.net>
Source record: 83120

> Accepting realistic offers. Please email direct.

SOunds like an AUCTION without the benefits of seeing the other guys bids!!!!!

3660. FS: Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: bendowers@aol.com
Message-ID: <19990619101310.03944.00001053@ng-cr1.aol.com>
Source record: 83121

5000 plus tubes. 7, 8, and 9 pin. loose not tested. I have been told, many, (some ?) of these where indeed not used. And were removed from water damaged boxes. I can not comfirm this, nor do I believe this to be true. I do know that many I've tried, for my own use have worked well. They are being sold as used, as is, not tested. They are not sorted, and I will not do so. I will not sell singles.
I'm asking $25.00 per 100 count. Or your best offer for all 5000 plus tubes. You pay all shipping cost. I will determand shipping cost, based on how many you purchase, at time of sale.
When responding, please state where you've read my posting.
Thank you for your time.
Benny L Dowers

3661. Re: FS: HEATH Items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: k7kfc@aol.com
Message-ID: <19990619102206.29711.00000742@ng-ci1.aol.com>
Source record: 83122

I'm interested in the 3TF7 tubes if they are available. Mike - K7KFC@aol.com

3662. FS Collins 300 G AM transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990619103238.22305.00001368@ng-bg1.aol.com>
Source record: 83123

1. Ea. Collins BC, AM, model 300-G
power output 250-300 watts, condition very good circa 1950.
Size is 29 1/2 deep x 41 wide x 78 high in inches. 240 vac single
phase, weighs approximately 1370 lbs. That's with all the transformers
in. and front door on, eight meters on this guy. Big door with the Collins
Wing on it, eight meters on upper front of door. Lots of Iron, a
real classic.
Class B modulators, feedback system using a pair of 810s in push pull to
give high level audio output, high fidelity.

price $1275

Dennis (DJ) K6RCL
GOLETA, CALIF. 93117
805-683-2876

Dennis
Goleta, Calif. 93117

3663. wTB: Dead or Dying HG-10

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: Bismarck Wichy <wichy@dallas.net>
Message-ID: <929803162.634.61@news.remarQ.com>
Source record: 83124

Howdy from Texas

Looking for a dead or dying Heathkit HG-10 VFO. I plan to kill it. Then gut it. Finishing it off by stuffing it full of coils and Vcaps - turning it into an ant tuner. Finally painting it to match my super cool HW-16/HG-10 combo. (Only HW-16 with racing stripes and decals!)

Looking for cheap. No eBay or Collins Collector links Please! (HIHI)

Seriously, if you have one with a busted drum or pretty scratched up and you dont't use or want it, please let me know.

TNX - Biz - WD0HCO

3664. WTB Tuner to FT902-line

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tore.sandstrom@comtech-data.SE
Message-ID: <004701beba65$81036860$23d0c6c2@ToreSandstrm>
Source record: 83125

Hello all out there!

A friend of mine has a FT902 transceiver and would like to find the tuner
that belongs to the line.
Please give me a mail!

Regards
Tore Sandstrom SM7CBS

3665. mil gear FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: bn <106312.1035@CompuServe.COM>
Message-ID: <#pUsWhmu#GA.202@ntawwabp.compuserve.com>
Source record: 83126

see

http://ourworld.compuserve.com/homepages/G4BXD/

3666. Yaesu Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: f10plt@aol.com
Message-ID: <19990619115754.27922.00001308@ng-fd1.aol.com>
Source record: 83127

SP 901 Speaker Very Nice $ 60.00 Hard to find FV 901 VFO with 40 memories and Unique Scanning feature. $ 175.00 connecting cables and manual. works 100 % All are plus shipping from 08820. Larry WA2PZI F10plt@aol

3667. "LQQK " SET OF (6) NEW "N" CONNECTORS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: jllkb2tee@aol.com
Message-ID: <19990619122326.15729.00002013@ng-fp1.aol.com>
Source record: 83128

Set of (6) six "N" Connectorsas shown BRAND NEW !! Totle Dutch Auction is (3)
sets of (6) pieces !!
HERES THE LINK COME AND SEE FOR YOURSELF?
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117112297

3668. Re: FS VERY SCARCE NATIONAL NC-400 RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: jedward <oldtimer1@ibm.net>
Message-ID: <376BC984.A14DC04D@ibm.net>
Source record: 83129

Thanks to everyone who responded to my ad. The NC-400 has been sold.
Best Regards, Jim

3669. NC-400 RECEIVER SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: jedward <oldtimer1@ibm.net>
Message-ID: <376BCA83.CAAC382D@ibm.net>
Source record: 83130

Thanks to everyone who responded to my for sale ad. The NC-400 reciever
has been sold.
Best Regards, Jim

3670. 8245/4CX250-K Eimac tubes, NOS pair FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990619125754.28996.00001381@ng-co1.aol.com>
Source record: 83131

8245/4CX250-K,Eimac SEALED IN POP-TOP CANS! Is it soup yet?

ONE pair @ 99.00, plus 4.00 shipping, USA 48 states....
Thank you,
Joe Pratt, Tubecntral@aol.com

3671. EIMAC 8560 AS tubes FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990619130613.28996.00001384@ng-co1.aol.com>
Source record: 83132

EIMAC 8560 AS tubes available, these are in great shape, but may have had some use, so they are only 28.00 each, including shipping in the USA 48 states, others by rate.

Terms are, test on arrival immediately, if they do not work to your liking, you may return right away for full refund of 28.00 each, I will absorb initial shipping costs. You would only need to pay return shipping. A great deal to take advantage of, while they last. I'm sure you know what NOS ones are worth...
I have four or five at this time.

Respond via email if interested...

Thank you,
Joe Pratt, Tubecntral@aol.com

3672. FS: Lot of 64 7 and 9 pin 6 & 12 Volt Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: mc@sover.net
Message-ID: <376bd1fc.1071826@news2.sover.net>
Source record: 83133
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

Hi Gang:

I'm clearing out the basement again and found a box full of 7 & 9 pin miniature tubes, mostly 6 and 12 Volt filaments. I believe they were pulls but the samples I tested were good. They are all boxed and there are about 64 in all. I have more than enough tubes for the equipment I already own so they gotta go.

$30.00 shipped! Fair enough???

If interested please reply by e-mail.

73,

Michael Crestohl, W1RC
mc@sover.net

3673. FS: Assorted 6146s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990619133457.26289.00001476@ng-cn1.aol.com>
Source record: 83134

I am selling a total of nine (9) 6146 type tubes, all NOS. Hereï¿½s what I have;

(1) JAN6146 - RCA - NOS/NIB
(2) 6146 - RCA - NOS/NIB
(2) 6146A - RCA - NOS/reboxed (RCA box)
(2) 6146A - SYL - NOS/reboxed (SYL box)
(2) 6146A - GE - NOS/NIB

$100 all, I pay UPS Ground shipping (US 48 only, please).

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

For MORE stuff- http://members.aol.com/Reactor001

3674. FS: 6080&#65533;s and 6AS7&#65533;s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990619133514.26289.00001477@ng-cn1.aol.com>
Source record: 83135

I am selling;

(3) GB-6080 ï¿½Gold Brandï¿½ - Sylvania - NOS/NIB (gold box)
(4) 6AS7GA - Sylvania - NOS/NIB

$40 all, I pay UPS Ground shipping (US 48 only, please).

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

For MORE stuff- http://members.aol.com/Reactor001

3675. FS: Assortment of 807ï¿½s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990619133533.26289.00001478@ng-cn1.aol.com>
Source record: 83136

I am selling five (5) 807ï¿½s;

(2) 807 - RCA - brown base, date code 5-432
(2) GL807 - GE - brown base, date code 57-041
(1) CHS-5933/807W - Sylvania - brown base

All have been tested recently, and they all test strong.All are NOS, in original boxes (5933 in original white box).

$40 ALL, I pay shipping to anywhere in the US 48.

Interested? Please respond by email.

Regards,
Tom Mitchell
email - OvrReactor@aol.com

For MORE stuff- http://members.aol.com/Reactor001

3676. FS: 5867A POWER triodes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: ovrreactor@aol.com-nospam
Message-ID: <19990619133558.26289.00001479@ng-cn1.aol.com>
Source record: 83137

I am selling a pair of Amperex 5867A VHF transmitting triodes. The specs on these tubes make 811ï¿½s and 845ï¿½s look absolutely wimpy. Pd is 350 Watts on these.

I have posted pictures and more info at;
http://members.aol.com/Reactor001

Interested? Respond by email. All offers considered!

Thanks,
Tom Mitchell
email - OvrReactor@aol.com

3677. FS Heathkit HR-10 rx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-19 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7kgma1$o53@journal.concentric.net>
Source record: 83138
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Any interest in a Heayh HR-10 receiver? Let me know.

Butch

3678. Wanted: Drake TR-6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: n3jpu@erols.com
Message-ID: <376e3856.47267313@news.erols.com>
Source record: 83008

Wanted: Drake TR-6

Would like a complete station i.e RV-6, NB-9, ect

Gary N3JPU

3679. Kenwood SM-220 question.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: K1ALH <k1alh@cwix.com>
Message-ID: <8cYa3.329$U_1.16406@news.cwix.com>
Source record: 83009

Can anyone please tell me how to hook up a SM-220 to a TS-440 ? The station monitor has the pan adapter installed.

3680. Ebay- Brand NEW "N" Connectors, DUTCH!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990619233643.12073.00002260@ng-fw1.aol.com>
Source record: 83010

Hi Guys;
I came across these "N" connectors on Ebay, sets of six only at $5.99 with two sets still not bidded on. These can go for as much as $4 ea, thats $24 for 6. Only One Day left!!!
You might wanna check it out with picture at >>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117112297
73.......Rich

3681. Re: Best performing vertical?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990619235600.14574.00000995@ng-fl1.aol.com>
Source record: 83011

I used a Cushcraft R-5 with great success. The SWR was better than advertised. I tried an R-7000 but could never get it tuned satisfactorily. I used a GAP Challenger DX and it was pretty good on 40m but not very good on any other band. I used a GAP Voyager on a DXpedition and it was great for 20, 40 & 80m and average on 160m. Good luck & 73 de Steve W2ZR

3682. Trade pentium notebook

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7ki11e$4jj$1@nntp9.atl.mindspring.net>
Source record: 83012

Notebook Pentium 75 (will take up to a 133mhz Intel chip)
V:90 56k modem
CD ROM
16 meg RAM
PC anywhere
Win 98, office 97,
Looking for a older Yeasu or Heath SB station

3683. FS lots of GOOD STUFF>>>>>

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7khu9n$dr2$5@oak.prod.itd.earthlink.net>
Source record: 83013

I have alot alot aot of stuff for the swapmeet this month PLEASE CHECK
OUT LIST......TRW swapmeet is on the last Saturday of the month
6/26/99. TRW location is Aviation, and Marine Blvd. in the city of
Manhattan Beach 1 mile west of the 405 freeway. Time is 7:00- 11:00 AM

HERE IS THE LIST>>>>>>>>>>>>>>>>>>>>>>>>

I have alot of Kenwood stuff:

I have KENWOOD YK-88C 500 HZ CW filter 4 sale, and they will fit in
these
models..
TS-120S
TS-130S, SE
TS-180S
TS-430S
TS-440S
R-5000
TS-530S, SP
TS-830S
TS-670
$69.00 shipped in the US NEXT...........

4 Sale Kenwood VS-1 Voice Synthesizers .
These units will fit in these models.........
TS-940S
TS-440S
TW-4000A
TR-751A, & TR-851A
TS-711A, & TS-811A
TS-670
R-5000
$79.00 shipped in the US NEXT.................

Kenwood IC-10 interface, and IF-232C interface unit both
for only $99.00 (hard to find combo)

(2) YK-88SN $69.00 shipped
(2) YK-88A $69.00 shipped
(10) TU-4C for TW-4000A $42.00 shipped
(1) TU-3A for TM-201A, and 401A $42.00 shipped
(2) TU-6 for TH-21,31,41 $42.00 shipped NEXT..............

The R-5000 are "IN" the price is $439.00 shipped in the US

Kenwood R-5000 RECEIVER
IC 10 interface

IF-232C interface
YK-88C 500HZ CW filter
and custom rack mount, with external speaker, and manuals included.

Got some Collins stuff 4 sale.....

1. (2) Collins 189A-1 phone patches for a KWM-1 $99.00 each.

2. Collins 310B-1 exciter with coils for 10,20,40,80,160 $295.00
looks good.

I have (2) TWO Collins Winged S-lines 4 sale they are both good to
very
good, and original.

3. Collins 75S-3 Receiver
Collins 32S-3 Transmitter
516F-2 power supply
copies of the manual...$1100.00 shipped in the US

4. Collins 75S-3 Receiver
Collins 32S-3 Transmitter
516F-2 power supply
copies of the manual...$1100.00 shipped in the US

Bird 8201 500 watt dummyload $150.00
Bird 4381 RF Power Analyzer sells new for over $1000.00
ONLY for $299.00

Hammarlund HQ-129X nice condtion $150.00
MFJ-484 GRANDMASTER MEMORY KEYER $ 30.00
Swan 350 with 117XC power supply/speaker/ hand mic works good $185.00

Heathkit SA-2060A BIG antenna tuner $160.00
Heathkit HD-1422 antenna noise bridge $20.00
Heathkit HD-3006 crossfire $30.00
Heathkit IM-5228 vacuum tube voltmeter $10.00
Heathkit IT-5230 CRT tester,& rejuvenator $10.00
Heathkit IG-5282 audio generator $10.00
Heathkit IG-5280 RF oscillator
Heathkit IM-1210 digital multi meter $10.00

Palomar PT-340 tuner/tuner $20.00
AEA Pakratt- 64 $20.00
AEA ET-1 antenna tuner 300 watts $60.00
Ameritron AL-84 amplfier $250.00

THANK YOU
LEO KJ6HI

Ph/Fax (310) 670-6969.....

3684. FS - DRAKE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: GeorgeW--- N4MYY <n4myy@inna.net>
Message-ID: <376cd9ba@calwebnnrp>
Source record: 83014

Have DRAKE R4, T4X, MS4 for sale-- everything works, has some wear around knobs, in good condition overall -- with manuals and original box. $275 shipped CONUS

73's
GeorgeW / N4MYY

3685. WANTED KWM2A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: w1txjohn@aol.com
Message-ID: <19990620093528.25416.00001653@ng-cp1.aol.com>
Source record: 83015

WTB: Collins Kwm2a in excellent condx w/ssb filter.Please reply with condx and asking price.

3686. WTB: SHURE 55S STAND OR CABLE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Bob Rinaldi <w1cny@ziplink.net>
Message-ID: <376CFCD2.8FB5E2E1@ziplink.net>
Source record: 83016

Hello: I'm looking for the stand and/or cable and connector for a Shure
55S microphone.
Thanks!
Bob, W1CNY

3687. EV-664 with base

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <376D0DF1.53AE2615@value.net>
Source record: 83017

List incorrectly in my previous post. EV 664 mic with original desktop base. Element changed out to Heil HC-4 (?) ragchew element as the original was bad. Cabled for S-line application (with PL-068 plug). $75. You ship.

3688. FS***SILTRONIX 1011D w/FD1011 & D104***

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <3446-376CFBBA-23@newsd-141.iap.bryant.webtv.net>
Source record: 83018
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

Siltronix 1011D with the matching FD-1011 freq.display and D104 mic.No manual.Works great with full output (110 watts).In very good cond.Price is $160.00 + shipping from 96003.

Take care,
Stan KF6IKC@webtv.net (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3689. FS***HEATHKIT SB-220 80-10m. AMP***

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <3448-376CFCA4-19@newsd-141.iap.bryant.webtv.net>
Source record: 83019
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

Very nice (an easy 9 on 1-10 scale) SB-220.All original with no mods.Comes with the original manual. Price is $500.00 + boxing & shipping from 96003.

Take care,
Stan KF6IKC@webtv.net (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

3690. FS: HomeBrew Amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: terryh@bayou.com
Message-ID: <Ja8b3.17$A3.176515584@news.bayou.com>
Source record: 83020

FS: HomeBrew amp with a pair of 572B's. New tubes put in the amp about 1 1/2 months ago. The amp can be wired for 220 by moving 2 jumpers. Currently is wired for 110. The amp is in good working condition and the reason I am selling is because I received a brand new AL-811H as a gift from the XYL. The amp will cover 15,17,20,30,40 80and 160 meters. If interested in seeing some pic's, contact me by e-mail at mailto:terryh@bayou.com I am asking $300.00 firm. Buyer pays shipping.

73's
Terry W1MRC
http://www.bayou.com/~terryh/

3691. FA: 637 Vacumn Tubes - mostly TV

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: henryshap@aol.com
Message-ID: <19990620125455.22956.00001961@ng-cf1.aol.com>
Source record: 83021

637 Vacumn tubes - mostly TV tubes From an old electronic repair company. I opened up a sealed box of tubes. Zenith, RCA, Magnavox, Sylvania, Raytheon & GE tubes. Most are new. The type and number of tubes were on a list taped to the outside of the box. I opened it up and it seems to jibe with the list

6BX6 - 6 6BX7 - 21 6BY5 - 5 6BY6 - 2 6BY8 - 13 6BZ6 - 42
6BZ7- 172 - Zenith 6C4 - 12 6C9 - 8 6C10 - 1 6CA4 - 5 6CA5 - 6 6CA11 - 1 6CB5 - 18 6CB6 - 46
6CD6 - 5 6CE3 - 1 6CE5 - 11 6CG3 - 3 6CH3 - 4 6CH8 -5 6CJ3 - 4 6CK4 - 5
6CK5 - 1 6CL3 - 4 6CL6 - 11 6CL8 - 29 6CM3 - 8 6CM6 - 12 6CM7 - 38
6CM8 - 27 6CN7 - 23 6CQ8 - 16 6CS7 - 3 6CU5 - 20 6CW5 - 19 6EA8 - 4
6EB5 - 7 6EB8 - 7 6EH5 - 1 6EB8 - 1 6EH5 - 10

see at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117570794

3692. FS: T-368 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <376d2492.0@news3.buffnet.net>
Source record: 83022
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.swap

I have a T-368 transmitter for sale.

Unit is in good cosmetic and electrical condition. Complete with extra mod deck. Speech amp and exciter included.

Transmitter is mounted on miltary rolling cradle that will go with the unit.

Has new power cable, and blower switch mod. Nice mid power AM transmitter, 4-400 in the final, modulated by a pair of 4-125A.

Bulletproof, mil-spec contruction designed for 24/7 service.

Runs off 120vac, RF power output 450-500 watts. Coverage from AM broadcast to 20MC.

$1250 for local pickup in Buffalo, NY.

Details on these transmitters can be found on my website.
http://www.buffnet.net/~bhowes/t-368.htm

Tnx

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: http://www.buffnet.net/~bhowes
AMSAT-NA Area Coordinator ARMY MARS AAR2AJ
****

3693. LQQKING A SPECTRONICS DD-1C READOUT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990620134103.22304.00001829@ng-bg1.aol.com>
Source record: 83023

I AM LOOKING A LIKE NEW SPECTRONICS DIGITAL READOUT WITH THE RED LED'S DO YOU HAVE ONE LET ME KNOW AND PRICE ..THANKS A BUNCH ..DWIGHT

3694. EV-664 sold

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Cal Eustaquio <n6kyr@value.net>
Message-ID: <376D3A06.405E355A@value.net>
Source record: 83024

As above. Had a few takers. 73's. Cal.

3695. INFO Wanted on Eddystone 770U and kin

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: McAllister Bryant <bryantm1@us.ibm.com>
Message-ID: <7kjdal$18g2$1@rtpnews.raleigh.ibm.com>
Source record: 83025
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave

I am looking for any information on the Eddystone 770U (VHF) and its SW and LW counterparts.

Thanks

Bryant

3696. Re: FS Ten Tec PM-3A QRP SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: zenith #1 <peitsch@concentric.net>
Message-ID: <7kjeik$2pp@journal.concentric.net>
Source record: 83026
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Thanks guys

zenith #1 wrote in message <7kglvi$nth@journal.concentric.net>...
>Any interest in a Ten Tec PM-3A powermite qrp xcvr? Let me know .
>
>Butch
>
>

3697. Collins 75A-1 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: simserv@inmind.COM
Message-ID: <3.0.32.19990620155202.006b354c@pop.inmind.com>
Source record: 83027

Hello all,

I have for sale a Collins 75A-1 Serial Number 1911 with No. 353C-31 mechanical filter included. It is in Excellent Condition by the CCA Ratings scale except for with a couple of easily fixed items. It is definitely better than Very Good and I would think a fine addition to a Collins collection. There are no (as in none) marks on the front panel, all the knobs are there (see below) and the lettering is in great shape. The front panel is really like new except for a couple of rack mounting screw holes missing some paint. Using a fiber washer under the metal washer would probably cover that up. The inside is extremely clean, no chassis rust. One of the metal capacitor covers is rusted but should clean up OK, but it needs to be removed to do that so I'll let the next owner handle that.

The main tuning knob must be non-original, as it has a spinner on it, but is kind of neat. I expect finding an original tuning knob would not be a problem. The dial scales are both in really good shape. The dial glass is cracked in the extreme lower right corner but the crack is barely noticeable, again easily fixed but I don't want to take it apart to do it. The S meter glass is loose but not broken and the meter works. I was told the cabinet is probably from a transmitter since it has the slider lock for holding it up. Also, a notch has been cut in the back, to expose one of the output/input? jacks. This would also indicate that it is not a receiver cabinet. I am going to get the notch rounded out so it looks better before I ship it. The cabinet has a few minor scuffs but is quite clean as well, with no dents. Actually it is nicer than the receiver cabinet because it has the slider to hold the top open.

It works quite well but could probably use a tune-up. It works amazing well with SSB signals. All I have done to it is replace a couple of tubes, and a couple tubes are weak according to my Hickok tester. The underside looks to be untouched as far as new components. Reason for selling is to help pay for an R390A I just purchased, and I already had a good SSB rig (Heath SB-101) and I am not a Collins collector. It belonged to a silent key; I bought it from his grandson, so I may be the second owner.

Price is $950 plus professional packing and shipping by UPS ground (I was advised by some Collins collectors that this is a reasonable price so hope it is). Payment to be by certified check or money order only. I am in Central Virginia near Lynchburg so if it could be picked up that would be best, as I don't trust UPS or FedEX to take care of it. I am sending this to several email lists so I apologize for any cross-posts.

I have a zipped executable with 23 JPG images I will be glad to email to you. It is a large file (732KB), so your email program must support large

file downloads. I can also email individual images if needed. All inquiries are welcome. This is not an auction, goes to the first with the money.

73,

Phil de SWLer
(804) 525-4638

3698. give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: jmm <jmm@x.org>
Message-ID: <376D7CEB.1253@x.org>
Source record: 83028

I'm in the Houston area and have a Hallicrafters SX-110 that works.
Is there a local organization that I can give this to
or is it reasonable to try to sell it?

Thanks,
Jim

3699. Re: give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Phil Nelson <nospam.philnelson@antiqueradio.org>
Message-ID: <929918766.783.20@news.remarQ.com>
Source record: 83029

It is certainly reasonable to try to sell it. For what it is worth, the Hallicrafters collector guide by Chuck Dachis values that set at $75-$100 if in good condition. ("Good condition" in that book means complete, not modified, and in good cosmetic condition. It's no big deal if the electronics don't work perfectly right now -- repairing them is routine.) You could always take less, of course, but don't feel like this is a white elephant that you have to give away.

If I prefer to give it away, you could scout around for a qualified non-profit organization so that you can deduct the value from your taxes as a charitable contribution. Around here, many thrift stores are run by such organizations.

Cheers.

Phil
philnelson@antiqueradio.org

3700. Re: FS: Hallicrafters SX-28 SuperSkyrider

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: detroit47@mediaone.net
Message-ID: <7kjtl9$f4k$1@denws02.mw.mediaone.net>
Source record: 83030

If this is an auction where are the pictures and terms?
John Goller, K9UWA <k9uwa@cris.com> wrote in message
news:7kg6uq$cng@journal.concentric.net...
>
> > Accepting realistic offers. Please email direct.
>
> SOunds like an AUCTION without the benefits of seeing the other
> guys bids!!!!!
>

3701. ARC-5 rack(s) wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Randy Stegemeyer <hamradio@oz.net>
Message-ID: <7kjun0qq0@216.39.134.68>
Source record: 83031

I am looking for a MINT 2-bay ARC-5 rack, suitable for a transmitter/receiver combination. I think this means I really need a 2-transmitter rack with a receiver rack adapter(?). If you have any to sell or know of someone who might please let me know. Thanks!

de Randy, W7HR
hamradio@oz.net

3702. FS: Johnson Viking Adventurer CW Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7kjumu$p6g$1@user2.teleport.com>
Source record: 83032
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: From an estate sale - Johnson Viking "Adventurer" CW Transmitter.
Cabinet is in pretty rough condition - added switches, holes, an aluminum
panel covering a chunk of the rear section, no power cord, etc. Original
meter, knobs, etc. Really probably best as a parts unit. $30 plus postage.
Larry
larryj@teleport.com

3703. 6-9 MHz mint ARC-5 Rcvr wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Randy Stegemeyer <hamradio@oz.net>
Message-ID: <7kjuvv$1an$0@216.39.134.68>
Source record: 83033

I am looking for a MINT ARC-5 receiver (no mods, no paint chips, no scratches, etc.) for the 6-9.1 MHz range. I think the model numbers for these were R-27/ARC-5 and BC-455/SCR-274N. If you have one or know of someone who does please let me know. Thanks!

de Randy, W7HR
hamradio@oz.net

3704. FS: Johnson Viking "Pacemaker" HF Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7kjv4apva1@user2.teleport.com>
Source record: 83034
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: Johnson Viking "Pacemaker" HF AM/SSB/CW Transmitter. Probably best as a parts unit, this unit has extra holes, a replacement meter that's the wrong size, needs a power cord. The knobs are original and intact, and the insides of the transmitter look to be pretty clean. From an estate sale, this unit is probably going to the dumpster, along with a Viking Adventurer that is in about the same kind of condition. $35 for the Pacemaker, $30 for the Adventurer. Plus shipping.
Larry
larryj@teleport.com

3705. WTB: 3CV1500A7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: PCB <paulc@ccse.net>
Message-ID: <uCfb3.776$lr3.58601@news2.jacksonville.net>
Source record: 83035

Wanted: 3CV1500A7 Vapor-cooled tube in any condition.

Paul

3706. WTB Viking Challenger Tx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <376D87C0.2312A7B9@erols.com>
Source record: 83036

Looking for an excellent condition Viking Challenger. I'm putting
together one of my original late 50's rigs. Thanks.

3707. WTB MATCHING SPKR FOR COLLINS 75 A 4 RECEIVER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7kk464$95o$1@news.itis.com>
Source record: 83037

WTB: MATCHING SPEAKER FOR MY 75 A 4 RECEIVER. ANY OUT THERE AVAILABLE?

3708. DRAKE RV7

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <376DAD3D.2E1BBD64@bellsouth.net>
Source record: 83038

I just posted a really nice drake RV7 VFO on e bay item number
119916652 W4HQ

3709. Re: Kenwood SM-220 question.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Terry <browntl@concentric.net>
Message-ID: <376DB50A.5957901D@concentric.net>
Source record: 83039

There is a method but it requires a small coax cable and a capacitor
soldered to one of the circuit boards. I did have a copy of the article on the
modification but may not be able to lay hands on it readily. You might try
some of the archives at QTH.net or some of the other mod archives.
I have both an SM220 (with BS8 adapter) and a TS440 and intend to make the
mod myself (when a get a round tuit). It seems as though the BS8 is required
to use the SM220 with a TS440.

Terry (KA5IHV)

K1ALH wrote:

> Can anyone please tell me how to hook up a SM-220 to a TS-440 ? The station
> monitor has the pan adapter installed.

3710. INFO WANTED ON DRAKE L4-B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: PIERRE <dupp@netrover.com>
Message-ID: <7kkd3obmu1@nntp3.uunet.ca>
Source record: 83040

Hello
I have a luck to buy a used L4-B in good working condition.
Do I need a soft key module with my YEASU FT-1000.

I will like to receive some comments on the performance
in RTTY mode and SSB.

Thanks

Pierre VE2MP

3711. what's it worth???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: Joe Montano <jmontano@iquest.net>
Message-ID: <sBjb3.239$y4.669@news1.iquest.net>
Source record: 83041

I have an old Federal Type 61 receiver and I am wondering how much it is worth.

Please e-mail me direct at:

n9vmo@yahoo.com

TNX in adv..

Joe

3712. Need help identifying :Computer Logic Modules?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-20 00:00:00 UTC
From: mmetzler@postoffice.pacbell.net
Message-ID: <376DB295.F107DAE3@postoffice.pacbell.net>
Source record: 83042

I purchased these logic modules believing them to be from a vacuum tube computer.But a friend has suggested it is possible they were actually used in radar.
Can anyone enlighten me?

Each encasement says "Engineering Eletronics Company", and the following information is also on the tube or encasement:

Flip Flop Z-8336 5963 57-04
Pulse Amplifier Z-8489 5963 57-09
Gate Circuit Z-90002 5963 57-39
Amplifier Z-90025 5963 57-35
One Shot Z-8318 5963 57-35
Phantastron Z-90018 6AS6 57-04

I purchased these items from someone in Huntsville, Alabama, and he thought they might have originated from the NASA/Marshall Space Flight Center
in Huntsville.

> I am interested in determining if they belonged to some early
>
computer.

I would like to be able to excert some of your comments on my web page, so please let me know if you object to this.

Please reply to:
mmetzler@pacbell.net

> http://members.xoom.com/Mark_Metzler/epbimages/tubes.jpg
>

Mark Metzler
mmetzler@pacbell.net

VON NEUMANN MACHINES
Online Computer History Bookstore / Computer Museum
http://home.pacbell.net/mmetzler/vnm.html

3713. Re: Tube Checker settings

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: captal123@aol.com
Message-ID: <19990620201828.15906.00001980@ng67.aol.com>
Source record: 83043

Phil, you can order any military manual publication direct from NTIS.

The tube data pub is
TB 11-6625-274-12/1ING $29.50

The operator manual is also available.
TM 11-6625-274-12ING $27

web site www.ntis.gov

tel # 1-800-553-6847

Have fun, AL.....K2DYH

>Is there any place on line to get the settings
>for a TV7B/U tube checker? I have a lot of them
>but need setting for some older tubes, such as
>24, 24A, 45, 80.

3714. Re: EV-664 with base

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990620202922.07105.00002716@ng-fs1.aol.com>
Source record: 83044

<< List incorrectly in my previous post. EV 664 mic with original desktop base. Element changed out to Heil HC-4 (?) ragchew element as the original was bad. Cabled for S-line application (with PL-068 plug). $75. You ship.

>>
CAL:

Still have it??

DENNIS K6RCL

Dennis
Goleta, Calif. 93117

3715. Re: give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990620204655.03943.00001505@ng-cr1.aol.com>
Source record: 83045

I would like to give you a bid if you decide to sell. I am not a dealer but could use the receiver in my station. I am also in the Houston area.

brokebob@aol.com

3716. Re: Ham-BoatAnchors Digest V99 #155

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: lsteeno@execpc.COM
Message-ID: <376D9783.D31C185E@execpc.com>
Source record: 83046
Body handling: HTML body converted to readable text

please unscribe me from the list.
Lsteeno@execpc.com

Ham-BoatAnchors Mailing List and Newsgroup wrote:

> Ham-BoatAnchors Digest Thu, 17 Jun 99 Volume 99 : Issue 155
>
> Today's Topics:
> BC-611 or BC-721??? (2 msgs)
> Collins 310B-3 manual needed
> Collins Question....
> Drake MN-2000 Tuner
> Ebay-ERIE "DoorKnob" Caps, 500pf@30KV NEW!
> Electro Voice 664 with Base for TRADE
> F/S Johnson Viking II and VF1
> FA- Hi-Precision BRASS UHF/VHF Switch, Cheep!
> FS/Trade: Drake TR-3 Cabinet
> FS:: Rockwell-Collins KWM-380
> FS: HEATH Items
> FS: Heathkit SA-2060 2KW Tuner
> FS: Ten Tec 962 PS $175 + UPS
> FS: UNBUILT!! Heath Digital Bathroom Scale
> Hammarlund HQ-129X 4sale
> info needed please
> microphone question (2 msgs)
> Reply to "Wife says guns must go" (6 msgs)
> SOB-102 saga (2 msgs)
> Wanted: meter for Swan 350
> Wife says guns must go
> WTB - R1155A Receiver Manual
> WTB : 4 - 1000 A TUBE
> WTB: Collins 618T Manual
> WTB DRAKE MS-4 CABINET LIKE NEW
> WTB Heath Micoder
> WTB KWM2 bezel
> WTB Modulation Transformer
> WTB NATIONAL HRO-500
>
> Send Replies or notes for publication to:
> Send subscription requests to:
> Problems you can't solve otherwise to brian@ucsd.edu.
>
> Archives of past issues of the Ham-BoatAnchors Digest are available
> (by FTP only) from ftp.UCSD.Edu in directory "mailarchives/ham-boatanchors".

>
> We trust that readers are intelligent enough to realize that all text
> herein consists of personal comments and does not represent the official
> policies or positions of any party. Your mileage may vary. So there.
> Loop-Detect: Ham-BoatAnchors:99/155
> --
>
> Date: 16 Jun 1999 09:25:40 GMT
> From: cccacutts@mindspring.com (Allen Cutts)
> Subject: BC-611 or BC-721???
>
> Does anyone know the difference between the BC-611 and the BC-721? They look
> the same. I can't seem to find any info on what is the difference between the
> two.
>
> Allen Cutts
> N4OZI
> cacutts@mindspring.com
>
> --
> ~~~~~~
> Allen Cutts - cacutts@mindspring.com
> Email address needs to be changed when replying, I've had
> enough Spam to last me awhile, thank you.
> Home page: http://www.mindspring.com/~cacutts/radio/radio.html
> ~~~~~~
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 17:57:41 -0500
> From: "Jerry Franks"
> Subject: BC-611 or BC-721???
>
> try here
> http://www.telalink.net/~badger/millist/mi.html
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 13:00:47 -0500
> From: "Mike Cowart"
> Subject: Collins 310B-3 manual needed
>
> just picked up this unit. does anyone have a copy of the manual?
>
> 73
> Mike - WA5CMI

>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:30:04 -0700
> From: Will White
> Subject: Collins Question....
>
> Hi:
>
> I know little about COllins gear, so forgive the stupid, though earnest,
> question: Why does the addition of just the (presumably original) power supply
> raise the price from $550 to $1600, an increase of over $1000, almost twice
> what the radio itself cost? Also, what is the 516F-1? I had thought it was a
> speaker/PS unit, but maybe I am wrong?
>
> Bismarck Wichy wrote:
> >
> > KWM-1 $550
> > KWM-1 w/516F-1 $750
> > KWM-1 and PS $1600
>
> > In article <19990615191149.08863.00000300@ng-cm1.aol.com>,
> > rockjammer@aol.com (Rockjammer) wrote:
> >
> > >Hello. A friend of mine is contemplating the purchase of a KWM-1. Excellent
> > >shape..just gone through by a Collins restorer. What is the going rate for a
> > >rig such as this?? Any reply much appreciated.
> > >WM5M
> > >David
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:23:35 -0700
> From: Chris
> Subject: Drake MN-2000 Tuner
>
> In very good condition. This antenna tuner is very easy to use and will
> handle REAL LEGAL LIMIT. $200+shipping.
> 73 Chris VE3NGW/W4 Florida
> .
>
> ------------------------------

>
> Date: 17 Jun 1999 02:59:53 GMT
> From: rlucch2098@aol.com (RLucch2098)
> Subject: Ebay-ERIE "DoorKnob" Caps, 500pf@30KV NEW!
>
> Hi Guys;
> Building something big?
> How's about a few BRAND NEW ERIE "doorknob" Caps Rated at 500pf @ 30kv. There
> are three pairs at dutch auction and are kinda cheep so far. Only at $10 & $7 a
> pair.
> Heres the URL with PICS>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116761326
>
> Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
> Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 17:08:35 GMT
> From: ekugrad@mindspring.com (W4IDX)
> Subject: Electro Voice 664 with Base for TRADE
>
> I have a beautiful condition Electro Voice 664 mic with a Model 419
> tear drop base. SN 58729. Has original cable and looks great. One
> scratch about 1" long on the right side of the base. Some idiot put
> it in a box with some other stuff and it got scratched. It's a great
> looking mic, but I don't really need it. I would like to trade it for
> something I can use.
>
> You know what it's worth, what have you got to trade? I'm open to
> most trades. I like the DRAKE Gear (check out my web page). Don't
> have any Collins gear right now, but would consider putting some cash
> with it for a nice 75S1 or ?
>
> Thanks and 73
>
> David
> W4IDX
>
> CCA Member #491
>
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 03:07:30 GMT
> From: soundimp@pobox.com (Bob Peters)

> Subject: F/S Johnson Viking II and VF1
>
> Have a Viking II and VF1 F/S for $100 plus ship... When
> purchased was told that it works... Have not tried it...Case is
> about a 7 and inside is about a 9... VF1 is 9.... Only
> reason F/S is I found a Valient... Best 73's Bob K1JNN/5
>
> ----------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
> http://www.newsfeeds.com The Largest Usenet Servers in the World!
> ------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----
> .
>
> ------------------------------
>
> Date: 17 Jun 1999 03:18:11 GMT
> From: rlucch2098@aol.com (RLucch2098)
> Subject: FA- Hi-Precision BRASS UHF/VHF Switch, Cheep!
>
> Heres a neat switch, all Precision Machined brass with 2 position BNC's on it.
> Only at $8.99.
> Looks like it might be for UHF/VHF operation, Check it out!
> URL with pics>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117215593
> 73........Rich
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 17:10:07 GMT
> From: ekugrad@mindspring.com (W4IDX)
> Subject: FS/Trade: Drake TR-3 Cabinet
>
> Very nice condition Drake Cabinet for the TR-3. This cabinet is in
> near mint condition. No scratches and lettering on side is crisp and
> clean. Looks to be original paint job, or professional repaint.
> Cabinet only. No feet.
>
> Sell for $50 shipped, but preffer to trade for something like...W4
> wattmeter, MS-4 speaker, any C-line filters, TR-22, Any 7-line
> accessories, Astatic D-104 mic. I'm open to just about anything.
>
> Might even be interested in a TR-3 that needs a new cabinet if someone
> has one and the price is right.
>
> 73
> David
> W4IDX
>
> .
>

> ------------------------------
>
> Date: Wed, 16 Jun 1999 23:11:53 -0400
> From: "Randy B."
> Subject: FS:: Rockwell-Collins KWM-380
>
> Here is a real nice KWM-380
> http://users.erinet.com/30845/itemsfor.htm
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 15:39:25 GMT
> From: ronfol@hilconet.com (Ron Follmar)
> Subject: FS: HEATH Items
>
> Very clean DX-60A w/ man. $75. HD-1410 Keyer $45.
> VF-1 original clean condx. $40.
> GR-64 Receiver- $10
> EK-2 Shortwave receiver nice condx.- $25
> Manuals- IM-5284, HW-7, HA202, DX-60, HM102, HM-2102, HD-20, HN-31.
> originals $5 each + postage.
> 5- 3TF7 ballast tubes boxed and look new $25 for all.
> Shipping extra on all items .
> Tnx, Ron K5GIT ronfol@hilconet.com
> .
>
> ------------------------------
>
> Date: Thu, 17 Jun 1999 02:22:35 GMT
> From: byoumans@neo.REMOVE.lrun.com (B.J. Youmans)
> Subject: FS: Heathkit SA-2060 2KW Tuner
>
> Nice Heath SA-2060 tuner. 2 KW rating covers 160 thru 10 meters.
> Matches balanced, unbalanced, and randmom wire antennas. Good
> cosmetic and functional condition. Typical later Heath two tone
> gray-green and black color scheme. No manual, but one available from
> W7FG site.
>
> All metering works and calibrated. I can e-mail picture if desired.
>
> $150 plus shipping.
>
> Barry KI8BS byoumans@neo.rr.com
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 17:33:11 -0700

> From:
> Subject: FS: Ten Tec 962 PS $175 + UPS
>
> Beutiful 962 power supply by Ten Tec. A 9.5/10. Price is $175.00 plus actual
> UPS costs from San Diego 92139.
>
> It does have the spkr built in.
>
> Lane
> Ku7i
> San Diego
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:41:37 -0700
> From: Will White
> Subject: FS: UNBUILT!! Heath Digital Bathroom Scale
>
> Is that the UK version with dial indicating stones?
>
> TubePwr813 wrote:
> >
> > In original Heath Box, opened but not unpacked. Model #GD1186.
> >
> > $450 US plus shipping
> >
> > Chris "KX0Y"
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: 16 Jun 1999 19:17:13 GMT
> From: kemtelcom@aol.com (KEMTELCOM)
> Subject: Hammarlund HQ-129X 4sale
>
> Mike,
>
> I'm not interested in an HQ129x as I have a mint condition one myself.
>
> However, if someone wants to buy yours, you can tell them that I have an
> original IB that I'd be willing to copy for them. It's only 20 5" x 7" pages.
>
> One would need a manual to service or trouble-shoot an ailing rcvr.

>
> John, W6JN, .
>
> .
>
> ------------------------------
>
> Date: Thu, 17 Jun 1999 00:14:27 GMT
> From: Jeff
> Subject: info needed please
>
> Hello, I'm hoping to find someone out there who can help me gather
> information on 2 receiver\xmiters.
>
> 1. Canadian Marconi transmitter\receiver
> Type: PNI-B
> No: 118-980
>
> 2. Receiver
> Type:R1297
> ref no: 10D/592R
> (british air ministry i think?)
>
> Any information would be helpful as I'm not having much luck finding
> info on the net.
>
> Regards, Jeff
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 12:52:28 -0500
> From: "Skyrider Defiant"
> Subject: microphone question
>
> Hi there.
>
> I have a Viking Valiant, and a few mic choices. I have a Silver Eagle,
> and a broadcast quality condenser mic. The condensor mic pretty much covers
> the human hearing range. The Valiant probably rolls off
> at 4500 hz. Would it be beneficial to use the condensor mic over the D104?
> Or would it be "broadcasting pearls before swine"?
>
> Thanks
>
> CF
> --
> ____
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> C oo impair chlordane resourceful Pericles propylene step antisemite

> _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> _____
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 17:42:28 -0400
> From: "D. S. Platt"
> Subject: microphone question
>
> You might want to consider obtaining the "Electric Radio" series on the Valiant
> audio (et al) mods. Mine has had all applied and the difference is ....well,
> let's just say noteworthy! Given the audio bandwidth and the modulation scheme
> in the stock unit, one could do just as well with a Radio Shack special. By all
> means use the good mic you have but consider the mods, too! (Don't forget the
> VFO screen resistor!!!!)
>
> Skyrider Defiant wrote:
>
> > Hi there.
> >
> > I have a Viking Valiant, and a few mic choices. I have a Silver Eagle,
> > and a broadcast quality condenser mic. The condensor mic pretty much covers
> > the human hearing range. The Valiant probably rolls off
> > at 4500 hz. Would it be beneficial to use the condensor mic over the D104?
> > Or would it be "broadcasting pearls before swine"?
> >
> > Thanks
> >
> > CF
> > --
> > _____
> > /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> > C oo impair chlordane resourceful Pericles propylene step antisemite
> > _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> > _____
>
> .
>
> ------------------------------
>
> Date: 16 Jun 1999 10:47:31 GMT
> From: w9fs@aol.com (W9FS)
> Subject: Reply to "Wife says guns must go"
>
> >Subject: Re: Reply to "Wife says guns must go"
> >From: "wa9vrh"
> >Date: Tue, 15 June 1999 10:36 PM EDT
> >Message-id: <01beb7a1$15c67d60$047b9ece@larry>

> >
> >Did you morons ever think that.... Well no if you read your posts guess you
> >didn't have time to think. How about we let this die and get back to REAL
> >boatanchor issues, concerens, and help. 73's Larry WA9VRH
> >
> >This is to good a newsgroup to waste on trivial nonsense....
> >
> >
> >
>
> Good Humor is not trivial nonsense, only in the mine of one that thinks
> everybody that has and loves humor is a moron. Good day sir.
>
> Jerry W9FS
> Jerry W9FS
> ex W9FTI, W4RXU, K9PFV, DL5GI
> Licensed since 1958, getting to be
> a real OT.
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:24:02 -0700
> From: Will White
> Subject: Reply to "Wife says guns must go"
>
> Nothing personal, but while one person may have the right to make irrelevant
> statements, the group has the right to object to and critque those statements.
>
> W9FS wrote:
> >
> >
> > That dosen't worry me as much as a lack of understanding on a subject that is
> > totally relevant. Or the opression of the right to be irrelevant if one so
> > chooses.
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:21:50 -0700
> From: Will White
> Subject: Reply to "Wife says guns must go"
>
> No, Good Humor isn't trivial nonsense, it's damn good ice cream, especially if
> you are lucky enough to get yours from one of those guys with the white suit

> and bow-tie. . .
>
> Ice cream is brain food (it contains B vitamins, phenylalanine, and calcium)
>
> W9FS wrote:
> >
> > Good Humor is not trivial nonsense, only in the mine of one that thinks
> > everybody that has and loves humor is a moron. Good day sir.
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 04:16:34 -0700
> From: Will White
> Subject: Reply to "Wife says guns must go"
>
> (Oh, why the hell not:)
>
> The British and Canadians, the ones in the UK and Canada are "disinterested"
> in guns, especially as a topic in an amateur radio newsgroup, in no small part
> because they don't feel threatened all the time the way Americans seem to by
> "street crime." That's the primary reason most Americans own guns, for
> personal and family "protection," not to keep the oppressive {sic} government
> at bay. For that matter, the sense of government oppression is much higher
> here, for all the guns in circulation. Why is that?
>
> BTW, you *can* own a gun in the UK and Canada, it is just not so casual a
> thing there.
>
> Gary - KJ6Q wrote:
> >
> > Michael Black
> >
> > > This thread turns into a thread on the right to own guns, something
> > not
> > > particularly interesting to those of us who don't live in the US,
> >
> > HMMMMm - I'll risk yet another off-topic post, by suggesting that
> > British and Canadians are NOT so much "disinterested" in the guns
> > issue, as they are *sensitive* to the fact that their REAL opinions on
> > the subject are QUITE irrelevent, since they (guns) are totally out of
> > their reach by government decree.
>
> --
> Will White, KD7BFX

>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 18:30:08 GMT
> From: "Gary - KJ6Q"
> Subject: Reply to "Wife says guns must go"
>
> Will White wrote in message
> news:3767877F.2288CF55@asu.uswest.net...
> > (Oh, why the hell not:)
> >
> > The British and Canadians, the ones in the UK and Canada are
> "disinterested"
> > in guns, especially as a topic in an amateur radio newsgroup, in no
> small part
> > because they don't feel threatened all the time the way Americans
> seem to by
> > "street crime." That's the primary reason most Americans own guns,
> for
> > personal and family "protection," not to keep the oppressive {sic}
> government
> > at bay. For that matter, the sense of government oppression is much
> higher
> > here, for all the guns in circulation. Why is that?
>
> WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend
> against government, is often ineffective? At least, in EXTREME
> eventualities we have a viable alternative!
>
> A common response/ploy constantly offered by
> Canadian/European critics of American gun freedoms,
> is that of belittling ridicule at our suggested fears and
> insecurities - as compared with THEIR more "sophisticated"
> lifestyle that is laid back and relaxed due to their great faith
> and trust in the politics and citizen-protection provided by
> their superior socialist governments - governments that are
> benignly concerned ONLY in the happiness and comforts of
> their society... Yeah, suuuure...
>
> *BS!*
>
> Even in MANY of *today's* foreign societies - including that of
> Kosovo - the ability of those societies to either DEFEND
> themselves (Kosovo's KLA, a militarized CITIZEN army), OR,
> to just roll over and DIE as they are doing in Africa, and many
> other disarmed societies unable to defend themselves. You MAY
> argue the effectiveness of such citizen-armies, but as a potential

> victim of government abuse, I would FAR rather go down fighting
> than bleating. BOTH *ARE* happening in MANY parts of TODAYS
> world, to ignore the possibility, even HERE in the U.S., is foolish!
>
> NEVER forget that the ONLY ultimate goal of ALL liberals/socialists,
> is TOTAL control of their "subjects", and they FULLY realize and
> understand that MANY will oppose such total control - THUS, the
> GREAT interest and effort to REMOVE as many "tools" of revolt as
> possible - free speach and armed resistance being the primary targets!
>
> I enjoy my guns as interesting items of mechanical art, and tools used
> for target practice and potential personal protection - though I
> freely
> admit that use is VERY unlikely! (I DO live in a rural area poorly
> patrolled by police, and also more frequently infested by roving
> 4-legged
> predators.)
>
> I *LOVE* my country - AND it's freedoms - but I also choose to
> distrust
> the ability and intent of my country's "leaders" to confine their
> agendas to
> those issues intended to primarily benefit society rather than
> THEMSELVES
> (at society's expense!).
>
> THAT is what our INDIVIDUAL, Bill of Rights was established for, and
> WHY
> those like me value them *ALL*, *INDIVIDUALLY*, so fervently. I hope
> we
> NEVER are obliged to use FORCE OF ARMS to resist what we consider an
> oppressive government, as we did against England, and as our Civil War
> fighters did - but *I* will continue to VIGOROUSLY defend our right
> and
> ABILITY to do so if needed - NO APOLOGY, in THIS group or elsewhere!
>
> >
> > BTW, you *can* own a gun in the UK and Canada, it is just not so
> casual a
> > thing there.
>
> Yeah - you've got THAT right!
>
> >
> > Gary - KJ6Q wrote:
> > >
> > > Michael Black
> > >
> > > > This thread turns into a thread on the right to own guns,
> something

> > > not
> > > > particularly interesting to those of us who don't live in the
> US,
> > > >
> > > HMMMMm - I'll risk yet another off-topic post, by suggesting that
> > > British and Canadians are NOT so much "disinterested" in the guns
> > > issue, as they are *sensitive* to the fact that their REAL
> opinions on
> > > the subject are QUITE irrelevent, since they (guns) are totally
> out of
> > > their reach by government decree.
> > >
> > --
> > Will White, KD7BFX
> >
> Gary - KJ6Q
> --
> "Blaming guns for Columbine is like blaming
> spoons for Rosie O'Donnell being fat."
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 18:17:13 -0700
> From: Will White
> Subject: Reply to "Wife says guns must go"
>
> OK, one more comment and I *have* to stop or the USENET topic police are going
> get me. . .:(
>
> I hope your frustration with whatever in particular frustrates you about our
> government (and that is different for different folks--not really that
> important in particular for purposes of this wonderful discussion that has
> nothing to do with BAs, though I am enjoying it thoroughly) hasn't led you to
> a point where voting is the only means of redress and social action you
> believe are available to you. Picket, write letters, make phone calls,
> organize, educate, donate time and money. Anyone who says these measures don't
> work has been in a coma for the past 35 years. Just pulling a lever every year
> or so for some bland devil or another doesn't get anyone off the hook as a
> citizen in what still is the best and most full democracy on this planet, or
> any of the others I have been to for that matter. . .:)
>
> Gary - KJ6Q wrote:
> >
> > Will White wrote in message
> > news:3767877F.2288CF55@asu.uswest.net...
> > > (Oh, why the hell not:)
> > > That's the primary reason most Americans own guns,
> > for

> > > personal and family "protection," not to keep the oppressive {sic}
> > government
> > > at bay. For that matter, the sense of government oppression is much
> > higher
> > > here, for all the guns in circulation. Why is that?
> >
> > WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend
> > against government, is often ineffective? At least, in EXTREME
> > eventualities we have a viable alternative!
> >
>
> --
> Will White, KD7BFX
>
> to reply, please click this link mailto:wcw@asu.uswest.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 15:00:05 -0500 (CDT)
> From: dialcover@webtv.net (William P. Turner)
> Subject: SOB-102 saga
>
> IT SOUNDS TO ME AS IF THE REAL PROBLEM WAS A CB'ER. EVEN AT 20 HOURS
> YOU CAME OUT PRETTY WELL, THE PS ALONE WAS WORTH TWICE WHAT YOU PAID FOR
> THE WHOLE RADIO.
>
> disregard caps, visual problem
> Bill Turner WA0ABI
> 1117 Pike Street
> Saint Charles, MO 63301
> 314-949-2210
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 21:54:20 GMT
> From: JJ
> Subject: SOB-102 saga
>
> wb0poz wrote:
> >
> > Since the topic IS boatanchors, here is the story of a sad Heathkit SB-102
> > that I recently purchased. Never have I worked on a radio with so many
> > disparate problems (except for a MicroTel PR-700, but thats ANOTHER story).
> >
> > This radio was purchased from a nice old gentleman at the Manassas (VA)
> > hamfest. He pulled up and started taking a load of green Heathkits out of
> > his trunk. Of course, this attracted the vultures (and I guess I have to

> > include myself). Stuff was cheap - I bought this SB-102 with a HP-23 and
> > SB-600 speaker for $25. Between other vultures desperately thrusting money
> > at the increasingly flustered old gent, he explained that the SB-102 was a
> > basket case but he included the parts to make it work.
> >
> > Upon getting it home, it was apparent that the belts were shot and it was
> > missing the 6.8 MHz trap (which was included in the little baggie of parts).
> > Installed the trap and the radio came to life (sort of). No xmit and very
> > weak receive.
> >
> > Tested the tubes, replaced 3 DEAD ones (filaments lit, but NO emission!),
> > some improvement but still no xmit.
> >
> > Did an alignment (it was WAY off) and some more improvement, but still no
> > xmit.
> >
> > Made some voltage measurements and almost everything was WAY off. Then I
> > started reading resistor values, and found that almost every resistor was
> > out of tolerance (some by 400 percent!). So, I did a wholesale resistor
> > replacement only to find that:
> >
> > (1) the LMO was mechanically messed up
> > (2) the LMO was electrically messed up
> > (3) some knucklehead put CB crystals in 2 of the 10 meter band positions
> > (4) the grid drive slug for 80 meters was busted
> > (5) the xtal osc slug for one of the 10 meter bands was busted
> >
> > I never have been too impressed with Heathkits, but I'm even less so after
> > this nightmare. I finally got the beast working well (except for replacing
> > the CB crystals), but at the cost of about 20 hours of bench time! My $25
> > "bargain" was no bargain at all, but I must admit it was enjoyable finally
> > winning the fight against the beast.
> >
> > Moral is, I guess, if you have a Heathkit of this vintage that isn't
> > performing up to scratch, CHECK THOSE RESISTORS! They were 20% tolerance to
> > begin with and time apparently hasn't treated them too well.
> >
> > 73 John
>
> My first SSB unit was as SB-102. It was fun building it and it gave me
> many years of dependable service. Sounds like yours was attatcked by
> some knuckle-headed cber who, like nearly all cbers, think everything
> needs to be "moded" to get a "bigger signal".
> .
>
> ------------------------------
>
> Date: 17 Jun 1999 00:57:58 GMT
> From: "Larry Bearse"
> Subject: Wanted: meter for Swan 350

>
> Anyone got a meter for a Swan 350 to sell?
>
> Thanks......Larry
> lbearse@mail1.nai.net
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 01:22:38 -0500
> From: "Skyrider Defiant"
> Subject: Wife says guns must go
>
> I'll bet the wife anecdote was designed to engender a chuckle....
> a statement designed to poke fun of the human condition.
>
> Smile folks!
>
> --
> ____
> /~\ sir automorphic smithy NBS appropriate pin fetal beware scathe
> C oo impair chlordane resourceful Pericles propylene step antisemite
> _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n ' t b e w r o n g
> ____
> Joe wrote in message
> news:7k4t7adfe1@nntp2.atl.mindspring.net...
> > Nonsense ....who wearing the pants over there.
> > Shoot or loose the pain in the butt liberal wife and find a new one with
> the
> > Drakes.
> >
> > jhall5@bellsouth.net wrote in message <37646D1C.96BF02DA@bellsouth.net>...
> > >I have two beautiful handguns one Taurus PT 99 9mm stainless new in
> > >box never had a round in it, second is Colt Python 357 royal blue 4
> > >inch barrell... like new.. 100% i would like to trade either one for a
> > >Drake T4 x and R4c in great shape. call the gun stores about these then
> > >if interested call me at 561-792-9084 or e mail
> > >jhall5@bellsouth.net... W4HQ
> > >
> >
> >
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 23:26:47 GMT
> From: wmackin@interlog.com (Wayne Mackin)
> Subject: WTB - R1155A Receiver Manual
>

> I am looking for a manual for the military R1155A receiver. An
> original or a good photocopy would be fine. (This receiver was used in
> British and Canadian aircraft during WW II).
>
> Please reply with price and condition to wmackin@interlog.com.
>
> Regards,
>
> Wayne
> .
>
> ------------------------------
>
> Date: 16 Jun 1999 19:58:02 GMT
> From: qroking@aol.com (QRO KING)
> Subject: WTB : 4 - 1000 A TUBE
>
> Hi Bucky, Got a 4-1000 for you, full output shipped to you for $100.00...73 LOU
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 06:15:56 -0500
> From: Francesco Ledda
> Subject: WTB: Collins 618T Manual
>
> Francesco Ledda
>
> Texas, USA
> .
>
> ------------------------------
>
> Date: 16 Jun 1999 15:58:11 GMT
> From: dwight136@aol.com (Dwight 136)
> Subject: WTB DRAKE MS-4 CABINET LIKE NEW
>
> IF YOU HAVE ONE THAT YOU ARE NOT USING I NEED ONE AND I WANT IT TO LOOK AS NEW
> ....LET ME KNOW WHAT YOU HAVE AND PRICE THANKS DWIGHT
> .
>
> ------------------------------
>
> Date: 16 Jun 1999 07:26:43 GMT
> From: dl278@cleveland.Freenet.Edu (William J. Graham)
> Subject: WTB Heath Micoder
>
> I'm looking for another Heath Micoder
>
> 73

>
> bill
> N5LMX/DA1WG
> --
> Billy (Rev) Graham (N5LMX/DA1WG)
> "Growing older but not up!"- J. Buffett
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 06:11:54 -0400
> From: "D. Nicolson"
> Subject: WTB KWM2 bezel
>
> Looking for a front panel tuning bezel for a KWM2.
>
> Thanks
>
> Don KC1AT
>
> .
>
> ------------------------------
>
> Date: Wed, 16 Jun 1999 20:53:51 GMT
> From: pwende@aimtronics.com
> Subject: WTB Modulation Transformer
>
> Hello,
>
> I'm in the process of finishing an AM TX with an 813 output and I
> need a modulation transformer of at least 100W. The modulator tubes
> will depend on what I find for a transformer Z in/out.
>
> Please email me if you have something that might work.
>
> Thanks
>
> Paul
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
> .
>
> ------------------------------
>
> Date: 17 Jun 1999 02:00:23 GMT
> From: radiowalt@aol.com (RADIO WALT)
> Subject: WTB NATIONAL HRO-500
>

> WOULD LIKE TO FIND A HRO-500 AND OR THE MATCHING SPEAKER.
> I KNOW THEY A HARD TO FIND, BUT I THOUGHT I WOULD TRY.
> THANKS, WALT 818 883 8282
> .
>
> ------------------------------
>
> End of Ham-BoatAnchors Digest V99 #155
> ******************************

please unscribe me from the list.

Lsteeno@execpc.com

Ham-BoatAnchors Mailing List and Newsgroup wrote:

Ham-BoatAnchors Digest
Thu, 17 Jun 99 Volume 99 : Issue
155

Today's Topics:

BC-611 or BC-721??? (2 msgs)

Collins 310B-3 manual needed

Collins Question....

Drake MN-2000 Tuner

Ebay-ERIE "DoorKnob" Caps, 500pf@30KV NEW!

Electro Voice 664 with Base for TRADE

F/S Johnson Viking II and VF1

FA- Hi-Precision BRASS UHF/VHF Switch, Cheep!

FS/Trade: Drake TR-3 Cabinet

FS:: Rockwell-Collins KWM-380

FS: HEATH Items

FS: Heathkit SA-2060 2KW Tuner

FS: Ten Tec 962 PS $175 + UPS

FS: UNBUILT!! Heath Digital Bathroom Scale

Hammarlund HQ-129X 4sale

info needed please

microphone question (2 msgs)

Reply to "Wife says guns must go" (6 msgs)

SOB-102 saga (2 msgs)

Wanted: meter for Swan 350

Wife says guns must go

WTB - R1155A Receiver Manual

WTB : 4 - 1000 A TUBE

WTB: Collins 618T Manual

WTB DRAKE MS-4 CABINET LIKE NEW

WTB Heath Micoder

WTB KWM2 bezel

WTB Modulation Transformer

WTB NATIONAL HRO-500

Send Replies or notes for publication to: <Ham-BoatAnchors@UCSD.Edu>

Send subscription requests to: <Ham-BoatAnchors-REQUEST@UCSD.Edu>

Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Ham-BoatAnchors Digest are available

(by FTP only) from ftp.UCSD.Edu in directory "mailarchives/ham-boatanchors".

We trust that readers are intelligent enough to realize that all text

herein consists of personal comments and does not represent the official

policies or positions of any party. Your mileage may vary.
So there.

Loop-Detect: Ham-BoatAnchors:99/155

Date: 16 Jun 1999 09:25:40 GMT

From: cccacutts@mindspring.com (Allen Cutts)

Subject: BC-611 or BC-721???

Does anyone know the difference between the BC-611 and the BC-721? They
look

the same. I can't seem to find any info on what is the difference between
the

two.

Allen Cutts

N4OZI

cacutts@mindspring.com

--

~~~~~~

Allen Cutts - cacutts@mindspring.com

Email address needs to be changed when replying, I've
had

enough Spam
to last me awhile, thank you.

Home page: http://www.mindspring.com/~cacutts/radio/radio.html

~~~~~~

.

Date: Wed, 16 Jun 1999 17:57:41 -0500

From: "Jerry Franks" <w4rf@worldnet.att.net>

Subject: BC-611 or BC-721???

try here

http://www.telalink.net/~badger/millist/mi.html

.

Date: Wed, 16 Jun 1999 13:00:47 -0500

From: "Mike Cowart" <cowart@rsn.hp.com>

Subject: Collins 310B-3 manual needed

just picked up this unit. does anyone have a copy of the manual?

73

Mike - WA5CMI

.

Date: Wed, 16 Jun 1999 04:30:04 -0700

From: Will White <wcw@asu.uswest.net>

Subject: Collins Question....

Hi:

I know little about COllins gear, so forgive the stupid, though earnest,

question: Why does the addition of just the (presumably original) power
supply

raise the price from $550 to $1600, an increase of over $1000, almost
twice

what the radio itself cost? Also, what is the 516F-1? I had thought
it was a

speaker/PS unit, but maybe I am wrong?

Bismarck Wichy wrote:

>

> KWM-1 $550

> KWM-1 w/516F-1 $750

> KWM-1 and PS $1600

> In article <19990615191149.08863.00000300@ng-cm1.aol.com>,

> rockjammer@aol.com (Rockjammer) wrote:

>

> >Hello. A friend of mine is contemplating the purchase of a KWM-1.
Excellent

> >shape..just gone through by a Collins restorer. What is the going
rate for a

> >rig such as this?? Any reply much appreciated.

> >WM5M

> >David

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: Wed, 16 Jun 1999 04:23:35 -0700

From: Chris <ck5@ix.netcom.com>

Subject: Drake MN-2000 Tuner

In very good condition. This antenna tuner is very easy to use
and will

handle REAL LEGAL LIMIT. $200+shipping.

73 Chris VE3NGW/W4 Florida

.

Date: 17 Jun 1999 02:59:53 GMT

From: rlucch2098@aol.com (RLucch2098)

Subject: Ebay-ERIE "DoorKnob" Caps, 500pf@30KV NEW!

Hi Guys;

Building something big?

How's about a few BRAND NEW ERIE "doorknob" Caps Rated at 500pf @ 30kv.
There

are three pairs at dutch auction and are kinda cheep so far. Only at
$10 & $7 a

pair.

Heres the URL with PICS>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=116761326

Thanks es 73.....RICH-WA2RQY
RLUCCH2098@aol.com

Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

.

Date: Wed, 16 Jun 1999 17:08:35 GMT

From: ekugrad@mindspring.com (W4IDX)

Subject: Electro Voice 664 with Base for TRADE

I have a beautiful condition Electro Voice 664 mic with a Model 419

tear drop base. SN 58729. Has original cable and looks
great. One

scratch about 1" long on the right side of the base. Some idiot
put

it in a box with some other stuff and it got scratched. It's
a great

looking mic, but I don't really need it. I would like to trade
it for

something I can use.

You know what it's worth, what have you got to trade? I'm open
to

most trades. I like the DRAKE Gear (check out my web page).
Don't

have any Collins gear right now, but would consider putting some cash

with it for a nice 75S1 or ?

Thanks and 73

David

W4IDX

CCA Member #491

<http://www.mindspring.com/~ekugrad/drake.html>

.

Date: Wed, 16 Jun 1999 03:07:30 GMT

From: soundimp@pobox.com (Bob Peters)

Subject: F/S Johnson Viking II and VF1

Have a Viking II and VF1 F/S for
$100 plus ship... When

purchased was told that it works... Have not
tried it...Case is

about a 7 and inside is about a
9... VF1 is 9.... Only

reason F/S is I found a Valient...
Best 73's Bob K1JNN/5

----------== Posted via Newsfeeds.Com, Uncensored Usenet News
==----------

http://www.newsfeeds.com
The Largest Usenet Servers in the World!

------== Over 73,000 Newsgroups - Including Dedicated Binaries
Servers ==-----

.

Date: 17 Jun 1999 03:18:11 GMT

From: rlucch2098@aol.com (RLucch2098)

Subject: FA- Hi-Precision BRASS UHF/VHF Switch, Cheep!

Heres a neat switch, all Precision Machined brass with 2 position BNC's
on it.

Only at $8.99.

Looks like it might be for UHF/VHF operation, Check it out!

URL with pics>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=117215593

73........Rich

.

Date: Wed, 16 Jun 1999 17:10:07 GMT

From: ekugrad@mindspring.com (W4IDX)

Subject: FS/Trade: Drake TR-3 Cabinet

Very nice condition Drake Cabinet for the TR-3. This cabinet is
in

near mint condition. No scratches and lettering on side is crisp
and

clean. Looks to be original paint job, or professional repaint.

Cabinet only. No feet.

Sell for $50 shipped, but preffer to trade for something like...W4

wattmeter, MS-4 speaker, any C-line filters, TR-22, Any 7-line

accessories, Astatic D-104 mic. I'm open to just about anything.

Might even be interested in a TR-3 that needs a new cabinet if someone

has one and the price is right.

73

David

W4IDX

.

Date: Wed, 16 Jun 1999 23:11:53 -0400

From: "Randy B." <rbkb8iii@erinet.com>

Subject: FS:: Rockwell-Collins KWM-380

Here is a real nice KWM-380

http://users.erinet.com/30845/itemsfor.htm

.

Date: Wed, 16 Jun 1999 15:39:25 GMT

From: ronfol@hilconet.com (Ron Follmar)

Subject: FS: HEATH Items

Very clean DX-60A w/ man. $75. HD-1410 Keyer
$45.

VF-1 original clean condx. $40.

GR-64 Receiver- $10

EK-2 Shortwave receiver nice condx.- $25

Manuals- IM-5284, HW-7, HA202, DX-60, HM102, HM-2102, HD-20,
HN-31.

originals $5 each + postage.

5- 3TF7 ballast tubes boxed and look new $25 for all.

Shipping extra on all items .

Tnx, Ron K5GIT ronfol@hilconet.com

.

Date: Thu, 17 Jun 1999 02:22:35 GMT

From: byoumans@neo.REMOVE.lrun.com (B.J. Youmans)

Subject: FS: Heathkit SA-2060 2KW Tuner

Nice Heath SA-2060 tuner. 2 KW rating covers 160 thru 10 meters.

Matches balanced, unbalanced, and randmom wire antennas. Good

cosmetic and functional condition. Typical later Heath two tone

gray-green and black color scheme. No manual, but one available from

W7FG site.

All metering works and calibrated. I can e-mail picture if desired.

$150 plus shipping.

Barry KI8BS byoumans@neo.rr.com

.

Date: Wed, 16 Jun 1999 17:33:11 -0700

From: <zeitler@ibm.net>

Subject: FS: Ten Tec 962 PS $175 + UPS

Beutiful 962 power supply by Ten Tec. A 9.5/10. Price is $175.00 plus
actual

UPS costs from San Diego 92139.

It does have the spkr built in.

Lane

Ku7i

San Diego

.

Date: Wed, 16 Jun 1999 04:41:37 -0700

From: Will White <wcw@asu.uswest.net>

Subject: FS: UNBUILT!! Heath Digital Bathroom Scale

Is that the UK version with dial indicating stones?

TubePwr813 wrote:

>

> In original Heath Box, opened but not unpacked. Model #GD1186.

>

> $450 US plus shipping

>

> Chris "KX0Y"

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: 16 Jun 1999 19:17:13 GMT

From: kemtelcom@aol.com (KEMTELCOM)

Subject: Hammarlund HQ-129X 4sale

Mike,

I'm not interested in an HQ129x as I have a mint condition one myself.

However, if someone wants to buy yours, you can tell them that I have
an

original IB that I'd be willing to copy for them. It's only 20
5" x 7" pages.

One would need a manual to service or trouble-shoot an ailing rcvr.

John, W6JN, <kemtelcom@aol.com>.

.

Date: Thu, 17 Jun 1999 00:14:27 GMT

From: Jeff <j.dupuis@arnprior.com>

Subject: info needed please

Hello, I'm hoping to find someone out there who can help me gather

information on 2 receiver\xmiters.

1. Canadian Marconi transmitter\receiver

Type: PNI-B

No: 118-980

2. Receiver

Type:R1297

ref no: 10D/592R

(british air ministry i think?)

Any information would be helpful as I'm not having much luck finding

info on the net.

Regards, Jeff

.

Date: Wed, 16 Jun 1999 12:52:28 -0500

From: "Skyrider Defiant" <SkyriderDefiant@RoswellRods.zzn.com>

Subject: microphone question

Hi there.

I have a Viking Valiant, and a few mic choices. I
have a Silver Eagle,

and a broadcast quality condenser mic. The condensor mic pretty
much covers

the human hearing range. The Valiant probably rolls off

at 4500 hz. Would it be beneficial to use the condensor
mic over the D104?

Or would it be "broadcasting pearls before swine"?

Thanks

CF

--

/~\ sir automorphic smithy NBS appropriate pin fetal beware
scathe

C oo impair chlordane resourceful Pericles propylene step antisemite

_(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n
' t b e w r o n g

.

Date: Wed, 16 Jun 1999 17:42:28 -0400

From: "D. S. Platt" <jeepp@erols.com>

Subject: microphone question

You might want to consider obtaining the "Electric Radio" series on
the Valiant

audio (et al) mods. Mine has had all applied and the difference
is ....well,

let's just say noteworthy! Given the audio bandwidth and
the modulation scheme

in the stock unit, one could do just as well with a Radio Shack special.
By all

means use the good mic you have but consider the mods, too! (Don't
forget the

VFO screen resistor!!!!)

Skyrider Defiant wrote:

> Hi there.

>

> I have a Viking Valiant, and a few mic choices.
I have a Silver Eagle,

> and a broadcast quality condenser mic. The condensor mic pretty
much covers

> the human hearing range. The Valiant probably rolls off

> at 4500 hz. Would it be beneficial to use the condensor
mic over the D104?

> Or would it be "broadcasting pearls before swine"?

>

> Thanks

>

> CF

> --

> _____

> /~\ sir automorphic smithy NBS appropriate pin
fetal beware scathe

> C oo impair chlordane resourceful Pericles propylene step antisemite

> _(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a
n ' t b e w r o n g

> _____

.

Date: 16 Jun 1999 10:47:31 GMT

From: w9fs@aol.com (W9FS)

Subject: Reply to "Wife says guns must go"

>Subject: Re: Reply to "Wife says guns must go"

>From: "wa9vrh" <wa9vrh@ocslink.com>

>Date: Tue, 15 June 1999 10:36 PM EDT

>Message-id: <01beb7a1$15c67d60$047b9ece@larry>

>

>Did you morons ever think that.... Well no if you read your posts
guess you

>didn't have time to think. How about we let this die and get back
to REAL

>boatanchor issues, concerens, and help. 73's Larry WA9VRH

>

>This is to good a newsgroup to waste on trivial nonsense....

>

>

>

Good Humor is not trivial nonsense, only in the mine of one that thinks

everybody that has and loves humor is a moron. Good day sir.

Jerry W9FS

Jerry W9FS

ex W9FTI, W4RXU, K9PFV, DL5GI

Licensed since 1958, getting to be

a real OT.

.

Date: Wed, 16 Jun 1999 04:24:02 -0700

From: Will White <wcw@asu.uswest.net>

Subject: Reply to "Wife says guns must go"

Nothing personal, but while one person may have the right to make irrelevant

statements, the group has the right to object to and critque those statements.

W9FS wrote:

>

>

> That dosen't worry me as much as a lack of understanding on a subject that is

> totally relevant. Or the opression of the right to be irrelevant if one so

> chooses.

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: Wed, 16 Jun 1999 04:21:50 -0700

From: Will White <wcw@asu.uswest.net>

Subject: Reply to "Wife says guns must go"

No, Good Humor isn't trivial nonsense, it's damn good ice cream, especially if

you are lucky enough to get yours from one of those guys with the white suit

and bow-tie. . .

Ice cream is brain food (it contains B vitamins, phenylalanine, and calcium)

W9FS wrote:

>

> Good Humor is not trivial nonsense, only in the mine of one that thinks

> everybody that has and loves humor is a moron. Good day sir.

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: Wed, 16 Jun 1999 04:16:34 -0700

From: Will White <wcw@asu.uswest.net>

Subject: Reply to "Wife says guns must go"

(Oh, why the hell not:)

The British and Canadians, the ones in the UK and Canada are "disinterested"

in guns, especially as a topic in an amateur radio newsgroup, in no small part

because they don't feel threatened all the time the way Americans seem to by

"street crime." That's the primary reason most Americans own guns, for

personal and family "protection," not to keep the oppressive {sic} government

at bay. For that matter, the sense of government oppression is much higher

here, for all the guns in circulation. Why is that?

BTW, you *can* own a gun in the UK and Canada, it is just not so casual a

thing there.

Gary - KJ6Q wrote:

>

> Michael Black

>

> > This thread turns into a thread on the right to own guns, something

> not

> > particularly interesting to those of us who don't live in the US,

>

> HMMMMm - I'll risk yet another off-topic post, by suggesting that

> British and Canadians are NOT so much "disinterested" in the guns

> issue, as they are *sensitive* to the fact that their REAL opinions
on

> the subject are QUITE irrelevent, since they (guns) are totally out
of

> their reach by government decree.

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: Wed, 16 Jun 1999 18:30:08 GMT

From: "Gary - KJ6Q" <davison7@gte.net>

Subject: Reply to "Wife says guns must go"

Will White <wcw@asu.uswest.net> wrote in message

news:3767877F.2288CF55@asu.uswest.net...

> (Oh, why the hell not:)

>

> The British and Canadians, the ones in the UK and Canada are

"disinterested"

> in guns, especially as a topic in an amateur radio newsgroup, in
no

small part

> because they don't feel threatened all the time the way Americans

seem to by

> "street crime." That's the primary reason most Americans own guns,

for

> personal and family "protection," not to keep the oppressive {sic}

government

> at bay. For that matter, the sense of government oppression is much

higher

> here, for all the guns in circulation. Why is that?

WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend

against government, is often ineffective? At least, in EXTREME

eventualities we have a viable alternative!
A common response/ploy constantly offered by
Canadian/European critics of American gun freedoms,
is that of belittling ridicule at our suggested fears and
insecurities - as compared with THEIR more "sophisticated"
lifestyle that is laid back and relaxed due to their great faith
and trust in the politics and citizen-protection provided by
their superior socialist governments - governments that are
benignly concerned ONLY in the happiness and comforts of
their society... Yeah, suuuure...
BS!
Even in MANY of *today's* foreign societies - including that of
Kosovo - the ability of those societies to either DEFEND
themselves (Kosovo's KLA, a militarized CITIZEN army), OR,
to just roll over and DIE as they are doing in Africa, and many
other disarmed societies unable to defend themselves. You MAY
argue the effectiveness of such citizen-armies, but as a potential
victim of government abuse, I would FAR rather go down fighting
than bleating. BOTH *ARE* happening in MANY parts of TODAYS
world, to ignore the possibility, even HERE in the U.S., is foolish!
NEVER forget that the ONLY ultimate goal of ALL liberals/socialists,
is TOTAL control of their "subjects", and they FULLY realize and
understand that MANY will oppose such total control - THUS, the
GREAT interest and effort to REMOVE as many "tools" of revolt as
possible - free speach and armed resistance being the primary targets!
I enjoy my guns as interesting items of mechanical art, and tools used
for target practice and potential personal protection - though I
freely
admit that use is VERY unlikely! (I DO live in a rural area poorly
patrolled by police, and also more frequently infested by roving
4-legged

predators.)

I *LOVE* my country - AND it's freedoms - but I also choose to

distrust

the ability and intent of my country's "leaders" to confine their

agendas to

those issues intended to primarily benefit society rather than

THEMSELVES

(at society's expense!).

THAT is what our INDIVIDUAL, Bill of Rights was established for, and

WHY

those like me value them *ALL*, *INDIVIDUALLY*, so fervently. I hope

we

NEVER are obliged to use FORCE OF ARMS to resist what we consider an

oppressive government, as we did against England, and as our Civil
War

fighters did - but *I* will continue to VIGOROUSLY defend our right

and

ABILITY to do so if needed - NO APOLOGY, in THIS group or elsewhere!

>

> BTW, you *can* own a gun in the UK and Canada, it is just not so

casual a

> thing there.

Yeah - you've got THAT right!

>

> Gary - KJ6Q wrote:

> >

> > Michael Black

> >

> > > This thread turns into a thread on the right to own guns,

something

> > not

> > > particularly interesting to those of us who don't live in the

US,

> >

> > HMMMMm - I'll risk yet another off-topic post, by suggesting that

> > British and Canadians are NOT so much "disinterested" in the guns

> > issue, as they are *sensitive* to the fact that their REAL

opinions on

> > the subject are QUITE irrelevent, since they (guns) are totally

out of

> > their reach by government decree.

>

> --

> Will White, KD7BFX

Gary - KJ6Q

--

"Blaming guns for Columbine is like blaming

spoons for Rosie O'Donnell being fat."

.

Date: Wed, 16 Jun 1999 18:17:13 -0700

From: Will White <wcw@asu.uswest.net>

Subject: Reply to "Wife says guns must go"

OK, one more comment and I *have* to stop or the USENET topic police
are going

get me. . .:(

I hope your frustration with whatever in particular frustrates you about
our

government (and that is different for different folks--not really that

important in particular for purposes of this wonderful discussion that
has

nothing to do with BAs, though I am enjoying it thoroughly) hasn't
led you to

a point where voting is the only means of redress and social action
you

believe are available to you. Picket, write letters, make phone calls,

organize, educate, donate time and money. Anyone who says these measures don't

work has been in a coma for the past 35 years. Just pulling a lever every year

or so for some bland devil or another doesn't get anyone off the hook as a

citizen in what still is the best and most full democracy on this planet, or

any of the others I have been to for that matter. . .:)

Gary - KJ6Q wrote:

>

> Will White <wcw@asu.uswest.net> wrote in message

> news:3767877F.2288CF55@asu.uswest.net...

> > (Oh, why the hell not:)

> > That's the primary reason most Americans own guns,

> for

> > personal and family "protection," not to keep the oppressive {sic}

> government

> > at bay. For that matter, the sense of government oppression is much

> higher

> > here, for all the guns in circulation. Why is that?

>

> WHY indeed? Do YOU TOO find that voting ALONE as a tool to defend

> against government, is often ineffective? At least, in EXTREME

> eventualities we have a viable alternative!

>

--

Will White, KD7BFX

to reply, please click this link mailto:wcw@asu.uswest.net

.

Date: Wed, 16 Jun 1999 15:00:05 -0500 (CDT)

From: dialcover@webtv.net (William P. Turner)

Subject: SOB-102 saga

IT SOUNDS TO ME AS IF THE REAL PROBLEM WAS A CB'ER. EVEN AT 20
HOURS

YOU CAME OUT PRETTY WELL, THE PS ALONE WAS WORTH TWICE WHAT YOU PAID
FOR

THE WHOLE RADIO.

disregard caps, visual problem

Bill Turner WA0ABI

1117 Pike Street

Saint Charles, MO 63301

314-949-2210

.

Date: Wed, 16 Jun 1999 21:54:20 GMT

From: JJ <jj@no.net>

Subject: SOB-102 saga

wb0poz wrote:

>

> Since the topic IS boatanchors, here is the story of a sad Heathkit
SB-102

> that I recently purchased. Never have I worked on a radio with
so many

> disparate problems (except for a MicroTel PR-700, but thats
ANOTHER story).

>

> This radio was purchased from a nice old gentleman at the Manassas
(VA)

> hamfest. He pulled up and started taking a load of green Heathkits
out of

> his trunk. Of course, this attracted the vultures (and I guess
I have to

> include myself). Stuff was cheap - I bought this SB-102 with
a HP-23 and

> SB-600 speaker for $25. Between other vultures desperately
thrusting money

> at the increasingly flustered old gent, he explained that the SB-102 was a

> basket case but he included the parts to make it work.

>

> Upon getting it home, it was apparent that the belts were shot and it was

> missing the 6.8 MHz trap (which was included in the little baggie of parts).

> Installed the trap and the radio came to life (sort of). No xmit and very

> weak receive.

>

> Tested the tubes, replaced 3 DEAD ones (filaments lit, but NO emission!),

> some improvement but still no xmit.

>

> Did an alignment (it was WAY off) and some more improvement, but still no

> xmit.

>

> Made some voltage measurements and almost everything was WAY off. Then I

> started reading resistor values, and found that almost every resistor was

> out of tolerance (some by 400 percent!). So, I did a wholesale resistor

> replacement only to find that:

>

> (1) the LMO was mechanically messed up

> (2) the LMO was electrically messed up

> (3) some knucklehead put CB crystals in 2 of the 10 meter band positions

> (4) the grid drive slug for 80 meters was busted

> (5) the xtal osc slug for one of the 10 meter bands was busted

>

> I never have been too impressed with Heathkits, but I'm even less
so after

> this nightmare. I finally got the beast working well (except
for replacing

> the CB crystals), but at the cost of about 20 hours of bench time!
My $25

> "bargain" was no bargain at all, but I must admit it was enjoyable
finally

> winning the fight against the beast.

>

> Moral is, I guess, if you have a Heathkit of this vintage that isn't

> performing up to scratch, CHECK THOSE RESISTORS! They were
20% tolerance to

> begin with and time apparently hasn't treated them too well.

>

> 73 John

My first SSB unit was as SB-102. It was fun building it and it gave
me

many years of dependable service. Sounds like yours was attatcked by

some knuckle-headed cber who, like nearly all cbers, think everything

needs to be "moded" to get a "bigger signal".

.

Date: 17 Jun 1999 00:57:58 GMT

From: "Larry Bearse" <seethemessage@bottom.msg>

Subject: Wanted: meter for Swan 350

Anyone got a meter for a Swan 350 to sell?

Thanks......Larry

lbearse@mail1.nai.net

.

Date: Wed, 16 Jun 1999 01:22:38 -0500

From: "Skyrider Defiant" <SkyriderDefiant@RoswellRods.zzn.com>

Subject: Wife says guns must go

I'll bet the wife anecdote was designed to engender a chuckle....

a statement designed to poke fun of the human condition.

Smile folks!

--

/~\ sir automorphic smithy NBS appropriate pin fetal beware
scathe

C oo impair chlordane resourceful Pericles propylene step antisemite

_(^) 1 , 0 0 0 , 0 0 0 m o n k e y s c a n
' t b e w r o n g

Joe <joeamp@mindspring.com> wrote in message

news:7k4t7adfe1@nntp2.atl.mindspring.net...

> Nonsense ....who wearing the pants over there.

> Shoot or loose the pain in the butt liberal wife and find a new one
with

the

> Drakes.

>

> jhall5@bellsouth.net wrote in message <37646D1C.96BF02DA@bellsouth.net>...

> >I have two beautiful handguns one Taurus PT 99 9mm stainless
new in

> >box never had a round in it, second is Colt Python 357 royal
blue 4

> >inch barrell... like new.. 100% i would like to trade either
one for a

> >Drake T4 x and R4c in great shape. call the gun stores about
these then

> >if interested call me at 561-792-9084 or e mail

> >jhall5@bellsouth.net... W4HQ

> >

>

>

.

Date: Wed, 16 Jun 1999 23:26:47 GMT

From: wmackin@interlog.com (Wayne Mackin)

Subject: WTB - R1155A Receiver Manual

I am looking for a manual for the military R1155A receiver. An

original or a good photocopy would be fine. (This receiver was used
in

British and Canadian aircraft during WW II).

Please reply with price and condition to wmackin@interlog.com.

Regards,

Wayne

.

Date: 16 Jun 1999 19:58:02 GMT

From: qroking@aol.com (QRO KING)

Subject: WTB : 4 - 1000 A TUBE

Hi Bucky, Got a 4-1000 for you, full output shipped to you for $100.00...73
LOU

.

Date: Wed, 16 Jun 1999 06:15:56 -0500

From: Francesco Ledda <fledda@airmail.net>

Subject: WTB: Collins 618T Manual

Francesco Ledda

Texas, USA

.

Date: 16 Jun 1999 15:58:11 GMT

From: dwight136@aol.com (Dwight 136)

Subject: WTB DRAKE MS-4 CABINET LIKE NEW

IF YOU HAVE ONE THAT YOU ARE NOT USING I NEED ONE AND I WANT IT TO LOOK
AS NEW

....LET ME KNOW WHAT YOU HAVE AND PRICE THANKS DWIGHT

.

Date: 16 Jun 1999 07:26:43 GMT

From: dl278@cleveland.Freenet.Edu (William J. Graham)

Subject: WTB Heath Micoder

I'm looking for another Heath Micoder

73

bill

N5LMX/DA1WG

--

Billy (Rev) Graham (N5LMX/DA1WG)

"Growing older but not up!"- J. Buffett

.

Date: Wed, 16 Jun 1999 06:11:54 -0400

From: "D. Nicolson" <nicolson@erols.com>

Subject: WTB KWM2 bezel

Looking for a front panel tuning bezel for a KWM2.

Thanks

Don KC1AT

.

Date: Wed, 16 Jun 1999 20:53:51 GMT

From: pwende@aimtronics.com

Subject: WTB Modulation Transformer

Hello,

I'm in the process of finishing an AM TX with an 813 output and I

need a modulation transformer of at least 100W. The modulator tubes

will depend on what I find for a transformer Z in/out.

Please email me if you have something that might work.

Thanks

Paul

Sent via Deja.com http://www.deja.com/

Share what you know. Learn what you don't.

.

Date: 17 Jun 1999 02:00:23 GMT

From: radiowalt@aol.com (RADIO WALT)

Subject: WTB NATIONAL HRO-500

WOULD LIKE TO FIND A HRO-500 AND OR THE MATCHING SPEAKER.

I KNOW THEY A HARD TO FIND, BUT I THOUGHT I WOULD TRY.

THANKS, WALT 818 883 8282

.

End of Ham-BoatAnchors Digest V99 #155

****

3717. Re: give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Ron Wicker <ronwick@flash.net>
Message-ID: <EPgb3.398$bc5.1202@news.flash.net>
Source record: 83047

I'm in the houston area, give me a call. 281-291-9226
jmm <jmm@x.org> wrote in message news:376D7CEB.1253@x.org...
> I'm in the Houston area and have a Hallicrafters SX-110 that works.
> Is there a local organization that I can give this to
> or is it reasonable to try to sell it?
>
> Thanks,
> Jim
>

3718. WTb: Junk DX-302 or IC M54826P

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: robertc908@aol.com
Message-ID: <19990620214717.04334.00000820@ngol04.aol.com>
Source record: 83048

I am in need of a junk DX-302 receiver, as long as the frequency counter (the khz display) works. Or will purchase any M54826P frequency counter chips you may have. Please e-mail direct.

73's
Bob, W4RLC
73's
Bob, W4RLC (formerly WA7OGU)

3719. FS: Morrow "Twins"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: yaesufan@aol.com
Message-ID: <19990620215108.12830.00002242@ng-fx1.aol.com>
Source record: 83049

In good condition:

Morrow 5BR2 slide rule dial tuning unit (75 thru 10 meters) and the matching... Morrow "FTR" fixed tuned receiver with all operating controls on its front panel, (filtering/BFO/bandswitching/S-meter/etc) AM/SSB/CW operation.

These items together make a 75 thru 10 meter ham band receiver. Each unit is in good condition and measures about 5" wide//5" tall//6 inches deep. All original knobs//paint//and no dents or major scratches etc. I also have the original manuals and extra schematics and documentation. These items are very unusual and are unmodified and complete. I have never operated them but they are all there. Early 50's vintage and rare. If your looking for an unusual item(s) from 50's ham radio memorabilia these are just the ticket!! 75$ shipped and insured to your door in the CONUS. Email if interested........Tnx....Bill

3720. Question: Where to buy 10" PM speaker & 600 ohm xmfr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990620.212509.-294817.1.NFMK@juno.com>
Source record: 83050

GE to everyone,

I have found a nice enclosure for a speaker to sit along side my 75A3. I would like to put a 10" speaker which needs to be around 3.5 ohms I believe. Can anyone direct me to a source for quality 10 speakers? Also curious if there is a source for 600 oihm matching xmfrs.

Thanks in advance.

Doug

3721. Collins Accessories FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990620225025.15726.00002755@ng-fp1.aol.com>
Source record: 83051

```
Collins Accessories FA
"Over Friday"
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120634924">Ha
mmarlund Speaker</a>
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120633363">Johnson
Matchbox</a>
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120630795">Collins
3023-C Wattmeter</a>
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119757402">Collins
RE516F2 Supply</a>
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119759127">Collins
Radio Antenna Tuner</a>
<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119761102">Vi
broplex Telegraph Key</a>
<a href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119763566">D104
Mic w/Collins Plug</a>
```

3722. Wanted: Bearcat RR freq Xtals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Jason Togyer <jtogyer.notforspam@westol.com>
Message-ID: <376DBD35.9363C94@westol.com>
Source record: 83052
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.scanner

Wanted: A source for RR frequency (160 MHz) xtals for a Bearcat (10.8 MHz IF) scanner. Most are no longer available from RatShack and one Bomar xtal would exceed the value of the radio (a Bearcat III) which I want to donate to our non-profit model train club.

Needed: 160.230, 160.320, 160.800, 160.995, 161.070 and others!

If you have a source for these, or if you have them in your junk box and don't need them, please email at jtogyer(at)westol(dot)com. I can compensate you and pay for shipping.

Thank you!!
------
73 de Jason Togyer KB3CNM
McKeesport, Pa., USA

"Television expands the imagination 27 inches."
-- Stan Freberg, American satirist and broadcaster

Hey! Get to the point -- McKees' Point, that is -- and a dozen other Mon Valley attractions via the Tube City home page, sponsored by McKeesport Model Railroad Club. Point your browser to http://www.dementia.org/~jt3y/mckhome.htm.

P.S.: Please remove ".notforspam" from my address to reply. Thank you!

3723. Re: Ham-BoatAnchors Digest V99 #155

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7kkf2g$8he@news.Hawaii.Edu>
Source record: 83053

In article <376D9783.D31C185E@execpc.com>,
Larry Steeno <lsteeno@execpc.com> wrote:
>please unscribe me from the list.

Can't. You have to unsubscribe the same way you initially subscribed to
the newsgroup-to-email reflector. Look in the Welcome message you received
when you first sub'd -- it will contain the unsub instructions.

Jeff KH6O
--
Fingerprint Classification Services: A personal copy of your inked
finger impressions utilizing the Henry Classification Formula.

3724. FS:IC-271H & IC-471A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <376DC613.D6D16430@worldnet.att.net>
Source record: 83054
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.hamradio.packet,rec.radio.amateur.boatanchors,rec.radio.swap

I have for sale the following two radio's.
1--IC-271H a 100 watt all mode transceiver in excellent condition with mic, manual and DC power cord.It has 32 memories that you can set the freq,mode,offset & tone.The frequency range is from 143.500--148.500.The power output is variable from 10 to 100 watts.It also has an RIT control.
There is an internal rx preamp for weak signal work. Asking $500.00

1--IC-471A a 25 watt all mode transceiver in excellent condition with manual and DC power cord.It has32 memories that you can set the freq,mode,offset and tone.The frequency range is from 430 to 450 MHz.This pair of radio's are highly desireable for satellite work.
Asking $450.00 for the IC-471A & $500.00 for the IC-271H.
Prices are + shipping,will accept $900.00 for both + shipping. A digital picture is at: http://home.att.net/~rstamper/

Regards
Bob Stamper

3725. Re: Wanted: Bearcat RR freq Xtals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: not@home.now
Message-ID: <3770e358.61335488@nntp.ix.netcom.com>
Source record: 83055

On Mon, 21 Jun 1999 00:19:07 -0400, Jason Togyer
<jtogyer.notforspam@westol.com> wrote:

>Wanted: A source for RR frequency (160 MHz) xtals for a Bearcat (10.8
>MHz IF) scanner. Most are no longer available from RatShack and one
>Bomar xtal would exceed the value of the radio (a Bearcat III) which I
>want to donate to our non-profit model train club.
>
>Needed: 160.230, 160.320, 160.800, 160.995, 161.070 and others!
>
>If you have a source for these, or if you have them in your junk box and
>don't need them, please email at jtogyer(at)westol(dot)com. I can
>compensate you and pay for shipping.
>
>Thank you!!
>------
>73 de Jason Togyer KB3CNM
>McKeesport, Pa., USA
>
>"Television expands the imagination 27 inches."
>-- Stan Freberg, American satirist and broadcaster
>
>Hey! Get to the point -- McKees' Point, that is -- and a dozen other Mon
>Valley attractions via the Tube City home page, sponsored by McKeesport
>Model Railroad Club. Point your browser to
>http://www.dementia.org/~jt3y/mckhome.htm.
>
>P.S.: Please remove ".notforspam" from my address to reply. Thank you!
>
>
Try here:
http://www.iinc.com/ggcomm/xtals.html

Good Signals... LCM

3726. Re: EV-664 with base HC 4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: W5IDX <W5IDX@worldnet.att.net>
Message-ID: <7kkpn5dif1@bgtnsc03.worldnet.att.net>
Source record: 83056

HC5 Is The Rag Chew Element.

Cal Eustaquio wrote in message <376D0DF1.53AE2615@value.net>...
>
>
>List incorrectly in my previous post. EV 664 mic with original desktop
>base. Element changed out to Heil HC-4 (?) ragchew element as the original
>was bad. Cabled for S-line application (with PL-068 plug). $75. You ship.
>

3727. FT-101 Help proc. install

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Jacquis <jaclyn@tiac.net>
Message-ID: <7kl930$15d@news-central.tiac.net>
Source record: 83057

Got a processor board for my FT101EE. I can match up the colors from the harness to the board, simple enough ! After doing this there were two pairs of wires on the radio harness (white/yellow & white/gray soldered together the other pair white & red soldered together) Looked like the bypass loop for the rig when it ran without the processor option. Unsoldering these resulted in matching up the white/yellow, white/grey and red wires to those from the board. Now I have a white wire left ! There was no white wire from the board I bought and I was wondering where this wire will call its new home on the board. With just the operators manual I am a little lost since it does not mention the upgrade proc. option installation. It seems the white wire has around +12v on it and the board has a white/orange going to the +12v terminal on the board. The way it is now the unit allows the rig to modulate but without any processing so It must be ok for the most part (since the op-manual describes the circuit as an amplifier in the proc/off position). It does this (but with increased ALC sensitivity) so I am close but no better than without the board. Has anyone installed one of these or can see where the white wire goes to on the pro. bd. in their rig? There is that white wire with a very faint yellow marker connected so don't let this be confused with the plain white. Appreciated any help ! Jacqui N1DVE jaclyn@tiac.net

3728. Heath SB-630 Station Console FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7kladf$h7v$1@alexander.INS.CWRU.Edu>
Source record: 83058

Heath SB-630 Station Console in good condition with original manual.
This is the unit with the clock,ID timer, swr bridge and phone patch.
$100 + sh. 73 George

3729. 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: ydussaul@total.net
Message-ID: <376e494b.9247507@news.total.net>
Source record: 83059

I have a few boatanchors, among which a Viking Ranger II, and I want to convert them from 2 wire to 3 wire 110 volts plugs, for safety reason. Any suggestion on how it should be done properky?
VE2ATD

3730. WTB: Hammarlund HQ-110 or 110(A) *MINT*

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: k1dpm@aol.com
Message-ID: <19990621111312.17960.00001135@ngol01.aol.com>
Source record: 83060

Seeking a MINT HQ-110 or HQ-110(A) receiver and matching MINT S-100 speaker. Should be 100% original and fully operational to Hammarlund specs. Did I mention I am seeking a MINT radio? Name your price....Thank you Dick, K1DPM
Dick Small
88 Hamilton St.
So. Portland, ME 04106
207-842-1402
Fax 207-799-2505
email K1DPM@aol.com
AMI MEMBER #1043
.
SEEKING any UNBUILT Heathkits that are amatuer radio related. Top $ paid.

3731. Heath SB-630 station console FS.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: gcr2@po.CWRU.Edu
Message-ID: <7kjvtvdfa1@alexander.INS.CWRU.Edu>
Source record: 83061

Nice condition heath SB-630 staion console with clock, ID timer, swr bridge and phone patch, inclides original manual. $100 73 George

3732. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Wayne Hertel <whertel@fn.net>
Message-ID: <376E5FE4.E025DD39@fn.net>
Source record: 83062

Yves:

Assuming all of your items are transformer powered, not one side of power line connected to chassis: Connect leads from 3-conductor power cord as follows:

Black - internal wiring going to fuse or power switch
White - other internal power lead
Green - a good chassis ground

Whether you want to use a disconnect plug on the radio is your decision. I like to use them so I can disconnect the power cord and minimize the chance of damage to it.

Good luck,
Wayne

Yves Dussault wrote:
>
> I have a few boatanchors,

3733. Manual needed for Jackson 658A tubetester!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: mjzuccaro@aol.com
Message-ID: <19990621125312.11259.00002625@ng-cd1.aol.com>
Source record: 83063

Guys:
Does anyone have a manual for this unit? I have the schemo and the tube charts but need to calibrate it.Help! Will gladly pay for a copy or make a copy of any of the service data I have that you may need.
Thanks,
Mike zuccaro

3734. Re: give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: bmiller@neosoft.com
Message-ID: <376e8332.14311085@fullnews.neosoft.com>
Source record: 83064

jmm <jmm@x.org> wrote:

>I'm in the Houston area and have a Hallicrafters SX-110 that works.
>Is there a local organization that I can give this to
>or is it reasonable to try to sell it?
>
>Thanks,
>Jim

If you're giving it away, I know the College of Technology at the
University of Houston has a ham radio club:

http://wb5fnd.tech.uh.edu/

You might contact them. Whether they would want a vintage item, I
don't know, but that would be one possibility.

You might also contact HISD. Some of the schools might have ham
stations...

Bob

3735. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: bg998@FreeNet.Carleton.CA
Message-ID: <7klvj7$310@freenet-news.carleton.ca>
Source record: 83065

Yves Dussault (ydussaul@total.net) writes:
> I have a few boatanchors, among which a Viking Ranger II, and I want
> to convert them from 2 wire to 3 wire 110 volts plugs, for safety
> reason. Any suggestion on how it should be done properky?
> VE2ATD

Yves, I am no expert and someone here may point ou a serious flaw in my suggestion, but I would wire the equipment so that the power-on switch and fuse are connected to the 'hot' side of the line, that is the Black wire in most cases. The unswitched side of the power transformer primary would be connected to the 'cold' side of the line (White wire of power cord). And of course, don't forget the Green ground wire.

... Martin VE3OAT

3736. Drake RV7 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <376E8799.D13CD2CB@bellsouth.net>
Source record: 83066

i have a very nice drake rv7 vfo posted on e-bay w4hq

3737. FS: Set of Original TMs for R-390/URR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: smokedtofu@aol.com
Message-ID: <19990621150417.17881.00000409@ng-fk1.aol.com>
Source record: 83067

Original Set of TM's for Radio Receiver R-390/URR
Included is
Operators Manual TM 11-5820-357-10 (29 Dec 60),
Org Maint Manual TM 11-5820-357-20 (4 Nov 59),
Repair Parts and Special Tools List TM 11-5820-357-20P (23 Mar 61) ,
Field and Depot Maint Manual TM 11-5820-357-35 (9 March 62).

They are the last ones published and have changes printed in them. They are in excellent condition. Best offer gets them.

Thanks
Monty

(I also have my last set of these on ebay for auction.)

3738. Re: SCR522 What is it?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990621151715.03511.00002085@ng69.aol.com>
Source record: 83068

i nodified one back in the 60's for 2mtrs am back then you could get them for $15.00 you have all the other infomation del k9fcm

3739. Heath HR-10 manual needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Transoman <peitsch@concentric.net>
Message-ID: <7km4rc$lks@chronicle.concentric.net>
Source record: 83069

Anyone know where I can get a copy of the manual for a Heathkit HR-10
receiver either online or a copy?
Thanks
Butch

3740. Meters wanted 50 micro amp

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: dpanek@mindspring.com
Message-ID: <376ea04e.527314730@news.mindspring.com>
Source record: 83070

I need 3-5 panel meters 50 microamp full scale with 0-1 markings and
1.75 inch square and 1.5 inch hole
same size as used in RF390
New and black prefered

Other arbitrary markings considered.

David Panek
dpanek@mindspring.com

3741. "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: jsbasb@aol.com
Message-ID: <19990621171853.10457.00003246@ng-ca1.aol.com>
Source record: 83071

I am looking for a "Gibson Girl" ,emergency, hand-crank, "lifeboat" radio transmitter set. Anyone have one of these sets in good condition for sale or trade ? Thanks.

3742. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <#V3VwyCv#GA.290@cpmsnbbsa05>
Source record: 83072

That sounds good to me. Make sure the green ground wire is securely
attached
to an area of the chassis that is clear of any paint or debris. The intent
is that the
ground connection can handle enough current to trip the mains breaker or
fuse
before opening.

Martin Potter <bg998@FreeNet.Carleton.CA> wrote in message
news:7klvj7$310@freenet-news.carleton.ca...
>
> Yves Dussault (ydussaul@total.net) writes:
> > I have a few boatanchors, among which a Viking Ranger II, and I want
> > to convert them from 2 wire to 3 wire 110 volts plugs, for safety
> > reason. Any suggestion on how it should be done properky?
> > VE2ATD
>
> Yves, I am no expert and someone here may point ou a serious flaw in my
> suggestion, but I would wire the equipment so that the power-on switch and
> fuse are connected to the 'hot' side of the line, that is the Black wire
in
> most cases. The unswitched side of the power transformer primary would be
> connected to the 'cold' side of the line (White wire of power cord). And
> of course, don't forget the Green ground wire.
>
> ... Martin VE3OAT
>

3743. Re: Need help identifying :Computer Logic Modules?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Northe Osbrink <71043.1765@compuserve.com>
Message-ID: <376EB37A.6377E720@compuserve.com>
Source record: 83073

Mark,

As I recall, a phantastron is a bistable circuit which provides a time delay between receiving a control pulse and changing states. I think it was originally invented for tube-type computing, but was definitely used in range gates for radar systems. I rather tend to think "radar" myelf.

Northe

mmetzler@postoffice.pacbell.net wrote:
>
> I purchased these logic modules believing them to be from a vacuum
> tube computer.But a friend has suggested it is possible they were
> actually used in radar.
> Can anyone enlighten me?
>
> Each encasement says "Engineering Eletronics Company", and the
> following information is also on the tube or encasement:
>
> Flip Flop Z-8336 5963 57-04
>
> Pulse Amplifier Z-8489 5963 57-09
> Gate Circuit Z-90002 5963 57-39
> Amplifier Z-90025 5963 57-35
> One Shot Z-8318 5963 57-35
> Phantastron Z-90018 6AS6 57-04
>
> I purchased these items from someone in Huntsville, Alabama, and he
> thought they might have originated from the NASA/Marshall Space Flight
> Center
> in Huntsville.
>
> > I am interested in determining if they belonged to some early
> >
> computer.
>
> I would like to be able to excert some of your comments on my web
> page,
> so please let me know if you object to this.
>
> Please reply to:
> mmetzler@pacbell.net
>
>
> > http://members.xoom.com/Mark_Metzler/epbimages/tubes.jpg

> >
>
>
> Mark Metzler
> mmetzler@pacbell.net
>
> VON NEUMANN MACHINES
> Online Computer History Bookstore / Computer Museum
> http://home.pacbell.net/mmetzler/vnm.html
>

3744. FS:Tubes Tubes and more Tubes!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Meadowlands Communications <meadowcomm@erols.com>
Message-ID: <7kmdqtkiv1@autumn.news.rcn.net>
Source record: 83074
Cross-posted to: alt.ham-radio.marketplace,att.ham-radio,aus.radio.amateur.misc,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.amateur.homebrew,rec.radio.amateur.misc,rec.radio.shortwave

The following tubes are new and in boxes. Best offer for any or all accepted. Quantity is one (1) unless noted. $1.00 will be added to any order for shipping. 73 de Chris 201-896-8770 meadowcomm@erols.com.

HAZELTING CORP
5726/6AL5W (5)

RCA
0A2
0B2
2E26 (6)
5R4GY
5Y3GT (5)
5Y3GTG (VT197A) (13)
6AK6
6AL5 (2)
6AN8A
6AQ5A
6AQ6
6AW8A
6AX5GT
6BA6/EF93 (3)
6BJ7 (USED)
6BQ7A/6BZ7/6BS8
6BY6 (3)
6BZ8 (2)
6C4
6CB6A
6CG8A
6CL6
6DZ7
6EA8
6H6
6K6GT
6L6
6SA7 (2)
6SC7
6SG7 (2)
6SJ7
6SK7
6V6GTG (VT107A) (6)
809
826 (223A) (5)

12AB5
12AU7A
12AT7 (3)
12BE6
12BW4
12BY7A (2)
1614
6146 (USED - TESTS OK)
6360
7054
7061
9006 (3)

SYLVANIA
6AU6
JAN-CHS-3ADP1
JAN-CHS-6L6GA (2)
JAN-CKR-6SN7GT (VT231) (6)

WESTERN ELECTRIC
276-A (263403)

3745. WTD dual oil filled cap

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Jack Taylor <n7oo@theriver.com>
Message-ID: <eQyb3.70991$_m4.477122@news2.giganews.com>
Source record: 83075

The C-16/C-17 dual oil filled 8 MFD @ 1000 VDC condenser in my BC-610E exciter has lost it's oil. This guy measures 5 1/4 inch wide x 2 inches deep x 4 3/4 inches tall and has 3 terminals. Anybody have one?

73 de Jack

3746. FS Lafayette 6 Mtr/AM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990621185210.11021.00001675@ng-fm1.aol.com>
Source record: 83076

I have one Lafayette (model HE-45) in working condition, with fair cosmetics that I would like to sell for $40.00, plus ups gnd shipping. The unit is AM only with front panel PTT, and comes with power cord.

TNX D Darby

3747. Re: Stupid Question From Non-Ham BA Enthusiast

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990621185505.17238.00000485@ng-fk1.aol.com>
Source record: 83077

>Does anyone still use narrow-band FM?
>
>I am currently restoring an HRO-50T, and was wondering if it
>was worth it to hunt down an adapter to add this capability
>to the receiver. Or is this mode somewhat "dated" and no
>longer in use today...? Anyone else besides hams ever used
>it or using it now (i.e. military, utility services, etc.)?
>
>C.K.
>
>
>

Stupid answer from a non-ham BA buff:

There's some NBFM government activity above 26 MHz, and if your set can go higher than 30 Mhz (or you use a down-converter), everything up there that's not broadcast is NBFM.
I think some hams use NBFM on the 10 meter band.
Also, foreign CBers (Russia, Europe) have NBFM radios on CB channels...maybe these have made it over here.

3748. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990621191110.15724.00003498@ng-fp1.aol.com>
Source record: 83078

Sorry OM, wrong newsgroup. This group concerns "boatanchors."
Anyone who's been around any time at all knows that the Gibson Girls all float.

3749. FS: GIGER TUBE ASSY. $35 EA. NEW COND

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2106991610200001@murphy1.cts.com>
Source record: 83079
Cross-posted to: sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

GIGER TUBE IN HOUSING (REPLACMENT FOR AN/PDR-63 RADIAC SET) WITH CABLE

NEW COND. $35 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/MORE_SURPLUS_STUFF

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3750. Last Call "BC-222" Rush Box

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990621191436.11579.00001068@ng-fl1.aol.com>
Source record: 83080

```
Last call on the offers for two BC-222 rush boxes
One works, the other is for parts
Made in 1937 they operate on 10 and 6 meter
am. Please email WA4USO@aol.com

TNX D Darby
```

3751. WTB: Eddystone 830 and 850 receivers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: McAllister Bryant <bryantm1@us.ibm.com>
Message-ID: <7kmj42$1nqc$1@rtpnews.raleigh.ibm.com>
Source record: 83081
Cross-posted to: rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.swap,rec.radio.shortwave,rec.radio.swap

Now that my questions are answered (well most of them), I am looking for an Eddystone 830 - SW and an 850 - LW receiver. Please email with what you might have and what you are asking for it. I would like radios that are in working order and look good and correct. I would also be interested in a 770R in similar condition.

I am located in the Hudson Valley and am willing to drive several hundred miles for the right radios (including some parts of Canada). It gives me a chance to enjoy a day without work and avoid shipping a 50 pound radio.

Sorry for the crossposting but not everyone receives some of the newsgroups.

Thanks

M Bryant

3752. WANT SPEAKER FOR 75A4 RCVR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7kmn2hosv1@news.itis.com>
Source record: 83082

I AM LOOKING FOR A MATCHING SPEAKER FOR MY 75A4 RECEIVER

3753. wtb manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <376EE174.2A77220@bellsouth.net>
Source record: 83083

any one have a manual for the kenwood 2 mtr all mode TS700a i could use one copy is ok also.. w4hq jhall5@bellsouth.net

3754. SX-28A FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Marvin Born <mborn@wbns.com>
Message-ID: <376EFA1E.BB7230F5@wbns.com>
Source record: 83084

I have an SX-28A available for sale.

This receiver has been off for many years and stored. It is dirty and
there is some corrosion on the inside of the cabinet. The front panel
is dirty but looks fine otherwise.. No chassis corrosion can be seen.
The cabinet will need repainted.

All parts,, tubes and knobs are present. Power cord needs replaced.
Operational status is unknown....I suspect it needs new caps, etc.

Price $150, plus shipping and packing... This thing weight approx 75 pounds.
Location is 43215...Columbus, OH

If you don't like the price make an offer.

73, KF8XU

e-mail is best way to contact. Hit reply.

3755. FS::: Rockwell-Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: "Randy B." <rbkb8iii@erinet.com>
Message-ID: <f%Cb3.320$vf.28095@news.erinet.com>
Source record: 83085
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Here is a real nice KWM-380 Loaded with Opt.

http://users.erinet.com/30845/itemsfor.htm

3756. Re: Heath HR-10 manual needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: k5cf <k5cf@clnk.com>
Message-ID: <930020858.823.52@news.remarQ.com>
Source record: 83086

Butch: Try www.w7fg.com &3, Vance K5CF
Transoman <peitsch@concentric.net> wrote in message
news:7km4rc$lks@chronicle.concentric.net...
> Anyone know where I can get a copy of the manual for a Heathkit HR-10
> receiver either online or a copy?
> Thanks
> Butch
>
>

3757. PE-103A brushes needed . . .

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-21 00:00:00 UTC
From: Ron Ostman <w0nyq@minntaccdp.com>
Message-ID: <7kn2uo$rm1$1@news3.spacestar.net>
Source record: 83087

I am looking for a set of the 12V brushes for an old PE-103A dynamotor. My dad pulled them many years ago when he ran it from 6V in his 49 Chevy. I would like to use it on 12V now.

Do they cross to any starter brushes that may still be available?

Thanks!

Ron Ostman, W0NYQ
Mt. Iron, MN

3758. FS: Johnson Viking Ranger HF AM/CW Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7kpl0ppee1@user2.teleport.com>
Source record: 82890
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

FS: From an estate: Johnson Viking Ranger I HF Transmitter, AM and CW Modes on 160-10 Meters, VFO/Crystal control, 75 Watts input power. All original knobs, AC cord needs replacement so not tested. Has had an external antenna relay added to the back of the cabinet (looks homebrew) in a metal minibox. Case could use some repainting, front panel has some faded areas and worn silkscreened markings. $250 plus UPS.

3759. FS: Ten-Tec 234 Speech Processor

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37705C32.DB9F8D20@cfu.net>
Source record: 82891
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Looks and works perfect. Currently wired for Kenwood pin-outs, but
easily rewired for any rig. Includes complete manual. $75 + ship. Tks
es 73, Jan N0JR

3760. FS: Immaculate Ameco PT-2 Transceiver Preamplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37705C7A.BE547F0B@cfu.net>
Source record: 82892
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Looks and works perfect. Really brings tube rigs alive. $65 + ship.
Tks es 73, Jan N0JR

3761. question b&w model 370 ssb converter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: GARY <bierbier@ix.netcom.com>
Message-ID: <7kq5jp$6eh@dfw-ixnews14.ix.netcom.com>
Source record: 82893

Anybody out there know if the B & W Model 370 SSB Converter works with a 455 KHZ IF?

Thanks in advance

Gary bierbier@ix.netcom.com

3762. wanted a shipyard in Duisburg(D),help me!!!!!!!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: ms <nyc@nfmail.com>
Message-ID: <7ku5d3aka5@nslave1.tin.it>
Source record: 82894

---
hi friends,
I would like your help, they are to the search of information of a German shipyard in which my boat has been built.
Is The boat a motorsailer in iron built by the shipyard Herbert Tanbieg (D)(Duisburg?), who can you point out to me how to find it? Where is it found, in which city of Germany(address,telephone,fax,Email..)? Does it still build boats? I would like to know the year of construction of my boat, I don't have the documentation of his origin, I
don't have the boat plane of the boat to verify what changes have been brought
to the original project. Who will allow me of to resolve my problem urgently, if he wants you can be entertained in Italy for(FREE!!) a vacation on the boat. If you don't know the shipyard directly Herbert Tanbieg in Duisburg(D) can you give indications of sailfriens or boatbulders or institutions that could facilitate the search to me? You can answer to my Email directly (nyc@nfmail. com), Thanks! !

3763. F.S S-LINE 500 Hz Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: k6dpzhal@aol.com
Message-ID: <19990621202641.17086.00002255@ng-cs1.aol.com>
Source record: 82939

I have a F455-FA05 Filter price is $300.00 These filters are very hard to find FOB NY

3764. Re: HRO-50T "Leaking" Filter Choke...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990621204400.12747.00002920@ng-cb1.aol.com>
Source record: 82940

I would bet that the stuff you see was leaked when the radio was new and is simply an excess of whatever they put in the choke to retard moisture/rust. It is a very common sight and can be ignored or cleaned as desired.

brokebob

3765. Re: FS: HomeBrew Amp/SOLD

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: terryh@bayou.com
Message-ID: <ImCb3.26$A3.187914240@news.bayou.com>
Source record: 82941

SOLD

terryh@bayou.com (TH) wrote:

>FS: HomeBrew amp with a pair of 572B's. New tubes put in the amp about
>1 1/2 months ago. The amp can be wired for 220 by moving 2 jumpers.
>Currently is wired for 110. The amp is in good working condition and
>the reason I am selling is because I received a brand new AL-811H as a
>gift from the XYL. The amp will cover 15,17,20,30,40 80and 160 meters.
>If interested in seeing some pic's, contact me by e-mail at
>mailto:terryh@bayou.com I am asking $300.00 firm. Buyer pays
>shipping.

>73's
>Terry W1MRC
>http://www.bayou.com/~terryh/

3766. Re: FS:Tubes Tubes and more Tubes!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: ajh1239@aol.com
Message-ID: <19990621230646.16903.00000403@ng-fw1.aol.com>
Source record: 82942

I offer $75. John K6KOI. Please let me know.

3767. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Tony Hwang <2810311762@home.com>
Message-ID: <376F2427.5BFE03A6@home.com>
Source record: 82943

Hi,
Ground wire(green) goes to radio chassis. Hot(black) to switched side,
neutral(white) goes to the other end.
73,
Tony, VE6CGX, Fists #3919

Yves Dussault wrote:
>
> I have a few boatanchors, among which a Viking Ranger II, and I want
> to convert them from 2 wire to 3 wire 110 volts plugs, for safety
> reason. Any suggestion on how it should be done properky?
> VE2ATD

3768. Re: Question: Where to buy 10" PM speaker & 600 ohm xmfr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Tony Hwang <2810311762@home.com>
Message-ID: <376F2373.C12C9DE3@home.com>
Source record: 82944

Hi,
Matching original speaker was 4 Ohms and either 8 or 10 inches.
I guess you can get one from RS but are you sure you need extra 600 ohm
matching x-former? No direct connection? I am not that familiar with
your RX. I know little bit about S-lines since I have one complete set
as a back up rig.
73,
Tony, VE6CGX, Fists #3919

nfmk@juno.COM wrote:
>
> GE to everyone,
>
> I have found a nice enclosure for a speaker to sit along
> side my 75A3. I would like to put a 10" speaker which
> needs to be around 3.5 ohms I believe. Can anyone
> direct me to a source for quality 10 speakers? Also
> curious if there is a source for 600 oihm matching xmfrs.
>
> Thanks in advance.
>
> Doug

3769. Eddystone 940

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Jabi Aguirre <govier02@sarenet.es>
Message-ID: <7kneg1$ih6$1@unbe.sarenet.es>
Source record: 82945

Howdy All!

Looking for diagrams for the Eddystone 940.
Send mee news via email.
73,s de Jabi, EA2ARU.

3770. FA Boatanchor Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <376F702A.38B6@sympatico.ca>
Source record: 82946
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio,swap

Auction ends today on this hard to find Redifon receiver.

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118172133>

3771. FA RCA CR91A Military SW

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <376F70A2.5819@sympatico.ca>
Source record: 82947
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Auction ends today on this CR91A, post war version of RCAs AR88LF

<http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118183481>

3772. FS: group of NOS tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: cosmotronics@my-deja.com
Message-ID: <7ko11o$81t$1@nnrp1.deja.com>
Source record: 82948

Please email DIRECT to olds98@together.net for info:

FOR SALE --- as a group - all are NOS in orig box except as noted:

1- 10y RCA
2- 81 Hytron (white boxes)
1- 813 GE
1- 813 RCA JAN
1- 813 TungSol/Phillips JAN
2- 918 RCA
2- 5894 GE
1- 6146 RCA
2- 8417 GE

$100 plus $10 shipping for ALL THE ABOVE.
please email DIRECT to : olds98@together.net for info thanks RHAnderson

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3773. FS Heathkit HO-10 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: bobco@i
Message-ID: <37767c8a.4575632@news.i-2000.com>
Source record: 82949

FS Heathkit HO-10 Monitor Scope Manual in good shape
Original(not a copy) $20.00+shp....Bob
pseremove the (ns) from my adr..Tks..

3774. FS TURNS COUNTER(MILITARY)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: bobco@i
Message-ID: <37707bec.4417163@news.i-2000.com>
Source record: 82950

FS..Turns counter taken from some long time gone military
transmitter I had years ago...the label on it is marked P.A. Tuning,
and the front mounting footprint is 4 in X 4 in, with a black crinkle
finish..it is a 20 turn device, with a spinner handlethat folds flat),
and a dial lock..it has a 1/4 inch shaft and gear reduction..it is
designed for zero backlash.. This counter has a dial marked 3 to 18
mhz, but if necessary I believe someone could get inside, and put his
own dial calibration...this has quality written all over it, and is a
rare find for a tuner, or amp...$45.00+shp..Bob on L.I.
Please remove the (ns) from my adr...

3775. Heath Mirror Faced Power Mtr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: napoli@i-2000.com
Message-ID: <377d7d26.4731929@news.i-2000.com>
Source record: 82951

Heath Mirror Face power Mtr FS...This is a very old Heath sampling type relative power mtr..It does not have connections for coax, but samples rf from a short antenna on the meter..its in mint condition, and would make a great addition to a Heathkit collection $40.00
Bob pse remove the (ns) from my adr Thank You

3776. Motorola HT Charger FS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: bobco@i
Message-ID: <377f7db2.4871584@news.i-2000.com>
Source record: 82952

Mod NLN7645A charger for HT-90 & HT-440 Series HT-s...Brand
New $25.00 + Shp Bob K2LGO Pse remove the (ns) from my adr ..

3777. FS: Collins 75A4 Mech. Filter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: ronfol@hilconet.com
Message-ID: <376f740a.3249981@cnews.newsguy.com>
Source record: 82953

F455 J 15 1500hz. filter for 75A4 $175. + shp.
Tnx, Ron K5GIT ronfol@hilconet.com

3778. FS:Vintige PARTS & Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <376f7f7c.0@wagner.n2.net>
Source record: 82954

I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
Konrad is the treasurer of our local Escondido Amateur Radio Society.
Shipping zip 92025 CA. Any replies send to Konrad not me please.
>
>FOR SALE
>
>#1 Henry 2KD Classic 1KW RF Power Amp. Very clean with small
>scratches on top, works great, but too much for me. With photo copy
>manual.
> $ 550.00 Dollars You pick up or
>pay for shipping
>
>#2 2 Hallicrafter Cabinets SX101 Style, hinged top. No dents or holes
> or deep scratches.
> $ 35.00 Dollars each
>
>#3 Waters Model 359 ComPreAmp Adjustable Compression Amp
>Designed for Collins gear and with matching colors. It works great with
>KMW2 and S Line .It`s in good working condition.
>
> $ 50.00 Dollars or make offer
>You pay for shipping.
>
>#4 Waters Universal Hybrid Coupler (Phone Patch) Also Designed to
>work with Collins Gear and other Brands no manual , but self
>explanatory.
>
> $ 65.00 Dollars or make offer
>You pay for shipping.
>
># 5 Dynatuner Model FM - 1 Stereo Tube type Works great, but nothing
>to look at, but it`s all original.
> $ 50.00 Dollars You pay for
>Shipping.
>
>#6 DynaKit Stereo Pre Amp. Model PAS- 2 Tube Type Only 1 channel
>Works But same condition as above.
>
> $ 50.00 Dollars & you pay for
>shipping
>

Please contact Konrad if interested in any items. <n6uko@juno.com>
>

--

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3779. FS:Vintige PARTS & Gear

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <376f7fe2.0@wagner.n2.net>
Source record: 82955

I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
Konrad is the treasurer of our local Escondido Amateur Radio Society.
Shipping zip 92025 CA. Any replies send to Konrad not me please.
>
>FOR SALE
>
>#1 Henry 2KD Classic 1KW RF Power Amp. Very clean with small
>scratches on top, works great, but too much for me. With photo copy
>manual.
> $ 550.00 Dollars You pick up or
>pay for shipping
>
>#2 2 Hallicrafter Cabinets SX101 Style, hinged top. No dents or holes
> or deep scratches.
> $ 35.00 Dollars each
>
>#3 Waters Model 359 ComPreAmp Adjustable Compression Amp
>Designed for Collins gear and with matching colors. It works great with
>KMW2 and S Line .It`s in good working condition.
>
> $ 50.00 Dollars or make offer
>You pay for shipping.
>
>#4 Waters Universal Hybrid Coupler (Phone Patch) Also Designed to
>work with Collins Gear and other Brands no manual , but self
>explanatory.
>
> $ 65.00 Dollars or make offer
>You pay for shipping.
>
># 5 Dynatuner Model FM - 1 Stereo Tube type Works great, but nothing
>to look at, but it`s all original.
> $ 50.00 Dollars You pay for
>Shipping.
>
>#6 DynaKit Stereo Pre Amp. Model PAS- 2 Tube Type Only 1 channel
>Works But same condition as above.
>
> $ 50.00 Dollars & you pay for
>shipping
>

Please contact Konrad if interested in any items. <n6uko@juno.com>
>

--

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3780. FS:Henry 2KD Amp $550.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <376f82da.0@wagner.n2.net>
Source record: 82956

>I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
>Konrad is the treasurer of our local Escondido Amateur Radio Society.
>Shipping zip 92025 CA. Any replies send to Konrad not me please.
>>
>>FOR SALE
>>
>>#1 Henry 2KD Classic 1KW RF Power Amp. Very clean with small
>>scratches on top, works great, but too much for me. With photo copy
>>manual.
>> $ 550.00 Dollars You pick up or
>>pay for shipping
>>Pse reply to Konrad <n6uko@juno.com>
--

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3781. Re: FS: group of NOS tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <376F98B1.E9B8181B@home.com>
Source record: 82957

What does NOS mean?
Alan

cosmotronics@my-deja.com wrote:
>
> Please email DIRECT to olds98@together.net for info:
>
> FOR SALE --- as a group - all are NOS in orig box except as noted:
>
> 1- 10y RCA
> 2- 81 Hytron (white boxes)
> 1- 813 GE
> 1- 813 RCA JAN
> 1- 813 TungSol/Phillips JAN
> 2- 918 RCA
> 2- 5894 GE
> 1- 6146 RCA
> 2- 8417 GE
>
> $100 plus $10 shipping for ALL THE ABOVE.
> please email DIRECT to : olds98@together.net for info thanks RHAnderson
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

3782. Re: FS: Set of Original TMs for R-390/URR

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: smokedtofu@aol.com
Message-ID: <19990622101022.18141.00001238@ng-fj1.aol.com>
Source record: 82958

I have an offer of 100.00 for these manuals. If anyone else would like to make an offer please email. If not I will send them off as soon as I receive payment. I have one more set on ebay for auction with pictures. the item number is
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120878975

Thanks to all who responded..

Monty

3783. COLLINS 516F-2 (RE) POWER SUPPLY EXC.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990622103223.28957.00002048@ng-cb1.aol.com>
Source record: 82959

HAVE A EXCELLENT RE COLLINS POWER SUPPLY ...WORKS GREAT WILL SHIP FOR $375.00

3784. FS: T-368 TX AN/GRC26D Como Shelter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Larry <lowryl@champcom.com>
Message-ID: <6UNb3.71994$_m4.533106@news2.giganews.com>
Source record: 82960

For Sale: T-368 Transmitter, AN/GRC Como Shelter, R-390A.
Located in Willis, TX 48 miles N. of Houston.
If interested, respond to qru@juno.com

73 WD5CFJ

3785. New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: DontDoIt@ImNotHere.com
Message-ID: <3770aabb.18992324@news.mv.com>
Source record: 82961
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec,radio.amateur.dx,rec.radio.amateur.equipment,rec,radio.amateur.misc,rec.radio.shortwave

As a service, I have put up a new free web site that has pictures of the front of several Kenwood models of HF rigs. This is strictly not-for-profit, I have no relationship with Kenwood, and no promises are made as to accuracy...(whew, got that out of the way).

Please, if you have a good, clear picture that will improve this site, send it my way. Be sure to identify what model it is.

Anway, feel free to visit:

http://www.firstname.com/kenwood

and tell your friends.

If anyone from the Kenwood company objects to my site, it could (I suppose) get shut down, but for as long as it lasts, I hope you all enjoy.

Regards, and 73's
Neil, N1DMA
NeilR@innermedia.com

3786. WTB HQ110 -Parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Mike Souhrada <wb9iog@revealed.net>
Message-ID: <376FB377.7B8D@revealed.net>
Source record: 82962

Need the two variable controls for Sensitivity and Audio gain.
Anyone out there with a parts unit with these? Can't restore
w/o-and it would look excellent restored.
Mike
Le Claire, Ia

3787. [?] What plug for 110v relay on Navigator?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: genewill@ordata.com
Message-ID: <376fbf57.2064784@news.ordata.com>
Source record: 82963

On the rear panel of the Viking Navigator is a two-hole "socket"
providing 110VAC to switch an external relay when transmitting.
Nothing in the docs indicates what kind of plug fits this. Any ideas?
I get nervous about "haywiring" a cable when it involves 110VAC....

73 Gene K7dBV <genewill@ordata.com>

3788. Re: FS: group of NOS tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7koc7p$c801@eccws1.dearborn.ford.com>
Source record: 82964

In article <376F98B1.E9B8181B@home.com>, career1@home.com says...

>What does NOS mean?

"New Old Stock". It kind of sounds like an oxymoron, but what it refers to is the fact that the part was manufactured several years ago and just hasn't been used by anyone yet. For components that don't suffer any deteriorating effects as a result of aging, it's pretty much the same as getting a brand new part. You may not, for example, want to buy NOS foil/paper capacitors, when you can get brand new "Orange Drop" polypropolene or polyester mylar capacitors, which would probably be more reliable in the long run. But mechanical parts, such as tubes, switches, knobs, etc. usually won't be the slightest bit worse fifty years after they were made originally. I don't think that tube filaments age in any way if they do not have current applied to them (but I will very much stand corrected if they do).

The only thing I've never seen clearly defined, however, is at precisely what point in time a part goes from being NIB ("New In Box") to NOS. You'd think that tubes would always be NOS, but there's all those Sovtek and Svetlana tubes currently being made today.

C.K.

3789. Re: HRO-50T "Leaking" Filter Choke...

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7kocg8$c803@eccws1.dearborn.ford.com>
Source record: 82965

In article <19990621204400.12747.00002920@ng-cb1.aol.com>, brokebob@aol.com says...

>I would bet that the stuff you see was leaked when the radio was new and is
>simply an excess of whatever they put in the choke to retard moisture/rust.
>It is a very common sight and can be ignored or cleaned as desired.

Thanks for the response... I guess that what I was thinking of at the moment was something like a dry cell battery, where if you have something nasty leaking out it's an indication of something bad. The seepage is not bad at all; just a bit of it on the bottom that I bumped into with some of the wiring while I was replacing the power supply filter. The choke is in a "sealed" (at least from above the chassis) housing, which seems consisten with all of this.

C.K.

3790. Re: Stupid Question From Non-Ham BA Enthusiast

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: cking4@ford.com
Message-ID: <7kodd4$c804@eccws1.dearborn.ford.com>
Source record: 82966

In article <7kml07$ps3$1@nnrp1.deja.com>, ed_engelken@my-deja.com says...

>The early cordless phones used NBFM with the base units operating around
>1.7 MHz and the NBFM adapter was useful for DXing the cordless phones.
>Now they are all on 49 Mhz or higher frequencies. If you want to add
>something useful to your HRO-50, get the Xtal calibrator.

I've already got the crystal calibrator; it came with the radio when I
originally purchased it... agree that that will be a useful thing here.

I've also got an SX-71, so I suppose that I could always use that for
NBFM if I needed...

Thanks to everyone for the responses!

C.K.

3791. 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <376FC638.DFD55738@home.com>
Source record: 82967

Aside from the frequency difference, what are the differences between these two great radios? I want to buy one, and I enjoy the general coverage frequencies, but I am also a ham. I have a DX-100 in cherry shape ready for those AM QSO's.

73
Alan
W1HYV

3792. FS: QSTs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Dee Almquist <w4pnt@rica.net>
Message-ID: <w%Pb3.5732$jK5.594454@typ11.nn.bcandid.com>
Source record: 82968

Hello Boatanchor Amigo's
I still have a large inventory of QSTs that need a home. The earliest is
1933 (-#9), '34, '35(hard cover bound vol, excel), '38, '39, '40. Also have
'50, '52, '53, '54, '56, '58, '59, '62, '63, '65, '66, '67, '69, '70 thru
'97. If interested in any of these, please e-mail me for details. All plus
book rate postage or UPS.
Regards
Dee
w4pnt@rica.net
Nr Waynesboro, Va.

3793. COOL SONAR HANDHELD, NEW IN BOX!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7koo2hhpu1@nnrp1.deja.com>
Source record: 82969

sonar 2302 uhf metal bodied handheld radio. radio is large! looks like something from a "hawaii five-o" re-run. radio is silver sheet metal with chrome speaker grill and metal knobs on top. this is a new factory defective radio that was hidden away at the factory for many years. rig comes with orig unopened carry strap, whip ant, telescopic ant, owners manual and orig box. maybe you can make it work? would be neat item for next ham get together. can provide pics. $50 shpd to lower 48 states. payment terms are check or MO. seller history available on ebay. my seller name is RE-TEK.
thanks
robert cruz
miami fl

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3794. Re: 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: w2zr@aol.com
Message-ID: <19990622135657.12514.00000429@ng-fy1.aol.com>
Source record: 82970

Hi Alan,
The frequency coverage is the same. The 75A-4 has a product detector which enables it to receive ssb. The 75A-3 does not. Both radios cover only the ham bands from 160m through 10m. If you want general coverage, you'll need a 51J series receiver.

73,
Steve W2ZR

3795. Re: give away or sell old Hallicrafters SX-110

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: brokebob@aol.com
Message-ID: <19990622151713.25913.00002483@ng-da1.aol.com>
Source record: 82971

Jim, I cannot get e-mail delivered to you direct. How about calling me at 281 428 2090.

brokebob@aol.com
281 428 2090
brokebob@aol.com (broke=not working, retired=not working, retired=broke)

3796. COLLINS 270G-3 SPEAKER EXC.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990622155008.17751.00000795@ng-bg1.aol.com>
Source record: 82972

THIS COLLINS 270G-3 IS A REAL PRETTY SPEAKER HAS THE ORIGINAL SPEAKER IN IT AND
WORKS SUPER .....IT HAS A WINGED EMBLEM MOUNTED OF TOP CENTER ...LOOKS NICE
9+++++ 325.00 SHIPPED

3797. Trade 4-400As for Bird slugs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: zeitler@ibm.net
Message-ID: <376fedd4@news1.us.ibm.net>
Source record: 82973
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.swap

I have two excellent Eimac 4-400As that I would like to trade for some Bird slugs. I need a 250H and a 2500H. One tube per slug. Tubes are guaranteed to be full out.

Lane Zeitler
Ku7i
San Diego

3798. TR7A + Transverter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Bent J�rgensen <bjoe@post5.tele.dk>
Message-ID: <376FF040.54C0@post5.tele.dk>
Source record: 82974
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Can someone give me informations how to connect a transverter 10/2 mtr.
to the
Drake transceiver TR7A.
Which connections are necessary?

E-mail: bjoe@post5.tele.dk

Thanks and 73... Bent...OZ5ZD.

3799. COLLINS 516F2- P/SUPPLY **SOLD**

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990622161927.17743.00000759@ng-bg1.aol.com>
Source record: 82975

THANKS JAN

3800. TEKTRONIX 50OHM DUAL TRACE SAMPLINER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7kp4gdmkb1@nnrp1.deja.com>
Source record: 82976

tektronix 451 dual trace sampling unit. fits older tube scopes. unit is sold as is untested. ex-mil surplus from homestead air force base. no books or docs. $15 plus shpng via us mail from miami fl 33165. payment terms are prepay check or MO. seller history is available on ebay. my user name is RE-TEK.
thanks
robert cruz
miami fl

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3801. WTB an Eico 730 AM Modulator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Donald & Christine Anderson <pita@outrageous.net>
Message-ID: <01bebcf3$130ac3e0$04cdd4cf@pita.emerald.sierra.net>
Source record: 82977

If you have a working, somewhat clean AM modulator (Eico 730) for my Eico 720 please e-mail direct. I am also looking for a stable VFO that will work with this rig.
Thank You donald wk6q

3802. Re: WTB Viking Challenger Tx

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <376FFFFD.C22CED1F@erols.com>
Source record: 82978

Challenger found! Thanks to all who replied.

"D. S. Platt" wrote:

> Looking for an excellent condition Viking Challenger. I'm putting
> together one of my original late 50's rigs. Thanks.

3803. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Fred Ruckser <nospam@somewhere.com>
Message-ID: <7kov5o$km9$1@mail.pl.unisys.com>
Source record: 82979

I have a "Gibson Girl". However, the aluminum housing has numerous dents.

73
Fred wb6iiq

JSBASB wrote in message <19990621171853.10457.00003246@ng-ca1.aol.com>...
>I am looking for a "Gibson Girl" ,emergency, hand-crank, "lifeboat" radio
>transmitter set. Anyone have one of these sets in good condition for
sale or
>trade ? Thanks.

3804. Manual for Telequipment DM64

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Jeff Smith <jsmith@fox.nstn.ca>
Message-ID: <377002D3.C2BCAB96@fox.nstn.ca>
Source record: 82980

Looking for a manual reproduction for a Telequipment DM64 scope.

Jeff VE1ZAC at "jsmith@fox.nstn.ca"

3805. Viking Adventurer 50w CW rig wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: nobody <nobody@nobody.com>
Message-ID: <37700571.8F820A5F@nobody.com>
Source record: 82981

Looking for a Viking Adventurer 50-watt CW rig. Has to be in near mint condition.

Rodger W4FM
radiotv@cris.com

3806. FS: Collins 30l-1 (WE) Linear Amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37700A7B.50BD9CAB@cfu.net>
Source record: 82982

Here, from an estate I have been asked to help liquidate, is a winged emblem Collins 30L-1 in GOOD condition cosmetically (on the CCA) scale and VERY GOOD electronically. Unmodified, full output (good tubes), controls work well and unit tunes smoothly. No major dents or scratches, good coax connectors/ac cable etc. Original manual. $525 shipped. Tks es 73! Jan N0JR

3807. SWAP OR SALE: NEW - TESTED EIMAC 4-1000A TUBE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7kp2tk$6lt$1@news.itis.com>
Source record: 82983

THIS IS A BRAN NEW EIMAC 4-1000A TUBE. I HAVE TESTED IT IN MY HOMEBREW AND IT HAS FULL OUTPUT. I HAVE SPARES SO THIS ONE IS AVAILABLE.

MAKE OFFER OR WHAT DO YOU HAVE TO TRADE?

3808. Drake RV7 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <377014BC.F068C960@bellsouth.net>
Source record: 82984

i have a really nice VFO posted on e-bay.

3809. FS: type "C" connector patch cable

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <37703c17@calwebnnrp>
Source record: 82985
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

for sale:

RG213 jumper cables, approximately 18 inches long with a type "C" male connector on each end. Cut in the middle and make a pair of type "C" to type UHF or N adapter cables. "C" connectors easily salvaged. $12.00 for three jumpers post paid conus. Fits that R390A antenna connector for unbalanced antenna inputs.

73

Bob, KE6F

3810. Help: URR-13 or URR-27

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Francesco Ledda <fledda@airmail.net>
Message-ID: <FC71AAC0227D96BA.307EC39380DF5721.04B3F1C725EB9D96@lp.airnews.net>
Source record: 82986

Looking for schematic of a VHF receiver covering 100 to 200 MHz.

It looks physically similar to the URR-35, but I believe to be either a
URR-13 or a URR-27.

I appreciate.

Regards,

Francesco Ledda

3811. drake RV7 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <37704642.EB7F4885@bellsouth.net>
Source record: 82987

I have a very nice drake RV7 VFO posted on e bay item number 120672319

3812. Re: F S COLLINS 30L1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: Dan Bryden <bryden@deltanet.com>
Message-ID: <37704982.9EC2019C@deltanet.com>
Source record: 82988

John, where are you located ?

Johnyk78 wrote:

> HAVE A COLLINS WING 30L1 AMPLIFIER (ESTATE ITEM) $550 PLUS SHIP
> JOHNYK78

3813. Re: Stupid Question From Non-Ham BA Enthusiast

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-22 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7kml07$ps3$1@nnrp1.deja.com>
Source record: 83088

In article <7kdko0$rmv2@eccws1.dearborn.ford.com>,
cking4@ford.com (Christopher A. King) wrote:
> Does anyone still use narrow-band FM?
>
> I am currently restoring an HRO-50T, and was wondering if it
> was worth it to hunt down an adapter to add this capability
> to the receiver. Or is this mode somewhat "dated" and no
> longer in use today...? Anyone else besides hams ever used
> it or using it now (i.e. military, utility services, etc.)?
>
> C.K.
>

Not a lot of narrow-band FM (NBFM) is used below 30 MHz these days.
NBFM was promoted for amateur use in the early 1950s as a cure for TVI,
but it never caught on. Hallicrafters offered NBFM capable transmitters
and receivers but the mode was never popular and SSB soon took over the
ham bands.

The early cordless phones used NBFM with the base units operating around
1.7 MHz and the NBFM adapter was useful for DXing the cordless phones.
Now they are all on 49 Mhz or higher frequencies. If you want to add
something useful to your HRO-50, get the Xtal calibrator.

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3814. COLLINS SM-2 DESK MIC WINGED

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990622201632.17743.00000845@ng-bg1.aol.com>
Source record: 82895

I HAVE A WINGED SM-2 THAT IS IN EXCELLENT WORKING CONDITION HAS A FEW SCRATCHES ON THE BASE AND SOME MINOR ON THE SHAFT ..WILL SHIP FOR $300.00 ......

3815. F S COLLINS 30L1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990622204514.15424.00000127@ng-fh1.aol.com>
Source record: 82896

HAVE A COLLINS WING 30L1 AMPLIFIER (ESTATE ITEM) $550 PLUS SHIP
JOHNYK78

3816. Re: FS::: Rockwell-Collins KWM-380

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Don Bertone <dbertone@flash.net>
Message-ID: <37702E7E.84A32545@flash.net>
Source record: 82897
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

What a nice radio. I sold one just like it a few years ago but mine had the NB. I wish I worked HF like I used to as it was the nicest radio I ever had. Very basic but worked better the my Kenwood 950SDX. Very good at eliminating carrier whine. I see that you have had it for sale for awhile. I'm surprised that the Japanese buyers don't take it. I assume that it has general coverage TX. What mike are you selling with it?

"Randy B." wrote:

> Here is a real nice KWM-380 Loaded with Opt.
>
> http://users.erinet.com/30845/itemsfor.htm

3817. F S YAESU POARTS FOR FT101

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990622205357.15424.00000132@ng-fh1.aol.com>
Source record: 82898

I HAVE A LARGE SELECTION OF PARTS FOR THE YAESU FT101 SERIES
INCLUDING CLEAN UNITS READYH TO GO PLEASE INQJUIRE YOUR NEEDS
ALSO BIRD 43 WATTMETER IN CARRYING CASE (NO SLUGS) $195
JOHNYK78

3818. Re: FS: Heathkit SA-2060 2KW Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990622205851.15424.00000134@ng-fh1.aol.com>
Source record: 82899

I AM INTERESTED IN 2060 ANT TUNER
WHERE ARE YOU LOCATED? I AM IN LINDEN NJ CALL IS W2FNT
JOHNYK78

3819. F S ATLAS 210 MOUNT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990622210952.15424.00000140@ng-fh1.aol.com>
Source record: 82900

I HAVE A CLEAN MOBILE MOUNT FOR THE ATLAS 210X $24 SHIPPED

JOHNYK78

3820. FS: Dow-Key T-R Switch, 110VAC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: mc@sover.net
Message-ID: <377033ad.5074311@news2.sover.net>
Source record: 82901

Just what you need to switch your antenna from the receiver to transmitter. 110VAC coil which is usually energized when you hit the PPT switch. $25.00 plus $3.20 Priority Post. If interested please reply by e-mail.

73,

Michael Crestohl, W1RC
mc@sover.net

3821. Ebay- Beautiful Drake W-4 WattMeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990622231156.18283.00003043@ng-ft1.aol.com>
Source record: 82902

Hi Guys;
Heres a real Nice wattmeter BY Drake, The W-4 in almost mint shape and only at $43.00 so far!
The URL with picture is>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120625531

Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3822. Ebay- Real NICE GLOBE CHIEF Deluxe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990622231352.18283.00003044@ng-ft1.aol.com>
Source record: 82903

Hi Guys;
These do not come around too often, you might wanna check it out.
Only at about $24 so far.
URL with Picture>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120718680

Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3823. Ebay- All Sorts of MICAS..!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990622232704.18283.00003055@ng-ft1.aol.com>
Source record: 82904

Hi all you homebrewers, Here are 4 batches of Mica Caps on Ebay.
So far they have two (2) days and only around $12, some lots have over 60 pieces.
Heres the Link to one lot with picture. You can then click on "see other auctions by this seller" to list the rest! URL>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119313241

Thanks es 73...........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3824. Re: vfo-122

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: zimmpaul@localnet.com
Message-ID: <37705e86.2875725@news.localnet.com>
Source record: 82905

On Mon, 21 Jun 1999 19:59:31 -0700, William Summers
<k8ibekc8eym@i-star.com> wrote:

>anyone know the tubes in a Johnson VFO-122. Thanks for reading.
>
>Takes a 6AU6 and 0A2.
>Paul
> ------------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
> http://www.newsfeeds.com The Largest Usenet Servers in the World!
>-------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----

3825. WTB: maunal for sweep generator

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: robinson@srsuna.shlrc.mq.edu.au
Message-ID: <7kpn79pbk2@sunb.ocs.mq.edu.au>
Source record: 82906

Hi there,

I'm looking for a manual for 2 sweep genereators:

Generator Sweep SG-24/TRM-3
unit of AN/TRM-3
Navy Bureau of Aeronatics
Transition Inc, Manchester NH
covers 15-400mhz
has built in CRT

Ligna Sweep SKV 935C
Pat No 2,677,804
Kay Electric Co
Pinebrook NJ
covers 10-220mhz

Any help appreciated, costs covered.

Thanks

--
Regards
Ray

Ray Robinson VK2ILV
Electronic Engineer robinson@srsuna.shlrc.mq.edu.au
Speech Hearing and Language Research Centre 612-98508765 ph
School of Linguistics and Psycology 612-98509199 fax
Macquarie University
North Ryde 2109
Sydney NSW
AUSTRALIA
web page http://www.shlrc.mq.edu.au/~robinson

3826. Re: wtb manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990623010216.03945.00002333@ng-cr1.aol.com>
Source record: 82907

Hello J. Hall.
Bingo!!!!! I assume that you want a owners manual???
If so, I believe that I have a copy available if you are interested.
Let me know.
MIke. K6STU

3827. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: k6stu@aol.com
Message-ID: <19990623010811.03945.00002335@ng-cr1.aol.com>
Source record: 82908

Hi Yves.
There is no problem on most units. I assume that all the units have a A.C power transformer. The only difference is that the green ground wire attaches to the cabinet. If you are dealing with a AC set without a power transformer DONOT connect a 3-wire cable to it or any ground wire.
Mike, K6STU

3828. Wanted Collins 32S3 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: kb0ksa@aol.com
Message-ID: <19990623065930.20183.00004296@ng-fv1.aol.com>
Source record: 82909

Hi, I lot a 75S3 and a Collins P.S. in a trade. I would like to put a transmitter with it and put them on the air. The transmitter needs to be in good condition and work good. If you have a 32S3 and want to sell it please drop me a line.
Tnx...John (KB0KSA)

e-mail at KB0KSA@AOL.COM

3829. Re: FS: Dow-Key T-R Switch, 110VAC

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Bob Rinaldi <w1cny@ziplink.net>
Message-ID: <3770CC8F.F4A21517@ziplink.net>
Source record: 82910

Hi: I am interested, what is its condition?
Thanks!
Bob, W1CNY

Michael Crestohl wrote:
>
> Just what you need to switch your antenna from the receiver to
> transmitter. 110VAC coil which is usually energized when you hit the
> PPT switch. $25.00 plus $3.20 Priority Post. If interested please
> reply by e-mail.
>
> 73,
>
> Michael Crestohl, W1RC
> mc@sover.net

3830. S-93

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3770dfec.4156407@nntp.cntfl.com>
Source record: 82911

FOR SALE

HALLICRAFTERS S-93

RADIO IS IN GOOD CONDITION AND WORKS COULD USE RE-TUBING

BEST OFFER PLUS SHIPPING

BOB

bobm@istal.com

3831. FS S-93

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3770dad3.2851038@nntp.cntfl.com>
Source record: 82912

I HAVE A HALLICRAFTER S-93 IN GOOD CONDITION. UNIT WORKS BUT COULD
USE RE TUBING. MFG IN 1954 BEST OFFER PLUS SHIPPING.

bobm@istal.com

3832. SUPER JUMBO SOCKETS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3770e1cf.4639103@nntp.cntfl.com>
Source record: 82913

URGENT NEED FOR TWO SUPER JUMBO SOCKETS FOR 8008 TUBES

bobm@istal.com

3833. WANTED: VFO for the Johnson Viking II

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: rdoering@win.bright.net
Message-ID: <3770e2df.5460872@news.win.bright.net>
Source record: 82914

Wanted: A matching Johnson VFO for the Johnson Viking II transmitter.

If not available, any VFO that will excite the Johnson

Viking II. Ron Doering, WA9QNN.

3834. Re: F S ATLAS 210 MOUNT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: k6rcl@aol.com
Message-ID: <19990623110324.08266.00002992@ng-fe1.aol.com>
Source record: 82915

<< I HAVE A CLEAN MOBILE MOUNT FOR THE ATLAS 210X $24 SHIPPED

JOHNYK78 >>

HAVE IT STILL? IF SO WILL TAKE IT, IF COMPLETE.

DENNIS K6RCL
Dennis
Goleta, Calif. 93117

3835. Heath GC-1 Receiver (Mohican) Part Needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Bruce E Stock <stockb@accessone.com>
Message-ID: <3770F782.24E2@accessone.com>
Source record: 82916
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I am still looking for a replacement for the 3-section
main tuning capacitor for my Mohican.

I am interested in just the capacitor, but would consider a
complete parts rig to get it from.

73, Bruce AB7YD

3836. FS: Bird Wattmeter Model 43 - Ebay Link

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: tbaddley@my-deja.com
Message-ID: <7kr4li$cl4$1@nnrp1.deja.com>
Source record: 82917

I have a Bird Wattmeter Model 43 in great shape
for sale. The link is:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?
ViewItem&item=120495689

Tom Baddley

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3837. Re: FS S-93

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: radiomatt@aol.com
Message-ID: <19990623122004.23278.00004198@ng-bh1.aol.com>
Source record: 82918

>I HAVE A HALLICRAFTER S-93 IN GOOD CONDITION. UNI

Is the VHF radio? or Shortwave?

Matt

3838. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: flegler@pilot.msu.edu
Message-ID: <7kr33lbrb1@msunews.cl.msu.edu>
Source record: 82919

In article <19990621171853.10457.00003246@ng-ca1.aol.com>, jsbasb@aol.com says...
>
>I am looking for a "Gibson Girl" ,emergency, hand-crank, "lifeboat" radio
>transmitter set. Anyone have one of these sets in good condition for sale or
>trade ? Thanks.

Toronto Surplus has these, http://www.torontosurplus.com
I don't know what they are asking for them.
Stan

3839. Re: Kiwi Filters Web site????

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: "Mr.Mean" <MrMean@Badco.com>
Message-ID: <37712CDA.B5E9D567@Badco.com>
Source record: 82920
Cross-posted to: alabama.birmingham.radio.amateur,rec.radio.amateur,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.scanner,rec.radio.shortwave,rec.radio.swap

I assume you mean "Kiwa" ?

www.kiwa.com

mirage wrote:

> I was wondering if anyone knew their website
> Doug

3840. COLLINS 312B-3 S-LINE SPEAKER EXC. FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990623145543.17079.00003133@ng-cs1.aol.com>
Source record: 82921

THIS SPEAKER IS LIKE BRAND NEW ...NO FEET JUST STICK ON VELCRO
4 PLACES VERY PRETTY SPEAKER $200.00 SHIPPED MATCHES S-LINE

3841. COLLINS 51J-4 PTO EXC. 4 SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990623150027.17079.00003135@ng-cs1.aol.com>
Source record: 82922

HAVE ONE LEFT 51J-4 PTO IN EXCELLENT SHAPE ..WILL SHIP FOR $100.00 OR CALL 252-443-5023...

3842. COLLINS MM-1 (RE) HAND MIC EXC.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990623145901.17213.00002801@ng-cs1.aol.com>
Source record: 82923

THIS HAND MIC IS IN EXCELLENT SHAPE IN ALL RESPECTS ..WILL SHIP FOR $175.00

3843. F.S. COLLINS KWS-1 TRANSMITTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: K9CSM <k9csm@pcisys.net>
Message-ID: <930165106.265.51@news.remarQ.com>
Source record: 82924

I have a dandy KWS-1 transmitter, the mate to the 75A-4 receiver. It is SN.585. Believed to have all mods in it. I will also furnish a complete copy of all approved 75A-4 & KWS-1 Mods Manual to the buyer.
This KWS-1 has a real nice clear & unblemished front panels, both upper & lower. One plug is damaged. It is real clean, both in & out. I am able to pack & ship at your expense, of course. This unit is collector's quality. They made about 1500 of these in about three (3) years, so don't let anyone tell you which is better the early ones or late ones because in 44 years that they've been alive, I assure you they've all been worked on! The important thing is that it doesn't take a rocket scientist to work on them.
The price is $2000. or we can discuss trading for firearms or current tranceivers or HF full power amplifiers.
Thanks for reading my thoughts, but I hate to see a guy worry about serial numbers (a syndrome regarding 75A-4's) but unrelated to the KWS-1. They only made 1500 because most of us couldn't afford $1995.00 for a transmitter in 1955!! Lets hear! Ben Piller, K9CSM k9csm@pcisys.net

3844. Re: wtb manual or copy

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Ronald Raines <datech@worldnet.att.net>
Message-ID: <7krcf7$t2$1@bgtnsc02.worldnet.att.net>
Source record: 82925

I currently use that rig and of course I have a manual. I will be happy to provide you a copy if you would like. Just e-mail me at ad4zm@arrl.org and let me know.

<jhall5@bellsouth.net> wrote in message
news:376EE174.2A77220@bellsouth.net...
> any one have a manual for the kenwood 2 mtr all mode TS700a i could
> use one copy is ok also.. w4hq jhall5@bellsouth.net
>

3845. WTB: NATIONAL NC-400 MANUAL & SPEAKER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990623154846.20203.00004528@ng-fv1.aol.com>
Source record: 82926

Hello, And Thanks For Reading This Posting.. Would like to find
a NC-400 manual and the matching speaker (NTS-2)
Thanks, Walt 818 883 8282 Los Angeles

3846. WTB: hammarlund Case

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: radiowalt@aol.com
Message-ID: <19990623155323.20183.00004499@ng-fv1.aol.com>
Source record: 82927

hammarlund
Hello Guys, I need a case for the HQ-150.. Would any other
case work 160 170 180.. The radio was dropped and there is no way to fix the
case. thanks, Walt

3847. FS: Heath audio VTVM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7krmlqfs2@nntp1.atl.mindspring.net>
Source record: 82928

Works.......... small crack on meter, calibrated

3848. FS:Heath 4015 scope $25

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7krmdf$bl7$1@nntp1.atl.mindspring.net>
Source record: 82929

Cleaning up.....$25 Firm works with manual Local pickup only
Queens/Long Island N.Y

3849. For Trade Hallicrafter's SR-42/HA-26

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: wb2sgp@ix.netcom.com
Message-ID: <37716021.830626@nntp.ix.netcom.com>
Source record: 82930

Hallicrafter SR-42 AM Transceiver with the HA-26-VFO for 2&6 meters receiver
works don't know about xmit no mic. cabinet can use a little paint.
Looking to trade for ATV gear or old uhf amp or whatever.
Thanks
Bud

3850. Yaesu Help - FT-101 Processor Installation

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Jacquis <jaclyn@tiac.net>
Message-ID: <7krvi8$91f@news-central.tiac.net>
Source record: 82931

Got a processor board for my FT101EE. I can match up the colors from the harness to the board, simple enough ! After doing this there were two pairs of wires on the radio harness (white/yellow & white/gray soldered together the other pair white & red soldered together) Looked like the bypass loop for the rig when it ran without the processor option. Unsoldering these resulted in matching up the white/yellow, white/gray and red wires to those from the board. Now I have a white wire left ! There was no white wire from the board I bought and I was wondering where this wire will call its new home on the board. With just the operators manual I am a little lost since it does not mention the upgrade proc. option installation. It seems the white wire has around +12v on it and the board has a white/orange going to the +12v terminal on the board. The way it is now the unit allows the rig to modulate but without any processing so It must be ok for the most part (since the op-manual describes the circuit as an amplifier in the proc/off position). It does this (but with increased ALC sensitivity) so I am close but no better than without the board. Has anyone installed one of these or can see where the white wire goes to on the pro. bd. in their rig? There is that white wire with a very faint yellow marker connected so don't let this be confused with the plain white. Appreciated any help ! Jacqui N1DVE jaclyn@tiac.net

3851. FS: T-368 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: "Bruce J. Howes KG2IC" <bhowes@buffnet.net>
Message-ID: <377184f8.0@news3.buffnet.net>
Source record: 82932
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

For sale, very clean T-368 transmitter in Buffalo, NY.

First $950 takes it.

Details, just email me.

--
73,

Bruce KG2IC

****
Bruce J. Howes KG2IC email: kg2ic@arrl.net
East Amherst, NY 14051 web: www.buffnet.net/~bhowes
FISTS #4164 ARRL PIO
****

3852. ebay equipment for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <3771AB2B.DF0C6DE2@prairie.ca>
Source record: 82933
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Test Equipment

Fluke 7261A 500 MHz Counter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119017120

Marconi 1/25 wattmeter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118538533

Motorola S1056 Portable test set
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118573964

Mororola TEK 7B DC/RF Alignment meter
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119012163

Radio Equipment

Marconi XH-14 HF receiver
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118531479

Motorola HT-200 VHF Portables, a pair
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118571228

Motorola MH-70 4 channel VHF Portable
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119013937

Motorola Handi-Com 6 Unit Charger
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119015124

Standard HX400V (AA) low split VHF portables, pair
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118540947

Waters Codax 361 Automatic Keyer
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120693867

Steve VE4LR

3853. Re: 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-23 00:00:00 UTC
From: Tom DeWitt <wizwitt@jump.net>
Message-ID: <3771AF90.2664@jump.net>
Source record: 82934

The 75A4 also has pass band tuning, which I don't think
that the A3 has. The passband tuning works great on CW!

Tom

3854. Ebay- Brand New KNIGHT Panel Meter, No Bids

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990624000256.27865.00003394@ng-cn1.aol.com>
Source record: 82840

Hi Guys;
No bids on this New Knight Panel meter still in the box, only 22 hours left.
URL with pic>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119301021
Good Luck!!
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3855. Re: FS: Heath audio VTVM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: mmoss@mindspring.com
Message-ID: <3771add5.37224835@news.mindspring.com>
Source record: 82841

And the cost is?

On Wed, 23 Jun 1999 18:12:28 -0400, "Joe" <joeamp@mindspring.com>
wrote:

>Works.......... small crack on meter, calibrated
>
>

3856. Re: FS: Heath audio VTVM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7kscr2$b0k$1@nntp1.atl.mindspring.net>
Source record: 82842

```
...........$25
marvin moss wrote in message <3771add5.37224835@news.mindspring.com>...
>And the cost is?
>
>On Wed, 23 Jun 1999 18:12:28 -0400, "Joe" <joeamp@mindspring.com>
>wrote:
>
>>Works.......... small crack on meter, calibrated
>>
>>
>
```

3857. FS:HEATHKIT items

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <37722427.0@wagner.n2.net>
Source record: 82843

>>I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
>>Konrad is the treasurer of our local Escondido Amateur Radio Society.
>>Shipping zip 92025 CA. Any replies send to Konrad not me please.
>>
>
>#1 2 Heath Kits HR 101 Ham Band Receivers both are in working
>>condition and in clean shape (no mods) with original manuals .
>>
>> $ 50.00 Dollars
>>each Plus shipping
>>
>>#2 Heath Kit Q - Multiplier Model QF-1 set up for Collins KMW-2
>> Works great. Just plug it in. Sorry no manual.
>>
>> $ 25.00 Dollars
>> Plus shipping
>>
>>#3 Heath Kit Q - Multiplier Model HD-11 newer version No
>>manual
>>
>> $ 20.00
>>Dollars Plus shipping
>>
>>If interested contact Konrad <n6uko@juno.com>
>
--

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3858. FA..R.F. Ckoke..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: bobco@i
Message-ID: <377232a9.395700@news.i-2000.com>
Source record: 82844

FA RF Choke from military rig, E-bay item # 121251814
Take a look...

3859. WTB Collins videos

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: jlogin@mindspring.com
Message-ID: <377231f6.4615514@news.mindspring.com>
Source record: 82845

Hi--Especially interested in R390A videos. Hv SP600 videos to trade or
just $....What do u hv?? Tnx Bob, AA8A

3860. drake FV7 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: jhall5@bellsouth.net
Message-ID: <37723CCD.A2092443@bellsouth.net>
Source record: 82846

really nice drake rv7 vfo posted on e bay item number 120672319 also
a very nice RS DX 160 rcvr item 119916652

3861. WTB: VACUUM TUBE MANUALS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990624102450.25158.00003150@ng-ff1.aol.com>
Source record: 82847

WTB: Vacuum Tube Manuals

Need both Recieve and Transmit type manuals . Especially 1970 and later .

Contact : Stew wb6eys@aol.com
rec.radio.swap

3862. FA: Superior Instruments 670A SuperMeter manual on eBay.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Radio Randy <rjones@plix.com>
Message-ID: <37723D9C.E87@plix.com>
Source record: 82848

Hi gang,

Bidding starts at $1 and it didn't sell the first time. See it at:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122271125

Thanks.

Radio Randy

3863. Re: ebay equipment for sale << XH14 UPDATE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Steve Lenaghan VE4LR <swtel@prairie.ca>
Message-ID: <377243AB.DA77C540@prairie.ca>
Source record: 82849
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

There has been an error in the description

1. They are not available with the 1 watt amplifier and speaker.
There is an adequate 600 ohm balanced output that will drive a simple
amp.

2. There are no units available with the AM Collins filter

3. The units come with a voice operated squelch. Very nice feature, the
picture has been
re-scanned.

sorry for any inconvenience this may have caused.

Steve L. VE4LR

>

3864. FS: NiMh BATTERY PACKS 14.4V 4000MA $25 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2406991056060001@murphy1.cts.com>
Source record: 82850
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,misc.survivalism,alt.treasure.hunting,rec.models.rc.misc,rec.models.rc

NIMH BATTERY PACKS WITH CONN. TABS.
NEW, UNUSED COND. $25 EA.

14.4V 4000 MA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3865. FS: 30 MA. PANEL METERS $12 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2406991057370001@murphy1.cts.com>
Source record: 82851
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

3.5 INCH PANEL MOUNT METERS

30 MA.

NEW COND. $12 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3866. Re: Attention DIYers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: sparksw4eas@mindspring.com
Message-ID: <7kto3f$4uv$1@nntp8.atl.mindspring.net>
Source record: 82852

I like some GOOD humer around here... Thanks Sparks W4EAS

hitubefi@my-deja.com wrote in message <7ks3aiojd1@nnrp1.deja.com>...
>I want to DIY a pair of mono block hifi amplifiers and I am looking for
>some good verticle PP output transformers that run with
>6BQ5s.Fisher,Scott,something like that.I bet that there are a lot of
>pieces of old integrated amps out there.Eico and Dynaco did PP with
>6BQ5s and they made good steel.So make your wife happy by getting rid
>of that JUNK that has been in the garage for the last 15 years,make me
>happy to start my 1st DIY,and make yourself happy to get some of the
>folding green in your pocket so that you can go to the flea market and
>get something to go on that portion of shelf were the transformers
>were.So make me a deal! One more thing....do any of you guys really
>have boats? David
>
>
>Sent via Deja.com http://www.deja.com/
>Share what you know. Learn what you don't.

3867. COLLINS (WE) S-LINE EXCELLENT (4 SALE)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990624153830.25920.00003498@ng-da1.aol.com>
Source record: 82853

HAVE A COLLINS S-LINE THAT IS 9+++ I MEAN NICE LOOKING INSIDE OUT NO SCRATCHES
..IT CONSIST OF THE 75S-1 RECEIVER / 32S-3 TRANSMITTER / 516F-2 POWER SUPPLY
AND MANUALS ..EXCEPT FOR THE P/S
ALL WINGED AND WITH ORIGINAL MANUALS ...WILL SHIP TO YOUR DOOR FOR $1300.00 OR
CALL 252 -443-5023 ...

3868. Used HF rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <377292E1.23BD30DF@worldnet.att.net>
Source record: 82854
Cross-posted to: alt.ham-radio.marketplace,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello,I have the following for sale.

1--Drake TR-3 with AC4 speaker/power supply.Works good but an alignment
would improve it.Asking $175.00.
1--Icom IC-271H an all mode 100 watt 2 meter rig in excellent condition
with mic.and manual and internal RX pre-amp.Asking $500.00.
1--Zenith TransOceanic model 500 works good asking $90.00.
1--Gonset Communicator III a 6 meter AM rig with mic.works needs
re-paint front panel excellent.
asking $65.00
All prices are + shipping to lower 48.
Regards
Bob Stamper

3869. Re: FS: 30 MA. PANEL METERS $12 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2406991337390001@murphy1.cts.com>
Source record: 82855
Cross-posted to: rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment

3.5 INCH PANEL MOUNT METERS

30 MA.

NEW COND. $12 EA.

PICT AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

SOLD OUT
--

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

3870. Used HF rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <37729922.18DA7D78@worldnet.att.net>
Source record: 82856
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Hello,I have the following for sale.

1--Drake TR-3 with AC4 speaker/power supply.Works good but an alignment
would improve it.Asking $175.00.
1--Icom IC-271H an all mode 100 watt 2 meter rig in excellent condition
with mic.and manual and internal RX pre-amp.Asking $500.00.
1--Zenith TransOceanic model 500 works good asking $90.00.
1--Gonset Communicator III a 6 meter AM rig with mic.works needs
re-paint front panel excellent.
asking $65.00
All prices are + shipping to lower 48.
Regards
Bob Stamper

3871. Drake, Hammarlund, Johnson Accessories FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990624182014.26159.00004014@ng-ba1.aol.com>
Source record: 82857
Body handling: HTML body converted to readable text

Over Friday
Johnson
Matchbox

Ha
mmarlund Speaker

Drake
Speaker

3872. Collins SLine Accessories FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990624181912.26159.00004012@ng-ba1.aol.com>
Source record: 82858
Body handling: HTML body converted to readable text

Over Friday Night
Collins
3023-C Wattmeter

Collins
RE516F2 Supply

Collins
Radio Antenna Tuner

D104
Mic w/Collins Plug

3873. FA: Original TM's for R-390

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: smokedtofu@aol.com
Message-ID: <19990624182445.10455.00005172@ng-ca1.aol.com>
Source record: 82859

For Auction Original Set of TM's for R-390. Included are -10, -20, -20P, and the all inclusive -35. These are not photocopies. Good luck.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=120878975

Monty

3874. FS Ten Tec PM3A qrp xcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: JEP <peitsch@concentric.net>
Message-ID: <7kub1b$sn8@chronicle.concentric.net>
Source record: 82860
Cross-posted to: rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Deal fell through

FS Ten Tec PM 3 A QRP xcvr 40 & 20 mtrs CW 5 watts input full breakin keying. Works good and looks decent. With copy of manual.
$75 plus shipping / offers

Butch

3875. Old Vibroplex Key FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990624182944.26161.00003794@ng-ba1.aol.com>
Source record: 82861

Over Friday

<a
href="http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=119761102">Vi
broplex Telegraph Key

3876. FA: Classic 2 meter HT Santec ST144, desk charger, speaker-mic, more

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7kuek5$h3h$1@autumn.news.rcn.net>
Source record: 82862
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

At auction on eBay, a classic 2 meter HT, the Santec ST144, with desk charger, speaker mic and other accesories. Please point your browsers to

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122474484

Thanks.

Mike, N4PDY

3877. WTB National HRO60 Speaker.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: waldron@plugh.wrc.Xerox.COM
Message-ID: <7ktg56$jc8$1@news.wrc.xerox.com>
Source record: 82863

I want to buy a matching speaker for my
HRO 60. This would be gray/silver in color.

Need not be pretty.

Minimum requirements:

No dents.
Paint mostly there.
Emblem intact.

Grill cloth and an actual speaker
inside the case are nice but not
essential.

Thanks,

Brian WB8JEA

--
waldron@wrc.xerox.com

3878. Need info on B&W T/R switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7kuqdnbrs1@oak.prod.itd.earthlink.net>
Source record: 82864

I have a B&W Model 380 T/R switch without a schematic - I'd be eternally grateful if someone could send me a scan of a schematic via email, or answer these questions:

1. Is the 6AH6 tube that's in my switch the correct tube for this model?

2. From pin 7 of the tube (the cathode if the 6AH6 tube is correct) is an RF choke, in series with a .01 cap and a resistor. The resistor is burned beyond recognition, but the first color is yellow. Perhaps 470 ohms?

3. The RF choke mentioned above is burned to a crisp - value probably not critical, but was it a 2.5 mH ?

Thanks for any help you can provide.

K8AC
Floyd Sense in Angier, NC

3879. Re: hammarlund Case

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Tech <info@auraimaging.com>
Message-ID: <377308cd$0$203@nntp1.ba.best.com>
Source record: 82865

A suggestion... Try taking the case to an auto-body shop where there is someone skilled at restoration of antique cars. They may be able to get it into shape.
Cheers,
-- Chuck

RADIO WALT wrote in message
<19990623155323.20183.00004499@ng-fv1.aol.com>...
>hammarlund
>Hello Guys, I need a case for the HQ-150.. Would any other
>case work 160 170 180.. The radio was dropped and there is no way to fix
the
>case. thanks, Walt
>

3880. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <37721FD8.2630@ix.netcom.com>
Source record: 82866

JSBASB wrote:
>
> I am looking for a "Gibson Girl" ,emergency, hand-crank, "lifeboat" radio
> transmitter set. Anyone have one of these sets in good condition for sale or
> trade ? Thanks.

Hope you are not seriously considering one as safety equipment
on a boat these days.. :-)

Yes, the later variants of the gibson girl also have
8364 KHz in addition to 500 KHz, but... is anyone
listening/monitoring these freq's anymore ??

I don't think the USCG is ...

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

3881. Re: 2 wire to 3 wire plug conversion question

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <377220E0.5996@ix.netcom.com>
Source record: 82867

Yves Dussault wrote:
>
> I have a few boatanchors, among which a Viking Ranger II, and I want
> to convert them from 2 wire to 3 wire 110 volts plugs, for safety
> reason. Any suggestion on how it should be done properky?
> VE2ATD

In addition to the info you have received, keep this in
mind on AC power connectors:

Standard practice is that the Black wire is HOT to ground
and goes to the BRASS colored screw on the power plug.

WHITE wire (AC Neutral lead) goes to the SILVER colored screw

GREEN wire goes to the GREEN colored screw, and is the actual
ground lead to the equipment enclosure...

YEAH, I know, but not everyone remembers this, so no flames
please ..

Trish :-)
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

3882. HC-10 Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Alan J Hecht <Alan.Hecht@worldnet.att.net>
Message-ID: <7kv8occbq1@bgtnsc01.worldnet.att.net>
Source record: 82868

Anyone have an HC-10 manual they could copy for me or sell to me? The HC-10 is an IF selectivity unit for the HQ-100 receiver. John K6KOI

3883. Attention DIYers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: hitubefi@my-deja.com
Message-ID: <7ks3aiojd1@nnrp1.deja.com>
Source record: 82935

I want to DIY a pair of mono block hifi amplifiers and I am looking for some good verticle PP output transformers that run with 6BQ5s.Fisher,Scott,something like that.I bet that there are a lot of pieces of old integrated amps out there.Eico and Dynaco did PP with 6BQ5s and they made good steel.So make your wife happy by getting rid of that JUNK that has been in the garage for the last 15 years,make me happy to start my 1st DIY,and make yourself happy to get some of the folding green in your pocket so that you can go to the flea market and get something to go on that portion of shelf were the transformers were.So make me a deal! One more thing....do any of you guys really have boats? David

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3884. Wanted: 6 meter rig, single band- working or not

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: sts@ac.net
Message-ID: <37718953.10079887@news.ac.net>
Source record: 82936

Hello,

I ma looking for a Six meter rig single bander, working or not. Among the rigs looking for are:

FT620b, Ft625, SWan 250C with Pwr supply or any dedicated 6 meter rig. If not working the rig must be complete and repairable.

thanks,

Larry, N4KVP
sts@ac.net

Please reply to me directly at the address above.

3885. FS: EIMAC 8877NEW TUBE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990623220238.23759.00000923@ng-cf1.aol.com>
Source record: 82937

I HAVE FOR SALE A EIMAC 8877 NEW IN ORIGINAL UNOPEN BOX
DATE CODE 9921 FOR $400.00 PLUS SHIPPING FROM LOS ANGELES
TNX Ed K6EG

3886. Re: COLLINS 51J-4 PTO EXC. 4 SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-24 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <37719A4A.2C2@sympatico.ca>
Source record: 82938

Dwight 136 wrote:
>
> HAVE ONE LEFT 51J-4 PTO IN EXCELLENT SHAPE ..WILL SHIP FOR $100.00 OR CALL
> 252-443-5023...

Do you have any spare filters? I have a couple of traders.

3887. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: hsynovetz9587@my-deja.com
Message-ID: <7l0leldci1@nnrp1.deja.com>
Source record: 82740

> Yes, the later variants of the gibson girl also have
> 8364 KHz in addition to 500 KHz, but... is anyone
> listening/monitoring these freq's anymore ??
>
> I don't think the USCG is ...

Interesting...I've wondered about the legalities of cranking one of
these up for test/hobby purposes. No wonder all those black helicopters
around my neighborhood.>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3888. Re: Collins 75A-1 for sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: k1yjk@aol.com
Message-ID: <19990625153431.09579.00000926@ng-fg1.aol.com>
Source record: 82741

Your description of the 75A-1 tells the story. Your 75A-1 sounds less than average....far from excellent....Sorry!!

Bob/K1YJK

3889. Re: BoatAnchors A Bunch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: boris-maskirovka <rhenry31@home.com>
Message-ID: <wORc3.28913$eF3.11096@news.rdc1.nj.home.com>
Source record: 82742

Lotta' neat stuff here! Thank you for the tip!

(boris the mole....)
****
****
AC6V wrote in message <37738F3F.5D92@ix.netcom.com>...
>At URL:
>http://www.ac6v.com/pagex.html
>

3890. FS: Original HRO-50 T1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: celliott14@aol.com
Message-ID: <19990625172836.13959.00003702@ng-fq1.aol.com>
Source record: 82743

I have one more HRO-50T1 original manual- $ 30. Carter

3891. 6KD6 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773f05b.34012931@nntp.cntfl.com>
Source record: 82744

FOR SALE:

NEW IN ORIGINAL BOX

PAIR OF 6KD6 TUBES

LIST PRICE IS $22.00 EACH

$35.00 FOR THE PAIR SHIPPED

THANKS,

bobm@istal.com

3892. OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773f20a.34444150@nntp.cntfl.com>
Source record: 82745

FORGET THE LAST POST.....SOMETHING DID NOT WORK

3893. BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990625182042.01978.00004229@ng-cc1.aol.com>
Source record: 82746

WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER SUPPLY IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT ..WAS REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE BUT THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND NOT LET THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME LOCATION

3894. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: aa5qt@aol.com
Message-ID: <19990625190634.23758.00001524@ng-cf1.aol.com>
Source record: 82747

I've found they do a great job, if the shipper tells them exactly what is required.

Gary K5QT

3895. Megacycle GRID DIP METER -On Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bazzarr@aol.com
Message-ID: <19990625193811.19227.00001354@ng-fl1.aol.com>
Source record: 82748

To be honest I wasent sure WHAT this was untill a nice person e-mailed me info it!. He also said that the people who read this group would be interested in this neat little device. Here is the address to the auction if you would like a look see.....

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122699224

3896. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <OpqnVQ2v#GA.281@cpmsnbbsa03>
Source record: 82749

Some of them know what they are doing, some don't.

You have to very explicitly tell them exactly how to pack, or do it
yourself.

Dwight 136 <dwight136@aol.com> wrote in message
news:19990625182042.01978.00004229@ng-cc1.aol.com...
> WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS
> EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER
SUPPLY
> IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT
..WAS
> REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE
BUT
> THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND
NOT LET
> THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME
> LOCATION

3897. WTB: 6 KC FILTER FOR 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7I17g1$33k$1@news.itis.com>
Source record: 82750

WANTED: 6 KC PLUG IN FILTER FOR AM FOR MY 75A4 RECEIVER

3898. Need 11 pin connector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7l184b$5d1$1@fir.prod.itd.earthlink.net>
Source record: 82751

I'm in need of the male connector that plugs into the control socket on the rear of a Hallicrafters HT-37. The Amphenol part number for the plug was: 86-PM11. This is a black phenolic plug that looks exactly like the base of an octal tube, except for the fact that it has 11 pins instead of 8. Anyone still have one of these laying around?

K8AC
Floyd Sense in Angier, NC

3899. Re: OLD TUBES - the following tubes are available.doc (1/1)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: "Norman S. Braithwaite" <normb@sal.awwwsome.com>
Message-ID: <37743E84.C28D5088@sal.awwwsome.com>
Source record: 82752

If you are willing to provide your attachment as a text file instead of a MS-Word document, I (and
probably many others concerned about contracting one of the recent prolific MS-Word viruses) will
be willing to take a look.

bobm@istal.com wrote:

> Name: the following tubes are available.doc
> the following tubes are available.doc Type: Microsoft Word Document (application/msword)
> Encoding: x-uuencode

3900. Yaesu UD-844 Microphone

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: "Benjamin A. Wallace" <bwallace@sd.cts.com>
Message-ID: <7l1p1aifq1@nusku.cts.com>
Source record: 82753

I need a schematic or spec sheet on the Yaesu UD-844 microphone. Can anyone help out?

Thanks,

Ben -- WB8HUR

3901. OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <37741009.42124704@nntp.cntfl.com>
Source record: 82754

FOR A COMPLETE LIST, SEND ME YOUR E-MAIL ADDRESS

bobm@istal.com

3902. OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3774150e.43409719@nntp.cntfl.com>
Source record: 82755

FOR A COMPLETE LIST, SEND YOUR E-MAIL ADDRESS

THANKS,

bobm@istal.com

3903. FA..McElroy Super Stream Bug

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobco@i
Message-ID: <3772ca5a.39233781@news.i-2000.com>
Source record: 82869

Please take a look...E-bay item # 122495078..

3904. Re: FA: Original TM's for R-390

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: smokedtofu@aol.com
Message-ID: <19990624212555.25016.00000409@ng-bk1.aol.com>
Source record: 82870

Whole item number for ebay should be 120878975

Thanks

Monty

3905. WTB: R390A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990624220253.08652.00003426@ng-fa1.aol.com>
Source record: 82871

Seeking a good looking good working R390A, with meters and covers, All original, no extra holes or repainted.
Jim
w9ud
Pse email me direct

3906. Collins PTO coupler wanted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: rs2bk@aol.com
Message-ID: <19990624220654.08640.00003587@ng-fa1.aol.com>
Source record: 82872

Looking for the coupler and spring that goes
between the PTO and the dial mechinism in
the 75a4 and the kws1.
Jim, w9ud tnx
pse email me direct

3907. FS : T-368 Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: wb6eys@aol.com
Message-ID: <19990624223012.03509.00003521@ng69.aol.com>
Source record: 82873

For Sale :
T-368 Transmitter . Good looking and Powerful and Heavy Duty AM/CW
Transmitter . Definitely MORE than a Conversation piece . With documentation .

Pick - up item . Located in Torrance Calif. Can demo on the Air or in Person
.

$750.00 OBO . Contact : Stew wb6eys@aol.com or just call Al .
Picture available upon request .
(310) 532 - 1814 .
rec.radio.swap

3908. SCR522

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Larry Asp <larry.asp@sympatico.ca>
Message-ID: <3772F314.3C09@sympatico.ca>
Source record: 82874
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

My thanks to all of you who responded and supplied me with information on the SCR522 set. My friend had found two of these, in good shape, and one has now found a good home. If anyone would like the other, please let me know.

3909. FS Original National HRO-50T-1 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: celliott14@aol.com
Message-ID: <19990624233458.19578.00000197@ng-cp1.aol.com>
Source record: 82875

Original HRO-50T-1 manual $ 30. Carter

3910. Re: "Tube Swap"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: rbales@gte.net
Message-ID: <3788066b.47443168@news.gte.net>
Source record: 82876
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors

Hi, neat page and some interesting projects.

The Mac amps should be wonderful, do you realize what kind of surround
sound set up this could make?

ROn

On Fri, 25 Jun 1999 00:09:02 -0400, <gkaufman@the-planet.org> wrote:

>I set up a small webpage to try and swap some of the excess stuff around here for things I can use. Let me know if anything is of interest, or if the page looks ok?
> http://www.the-planet.org
>Many thanks!
>
> - Gary

3911. Radio Tubes Clearance

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37735b10.1063257@news.earthlink.net>
Source record: 82877
Cross-posted to: rec.antiques.radio+phono,rec.radio.swap,rec.radio.amateur.boatanchors

Clearance Sale:

(LOT #1)

4-125 Eimac Used No box $25.00
828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
ea.
12BY7 G.E. $4.00
12BY7 RCA QTY 2 $5.00 each
12BY7 Sylvania $4.00
12BY7A UNK $4.00
12BY7 UNK QTY 2 $3.00
6BG6B RCA Used, no box $1.00
6H6 RCA used no box (QTY 2) $1.00 ea.
6H6 Ken-Rad used in box $1.00
OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each

TOTAL of 25 Tubes
Total Price $92.00

or take ALL of the above tubes for $59.00

= = = = =

(Lot #3)

37 RCA used in box $4.00
6JZ6 Sylvania Used in box $8.00
6DE4 Philco Used in box $1.00
6X5 RCA used in box $0.50
6AX4 Sylvania New in box $2.00
OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
OA3 / VR-75 Marshall Electronics in box $4.00
3AW2 Philco Used in G.E. box $0.50

TOTAL of 10 Tubes
Total Price $29.00
or take ALL of the above tubes for $19.00

= = = = =

(Lot #11)
(Used, tested)

6X4 RCA $1.00

25Z6 Silvertone $2.00
35EH5 IEC Japan QTY 3 $2.00 each

35W4 Bulk $1.00

50C5 QTY 4 $3.00 each

6197 Sylvania $2.00
6197 Bulk $2.00

TOTAL of 12 Tubes
Total Price $26

or take ALL of the above tubes for $19.00

= = = = =

3912. RCA 828 TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <37737918.3477437@nntp.cntfl.com>
Source record: 82878

I HAVE THREE RCA NEW IN BOX 828 TUBES

IF INTERESTED, CONTACT ME VIA E-MAIL

bpbm@istal.com

3913. BAMA website

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Mark Croney <mcroney@bellsouth.net>
Message-ID: <3773880D.575154CD@bellsouth.net>
Source record: 82879

Does anyone know what happened to the BAMA boatanchor website? The URL used to be http://bama.sbc.edu. It appears that it has been reorganized and I can't tell if the manual archive is still there.

Thanks,
Mark
W4ZF

3914. Re: New Web site with Pictures of old Kenwood rigs

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: prvalko@oakland.edu
Message-ID: <7kvg02$sm5$1@news2.acs.oakland.edu>
Source record: 82880
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,rec,radio.amateur.dx,rec.radio.amateur.equipment,radio.amateur.misc,rec.radio.shortwave

In rec.radio.swap Neil <DontDoIt@ImNotHere.com> wrote:
: As a service, I have put up a new free web site that has pictures of
: the front of several Kenwood models of HF rigs. This is strictly
: not-for-profit, I have no relationship with Kenwood, and no promises
: are made as to accuracy...(whew, got that out of the way).

Ten*Tec fans may want to peek here...

<http://www.acs.oakland.edu/~prvalko> Click on the virtual Ten*Tec Museum!

73! =paul= W8KC
Collector of Ten*Tecs, and other fine plastics

--

3915. Re: SCR522

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Steve Fried <k2pts@home.com>
Message-ID: <37738F9E.6AB1CD3E@home.com>
Source record: 82881
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Larry Asp wrote:

> My thanks to all of you who responded and supplied me with information
> on the SCR522 set. My friend had found two of these, in good shape, and
> one has now found a good home. If anyone would like the other, please
> let me know.

Larry:

Im sure someone mentioned to be careful about the bathtub capacitors in the transmitter section.
They have a tendency to blow up. When I was a kid and bought one of these units on Cortland Street in New York City,
I took the transmitter home and (as kids the way we use to do it) immediately apply full voltage - let whatever will blow up - and replace the exploded caps! Not the safest thing to do. But when you are a young teenager......
I guess the message is....as always..... be careful about old stuff that can go bang!

I hope you enjoy your new found treasure!

73

Steve
k2pts

3916. FYI: BoatAnchors A Bunch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: AC6V <ac6v@ix.netcom.com>
Message-ID: <37738F3F.5D92@ix.netcom.com>
Source record: 82882

At URL:
http://www.ac6v.com/pagex.html

Lots of BoatAnchors links including:

ADI, Allied Radio, APS, ARC-5, BC-224, BC-348, B&W, Breting,
Central Electronics, Collins, Drake, Eico, Eddystone, Galaxy, Gonset,
Hallicrafters, Hammarlund, Heath, Johnson, Kenwood, Knight, MacKay,
McMurdo Silver, Marconi, Meissner, Military, Millen National, Plessey,
R-388, R-390 Racal, RME, Swan, Ten-Tec, Vibroplex, World Radio Labs,
Yaesu FT-101 and more.

Also interesting sites on the HISTORY OF HAM RADIO, CALLSIGNS, BC RADIO,
AND WIRELESS.
--
73 From Rod In San Diego

AC6V INDEX TO DX AND HAM RADIO
FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
Over 400,000 visits on the counter
http://www.ac6v.com/pageas.html -- Alphabetical Index
http://www.ac6v.com/ -- Home Page

3917. MILLER COILS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773a3f4.14451590@nntp.cntfl.com>
Source record: 82883

I HAVE THE FOLLOWING MILLER COILS FOR SALE. THEY ARE NEW IN ORIGINAL BOXES:

QTY TYPE SPECS

2 242-RF 540-1700 KC RF COIL
1 242-A ANT COIL 540-1700
2 EL-56 COUPLING COIL
1 472-UT UNTUNED RF COIL
2 242-BP BAND-PASS COIL

BUYER MUST TAKE THE ENTIRE SET.

BEST OFFER INCLUDING US POSTAGE

bobm@istal.com

3918. 3E29 TUBES / SOCKETS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773a659.15064934@nntp.cntfl.com>
Source record: 82884

FOUR NEW RCA 3E29 TUBES WITH CERAMIC SOCKETS

BEST OFFER INCLUDING POSTAGE

bobm@istal.com

3919. OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773a94c.15819661@nntp.cntfl.com>
Source record: 82885

I HAVE A VERY LARGE SELECTION OF ANTIQUE RADIO TUBES.

LET ME KNOW WHAT TYPES YOU ARE LOOKING FOR

TO MANY TO TAKE UP SPACE TO LIST THEM

TYPES LIKE 2A3, 45, 46, 25T AND MANY OTHERS

bobm@istal.com

3920. Re: Attention DIYers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: hitubefi@my-deja.com
Message-ID: <7l0fjmaog1@nnrp1.deja.com>
Source record: 82886

Sparks,Thanks for reading my post. David

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3921. Re: BAMA website

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Don Cunningham <wb5hak@texhoma.net>
Message-ID: <7l0d65feb1@ionews.ionet.net>
Source record: 82887

Mark, and group, Ken said that the college site where BAMA is located got "hacked" and messed up, but the manual archives were backed up, so will still be there. They are rebuilding the whole server, so should be back on soon. 73, Don, WB5HAK

Mark Croney wrote in message <3773880D.575154CD@bellsouth.net>...

>Does anyone know what happened to the BAMA boatanchor website? The URL
>used to be http://bama.sbc.edu. It appears that it has been reorganized
>and I can't tell if the manual archive is still there.
>
>Thanks,
>Mark
>W4ZF
>

3922. VU METERS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3773b9b2.20018459@nntp.cntfl.com>
Source record: 82888

SEVERAL BROADCAST TYPE VU METERS

NEW AND USED

SIMPSON AND OTHERS

bobm@istal.com

3923. BUY YAESU FT 736R

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-25 00:00:00 UTC
From: Nevio <nterre@tim.it>
Message-ID: <7l0bmb$l9h$1@nslave1.tin.it>
Source record: 82889

> I'm looking for buy for my FT 736R the modules for 50 and 1296 Mhz
> > > Nevio
> > > E-mail nterre@tim.it
> > >
> > >
> >
> >
>
>

3924. WTB W.E. 1kw transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7l1j3r$n37$1@nnrp1.deja.com>
Source record: 82756

I am looking for a W.E. 1kw transmitter to restore and use on 160m
a-m in the U.S.. I need it complete. State price, location, condition,
etc.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3925. Re: Wanted: Clegg Venus Alignment Data

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990625224042.01989.00004661@ng-cc1.aol.com>
Source record: 82757

I have the info you need, if you are still
interested. I just realined mine and
replaced the 12v 6146b, it works great.
email me for details.
D Darby

3926. "LQQK " SET OF (6) NEW "N" CONNECTORS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: jllkb2tee@aol.com
Message-ID: <19990625225143.15721.00005927@ng-fp1.aol.com>
Source record: 82758

Set of (6) six "N" Connectorsas shown BRAND NEW !! Totle Dutch Auction is (3) sets of (6) pieces !!COME AND SEE THEM

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=123007919

3927. FS Lafayette 6 Mtr AM rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990625224654.01989.00004663@ng-cc1.aol.com>
Source record: 82759

I have one working Lafayette (model HE-45)
6 Mtr AM rig. with good cosmo.Can ship
ups gnd. for $45.00 or best offer.

TNX D Darby

3928. FA: Variac, RCA Iso tran, RCA Volt meter, Ammeter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: threemile@aol.com
Message-ID: <19990625225503.22151.00000019@ng-fb1.aol.com>
Source record: 82760

Greetings,

I have several pieces of AC test equipment for auction this week, ending Monday night. Included are a General Radio 5 amp Variac, an RCA Isolation transformer, RCA line voltage meter, and Westinghouse ammeter. For pictures and details, please go to:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=threemile@aol.com

3929. Ebay- Regency HR-2A FM Mobile w/Extras

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990625231202.05368.00002501@ng-fu1.aol.com>
Source record: 82761

Hi Guys;
Heres a real nice clean Regency HR-2A Xtal 2 mtr FM Mobile with Matching Regency Supply and Mike. Along with both manuals, working es crystaled up on 6 channels(freqs)
URL with Pics>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=121620541
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3930. Ebay- Neat Globe Chief Deluxe/DX-150 SW Rcvr!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990625232612.05368.00002506@ng-fu1.aol.com>
Source record: 82762

Hi Guys;
Here are two "gems" to ponder over, Hi!
Globe chief deluxe, Working, Clean URL with Pics>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120718680
Realistic DX-150 sw rcvr, exc. condx, First Solid state SW Rcvr??
URL with pics>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120711026
Both are very Reasonable and close on Sunday!!
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3931. Ebay- Batteries for FT-51R & TH-79A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990625234049.05368.00002515@ng-fu1.aol.com>
Source record: 82763

Hi Guys;
I got four batteries for the Yaesu FT-51R and kenwood TH-79A.
All in excellent condition. Just might pay to check it out!
Closes Sunday!!
Heres the URL's with Pictures>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120616831
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120603154
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120598525
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120594146
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

3932. FS:IC-271H

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Robert Stamper <rstamper@worldnet.att.net>
Message-ID: <37745A12.4F9AA421@worldnet.att.net>
Source record: 82764
Cross-posted to: rec.radio.swap,alt.ham-radio.marketplace,alt.hamradio.packet,rec.radio.amateur.boatanchors,rec.radio.swap

I have for sale the following radio.
1--IC-271H a 100 watt all mode transceiver in excellent condition with mic, manual and DC power cord.It has 32 memories that you can set the freq,mode,offset & tone.The frequency range is from 143.500--148.500.The power output is variable from 10 to 100 watts.It also has an RIT control.
There is an internal rx preamp for weak signal work. Asking $500.00 + shipping.

A digital
picture is at: http://home.att.net/~rstamper/

Regards
Bob Stamper

3933. Re: WTB Shock mount 390J-2 for a Collins 618T

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: leroy Ritta <nextgen@nextcentury.com.au>
Message-ID: <JPZc3.9$oe2.22@news.syd.ip.net.au>
Source record: 82765

leroy Ritta <nextgen@nextcentury.com.au> wrote in message news:...
> Hello Folks,
>
>
> I need a Shock mount 390J-2 for a Collins 618T and or inverter
> PP3702/ARC-102 if you have one for sale or know where I can get on please
> hollar! or email nextgen@nextcentury.com.au
> Leroy.
>
>
>
>

3934. Need Mechanical Counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: oldgear@aol.com
Message-ID: <19990626054802.17085.00003501@ng-cs1.aol.com>
Source record: 82766

Looking for a mechanical cam operated counter that is reset capable.a 5-6 digit would be OK. Email me the details if you have one.
Thanks

3935. Re: OLD TUBES - the following tubes are available.doc (1/1)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990626073712.27929.00004473@ng-fd1.aol.com>
Source record: 82767

The tubes have been sold...

Regards, JOE

3936. Re: Need Mechanical Counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: hitubefi@my-deja.com
Message-ID: <7l2ii6vas1@nnrp1.deja.com>
Source record: 82768

In article <19990626054802.17085.00003501@ng-cs1.aol.com>,
oldgear@aol.com (OLD GEAR) wrote:
> Looking for a mechanical cam operated counter that is reset capable.a
5-6 digit
> would be OK. Email me the details if you have one.
> Thanks
>

>I think that I saw such a critter at a friends place a couple of days
ago.Approx 1" diameter,2" long ,black and chrome.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3937. 11 Pin connector

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7l2o6f$5uu$1@oak.prod.itd.earthlink.net>
Source record: 82769

Many thanks to all who responded to my search for the 11 pin plug for my HT-37. It seems that the need for such things always arises after the hamfest season is over. One fellow responded that these plugs are still used in some plug-in relays - good info for future needs. Now I'll be able to get the HT-37 running on SSB.

K8AC
Floyd Sense in Angier, NC

3938. HT-37 - cutoff of finals

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7l2ogg$6fp$1@oak.prod.itd.earthlink.net>
Source record: 82770

When I hooked up my new T/R switch to my HT-37 and NC-300, I immediately noticed the receiver "hash" resulting from transmitter finals that are drawing an idling current. In the HT-37, there is apparently a small plate current even with the function switch in standby (no plate current meter in the HT-37, so can't observe it directly). Does anyone know of a mod for the HT-37 to cut off the finals when the relay is not activated?

K8AC
Floyd Sense in Angier, NC

3939. Drake TR4-CW/RIT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: swpspr@plnet.NET
Message-ID: <3774E92F.4E4129F2@plnet.net>
Source record: 82771

For Sale: Drake TR4-CW/RIT, serial 44868, with 34-PNB noise blanker.
Mint, no scratches, dings, dents, rust, corrosion. 10 on a 10 scale.
Looks like it just came out of the box. Includes the companion RV4-C
remote vfo, AC-4 power supply (serial 50611) and Drake 7075 microphone.
$650 firm. Kent K9ZTV swpspr@plnet.net 573/893-5251

3940. Need Info on Old Johnson Matchboxes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: k9sqg@aol.com
Message-ID: <19990626110045.09638.00001454@ng-fg1.aol.com>
Source record: 82772

Have a couple of Johnson Matchboxes, small one and large one but don't know if knobs are original. Manuals do not show pictures. Would like to pay for copying costs of literature showing knobs.

73

Evan

3941. Re: Need Mechanical Counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: artex@mail.com
Message-ID: <3774ec2a.10138037@news.attcanada.net>
Source record: 82773

I have a mechanical counter. It has six digits with a reset bar on the front. The face plate has two countersunk mounting holes and is 1 5/8" wide by 1 3/16" high. It looks like it would require a mounting hole of about 1 9/16 wide by 7/8" high. The depth required behind the mounting hole should be about 4 1/2 inches. Ideal voltage should be 24 volts (I have sucessfully used them on around 12 volts). Current draw at 24V is 68 milliamps. Device is made by Sodeco. This is a used unit.

Ron

On Sat, 26 Jun 1999 12:54:31 GMT, hitubefi@my-deja.com wrote:

>In article <19990626054802.17085.00003501@ng-cs1.aol.com>,
> oldgear@aol.com (OLD GEAR) wrote:
>> Looking for a mechanical cam operated counter that is reset capable.a
>5-6 digit
>> would be OK. Email me the details if you have one.
>> Thanks
>>
>
>
>>I think that I saw such a critter at a friends place a couple of days
>ago.Approx 1" diameter,2" long ,black and chrome.
>
>
>Sent via Deja.com http://www.deja.com/
>Share what you know. Learn what you don't.

3942. BC-221 FREQ METER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: bobm@istal.com
Message-ID: <3774f05d.11512331@nntp.cntfl.com>
Source record: 82774

FOR SALE:

BC-221 FREQUENCY METER

UNIT IS COMPLETE

OUSIDE CASE HAS SOME SCRATCHES

PANEL ETC IN GREAT CONDITION

BEST OFFER PLUS SHIPPING VIA UPS

REPLY DIRECT

bobm@istal.com

3943. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: dcat4955@bellsouth.net
Message-ID: <7l3024$33b$1@nnrp1.deja.com>
Source record: 82775

their prices are very high also for the same service you'd get at the ups counter or post office. best bet is do it yourself. if you have no problem setting "ego" aside, go behind a shopping center and peek in the dumpsters. chances are you will find all the boxes and packing material you could ever need and its all free! all you spend is time packing up the gear and tape. i recomend this to all who sell on the web since its an endless supply of packing material and it lets us get at least one more use out of the bubble wrap and peanuts before they hit a landfill.

feel free to pass this on to the guy who shipped you the collins. everybody likes to save money and in reality the only way you know something is packed correctly is to do it yourself.

robert cruz
re-tek (ebay)
ke4mcl

In article <19990625182042.01978.00004229@ng-cc1.aol.com>,
dwight136@aol.com (Dwight 136) wrote:
> WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE
COLLINS
> EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND
POWER SUPPLY
> IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT
..WAS
> REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY
CHARGE BUT
> THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY
AND NOT LET
> THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT
SAME
> LOCATION
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3944. Re: Need Mechanical Counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: artex@mail.com
Message-ID: <37750410.16257858@news.attcanada.net>
Source record: 82776

Hi - just thinking - that counter i have is electro-mechanical ie. no
cam.... sorry

On 26 Jun 1999 09:48:02 GMT, oldgear@aol.com (OLD GEAR) wrote:

>Looking for a mechanical cam operated counter that is reset capable.a 5-6 digit
>would be OK. Email me the details if you have one.
>Thanks

3945. COLLINS S-LINE (WE) 4 SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990626152922.25162.00003793@ng-ff1.aol.com>
Source record: 82777

HAVE A COLLINS S-LINE CONSISTING OF A 32S-1 TRANSCEIVER/ 75S-1 RECEIVER /
516F-2 POWER SUPPLY MANUAL AND ALL CORDS ..I RATE THESE UNITS 8 OUT OF 10 ..THE
TRANSCEIVER HAS A BEND ON LEFT BACK SIDE OFCABINET...OTHER THAN THAT THE
CABINETS ARE VERY PRETTY ALL ORIGINAL PAINT..THE POWER SUPPLYGRILL IS MISSING
THE WINGED EMBLEM BUT IT DOES HAVE A SPEAKER IN IT HAS A RUB MARK ON EACH
CORNER ON TOP OF THAT CABINET ..BUT COULD BE REPAINTED IF YOU WANTED TO0,TRIM
RING IS FINE ...ALL WORKS ..
FIRST $950.00 TAKES ALL SHIPPED IN USA ONLY ..

3946. "Tube Swap" take 2

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: gkaufman@the-planet.org
Message-ID: <Y3ad3.788$kL2.75000@ndnws01.ne.mediaone.net>
Source record: 82778
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors

Thanks for the comments thus far!

I done some further editing, let me know how things look.

A few new items for trade including:

Dynaco ST70 (shouldn't everyone have one... So why do I have three?)
Zenith Leather Transoceanic.

And a handful of new images including a small homebrew amplifier with
UX199's, minature TV's etc.

>I've set up a small webpage to try and swap some of the excess stuff around
here for things I can use. Let me know if anything is of interest, or if
the page looks ok?

http://www.the-planet.org

Many thanks!

- Gary

3947. FA:Collins75S-3B/32S-3/312B-4/516F-2/Shure444/tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: richcom@earthlink.net
Message-ID: <37772d89.449260822@news.earthlink.net>
Source record: 82779

Collins S Line 32S-3 75S-3B Round Emblem Collins 312B-4 Round Emblem
Collins
516F-2 Builtin Cabinet with Speaker.Round Emblem Shure Desk Mic
Model 444
Spare Tubes Also have a Tube that can change it to solid state.
One day left.
Go To:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=118997879

3948. Tubes - 100TH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Dan Vaught <afarmer@roanoke.infi.net>
Message-ID: <377526F6.CB9AD6A4@roanoke.infi.net>
Source record: 82780

Does anyone want to buy three (3) NIB / NOS Elimac 100TH tubes?

3949. WTB Hallicrafters SX-111 Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Walt <wb4lds@azstarnet.com>
Message-ID: <930429212.105.64@news.remarQ.com>
Source record: 82781

Hello:

I am looking for a working Hallicrafters SX-111 Receiver. If you have one that is collecting dust and would like to sell it Please let me know.

Thanks Walt

3950. Harvey Wells transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: donlk@webtv.net
Message-ID: <11337-377535CD-54@newsd-113.bryant.webtv.net>
Source record: 82782

Is there any interst in a Harvey Wells T-90 transmitter? Has P/S. Would
swap for antique radios, tubes etc.
Email please dont get here very often.

Don

3951. WTD: $ INFO-ARC3 TRANSMITTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: GREGORY HEATH <kb2qqm@email.msn.com>
Message-ID: <#IcoQrBw#GA.271@cpmsnbbsa02>
Source record: 82783

I have an original ARC-3 Transmitter with the original Air Force Maintenance manual. What is the value of something like this in excellent shape. I also have paperwork from 1947 detailing mods that are possible for this rig. As of yet the rig is unmodified. thanks for any info you can provide.
Greg kb2qqm@msn.com

3952. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <37754bf1.3346817@news.tiac.net>
Source record: 82784

I think it's more the chaps who work there or own it. It is not to be
taken as a blanket condemnation of a franchise.
The Mail Boxes Etc I use does an excellent job of packing and I
would not hesitate to send them friends of mine.
73, Dick, W1KSZ

On 25 Jun 1999 22:20:42 GMT, dwight136@aol.com (Dwight 136) wrote:

>WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS
>EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER SUPPLY
>IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT ..WAS
>REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE BUT
>THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND NOT LET
>THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME
>LOCATION

3953. Re: Megacycle GRID DIP METER -On Ebay

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: w1ksz@tiac.net
Message-ID: <37754ca1.3522667@news.tiac.net>
Source record: 82785

Make sure the S/N on the coils match the S/N on the meter. The
wrong coils can throw off the readings quite a bit. A chap in "3" land
stuck me once that way.
73, Dick, W1KSZ

On 25 Jun 1999 23:38:11 GMT, bazzarr@aol.com (Bazzarr) wrote:

>To be honest I wasent sure WHAT this was untill a nice person e-mailed me info
>it!. He also said that the people who read this group would be interested in
>this neat little device. Here is the address to the auction if you would like
>a look see.......
>
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122699224

3954. FA: Eimac 8432 Power Amplifier Tube

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Gene Marcus <mmarcus@hiwaay.net>
Message-ID: <377561A4.2C05DB16@hiwaay.net>
Source record: 82786

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120611007

Thanks for looking,

Gene
mmarcus@hiwaay.net

3955. FS Drake TR4 RV4 with AC4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: nong@webtv.net
Message-ID: <11337-37755BF9-69@newsd-113.bryant.webtv.net>
Source record: 82787

$150 obo plus shipping from 32940; pls e-mail responses

3956. FS: Swan 250 6 meter rig

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: canfield@scci.NET
Message-ID: <199906270105.VAA08590@gdi4.gdi.net>
Source record: 82788

Get on 6 meters w/this classic

Swan 250, 6 meter rig. Good shape and working.
No mic. or manual. $200.00 or obo. Plus shipping.
' 73
Bill

3957. FS: Swan Equipment

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <377585A5.F1745384@cfu.net>
Source record: 82789
Cross-posted to: alt.ham-radio.marketplace,rec.radio.swap,rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

I am posting this notice for Ed, WA9PFB. PSE CONTACT HIM, NOT ME, since
I do not have the equipment or know more than is posted here.

Ed, WA9PFB, has very nice SWAN SS-200, 250C, and TV-2C for sale at good
price. If interested, pse call him weekdays at 217-787-3527.

DON'T CALL OR EMAIL ME! Tks es 73!

3958. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: "Joe D. Bucher" <JoeB@viaduct.custom.net>
Message-ID: <37757B38.4A54@viaduct.custom.net>
Source record: 82790

> their prices are very high also for the same service you'd get at the
> ups counter or post office. best bet is do it yourself. if you have no
> problem setting "ego" aside, go behind a shopping center and peek in the
> dumpsters. chances are you will find all the boxes and packing material
> you could ever need and its all free! all you spend is time packing up
> the gear and tape. i recomend this to all who sell on the web since its
> an endless supply of packing material and it lets us get at least one
> more use out of the bubble wrap and peanuts before they hit a landfill.
>
> feel free to pass this on to the guy who shipped you the collins.
> everybody likes to save money and in reality the only way you know
> something is packed correctly is to do it yourself.
>
> robert cruz
> re-tek (ebay)
> ke4mcl

Great advice Robert! I'm a "dumpster diving devotee" and have
salvaged many wonderfull items along with the packing materials
that I require. My wife thought the practice was horrible untill
I started bringing her presents like unused Christmas cards, sewing
supplies, toys for grandkids, unfinished furniture etc, ...etc.

Joe, KF9EU

3959. Hallicrafters Canadian Models

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: dale brown <dgbrown@wcnet.net>
Message-ID: <37758DE9.5FA7@wcnet.net>
Source record: 82791

I have two distinctive model Hallicrafers receivers, the SC-40B and the SC-77A. They have a reference to the Canadian Ministry of Transportation and fines for unlicensed use. Does anyone know which models of Hallicrafters receivers were made with Canadian "C" letters on the front face? Dale KC2PZ

3960. FS: VIKING 1 KW MATCHBOX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: MindSpring User <blyall@mindspring.com>
Message-ID: <7l44uj$f1d$1@nntp6.atl.mindspring.net>
Source record: 82792

Johnson Viking 1 KW Matchbox with Coupler. In good / very good condition.

$300 plus shipping.

Reply to blyall@mindspring.com
73,
WB4BZG
Atlanta, Ga

3961. Re: Hallicrafters Canadian Models

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-26 00:00:00 UTC
From: Hamish <hamishg@cadvision.com>
Message-ID: <3775a507.0@news.cadvision.com>
Source record: 82793

I'm not sure how many of the Hallicrafters had the "C" in addition to the "S" on the front panel - two I have are the SC77A and the SC38C. My S38 (no suffix) has a metal tag on the chassis proclaiming Rogers Majestic as the Canadian Representative. I also have a 5R100A, a couple of "Continentals" (5R41, 5R32A - this one with miniature tubes strung across the octal socket holes in the chassis) and a 51C1B, all made in Canada.by The Hallicrafters Ltd. Toronto. They all carry the CSA label. The only major difference seems to be the amount of insulation inside the cabinets. Many Canadian built receivers carried the dire warnings of operating said receivers without a licence. I've been told that during the war years (WW II that is) receiver licences were required in most British Commonwealth countries. In fact, they are still required in Britain.
Hamish (in Canada, needless to say)

dale brown wrote in message <37758DE9.5FA7@wcnet.net>...
>I have two distinctive model Hallicrafers receivers, the SC-40B and the
>SC-77A. They have a reference to the Canadian Ministry of
>Transportation and fines for unlicensed use. Does anyone know which
>models of Hallicrafters receivers were made with Canadian "C" letters on
>the front face? Dale KC2PZ

3962. Swap PC for Heath DX-60 transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7l43mt$r1@news.Hawaii.Edu>
Source record: 82794

I have an AST 486SX 33 MHz PC (with 170 MB HD) which I'd like to trade
for a Heath DX-60 A or B transmitter plus HG-10 VFO.

Jeff KH6O

--
Fingerprint Classification Services: A personal copy of your inked
finger impressions utilizing the Henry Classification Formula.

3963. Re: Need Mechanical Counter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: hitubefi@my-deja.com
Message-ID: <7l48j2eao1@nnrp1.deja.com>
Source record: 82795

In article <19990626054802.17085.00003501@ng-cs1.aol.com>,
oldgear@aol.com (OLD GEAR) wrote:
> Looking for a mechanical cam operated counter that is reset capable.a
5-6 digit
> would be OK. Email me the details if you have one.
> Thanks
>
I asked and he doen't want to sell it,might not have been what you
were looking for anyway.Hope you find what you want. >David

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3964. WTD: Manual for Gonset GSB-101 amplifier

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: radiodoc37@aol.com
Message-ID: <19990627010015.08073.00002963@ng-fs1.aol.com>
Source record: 82796

I am looking for a manual and schematics(or copies) for a Gonset GSB101 amplifier. WIll pay expenses
Thanks
Mike N6KYD

3965. FA: PRC-14 UHF Manpack Radio Set, unused & complete

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: ross@hypertools.com
Message-ID: <3775b3e2.45451294@news.willapabay.org>
Source record: 82797

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123428065

3966. Yaesu FR100B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: skip green <sgk7yoo@hbci.com>
Message-ID: <7l4b65$2lim@enews4.newsguy.com>
Source record: 82798

Need manual ,schematic or any info on Yaesu FR100B rx. Also would like to find matching xmtr. This was some of the first gear that Yaesu made and most likely was brought back by a GI in the early 60's .Will purchase or trade parts etc. E mail or call Skip Green at 507 452 4989.

3967. WTB: 450TL DUD MUST BE UNDER VACCUM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990627075501.11022.00003660@ng-fm1.aol.com>
Source record: 82799

need a 450TLdud must be under vaccum thank's del k9fcm

3968. Any Military Radio Swap Groups?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: "J. Murray Neece" <kc5mdm@iglobal.net>
Message-ID: <37761935.BB7B77B6@iglobal.net>
Source record: 82800
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

Hi Tiffanny, I dont really know...but I will fore ward this to the rec.radio.amateur.equipment group and see what we get....73 and good luck...Murray

Jumpmaster, JM-99 wrote:

> Hey fella...
>
> Howdy from Aggieland...I saw your post about the Texas traders net...Do
> you know if there are any "military" radio trade nets for hams? I have
> a PRC-74 HF tranceiver (military) and it only has USB because that's the
> way the military wanted them...:-) Anyway, I'd like to be able to talk
> to other military radio buffs that are hams and thought I'd see if you
> knew of a source or big list of HF nets...
>
> Let me know if you have any info...any help would be greatly
> appriciated!
>
> 73! Gig 'em! :-)
>
> Tiffany -- KJ5GU
>
> J. Murray Neece wrote:
>
> > Join us on 7.235 at 11am central on Sunday for the Texas Traders
> > Net ......and on 3.922 Sunday nite 8PM central for Continental Traders
> > net...Hear the famous "TEXAS TOM" and "Mad Dog MURRAY" keep thier
> > cool to sell your stuff, while 1000s of quarmers and idiots try to get
> > in the way of thier fantastic BIG SIGNALS!! Not to mentions
> > thousands of "on the spot bargains" from the downtrodden radio
> > traders.....plus unique bargains on item only "REAL HAMS" understand
> > and know!! Hurry to buy these things, there are probably only 15-20
> > radios per ham availalble this week but 14 of em arent for
> > YOU!!....THE one that is , will be there somewhere...thanks 73 and
> > HOWDY HOWDY from WEST TEXAS where it will be over 100 degrees by "nap
> > time"...Murray

3969. FS:Vintage gear & parts

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <37761b86.0@wagner.n2.net>
Source record: 82801

```
-- >I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
>Konrad is the treasurer of our local Escondido Amateur Radio Society.
>Shipping zip 92025 CA. Any replies send to Konrad not me please.
>>
>>FOR SALE
>>
>>#1 Henry 2KD Classic 1KW RF Power Amp. Very clean with small
>>scratches on top, works great, but too much for me. With photo copy
>>manual.
>> $ 550.00 Dollars You pick up or
>>pay for shipping
>>
>>#2 2 Hallicrafter Cabinets SX101 Style, hinged top. No dents or holes
>> or deep scratches.
>> $ 35.00 Dollars each
>>
>>#3 Waters Model 359 ComPreAmp Adjustable Compression Amp
>>Designed for Collins gear and with matching colors. It works great with
>>KMW2 and S Line .It`s in good working condition.
>>
>> $ 50.00 Dollars or make offer
>>You pay for shipping.
>>
>>#4 Waters Universal Hybrid Coupler ( Phone Patch ) Also Designed to
>>work with Collins Gear and other Brands no manual , but self
>>explanatory.
>>
>> $ 65.00 Dollars or make offer
>>You pay for shipping.
>>
>># 5 Dynatuner Model FM - 1 Stereo Tube type Works great, but nothing
>>to look at, but it`s all original.
>> $ 50.00 Dollars You pay for
>>Shipping.
>>
>>#6 DynaKit Stereo Pre Amp. Model PAS- 2 Tube Type Only 1 channel
>>Works But same condition as above.
>>
>> $ 50.00 Dollars & you pay for
>>shipping
>>
>
>Please contact Konrad if interested in any items. <n6uko@juno.com>
>>
```

```
---/---
---/---
----/----
-----/-----
```

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW

3970. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <25589-37760F70-5@newsd-232.iap.bryant.webtv.net>
Source record: 82802

Forget abt using them fast buck places for shipping Classic Gear---the best way is ship it your self----If it weights more than 30lbs ship all classic gear in a wooden crate made from 1/4 " plywood etc. u can never replace a damaged Collins , Hallicrafters, etc. once damaged its junk.

3971. FS: YAESU FT-101B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: radioeg@aol.com
Message-ID: <19990627115550.23768.00002465@ng-cf1.aol.com>
Source record: 82803

I HAVE A YAESU FT-101B IN EXCELLENT CONDITION WITH E V 638 MIC.
AND MANUAL FOR $325.00 SHIPPED IN THE US TNX ED K6EG

3972. COLLINS S-LINE (REDUCED)$900.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990627120313.23116.00005784@ng-xa1.aol.com>
Source record: 82804

HERE'S THE DEAL FO THE DAY !!! COLLINS 32S-1 / 75S-1 / 516F-2 POWER SUPPLY
..CABLES,MANUALS SHIPPED $900.00 USA ONLY ....YOU CAN CALL ME @ 252-443-5023
ANYTIME

3973. FS: Johnson T/R switch model 250-39

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Dan Bryden <bryden@deltanet.com>
Message-ID: <37764BC4.BE3F6990@deltanet.com>
Source record: 82805

$55 shipped in conus

3974. FS: E810F/7788

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <3776585b.278359@news.telia.no>
Source record: 82806
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.ham-radio,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew,rec.radio.shortwave,rec.radio.swap,rec.radio.amateur.equipment

Hi,

E810F Siemens and some Mullard for sale. All NOS and NIB. The Siemens are even in sealed boxes. Also E80CC, E80F, E83F, E182CC, E180F/6688, E280F and E282F in stock. Also Telefunken EF 804 NOS, NIB.
Please e-mail me or visit my homepage for details.

Best regards,

Arnold Goksoyr

DEMOSTENES A.Goksoyr N6899 Balestrand - Norway
Tlf.+47 57691340 Fax +47 57691267 http://demostenes.vestdata.no
Valves (tubes), sockets, transformers, books, capacitors and resistors
Svetlana distributor. We ship everywhere in the world.

3975. FS: Hallicraters SX-101A/HT-32A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: "Garry W. Woods" <KB8SGO@email.msn.com>
Message-ID: <uNdRuHMw#GA.283@cpmsnbbsa05>
Source record: 82807

Hallicrafters SX-101A receiver with matching HT-32A transmitter.
$400 plus shipping from Cleveland, TN
Garry (423) 479-3622

3976. wtb triad hs or hsm transformers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990627133508.01835.00004790@ng-fz1.aol.com>
Source record: 82808

im looking for power ,filament,input and output types.will purchase or swap
thanks
michael

3977. Re: WTD: $ INFO-ARC3 TRANSMITTER

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <37766608.7F28B13F@ix.netcom.com>
Source record: 82809

The ARC-3 is a neat rig and worth preserving.
When the P-51D Mustang came to rule the skies
in the Pacific in the closing months of WW-II,
most were fitted with the ARC-3.
The rig saw good service right into the late 60s.

Sadly, it is very under-appreciated because so little has
been published about it. Therefore, you won't get many
direct-offer people who want to pay anything
(Watch out for moochers, though ;-).

If your first concern is recovering your investment,
your best bet is to list it, with a good photo, on Ebay.
If, however, your concern is to see it put to good use,
you can write military-radio-guy@juno.com
and he will pass the word to serious military collectors.
I need one myself but will "pass" this time-
conflict-of-interest since I'm the one writing you ;).

In any case, please don't "modify" it.
I have worked with and studied military gear for many years
and nearly without exception,
"modifications" have been needless and destructive.
The ARC-3 works just fine "as designed."
The engineers who created these units knew what they were doing.
Moreover, there are very few unmodified pieces of WW-II gear left.
Most have been "hammed" in one way or another.
Many of us would like to preserve the undrilled rigs.

Kind Regards,
David Stinson AB5S
arc5@ix.netcom.com

3978. F S SB220 AMP PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990627143846.26286.00004419@ng-cn1.aol.com>
Source record: 82810

I HAVE PARTS FOR SB220 LINEAR

POIWER TRANSFORMER HV $75

FILAMENT CHOKE.....$15

CLEAN CABINET $45
INQUIRE YOUR NEEDS 73 JOHNYK78@AOL.COM

3979. F S 2M 11EL BEAM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990627144147.26286.00004426@ng-cn1.aol.com>
Source record: 82811

I HAVE A USED 11 ELEMENT BEAM LOOKS LIKE CUSHCRAFT

LOOKING FOR LOCAL ON THIS ONE IT IS ASSEMBLED

CAN BE CLEANED UP $25 PICKED UP 73 JOHNYK78

3980. F S ICOM IC4A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: johnyk78@aol.com
Message-ID: <19990627144346.26286.00004428@ng-cn1.aol.com>
Source record: 82812

HAVE A VERY CLEAN IC4AT COMPLETE
IN NEW CONDITION FIRST $95 73 JOHNYK78

3981. Re: Drake TR4-CW/RIT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <20338-37766BB9-33@newsd-233.iap.bryant.webtv.net>
Source record: 82813

Hi Kent---I sent u Email earlier and I tried calling on the fone but couldnt get through. I do want to buy ur Drake Gear Jack K8BVJ

3982. FA Rare Heathkit SB-310 SW Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: myname@rest.net
Message-ID: <37767ad5.29549982@news.gte.net>
Source record: 82814

Nice old Heathkit SB-310 Shortwave receiver, Check it out at.

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123584248

Thanks for looking, Paul

3983. fs: 829/5894 and 2c39 adapters for tube testers

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: gonset@theglobe.com
Message-ID: <7l633g$uk8$1@nnrp1.deja.com>
Source record: 82815

hello i have the following for sale miltary tube socket test adapters
for miltary tubes tester. package includes 2 adapters, one for 829/5894
style tubes and the other for 2c39 style tubes. they convert to common
octal. was used with tv-2 tester, but could be used with any tube tester
(you figure out switch settings) pair $15 plus postage thanks tom

see pix at

http://members.theglobe.com/gonset/adapt.jpg

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3984. FS: SP-600

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: tubepwr813@aol.com
Message-ID: <19990627163125.11257.00006191@ng-cd1.aol.com>
Source record: 82816

Decent shape, works could use a good alignment and going over. Was used by an SWL for years. Does need the main tuning knob as it is missing. I have too many other projects.

$385 Pick up only. Bring more money, I will have a personal boatanchor hamfest for you. Too many other projects.

Chris KX0Y in PA

3985. National Receivers website?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3776918B.738AB5CC@cfu.net>
Source record: 82817

Can anyone point me to a website specializing in National receivers, transceivers, etc.? Many tks es vy 73! Jan N0JR

3986. Re: National Receivers website?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Niel Wiegand <nielw@ix.netcom.com>
Message-ID: <377699E1.ACA11B2F@ix.netcom.com>
Source record: 82818

My website, Radio Bay, dealing with the National Radio Company is at

http://www.io.com/~nielw/index.htm

I've recently added schematics and pictures of National power supplies
and data on AGS, 58C and NC80/81 receivers.

73, Niel

Jan N0JR wrote:
>
> Can anyone point me to a website specializing in National receivers,
> transceivers, etc.? Many tks es vy 73! Jan N0JR

3987. EK070 review

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: MATTEONI Michel <michel.matteoni@worldonline.fr>
Message-ID: <7l693e$1q6$1@mars.worldonline.fr>
Source record: 82819

I search test review of R&S EK070 receiver.

Best regards

Michel F6GZZ

3988. FS Swan 350 $180.00

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: radioleo@earthlink.net
Message-ID: <7l66r5dnu2@birch.prod.itd.earthlink.net>
Source record: 82820

4 Sale Swan 350 tranceiver in good condition, putting out
180 watts with matching power supply, and speaker.
Included is the insturction manual, and a chrome hand held heavy
Turner, exactly like the microphone Turner made for Collins, and they
called it a MM-1.........$180.00 shipped in the US.

Leo KJ6HI Ph/Fax (310) 670-6969

3989. WANTED: Hallicrafters S-40B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Valerie and Scott <valscott@mindspring.com>
Message-ID: <37766C2B.C4E246CD@mindspring.com>
Source record: 82821

Tired of getting outbid on eBay! Looking for Hallicrafters S-40B, in good working order, at least decent cosmetically, for first SWL radio-gotta love those classics!

Scott Anderson
valscott@mindspring.com
Madison, TN USA

3990. FS: Johnson 6 & 2 meter transmitting conv.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Chuck O'Neal <coneal@ultranet.com>
Message-ID: <t8yd3.1147$kL2.89754@ndnws01.ne.mediaone.net>
Source record: 82822
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Good condition overall except missing the panel meter. Front panel and
cabinet
very good with no extra holes, dents, and with all original knobs. (two are
missing
the white round inserts) Looks complete, all tubes present. There is a BNC
connector mounted in the removable crystal cover on the rear. Could be
restored
to very nice condition, or for parts. $40 plus shipping.
regards,
Chuck...K1KW

3991. Test Equipment for Sale - Listings Updated 99-06-26

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: "W.J. Ford Surplus Enterprises" <testequipment@falls.igs.net>
Message-ID: <7l6i9h$bk9$1@news.igs.net>
Source record: 82823
Cross-posted to: misc.industry.electronics.marketplace,rec.radio.amateur.boatanchors,rec.radio.shortwave,rec.radio.swap

We have just updated our on-line listings with all sorts of test equipment, lab equipment, radios etc. You can browse our lists at:

http://www.falls.igs.net/~testequipment

We have also just added a few older radios under the "selected radios category...RA17L system, SP600-JX, AR88D, Sait, etc.

Thanks & regards,
Ron Ford
W.J. Ford Surplus Enterprises
testequipment@falls.igs.net

3992. Re: Drake TR4-CW/RIT

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <19173-3776CC83-43@newsd-231.iap.bryant.webtv.net>
Source record: 82824

Hello Kent---- U there? wake up

3993. FA: Very Rare Kenwood AT-440 Auto Internal Ant. Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <3776D9AA.6AD3AC55@cfu.net>
Source record: 82825
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors,rec.radio.swap

This is the automatic antenna tuner that turns a TS-440 into a
TS-440SAT! SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122987321

Till 6/30. Tks es 73! Jan N0JR

3994. Re: F S 2M 11EL BEAM

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: Ronald Raines <ad4zm@arrl.net>
Message-ID: <7l6n3hiap1@bgtnsc03.worldnet.att.net>
Source record: 82826

Where are you?

Johnyk78 <johnyk78@aol.com> wrote in message
news:19990627144147.26286.00004426@ng-cn1.aol.com...
> I HAVE A USED 11 ELEMENT BEAM LOOKS LIKE CUSHCRAFT
>
> LOOKING FOR LOCAL ON THIS ONE IT IS ASSEMBLED
>
> CAN BE CLEANED UP $25 PICKED UP 73 JOHNYK78

3995. FS: Johnson Viking Ranger I AM/CW Transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-27 00:00:00 UTC
From: larryj@user2.teleport.com
Message-ID: <7l6ntbqrv1@user2.teleport.com>
Source record: 82827

FS: E.F. Johnson Viking Ranger I AM/CW Transmitter. Covers 160 through 10 Meter bands (11 Meters but no WARC), Am and CW modes, 75 watts input. Case is good but could use a repainting, front panel has all original knobs and no extra holes but lettering is fading around knobs and some just general wear places. AC cord needs replacment. A minibox is mounted on the back of the case with some kind of antenna relay. $250 plus UPS.

3996. knight probe

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: sf <mslovjoy@inlink.com>
Message-ID: <3777BEC7.6F3B3F76@inlink.com>
Source record: 82690

I need a probe, complete or parts, for a Knight KG 690 signal tracer.
Anyone have one lying around? Thanks, Howard, N0GYL.

3997. EI9GQ homebrew radio page

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Eamon Skelton <NOSPAMei9gq@nettaxi.com>
Message-ID: <3777ae9b.0@news.digitalfoundry.com>
Source record: 82691
Cross-posted to: rec.radio.amateur.homebrew,rec.radio.amateur.boatanchors,rec.radio.amateur

New pages, new circuits.

www.qsl.net/ei9gq

73, Ed. EI9GQ

--
Eamon 'Ed' Skelton EI9GQ, Cork, Ireland

ANTI SPAM RETURN ADDRESS
Real e-mail address below
ei9gq@qsl.net

EI9GQ home brew radio page
http://www.qsl.net/ei9gq

3998. Re: Question: Where to buy 10" PM speaker & 600 ohm xmfr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: "Edward J. Engelken" <ed_engelken@my-deja.com>
Message-ID: <7l8j87qgg1@nnrp1.deja.com>
Source record: 82692

In article <19990620.212509.-294817.1.NFMK@juno.com>,
nfmk@juno.COM wrote:
> GE to everyone,
>
> I have found a nice enclosure for a speaker to sit along
> side my 75A3. I would like to put a 10" speaker which
> needs to be around 3.5 ohms I believe. Can anyone
> direct me to a source for quality 10 speakers? Also
> curious if there is a source for 600 oihm matching xmfrs.
>
> Thanks in advance.
>
> Doug
>
Doug:

Antique Electronics Supply <www.tubesandmore.com> has a 600-ohm line to 4- and 8-ohm voice coil transformer for $17.25. They state that it was built in response to requests from the "Collins Collectors Association." You can also use an ordinary 12.6 volt filament transformer. With a turns ratio of about 10:1, it will match impedances with a ratio of 100:1. The filament transformer will match your 600-ohm output to about 6 ohms and that will match either a 4- or 8-ohm speaker well enough. Of course, a properly designed audio transformer will have better frequency response but I have used filament transformers and they sound plenty good to me.

--
Best Regards,

Ed

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

3999. Many radio, ham, audio, and tube catalogs FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990628152836.23149.00007326@ng-bh1.aol.com>
Source record: 82693

Many, many, many radio catalogs from the 1930's - 1950's for tube, ham, audio, microphone, transformer, etc. Over on Friday.

Radio, Ham, Audio, and Tube catalogs

4000. Many radio, ham, audio, and tube catalogs FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990628154325.23151.00007098@ng-bh1.aol.com>
Source record: 82694

Many, many, many radio catalogs from the 1930's - 1950's for tube, ham, audio, microphones, transformer, etc. Over on Friday.

Radio, ham, audio, tube catalogs

4001. Re: 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: donrm@sr.hp.com
Message-ID: <7l8jo5$f9u@canyon.sr.hp.com>
Source record: 82695

Alan Price (career1@home.com) wrote:
> Aside from the frequency difference, what are the differences between
> these two great radios? I want to buy one, and I enjoy the general
> coverage frequencies, but I am also a ham. I have a DX-100 in cherry
> shape ready for those AM QSO's.

I've owned them both at one point in my ham life. Both are great receivers.

The 75A-4 was smaller than the A-3 and also sported a "Q-multiplier" notch filter and mechanical passband tuning. (You can emulate this type of PBT on any SW receiver by simultaneously turning the BFO pitch and main tuning so the beat note stays at a constant pitch but moves in the IF passband). The A-4's PBT tuning was quite ingenious, but necessitated a dial drag mechanism to prevent frequency changes while using unless the receiver also had the reduction knob.

The A-4 also enjoyed quite a few user modifications, particularly in the front end to prevent overload and mechanical filter circuit changes.

In choosing an A-4, look for one with a high serial number. You can identify low SNs merely by looking at the front panel: early SNs didn't have the NOISE LIMITER and AM-CW/SSB silkscreening labels lined up horizontally; later models did. Also look for the 4:1 reduction knob - these are selling individually for ridiculous prices. Buying the mechanical filters already installed in the receiver is sometimes cheaper than individually (like the reduction knob).

IIRC, the 75A-3 could be rack-mounted on 19" centers. One of the main things to look for is the hard-to-find 800 cycle CW mechanical filter. One problem the older Collins receivers had was a frequency "burble" when tuning; most of this problem was the grease hardening on the hill-and-dale PTO corrector mechanism, but is easily correctable if you don't mind opening the PTO can. Also, if you can find it, look for the aftermarket Universal Products SSB detector - this plugged into the NBFM adapter socket and incrementally selected sidebands from the front panel. You can recognize this modification as the Collins wing emblem is replaced with a small dial escutcheon.

Great receivers, your choice. However, with my eyes closed, I couldn't tell the difference between the Collins receivers and my Kenwood TS-130, but that was then and this is now...probably the reason they didn't invent the 1999 Ford in 1919. Check out more infomation on the web at http://www.wa3key.com/collins.html

You asked me for the time and I've told you how to build a watch. Sorry for the novella.

73 Don K6LTS
donrm@sr.hp.com

4002. Re: CW Mode questions on FT101EE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: fuse19@aol.com
Message-ID: <19990628164926.25916.00004827@ng-da1.aol.com>
Source record: 82696

does it have a cw filter in it?? del k9fcm

4003. Your QTH is an important consideration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Argus <rlong3@ix.netcom.com>
Message-ID: <7l8oaq$hqm@dfw-ixnews16.ix.netcom.com>
Source record: 82697

Most of this ol' boatanchor stuff is heavy. I am constantly requesting seller QTHs. How about you guys revealing your general area when posting boatanchor ads?

Thanks

4004. Any E.F. Johnson experts out there???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: nc183d@aol.com
Message-ID: <19990628170803.22722.00001150@ng-ch1.aol.com>
Source record: 82698

Hi All,
I would like to know what the difference is between a Johnson Messenger 123 and a 123a. They are both solid-state mobiles. I thought the cabinet was the difference, but I just picked up a 123a with the exact same cabinet as a 123. Are there any E.F. Johnson experts out there that can help with this latest query??
Thanks in advance..
Mark S.

4005. RCA schematic needed

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: speedskate@my-deja.com
Message-ID: <7l908cvma1@nnrp1.deja.com>
Source record: 82699

I am looking for a schematic and/or manual for an RCA TMV-122-B oscilloscope. Thanks.

Mark

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

4006. Re: Your QTH is an important consideration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Gord Skiffington <skiffing@nbnet.nb.ca>
Message-ID: <37783DAD.17CB@nbnet.nb.ca>
Source record: 82700

Super point.....helps me as a Canadian also know whether 500 bux is 500 or 1000 also....

4007. FS****3 NOS 6LQ6 sweep tubes****

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <23771-3778050F-5@newsd-141.iap.bryant.webtv.net>
Source record: 82701
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap,rec.radio.cb

Have 3 NOS 6LQ6 tubes.RCA brand.$25.00 apiece or all 3 for $60.00 + shipping.

73's
Stan (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

4008. FS***Atlas 210,mobile bracket,& DD-6***

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: KF6IKC@webtv.net
Message-ID: <23767-37780467-139@newsd-141.iap.bryant.webtv.net>
Source record: 82702
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.radio.swap

Have a nice Atlas 210 80-10 meter SSB/CW rig. Comes with the DD-6 "Digital Dial" freq.diaplay,slide in mobile mount.and original manual and paper work. Works great.Good starter,mobile,or back up rig. Price is $250.00 obo + shipping.

73's
Stan (530)241-0843

"Since the key to victory can often be found in that instant when the Warrior commits himself,it is important to be neither early nor late.The Warrior uses timing as his fulcrum to victory." Sun Tzu,Way of the Warrior

4009. F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: BOB BIEKER <n9tew@jorsm.com>
Message-ID: <37781ECC.BF53E8F@jorsm.com>
Source record: 82703
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6LX6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 7868 25.00
20LF6 40.00 6HS6 6.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

4010. Re: Any E.F. Johnson experts out there???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Floyd Sense <sentek@sprintmail.com>
Message-ID: <7l97fe$m2s$1@fir.prod.itd.earthlink.net>
Source record: 82704

I believe you're talking about the "Personal Messenger" and not the "Messenger" right? The Messenger was a tube type 10 meter mobile unit. My source of Johnson info does not show two models of the Personal Messenger.

Nc183d <nc183d@aol.com> wrote in message news:19990628170803.22722.00001150@ng-ch1.aol.com...
> Hi All,
> I would like to know what the difference is between a Johnson Messenger 123 and
> a 123a. They are both solid-state mobiles. I thought the cabinet was the
> difference, but I just picked up a 123a with the exact same cabinet as a 123.
> Are there any E.F. Johnson experts out there that can help with this latest
> query??
> Thanks in advance..
> Mark S.

4011. Re: CW Mode questions on FT101EE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Bismarck Wichy <wichy@dallas.net>
Message-ID: <930622562.519.90@news.remarQ.com>
Source record: 82705

Do you hear the audio "side tone". I think that keys up the rig. Been years since I had one but I remember once a transistor went bad in that circuit and I could not get the transmitter to key up even though it would tune up right.

Might want to check your key jack/plug as well - could be dirty...

GUD LUK OM - WD0HCO

In article <37776FD7.A429C191@hawkpci.net>, Craig Novak <crnovak@hawkpci.net> wrote:

>Thank you for reading this.
>
>I recently bought a FT101EE and am getting use to the load and plate
>mode of tuning up the finals.
>
>I have noticed however that after I do the final tune, per the manual,
>and stick in my straight key into the key socket that I am not putting
>out any signal in CW mode. I hear the contact close, but no output.
>
>Would you, the experienced, help enlighten me as to whether this is
>something I dig thru the maintenance manual and troubleshoot, or there
>is something obvious that I have missed and should know.
>
>All help is appreciated.
>
>73s
>
>Craig Novak, WW5E
>
>

4012. FS: BC-610 Plate Transformer

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <37782f37@calwebnnrp>
Source record: 82706
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

For Sale: Original BC-610 plate transformer, cast end bells, 115vac primary. Very heavy, but will ship if person willing to pay the UPS bill. Prefer pickup in Sacramento at my QTH. $85 pick up at QTH. Or $100 plus UPS from 95827 on what ever it weighs (will weigh if no local pickup responds). Extra 15 bux to cover the versapacking and double boxing.

Tnx for the read.

73

Bob, KE6F

4013. Re: F.S TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: NOamradioSPAM@thebizlink.com
Message-ID: <NOamradioSPAM-2806992218210001@207-172-134-94.s94.tnt7.col.md.dialup.rcn.com>
Source record: 82707
Cross-posted to: rec.radio.cb,rec.radio.swap,rec.radio.shortwave,rec.radio.amateur.boatanchors,alt.ham-radio.marketplace
Body handling: HTML body converted to readable text

Turn off the HTML! Plain text works just fine.

In article <37781ECC.BF53E8F@jorsm.com>, BOB BIEKER wrote:

NOS TUBES
Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00 each)
Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)
Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00 6ME6 25.00 6LX6 30.00 30KD6 20.00
6BQ5 9.00 6146W 18.00 6LR6 25.00 6JG6 25.00 7868 25.00
20LF6 40.00 6HS6 6.00 6LB6 20.00 6KD6 32.00 12BY7A 7.00
Used tubes available for 50% of nos price
Other tubes are available ,click here for more tubes and information ,
Email me at n9tew@jorsm.com

NOS TUBES

Matched pair of 6JS6C tubes and a 12BY7A driver 70.00 .(35.00
each)

Matched pair of GE or RCA 6JB6A and a 12BY7A driver 36.00 (18.00 each)
(SYLVANIA 40.00 m/p)

Centron 811 (usa) 20.00 each (matched pair or quads)

6LQ6 35.00 6LF6 40.00
6ME6 25.00 6LX6 30.00 30KD6 20.00

6BQ5 9.00 6146W 18.00
6LR6 25.00 6JG6 25.00 7868
25.00

20LF6 40.00 6HS6
6.00
6LB6 20.00 6KD6 32.00 12BY7A 7.00

Used tubes available for 50% of nos price

Other tubes are available ,click
here for more tubes and information ,

Email me at n9tew@jorsm.com

4014. FS: Drake 2A with 2AQ/speaker unit

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <377830c8@calwebnnrp>
Source record: 82708

For Sale: Drake 2A receiver with 2AQ Q Multiplier/Speaker box. Unit works well, has a few nicks and the chassis has the usual level of copper cruds. There are a few paint chips on the front panel, but not too large. Overall an average to above average drake combo. The 2AQ is not available as a seperate item at this time. $160 for the two items plus UPS on 15 lbs from 95827. I will pay for the versapack.
Tnx for the read.

73

Bob, KE6F

4015. Re: Any E.F. Johnson experts out there???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Retrocom <Dave@Retrocom.com>
Message-ID: <#fQfmpcw#GA.200@cpmsnbbsa03>
Source record: 82709

I am definitely not an expert, but f.y.i. there was also a Messenger 123b, the difference being a switch on the back for setting positive or negative ground operation. This was in 1975.

73's
Dave

Nc183d <nc183d@aol.com> wrote in message news:19990628170803.22722.00001150@ng-ch1.aol.com...
> Hi All,
> I would like to know what the difference is between a Johnson Messenger 123 and
> a 123a. They are both solid-state mobiles. I thought the cabinet was the
> difference, but I just picked up a 123a with the exact same cabinet as a 123.
> Are there any E.F. Johnson experts out there that can help with this latest
> query??
> Thanks in advance..
> Mark S.

4016. FS:KWM-2/312B4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: your name here <Jarc@pacbell.net>
Message-ID: <377840FF.237BF547@pacbell.net>
Source record: 82710

For Sale,Very nice KWM-2,(WE)312B-4, 516F-2. $750.00(obo) plus shipping.
Reply via email..MJ

4017. FA: Hard-to-Find Kenwood AT-440 Automatic Internal Antenna Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <37784612.8B4A45AD@cfu.net>
Source record: 82711
Cross-posted to: rec.radio.amateur.equipment,rec.radio.amateur.boatanchors

For the TS-440S. SEE--
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122987321

Till 6/30. Tks es 73!

4018. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <3777939F.606E@ix.netcom.com>
Source record: 82712

It used to be that by international treaty, the larger
vessels operated by shipping companies were required to
have auto-alarm receivers.. these monitored the
500 KHz distress frequency and would trip an alarm
on board the vessel if it detected the standard
auto-alarm signal -> 4 seconds of continuous carrier
followed by a 1-second space. I forget how many of
these 4-second transmissions would set off an
autoalarm receiver, but I don't think I would want to
try it. There may still be many vessels that have
this equipment and will keep it working until
the International Telecommunications Union (ITU)
in Geneva notifies everyone that autoalarm equipment
is no longer mandated. This MAY have happened by now,
but I have not kept up with the latest developments.

Various countries may scale-back the use of morse
code in various manners and by various timetables..

Trish

hsynovetz9587@my-deja.com wrote:
>
> > Yes, the later variants of the gibson girl also have
> > 8364 KHz in addition to 500 KHz, but... is anyone
> > listening/monitoring these freq's anymore ??
> >
> > I don't think the USCG is ...
>
> Interesting...I've wondered about the legalities of cranking one of
> these up for test/hobby purposes. No wonder all those black helicopters
> around my neighborhood.>
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.

--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F

This key is RSA, NOT Diffie-Hellman !!

4019. 67KHZ Sub Cxr Receiver F/S

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: soundimp@pobox.com
Message-ID: <3776bd00.11475065@news.nstar.net>
Source record: 82828

I have a very RARE Sub Cxr Rcvr for sale or trade.... It was
the very first Table Top Rcvr ever made and one of the first off
the production line at Johnson Electronics... I was VP of
Marketting and saved it when they went bust. This is a one of
a kind from the 50's.... Bob K1JNN/5

----------== Posted via Newsfeeds.Com, Uncensored Usenet News ==----------
http://www.newsfeeds.com The Largest Usenet Servers in the World!
------== Over 73,000 Newsgroups - Including Dedicated Binaries Servers ==-----

4020. Re: F S SB220 AMP PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: edkb2nsp@aol.com
Message-ID: <19990627203803.18157.00003616@ng-fu1.aol.com>
Source record: 82829

Howdy John
I'm interested in that filament choke if it's still available !

Ed K.
Ed KB2NSP @ AOL

4021. Re: F S SB220 AMP PARTS

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: edkb2nsp@aol.com
Message-ID: <19990627203954.18157.00003617@ng-fu1.aol.com>
Source record: 82830

Howdy John
I'm interested in the SB220 filament choke if it's still available.

ed K.
Ed KB2NSP @ AOL

4022. FS Lafayette 6/mtr am

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: pstringy@aol.com
Message-ID: <19990627204246.02419.00001502@ng-bk1.aol.com>
Source record: 82831

Model HE45B. Good condition good cosmetics. Comes with manual and power cord, no mic. $50 plus shipping.

4023. Galaxy 3 HF Tranceiver $245

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <37773B3F.79BC@ix.netcom.com>
Source record: 82832
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

I have a Galaxy 3 HF tranceiver and Matching Speaker/Power supply.
This is a SSB 180 watt output rig that covers 20 40 and 80.
It's in good condition and and on the air. Comes with mic. $245
73 Chris VE3NGW/W4 Florida

4024. Trade half dozen Motorola HTs for a Heath DX-60B manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7I74bp$7fa@news.Hawaii.Edu>
Source record: 82833
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I'm going to try to build a DX-60 transmitter (just the CW portion) from just the manual. I have a half dozen Motorola Expo HTs, crystalled at 138 MHz in as-is condition to swap for the manual. (Since this is trade is so lop-sided, I'll ask you to pay the shipping on the HTs -- should be about $6 via Priority Mail.)

Jeff KH6O

--
Buy my Nevada house: www.homeseekers.com, enter "Minden", click on "Carson", click on "Search Homes", enter Zip: "89423", Street: "4th", click on photo.

4025. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: John Miller <mcmiller@netboise.com>
Message-ID: <377738AD.B608AA75@netboise.com>
Source record: 82834

Bear is VERY CORRECT, A few years back I was shipped a NOS R-1051 receiver. Anyone knows thes are HEAVY BA's (only two) Anyway MBE shipped and UPS was the carrier and it was dropped by the UPS driver in front of my wife's office staff on the concrete. (Now tell me those teamsters don't have hand trucks) especially for 90+ lbs items) They also ran a fork through the side. Radio was packed in original military shipping box. UPS wanted me......get this to "take it to Radio Shack" to see if they could repair. Needless to say I got a refund way down the road, but it was a headache. BEST TO PACK YOURSELF.

73

John

Bear wrote:

> x-no-archive: yes
>
> I am afraid that I may have some very bad news for you. If your Collins
> gear was shipped via U.P.S. I can almost guaranty you that they will not
> honor the damage claim. Anything that is not double boxed gets denied by
> U.P.S. these days. If this happens, I suggest that you sue M.B.E. in
> Small Claims Court.
>
> As an additional little F.U., you are not the legal shipper.....M.B.E.
> is. The shipping company will not even talk to you. Everything from now
> on will have to go through M.B.E.
>
> I learned this lesson the hard way a few years ago. I will NEVER use a
> third party shipping agent. You have absolutely ZERO control when
> things go wrong.
>
> Good luck!
>
> ....73.........Bear........

4026. CW Mode questions on FT101EE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Craig Novak <crnovak@hawkpci.net>
Message-ID: <37776FD7.A429C191@hawkpci.net>
Source record: 82835

Thank you for reading this.

I recently bought a FT101EE and am getting use to the load and plate mode of tuning up the finals.

I have noticed however that after I do the final tune, per the manual, and stick in my straight key into the key socket that I am not putting out any signal in CW mode. I hear the contact close, but no output.

Would you, the experienced, help enlighten me as to whether this is something I dig thru the maintenance manual and troubleshoot, or there is something obvious that I have missed and should know.

All help is appreciated.

73s

Craig Novak, WW5E

4027. Re: FS: Hallicraters SX-101A/HT-32A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: cartercook@aol.com
Message-ID: <19990628094721.10460.00006614@ng-ca1.aol.com>
Source record: 82836

Hi Garry:

What shape are the rigs in cosmetically? Are both operable? Do you hv manuals?

Carter
W5URW

>Hallicrafters SX-101A receiver with matching HT-32A transmitter.
>$400 plus shipping from Cleveland, TN
>

Carter Cook

4028. Re: Question: Where to buy 10" PM speaker & 600 ohm xmfr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Chip <veresc@my-deja.com>
Message-ID: <7l842gjik1@nnrp1.deja.com>
Source record: 82837

In article <19990620.212509.-294817.1.NFMK@juno.com>,
nfmk@juno.COM wrote:
> GE to everyone,
>
> I have found a nice enclosure for a speaker to sit along
> side my 75A3. I would like to put a 10" speaker which
> needs to be around 3.5 ohms I believe. Can anyone
> direct me to a source for quality 10 speakers? Also
> curious if there is a source for 600 oihm matching xmfrs.
>
> Thanks in advance.
>
> Doug
> The 600 ohm xfmr (if needed) is also at RS as a 70-volt line to speaker xfmr.
Check to see if the rig has a 4 ohm output, then to xfmr is needed.
Chip

--
C. Veres

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

4029. WTB HG-10 VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <930584890.913.90@news.remarQ.com>
Source record: 82838

Looking for HG-10 VFO. Need not be working. Cabinet must be in good shape.

Thanks - WD0HCO

4030. Re: FS: Johnson T/R switch model 250-39

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-28 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3777C909.5013@ix.netcom.com>
Source record: 82839

Dan Bryden wrote:
>
> $55 shipped in conus
Dan did you get my earlier message. I'll take it. 73 Chris

4031. FS: 100 MICROAMP METERS $15 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2906991153160001@murphy1.cts.com>
Source record: 82640
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.radio.shortwave

PANEL MOUNT 100 MICROAMP METERS:

NEW, WITH MEATAL CASE AND MISC PARTS. $15 EA. 5 FOR $60

PIC AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

4032. FS: TUNABLE HF PRE AMPS $12 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2906991154550001@murphy1.cts.com>
Source record: 82641
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

HF PRE AMPS. SOLID STATE. LOADED WITH PARTS, VAR. AIR CAP, COIL, POWER SUPPLY, RELAY, ECT. $12 EA.

5 FOR $45

PIC AT: \

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

4033. FS: CX-11016 CABLES FOR GRC-106

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2906991201420001@murphy1.cts.com>
Source record: 82642
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors,alt.military.collecting

CX-11016 6 FOOT INTERCONN CABLE FOR GRC-106 (RT TO AMP EXTENTION CABLE)

NEW COND. $28 EA.

PIC AT:

http://209.239.34.153/murphyjunk/COMM_ITEMS

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

4034. Re: FA: Hard-to-Find Kenwood AT-440 Automatic Internal Antenna Tuner

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: wz1u@aol.com
Message-ID: <19990629152420.16897.00004367@ng-fw1.aol.com>
Source record: 82643

You seem to think its made out of GOLD ! Everyday you list the countdown of remaining days on E-bay......If its so rare as you claim, then don't worry about....I guess its not showing much interest on E-bay.......Or your not getting $$$$ what you thought it was worth........

4035. FA Johnson Ranger

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: bobco@i
Message-ID: <37791eec.34103225@news.i-2000.com>
Source record: 82644

FA..Johnson Ranger Take a Look
E-bay Item# 124457415

4036. help with TE-18 gdo

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: alkrol@Mars.mcs.net
Message-ID: <7lb7uo$1ces$1@Mars.mcs.net>
Source record: 82645

found a nice gdo with all coils at a yard sale but the tube is missing!
whatever it was took a 7 pin socket.
its about 10" high with a white face and sort of V shaped with a
model number TE-18 and was made in japan,anyone else have one?

4037. Wanted: Heath HW-18-1 or 3 mobile SSB 2 channel xcvr

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990629.150232.-3748135.3.NFMK@juno.com>
Source record: 82646

Wanted: Heath HW-18-1 mobile SSB 2 channel xcvr for 75 meters
and the HW-18-3 for 160 meters.

4038. For Sale: Heath SB-104, SB-614, HP-1144, etc.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: nfmk@juno.COM
Message-ID: <19990629.150232.-3748135.2.NFMK@juno.com>
Source record: 82647

For Sale:

Heath SB-104 (may be an "A" model). Unit has both filters and noise blanker installed. Great operation on all bands. Requires 13.6 V DC to operate. Has both 100W and 1W (true QRP) modes. Clean, non-smoker, beautiful aesthetics.
Low air time. $350 plus shipping from 70806.

Heath SB-614 monitor scope. Clean & looks as new. $175 plus shipping from 70806.

Heath HP-1144 power supply designed for above 100W transceiver. 20 amp capacity. Inside dusty, outside is perfect. Overall 9/10. Low air time. $150 plus packaging and shipping from 70806.

One pair of Kenwood TR7600 2m transceivers, mobile mounting brackets for both, mics. Up for trade.

73, Doug

4039. DRAKE STUFF..

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Jerry Benson <jerryb@greenapple.com>
Message-ID: <7lb7b3$op6$1@news2.ee.net>
Source record: 82648

Hello, I have a T4X/R4 combo that could use some TLC. Not parts radios, but a real fun project. $200 FIRM and you ship.

Thank you,

Jerry (K1OU)

4040. MORE DRAKE STUFF

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Jerry Benson <jerryb@greenapple.com>
Message-ID: <7lb7guopf1@news2.ee.net>
Source record: 82649

Also I have for sale an RV4/C. works well, but case needs help, but no dings and a paint job will fix it. And did I mention that the faceplate looks good??

C-ya

Jerry (K1OU)

4041. Re: FA Rare Heathkit SB-310 SW Receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: jeffreyh@Hawaii.Edu
Message-ID: <7Ib909$bci@news.Hawaii.Edu>
Source record: 82650

news.gte.net>, Bob <myname@rest.net> wrote:

>Nice old Heathkit SB-310 Shortwave receiver, Check it out at.
>http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123584248
>Thanks for looking, Paul

Hi Paul or Bob or whatever your name is. What makes it rare? Do you have the actual figures available which state how many kits were sold and how many 310's still exist?

Why are you trying to disguise your gte.net address?

Jeff KH6O
--
Looking for a Nevada house? www.homeseekers.com, enter "Minden", click on "Carson", click on "Search Homes", enter Zip: "89423", Street: "4th", click on photo.

4042. FA on ebay: Rare Icom EX-106 FM unit (for Icom 551/551D 6 meter rig)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7lb95q$oj7@dfw-ixnews17.ix.netcom.com>
Source record: 82651
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I've placed a RARE Icom EX-106 FM unit for auction on ebay. Go to

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=124553396

to participate or view the auction.

73
Steve KU9C

4043. FA: Kenwood PG-2W DC power cord

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7lb9jm$ors@dfw-ixnews17.ix.netcom.com>
Source record: 82652
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I've placed a Kenwood PG-2W DC power cord for auction on EBay:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=124536567

4044. FA on EBAY...Kenwood HMC-2 VOX/Boom mic headset

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Steven Wheatley KU9C <ku9c@ix.netcom.com>
Message-ID: <7lb9cm$ood@dfw-ixnews17.ix.netcom.com>
Source record: 82653
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I've placed a Kenwood HMC-2 vox/boom headset for HT's on ebay:

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=124538437

4045. Re: 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: mccrk@aol.com
Message-ID: <19990629164825.28993.00006044@ng-cj1.aol.com>
Source record: 82654

If you enjoy general coverage, why not get a 51J-4 instead. It covers all frequencies from 500khz to 30 mhz and has the mechanical filters as well as a crystal filter. And it has the 1 khz calibration, same as the 75A4 which, of course, is a ham band-only receiver.

W3DEF

4046. AC-1 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Bis Wichy <wichy@dallas.net>
Message-ID: <930689550.228.61@news.remarQ.com>
Source record: 82655

Hi,

Does anyone have a schematic to a Ameco AC-1 ?

This was a 2 tube - 7 watt 80/40 CW transmitter using a 6X5 and 6L6 (I believe). Would like to try and build one... saw one on eBay for $300 (Item #123364440) but I think I could build one for much less than that...

Thanks -B

4047. Please change my address

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: akaplan@fallschurch.ESys.COM
Message-ID: <377930DB.65B83AD7@fallschurch.esys.com>
Source record: 82656

Brian, please excuse the cross-posting, this time!
Please change my list subscription to
w1ael@mindspring.com
because I am not here after 30 June! Thanks & 73 de W1AEL

--
The contents of this message are non-proprietary. I do not speak for the
company. Never did.
Allan H. Kaplan, Staff Engineer, Raytheon Systems Company 'till 30 June
1999
7700 Arlington Boulevard, MS A404, Falls Church, Virginia 22042
703-560-5000, x4717 voice-mail. 703-208-1259 facsimile

4048. CRAP-ACITORS NEEDED, four 100uF@ 350 or higher

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: tubecntral@aol.com
Message-ID: <19990629175219.08071.00004598@ng-fs1.aol.com>
Source record: 82657

Hi, need four SAME tubular electrolytic radial-style cans, they are about three inches long, and about an inch diameter...should be ready to pop in
(while I'm wearing goggles!) and go..
(in other words, FORMED!) please let me know if you have four exact...
100 mfd @ 350 or above....

Thank you,
Joe Pratt, Tubecntral@aol.com

4049. Please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: w5usm@flash.NET
Message-ID: <37794292.C69C12E0@flash.net>
Source record: 82658

How does one subscribe?

Thank you,

Bill Smith in Sachse, TX

4050. FS: Heath AT-1 and AC-1

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: wb0poz <wb0poz@cwix.com>
Message-ID: <7Hbe3.105$HF4.13995@news.cwix.com>
Source record: 82659

Very nice, unmodified, and working Heathkit AT-1 for sale - $ 165 + shipping from 21771

Very nice unmodified Heathkit AC-1 antenna coupler ------- $ 75 + ditto

Both are in excellent cosmetic condition and are the early versions. THe AT-1 has a few scratches on the front panel. No corrosion, holes, or "ham special" improvements.

Thanks and 73 - John

4051. FS:300 mixed tubes. Going, going, gone!!!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: bendowers@aol.com
Message-ID: <19990629194418.25163.00005233@ng-ff1.aol.com>
Source record: 82660

For sale now at Ebay. 300 mixed tubes, now!!! (6-29-99) High bid only $27.00.
Don't let this get by you.
Go To:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123519217

Don't forget to click on seller's other auctions. Also available 100 mixed, and
200 mixed tubes.

4052. WTB: 6KC FILTER FOR 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: BUCKY BADGER <K9VDD@ITIS.COM>
Message-ID: <7lbnpd$8ih$1@news.itis.com>
Source record: 82661

I AM LOOKING FOR A 6KC FILTER FOR MY 75A4 RECEIVER.

4053. HT-32 and HT-32B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Bob Rinaldi <w1cny@ziplink.net>
Message-ID: <37796806.B12E2C07@ziplink.net>
Source record: 82662

Hi: Can anyone let me know what the difference is in these two
transmitters?
Thanks,
Bob, W1CNY

4054. 101D Tube Test Settings For TV-7D

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Bill M <grundig@att.net>
Message-ID: <37797124.A7DD15C1@att.net>
Source record: 82663
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.amateur.equipment,rec.audio.tubes

Hi:

Does anyone have the settings to test a 101D tube on a TV-7D/U tester?

Thanks
Bill

4055. 1999 Fingerlakes NY Hamfest and Fly-In

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Mike <ma@lightlink.com>
Message-ID: <37797593.2520BC37@lightlink.com>
Source record: 82664

1999 Fingerlakes Hamfest and Fly-In
Tompkins County Airport
Brown Road, Ithaca, NY
Near the Intersection of Rte 13 and Warren Road
Talk-In via 146.970- Repeater (Ithaca, NY)

Our new location offers:
- Huge airplane hangar with plenty of indoor space
- Breakfast and lunch starting at 6:30
- VE testing onsite (pre-registration preferred)
- New equipment dealers
- Paved flea market and parking areas
- Friday evening setup available
- Handicapped accessible

Admission: $5 door, $4 advanced
(no advanced tickets after July 31, 1999)

Pilots: Fly in to our Hamfest!
- Tower: 119.60
- ITH VOR 111.80
- ATIS 125.175
- Unicom 122.95

For more info contact:
- Rich Spingarn AA2UP, richard@eagleprint.com
- Dave Flinn W2CFP, dave@starrflinn.com

Sponsored by the Tompkins County Amateur Radio Club
On the web at http://compcenter.com/~tcarc/

4056. UPS Shipping damage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: clyde edgar <cedgar@pacificnet.net>
Message-ID: <37797396.2ED04EA0@pacificnet.net>
Source record: 82665
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

I recently received a radio that was packed and shipped by UPS but arrived with the top lid bent so it sticks up about an inch. . It was packed very well in molded foam and no damage was apparent on the box. What I think happened is it was packed upside-down for some reason, the lid flopped open and caught on the solid foam packing when it was inserted into the box. The box was insured , can somebody tell me what the procedure is to contact UPS? or is there a FAQ on this ? Any help sincerely appreciated. Tnx es 73's Clyde- WA6DCM

4057. WTB: Collins 32S-1 Crystal Set

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: clyde edgar <cedgar@pacificnet.net>
Message-ID: <3779787D.EECC664F@pacificnet.net>
Source record: 82666
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

I'm looking for a set of the following S/Line / KWM-2 Crystals. Please email me direct (cedgar@pacificnet.net) if you have a spare set or a partial set for sale or have any recommendations as to a crystal manufacturer. Tnx es 73's Clyde -WA6DCM

CRYSTAL OPERATING PART
FREQUENCY FREQUENCY NUMBER
* 6555.000 3.4- 3.6 290-9009-00
* 6755.000 3.6- 3.8 290-9010-00
* 6955.000 3.8- 4.0 290-9011-00
* 10155.000 7.0- 7.2 290-9027-00
* 10355.000 7.2- 7.4 290-9028-00
* 8577.500 14.0-14.2 290-9062-00
* 8677.500 14.2-14.4 290-9063-00
* 8977.500 14.8-15.0 290-9066-00
* 12077.500 21.0-21.2 290-9097-00
* 12177.500 21.2-21.4 290-9098-00
* 12277.500 21.4-21.6 290-9099-00
* 15827.500 28.5-28.7 290-9201-00

* Crystals supplied with equipment.

4058. Re: Your QTH is an important consideration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: JEP <peitsch@concentric.net>
Message-ID: <7lbvj4$5c2@chronicle.concentric.net>
Source record: 82667

What difference would that make (call letters) ?

Jack Bucchieri wrote in message
<22754-3778A5C1-1@newsd-231.iap.bryant.webtv.net>...
Its also nice to know if the guy is a Ham with call letters

4059. Re: 1999 Fingerlakes NY Hamfest and Fly-In

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Peter Gottlieb <peter_gottlieb@email.msn.com>
Message-ID: <OZJJScqw#GA.213@cpmsnbbsa05>
Source record: 82668

So, what date are you thinking of?

Mike <ma@lightlink.com> wrote in message
news:37797593.2520BC37@lightlink.com...
>
> 1999 Fingerlakes Hamfest and Fly-In
> Tompkins County Airport
> Brown Road, Ithaca, NY
> Near the Intersection of Rte 13 and Warren Road
> Talk-In via 146.970- Repeater (Ithaca, NY)
>
> Our new location offers:
> - Huge airplane hangar with plenty of indoor space
> - Breakfast and lunch starting at 6:30
> - VE testing onsite (pre-registration preferred)
> - New equipment dealers
> - Paved flea market and parking areas
> - Friday evening setup available
> - Handicapped accessible
>
> Admission: $5 door, $4 advanced
> (no advanced tickets after July 31, 1999)
>
> Pilots: Fly in to our Hamfest!
> - Tower: 119.60
> - ITH VOR 111.80
> - ATIS 125.175
> - Unicom 122.95
>
> For more info contact:
> - Rich Spingarn AA2UP, richard@eagleprint.com
> - Dave Flinn W2CFP, dave@starrflinn.com
>
> Sponsored by the Tompkins County Amateur Radio Club
> On the web at http://compcenter.com/~tcarc/

4060. FS JOHNSON PANEL REFINISH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Dee Almquist <w4pnt@rica.net>
Message-ID: <Ssge3.89$O3.7563@news12.ispnews.com>
Source record: 82669
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio

Hello All
My new paint shop is now operational & I am offering restoration of your JOHNSON RANGER panel, bezel, & cabinet to better than factory original finish in original looking Johnson colors including the unique green silk screening. Materials are the new Dupont paint system (I am doing ONLY Rangers at this time)
The cost is $250. (+shipping)
Regards
Dee, W4PNT
w4pnt@rica.net
Dee Almquist, 534 W. Main St. Waynesboro, Va. 22980 Ph:(540)249-3161 fax:(540)249-5064 Cell:(540)471-7023

4061. WTB Johnson T-R Switch

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3779BEFD.1166@ix.netcom.com>
Source record: 82670
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Anyone want to sell one??

4062. WTB Johnson 500

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Bob Maser <w6tr@mindspring.com>
Message-ID: <7lc7oe$5t6$1@nntp6.atl.mindspring.net>
Source record: 82671

Looking for a top condition Viking 500. Will pay top bucks if the radio is what I want. Also looking for a Valiant. Call me anytime at 909-789-4110 or E Mail me.
Thanks,
Bob W6TR
Riverside CA

4063. WTB : Mini Lathe and Mini milling machine

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: k6hm <k6hm@wenet.net>
Message-ID: <3779B159.38FBBD8D@wenet.net>
Source record: 82672

Hi,
I am looking for mini lathe and milling machine for small radio parts fabrication. Anybody has these machine, please e-mail me. Thanks.
de K6hm
Young

4064. Re: WTB : Mini Lathe and Mini milling machine

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <3779BE6F.4548@ix.netcom.com>
Source record: 82673

k6hm wrote:
>
> Hi,
> I am looking for mini lathe and milling machine for small radio parts
> fabrication. Anybody has these machine, please e-mail me. Thanks.
> de K6hm
> Young

Also keep in mind that what you want will be perfect for
firearms work for Y2K !! :-)

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

4065. FS: Tube caddy full of tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37781248.9467370@news.earthlink.net>
Source record: 82713
Cross-posted to: rec.audio.tubes,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

For sale:

Sylvania Tube caddy full of tubes in very good, solid condition.
All original handle, metal corners and latches intact and only has a
few minor tears in the vinyl covering.

Total of 158 tubes inside.

Most tubes are new and in box, plus a few loose tubes as follows -

Total of 158 RCA, G.E. and Amperex tubes including types such as
6DC6GA, 6L6GB, 6V6GTA, 21LU8, 12AX7, 12AU7, 6C4, 12X4, 2E26, 6SN7GT,
12SN7GT, 12BY7A, 6GY6, 3DJ3, 6HF8, 6GH8A, 6BL8, 25EH5, 5Y3GT, 35Z5GT,
6K6GT, 6SC7, 6EW6 etc.

All in excellent condition. 20#

Will sell for $100.00 plus shipping

4066. FS: More nice audio tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <3778163a.10477502@news.earthlink.net>
Source record: 82714
Cross-posted to: rec.audio.tubes,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

For sale:

RCA 6CA7 / EL34 Pair, New In Boxes $20.00
(for 2)

Sovtek 6L6GB Pair, New in Boxes $15.00
(for 2)

Amperex 12AX7A Pair, New in Boxes $12.00
(for 2)

G.E. 6BQ5/EL84, Quad (4) New in Boxes $20.00
(for 4)

G.E. 12AX7/ECC83, Pair, New in Boxes $10.00
(for 2)

G.E. 6GH8A, set of 5 new in boxes & carton $10.00
(for 5)

Amperex 12BY7A/12BV7/12DQ7, set of 5 new in boxes & carton. $10.00
(for 5)

Shipping additional.

E-mail to make arrangements

4067. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: bmiller@neosoft.com
Message-ID: <377914a0.34310802@fullnews.neosoft.com>
Source record: 82715

John Miller <mcmiller@netboise.com> wrote:

>Bear is VERY CORRECT, A few years back I was shipped a NOS R-1051 receiver.
>Anyone knows thes are HEAVY BA's (only two) Anyway MBE shipped and UPS was
>the carrier and it was dropped by the UPS driver in front of my wife's
>office staff on the concrete. (Now tell me those teamsters don't have hand
>trucks) especially for 90+ lbs items) They also ran a fork through the side.
>Radio was packed in original military shipping box. UPS wanted me......get
>this to "take it to Radio Shack" to see if they could repair. Needless to
>say I got a refund way down the road, but it was a headache. BEST TO PACK
>YOURSELF.
>
>73
>
>John
>
>Bear wrote:
>
>> x-no-archive: yes
>>
>> I am afraid that I may have some very bad news for you. If your Collins
>> gear was shipped via U.P.S. I can almost guaranty you that they will not
>> honor the damage claim. Anything that is not double boxed gets denied by
>> U.P.S. these days. If this happens, I suggest that you sue M.B.E. in
>> Small Claims Court.
>>
>> As an additional little F.U., you are not the legal shipper.....M.B.E.
>> is. The shipping company will not even talk to you. Everything from now
>> on will have to go through M.B.E.
>>
>> I learned this lesson the hard way a few years ago. I will NEVER use a
>> third party shipping agent. You have absolutely ZERO control when
>> things go wrong.
>>
>> Good luck!
>>
>> ....73.........Bear........
>
>

I worked in the U.S. Post Office one summer. Packages were **always**
tossed, thrown or heaved. Rarely did anyone carefully pick up a
package, and set it down gently.

Always overpack. Assume your package will be abused.

Bob
n5ahy

4068. Re: Ham-BoatAnchors Digest V99 #163

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: lsteeno@execpc.COM
Message-ID: <37782700.61D79D4C@execpc.com>
Source record: 82716
Body handling: HTML body converted to readable text

please unsubscribe me.
thank you.
Larry Steeno

Ham-BoatAnchors Mailing List and Newsgroup wrote:

> Ham-BoatAnchors Digest Sat, 26 Jun 99 Volume 99 : Issue 163
>
> Today's Topics:
> "Gibson Girl" WW II emergency radio transmitter
> "LQQK " SET OF (6) NEW "N" CONNECTORS
> 3E29 TUBES / SOCKETS
> 6KD6 Tubes
> Attention DIYers
> BAMA website (2 msgs)
> BEWARE OF MAIL BOXES ETC. SHIPPING (3 msgs)
> BoatAnchors A Bunch
> BUY YAESU FT 736R
> cmsg cancel <004601bebd7f$3c4f9fa0$c23929cf@default>
> Collins 75A-1 for sale
> Ebay- Batteries for FT-51R & TH-79A
> Ebay- Neat Globe Chief Deluxe/DX-150 SW Rcvr!
> Ebay- Regency HR-2A FM Mobile w/Extras
> FA: Variac, RCA Iso tran, RCA Volt meter, Ammeter
> FS: Original HRO-50 T1 manual
> FYI: BoatAnchors A Bunch
> HC-10 Manual
> Megacycle GRID DIP METER -On Ebay
> MILLER COILS
> Need 11 pin connector
> OLD TUBES (2 msgs)
> OLD TUBES - the following tubes are available.doc (1/1) (2 msgs)
> Radio Tubes Clearance
> RCA 828 TUBES
> SCR522 (2 msgs)
> VU METERS
> Wanted: Clegg Venus Alignment Data
> WTB: 6 KC FILTER FOR 75A4
> WTB W.E. 1kw transmitter
>
> Send Replies or notes for publication to:
> Send subscription requests to:
> Problems you can't solve otherwise to brian@ucsd.edu.
>

> Archives of past issues of the Ham-BoatAnchors Digest are available
> (by FTP only) from ftp.UCSD.Edu in directory "mailarchives/ham-boatanchors".
>
> We trust that readers are intelligent enough to realize that all text
> herein consists of personal comments and does not represent the official
> policies or positions of any party. Your mileage may vary. So there.
> Loop-Detect: Ham-BoatAnchors:99/163
> --
>
> Date: Fri, 25 Jun 1999 19:31:33 GMT
> From: hsynovetz9587@my-deja.com
> Subject: "Gibson Girl" WW II emergency radio transmitter
>
> > Yes, the later variants of the gibson girl also have
> > 8364 KHz in addition to 500 KHz, but... is anyone
> > listening/monitoring these freq's anymore ??
> >
> > I don't think the USCG is ...
>
> Interesting...I've wondered about the legalities of cranking one of
> these up for test/hobby purposes. No wonder all those black helicopters
> around my neighborhood.>
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
> .
>
> ------------------------------
>
> Date: 26 Jun 1999 02:51:43 GMT
> From: jllkb2tee@aol.com (JLLKB2TEE)
> Subject: "LQQK " SET OF (6) NEW "N" CONNECTORS
>
> Set of (6) six "N" Connectorsas shown BRAND NEW !! Totle Dutch Auction is (3)
> sets of (6) pieces !!COME AND SEE THEM
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=123
> 007919
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 15:56:34 GMT
> From: bobm@istal.com
> Subject: 3E29 TUBES / SOCKETS
>
> FOUR NEW RCA 3E29 TUBES WITH CERAMIC SOCKETS
>
> BEST OFFER INCLUDING POSTAGE
>

> bobm@istal.com
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 21:13:30 GMT
> From: bobm@istal.com
> Subject: 6KD6 Tubes
>
> FOR SALE:
>
> NEW IN ORIGINAL BOX
>
> PAIR OF 6KD6 TUBES
>
> LIST PRICE IS $22.00 EACH
>
> $35.00 FOR THE PAIR SHIPPED
>
> THANKS,
>
> bobm@istal.com
> .
> ry K5QT
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 17:51:56 GMT
> From: hitubefi@my-deja.com
> Subject: Attention DIYers
>
> Sparks,Thanks for reading my post. David
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 09:45:49 -0400
> From: Mark Croney
> Subject: BAMA website
>
> Does anyone know what happened to the BAMA boatanchor website? The URL
> used to be http://bama.sbc.edu. It appears that it has been reorganized
> and I can't tell if the manual archive is still there.
>
> Thanks,
> Mark

> W4ZF
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 12:05:16 -0500
> From: "Don Cunningham"
> Subject: BAMA website
>
> Mark, and group, Ken said that the college site where BAMA is located got
> "hacked" and messed up, but the manual archives were backed up, so will
> still be there. They are rebuilding the whole server, so should be back on
> soon. 73, Don, WB5HAK
> Mark Croney wrote in message <3773880D.575154CD@bellsouth.net>...
> >Does anyone know what happened to the BAMA boatanchor website? The URL
> >used to be http://bama.sbc.edu. It appears that it has been reorganized
> >and I can't tell if the manual archive is still there.
> >
> >Thanks,
> >Mark
> >W4ZF
> >
>
> .
>
> ------------------------------
>
> Date: 25 Jun 1999 22:20:42 GMT
> From: dwight136@aol.com (Dwight 136)
> Subject: BEWARE OF MAIL BOXES ETC. SHIPPING
>
> WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS
> EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER SUPPLY
> IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT ..WAS
> REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE BUT
> THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND NOT LET
> THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME
> LOCATION
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 19:38:22 -0400
> From: "Peter Gottlieb"
> Subject: BEWARE OF MAIL BOXES ETC. SHIPPING
>
> Some of them know what they are doing, some don't.
>
> You have to very explicitly tell them exactly how to pack, or do it

> yourself.
>
> Dwight 136 wrote in message
> news:19990625182042.01978.00004229@ng-cc1.aol.com...
> > WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS
> > EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER
> SUPPLY
> > IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT
> ...WAS
> > REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE
> BUT
> > THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND
> NOT LET
> > THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME
> > LOCATION
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 21:54:58 -0700
> From: Bear
> Subject: BEWARE OF MAIL BOXES ETC. SHIPPING
>
> x-no-archive: yes
>
> I am afraid that I may have some very bad news for you. If your Collins
> gear was shipped via U.P.S. I can almost guaranty you that they will not
> honor the damage claim. Anything that is not double boxed gets denied by
> U.P.S. these days. If this happens, I suggest that you sue M.B.E. in
> Small Claims Court.
>
> As an additional little F.U., you are not the legal shipper.....M.B.E.
> is. The shipping company will not even talk to you. Everything from now
> on will have to go through M.B.E.
>
> I learned this lesson the hard way a few years ago. I will NEVER use a
> third party shipping agent. You have absolutely ZERO control when
> things go wrong.
>
> Good luck!
>
> ....73.........Bear........
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 20:39:56 GMT
> From: "boris-maskirovka"

> Subject: BoatAnchors A Bunch
>
> Lotta' neat stuff here! Thank you for the tip!
>
> (boris the mole....)
> **********
> **********
> AC6V wrote in message <37738F3F.5D92@ix.netcom.com>...
> >At URL:
> >http://www.ac6v.com/pagex.html
> >
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 18:42:20 +0200
> From: "Nevio"
> Subject: BUY YAESU FT 736R
>
> > I'm looking for buy for my FT 736R the modules for 50 and 1296 Mhz
> > > > Nevio
> > > > E-mail nterre@tim.it
> > > >
> > > >
> > >
> > >
> >
> >
>
> .
>
> ------------------------------
>
> Date: 23 Jun 1999 14:14:54 GMT
> From: Cosmo Roadkill
> Subject: cmsg cancel <004601bebd7f$3c4f9fa0$c23929cf@default>
>
> Article cancelled as EMP/ECP, exceeding a BI of 20.
>
> The "Current Usenet spam thresholds and guidelines" FAQ is available at
> http://www.uiuc.edu/ph/www/tskirvin/faqs/spam.html
>
> Please include the X-CosmoTraq header of this message in any correspondence
> specific to this spam.
>
> Sick-O-Spam, Spam-B-Gon!
> .
>
> ------------------------------

>
> Date: 25 Jun 1999 19:34:31 GMT
> From: k1yjk@aol.com (K1YJK)
> Subject: Collins 75A-1 for sale
>
> Your description of the 75A-1 tells the story. Your 75A-1 sounds less than
> average....far from excellent....Sorry!!
>
> Bob/K1YJK
> .
>
> ------------------------------
>
> Date: 26 Jun 1999 03:40:49 GMT
> From: rlucch2098@aol.com (RLucch2098)
> Subject: Ebay- Batteries for FT-51R & TH-79A
>
> Hi Guys;
> I got four batteries for the Yaesu FT-51R and kenwood TH-79A.
> All in excellent condition. Just might pay to check it out!
> Closes Sunday!!
> Heres the URL's with Pictures>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120616831
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120603154
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120598525
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120594146
> Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
> Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
>
> .
>
> ------------------------------
>
> Date: 26 Jun 1999 03:26:12 GMT
> From: rlucch2098@aol.com (RLucch2098)
> Subject: Ebay- Neat Globe Chief Deluxe/DX-150 SW Rcvr!
>
> Hi Guys;
> Here are two "gems" to ponder over, Hi!
> Globe chief deluxe, Working, Clean URL with Pics>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120718680
> Realistic DX-150 sw rcvr, exc. condx, First Solid state SW Rcvr??
> URL with pics>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120711026
> Both are very Reasonable and close on Sunday!!
> Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
> Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
>
> .
>

> ------------------------------
>
> Date: 26 Jun 1999 03:12:02 GMT
> From: rlucch2098@aol.com (RLucch2098)
> Subject: Ebay- Regency HR-2A FM Mobile w/Extras
>
> Hi Guys;
> Heres a real nice clean Regency HR-2A Xtal 2 mtr FM Mobile with Matching
> Regency Supply and Mike. Along with both manuals, working es crystaled up on 6
> channels(freqs)
> URL with Pics>>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=121620541
> Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
> Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html
>
> .
>
> ------------------------------
>
> Date: 26 Jun 1999 02:55:03 GMT
> From: threemile@aol.com (ThreeMile)
> Subject: FA: Variac, RCA Iso tran, RCA Volt meter, Ammeter
>
> Greetings,
>
> I have several pieces of AC test equipment for auction this week, ending
> Monday night. Included are a General Radio 5 amp Variac, an RCA Isolation
> transformer, RCA line voltage meter, and Westinghouse ammeter. For pictures and
> details, please go to:
>
> http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=threemile
> @aol.com
> .
>
> ------------------------------
>
> Date: 25 Jun 1999 21:28:36 GMT
> From: celliott14@aol.com (CElliott14)
> Subject: FS: Original HRO-50 T1 manual
>
> I have one more HRO-50T1 original manual- $ 30. Carter
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 07:16:31 -0700
> From: AC6V
> Subject: FYI: BoatAnchors A Bunch
>
> At URL:

> http://www.ac6v.com/pagex.html
>
> Lots of BoatAnchors links including:
>
> ADI, Allied Radio, APS, ARC-5, BC-224, BC-348, B&W, Breting,
> Central Electronics, Collins, Drake, Eico, Eddystone, Galaxy, Gonset,
> Hallicrafters, Hammarlund, Heath, Johnson, Kenwood, Knight, MacKay,
> McMurdo Silver, Marconi, Meissner, Military, Millen National, Plessey,
> R-388, R-390 Racal, RME, Swan, Ten-Tec, Vibroplex, World Radio Labs,
> Yaesu FT-101 and more.
>
> Also interesting sites on the HISTORY OF HAM RADIO, CALLSIGNS, BC RADIO,
> AND WIRELESS.
> --
> 73 From Rod In San Diego
> ----
> AC6V INDEX TO DX AND HAM RADIO
> FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS
> Over 400,000 visits on the counter
> http://www.ac6v.com/pageas.html -- Alphabetical Index
> http://www.ac6v.com/ -- Home Page
> .
>
> ------------------------------
>
> Date: Thu, 24 Jun 1999 23:54:24 -0700
> From: "Alan J Hecht"
> Subject: HC-10 Manual
>
> Anyone have an HC-10 manual they could copy for me or sell to me? The HC-10
> is an IF selectivity unit for the HQ-100 receiver. John K6KOI
>
> .
>
> ------------------------------
>
> Date: 25 Jun 1999 23:38:11 GMT
> From: bazzarr@aol.com (Bazzarr)
> Subject: Megacycle GRID DIP METER -On Ebay
>
> To be honest I wasent sure WHAT this was untill a nice person e-mailed me info
> it!. He also said that the people who read this group would be interested in
> this neat little device. Here is the address to the auction if you would like
> a look see.......
>
> http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122699224
> .
>
> ------------------------------
>

> Date: Fri, 25 Jun 1999 15:54:46 GMT
> From: bobm@istal.com
> Subject: MILLER COILS
>
> I HAVE THE FOLLOWING MILLER COILS FOR SALE. THEY ARE NEW IN ORIGINAL
> BOXES:
>
> QTY TYPE SPECS
>
> 2 242-RF 540-1700 KC RF COIL
> 1 242-A ANT COIL 540-1700
> 2 EL-56 COUPLING COIL
> 1 472-UT UNTUNED RF COIL
> 2 242-BP BAND-PASS COIL
>
> BUYER MUST TAKE THE ENTIRE SET.
>
> BEST OFFER INCLUDING US POSTAGE
>
> bobm@istal.com
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 20:50:10 -0400
> From: "Floyd Sense"
> Subject: Need 11 pin connector
>
> I'm in need of the male connector that plugs into the control socket on the
> rear of a Hallicrafters HT-37. The Amphenol part number for the plug was:
> 86-PM11. This is a black phenolic plug that looks exactly like the base of
> an octal tube, except for the fact that it has 11 pins instead of 8.
> Anyone still have one of these laying around?
>
> K8AC
> Floyd Sense in Angier, NC
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 16:12:18 GMT
> From: bobm@istal.com
> Subject: OLD TUBES
>
> I HAVE A VERY LARGE SELECTION OF ANTIQUE RADIO TUBES.
>
> LET ME KNOW WHAT TYPES YOU ARE LOOKING FOR
>
> TO MANY TO TAKE UP SPACE TO LIST THEM

>
> TYPES LIKE 2A3, 45, 46, 25T AND MANY OTHERS
>
> bobm@istal.com
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 21:18:37 GMT
> From: bobm@istal.com
> Subject: OLD TUBES
>
> FORGET THE LAST POST.......SOMETHING DID NOT WORK
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 19:44:20 -0700
> From: "Norman S. Braithwaite"
> Subject: OLD TUBES - the following tubes are available.doc (1/1)
>
> If you are willing to provide your attachment as a text file instead of a MS-Word
document, I (and
> probably many others concerned about contracting one of the recent prolific MS-Word
viruses) will
> be willing to take a look.
>
> bobm@istal.com wrote:
>
> > Name: the following tubes are available.doc
> > the following tubes are available.doc Type: Microsoft Word Document
(application/msword)
> > Encoding: x-uuencode
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 21:16:21 GMT
> From: bobm@istal.com
> Subject: OLD TUBES - the following tubes are available.doc (1/1)
>
> Name: the following tubes are available.doc
> the following tubes are available.doc Type: Microsoft Word Document (application/msword)
> Encoding: x-uuencode
>
> .
>
> ------------------------------
>

> Date: Fri, 25 Jun 1999 10:56:17 GMT
> From: sabbatai_zvi@hotmail.com (Cedric)
> Subject: Radio Tubes Clearance
>
> Clearance Sale:
>
> (LOT #1)
>
> 4-125 Eimac Used No box $25.00
> 828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00
> ea.
> 12BY7 G.E. $4.00
> 12BY7 RCA QTY 2 $5.00 each
> 12BY7 Sylvania $4.00
> 12BY7A UNK $4.00
> 12BY7 UNK QTY 2 $3.00
> 6BG6B RCA Used, no box $1.00
> 6H6 RCA used no box (QTY 2) $1.00 ea.
> 6H6 Ken-Rad used in box $1.00
> OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each
> OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each
>
> TOTAL of 25 Tubes
> Total Price $92.00
>
> or take ALL of the above tubes for $59.00
>
> = = = = =
>
> (Lot #3)
>
> 37 RCA used in box $4.00
> 6JZ6 Sylvania Used in box $8.00
> 6DE4 Philco Used in box $1.00
> 6X5 RCA used in box $0.50
> 6AX4 Sylvania New in box $2.00
> OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each
> OA3 / VR-75 Marshall Electronics in box $4.00
> 3AW2 Philco Used in G.E. box $0.50
>
> TOTAL of 10 Tubes
> Total Price $29.00
> or take ALL of the above tubes for $19.00
>
> = = = = =
>
> (Lot #11)
> (Used, tested)
>
> 6X4 RCA $1.00

>
> 25Z6 Silvertone $2.00
> 35EH5 IEC Japan QTY 3 $2.00 each
>
> 35W4 Bulk $1.00
>
> 50C5 QTY 4 $3.00 each
>
> 6197 Sylvania $2.00
> 6197 Bulk $2.00
>
> TOTAL of 12 Tubes
> Total Price $26
>
> or take ALL of the above tubes for $19.00
>
> = = = = =
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 12:42:58 GMT
> From: bobm@istal.com
> Subject: RCA 828 TUBES
>
> I HAVE THREE RCA NEW IN BOX 828 TUBES
>
> IF INTERESTED, CONTACT ME VIA E-MAIL
>
> bpbm@istal.com
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 16:50:42 GMT
> From: w4imm@mindspring.com (Phil Witt)
> Subject: SCR522
>
> On Fri, 25 Jun 1999 14:19:52 GMT, Steve Fried wrote:
>
> >When I was a kid and bought one of these
> >units on Cortland Street in New York City,
>
>
>
> Wasn't that a wonderful area? I used to hang around there in the mid
> '50s. Also, there were places all over northern New Jersey where you
> could buy brand new ARC5s in boxes for $5.00 apiece and even less.
> And Atwater Kents were free for the hauling off - and they even

> worked.
>
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 14:19:52 GMT
> From: Steve Fried
> Subject: SCR522
>
> Larry Asp wrote:
>
> > My thanks to all of you who responded and supplied me with information
> > on the SCR522 set. My friend had found two of these, in good shape, and
> > one has now found a good home. If anyone would like the other, please
> > let me know.
>
> Larry:
>
> Im sure someone mentioned to be careful about the bathtub capacitors in the
> transmitter section.
> They have a tendency to blow up. When I was a kid and bought one of these
> units on Cortland Street in New York City,
> I took the transmitter home and (as kids the way we use to do it)
> immediately apply full voltage - let whatever will blow up - and replace
> the exploded caps! Not the safest thing to do. But when you are a young
> teenager......
> I guess the message is....as always..... be careful about old stuff that
> can go bang!
>
> I hope you enjoy your new found treasure!
>
> 73
>
> Steve
> k2pts
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 17:18:28 GMT
> From: bobm@istal.com
> Subject: VU METERS
>
> SEVERAL BROADCAST TYPE VU METERS
>
> NEW AND USED
>

> SIMPSON AND OTHERS
>
> bobm@istal.com
> .
>
> ------------------------------
>
> Date: 26 Jun 1999 02:40:42 GMT
> From: wa4uso@aol.com (Wa4uso)
> Subject: Wanted: Clegg Venus Alignment Data
>
> I have the info you need, if you are still
> interested. I just realined mine and
> replaced the 12v 6146b, it works great.
> email me for details.
> D Darby
>
> .
>
> ------------------------------
>
> Date: Fri, 25 Jun 1999 19:32:18 -0500
> From: "BUCKY BADGER"
> Subject: WTB: 6 KC FILTER FOR 75A4
>
> WANTED: 6 KC PLUG IN FILTER FOR AM FOR MY 75A4 RECEIVER
>
> .
>
> ------------------------------
>
> Date: Sat, 26 Jun 1999 03:57:49 GMT
> From: speedskate@my-deja.com
> Subject: WTB W.E. 1kw transmitter
>
> I am looking for a W.E. 1kw transmitter to restore and use on 160m
> a-m in the U.S.. I need it complete. State price, location, condition,
> etc.
>
> Mark
>
> Sent via Deja.com http://www.deja.com/
> Share what you know. Learn what you don't.
> .
>
> ------------------------------
>
> End of Ham-BoatAnchors Digest V99 #163
> ******************************

please unsubscribe me.

thank you.

Larry Steeno

Ham-BoatAnchors Mailing List and Newsgroup wrote:

Ham-BoatAnchors Digest
Sat, 26 Jun 99 Volume 99 : Issue
163

Today's Topics:

"Gibson
Girl" WW II emergency radio transmitter

"LQQK " SET OF (6) NEW "N" CONNECTORS

3E29 TUBES / SOCKETS

6KD6 Tubes

Attention DIYers

BAMA website (2 msgs)

BEWARE OF MAIL BOXES ETC. SHIPPING (3 msgs)

BoatAnchors A Bunch

BUY YAESU FT 736R

cmsg cancel <004601bebd7f$3c4f9fa0$c23929cf@default>

Collins 75A-1 for sale

Ebay- Batteries for FT-51R & TH-79A

Ebay- Neat Globe Chief Deluxe/DX-150 SW Rcvr!

Ebay- Regency HR-2A FM Mobile w/Extras

FA: Variac,
RCA Iso tran, RCA Volt meter, Ammeter

FS: Original HRO-50 T1 manual

FYI: BoatAnchors A Bunch

HC-10 Manual

Megacycle GRID DIP METER -On Ebay

MILLER COILS

Need 11 pin connector

OLD TUBES (2 msgs)

OLD TUBES - the following tubes are available.doc (1/1)
(2 msgs)

Radio Tubes Clearance

RCA 828 TUBES

SCR522 (2 msgs)

VU METERS

Wanted: Clegg Venus Alignment Data

WTB: 6 KC FILTER FOR 75A4

WTB W.E. 1kw transmitter

Send Replies or notes for publication to: <Ham-BoatAnchors@UCSD.Edu>

Send subscription requests to: <Ham-BoatAnchors-REQUEST@UCSD.Edu>

Problems you can't solve otherwise to brian@ucsd.edu.

Archives of past issues of the Ham-BoatAnchors Digest are available

(by FTP only) from ftp.UCSD.Edu in directory "mailarchives/ham-boatanchors".

We trust that readers are intelligent enough to realize that all text

herein consists of personal comments and does not represent the official

policies or positions of any party. Your mileage may vary.
So there.

Loop-Detect: Ham-BoatAnchors:99/163

Date: Fri, 25 Jun 1999 19:31:33 GMT

From: hsynovetz9587@my-deja.com

Subject: "Gibson Girl" WW II emergency radio transmitter

> Yes, the later variants of the gibson girl also have

> 8364 KHz in addition to 500 KHz, but... is anyone

> listening/monitoring these freq's anymore ??

>

> I don't think the USCG is ...

Interesting...I've wondered about the legalities of cranking one of

these up for test/hobby purposes. No wonder all those black helicopters

around my neighborhood.>

Sent via Deja.com http://www.deja.com/

Share what you know. Learn what you don't.

.

Date: 26 Jun 1999 02:51:43 GMT

From: jllkb2tee@aol.com (JLLKB2TEE)

Subject: "LQQK " SET OF (6) NEW "N" CONNECTORS

Set of (6) six "N" Connectorsas shown BRAND NEW !! Totle Dutch Auction
is (3)

sets of (6) pieces !!COME AND SEE THEM

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=123

007919

.

Date: Fri, 25 Jun 1999 15:56:34 GMT

From: bobm@istal.com

Subject: 3E29 TUBES / SOCKETS

FOUR NEW RCA 3E29 TUBES WITH CERAMIC SOCKETS

BEST OFFER INCLUDING POSTAGE

bobm@istal.com

.

Date: Fri, 25 Jun 1999 21:13:30 GMT

From: bobm@istal.com

Subject: 6KD6 Tubes

FOR SALE:

NEW IN ORIGINAL BOX

PAIR OF 6KD6 TUBES

LIST PRICE IS $22.00 EACH

$35.00 FOR THE PAIR SHIPPED

THANKS,

bobm@istal.com

.

ry K5QT

.

Date: Fri, 25 Jun 1999 17:51:56 GMT

From: hitubefi@my-deja.com

Subject: Attention DIYers

Sparks,Thanks for reading my post. David

Sent via Deja.com http://www.deja.com/

Share what you know. Learn what you don't.

.

Date: Fri, 25 Jun 1999 09:45:49 -0400

From: Mark Croney <mcroney@bellsouth.net>

Subject: BAMA website

Does anyone know what happened to the BAMA boatanchor website?
The URL

used to be http://bama.sbc.edu.
It appears that it has been reorganized

and I can't tell if the manual archive is still there.

Thanks,

Mark

W4ZF

.

Date: Fri, 25 Jun 1999 12:05:16 -0500

From: "Don Cunningham" <wb5hak@texhoma.net>

Subject: BAMA website

Mark, and group, Ken said that the college site where BAMA is located
got

"hacked" and messed up, but the manual archives were backed up, so
will

still be there. They are rebuilding the whole server, so should
be back on

soon. 73, Don, WB5HAK

Mark Croney wrote in message <3773880D.575154CD@bellsouth.net>...

>Does anyone know what happened to the BAMA boatanchor website?
The URL

>used to be http://bama.sbc.edu.
It appears that it has been reorganized

>and I can't tell if the manual archive is still there.

>

>Thanks,

>Mark

>W4ZF

>

.

Date: 25 Jun 1999 22:20:42 GMT

From: dwight136@aol.com (Dwight 136)

Subject: BEWARE OF MAIL BOXES ETC. SHIPPING

WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS

EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND
POWER SUPPLY

IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I
GOT ..WAS

REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY
CHARGE BUT

THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY
AND NOT LET

THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT
SAME

LOCATION

.

Date: Fri, 25 Jun 1999 19:38:22 -0400

From: "Peter Gottlieb" <peter_gottlieb@email.msn.com>

Subject: BEWARE OF MAIL BOXES ETC. SHIPPING

Some of them know what they are doing, some don't.

You have to very explicitly tell them exactly how to pack, or do it

yourself.

Dwight 136 <dwight136@aol.com> wrote in message

news:19990625182042.01978.00004229@ng-cc1.aol.com...

> WOW WHAT A MESS FROM MAIL BOXES ETC. TODAY BOUGHT SOME REAL NICE COLLINS

> EQUIPMENT THAT WAS PACKED AND HANDLED BY SAME ..THEY PUT RADIO AND POWER

SUPPLY

> IN SAME BOX WITH PEANUTS ..NOTHING ELSE ..COULD YOU IMAGINE WHAT I GOT

...WAS

> REALLY SHOCKED ....CAN'T BELIEVE THEY DONE THAT FOR THE PRICES THEY CHARGE

BUT

> THE BEST PART IS THAT IT WAS INSURED ....JUST THOUGHT YOU MIGHT TRY AND

NOT LET

> THIS HAPPEN TO YOU ..OH THIS IS MY SECOND TIME IN 4 WEEKS ...BUT NOT SAME

> LOCATION

.

Date: Fri, 25 Jun 1999 21:54:58 -0700

From: Bear <nospam@nospam.org>

Subject: BEWARE OF MAIL BOXES ETC. SHIPPING

x-no-archive: yes

I am afraid that I may have some very bad news for you. If your Collins

gear was shipped via U.P.S. I can almost guaranty you that they will not

honor the damage claim. Anything that is not double boxed gets denied by

U.P.S. these days. If this happens, I suggest that you sue M.B.E. in

Small Claims Court.

As an additional little F.U., you are not the legal shipper.....M.B.E.

is. The shipping company will not even talk to you. Everything from now

on will have to go through M.B.E.

I learned this lesson the hard way a few years ago. I will NEVER use a

third party shipping agent. You have absolutely ZERO control when

things go wrong.

Good luck!

.....73.....Bear.....

.

Date: Fri, 25 Jun 1999 20:39:56 GMT

From: "boris-maskirovka" <rhenry31@home.com>

Subject: BoatAnchors A Bunch

Lotta' neat stuff here! Thank you for the tip!

(boris the mole....)

****

****

AC6V wrote in message <37738F3F.5D92@ix.netcom.com>...

>At URL:

>http://www.ac6v.com/pagex.html

>

.

Date: Fri, 25 Jun 1999 18:42:20 +0200

From: "Nevio" <nterre@tim.it>

Subject: BUY YAESU FT 736R

> I'm looking for buy for my FT 736R the modules for 50 and 1296 Mhz

> > > Nevio

> > > E-mail nterre@tim.it

> > >

> > >

> >

> >

>

>

.

Date: 23 Jun 1999 14:14:54 GMT

From: Cosmo Roadkill <cosmo.roadkill%bofh.int@rauug.mil.wi.us>

Subject: cmsg cancel <004601bebd7f$3c4f9fa0$c23929cf@default>

Article cancelled as EMP/ECP, exceeding a BI of 20.

The "Current Usenet spam thresholds and guidelines" FAQ is available
at

http://www.uiuc.edu/ph/www/tskirvin/faqs/spam.html

Please include the X-CosmoTraq header of this message in any correspondence

specific to this spam.

Sick-O-Spam, Spam-B-Gon!

.

Date: 25 Jun 1999 19:34:31 GMT

From: k1yjk@aol.com (K1YJK)

Subject: Collins 75A-1 for sale

Your description of the 75A-1 tells the story. Your 75A-1 sounds less
than

average....far from excellent....Sorry!!

Bob/K1YJK

.

Date: 26 Jun 1999 03:40:49 GMT

From: rlucch2098@aol.com (RLucch2098)

Subject: Ebay- Batteries for FT-51R & TH-79A

Hi Guys;

I got four batteries for the Yaesu FT-51R and kenwood TH-79A.

All in excellent condition. Just might pay to check it out!

Closes Sunday!!

Heres the URL's with Pictures>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120616831

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120603154

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120598525

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120594146

Thanks es 73..........RICH-WA2RQY
RLUCCH2098@aol.com

Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

.

Date: 26 Jun 1999 03:26:12 GMT

From: rlucch2098@aol.com (RLucch2098)

Subject: Ebay- Neat Globe Chief Deluxe/DX-150 SW Rcvr!

Hi Guys;

Here are two "gems" to ponder over, Hi!

Globe chief deluxe, Working, Clean URL with Pics>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120718680

Realistic DX-150 sw rcvr, exc. condx, First Solid state SW Rcvr??

URL with pics>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=120711026

Both are very Reasonable and close on Sunday!!

Thanks es 73..........RICH-WA2RQY
RLUCCH2098@aol.com

Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

.

Date: 26 Jun 1999 03:12:02 GMT

From: rlucch2098@aol.com (RLucch2098)

Subject: Ebay- Regency HR-2A FM Mobile w/Extras

Hi Guys;

Heres a real nice clean Regency HR-2A Xtal 2 mtr FM Mobile with Matching

Regency Supply and Mike. Along with both manuals, working es crystaled
up on 6

channels(freqs)

URL with Pics>>

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=121620541

Thanks es 73.....RICH-WA2RQY
RLUCCH2098@aol.com

Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

.

Date: 26 Jun 1999 02:55:03 GMT

From: threemile@aol.com (ThreeMile)

Subject: FA: Variac, RCA Iso tran, RCA Volt meter, Ammeter

Greetings,

I have several pieces of AC test equipment for auction
this week, ending

Monday night. Included are a General Radio 5 amp Variac, an RCA
Isolation

transformer, RCA line voltage meter, and Westinghouse ammeter. For
pictures and

details, please go to:

http://cgi3.ebay.com/aw-cgi/eBayISAPI.dll?ViewListedItems&userid=threemile

@aol.com

.

Date: 25 Jun 1999 21:28:36 GMT

From: celliott14@aol.com (CElliott14)

Subject: FS: Original HRO-50 T1 manual

I have one more HRO-50T1 original manual- $ 30. Carter

.

Date: Fri, 25 Jun 1999 07:16:31 -0700

From: AC6V <ac6v@ix.netcom.com>

Subject: FYI: BoatAnchors A Bunch

At URL:

http://www.ac6v.com/pagex.html

Lots of BoatAnchors links including:

ADI, Allied Radio, APS, ARC-5, BC-224, BC-348, B&W, Breting,

Central Electronics, Collins, Drake, Eico, Eddystone, Galaxy, Gonset,

Hallicrafters, Hammarlund, Heath, Johnson, Kenwood, Knight, MacKay,

McMurdo Silver, Marconi, Meissner, Military, Millen National, Plessey,

R-388, R-390 Racal, RME, Swan, Ten-Tec, Vibroplex, World Radio Labs,

Yaesu FT-101 and more.

Also interesting sites on the HISTORY OF HAM RADIO, CALLSIGNS, BC RADIO,

AND WIRELESS.

--

73 From Rod In San Diego

AC6V INDEX TO DX AND HAM RADIO

FEATURING 88 PAGES, 400 INDEXED TOPICS, AND 3000 LINKS

Over 400,000 visits on the counter

http://www.ac6v.com/pageas.html
-- Alphabetical Index

http://www.ac6v.com/ -- Home Page

.

Date: Thu, 24 Jun 1999 23:54:24 -0700

From: "Alan J Hecht" <Alan.Hecht@worldnet.att.net>

Subject: HC-10 Manual

Anyone have an HC-10 manual they could copy for me or sell to me?
The HC-10

is an IF selectivity unit for the HQ-100 receiver. John K6KOI

.

Date: 25 Jun 1999 23:38:11 GMT

From: bazzarr@aol.com (Bazzarr)

Subject: Megacycle GRID DIP METER -On Ebay

To be honest I wasent sure WHAT this was untill a nice person e-mailed
me info

it!. He also said that the people who read this group would be interested
in

this neat little device. Here is the address to the auction if
you would like

a look see.....

http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122699224

.

Date: Fri, 25 Jun 1999 15:54:46 GMT

From: bobm@istal.com

Subject: MILLER COILS

I HAVE THE FOLLOWING MILLER COILS FOR SALE. THEY ARE NEW IN ORIGINAL

BOXES:

QTY
TYPE
SPECS

2
242-RF
540-1700 KC RF COIL

1
242-A
ANT COIL 540-1700

2
EL-56
COUPLING COIL

1
472-UT
UNTUNED RF COIL

2
242-BP
BAND-PASS COIL

BUYER MUST TAKE THE ENTIRE SET.

BEST OFFER INCLUDING US POSTAGE

bobm@istal.com

.

Date: Fri, 25 Jun 1999 20:50:10 -0400

From: "Floyd Sense" <sentek@sprintmail.com>

Subject: Need 11 pin connector

I'm in need of the male connector that plugs into the control socket
on the

rear of a Hallicrafters HT-37. The Amphenol part number for the
plug was:

86-PM11. This is a black phenolic plug that looks exactly like
the base of

an octal tube, except for the fact that it has 11 pins instead
of 8.

Anyone still have one of these laying around?

K8AC

Floyd Sense in Angier, NC

.

Date: Fri, 25 Jun 1999 16:12:18 GMT

From: bobm@istal.com

Subject: OLD TUBES

I HAVE A VERY LARGE SELECTION OF ANTIQUE RADIO TUBES.

LET ME KNOW WHAT TYPES YOU ARE LOOKING FOR

TO MANY TO TAKE UP SPACE TO LIST THEM

TYPES LIKE 2A3, 45, 46, 25T AND MANY OTHERS

bobm@istal.com

.

Date: Fri, 25 Jun 1999 21:18:37 GMT

From: bobm@istal.com

Subject: OLD TUBES

FORGET THE LAST POST.......SOMETHING DID NOT WORK

.

Date: Fri, 25 Jun 1999 19:44:20 -0700

From: "Norman S. Braithwaite" <normb@sal.awwwsome.com>

Subject: OLD TUBES - the following tubes are available.doc (1/1)

If you are willing to provide your attachment as a text file instead
of a MS-Word document, I (and

probably many others concerned about contracting one of the recent
prolific MS-Word viruses) will

be willing to take a look.

bobm@istal.com wrote:

>
Name: the following tubes are available.doc

> the following tubes are available.doc
Type: Microsoft Word Document (application/msword)

>
Encoding: x-uuencode

.

Date: Fri, 25 Jun 1999 21:16:21 GMT

From: bobm@istal.com

Subject: OLD TUBES - the following tubes are available.doc (1/1)

Name: the following tubes are available.doc

the following tubes are available.doc
Type: Microsoft Word Document (application/msword)

Encoding: x-uuencode

.

Date: Fri, 25 Jun 1999 10:56:17 GMT

From: sabbatai_zvi@hotmail.com (Cedric)

Subject: Radio Tubes Clearance

Clearance Sale:

(LOT #1)

4-125 Eimac Used No box $25.00

828 Power Pentode RCA Used (I have 1; and may have 2) No box $12.00

ea.

12BY7 G.E.
$4.00

12BY7 RCA QTY 2
$5.00 each

12BY7 Sylvania
$4.00

12BY7A UNK
$4.00

12BY7 UNK QTY 2
$3.00

6BG6B RCA Used, no box $1.00

6H6 RCA used no box (QTY 2) $1.00 ea.

6H6 Ken-Rad used in box $1.00

OC3 / VR-105 RCA NOS in Box QTY 7 $3.00 each

OA3 / VR-75 RCA NOS in box QTY 5 $3.00 each

TOTAL of 25 Tubes

Total Price $92.00

or take ALL of the above tubes for $59.00

= = = = =

(Lot #3)

37 RCA used in box $4.00

6JZ6 Sylvania Used in box $8.00

6DE4 Philco Used in box $1.00

6X5 RCA used in box $0.50

6AX4 Sylvania New in box $2.00

OA3 / VR-75 G.E. NOS in box QTY 3 $3.00 each

OA3 / VR-75 Marshall Electronics in box $4.00

3AW2 Philco Used in G.E. box $0.50

TOTAL of 10 Tubes

Total Price $29.00

or take ALL of the above tubes for $19.00

= = = = =

(Lot #11)

(Used, tested)

6X4 RCA
$1.00

25Z6 Silvertone
$2.00

35EH5 IEC Japan QTY 3 $2.00 each

35W4 Bulk
$1.00

50C5 QTY 4
$3.00 each

6197 Sylvania
$2.00

6197 Bulk
$2.00

TOTAL of 12 Tubes

Total Price $26

or take ALL of the above tubes for $19.00

= = = = =

.

Date: Fri, 25 Jun 1999 12:42:58 GMT

From: bobm@istal.com

Subject: RCA 828 TUBES

I HAVE THREE RCA NEW IN BOX 828 TUBES

IF INTERESTED, CONTACT ME VIA E-MAIL

bpbm@istal.com

.

Date: Fri, 25 Jun 1999 16:50:42 GMT

From: w4imm@mindspring.com (Phil Witt)

Subject: SCR522

On Fri, 25 Jun 1999 14:19:52 GMT, Steve Fried <k2pts@home.com> wrote:

>When I was a kid and bought one of these

>units on Cortland Street in New York City,

<sigh>

Wasn't that a wonderful area? I used to hang around there in the mid

'50s. Also, there were places all over northern New Jersey where you

could buy brand new ARC5s in boxes for $5.00 apiece and even less.

And Atwater Kents were free for the hauling off - and they even

worked.

</sigh>

.

Date: Fri, 25 Jun 1999 14:19:52 GMT

From: Steve Fried <k2pts@home.com>

Subject: SCR522

Larry Asp wrote:

> My thanks to all of you who responded and supplied me with information

> on the SCR522 set. My friend had found two of these, in good shape, and

> one has now found a good home. If anyone would like the other, please

> let me know.

Larry:

Im sure someone mentioned to be careful about the bathtub capacitors in the

transmitter section.

They have a tendency to blow up. When I was a kid and bought one of these

units on Cortland Street in New York City,

I took the transmitter home and (as kids the way we use to do it)

immediately apply full voltage - let whatever will blow up - and replace

the exploded caps! Not the safest thing to do. But when you are a young

teenager......

I guess the message is....as always..... be careful about old stuff that

can go bang!

I hope you enjoy your new found treasure!

73

Steve

k2pts

.

Date: Fri, 25 Jun 1999 17:18:28 GMT

From: bobm@istal.com

Subject: VU METERS

SEVERAL BROADCAST TYPE VU METERS

NEW AND USED

SIMPSON AND OTHERS

bobm@istal.com

.

Date: 26 Jun 1999 02:40:42 GMT

From: wa4uso@aol.com (Wa4uso)

Subject: Wanted: Clegg Venus Alignment Data

I have the info you need, if you are still

interested. I just realined mine and

replaced the 12v 6146b, it works great.

email me for details.

D Darby

.

Date: Fri, 25 Jun 1999 19:32:18 -0500

From: "BUCKY BADGER" <K9VDD@ITIS.COM>

Subject: WTB: 6 KC FILTER FOR 75A4

WANTED: 6 KC PLUG IN FILTER FOR AM FOR MY 75A4 RECEIVER

.

Date: Sat, 26 Jun 1999 03:57:49 GMT

From: speedskate@my-deja.com

Subject: WTB W.E. 1kw transmitter

I am looking for a W.E. 1kw transmitter to
restore and use on 160m

a-m in the U.S.. I need it complete. State price, location, condition,

etc.

Mark

Sent via Deja.com http://www.deja.com/

Share what you know. Learn what you don't.

.

End of Ham-BoatAnchors Digest V99 #163

****

4069. Re: 75A3 VS 75A4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: acomarow@aol.com
Message-ID: <19990628221917.22149.00001172@ng-fb1.aol.com>
Source record: 82717

Don, none of my biz since I didn't post the question, but thanks for the insight and history on the A3 vs. the A4. Interesting and useful!

(I have an A4 that just got a thorough going over, including cabinet and panel stripping and relettering from Howard Mills. It is gorgeous and performs like it looks.)

73, Avery W4OGK

4070. FS Harvey Wells AT 3B-6

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: wa4uso@aol.com
Message-ID: <19990628230351.17079.00004870@ng-cs1.aol.com>
Source record: 82718

I have one Harvey-Wells (model AT 3B-6)
mobile 10 mtr. transmitter and vibr. PS.
These units units appear to be (one of
a kind), Serial number 56, and are in non
operating condition. They are small and
easy to ship. Please make offfers to
WA4USO@aol.com
TNX D Darby

4071. Re: FS:KWM-2/312B4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: mmarce6692@aol.com
Message-ID: <19990629011325.22144.00001278@ng-fb1.aol.com>
Source record: 82719

Please give me a call on your collins KWM2. My phone number is 805-324-7286. My name is Stan. My call is WA6WJN. My E-mail mmarce6692@aol.com.

4072. Re: FS:KWM-2/312B4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: mmarce6692@aol.com
Message-ID: <19990629012245.22144.00001280@ng-fb1.aol.com>
Source record: 82720

Please give me a call. I will buy your collins KWM2 for $750.00 If its in good shape. 805-324-7286. My name is Stan

4073. Re: Any E.F. Johnson experts out there???

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Chris <ck5@ix.netcom.com>
Message-ID: <3778918C.2575@ix.netcom.com>
Source record: 82721

Nc183d wrote:
>
> Hi All,
> I would like to know what the difference is between a Johnson Messenger 123 and
> a 123a. They are both solid-state mobiles. I thought the cabinet was the
> difference, but I just picked up a 123a with the exact same cabinet as a 123.
> Are there any E.F. Johnson experts out there that can help with this latest
> query??
> Thanks in advance..
> Mark S.
Possibly it has channel 22A in the A model. Check to see if it has 24
channels. 73 Chris

4074. WTB: Collins dial assy/S-line parts rig.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: gbabin73@aol.com
Message-ID: <19990629031901.05699.00002853@ng-fh1.aol.com>
Source record: 82722

I am looking for an S-line dial assembly, and or PTO, or parts rig.

Thanks and 73!
DE N5MCJ (Jerry)

4075. Re: Your QTH is an important consideration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <22753-3778A583-2@newsd-231.iap.bryant.webtv.net>
Source record: 82723

Its also nice to know if the guy is a Ham with call letters

4076. Re: Your QTH is an important consideration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: k8bvj@webtv.net
Message-ID: <22754-3778A5C1-1@newsd-231.iap.bryant.webtv.net>
Source record: 82724

Its also nice to know if the guy is a Ham with call letters

4077. FS: National NC270 receiver

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: RHJ <russja@stratos.net>
Message-ID: <930663785.627.97@news.remarQ.com>
Source record: 82725

National NC-270 Ham Band Receiver . The receiver covers the 80-40-20-15-10 and 6 meter amateur bands Am/CW/SSB. It has a built in crystal calibrator and noise limiter. This model has the unique "Flip Foot" that will angle the radio up for ease of operation. The receiver is in operating condition and has been used recently on the 10 and 80 meter ham bands. A copy of the manual is also included. The front panel has a scratch near the NC270 logo. Two of the knobs -Audio gain and antenna trim - are not original but have been painted to a close match. I would rate it a 6-7 on a scale of 1 to 10. Works great .Lights up nice ! I can provide a picture.

$90.00 plus shipping.

Russ W8RHJ email; russja@stratos.net

4078. Wanted: Supreme TV-12 Tube Tester Instructions

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: jrubbo770@aol.com
Message-ID: <19990629094838.12516.00003057@ng-fy1.aol.com>
Source record: 82726

Please let me know if you can send me a copy and your price.

Thanks, Jerry Rubbo

4079. Re: Hallicrafters Canadian Models

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: nesesu@my-deja.com
Message-ID: <7lamlvhup1@nnrp1.deja.com>
Source record: 82727

In article <3775a507.0@news.cadvision.com>,
"Hamish" <hamishg@cadvision.com> wrote:
> I'm not sure how many of the Hallicrafters had the "C" in addition to
the
> "S" on the front panel - two I have are the SC77A and the SC38C. My
S38 (no
> suffix) has a metal tag on the chassis proclaiming Rogers Majestic as
the
> Canadian Representative. I also have a 5R100A, a couple of
"Continentals"
> (5R41, 5R32A - this one with miniature tubes strung across the octal
socket
> holes in the chassis) and a 51C1B, all made in Canada.by The
Hallicrafters
> Ltd. Toronto. They all carry the CSA label. The only major
difference
> seems to be the amount of insulation inside the cabinets. Many
Canadian
> built receivers carried the dire warnings of operating said receivers
> without a licence. I've been told that during the war years (WW II
that is)
> receiver licences were required in most British Commonwealth
countries. In
> fact, they are still required in Britain.
> Hamish (in Canada, needless to say)
>
> dale brown wrote in message <37758DE9.5FA7@wcnet.net>...
> >I have two distinctive model Hallicrafers receivers, the SC-40B and
the
> >SC-77A. They have a reference to the Canadian Ministry of
> >Transportation and fines for unlicensed use. Does anyone know which
> >models of Hallicrafters receivers were made with Canadian "C"
letters on
> >the front face? Dale KC2PZ
>
Further to Hamish's comments, I have Hallicrafters models with the 'C'
(SC-40B for example) and also 'non C' made in Canada models (S-20R) and
I have also seen the equivalent US models. The main difference (other
than running changes in production) seems to be the use of much more
insulation to comply with CSA. Even models made in the US and intended
for sale in Canada have the extra insulation compared to the domestic
model.
The radio licence requirement ended around 1954 in Canada. I vaguely
remember the scanner truck cruising the streets to check out who had a

radio on and to see if they had a licence. I never heard of anyone losing their radio, but they did get small fines. Interestingly, in 1941 the fee was $2.50 if in an area served by electricity and $2.00 if in districts not served (so sayeth my 1941 Eatons radio supplement).

Neil S.
>

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

4080. COLLINS (WE) S-LINE FOR SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990629100805.25137.00004971@ng-ff1.aol.com>
Source record: 82728

HAVE A COLLINS S-LINE FOR SALE CONSISTING OF:
32S-3
75S-3 W/CW FILTER
516F-2 P/S
THIS S-LINE LOOKS BEAUTIFULINSIDE OUT ALL ORIGINAL PAINT
MANUALS FOR THE(32S-3)(75S3)
NO DENTS OR DINGS .....YOU WILL LOVE IT
I WILL SHIP ANYWHERE IN USA FOR $1400.00
WILL BE 4 BOXES..
CALL IF YOU LIKE 252-443-5023 ANYTIME
THANKS DWIGHT

4081. COLLINS (WE) S-LINE(# 2)4-SALE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990629111233.25162.00004860@ng-ff1.aol.com>
Source record: 82729

THIS IS LINE IS VERY PRETTY ALSO ..ALL WINGED
32S-1 CLEAN ANE PRETTY HAS SMALL DENT ON BACK SIDE OF CABINET 1/4 OF THE WAY
DOWN ON LEFT SIDE .
75S-1 VERY CLEAN INSIDE OUT BEAUTIFUL
516F-2 POWER SUPPLY IS MISSING THE WING ON THE GRILL ,IT HAS A SPEAKER IN IT
ALSO
I RATE THIS EQUIPMENT A 9 OUT OF 10
ALL ORIGINAL PAINT ....ON ALL CABINETS
FRONT PANELS ARE EXCELLENT
MANUALS/CABLES INCLUDED ...
FIRST $900.00 TAKES THIS S-LINE
252-443-5023

4082. dcc wire source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: zygo@azstarnet.com
Message-ID: <zygo-2906990827440001@dialup06ip076.tus.azstarnet.com>
Source record: 82730

Does anyone know of a source for #30 dcc (double cotton covered) magnet wire? AES's celanese stuff is only in #24 and 26. (Other sizes and insulations would work, of course, but I'm trying to duplicate a 1934 project). Need about 20 ft.

Thanks, Jim KF7A

4083. WTB: Heathkit VFO

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: techni@netcom.com
Message-ID: <7laovv$3e1@dfw-ixnews5.ix.netcom.com>
Source record: 82731

WTB: Heathkit HG-10B VFO in operating condition. HAROLD MELTZER

4084. WANTED: older KW matchbox

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: w6lac@webtv.net
Message-ID: <11813-3778E2DA-8@newsd-123.bryant.webtv.net>
Source record: 82732

Need a matchbox suitable for my Heath sb200.

Prefer pick-up deal near Pennsylvania & and of course, price is always a consideration. [...shipping is o.k., but please mention the weight & ur zip.]

Please e-mail me if you have something that would do the job. Details appreciated.

Tnx es 73,

Bob

end
Johnsonburg, PA 15845 (814)965-2634
W6LAC, Elk County, PA USA, Grid FN01pl
http://www.inergy.com/BearCreek_Cabin

4085. Help with a DX-100 restoration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: tyree@mizar.isi.edu
Message-ID: <7lakui$4b9@mizar.isi.edu>
Source record: 82733

I am in the process of restoring a Heathkit DX-100 to full functionality. The original owner had modified the rig to use the SB-10 SSB exciter, which I also have but do not want. I restored the DX-100 to be the AM/CW boatanchor it originally was. I also replaced all electrolytic capacitors and all paper capacitors. By the way, I also have the original manual for it.

The problem occurred when I removed the modifications (and I hope not anything else) and tried to follow the instructions in the manual to test the rig. I got as far as checking the drive current and found that the drive current to the final is about 2.5mA even when the drive control is set to minimum. I figured that if the screen voltage of the drive tube (5763) is 0.0 Volts (confirmed by measurement) then the output of the driver should be zero. It is not.

The next problem occurred when I set the drive to 5 mA and attempted to tune-up the final. I found very little output. A check of the screen voltage on the 6146 found it to be about 60 Volts. That explains the low output, but further checking of the clamp tube (6AQ5) grid bias found that it was +1.5 Volts at 5mA drive current. That would explain the low scrren voltage because the clamp tube is conducting fully. Is the bias supply not the correct voltage? - it tests to be -76 Volts. I have replaced all tubes that test weak with NOS tubes (which I also tested to be sure they were OK).

The thing I need, but is not available in the DX-100 manual, is a tube voltage chart (in various modes) and a tube resistance chart. The DX-100 manual has a simple resistance table that only roughly checks some obvious things, which by the way, test about rignt on my rig. I'm not sure what I messed up trying to restore the rig.

Is there anyone in this group that has developed a tube voltage chart (in various modes) and a tube resistance chart for the DX-100? Lacking this information, can someone offer any ideas for where to look for the problems?

Regards,
Vance, KG6AP
--

4086. D-104 STOCK (4 SALE) PRETTY

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990629131826.25158.00005258@ng-ff1.aol.com>
Source record: 82734

HAVE A D-104 THAT IS STOCK HAS THE SIDE PTT BAR ..VERY PRETTY
$55.00 S HIPPED ..USA ...

4087. Re: Help with a DX-100 restoration

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: Alan Price <career1@home.com>
Message-ID: <377906A4.F2CC3D9A@home.com>
Source record: 82735

Vance:

I have a DX-100 in cherry condition. I also have all of the published
mods for the rig. Would a copy of the mods help you? I have an old
copy of the handbook. It has tube diagrams in it. Would that help?
73
Alan
W1HYV

Vance Tyree wrote:
>
> I am in the process of restoring a Heathkit DX-100 to full
> functionality. The original owner had modified the rig to use the
> SB-10 SSB exciter, which I also have but do not want. I restored the
> DX-100 to be the AM/CW boatanchor it originally was. I also replaced
> all electrolytic capacitors and all paper capacitors. By the way, I
> also have the original manual for it.
>
> The problem occurred when I removed the modifications (and I hope not
> anything else) and tried to follow the instructions in the manual to
> test the rig. I got as far as checking the drive current and found
> that the drive current to the final is about 2.5mA even when the drive
> control is set to minimum. I figured that if the screen voltage of the
> drive tube (5763) is 0.0 Volts (confirmed by measurement) then the
> output of the driver should be zero. It is not.
>
> The next problem occurred when I set the drive to 5 mA and attempted
> to tune-up the final. I found very little output. A check of the
> screen voltage on the 6146 found it to be about 60 Volts. That
> explains the low output, but further checking of the clamp tube (6AQ5)
> grid bias found that it was +1.5 Volts at 5mA drive current. That
> would explain the low scrren voltage because the clamp tube is
> conducting fully. Is the bias supply not the correct voltage? - it
> tests to be -76 Volts. I have replaced all tubes that test weak with NOS
> tubes (which I also tested to be sure they were OK).
>
> The thing I need, but is not available in the DX-100 manual, is a tube
> voltage chart (in various modes) and a tube resistance chart. The
> DX-100 manual has a simple resistance table that only roughly checks some
> obvious things, which by the way, test about rignt on my rig. I'm not
> sure what I messed up trying to restore the rig.
>
> Is there anyone in this group that has developed a tube voltage chart
> (in various modes) and a tube resistance chart for the DX-100? Lacking
> this information, can someone offer any ideas for where to look for

> the problems?
>
> Regards,
> Vance, KG6AP
> --

4088. FS: Collins KWS-1 / 75A-4

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: AA8WL <sabur@mich.com>
Message-ID: <37790B84.DDC6FC2C@mich.com>
Source record: 82736
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap

Have for sale Collins KWS-1 and 75A-4 and I would prefer a pick-up only on these items. They are both nice condition and the rec was restored to near peerfect condition by a gentleman on the East coast. The KWS-1 I have never had power on it but was said to working from the previous owner. I will try to get a digital pic so you can see them. I will try to answer questions if you e-mail me. I would like to get $2800.00 for the pair . If interested contact me at: sabur@mich.com or SSB5@daimlerchrysler.com Thank you 73' DE AA8WL

4089. Navy Models TDY and X-TDY Manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: JOHN SEIDTS <jkis@erols.com>
Message-ID: <7lb21u$7go$1@autumn.news.rcn.net>
Source record: 82737

Bu. of Ships manual dated October 14, 1944. In excellent condition, in original plastic cover. Original Confidential classification penned over and marked UNCL with a marker. $35.00 shipped anywhere in the US.
--
john@astory.com
http://www.astory.com

4090. Re: dcc wire source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: troglodite@aol.com
Message-ID: <19990629142127.08267.00005882@ng-fe1.aol.com>
Source record: 82738

>
>Does anyone know of a source for #30 dcc (double cotton covered) magnet
>wire? AES's celanese stuff is only in #24 and 26. (Other sizes and
>insulations would work, of course, but I'm trying to duplicate a 1934
>project). Need about 20 ft.
>

Jim,

See if you can find a pipe organ builder in your area. Miles of this stuff are still used for wiring the windchests and relays of pipe organs. (Except for trackers.)

Doug Moore

4091. FS: VACUME GAUGES $12.50 EA.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-29 00:00:00 UTC
From: murphy@cts.com
Message-ID: <murphy-2906991151380001@murphy1.cts.com>
Source record: 82739
Cross-posted to:
rec.radio.swap,sci.electronics.components,rec.radio.amateur.boatanchors,sci.electronics.equipment,rec.aviation.restoration

DIAL TYPE VACUME GAUGES 0-30 MHG / 0-100 KPA

NEW, PACKEGED, EXELLENT COND. $12.50 EA. 10 FOR $90

PIC AND INFO AT:

http://209.239.34.153/murphyjunk/SPECIALS_UPDATED_FREQUENTLY

--
MURPHY'S SURPLUS http://www.maxpages.com/murphyjunk

401 N. JOHNSON AVE.
EL CAJON, CA. 92020

619 444 7717
FAX 444 6750

4092. FS: Russian 6C4C (=6B4G)

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <377a5a6c.913622@news.telia.no>
Source record: 82590
Cross-posted to: rec.antiques.radio+phono,rec.audio.tubes,rec.radio.amateur.boatanchors,rec,radio.amateur.homebrew

I have found some of these excellent 6B4G valves. 6C4C in Russia is equivalent
to 6B4G and it looks identical to the old Sylvania 6B4G with double anode
stapped together by a metal plate, not the type with two separate anodes. This
6C4C valves is very well built and is of high quality. It is unlike the new
Sovtek 6B4G which looks more like a scaled down Sovtek 300B with a single anode.
I don't have many 6C4C left, so e-mail me if you are interested

Best regards,

Arnold Goksoyr

DEMOSTENES A.Goksoyr N6899 Balestrand - Norway
Tlf.+47 57691340 Fax +47 57691267 http://demostenes.vestdata.no
Valves (tubes), sockets, transformers, books, capacitors and resistors
Svetlana distributor. We ship everywhere in the world.

4093. Radio gear and Cows

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Joe <joeamp@mindspring.com>
Message-ID: <7ldo9qfku1@nntp5.atl.mindspring.net>
Source record: 82591

Last week I drove to Pennsylvania to pick up some Hammerlund receivers and these guys were talking about old radio gear and Jersey cow's.

I lived in Brooklyn NY most of my life and want know is a Jersey cow, one of them cows from New Jersey that get milked ?
These guy's were laughing to hard to answer but threw in a D-104 for free???

4094. Need 6293 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: clei908025@aol.com
Message-ID: <19990630145037.12941.00005617@ng-fx1.aol.com>
Source record: 82592

Need two 6293 tubes. New in Box.
Will buy or trade.
Charles

4095. FS: Hard-to-Find Drake Accessories

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Jan N0JR <swanman@cfu.net>
Message-ID: <377A72D7.3B270AEC@cfu.net>
Source record: 82593

These hard-to-find Drake accessories are all in mint condition, one-owner/non-smoker. They come from a world-class Drake/Collins collection (estate) assembled by a radio engineer from Cedar Rapids, Iowa. Prices are firm and all + shipping..

MN-2700 tuner--$275
MN-2000 tuner--$245
SP-75 speech processor--$175
AC-4 power supply--$145

If interested CALL ME AT (319) 277-1499 AND LEAVE MESSAGE. Don't email, because I am away from email for a few days. Tks es 73!

4096. Re: HT-32 and HT-32B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Gary - KJ6Q <davison7@gte.net>
Message-ID: <E8ve3.436$yp5.18005@dfiatx1-snr1.gtei.net>
Source record: 82594

The main external difference I recall was the addition of a small
vernier dial driving the main knob for easier fine-tuning of the
VFO...

Gary - KJ6Q
--
"Blaming guns for Columbine is like blaming
spoons for Rosie O'Donnell being fat."

Bob Rinaldi <w1cny@ziplink.net> wrote in message
news:37796806.B12E2C07@ziplink.net...
> Hi: Can anyone let me know what the difference is in these two
> transmitters?
> Thanks,
> Bob, W1CNY

4097. Ameco AC-1 schematic now posted

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: jtyburczy@aol.com
Message-ID: <19990630165220.12508.00003925@ng-fy1.aol.com>
Source record: 82595

For all who are interested, I've posted a schematic
for the AMECO AC-1 transmitter at:

http://www.qsl.net/wb1gfh/ameco.html

73's

W1GFH

4098. Re: Need 6293 Tubes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: arnoldg@sf.telia.no
Message-ID: <377a82be.538814@news.telia.no>
Source record: 82596

On 30 Jun 1999 18:50:37 GMT, clei908025@aol.com (CLei908025) wrote:

>Need two 6293 tubes. New in Box.
>Will buy or trade.
>Charles

I have 6293 RCA new in original box. E-mail me if you want them.

Best regards,

Arnold Goksoyr

DEMOSTENES A.Goksoyr N6899 Balestrand - Norway
Tlf.+47 57691340 Fax +47 57691267 http://demostenes.vestdata.no
Valves (tubes), sockets, transformers, books, capacitors and resistors
Svetlana distributor. We ship everywhere in the world.

4099. FS:Hallicrafter Cabinets

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: John Williams <ac6tsXX@n2.net>
Message-ID: <377a88db.0@wagner.n2.net>
Source record: 82597

```
>-- >I am posting this for a friend, Konrad Wallenda <n6uko@juno.com>
>>Konrad is the treasurer of our local Escondido Amateur Radio Society.
>>Shipping zip 92025 CA. Any replies send to Konrad not me please.
>>>
>>>FOR SALE
>>
>>> 2 Hallicrafter Cabinets SX101 Style, hinged top. No dents or holes
>>> or deep scratches.
>>> $ 35.00 Dollars each
> You pay for shipping
>>
>>Please contact Konrad if interested <n6uko@juno.com>
>>--
>

---/---
---/---
----/----
-----/-----

AC6TS John Williams
LAT. 33.06.15 LON. -117.03.36 7.030Mhz CW
DM13KC 14.030Mhz CW
```

4100. CV-591 vs CV-591A

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Dave Merrill <r390a@concentric.net>
Message-ID: <377A057F.98F575A8@concentric.net>
Source record: 82598

How does one tell the difference between these two SSB converters?
The manual for the CV-591A says only that it is an 'improved' version.
I have one without a tag and would like to know which one it is.

4101. Re: FS JOHNSON PANEL REFINISH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: "D. S. Platt" <jeepp@erols.com>
Message-ID: <377A8D2E.88322212@erols.com>
Source record: 82599
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.ham-radio

Be sure and let us all know when you can do Viking II's and Valiants.
There's got to be a gold mine out there on these!!!

Dee Almquist wrote:

> Hello All
> My new paint shop is now operational & I am offering restoration of your
> JOHNSON RANGER panel, bezel, & cabinet to better than factory original
> finish in original looking Johnson colors including the unique green silk
> screening. Materials are the new Dupont paint system (I am doing ONLY
> Rangers at this time)
> The cost is $250. (+shipping)
> Regards
> Dee, W4PNT
> w4pnt@rica.net
> Dee Almquist, 534 W. Main St. Waynesboro, Va. 22980 Ph:(540)249-3161
> fax:(540)249-5064 Cell:(540)471-7023

4102. Re: OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990630180443.17093.00005357@ng-cs1.aol.com>
Source record: 82600

Bob,
I'm after a couple of #59 tubes for my '33 Zenith. Please let me know if you have any.
Thank You,
Joe Cro (yardleyite@aol.com)

4103. Re: OLD TUBES

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: yardleyite@aol.com
Message-ID: <19990630180536.17093.00005359@ng-cs1.aol.com>
Source record: 82601

Bob,
Please let me know if you have a couple of good #59 tubes.
Thank You.
Joe Cro (yardleyite@aol.com)

4104. WTB: Robert Hertzberg book"So You Want To Be A Ham"

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: "Michael J. White" <mike.white@erols.com>
Message-ID: <7le4n7$q6r$1@autumn.news.rcn.net>
Source record: 82602
Cross-posted to: rec.radio.swap,rec.radio.amateur.boatanchors

I'm looking for a copy of "So You Want To Be A Ham" by Robert Hertzberg. I want an edition from the early 1960s. Anyone have one for sale? Thanks.

Mike, N4PDY
mike.white@erols.com

4105. Re: WTB : Mini Lathe and Mini milling machine

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Dan Bryden <bryden@deltanet.com>
Message-ID: <377AB470.51461B55@deltanet.com>
Source record: 82603

Young, I have a Smithy combination lathe/mill that I don't use much. It is still sold commercially. They run in the $18oo range without tooling. I never really thought about selling it but we might be able to make a deal. What kind of machine were you looking for. Dan WA6PXO

k6hm wrote:

> Hi,
> I am looking for mini lathe and milling machine for small radio parts
> fabrication. Anybody has these machine, please e-mail me. Thanks.
> de K6hm
> Young

4106. AEA-121 HF ANALYST

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Richard Earl <w9juc@juno.com>
Message-ID: <377AB446.3C728A26@juno.com>
Source record: 82604
Cross-posted to: alt.ham-radio.hf,rec.ham-radio.swap,rec.radio.amateur.boatanchors,rec.radio.amateur.homebrew

Are they still in business?

Need instruction manual(or copy), software and serial cable for the AEA
Model SWR-121 HF Analyst.

Thank you,

Rich

W9JUC

4107. ?? 1926 1st Edition ARRL Handbook

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Bill M <grundig@att.net>
Message-ID: <377AB5DA.971154B5@att.net>
Source record: 82605
Cross-posted to: rec.antigues.radio+phono,rec.radio.amateur.boatanchors,rec.radio.amateur.equipment

Hi:

I'm asking for a friend, the book does not belong to me nor do I intend on buying it. Can anyone tell me the going rate for a 1926 1st Edition ARRL Handbook in excellent condition. The only flaw I noticed was at the bottom of the spline where there was about a 3/8" flap of the cover turned up.

I intend on passing along any info provided to the owner and if she is interested in selling I will post her asking price.

Bill

4108. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: dslosty@pipeline.com
Message-ID: <377a9d33.15369148@news.pipeline.com>
Source record: 82606

Patricia Gibbons <wa6ube@ix.netcom.com> wrote:

>JSBASB wrote:
>>
>> I am looking for a "Gibson Girl" ,emergency, hand-crank, "lifeboat" radio
>> transmitter set. Anyone have one of these sets in good condition for sale or
>> trade ? Thanks.
>
>Hope you are not seriously considering one as safety equipment
>on a boat these days.. :-)
>
>Yes, the later variants of the gibson girl also have
>8364 KHz in addition to 500 KHz, but... is anyone
>listening/monitoring these freq's anymore ??
>
>I don't think the USCG is ...
>
>Trish

He probably just wants it as a collectible.

You're right about 500 and 8364KHZ.
With the advent of the GMDSS system replacing the maritime CW watch,
no one monitors these freqs any more. 8364KHZ might have been
reassigned to the DSC (digital selective calling) system but an old
lifeboat rig would still be useless for that.

Doug

"Use it up, wear it out. Make it do, or do without."

Remove the "_" in my return address to reply.

4109. Info request on R-44 speaker

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Marvin Born <MBORN@WBNS.COM>
Message-ID: <377AD20B.5176AD6A@WBNS.COM>
Source record: 82607

I picked up a Hallicrafters R-44 speaker in nice condition, just a few small
scratches on the top.

Is this a collectors item or just an everyday speaker? Not being a
Halicrafters collector, I have no idea of its worth or position in the
market. TNX in advance.

73, KF8XU

4110. Re: HT-32 and HT-32B

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Bob <bmiller@calweb.com>
Message-ID: <377ad8ca@calwebnnrp>
Source record: 82608

Mainly knobs and a fan shaped cutout above the frequency tuning knob. I think it also used a 7360 beam tube in the bal modulator, but that could be a brain ping on my part. Perhaps someone has a manual to verify the 7360 bal mod question.

73
Bob, KE6F
Gary - KJ6Q wrote in message ...
>The main external difference I recall was the addition of a small
>vernier dial driving the main knob for easier fine-tuning of the
>VFO...
>
>Gary - KJ6Q
>--
>"Blaming guns for Columbine is like blaming
>spoons for Rosie O'Donnell being fat."
>
>
>
>Bob Rinaldi <w1cny@ziplink.net> wrote in message
>news:37796806.B12E2C07@ziplink.net...
>> Hi: Can anyone let me know what the difference is in these two
>> transmitters?
>> Thanks,
>> Bob, W1CNY
>

4111. 6 WWII Military Tubes-New In Boxes

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: sebring@zebra.net
Message-ID: <377AE924.7C7A@zebra.net>
Source record: 82609

Six WWII Military Tubes still packaged in original boxes, each box dated with date of acceptance by the Army or Navy. See a picture at: http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=125313591

4112. WTB: Zeinth 500 manual

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: John Miller <mcmiller@netboise.com>
Message-ID: <377B06C1.B056C5F6@netboise.com>
Source record: 82610

I need an original manual for a Zeinth
Transoceanic 500 model mid 50"s vintage.

Thanks,

John Miller
Boise, Idaho

4113. FS: Old Federal Telegraph Tube

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: sebring@zebra.net
Message-ID: <377AEB11.1FDE@zebra.net>
Source record: 82611

A nice old Federal Telegraph Co. tube, type F-123A. 8 and 1/2 inches
tall. See a picture of it at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=123451548

4114. FS: 2 US Navy 1616s

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: sebring@zebra.net
Message-ID: <377AEBEB.58DB@zebra.net>
Source record: 82612

Two U.S. Navy 1616 Tubes. See a picture of them at:
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?MfcISAPICommand=ViewItem&item=123465309

4115. "Ebay" Sales on Usenet Lists

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: David Stinson <arc5@ix.netcom.com>
Message-ID: <377AF4B5.1AFEA2B6@ix.netcom.com>
Source record: 82613
Cross-posted to: rec.radio.amateur.boatanchors,rec.radio.swap,rec.audio.tubes

```
This is an informational post only.
Please do not reply or begin a thread.
Thank you :)
----------------------------------------
A "gentleman's agreement" has evolved on the Usenet lists concerning
auction sale listings such as those pointing to Ebay.
These sales are permitted by the charter of this
and several other groups.

When posting an auction pointer, please use "FA: (item),"
which means "For Auction," in the subject line
(i.e. "FA: Lot of NOS Tubes").

When posting a direct sale item, please use "FS:" instead.

Alternates are "Ebay-" or "Auction-" in the subject line,
but "FA:" is becoming the standard. This allows people who
do not wish to see auction posts to filter them out in their browsers.

Thank you for your understanding and cooperation.

Kind Regards,
Dave S.
```

4116. Gibson Girl information.

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Radio Randy <rjones@plix.com>
Message-ID: <377AFCD7.1C81@plix.com>
Source record: 82614

Hi gang,

A coworker showed up with a crank generator like the one the "Gibson Girl" used for power. Can anyone tell me where I can find an "online" manual for the generator alone? Then number is:

GN-58-A-GY

Thanks in advance.

Radio Randy

4117. WTD: info & DWNGS: "Gibson Girl" , AN/CRT3

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Patricia Gibbons <wa6ube@ix.netcom.com>
Message-ID: <377A12C2.4698@ix.netcom.com>
Source record: 82615

Radio Randy wrote:
>
> Hi Trish,
>
> Any idea where I might go to find an "online" copy of the manual for a
> "Gibson Girl" generator set? Thanks.
>
> Radio Randy, <rjones@plix.com>

Randy, I've cc'd your query to the military vehicle mailing list,
many of the members are also into military boat anchors like
the AN/CRT3 (mil designator) of the Gibson Girl lifeboat
xmtr.

It is also cross-posted to the rec.radio.amateur.boatanchors
newsgroup which is another excellent source of help for
this query..

someone in either area may read this and e-mail you ..

Trish
--

Patricia E. Gibbons
Acting Chief Communications Technician
City of San Jose - ITD/communications
<http://www.qrz.com/i2.html?callsign=wa6ube&form_name=callsign>
.....
My Public Key is available at:
<http://pgp5.ai.mit.edu:11371/pks/lookup?op=vindex&search=0xEDECB44F>
Key ID: 0xEDECB44F
This key is RSA, NOT Diffie-Hellman !!

4118. Re: "Gibson Girl" WW II emergency radio transmitter

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: oceanradio@aol.com
Message-ID: <19990629204107.08648.00006387@ng-fa1.aol.com>
Source record: 82674

Monitoring of 500 kHz by ships effectively ended Feb 1 this year, not by the ITU, but by the International Maritime Organization, whose 1988 admendment to the Safety of Life at Sea convention says now that 500 kHz provides no capabilities that meet the requirements for shipboard equipment. All ships must now be equipped according to the areas of the sea they sail, and no requirements are met by carrying 500 kHz equipment, including the auto alarm. I don't know of anyone ever monitoring 8364 (I think it was). Some of the newer lifeboat radios included 2182 equipment but very few people monitor it and the auto alarm receivers for that frequency also were eliminated as a requirement 1 Feb.
Thus died an era and a way of life for many people who made a living by telegraph key. I was privileged to have been one, for awhile.

4119. Re: Early 1912 Wireless Telegraphy Book for Sale.....

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: john hurst <hurstjsj@gte.net>
Message-ID: <37796F1A.11056439@gte.net>
Source record: 82675

Hi Robert, I'd like to buy this if you still have it. No need to respond if it's sold. Tnx, John, KU6X

Robert S Ross wrote:

> Hello:
>
> I have the following Book for sale.....Please email me
> at..... radiorob@serix.com to reserve this item.
>
> Thanks...ROB VA3SW
>
> ##
>
> Wireless Telegraphy Illustrated
> Wireless Telegraphy and How to make the Apparatus
> "Work" Handbooks. Printed in England June 1913. First Published in
> 1912.
> With 93 Illustrations 152 Pages.
> Cassell and Company.
> Small Cardboard Covered Book with Red Cover. Neat Photo Cover of Early
> Station.
> 12 Chapters covering Introduction, Simple Transmitting Set, Simple
> Receiving Set, Using a Coherer, Making a Wimshurst Machine and Leyden
> Jar,
> Combination Tapping and Plug Key, Batteries, Misc. etc.
> Back Cover, and insides of Front and Back covers have great Old Ads
> for
> British Radio Stores...Like "Universal Electric" in Manchester,
> "Economic
> Electric Co", London.
>
> General Condition is......VG- Spine is a Little Rough on
> Outside.....but is
> attached. Rest of Cover is pretty good.
> Inside pages are all attached and in nice shape .
>
> PRICE.....$25.00 USA POSTPAID in North America
> ##

4120. Re: AC-1 Schematic

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: jtyburczy@aol.com
Message-ID: <19990629215403.12754.00007477@ng-cb1.aol.com>
Source record: 82676

<<Hi,

Does anyone have a schematic to a Ameco AC-1 ??>>

I have it. Just got it from another guy on the net.
Let me know. I'll pass it on to you.

Joe, W1GFH

4121. More Tubes For Sale

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: sabbatai_zvi@hotmail.com
Message-ID: <37797990.1552386@news.earthlink.net>
Source record: 82677
Cross-posted to: alt.guitar.amplifiers,rec.radio.swap,rec.audio.tubes,rec.antiques.radio+phono,rec.radio.amateur.boatanchors

For sale:

Fender 6L6GC Pair, New - no boxes $32.00
(for 2)

G.E. 12AX7/ECC83, Pair, New in Boxes $10.00
(for 2)

G.E. 6GH8A, set of 5 new in boxes & carton $10.00
(for 5)

G.E. 6JE6C / 6LQ6, FOUR, New in Boxes $129.00
(for 4)

G.E. 6JE6C / 6LQ6, ONE, New in Box $36.00
(for 1)

Amperex 6JE6 / 6LQ6, ONE, New in Box $36.00
(for 1)

RCA 6JE6 / 6LQ6, ONE, New in Box $36.00
(for 1)

Sovtek 6L6GB Pair, New in Boxes $15.00
(for 2)

RCA 42KN6, ONE, New in Box $26.00
(for 1)

G.E. 6KD6, ONE, New in Box $35.00
(for 1)

G.E. 6KM6, ONE, New in Box $12.00
(for 1)

Sylvania 6KN6, ONE, New in Box $12.00
(for 1)

G.E. 6LR6, ONE, New, no Box $29.00
(for 1)

G.E. 35LR6, TWO, New in Boxes $29.00
(for 2)

RCA 35LR6, ONE, New in G.E. Box $14.00
(for 1)

Add shipping costs. E-mail me to make arrangements to buy.

4122. Ebay- COLLINS 32S-3 & 516F-2, Seperately!!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990629234703.20182.00007985@ng-fv1.aol.com>
Source record: 82678

Hi Guys;
I am splitting these items up on Ebay.
The 32S-3 xmtr>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123946944
The Matching supply with cabinet>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=123928229
Just might pay to check it out!!
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

4123. Ebay-Kenwood TR-7400A w/Heath Micoder Mike!

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990630001213.20182.00007995@ng-fv1.aol.com>
Source record: 82679

Hi Guys;
Nice Kenwood TR-7400A 2 meter Mobile, built like the perverbial outhouse :-)
With a Heathkit Micoder II Mike, only at $43.50 with only less then 2 days to
go!
Heres the URL with pictures!>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122622911
Thanks es 73..........RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

4124. Ebay- (11) FT-243 Xtals only at $16.50

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: rlucch2098@aol.com
Message-ID: <19990630001457.20182.00007996@ng-fv1.aol.com>
Source record: 82680

Hi Guys;
All you CW Buffs might wanna check these 11 xtals out, there are 11 of them and only at $16 or so with only less then 2 days to go!
URL with a nice picture!>>
http://cgi.ebay.com/aw-cgi/eBayISAPI.dll?ViewItem&item=122608723
Thanks es 73.....RICH-WA2RQY RLUCCH2098@aol.com
Web-Page URL> HTTP://members.aol.com/rlucch2098/index.html

4125. Re: BEWARE OF MAIL BOXES ETC. SHIPPING

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: hwh <74361.2114@CompuServe.COM>
Message-ID: <uveNSVrw#GA.231@nih2naaf.prod2.compuserve.com>
Source record: 82681

Here's an idea that may help with packing. When all you have are loose peanuts but you really would like to use a foam sheet or blocks, bag a bunch of the peanuts in those plastic supermarket bags and tie 'em up. Fill them to the amount of stuffing you need. This way your item can't migrate through the peanuts to where they don't protect your item anymore.
73,
Wayne Hall
WB4OGM

4126. Heath, Newark, Raco, WRL, Meissner, Tube Catalogs and more FA

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: we300b@aol.com
Message-ID: <19990630060531.06502.00005512@ng-fo1.aol.com>
Source record: 82682

Many, Many, Many radio catalogs from the 1930's - 1950's for tube ham, audio, microphone, and transformer etc. Over on Friday

radio,ham,audio,tube catalogs

4127. Re: CW Mode questions on FT101EE

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Craig Novak <crnovak@hawkpci.net>
Message-ID: <377A116F.6A2090B5@hawkpci.net>
Source record: 82683

Thanks to all the kind people who have taken the time to respond.

To update, yes the carrier control AND the mike control are at full stop to the right. This yields nothing and still no output.

I have not checked the key jack plug-great idea TY Bismark
I still dont know if I have heard the "side tone" or not, but will check it out and update.

Again thank you.

Boatanchors Away.

Craig Novak, WW5E

Bismarck Wichy wrote:

> Do you hear the audio "side tone". I think that keys up the rig. Been years
> since I had one but I remember once a transistor went bad in that circuit
> and I could not get the transmitter to key up even though it would tune up
> right.
>
> Might want to check your key jack/plug as well - could be dirty...
>
> GUD LUK OM - WD0HCO
>
> ----------
> In article <37776FD7.A429C191@hawkpci.net>, Craig Novak
> <crnovak@hawkpci.net> wrote:
>
> >Thank you for reading this.
> >
> >I recently bought a FT101EE and am getting use to the load and plate
> >mode of tuning up the finals.
> >
> >I have noticed however that after I do the final tune, per the manual,
> >and stick in my straight key into the key socket that I am not putting
> >out any signal in CW mode. I hear the contact close, but no output.
> >
> >Would you, the experienced, help enlighten me as to whether this is
> >something I dig thru the maintenance manual and troubleshoot, or there
> >is something obvious that I have missed and should know.
> >
> >All help is appreciated.
> >
> >73s

> >
> >Craig Novak, WW5E
> >
> >

4128. Re: UPS Shipping damage

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Don <w8ns@tir.com>
Message-ID: <3779DA28.1DFABC1D@tir.com>
Source record: 82684
Cross-posted to: rec.radio.amateur.equipment,rec.radio.swap,rec.radio.amateur.boatanchors

Clyde,you can't do anything towards a claim,only the sender can do
that..What I would do it call ups and write down ,who you speak to and
date and time,then contact the sender if you do have any damage..Don.

clyde edgar wrote:
>
> I recently received a radio that was packed and shipped by UPS but
> arrived with the top lid bent so it sticks up about an inch. . It was
> packed very well in molded foam and no damage was apparent on the box.
> What I think happened is it was packed upside-down for some reason, the
> lid flopped open and caught on the solid foam packing when it was
> inserted into the box. The box was insured , can somebody tell me what
> the procedure is to contact UPS? or is there a FAQ on this ? Any help
> sincerely appreciated. Tnx es 73's Clyde- WA6DCM

4129. Re: dcc wire source?

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: nesesu@my-deja.com
Message-ID: <7ld9c7fgv1@nnrp1.deja.com>
Source record: 82685

In article <zygo-2906990827440001@dialup06ip076.tus.azstarnet.com>,
zygo@azstarnet.com (Jim Mandaville) wrote:
> Does anyone know of a source for #30 dcc (double cotton covered)
magnet
> wire? AES's celanese stuff is only in #24 and 26. (Other sizes and
> insulations would work, of course, but I'm trying to duplicate a 1934
> project). Need about 20 ft.
>
> Thanks, Jim KF7A
>
Jim, e-mail me back if you are interested in this. I MAY have some #30
wrapped, solder strippable magnet wire. I have several sizes around
#30, but I am not sure I have #30. Let me know if you can tolerate # 29
or #31.
Since it is a holiday up here to-morrow, I will not be back to the mail
box until Monday.

Sent via Deja.com http://www.deja.com/
Share what you know. Learn what you don't.

4130. Re: Please

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Martin Meserve <meserve@my-deja.com>
Message-ID: <377A2BED.41C67EA6@my-deja.com>
Source record: 82686

Bill Smith wrote:
>
> How does one subscribe?
>
> Thank you,
>
> Bill Smith in Sachse, TX

I assume that you are refering to the list processors that will automatically email you a daily synopsys of postings from a particular area of interest.

To get a list of commands and instructions send a email to Listserver@ucsd.edu (Mailing List Processor) with the word HELP in the body of the message. Just put the word on a line all by itself. The Subject line can be anything, because it is ignored.

To get a list of all the maillists, and their descriptions, use the command LONGINDEX. Again, just a single word on a line all by itself.

Martin

--
Martin E. Meserve KB7EQS martin.e.meserve
Engineer, Program/Project Specialist AT
Lockheed Martin M&DS - Reconnaissance Systems lmco.com

I respond to news groups and E-Mail on my own time and therefore my responses may not be as timely as you, or I, would like them to be. If I seem to be ignoring you, send me another E-Mail to jog my memory. Opinions are my own and do not reflect the opinions of my employer.

----------== Posted via Deja News, The Discussion Network ==----------
http://www.dejanews.com/ Search, Read, Discuss, or Start Your Own

4131. Re: FS JOHNSON PANEL REFINISH

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: jimmoci@aol.com
Message-ID: <19990630114129.08077.00004880@ng-fs1.aol.com>
Source record: 82687

Will you ever be refinishing Johnson 500's or do you know where I can get mine Silkscreened. I can handle the paint work- Just need the letters redone.
Tnx,
Jim W3ATV

4132. Vintage Ads

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: Jeff James <jeff@eclipse.net>
Message-ID: <377A4044.3F54DEA4@eclipse.net>
Source record: 82688

```
The Boatanchor Classifieds
http://www.dealamerica.com/deal/cgi-bin/ads/bcads.cgi
Dedicated to vintage radio..
Thank you!
```

4133. COLLINS 75-A4 SSB FILTER IN BOX

Newsgroup: rec.radio.amateur.boatanchors
Date: 1999-06-30 00:00:00 UTC
From: dwight136@aol.com
Message-ID: <19990630130237.01977.00006680@ng-cc1.aol.com>
Source record: 82689

HERE IS A EXCELLENT SHAPE SSB F-455J-31 FILTER FOR YOUR 75A-4 IN THE ORIGINAL COLLINS BOX..175.00 SHIPPED YOU CAN EMAIL ME FOR A PICTURE ..USA ONLY ...